



New York City Department of Environmental Protection

THE CITY OF NEW YORK
DEPARTMENT OF ENVIRONMENTAL PROTECTION
Bureau of Environmental Compliance
59-17 Junction Boulevard, 9th Floor, Flushing, New York 11373-5108
Records Control (718) 595-3855

Revised 04/09

APPLICATION FOR REGISTRATION (APC 501)

Use this form for installations using # 2 Fuel Oil & Natural Gas with a maximum input rating which, in the aggregate, is equal to or greater than 350 thousand BTU/hour and less than 2.8 million BTU/hour. Use form APC 5.0 for installations using # 2 Fuel Oil & Natural Gas equal to or greater than 2.8 million BTU/hour. Use form APC 5.0 for installations using # 4 or # 6 Oil equal to or greater than 1.0 million BTU/hour.

FEE ENCLOSED \$
IF FEE EXEMPT, MUST SUBMIT NYC FINANCE DEPARTMENT PROPERTY TAX EXEMPT CERTIFICATE.

FOR DEPARTMENT USE ONLY
APPLICATION #:
APPROVED:
DISAPPROVED:
REVIEW DATE:
EXPIRATION DATE:

PREMISE ADDRESS: (NUMBER) (STREET) (BOROUGH) (ZIP) (BLOCK) (LOT)

NUMBER OF APTS. AND/OR TOTAL SQUARE FEET OF FLOOR AREA:

BOILER WATER HEATER MAKE: BURNER MAKE:
MODEL: MODEL:

NUMBER OF IDENTICAL (SAME MAKE & MODEL) BOILERS OR WATER HEATERS:

MAXIMUM INPUT RATING: (BTU/HOUR) GROSS OUTPUT: (BTU/HOUR)

FIRING RATE: (GALLONS PER HOUR) OR (CUBIC FEET PER HOUR)

FUEL TYPE: # 2 OIL NATURAL GAS EQUIPMENT: NEW EXISTING

IS THIS EQUIPMENT A REPLACEMENT FOR EQUIPMENT PRESENTLY REGISTERED? YES* NO

*IF YES, PROVIDE THE INSTALLATION NUMBER OF THE EQUIPMENT IT IS REPLACING: CA/CB
(THIS INSTALLATION NUMBER WILL BE CANCELLED TO AVOID FUTURE ENFORCEMENT ACTION AGAINST THE EQUIPMENT YOU ARE REPLACING)

AVERAGE USE OF THIS BOILER/WATER HEATER: (HOURS/DAY) (DAYS/WEEK) (WEEKS/YEAR)

OTHER BOILER(S)/WATER HEATER(S) CONNECTED TO SAME CHIMNEY

Table with 3 columns: MAKE, MODEL #, MAX. BTU/HR INPUT RATING. Rows 1, 2, 3.

"I HEREBY AFFIRM UNDER PENALTY OF PERJURY THAT THE INFORMATION PROVIDED ON THIS FORM IS TRUE TO THE BEST OF MY KNOWLEDGE AND BELIEF AND THAT THE EQUIPMENT WILL BE OPERATED IN ACCORDANCE WITH THE REQUIREMENTS OF THE AIR POLLUTION CONTROL CODE, CHAPTER 1 OF TITLE 24, NEW YORK CITY ADMINISTRATIVE CODE, AND APPROPRIATE REQUIREMENTS OF OTHER AGENCIES. I RECOGNIZE THAT FALSE STATEMENTS ARE PUNISHABLE AS A MISDEMEANOR PURSUANT TO SECTION 24-190 OF THE AIR POLLUTION CONTROL CODE AND SECTION 210.45 OF THE PENAL LAW."

OWNER/AGENT SIGNATURE OWNER NAME (PLEASE PRINT) DATE

OWNER ADDRESS: (NUMBER) (STREET) (BOROUGH) (ZIP) TELEPHONE NUMBER (MANDATORY)