EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP.		
LOCATION: FLOYD BENNETT FIELD.		
LOCATION:		
CITY: BROOKLYN	STATE: N.Y	ZIP: 11234
PROCESS EQUIPMENT: AIR CURTAIN INCINERATOR		OPERATING MODE:
CONTROL EQUIPMENT:		OPERATING MODE:
DESCRIBE EMISSION POINT:		
HEIGHT OF EMISSION POINT:	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER — START: END:	
DISTANCE TO EMISSION POINT: 120 FT. — START: END:	DIRECTION TO EMISSION PT. (DEGREES (0-360)) — START: END:	
VERTICAL ANGLE TO OBSERVATION POINT — START: END:	DIRECTION TO OBSERVATION POINT (DEGREES (0-360)) — START: END:	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT — START: END:		
DESCRIBE EMISSIONS — START: END:		
EMISSION COLOR: WHITE — START: END:	WATER DROPLET PLUME — ATTACHED ☐ DETACHED ☐ NONE ☒	
DESCRIBE PLUME BACKGROUND: TOWER - CONSTRUCTION LIGHT. — START: X END:		
BACKGROUND COLOR — START: END:	SKY CONDITIONS: NIGHT. — START: END:	
WIND SPEED: 7-10 MPH. — START: END:	WIND DIRECTION: N/E — START: END:	
AMBIENT TEMP — START: END:	WET BULB TEMP:	RH percent:

Source Layout Sketch



ADDITIONAL INFORMATION:

OBSERVATION DATE	START TIME	END TIME
01-03-13	0200 HRS	0230 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	35	35	35	35	LOADING
2	30	30	30	30	"
3	30	30	30	30	NO LOADING
4	20	20	20	20	" "
5	15	15	15	15	" "
6	15	15	15	15	" "
7	10	10	10	10	" "
8	10	10	10	10	" "
9	10	10	10	10	" "
10	10	10	10	10	" "
11	30	30	30	30	LOADING
12	30	30	30	30	"
13	30	30	30	30	"
14	20	20	20	20	NO LOADING
15	20	20	20	20	" "
16	15	15	15	15	" "
17	10	10	10	10	" "
18	30	30	30	30	LOADING
19	35	35	35	35	"
20	40	40	40	40	"
21	30	30	30	30	NO LOADING
22	20	20	20	20	" "
23	20	20	20	20	" "
24	10	10	10	10	" "
25	10	10	10	10	" "
26	10	10	10	10	" "
27	30	30	30	30	LOADING
28	30	30	30	30	"
29	25	25	25	25	NO LOADING
30	20	20	20	20	" "

OBSERVER'S NAME (PRINT): ANTON HANA	
OBSERVER'S SIGNATURE:	DATE: 01-03-13
ORGANIZATION: NYC - DEP.	
CERTIFIED BY:	DATE:

(pg 2)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett Field		
City: Bklyn	State: NY	Zip:
Process Equipment: Air curtain burner		Operating Mode:
Control Equipment:		Operating Mode:
Describe Emission Point:		
Height of Emission Point: 12 ft	Height Relative to Observer: Start 12 ft End	
Distance to Emission Point: Start 150 ft End	Direction to Emission Point: Start N End	
Vertical Angle to Observation Pt. Start End	Direction to Observation Point Start End	
Describe Emissions: Start End		
Emission Color: Start End	If Water Droplet Plume (Circle): Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined: Start End		
Describe Plume Background: Start End		
Background Color: Start End	Sky Condition: Start night End	
Wind Speed: Start 12 mph End	Wind Direction: Start End	
Ambient Temp: Start 32° End	Wet Bulb Temp:	RH Percent:

SOURCE LAYOUT SKETCH



Additional Information:	

Observation Date: 1-3-13	Start Time: 2100	End Time: 2130

Min \ Sec	0	15	30	45	Comments
1	5	5	5	10	
2	10	10	5	5	
3	10	10	10	5	
4	5	5	5	5	
5	5	10	10	5	
6	5	10	15	10	
7	10	10	5	5	
8	5	5	5	5	
9	5	10	5	10	
10	5	5	10	10	
11	5	5	5	5	
12	5	5	5	5	
13	5	5	5	5	
14	5	5	5	5	
15	10	5	5	5	
16	5	10	10	5	
17	5	5	5	5	
18	5	10	5	5	
19	5	5	5	5	
20	5	5	5	10	
21	5	5	5	5	
22	5	5	5	5	
23	5	10	10	5	
24	5	5	5	5	
25	5	5	5	5	
26	5	5	5	10	
27	10	5	5	5	
28	5	5	5	5	
29	5	5	5	5	
30	5	5	5	5	

Observer's Name (Print): Daniel E. Phelan	
Observer's Signature: Daniel E Phelan	Date: 1-3-13
Organization: NYCDEP	
Certified by: Wuflow Enterprises Inc	Date: 12-27-12

Continue on reverse side

(pg 8)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett Field		
City: Bklyn	State: NY	Zip:
Process Equipment: Air burner		Operating Mode:
Control Equipment		Operating Mode
Describe Emission Point		
Height of Emission Point: 12 ft	Height Relative to Observer: Start 12 ft End	
Distance to Emission Point: Start 150 ft End	Direction to Emission Point: Start N End	
Vertical Angle to Observation Pt. Start End	Direction to Observation Point Start End	
Describe Emissions: Start End		
Emission Color: Start End	If Water Droplet Plume (Circle): Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined: Start End		
Describe Plume Background: Start End		
Background Color: Start End	Sky Condition: Start End	
Wind Speed: Start 12 mph End	Wind Direction: Start End	
Ambient Temp: Start 32° End	Wet Bulb Temp	RH Percent

SOURCE LAYOUT SKETCH



Observation Date	Start Time	End Time
1-8-13	2130	2200

Sec / Min	0	15	30	45	Comments
1	5	5	5	5	
2	5	10	5	5	
3	5	5	5	5	
4	5	5	5	5	
5	5	10	10	5	
6	5	5	5	5	
7	5	5	10	5	
8	5	10	10	15	
9	10	5	5	5	
10	5	5	5	5	
11	5	10	5	5	
12	5	10	15	5	
13	5	5	5	5	
14	15	10	5	5	
15	10	15	10	5	
16	5	10	10	5	
17	5	5	5	5	
18	5	5	5	5	
19	5	10	10	5	
20	5	5	5	5	
21	5	5	5	5	
22	5	5	10	15	
23	15	20	15	10	
24	15	15	10	10	
25	10	5	6	5	
26	5	5	5	5	
27	5	5	5	5	
28	5	10	5	5	
29	5	5	5	5	
30	5	10	5	5	

Observer's Name (Print): Daniel E. Phelan	
Observer's Signature: Daniel E Phelan	Date: 1-3-13
Organization: NYCDEP	
Certified by: Whitlow Enterprises Inc.	Date: 12-27-12

Additional Information

Continue on reverse side

(pg.9)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett Field		
City: Bklyn	State: NY	Zip:
Process Equipment: Air curtain burner		Operating Mode: ON
Control Equipment		Operating Mode
Describe Emission Point		
Height of Emission Point: 12 ft	Height Relative to Observer: Start 12 ft End	
Distance to Emission Point: Start 150 ft End	Direction to Emission Point: Start N End	
Vertical Angle to Observation Pt. Start End	Direction to Observation Point Start End	
Describe Emissions: Start End		
Emission Color: Start End	If Water Droplet Plume (Circle): Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined: Start End		
Describe Plume Background: Start box container & night sky. End		
Background Color: Start red End	Sky Condition: Start night End	
Wind Speed: Start 11 mph End	Wind Direction: Start End	
Ambient Temp: Start 32° End	Wet Bulb Temp	RH Percent

SOURCE LAYOUT SKETCH



Additional Information

Observation Date: 1-3-13	Start Time: 2200	End Time: 2230

Sec / Min	0	15	30	45	Comments
1	5	5	5	10	
2	10	5	5	5	
3	10	15	10	5	
4	10	10	5	5	
5	5	5	10	5	
6	5	10	10	5	
7	10	5	5	5	
8	10	10	5	5	
9	5	5	5	5	
10	5	5	5	10	
11	5	5	5	5	
12	10	5	5	10	
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30					

Observer's Name (Print): Daniel E Phelan	
Observer's Signature: Daniel E Phelan	Date: 1-3-13
Organization: NYCDEP	
Certified by: Whitlow Enterprises	Date: 12-27-12

Continue on reverse side

(pg 10)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett field		
City: Bklyn	State: NY	Zip:
Process Equipment		Operating Mode
Control Equipment		Operating Mode
Describe Emission Point		
Height of Emission Point: 12 ft	Height Relative to Observer: Start End	
Distance to Emission Point: Start 150 ft End	Direction to Emission Point: Start NW End	
Vertical Angle to Observation Pt. Start End	Direction to Observation Point Start End	
Describe Emissions: Start End		
Emission Color: Start grey End	If Water Droplet Plume (Circle): Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined: Start End		
Describe Plume Background: Start End		
Background Color: Start End	Sky Condition: Start night End	
Wind Speed: Start 12 mph End	Wind Direction: Start End	
Ambient Temp: Start 32° End	Wet Bulb Temp	RH Percent

SOURCE LAYOUT SKETCH



Additional Information

Observation Date: 1-3-13	Start Time: 2230	End Time: 2300

Sec / Min	0	15	30	45	Comments
1					
2					
3					
4	10	10	10	10	
5	10	5	5	10	
6	5	10	10	5	
7	15	10	5	5	
8	5	5	5	5	
9	5	5	10	10	
10	10	5	5	5	
11	5	5	10	10	
12	15	15	10	10	
13	10	10	10	5	
14	5	5	5	5	
15	5	10	10	5	
16	5	10	10	5	
17	5	10	15	5	
18	5	5	10	10	
19	10	5	5	5	
20	5	5	5	5	
21	10	10	5	5	
22	5	5	5	5	
23	5	5	10	5	
24	10	10	10	10	
25	10	10	5	5	
26	5	5	5	10	
27	5	10	5	5	
28	5	10	5	5	
29	10	5	5	5	
30	10	15	20	10	

Observer's Name (Print): Daniel E Phelan	
Observer's Signature: Daniel E Phelan	Date: 1-3-13
Organization: NYCDEP	
Certified by: Whitlow Enterprises Inc.	Date: 12-27-12

Continue on reverse side

(pg 11)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett Field		
City: Brooklyn	State: NY	Zip:
Process Equipment: Air burner		Operating Mode: ON
Control Equipment:		Operating Mode:
Describe Emission Point:		
Height of Emission Point: 12 ft	Height Relative to Observer: Start 12 ft End	
Distance to Emission Point: Start [redacted]150ft End	Direction to Emission Point: Start NW End	
Vertical Angle to Observation Pt. Start End	Direction to Observation Point Start End	
Describe Emissions: Start End		
Emission Color: Start End	If Water Droplet Plume (Circle): Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined: Start End		
Describe Plume Background: Start End		
Background Color: Start End	Sky Condition: Start night End	
Wind Speed: Start 12 mph End	Wind Direction: Start End	
Ambient Temp: Start 320 End	Wet Bulb Temp:	RH Percent:

SOURCE LAYOUT SKETCH



Additional Information:	

Observation Date: 1-3-13	Start Time: 2300	End Time: 2330

Min \ Sec	0	15	30	45	Comments
1	5	10	5	5	
2	5	5	10	5	
3	5	10	15	10	
4	10	5	5	5	
5	5	5	5	5	
6	5	5	5	5	
7	5	5	5	10	
8	10	5	5	5	
9	5	5	10	10	
10	5	10	10	5	
11	5	5	10	10	
12	10	10	10	10	
13	10	10	5	10	
14	15	15	20	10	
15	10	5	5	10	
16	10	5	5	10	
17	10	15	10	5	
18	5	5	10	10	
19	10	5	5	10	
20	20	20	20	15	large stump loaded
21	15	15	10	15	
22	15	10	10	10	
23	10	10	10	5	
24	5	5	5	5	
25	5	5	5	5	
26	5	10	10	10	
27	10	5	5	10	
28	10	10	5	5	
29	5	5	5	5	
30	5	5	10	5	

Observer's Name (Print): Daniel E. Phelan		
Observer's Signature: Daniel E Phelan		Date: 1-3-13
Organization: NYCDEP		
Certified by: Whitlow Enterprises Inc		Date: 12-27-12

Continue on reverse side

(pg 12)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett field		
City: Bklyn	State: NY	Zip:
Process Equipment: Air burner	Operating Mode: ON	
Control Equipment:	Operating Mode:	

Describe Emission Point

Height of Emission Point: 12 ft	Height Relative to Observer: Start 12 ft End
Distance to Emission Point: Start 150 ft End	Direction to Emission Point: Start NW End
Vertical Angle to Observation Pt. Start End	Direction to Observation Point Start End

Describe Emissions

Start End

Emission Color: Start End	If Water Droplet Plume (Circle): Attached Detached N/A

Point In The Plume At Which Opacity Was Determined

Start End

Describe Plume Background

Start End

Background Color: Start End	Sky Condition: Start night End	
Wind Speed: Start 12 mph End	Wind Direction: Start End	
Ambient Temp: Start 32° End	Wet Bulb Temp:	RH Percent:

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	2330	0000

Min \ Sec	0	15	30	45	Comments
1	10	5	5	5	
2	5	10	10	10	
3	10	15	15	10	
4	5	10	5	10	
5	10	5	5	5	
6	5	5	5	5	
7	10	5	5	5	
8	10	5	5	10	
9	10	10	5	10	
10	5	10	10	5	
11	5	10	15	10	
12	5	10	10	10	
13	10	5	5	5	
14	5	10	5	5	
15	5	10	10	5	
16	10	5	5	10	
17	10	15	10	10	
18	5	5	10	10	
19	10	10	15	5	
20	10	10	10	5	
21	5	10	10	5	
22	10	5	5	5	
23	5	15	10	10	
24	10	10	10	10	
25	10	5	10	5	
26	5	10	10	10	
27	5	5	5	10	
28	5	5	5	5	
29	10	5	5	5	
30	5	10	10	10	

Observer's Name (Print): Daniel E. Phelan	
Observer's Signature: Daniel E Phel	Date: 1-3-13
Organization: NYCDEP	
Certified by: Whittow Enterprises	Date: 12-27-12

Continue on reverse side

Pg 1

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC			
Location FLOYD BENNETT FIELD			
City BK	**State** NY	**Zip**	
Process Equipment		**Operating Mode**	
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON	
Describe Emission Point GREY SMOKE			
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End		
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End		
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start NORTH End		
Describe Emissions Start GREY SMOKE End			
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached N/A		
Point In The Plume At Which Opacity Was Determined Start 2 FT ABOVE BURNER End			
Describe Plume Background Start RED + BLUE End CONTAINERS			
Background Color Start RED + BLUE End	**Sky Condition** Start CLEAR End SUNNY		
Wind Speed Start 8 MPH End	**Wind Direction** Start 330 NW End WEST		
Ambient Temp Start 28 °F End	**Wet Bulb Temp** 17 °F	**RH Percent** 63 %	

SOURCE LAYOUT SKETCH



Additional Information	

Observation Date 1-3-13	Start Time 11:00 AM	End Time 11:30 AM

Sec / Min	0	15	30	45	Comments
1	15	15	10	5	GOOD BURNING
2	15	15	10	5	TREE STUMP PART
3	15	15	10	5	BRANCHES
4	15	15	10	5	
5	15	15	10	5	
6	10	10	10	5	
7	10	10	5	5	
8	10	10	5	5	
9	10	10	5	5	
10	10	10	5	5	
11	10	10	5	5	
12	10	10	5	5	
13	10	10	5	5	
14	5	5	5	0	
15	5	5	5	5	
16	5	5	5	5	
17	10	10	5	5	
18	15	15	10	0	
19	15	15	10	0	
20	15	15	10	5	
21	20	20	10	5	
22	20	20	10	0	
23	20	20	10	5	
24	15	15	10	5	
25	15	15	10	5	
26	15	15	10	5	
27	15	15	10	5	
28	10	10	10	5	
29	10	10	10	0	
30	5	5	5	0	

Observer's Name (Print) BENNY BANNO	
Observer's Signature	**Date** 1-3-13
Organization NYC-DEP.	
Certified by AEROMET-ENG-INC. NYS.	**Date** 10-4-12
Continue on reverse side	

Pg 12

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC			
Location: FLOYD BENNETT FIELD			
City: BK	State: NY	Zip:	
Process Equipment:		Operating Mode:	
Control Equipment: AIR CURTAIN BURNER		Operating Mode: ON	
Describe Emission Point: GREY SMOKE			
Height of Emission Point: 10 TO 12 FT	Height Relative to Observer: Start 12 FT End		
Distance to Emission Point: Start 200 FT End	Direction to Emission Point: Start NORTH End		
Vertical Angle to Observation Pt. Start End	Direction to Observation Point: Start NORTH End		
Describe Emissions: Start GREY SMOKE End WITH FLAME			
Emission Color: Start GREY End	If Water Droplet Plume (Circle): Attached Detached (N/A)		
Point In The Plume At Which Opacity Was Determined: Start 2FT ABOVE BURNER End			
Describe Plume Background: Start RED + BLUE CONTAINERS End			
Background Color: Start RED + BLUE End	Sky Condition: Start SUN WITH CLOUDS End		
Wind Speed: Start 8 MPH End	Wind Direction: Start 330 End (NNW)		
Ambient Temp: Start 26 °C End	Wet Bulb Temp: 16 °C	RH Percent: 65%	

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	11:30 AM	12:00 PM

Sec / Min	0	15	30	45	Comments
1	10	10	10	5	BURNING TREE
2	10	10	5	5	BRANCHES + TREE
3	10	10	5	5	STUMPS
4	10	10	5	5	
5	10	10	5	5	
6	10	10	5	5	
7	10	10	5	0	
8	10	10	5	0	
9	10	10	5	0	
10	10	10	5	0	
11	10	10	5	0	
12	10	10	5	0	
13	10	10	10	0	
14	10	10	5	0	
15	10	10	0	0	
16	15	15	10	5	
17	15	15	10	5	
18	15	15	10	5	
19	15	15	10	5	
20	15	15	10	5	
21	10	10	5	5	
22	10	10	5	5	
23	10	10	5	5	
24	5	5	5	0	
25	5	5	5	5	
26	0	0	0	0	
27	5	5	5	0	
28	5	5	5	0	
29	5	5	5	0	
30	5	5	5	0	

Observer's Name (Print): BENNY BRUNO	
Observer's Signature: B. Bruno	Date: 1-3-13
Organization: NYC-OEP.	
Certified by: AEROMET-ENG-INC. NYS.	Date: 10-4-12
Continue on reverse side	

Pg 13

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment	**Operating Mode**	
Control Equipment AIR CURTAIN BURNER	**Operating Mode** ON	
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY ROLLING End SMOKE		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE End BURNER		
Describe Plume Background Start RED + BLUE End CONTAINERS		
Background Color Start RED + End BLUE	**Sky Condition** Start CLEAR End WITH SOME CLOUDS	
Wind Speed Start 9 MPH End	**Wind Direction** Start 310 End NORTHW NW	
Ambient Temp Start 31 End —	**Wet Bulb Temp** 14°	**RH Percent** 40 %

SOURCE LAYOUT SKETCH



Additional Information 12:30 MACHINE * CLAW BEING CHECKED NOT WORKING PROPERLY

Observation Date	Start Time	End Time
1-3-13	1200 PM	12:30 PM

Min \ Sec	0	15	30	45	Comments
1	10	10	5	5	WIDE BURNING
2	10	10	5	5	OF TREE STUMPS
3	10	10	5	5	+ BRANCHES
4	10	10	5	5	
5	10	10	5	5	
6	10	10	5	5	
7	10	10	5	5	
8	10	10	5	5	
9	15	15	10	5	
10	15	15	10	5	
11	15	15	10	5	
12	10	10	10	5	
13	5	5	5	0	
14	5	5	5	5	
15	5	5	5	5	
16	5	5	5	5	
17	5	5	5	5	
18	5	5	5	5	
19	5	5	5	5	
20	5	5	5	5	
21	5	5	5	5	
22	5	5	5	0	
23	10	10	10	5	
24	10	10	10	5	
25	10	10	10	5	
26	10	10	5	5	
27	10	10	5	5	
28	10	10	5	5	
29	10	10	5	5	
30	5	5	5	5	

Observer's Name (Print) BENNY BANNO	
Observer's Signature	**Date** 1-3-13
Organization NYC-DEP.	
Certified By AEROMET-ENG-INC. NYS.	**Date** 10-4-12
Continue on reverse side	

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start End	
Describe Emissions Start CLEAR End		
Emission Color Start NONE End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 FT ABOVE BURNER End		
Describe Plume Background Start RED + BLUE End CONTAINERS		
Background Color Start RED + End BLUE	**Sky Condition** Start CLEAR End SUNNY	
Wind Speed Start 6 MPH End	**Wind Direction** Start 320° End NW	
Ambient Temp Start 30 End	**Wet Bulb Temp** 14°	**RH Percent** 49%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time PM 12:30	End Time PM 13:00

Sec / Min	0	15	30	45	Comments
1	0	0	0	0	NO BURNING
2	0	0	0	0	OF WOOD AT
3	0	0	0	0	THIS TIME
4	0	0	0	0	MACH'E BREAK
5	0	0	0	0	DOWN - *
6	0	0	0	0	
7	0	0	0	0	
8	0	0	0	0	
9	0	0	0	0	
10	0	0	0	0	
11	0	0	0	0	
12	0	0	0	0	
13	0	0	0	0	
14	0	0	0	0	
15	0	0	0	0	
16	0	0	0	0	
17	0	0	0	0	
18	0	0	0	0	
19	0	0	0	0	
20	0	0	0	0	
21	0	0	0	0	
22	0	0	0	0	
23	0	0	0	0	
24	5	5	5	5	
25	5	5	5	5	
26	5	5	5	5	
27	5	5	5	5	
28	5	5	5	5	
29	5	5	5	5	
30	5	5	5	5	

Observer's Name (Print) BENNY BANNO	
Observer's Signature	**Date** 1-3-13
Organization NYC-DEP.	
Certified By AEROMET-ENG-INC. NYS.	**Date** 10-4-12

Continue on reverse side

Pg 15

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN HIR		**Operating Mode** BURNER ON
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start — End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 FT ABOVE End BURNER		
Describe Plume Background Start RED & BLUE End CONTAINERS		
Background Color Start RED End BLUE	**Sky Condition** Start CLEAR End SUNNY	
Wind Speed Start 6 MPH End —	**Wind Direction** Start 320° End N/W	
Ambient Temp Start 31° End —	**Wet Bulb Temp** 14°C	**RH Percent** 49%

SOURCE LAYOUT SKETCH



Observation Date 1-3-13			**Start Time** 1300 PM		**End Time** 1330 PM

Sec / Min	0	15	30	45	Comments
1	5	5	5	5	NO WOOD
2	5	5	5	5	BURNING AT
3	5	5	5	5	THIS TIME
4	5	5	5	5	MACHINE BEING
5	5	5	5	5	REPAIRED ✓
6	5	5	5	5	CHAINS BEING
7	5	5	5	5	WELDED ✓
8	5	5	5	5	
9	5	5	5	5	
10	5	5	5	5	
11	5	5	5	5	
12	5	5	5	5	
13	5	5	5	5	
14	5	5	5	5	
15	5	5	5	5	
16	5	5	5	5	
17	5	5	5	5	
18	5	5	5	5	
19	5	5	5	5	
20	5	5	5	5	
21	5	5	5	5	
22	5	5	5	5	
23	5	5	5	5	
24	5	5	5	5	
25	5	5	5	5	
26	5	5	5	5	
27	5	5	5	5	
28	5	5	5	5	
29	5	5	5	5	
30	5	5	5	5	

Additional Information BURNER AT 2000° MARK
HOLDING AT 5% OPACITY

Observer's Name (Print) BENNY BRUNO	
Observer's Signature B. Bruno	**Date** 1-3-13
Organization NYC-DEP.	
Certified by AEROMET-ENG-INC. NYS.	**Date** 10-4-12
Continue on reverse side	

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN HEATER		**Operating Mode** ON
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 15 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start / End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2 FT ABOVE End BURNER		
Describe Plume Background Start RED TO BLUE End TOWTAINERS		
Background Color Start RED End BLUE	**Sky Condition** Start CLEAR End SUNNY	
Wind Speed Start 8 MPH End	**Wind Direction** Start 270° End WEST	
Ambient Temp Start 33° End	**Wet Bulb Temp** 13°	**RH Percent** 43%

SOURCE LAYOUT SKETCH



Additional Information CRANE ON MACHINE BEING WELDED & REPAIRED

2 INCH - 1400 to 1500 hrs

Observation Date 1-3-13	**Start Time** PM 1330	**End Time** PM 1400

Sec / Min	0	15	30	45	Comments
1	5	5	5	5	NO WIND
2	5	5	5	5	BURNING AT
3	5	5	5	5	THIS TIME
4	5	5	5	5	DUE TO MACHINE
5	5	5	5	5	BREAK DOWN
6	5	5	5	5	BEING REPAIRED
7	5	5	5	5	
8	5	5	5	5	*BURNER HOLDING
9	5	5	5	5	AT 5% OPACITY AT
10	5	5	5	5	2000 % F
11	5	5	5	5	
12	5	5	5	5	
13	5	5	5	5	
14	5	5	5	5	
15	5	5	5	5	
16	5	5	5	5	
17	5	5	5	5	
18	5	5	5	5	
19	5	5	5	5	
20	5	5	5	5	
21	5	5	5	5	
22	5	5	5	5	
23	5	5	5	5	
24	5	5	5	5	
25	5	5	5	5	
26	5	5	5	5	
27	5	5	5	5	
28	5	5	5	5	
29	5	5	5	5	
30	5	5	5	5	

Observer's Name (Print) BENNY BRUNO	
Observer's Signature	**Date** 1-3-13
Organization NYC - DEP.	
Certified by AEROMET ENG INC. NYS.	**Date** 10-4-12
Continue on reverse side	

Pg 17

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start — End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End		
Describe Plume Background Start RED+BLUE End CONTAINERS		
Background Color Start RED End BLUE	**Sky Condition** Start CLEAR End SUNNY	
Wind Speed Start 7 MPH End	**Wind Direction** Start 270 End WEST	
Ambient Temp Start 31° End	**Wet Bulb Temp** 14°	**RH Percent** 49%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	1500	1530

Min \ Sec	0	15	30	45	Comments
1	0	0	0	0	NO WIND
2	0	0	0	0	BURNING AT
3	0	0	0	0	THIS TIME
4	0	0	0	0	
5	10	10	5	0	MACHINE REPAIRED
6	10	10	5	5	WIND, BURNING
7	10	10	5	5	CONTINUED
8	10	5	5	5	
9	5	5	5	0	
10	5	5	5	0	
11	5	5	5	0	
12	5	5	5	0	
13	5	5	5	0	
14	5	5	5	0	
15	10	10	5	5	
16	10	10	5	5	
17	10	10	5	5	
18	10	10	5	5	
19	10	10	5	5	
20	10	10	5	5	
21	10	10	5	5	
22	10	10	5	5	
23	10	10	5	5	
24	10	10	10	5	
25	15	15	10	5	
26	15	15	5	0	
27	15	15	10	0	
28	15	15	10	5	
29	10	10	5	5	
30	10	10	5	5	

Observer's Name (Print) BENNY BANNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified by AEROMET-ENG-ENC. NYS. **Date** 10-4-12

Continue on reverse side

VISIBLE EMISSION OBSERVATION FORM Pg 18

Company Name ECC		
Location FLOYD BENNETT FIELD		
City NYK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start / End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE	End	
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End		
Describe Plume Background Start RED + BLUE End CONTAINER		
Background Color Start BLUE End RED	**Sky Condition** Start CLEAR End SUNNY	
Wind Speed Start 11 MPH End —	**Wind Direction** Start 250° End WSW	
Ambient Temp Start 34° End —	**Wet Bulb Temp** 13°	**RH Percent** 41°

SOURCE LAYOUT SKETCH



Additional Information

Observation Date 1-3-13	**Start Time** 1530 PM	**End Time** 1600 PM

Sec / Min	0	15	30	45	Comments
1	5	5	5	5	WOOD BURNING
2	5	5	5	5	TREE STUMPS
3	0	0	0	0	+ BRANCHES
4	0	0	0	0	BURNER
5	0	0	0	0	TEMP 2000° F
6	5	5	5	5	
7	5	5	5	5	
8	5	5	5	5	
9	5	5	5	5	
10	5	5	5	5	
11	10	10	5	0	
12	10	10	5	0	
13	10	10	5	0	
14	10	10	5	0	
15	10	10	5	0	
16	10	10	5	0	
17	10	10	10	5	
18	10	10	10	5	
19	10	10	10	5	
20	5	5	5	0	
21	5	5	5	0	
22	5	5	0	0	
23	5	5	5	0	
24	5	5	5	0	
25	0	0	0	0	NO WOOD BURNING
26	0	0	0	0	" "
27	10	10	5	5	
28	10	10	5	5	
29	10	10	5	5	
30	10	10	5	5	

Observer's Name (Print) BENNY BANNO	
Observer's Signature	**Date** 1-3-13
Organization NYC-DEP.	
Certified by AEROMET-ENG-INC. NYS.	**Date** 10-4-12
Continue on reverse side	

Pg 19

VISIBLE EMISSION OBSERVATION FORM

Company Name	ECC		
Location	FLOYD BENNETT FIELD		
City	BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**	
Control Equipment	AIR CURTAIN BURNER	**Operating Mode** ON	
Describe Emission Point	GREY SMOKE		
Height of Emission Point	10 TO 12 FT	**Height Relative to Observer** Start 12FT End	
Distance to Emission Point Start 200 FT End		**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End		**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End WITH FLAMES			
Emission Color Start GREY End		**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE End BURNER			
Describe Plume Background Start RED + BLUE End BOX CAR CONTAINER			
Background Color Start RED + BLUE End		**Sky Condition** Start CLEAR End SUNNY	
Wind Speed Start 2 MPH End		**Wind Direction** Start 80° End (E)	
Ambient Temp Start 31° End	**Wet Bulb Temp** 13°	**RH Percent** 41%	

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	1600	1630

Min \ Sec	0	15	30	45	Comments
1	5	5	5	5	BURNING WOOD
2	5	5	5	5	TREE STUMPS +
3	5	5	5	5	BRANCHES
4	0	0	0	0	
5	0	0	0	0	
6	0	0	0	0	
7	5	5	5	5	
8	5	5	5	5	
9	5	5	5	5	
10	5	5	5	0	
11	0	0	0	0	
12	0	0	0	0	
13	0	0	0	0	
14	0	0	0	0	
15	5	5	5	0	
16	5	5	5	5	
17	0	0	0	0	
18	0	0	0	0	
19	0	0	0	0	
20	0	0	0	0	
21	0	0	0	0	
22	5	5	5	5	
23	5	5	5	5	
24	5	5	5	5	
25	5	5	5	5	
26	5	5	5	5	
27	5	5	5	0	
28	10	10	5	5	
29	10	10	5	5	
30	10	10	5	5	

Observer's Name (Print) BENNY BANNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified by AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

Pg 20

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC			
Location FLOYD BENNETT FIELD			
City BK	**State** NY	**Zip**	
Process Equipment		**Operating Mode**	
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON	
Describe Emission Point GREY SMOKE FLAME			
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End		
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End		
Vertical Angle to Observation Pt. Start / End	**Direction to Observation Point** Start NORTH End		
Describe Emissions Start GREY SMOKE End FLAME			
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)		
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE End BURNER			
Describe Plume Background Start RED + BLUE End COUNTAINER			
Background Color Start RED + End BLUE	**Sky Condition** Start End		
Wind Speed Start 11 MPH End	**Wind Direction** ° Start 260 End WEST		
Ambient Temp Start 31° End	**Wet Bulb Temp** 14°	**RH Percent** 45%	

SOURCE LAYOUT SKETCH



Observation Date	Start Time	End Time
1-3-13	1630	1700

Sec / Min	0	15	30	45	Comments
1	5	5	0	0	BURNING
2	5	5	0	0	WOOD WITH
3	5	5	0	0	FREE STUMPS +
4	5	5	0	0	BRANCHES
5	5	5	0	5	
6	5	5	0	5	
7	5	5	0	5	
8	5	5	0	5	
9	5	5	0	5	
10	5	5	0	5	
11	5	5	5	5	
12	5	5	5	0	
13	5	5	5	0	
14	5	5	5	0	
15	5	5	5	0	
16	10	10	5	0	
17	10	10	5	5	
18	10	10	5	5	
19	10	10	5	5	
20	10	10	5	5	
21	10	10	5	0	
22	10	10	5	0	
23	10	10	5	0	
24	10	10	5	0	
25	10	10	5	0	
26	10	10	5	0	
27	10	10	10	5	
28	10	10	10	5	
29	10	10	10	5	
30	10	10	5	0	

Observer's Name (Print) BENNY BANNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified By AEROMET ENG-INC. NYS. **Date** 10-4-12

Additional Information

Continue on reverse side

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN) BR		**Operating Mode** ON
Describe Emission Point FLARE WITH SPARKS		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start 90 End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start CLEAR End		
Emission Color Start CLEAR End	**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2 FT A BOVE BOOM End		
Describe Plume Background Start RED + BLUE End COUNTAINERS		
Background Color Start RED End BLUE	**Sky Condition** Start CLEAR End	
Wind Speed Start 11 MPH End	**Wind Direction** Start 260 End WEST	
Ambient Temp Start 31° End	**Wet Bulb Temp** 14°	**RH Percent** 46%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	1700	1730

Sec / Min	0	15	30	45	Comments
1	0	0	0	0	HIGH FLAME
2	0	0	0	0	
3	0	0	0	0	
4	0	0	0	0	
5	0	0	0	0	
6	10	10	5	5	
7	10	10	5	5	
8	10	10	5	5	
9	10	10	5	5	
10	10	10	5	5	
11	5	5	5	5	
12	5	5	5	5	
13	5	5	5	5	
14	5	5	5	0	
15	5	5	5	0	
16	10	10	5	0	
17	10	10	5	0	
18	10	10	5	0	
19	10	10	5	5	
20	10	10	5	5	
21	10	10	5	0	
22	10	10	5	0	
23	15	15	10	0	
24	15	10	10	0	
25	10	15	5	0	
26	10	15	10	0	
27	15	15	10	5	
28	5	10	10	5	
29	10	10	5	5	
30	10	10	5	5	

Observer's Name (Print) BENNY BRUNO	
Observer's Signature	**Date** 1-3-13
Organization NYC-DEP.	
Certified By AEROMET-ENG-ENC. NYS.	**Date** 10-4-12
Continue on reverse side	

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC

Location: FLOYD BENNETT FIELD

City: BK State: NY Zip:

Process Equipment: Operating Mode:

Control Equipment: AIR CURTAIN BURNER Operating Mode: ON

Describe Emission Point: SMOKE GREY WITH FLAME

Height of Emission Point: 10 TO 12 FT

Height Relative to Observer: Start 12 FT End

Distance to Emission Point: Start 260 FT End

Direction to Emission Point: Start NORTH End

Vertical Angle to Observation Pt: Start 90° End

Direction to Observation Point: Start NORTH End

Describe Emissions: Start GREY SMOKE WITH FLAME SPARKING

Emission Color: Start GREY End

If Water Droplet Plume (Circle): Attached Detached (N/A)

Point In The Plume At Which Opacity Was Determined: Start 2FT FROM ABOVE BURNER

Describe Plume Background: Start RED + BLUE End CONTAINER

Background Color: Start RED + BLUE End

Sky Condition: Start DARK End CLEAR

Wind Speed: Start 11 MPH End

Wind Direction: Start 260° End WEST

Ambient Temp: Start 38° End

Wet Bulb Temp: 14°

RH Percent: 47%

SOURCE LAYOUT SKETCH



Additional Information:

Observation Date	Start Time	End Time
1-3-13	1730	1800

Min	Sec 0	15	30	45	Comments
1	15	15	10	5	BURNING WOOD
2	10	10	10	5	FREE STANDING
3	15	15	10	5	BRANCHES
4	15	15	10	5	
5	20	20	15	5	
6	20	20	15	10	
7	20	20	10	10	
8	20	20	10	10	
9	25	25	20	10	
10	25	25	20	15	
11	20	20	20	15	
12	20	20	20	15	
13	25	25	20	10	
14	25	25	25	15	
15	25	20	25	20	
16	10	15	10	10	
17	15	15	10	10	
18	15	15	10	5	
19	15	15	10	5	
20	15	15	10	5	
21	10	10	10	5	
22	10	10	10	5	
23	10	10	10	5	
24	15	15	10	5	
25	10	10	10	5	
26	10	10	10	5	
27	10	10	5	5	
28	10	10	5	5	
29	10	10	5	5	
30	10	10	5	5	

Observer's Name (Print): BENNY BRUNO

Observer's Signature: [signature] Date: 1-3-13

Organization: NYC-DEP.

Certified By: AEROMET-ENG-ENG. NYS. Date: 10-4-12

Continue on reverse side

(pg 1)

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location Floyd Bennett Field		
City Brooklyn	**State** NY,	**Zip**
Process Equipment Air curtain burner		**Operating Mode**
Control Equipment Air curtain burner		**Operating Mode** ON
Describe Emission Point open flame on burner		
Height of Emission Point 10-12 ft.	**Height Relative to Observer** Start 12 ft End	
Distance to Emission Point Start 150 ft. End	**Direction to Emission Point** Start North End	
Vertical Angle to Observation Pt. Start 90° End	**Direction to Observation Point** Start End	
Describe Emissions Start Open-flame-grey smoke End		
Emission Color Start greyish End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 feet above burner End 2 ft above burner		
Describe Plume Background Start night sky, above container End		
Background Color Start red box container End same	**Sky Condition** Start night End	
Wind Speed Start 11 mph End	**Wind Direction** Start 260° W End	
Ambient Temp Start 31° End	**Wet Bulb Temp** 15%	**RH Percent** 45%

SOURCE LAYOUT SKETCH



Observation Date	Start Time	End Time
1-3-13	1800	1830

Min \ Sec	0	15	30	45	Comments
1	10	5	5	5	
2	5	10	10	10	
3	10	15	10	10	
4	10	5	5	5	
5	5	5	10	10	
6	15	15	20	15	
7	15	20	20	15	
8	15	10	10	10	
9	10	5	5	5	
10	5	5	10	10	
11	10	15	15	10	
12	5	10	10	5	
13	5	5	5	5	
14	5	5	5	5	
15	5	5	5	5	
16	10	5	5	10	
17	15	15	10	5	
18	5	10	10	10	
19	10	10	10	10	
20	15	10	10	5	
21	10	15	15	10	
22	10	5	5	5	
23	5	5	5	5	
24	5	5	5	10	
25	10	10	5	10	
26	10	15	10	10	
27	10	5	5	5	
28	10	15	10	5	
29	5	5	5	10	
30	10	10	5	5	

Observer's Name (Print) Daniel E. Phelan	
Observer's Signature Daniel E Phelan	**Date** 1-3-13
Organization NYCDEP	
Certified by Whittow Enterprises Inc.	**Date** 12-27-12

Additional Information

Continue on reverse side

(pg 2)

VISIBLE EMISSION OBSERVATION FORM

Company Name: ECC		
Location: Floyd Bennett Field		
City: Bklyn	State: NY	Zip:
Process Equipment: Air curtain burner.		Operating Mode: ON
Control Equipment:		Operating Mode:
Describe Emission Point: open flame on burner		
Height of Emission Point: 10 ft	Height Relative to Observer: Start 12 ft End	
Distance to Emission Point: Start 150 ft End	Direction to Emission Point: Start North End	
Vertical Angle to Observation Pt.: Start 90° End	Direction to Observation Point: Start End	
Describe Emissions: Start open flame grey smoke		
Emission Color: Start greyish End	If Water Droplet Plume (Circle): Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined: Start 2 feet above burner End		
Describe Plume Background: Start night sky End		
Background Color: Start red container End	Sky Condition: Start night End	
Wind Speed: Start 11 mph End	Wind Direction: Start 260° W End	
Ambient Temp: Start 32° End	Wet Bulb Temp:	RH Percent:

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	1830	1900

Min \ Sec	0	15	30	45	Comments
1	5	5	5	10	
2	10	5	5	5	
3	5	10	10	15	- cleaning out
4	15	15	20	20	burner ash
5	20	25	25	25	- steam also in
6	20	20	25	25	plume - water used
7	30	30	25	25	reading taken
8	25	20	20	20	above water vapor
9	15	15	10	10	
10	10	10	10	10	
11	5	5	5	5	
12	5	10	15	10	
13	15	15	10	5	
14	5	5	10	15	
15	20	20	10	10	
16	10	5	5	15	
17	45	45	20	15	removing ash from
18	25	30	20	20	burner
19	15	15	10	10	removal complete
20	15	15	15	15	↵ ↵
21	10	10	10	5	
22	5	5	10	5	
23	5	5	5	5	
24	5	10	10	5	
25	5	5	5	5	
26	5	5	5	5	
27	5	15	20	20	machine back on
28	25	25	25	15	top of burner
29	10	5	5	5	rekindling flame
30	5	5	10	5	

Observer's Name (Print): Daniel E. Phelan		
Observer's Signature: Daniel E Phelan	Date: 1-3-13	
Organization: NYCDEP		
Certified by: Whitlow Enterprises Inc	Date: 12-27-12	

Continue on reverse side

(pg 3)

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location Floyd Bennett Field		
City BKlyn	**State** NY	**Zip**
Process Equipment Air curtain burner	**Operating Mode** ON	
Control Equipment	**Operating Mode**	
Describe Emission Point open flame on burner		
Height of Emission Point 12 ft	**Height Relative to Observer** Start 12 ft. End	
Distance to Emission Point Start 150 ft End	**Direction to Emission Point** Start North End	
Vertical Angle to Observation Pt. Start 90° End	**Direction to Observation Point** Start End	
Describe Emissions Start open flame grey smoke End		
Emission Color Start greyish End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 ft above flame End		
Describe Plume Background Start red container night sky End		
Background Color Start red container End	**Sky Condition** Start night End	
Wind Speed Start 10 mph End	**Wind Direction** Start 260° W End	
Ambient Temp Start 32° End	**Wet Bulb Temp**	**RH Percent**

Observation Date 1-3-13 | **Start Time** 1900 | **End Time** 1930

Min \ Sec	0	15	30	45	Comments
1	5	5	10	15	resume loading
2	10	15	15	10	wood debris
3	10	15	20	15	
4	20	15	20	15	
5	15	10	10	10	
6	15	15	10	10	
7	10	10	10	10	
8	15	10	10	10	
9	15	15	10	10	
10	5	5	10	10	
11	15	15	10	10	
12	10	15	20	10	
13	10	15	15	20	
14	15	15	20	20	
15	20	20	15	15	
16	20	20	15	15	
17	15	15	10	10	
18	10	10	5	5	
19	15	20	20	15	
20	15	20	20	25	moving debris
21	25	15	15	10	inside burner.
22	10	15	10	5	
23	5	5	5	5	
24	10	10	5	20	
25	25	15	10	10	
26	5	5	5	5	
27	5	5	5	5	
28	5	5	5	5	
29	5	5	5	5	
30	5	5	5	5	

SOURCE LAYOUT SKETCH



Observer's Name (Print) Daniel E. Phelan	
Observer's Signature Daniel E Phelan	**Date** 1-3-13
Organization ~~EA~~ NYCDEP	
Certified by Whitlow Enterprises, Inc	**Date** 12-27-12

Additional Information

Continue on reverse side

(pg 4)

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location Floyd Bennett Field		
City Bklyn	**State** NY	**Zip**
Process Equipment Air curtain burner		**Operating Mode** ON
Control Equipment		**Operating Mode**
Describe Emission Point open flame on top of burner		
Height of Emission Point 12 ft	**Height Relative to Observer** Start 12 ft End	
Distance to Emission Point Start 150 ft End	**Direction to Emission Point** Start North End	
Vertical Angle to Observation Pt. Start 40° End	**Direction to Observation Point** Start End	
Describe Emissions Start grey smoke End		
Emission Color Start grey smoke End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 ft above burner End		
Describe Plume Background Start red container End nightsky		
Background Color Start red box End	**Sky Condition** Start night End	
Wind Speed Start 11 mph End	**Wind Direction** Start 260° W End	
Ambient Temp Start 32° End	**Wet Bulb Temp**	**RH Percent**

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	1930	2000

Min \ Sec	0	15	30	45	Comments
1	10	10	15	5	
2	5	10	5	5	
3	5	10	10	5	
4	5	10	10	5	
5	5	5	5	5	
6	5	5	5	5	Safety meeting w/ ECC
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20	5			5	
21	5			5	
22	5			5	
23	5	5	5	5	
24	5			5	
25	5			5	
26	5			5	
27	5			5	
28					
29					
30					

Observer's Name (Print) Daniel E. Phelan

Observer's Signature [signature] **Date** 1-3-13

Organization NYCDEP

Certified by Whitlow Enterprises Inc **Date** 12-27-12

Continue on reverse side

(pg 5)

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location Floyd Bennett field		
City Bklyn	**State** NY	**Zip**
Process Equipment Air curtain burner		**Operating Mode** ON
Control Equipment		**Operating Mode**

Describe Emission Point

Height of Emission Point 12 ft	**Height Relative to Observer** Start 12 ft End
Distance to Emission Point Start 150 ft End	**Direction to Emission Point** Start N End
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start End

Describe Emissions

Start End

Emission Color Start End	**If Water Droplet Plume (Circle)** Attached Detached N/A

Point In The Plume At Which Opacity Was Determined

Start End

Describe Plume Background

Start End

Background Color Start End	**Sky Condition** Start night End	
Wind Speed Start 11 mph End	**Wind Direction** Start End	
Ambient Temp Start 32.0 End	**Wet Bulb Temp**	**RH Percent**

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	2000	2030

Min \ Sec	0	15	30	45	Comments
1					
2					
3					Safety
4					
5					meeting
6					
7					W/ECC
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19	5	10	10	5	
20	5	5	5	5	
21	5	5	5	5	
22	5	5	5	5	
23	5	5	10	10	
24	5	10	10	5	
25	5	5	5	5	
26	10	5	5	10	
27	10	15	10	10	
28	10	10	5	10	
29	10	10	15	10	
30	5	5	10	5	

Observer's Name (Print) Daniel E. Phelan	
Observer's Signature Daniel E Phel	**Date** 1-3-13
Organization NYCDEP	
Certified by Whitlaw Enterprises Inc	**Date** 12-27-12

Continue on reverse side

(pg 6)

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location Floyd Bennett Field		
City BKlyn	**State** NY	**Zip**
Process Equipment Air curtain burner		**Operating Mode**
Control Equipment		**Operating Mode**
Describe Emission Point		
Height of Emission Point 12 ft	**Height Relative to Observer** Start 12 ft End	
Distance to Emission Point Start 150 ft End	**Direction to Emission Point** Start N End	
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start End	
Describe Emissions Start End		
Emission Color Start End	**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start End		
Describe Plume Background Start End		
Background Color Start End	**Sky Condition** Start night End	
Wind Speed Start 11 mph End	**Wind Direction** Start End	
Ambient Temp Start 32° End	**Wet Bulb Temp**	**RH Percent**

Observation Date 1-3-13 | **Start Time** 2030 | **End Time** 2100

Min \ Sec	0	15	30	45	Comments
1	10	5	5	10	
2	10	10	5	5	
3	5	10	15	10	
4	10	10	10	5	
5	5	10	10	10	
6	5	5	5	5	
7	5	5	5	5	
8	5	5	10	10	
9	15	15	10	10	
10	5	10	10	10	
11	5	5	10	5	
12	5	10	10	5	
13	5	5	5	10	
14	5	5	5	5	
15	5	10	10	10	
16	5	5	10	5	
17	5	5	5	5	
18	10	5	10	5	
19	10	5	5	5	
20	5	5	5	10	
21	5	5	10	5	
22	5	5	10	10	
23	10	15	15	5	
24	5	5	5	10	
25	5	5	5	5	
26	5	10	10	5	
27	5	10	5	10	
28	10	15	15	10	
29	10	10	5	5	
30	10	10	5	5	

SOURCE LAYOUT SKETCH



Observer's Name (Print) Daniel E. Phelan		
Observer's Signature Daniel E. Phelan		**Date** 1/3/13
Organization NYCDEP		
Certified by Whitlow Enterprises Inc	**Date** 12/27/12	

Additional Information

Continue on reverse side

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BROOKLYN	STATE: N.Y.	ZIP: 11234
PROCESS EQUIPMENT: PIRCURTAIN INCINIRATOR		OPERATING MODE
CONTROL EQUIPMENT		OPERATING MODE
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT		HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER: START / END
DISTANCE TO EMISSION POINT: 100 FT. START / END		DIRECTION TO EMISSION PT. (DEGREES (0-360)): START / END
VERTICAL ANGLE TO OBSERVATION POINT: START / END		DIRECTION TO OBSERVATION POINT (DEGREES (0-360)): START / END
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT: START / END		
DESCRIBE EMISSIONS: START / END		
EMISSION COLOR: WHITE START / END		WATER DROPLET PLUME: ATTACHED ☐ DETACHED ☐ NONE ☒
DESCRIBE PLUME BACKGROUND: CONTRUCTION TOWER LIGHT START / END		
BACKGROUND COLOR: START / END		SKY CONDITIONS: START / END
WIND SPEED: 2-4 MPH START / END		WIND DIRECTION: N/W START / END
AMBIENT TEMP: START / END		WET BULB TEMP / RH percent

Source Layout Sketch

Draw North Arrow ☐TN ☐MN



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0230 HRS	0300 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	20	20	20	20	NO LOADING
2	15	15	15	15	" "
3	15	15	15	15	" "
4	10	10	10	10	" "
5	10	10	10	10	" "
6	10	10	10	10	" "
7	10	10	10	10	" "
8	10	10	10	10	" "
9	25	25	25	25	LOADING
10	25	25	25	25	"
11	25	25	25	25	"
12	25	25	25	25	"
13	20	20	20	20	NO LOADING
14	20	20	20	20	" "
15	20	20	20	20	" "
16	15	15	15	15	" "
17	10	10	10	10	" "
18	10	10	10	10	" "
19	30	30	30	30	LOADING
20	30	30	30	30	"
21	20	20	20	20	NO LOADING
22	20	20	20	20	" "
23	15	15	15	15	" "
24	15	15	15	15	" "
25	10	10	10	10	" "
26	10	10	10	10	" "
27	10	10	10	10	" "
28	30	30	30	30	LOADING
29	30	30	30	30	"
30	30	30	30	30	"

OBSERVER'S NAME (PRINT): ANTON HAND	
OBSERVER'S SIGNATURE	DATE: 01-03-13
ORGANIZATION	
CERTIFIED BY	DATE

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BROOKLYN	STATE: N.Y.	ZIP: 11234
PROCESS EQUIPMENT: AIR CURTAIN INCINERATOR		OPERATING MODE
CONTROL EQUIPMENT		OPERATING MODE
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER: START / END	
DISTANCE TO EMISSION POINT: 100 FT. START / END	DIRECTION TO EMISSION PT. (DEGREES (0-360)): START / END	
VERTICAL ANGLE TO OBSERVATION POINT: START / END	DIRECTION TO OBSERVATION POINT (DEGREES (0-360)): START / END	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT: START / END		
DESCRIBE EMISSIONS: START / END		
EMISSION COLOR: WHITE START / END	WATER DROPLET PLUME: ATTACHED ☐ DETACHED ☐ NONE ☐	
DESCRIBE PLUME BACKGROUND: CONSTRUCTION TOWER LIGHT. START / END		
BACKGROUND COLOR: START / END	SKY CONDITIONS: START / END	
WIND SPEED: 2-4 MPH. START / END	WIND DIRECTION: N/E START / END	
AMBIENT TEMP: START / END	WET BULB TEMP / RH percent	

Source Layout Sketch



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0300 HRS	0330 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	20	20	20	20	NO LOADING.
2	20	20	20	20	" "
3	10	10	10	10	" "
4	10	10	10	10	" "
5	10	10	10	10	" "
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
16					
17					
18					
19					
20					
21					
22					
23					
24					
25					
26					
27					
28					
29					
30	10	10	10	10	NO LOADING

OBSERVER'S NAME (PRINT): BRIAN HAND	
OBSERVER'S SIGNATURE	DATE: 01-03-13
ORGANIZATION	
CERTIFIED BY	DATE

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BK	STATE: N.Y	ZIP: 11234
PROCESS EQUIPMENT		OPERATING MODE
CONTROL EQUIPMENT		OPERATING MODE
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER: START / END	
DISTANCE TO EMISSION POINT: 100 FT. START / END	DIRECTION TO EMISSION PT. (DEGREES (0-360)): START / END	
VERTICAL ANGLE TO OBSERVATION POINT: START / END	DIRECTION TO OBSERVATION POINT (DEGREES (0-360)): START / END	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT: START / END		
DESCRIBE EMISSIONS: START / END		
EMISSION COLOR: WHITE START / END	WATER DROPLET PLUME: ATTACHED ☐ DETACHED ☐ NONE ☐	
DESCRIBE PLUME BACKGROUND: CONSTRUCTION TOWER LIGHT START / END		
BACKGROUND COLOR: START / END	SKY CONDITIONS: START / END	
WIND SPEED: 2-4 MPH START / END	WIND DIRECTION: N. EAST START / END	
AMBIENT TEMP: START / END	WET BULB TEMP / RH percent	

Source Layout Sketch



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0330 HRS	0400 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	10	10	10	10	NO LOADING
2					N N
3					N N
4					N N
5					N N
6					N N
7					N N
8					N N
9					N N
10	10	10	10	10	N N
11	25	25	25	25	LOADING
12	25	25	25	25	N
13	25	25	25	25	N
14	30	30	30	30	N
15	30	30	30	30	NO LOADING
16	30	30	30	30	N N
17	20	20	20	20	N N
18	20	20	20	20	N N
19	15	15	15	15	N N
20	10	10	10	10	N N
21	20	20	20	20	LOADING
22	20	20	20	20	N
23	20	20	20	20	N
24	10	10	10	10	NO LOADING
25					
26					
27					
28					
29					
30	10	10	10	10	NO LOADING

OBSERVER'S NAME (PRINT): ANTON HAND	
OBSERVER'S SIGNATURE	DATE: 01-03-13
ORGANIZATION	
CERTIFIED BY	DATE

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC- DEP		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BK.	STATE: N.Y.	ZIP: 11234
PROCESS EQUIPMENT	OPERATING MODE	
CONTROL EQUIPMENT	OPERATING MODE	
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER: START / END	
DISTANCE TO EMISSION POINT: 100 FT. START / END	DIRECTION TO EMISSION PT. (DEGREES (0-360)): START / END	
VERTICAL ANGLE TO OBSERVATION POINT: START / END	DIRECTION TO OBSERVATION POINT (DEGREES (0-360)): START / END	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT: START / END		
DESCRIBE EMISSIONS: START / END		
EMISSION COLOR: WHITE START / END	WATER DROPLET PLUME: ATTACHED ☐ DETACHED ☐ NONE ☐	
DESCRIBE PLUME BACKGROUND: CONSTRUCTION TOWER LIGHT. START / END		
BACKGROUND COLOR: START / END	SKY CONDITIONS: START / END	
WIND SPEED: 2-4 MPH. START / END	WIND DIRECTION: N. EAST START / END	
AMBIENT TEMP: START / END	WET BULB TEMP / RH percent	



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0400 HRS	0430 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	10	10	10	10	NO LOADING
2					N N
3					N N
4					N N
5	10	10	10	10	N N
6	30	30	30	30	LOADING
7					N
8					N
9	30	30	30	30	N
10	25	25	25	25	NO LOADING
11	20	20	20	20	N N
12	10	10	10	10	N N
13					N N
14					N N
15					N N
16					N N
17					N N
18					N N
19					N N
20	10	10	10	10	N N
21	20	20	20	20	LOADING
22					N
23					N
24					N
25	20	20	20	20	N
26	10	10	10	10	NO LOADING
27					N N
28					N N
29					N N
30	10	10	10	10	N N

OBSERVER'S NAME (PRINT): ANTON HAND	
OBSERVER'S SIGNATURE	DATE: 01-03-13
ORGANIZATION	
CERTIFIED BY	DATE

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP.		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BK.	STATE: N.Y.	ZIP: 11234
PROCESS EQUIPMENT	OPERATING MODE	
CONTROL EQUIPMENT	OPERATING MODE	
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER: START / END	
DISTANCE TO EMISSION POINT: 100 FT. START / END	DIRECTION TO EMISSION PT. (DEGREES (0-360)): START / END	
VERTICAL ANGLE TO OBSERVATION POINT: START / END	DIRECTION TO OBSERVATION POINT (DEGREES (0-360)): START / END	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT: START / END		
DESCRIBE EMISSIONS: START / END		
EMISSION COLOR: WHITE START / END	WATER DROPLET PLUME: ATTACHED ☐ DETACHED ☐ NONE ☐	
DESCRIBE PLUME BACKGROUND: CONSTRUCTION TOWER LIGHT. START / END		
BACKGROUND COLOR: START / END	SKY CONDITIONS: START / END	
WIND SPEED: 2-4 MPH. START / END	WIND DIRECTION: N-EAST. START / END	
AMBIENT TEMP: START / END	WET BULB TEMP / RH percent	



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0430 HRS	0500 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	25	25	25	25	LOADING
2	30	30	30	30	LOADING
3	30	30	30	30	N
4	20	20	20	20	N
5	20	20	20	20	NO LOADING
6	"	"	"	"	N N
7	"	"	"	"	N N
8	"	"	"	"	N N
9	"	"	"	"	N N
10	20	20	20	20	N N
11	"	"	"	"	N N
12	"	"	"	"	N N
13	"	"	"	"	N N
14	"	"	"	"	N N
15	"	"	"	"	N N
16	20	20	20	20	N N
17	30	30	30	30	LOADING
18	"	"	"	"	N
19	"	"	"	"	N
20	30	30	30	30	N
21	20	20	20	20	NO LOADING
22	"				N N
23	"				N N
24	"				N N
25	"				N N
26	"				N N
27	"				N N
28	"				N N
29	10	10	10	10	N N
30	10	10	10	10	N N

OBSERVER'S NAME (PRINT): ANTON HANA	
OBSERVER'S SIGNATURE	DATE: 01-03-13
ORGANIZATION	
CERTIFIED BY	DATE

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BK.	STATE: N.Y.	ZIP: 11234
PROCESS EQUIPMENT	OPERATING MODE	
CONTROL EQUIPMENT	OPERATING MODE	
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT	HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER — START / END	
DISTANCE TO EMISSION POINT: 100 FT. — START / END	DIRECTION TO EMISSION PT. (DEGREES (0-360)) — START / END	
VERTICAL ANGLE TO OBSERVATION POINT — START / END	DIRECTION TO OBSERVATION POINT (DEGREES (0-360)) — START / END	
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT — START / END		
DESCRIBE EMISSIONS — START / END		
EMISSION COLOR: WHITE — START / END	WATER DROPLET PLUME — ATTACHED ☐ DETACHED ☐ NONE ☐	
DESCRIBE PLUME BACKGROUND: CONSTRUCTION TOWER LIGHT — START / END		
BACKGROUND COLOR — START / END	SKY CONDITIONS — START / END	
WIND SPEED: 2-4 MPH — START / END	WIND DIRECTION: N. EAST — START / END	
AMBIENT TEMP — START / END	WET BULB TEMP / RH percent	

Source Layout Sketch



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0500 HRS	0530 HRS

MIN \ SEC	0	15	30	45	COMMENTS
1	35	35	35	35	LOADING.
2					"
3					"
4					"
5	35	35	35	35	"
6	20	20	20	20	"
7					"
8					"
9					"
10	20	20	20	20	"
11	20	20	20	20	NO LOADING
12					" "
13					" "
14					" "
15					" "
16					" "
17					" "
18					" "
19					" "
20	20	20	20	20	" "
21	20	20	20	20	LOADING
22					"
23					"
24					"
25					"
26	20	20	20	20	"
27					NO LOADING
28					" "
29					" "
30	20	20	20	20	" "

OBSERVER'S NAME (PRINT): DINGN HANA	
OBSERVER'S SIGNATURE	DATE: 01-3-13
ORGANIZATION	
CERTIFIED BY	DATE

EPA METHOD 9 (40 CFR 60 - Appendix A)
VISIBLE EMISSION OBSERVATION FORM

COMPANY NAME: NYC - DEP.		
LOCATION: FLOYD BENNETT FIELD		
LOCATION		
CITY: BK.	STATE: N.Y.	ZIP: 11234
PROCESS EQUIPMENT		OPERATING MODE
CONTROL EQUIPMENT		OPERATING MODE
DESCRIBE EMISSION POINT		
HEIGHT OF EMISSION POINT		HEIGHT OF EMISSION POINT RELATIVE TO OBSERVER — START / END
DISTANCE TO EMISSION POINT: 100 FT — START / END		DIRECTION TO EMISSION PT. (DEGREES (0-360)) — START / END
VERTICAL ANGLE TO OBSERVATION POINT — START / END		DIRECTION TO OBSERVATION POINT (DEGREES (0-360)) — START / END
DISTANCE & DIRECTION TO OBSERVATION POINT FROM EMISSION POINT — START / END		
DESCRIBE EMISSIONS — START / END		
EMISSION COLOR: WHITE — START / END		WATER DROPLET PLUME — ATTACHED ☐ DETACHED ☐ NONE ☐
DESCRIBE PLUME BACKGROUND: CONSTRUCTION TOWER LIGHT. — START / END		
BACKGROUND COLOR — START / END		SKY CONDITIONS — START / END
WIND SPEED: 2-4 MPH. — START / END		WIND DIRECTION: N. EAST. — START / END
AMBIENT TEMP — START / END		WET BULB TEMP / RH percent

Source Layout Sketch



ADDITIONAL INFORMATION

OBSERVATION DATE	START TIME	END TIME
01-03-13	0530 HRS	0600 HRS

SEC / MIN	0	15	30	45	COMMENTS
1	20	20	20	20	NO LOADING.
2					N N
3					N N
4	20	20	20	20	N N
5	20	20	20	20	LOADING.
6					N
7					N
8					N
9					N
10					N
11	20	20	20	20	N
12	35	35	35	35	LOADING
13			↓	↓	LOADING
14	35	35	35	35	LOADING.
15	25	25	25	25	NO LOADING
16					N N
17					N N
18					N N
19	25	25	25	25	N N
20	20	20	20	20	LOADING
21					N
22					N
23					N
24					N
25					N
26					N
27	20	20	20	20	N
28	20	20	20	20	NO LOADING
29	20	20	20	20	N N
30	20	20	20	20	N N

OBSERVER'S NAME (PRINT): ANTON HANA	
OBSERVER'S SIGNATURE	DATE: 01-03-13
ORGANIZATION	
CERTIFIED BY	DATE

Pg 1

VISIBLE EMISSION OBSERVATION FORM

Company Name	ECC		
Location	FLOYD BENNETT FIELD		
City	BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**	
Control Equipment	AIR CURTAIN BR	**Operating Mode**	ON
Describe Emission Point	WHITEISH GREY SMOKE WITH SPARKS		
Height of Emission Point	10 to 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End		**Direction to Emission Point** Start North End	
Vertical Angle to Observation Pt. Start End		**Direction to Observation Point** Start North End	
Describe Emissions Start WHITE GREY SMOKE End			
Emission Color Start GREY End		**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 FT ABOVE BURNER End			
Describe Plume Background Start RED + BLUE CONTAINER End			
Background Color Start RED + BLUE End		**Sky Condition** Start CLEAR End	
Wind Speed Start 4 mph End		**Wind Direction** Start WNW End	
Ambient Temp Start 46° End	**Wet Bulb Temp** 15°	**RH Percent** 63%	

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	6:00 AM	6:30 AM

Sec / Min	0	15	30	45	Comments
1	10	10	10	10	BURNING WOOD
2	10	10	10	10	
3	10	10	10	10	
4	10	10	10	10	
5	10	10	10	10	
6	10	10	10	10	
7	10	10	10	10	
8	10	10	10	10	
9	10	10	10	10	
10	10	10	10	10	
11	15	15	15	15	
12	15	15	15	15	
13	15	15	15	15	
14	15	15	15	15	
15	15	15	15	15	
16	15	15	15	15	
17	10	10	10	10	
18	10	10	10	10	
19	10	10	10	10	
20	10	10	10	10	
21	10	10	10	10	
22	10	10	10	10	
23	10	10	10	10	
24	10	10	10	10	
25	10	10	10	10	
26	15	15	15	15	
27	15	15	15	15	
28	15	15	15	15	
29	15	15	15	15	
30	15	15	15	15	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-OEP.

Certified by AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

pg 2

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON
Describe Emission Point WHITE GREY SMOKE WITH SPARKS		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start WHITE GREY SMOKE End		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)	
Point In The Plume At Which Opacity Was Determined Start 2 FT ABOVE BURNER End		
Describe Plume Background Start WHITE GREY SMOKE End		
Background Color Start GREY End	**Sky Condition** Start CLEAR End	
Wind Speed Start 6 MPH End	**Wind Direction** Start WNW End	
Ambient Temp Start 26° End	**Wet Bulb Temp** 15°	**RH Percent** 63%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-2-13	6:30 AM	7:00 AM

Sec / Min	0	15	30	45	Comments
1	15	15	15	15	BURNING WOOD
2	15	15	15	15	
3	15	15	15	15	
4	15	15	15	15	
5	15	15	15	15	
6	15	15	15	15	
7	10	10	10	10	
8	10	10	10	10	
9	10	10	10	10	
10	10	10	10	10	
11	15	15	15	15	
12	15	15	15	15	
13	15	15	15	15	
14	15	15	15	15	
15	15	15	15	15	
16	15	15	15	15	
17	15	15	15	15	
18	20	20	10	10	
19	20	20	10	10	
20	20	20	10	10	
21	15	15	10	10	
22	15	15	10	10	
23	15	15	10	10	
24	15	15	10	10	
25	15	15	10	10	
26	15	15	10	10	
27	20	20	10	10	
28	20	20	15	15	
29	20	20	15	15	
30	20	20	10	10	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified By AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

VISIBLE EMISSION OBSERVATION FORM

Company Name	ECC	
Location	FLOYD BENNETT FIELD	
City	BK	**State** NY **Zip**
Process Equipment		**Operating Mode**
Control Equipment	AIR CONTAIN BURNER	**Operating Mode** ON
Describe Emission Point	GREY SMOKE WITH SPARKS	
Height of Emission Point	18-12 FT	**Height Relative to Observer** Start 12 FT End
Distance to Emission Point	Start 200 FT End	**Direction to Emission Point** Start NORTH End
Vertical Angle to Observation Pt. Start End		**Direction to Observation Point** Start NORTH End
Describe Emissions	Start WHITE GREY SMOKE End	
Emission Color	Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached (N/A)
Point In The Plume At Which Opacity Was Determined	Start 2 FT ABOVE BURNER	
Describe Plume Background	Start RED + BLUE CONTAINERS	
Background Color	Start RED + BLUE End	**Sky Condition** Start CLEAR End
Wind Speed	Start 6 MPH End	**Wind Direction** Start End
Ambient Temp	Start 26°C End	**Wet Bulb Temp** ~9°C **RH Percent** 63%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	700	730 AM

Sec / Min	0	15	30	45	Comments
1	5	5	5	5	BURNING WOOD
2	0	0	0	0	BRANCHES +
3	0	0	0	0	TREE STUMPS
4	5	5	5	0	
5	5	5	5	0	
6	10	10	5	0	
7	10	10	5	0	
8	10	10	5	0	
9	10	10	5	0	
10	10	10	5	0	
11	15	15	10	0	
12	15	15	10	0	
13	15	15	10	0	
14	15	15	10	5	
15	10	10	10	5	
16	10	10	10	5	
17	10	10	10	5	
18	15	15	10	5	
19	15	15	10	5	
20	10	10	5	5	
21	10	10	5	5	
22	5	5	0	0	
23	5	5	0	0	
24	5	5	0	0	
25	5	5	0	0	
26	5	5	0	0	
27	10	10	5	0	
28	10	10	5	0	
29	10	10	5	0	
30	10	10	5	0	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified by AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON
Describe Emission Point GREY SMOKE		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12 FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End WITH SPARKS FLAME		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End		
Describe Plume Background Start RED+BLUE CONTAINERS End		
Background Color Start RED + BLUE End	**Sky Condition** Start CLEAR End	
Wind Speed Start 8 MPH End	**Wind Direction** Start NNW 330° End	
Ambient Temp Start 26 End	**Wet Bulb Temp** 11°	**RH Percent** 59%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	7:30	2:00 PM

Sec / Min	0	15	30	45	Comments
1	5	5	0	0	BURNING TREE
2	5	5	0	0	STUMPS + BRANCHES
3	5	5	0	0	
4	5	5	5	0	
5	5	5	5	0	
6	5	5	5	0	
7	5	5	5	0	
8	5	5	0	0	
9	5	5	0	0	
10	5	5	0	0	
11	10	10	5	5	
12	10	10	5	0	
13	10	10	5	0	
14	10	10	5	0	
15	10	10	5	0	
16	10	10	5	0	
17	10	10	5	0	
18	10	10	5	0	
19	10	10	5	0	
20	10	10	5	0	
21	10	5	0	0	
22	5	5	0	0	
23	5	5	0	0	
24	5	5	0	0	
25	5	5	0	0	
26	10	10	5	0	
27	10	10	5	0	
28	10	10	5	0	
29	10	10	5	0	
30	10	10	5	0	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified by AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

VISIBLE EMISSION OBSERVATION FORM

Company Name	ECC		
Location	FLOYD BENNETT FIELD		
City	BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**	
Control Equipment	AIR CURTAIN BURNER	**Operating Mode**	ON
Describe Emission Point	GREY SMOKE		
Height of Emission Point	10 TO 12 FT	**Height Relative to Observer**	Start 12 FT End
Distance to Emission Point	Start 200 FT End	**Direction to Emission Point**	Start NORTH End
Vertical Angle to Observation Pt. Start End		**Direction to Observation Point**	Start NORTH End
Describe Emissions	Start WHITE GREY SMOKE End		
Emission Color	Start GREY End	**If Water Droplet Plume (Circle)**	Attached Detached N/A
Point In The Plume At Which Opacity Was Determined	Start 2 FT ABOVE BURNER End		
Describe Plume Background	Start RED BLUE CONTAINERS End		
Background Color	Start RED + BLUE End	**Sky Condition**	Start CLEAR End
Wind Speed	Start 8 MPH End	**Wind Direction**	Start WNW AT End 330°
Ambient Temp	Start 26° End	**Wet Bulb Temp** 16°	**RH Percent** 72%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	8:00 AM	8:30 AM

Sec / Min	0	15	30	45	Comments
1	10	10	5	0	BURNING WOOD
2	10	10	5	0	BRANCHES + TREE
3	10	10	5	0	STUMPS.
4	10	10	0	0	
5	10	10	5	0	
6	10	10	5	0	
7	10	10	10	0	
8	10	10	10	0	
9	10	10	5	0	
10	10	10	5	0	
11	15	10	10	0	
12	15	10	0	0	
13	15	15	10	0	
14	15	15	10	5	
15	15	15	10	5	
16	15	15	10	5	
17	15	15	10	5	
18	15	15	10	5	
19	15	15	10	5	
20	15	15	10	5	
21	15	15	10	0	
22	20	20	10	5	
23	20	20	5	5	
24	20	20	5	5	
25	20	20	5	5	
26	20	20	5	5	
27	20	20	10	5	
28	15	15	10	5	
29	10	10	10	5	
30	10	10	5	0	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified By AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

Pg 6

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location LLOYD BENNETT FIELD		
City	**State**	**Zip**
Process Equipment	**Operating Mode**	
Control Equipment AIR CURTAIN BR	**Operating Mode** OW	
Describe Emission Point GREY SMOKE WITH FLAMES.		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 2FT End	
Distance to Emission Point Start 200 FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start — End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End WITH FLAME		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End		
Describe Plume Background Start RED & BLUE CONTAINER'S End		
Background Color Start RED & BLUE End	**Sky Condition** Start CLOUDY End	
Wind Speed Start 12MPH End	**Wind Direction** Start 330 NW WEST End	
Ambient Temp Start 26° End —	**Wet Bulb Temp** 16°	**RH Percent** 65%

SOURCE LAYOUT SKETCH



Additional Information

Sec / Min	0	15	30	45	Comments
1	25	25	20	10	WOOD BURNING
2	20	20	15	10	TREES TOPPED
3	15	15	10	5	BRANCHES
4	15	15	10	5	
5	15	15	10	5	
6	15	15	10	5	
7	10	10	0	0	
8	10	10	0	0	
9	10	10	0	0	
10	10	10	0	5	
11	10	10	0	5	
12	10	10	0	5	
13	10	10	0	5	
14	15	15	10	5	
15	15	15	10	5	
16	15	15	10	5	
17	15	15	10	5	
18	15	15	10	5	
19	10	10	10	0	
20	10	10	10	5	
21	10	10	10	5	
22	10	10	10	0	
23	10	10	10	5	
24	10	10	10	5	
25	15	15	10	0	
26	10	15	10	5	
27	10	10	10	5	
28	10	10	10	5	
29	5	5	5	0	
30	5	5	5	0	

Observation Date 1-3-13 **Start Time** 9:00 AM **End Time** 9:30 AM

Observer's Name (Print) BENNY BRUNO		
Observer's Signature	**Date** 1-3-13	
Organization NYC-DEP.		
Certified By AEROMET-ENG-INC. NYS.	**Date** 10-4-12	

Continue on reverse side

VISIBLE EMISSION OBSERVATION FORM

Company Name	ECC		
Location	FLOYD BENNET FIELD		
City	BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**	
Control Equipment	AIR CURTAIN BURNER ON.	**Operating Mode**	
Describe Emission Point	GREY SMOKE WITH FLARE + SPARKING		
Height of Emission Point	10 TO 12 FT	**Height Relative to Observer** Start 12FT End	
Distance to Emission Point Start 200 FT End		**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End		**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End —			
Emission Color Start GREY End		**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End			
Describe Plume Background Start RED + BLUE CONTAINER'S End			
Background Color Start RED + BLUE + SKY End		**Sky Condition** Start CLEAR TO CLOUDY End	
Wind Speed Start 12MPH End —		**Wind Direction** Start 90° EAST End	
Ambient Temp Start 26° End	**Wet Bulb Temp** 16°	**RH Percent** 65%	

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	8:30 AM	9:00 AM

Sec / Min	0	15	30	45	Comments
1	15	15	10	5	WOOD BURNING
2	15	15	10	5	BRANCHES AND
3	15	15	10	0	LARGE TREE
4	15	15	5	0	STUMPS
5	15	15	5	0	
6	15	15	5	0	
7	15	15	5	0	
8	15	15	5	0	
9	15	15	5	0	
10	15	15	5	0	
11	20	20	10	5	
12	20	20	10	5	
13	20	20	10	5	
14	20	20	10	5	
15	20	20	10	5	
16	20	20	10	5	
17	20	20	10	5	
18	15	15	10	5	
19	15	15	10	0	
20	15	15	5	0	
21	15	10	5	0	
22	10	10	10	0	
23	10	10	10	5	
24	10	10	10	5	
25	20	20	10	5	
26	20	20	10	5	
27	20	20	10	5	
28	20	20	10	5	
29	15	15	10	5	
30	15	15	10	5	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified By AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

Pg 8

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC		
Location FLOYD BENNETT FIELD		
City BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**
Control Equipment AIR CURTAIN BURNER		**Operating Mode** OW
Describe Emission Point GREY SMOKE WITH FLAME		
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12FT End	
Distance to Emission Point Start 200FT End	**Direction to Emission Point** Start NORTH End	
Vertical Angle to Observation Pt. Start End	**Direction to Observation Point** Start NORTH End	
Describe Emissions Start GREY SMOKE End		
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached N/A	
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End		
Describe Plume Background Start RED + BLUE CONTAINER End		
Background Color Start RED + BLUE End	**Sky Condition** Start CLOUDY End	
Wind Speed Start 10 MPH End	**Wind Direction** Start NW WEST End	
Ambient Temp Start 26° End	**Wet Bulb Temp** 16°	**RH Percent** 65%

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	9:30 AM	10:00 AM

Min \ Sec	0	15	30	45	Comments
1	10	10	0	0	BURNING TREE
2	10	10	0	0	STUMPS
3	10	10	0	0	BRANCHES
4	10	10	0	0	
5	10	10	0	0	
6	10	10	0	5	
7	10	10	0	5	
8	10	10	0	5	
9	10	10	0	5	
10	10	10	10	5	
11	15	15	10	5	
12	15	15	10	5	
13	15	15	10	5	
14	15	15	10	5	
15	15	15	5	5	
16	15	15	5	5	
17	15	15	5	5	
18	10	10	10	5	
19	10	10	5	5	
20	10	10	5	5	
21	10	10	5	5	
22	10	10	5	5	
23	10	10	5	10	
24	10	10	5	0	
25	10	10	5	0	
26	15	15	10	0	
27	15	15	5	0	
28	10	10	5	0	
29	10	10	5	0	
30	10	10	5	0	

Observer's Name (Print) BENNY BRUNO

Observer's Signature [signature] **Date** 1-3-13

Organization NYC-DEP.

Certified by AEROMET-ENG-INC. NYS. **Date** 10-4-12

Continue on reverse side

Pg 9

VISIBLE EMISSION OBSERVATION FORM

Company Name	ECC		
Location	FLOYD BENNETT FIELD		
City	BK	**State** NY	**Zip**
Process Equipment		**Operating Mode**	
Control Equipment	AIR CURTAIN BURNER	**Operating Mode**	ON
Describe Emission Point	GREY SMOKE WITH FLAME		
Height of Emission Point	10 TO 12 FT	**Height Relative to Observer**	Start 12 FT End
Distance to Emission Point	Start 200 FT End	**Direction to Emission Point**	Start NORTH End
Vertical Angle to Observation Pt.	Start End	**Direction to Observation Point**	Start NORTH End
Describe Emissions	Start GREY SMOKE End		
Emission Color	Start GREY End	**If Water Droplet Plume (Circle)**	Attached Detached (N/A)
Point In The Plume At Which Opacity Was Determined	Start 2 FT ABOVE BURNER End		
Describe Plume Background	Start RED + BLUE End CONTAINERS		
Background Color	Start RED + End BLUE	**Sky Condition**	Start CLEAR End SUNNY
Wind Speed	Start 11 MPH End	**Wind Direction**	AT 330° Start NW End WEST
Ambient Temp	Start 26°C End	**Wet Bulb Temp** 16°	**RH Percent** 65%

SOURCE LAYOUT SKETCH



Observation Date	Start Time	End Time
1-3-13	10:00 AM	10:30 AM

Min \ Sec	0	15	30	45	Comments
1	10	10	5	0	BURNING TREE
2	10	10	5	0	STUMPS + BRANCHES
3	10	10	5	0	
4	10	10	10	5	
5	10	10	10	5	
6	10	10	10	0	
7	10	10	10	0	
8	10	10	10	0	
9	10	10	10	0	
10	10	10	10	0	
11	10	10	10	0	
12	10	10	10	0	
13	5	5	5	0	
14	5	5	5	0	
15	5	5	5	0	STOP BURNING — WOOD
16	5	5	5	0	MACHINE — LEFT TO
17	5	5	5	0	GAS UP.
18	5	5	5	0	
19	5	5	5	0	
20	5	5	5	0	
21	5	5	5	0	
22	5	5	5	0	
23	5	5	5	0	
24	5	5	5	0	
25	10	10	5	0	MACHINE BACK
26	10	10	5	0	RESUME BURNING —
27	10	10	5	0	
28	10	10	5	0	
29	10	10	5	0	
30	10	10	5	5	

Observer's Name (Print)	BENNY BRUNO
Observer's Signature	Date 1-3-13
Organization	NYC - DEP.
Certified By	AEROMET-ENG-INC. NYS. Date 10-4-12
Continue on reverse side	

Additional Information

VISIBLE EMISSION OBSERVATION FORM

Company Name ECC			
Location FLOYD BENNETT FIELD			
City BK	**State** NY	**Zip**	
Process Equipment		**Operating Mode**	
Control Equipment AIR CURTAIN BURNER		**Operating Mode** ON	
Describe Emission Point GREY SMOKE WITH FLAME			
Height of Emission Point 10 TO 12 FT	**Height Relative to Observer** Start 12FT End		
Distance to Emission Point Start 200FT End	**Direction to Emission Point** Start NORTH End		
Vertical Angle to Observation Pt. Start — End	**Direction to Observation Point** Start NORTH End		
Describe Emissions Start GREY SMOKE End			
Emission Color Start GREY End	**If Water Droplet Plume (Circle)** Attached Detached N/A		
Point In The Plume At Which Opacity Was Determined Start 2FT ABOVE BURNER End			
Describe Plume Background Start RED + BLUE CONTAINERS End			
Background Color Start RED + BLUE End	**Sky Condition** Start CLEAR End SUNNY		
Wind Speed Start 12MPH End	**Wind Direction** Start 90 End EAST		
Ambient Temp Start 28° End	**Wet Bulb Temp** 17°	**RH Percent** 63%	

SOURCE LAYOUT SKETCH



Additional Information

Observation Date	Start Time	End Time
1-3-13	10:30 AM	11:00 AM

Sec / Min	0	15	30	45	Comments
1	10	10	5	5	BURNING WOOD
2	10	10	5	5	BRANCHES + TREE
3	10	10	5	0	STUMPS
4	10	10	5	0	
5	10	10	5	0	
6	10	10	5	0	
7	10	10	5	5	
8	10	10	5	5	
9	10	10	5	5	
10	10	10	5	5	
11	10	10	5	5	
12	10	10	5	5	
13	10	10	5	0	
14	10	10	5	0	
15	10	10	5	0	
16	10	10	5	0	
17	10	10	5	0	
18	10	10	5	0	
19	10	10	5	0	
20	10	10	5	0	
21	10	10	5	0	
22	10	10	5	0	
23	10	10	0	0	
24	15	15	0	0	
25	10	15	0	5	
26	10	10	10	5	
27	10	10	5	0	
28	10	10	5	0	
29	10	10	5	0	
30	10	10	5	0	

Observer's Name (Print) BENNY BRUNO	
Observer's Signature	**Date** 1-3-13
Organization NYC-OEP.	
Certified By AEROMET-ENG-INC. NYS.	**Date** 10-4-12
Continue on reverse side	