



October 28, 2016

Vincent Sapienza
Acting Commissioner

Paul V. Rush, P.E.
Deputy Commissioner
Bureau of Water Supply
prush@dep.nyc.gov

P.O. Box 358
Grahamsville, NY 12740
T: (845) 340-7800
F: (845) 334-7175

Pamela Young, Ph.D.
New York State Department of Health
Bureau of Public Water Supply Protection
Empire State Plaza – Corning Tower 11th Floor
Albany, NY 12237

Katie Lynch
United States Environmental Protection Agency - Region II
290 Broadway - 24th Floor
New York, NY 10007-1866

Dear Dr. Young and Ms. Lynch:

With this letter, I am submitting the following deliverables, due October 31, 2016, pursuant to the NYSDOH Revised 2007 Filtration Avoidance Determination (FAD):

<i>Program</i>	<i>Deliverable</i>
<i>4.2 Land Acquisition Program</i>	Biennial solicitation plan
<i>6.1 Watershed Rules and Regulations and Other Enforcement/Project Review</i>	Semi-annual report on project review activities
<i>6.1 Watershed Rules and Regulations and Other Enforcement/Project Review</i>	Semi-annual report on regulatory enforcement actions

The Stream Management Program, Section 4.6, is required to have a field-based meeting with NYSDOH/EPA and NYSDEC following the construction season by October 31. The meeting was held October 24, 2016.

As always, if you have any questions about these reports or other aspects of the City's watershed protection efforts, please do not hesitate to contact me.

Sincerely,

David S. Warne
Assistant Commissioner

c: K. Kosinski, DEC