



WALL LEGEND

	PORTION OF EXISTING WALL ON ORIGINAL PERMIT
	NEW 2"x4" STUD WALL 16" O.C. W/ 1/2" GYP. BD.
	EX. WALLS TO BE REMOVED

 SMOKE DETECTOR/CARBON MONOXIDE DETECTOR AS PER R313




Demolition Plan

SCALE: 1/4" = 1'-0"

ALL INTERIOR DOORS WITHIN APT. TO BE REPLACED AS PER OWNERS SPECIFICATIONS, SIZE AND LOCATION TO REMAIN THE SAME UNLESS OTHERWISE SPECIFIED ON PLANS.

CONTRACTOR TO VERIFY THE LOCATION OF EX. BEARING WALLS WITHIN APT. BEFORE CONSTRUCTION.

ALL DOOR HEADERS ARE TYP. (2) 2X8 UNLESS OTHERWISE SPECIFIED



Proposed Floor Plan

SCALE: 1/4" = 1'-0"

NOTES:

REVISIONS		
#No.	DATE	DESCRIPTION

NYC DOB SEAL:

NYC DOB JOB NUMBER



JARED MANDEL
ARCHITECT P.C.
25 Hillside Ave.
Williston Park, NY 11596
O: (516) 629-9060, F: (516) 750-9008

ARCHITECTS SEAL:

FLOOR(S): 4th FLOOR

DESCRIPTION:
Prop. Floor Plans

PROJECT ADDRESS:
46 CARMINE ST.,
MANHATTAN, NY 10014


DRAWN BY: N.G. PROJECT#: 15037

CHECKED BY: J.M. DATE: 01-04-15

DRAWING#: SHEET:

A-003.00 3 of 6

WALL LEGEND



SMOKE DETECTOR/CARBON MONOXIDE DETECTOR AS PER R313

ROOF LEGEND





TABLE P32011
SIZE OF TRAPS AND TRAP ARMS FOR PLUMBING FIXTURES

PLUMBING FIXTURE	TRAP SIZE MINIMUM (INCHES)
BATHTUB (WITH OR WITHOUT SHOWER HEAD AND/OR WHIRLPOOL ATTACHMENTS)	1 1/2
BIDET	1 1/2
CLOTHES WASHER STANDPIPE	2
DISHWASHER (ON SEPERATE TRAP)	1 1/2
FLOOR DRAIN	2
KITCHEN SINK (ONE OR TWO TRAPS, WITH OR WITHOUT DISHWASHER AND GARBAGE GRINDER)	1 1/2
LAUNDRY TUB (ONE OR MORE COMPARTMENTS)	1 1/2
LAVATORY	1 1/2
SHOWER	2
WATER CLOSET	NOTE a


FIXTURE	BRANCH HOT WATER	BRANCH HOT WATER	SOIL OR WASTE CONNECTION	VENT CONNECTION
WATER CLOSET SINK	3/4"	3/4"	3" X 4"	
BATHTUB	3/4"	3/4"	1 1/2"	1 1/4"
SHOWER	3/4"	3/4"	1 1/2"	1 1/4"
WASHER	3/4"	3/4"	1 1/2"	1 1/4"

FOR 81: 1 inch = 25.4 mm.
 (a) CONSULT FIXTURE STANDARDS FOR TRAP DIMENSION OF SPECIFIC BOWLS




PLUMBING RISER DIAGRAM

SCALE: N.T.S.



GAS RISER DIAGRAM

SCALE: N.T.S.




NOTE: ALL DIMENSIONS TO BE VERIFIED IN FIELD

NOTE: ALL LEAD PANS MUST BE WATER TESTED BY FILLING THE PAN W/ WATER, MARKING THE WATER LEVEL. ALLOWING THE WATER TO STAND FOR 12 HOURS AND THEN DETERMINING IF THE WATER LEVEL HAS DECLINED.

SHOWER PAN DRAINS ARE TO HAVE WEEP PROVISION AS PER CODE AND INCLUDE LOOSE LAID AGGREGATE AROUND SAME FOR DRAINAGE PURPOSES.


Shower Detail in Bathroom

SCALE: 3/4" = 1'-0"



Proposed Loft Floor Plan

SCALE: 1/4" = 1'-0"



Proposed Roof Plan

SCALE: 1/4" = 1'-0"

NOTES:

REVISIONS

#No.	DATE	DESCRIPTION

NYC DOB SEAL:

NYC DOB JOB NUMBER



JARED MANDEL ARCHITECT P.C.
 25 Hillside Ave.
 Williston Park, NY 11596
 O: (516) 629-9060, F: (516) 750-9008

ARCHITECTS SEAL:

FLOOR(S): 4th FLOOR

DESCRIPTION:
 Prop. Floor Plans

PROJECT ADDRESS:
 46 CARMINE ST.,
 MANHATTAN, NY 10014

DRAWN BY: N.G. PROJECT#: 15037

CHECKED BY: J.M. DATE: 01-04-15

DRAWING#: A-004.00 SHEET: 4 of 6

