

TRIANGLE COURT
BROOKLYN, NEW YORK

Remedial Investigation Report

NYC BCP Site Number: 11CBCP008K
E-Designation Site Number: 11EHAZ062K

Prepared for:

Triangle Court, LLC
83032 Parsons Boulevard
Jamaica, New York 11432

Prepared by:

Antea™ Group
500 Summit Lake Drive
914-495-9935

Februray/2011

REMEDIAL INVESTIGATION REPORT

TABLE OF CONTENTS

TABLE OF CONTENTS	6
LIST OF ACRONYMS	6
FIGURES.....	3
LIST OF ACRONYMS	6
CERTIFICATION	7
EXECUTIVE SUMMARY	8
REMEDIAL INVESTIGATION REPORT	12
1.0 SITE BACKGROUND.....	12
1.1 SITE LOCATION AND CURRENT USAGE.....	12
1.2 Proposed Redevelopment Plan	12
1.3 DESCRIPTION OF SURROUNDING PROPERTY.....	13
2.0 SITE HISTORY	14
2.1 PAST USES AND OWNERSHIP	14
2.2 PREVIOUS INVESTIGATIONS.....	14
2.3 AREAS OF CONCERN	15
3.0 PROJECT MANAGEMENT	16
3.1 PROJECT ORGANIZATION	16
3.2 HEALTH AND SAFETY.....	16
3.3 MATERIALS MANAGEMENT	16
4.0 REMEDIAL INVESTIGATION ACTIVITIES.....	17
4.1 GEOPHYSICAL INVESTIGATION.....	17
4.2 BORINGS AND MONITORING WELLS	17
4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS	18
5.0 ENVIRONMENTAL EVALUATION.....	22
5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS.....	22
5.2 SOIL CHEMISTRY.....	23
5.5 PRIOR ACTIVITY.....	25
5.6 IMPEDIMENTS TO REMEDIAL ACTION	25

FIGURES

List of Figures

- Site Location and Sensitive Receptor Map
- Site Plan
- Redevelopment Plans
- Soil Analytical Data SCO Exceedances
- Ground Water Analytical Data Exceedances

TABLES

List of Tables

- Construction Details for Soil Borings and Monitoring Wells
- Soil Analytical Data
- Ground Water Analytical Data
- Soil Vapor Analytical Data

APPENDICES

List of Appendices

Appendix A - Phase 1 Report

Appendix B - Health and Safety Plan

Appendix C - Soil Boring Geologic Logs

Appendix D - Sampling Logs

Appendix E - Laboratory Data Deliverables for Soil Analytical Data

Appendix F - Laboratory Data Deliverables for Groundwater Analytical Data

Appendix G - Laboratory Data Deliverables for Soil Vapor Analytical Data

Appendix H – Historic Ground Water Flow Map

LIST OF ACRONYMS

Acronym	Definition
AOC	Area of Concern
CAMP	Community Air Monitoring Plan
COC	Contaminant of Concern
CPP	Citizen Participation Plan
CSM	Conceptual Site Model
DER-10	New York State Department of Environmental Conservation Technical Guide 10
FID	Flame Ionization Detector
GPS	Global Positioning System
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
IRM	Interim Remedial Measure
NAPL	Non-aqueous Phase Liquid
NYC BCP	New York City Brownfield Cleanup Program
NYC DOHMH	New York City Department of Health and Mental Hygiene
NYC OER	New York City Office of Environmental Remediation
NYS DOH ELAP	New York State Department of Health Environmental Laboratory Accreditation Program
OSHA	Occupational Safety and Health Administration
PID	Photoionization Detector
QEP	Qualified Environmental Professional
RI	Remedial Investigation
RIR	Remedial Investigation Report
SCO	Soil Cleanup Objective
SPEED	Searchable Property Environmental Electronic Database

CERTIFICATION

I, Timothy Fisher, am a Qualified Environmental Professional, as defined in proposed RCNY § 43-1402(ar). I have primary direct responsibility for implementation of the Remedial Investigation for the Triangle Court Site, (NYC BCP Site No. 11CBP008K). I am responsible for the content of this Remedial Investigation Report (RIR), have reviewed its contents and certify that this RIR is accurate to the best of my knowledge and contains all available environmental information and data regarding the property.

Timothy F. Fisher	2/25/2011	
Qualified Environmental Professional	Date	Signature

EXECUTIVE SUMMARY

The Remedial Investigation Report (RIR) provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy pursuant to RCNY§ 43-1407(f). The remedial investigation (RI) described in this document is consistent with applicable guidance.

Site Location and Current Usage

The Site is located at 456 Grand Street in the Williamsburg section in Brooklyn, New York and is identified as Block 2399 and Lot 1 on the New York City Tax Map. Figure 1 shows the Site location. The Site is 18,250-square feet and is bounded by Grand Street to the north, Borinquen Place to the south, an undeveloped vacant lot (460 Grand Street) to the east, and Keap Street to the west. A map of the site boundary is shown in Figure 1. Currently, the Site is a fenced vacant unpaved lot.

Summary of Proposed Redevelopment Plan

The proposed future use of the Site will consist of mixed use and will include a single six story residential/commercial structure with a single subterranean level. The subterranean level will house valet parking, the ground floor will include 8,000 square feet of retail commercial space split into five separate store fronts, the second through sixth floors will include 40,000 square feet of rental apartment units (50 total number of units). The layout of the proposed site development is presented in Figure 3a through Figure 3f. The current zoning designation is manufacturing (M1-2) and residential (R6A). The proposed site use is consistent with existing zoning for the property. The subterranean level will cover the entire footprint of the site. The ground level building will cover the majority of the site, the remaining space will consist of a paved access ramp to the subterranean parking, trash dumpsters, handicap parking, and landscape areas contained in planters. Since the subterranean parking will encompass the entire site footprint, the portions at the ground level outside the building footprint will be constructed directly above the subsurface structure. To allow for the construction of the proposed structure the entire footprint of the site will be excavated to an approximate depth of 12 feet below ground surface. Based on the site dimensions (18,250 ft²) and planned depth of the excavation (12 feet)

approximately 219,000 ft³ or 8,111 yd³ of soil will be excavated. Based on an estimate weight of 1.5 tons/yd³ this is a total of 12,167 tons of soil. During the recent Phase II investigation ground water was encountered at a depth of 10 feet below ground surface, therefore it is expected the excavation will extend into the ground water table.

Summary of Past Uses of Site and Areas of Concern

According to Sanborn maps the subject site is depicted as commercial stores and residences in 1905, stores and an open-air moving picture screen in 1916, the Republic Theatre (built in 1921) from at least 1942 to 1965, and a gasoline station from at least 1978 to 2007 (Shell service station).

The AOCs identified for this site include:

- Petroleum storage and dispensation structures associated with the Former Shell Service Station

Summary of the Work Performed under the Remedial Investigation

Triangle Court, LLC undertook the following scope of work:

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed three soil borings across the entire project Site, and collected six soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed three temporary groundwater monitoring wells throughout the site and collected three groundwater samples for chemical analysis to evaluate groundwater quality. Ground water flow direction was determined during historical site investigations;
4. Installed three soil vapor probes around Site and collected four samples for chemical analysis. One sample from each soil vapor probe location and a ambient air sample for the purpose of comparison.

Summary of Environmental Findings

1. Elevation of the property ranges from 15 to 25 feet.

2. Depth to groundwater ranges from 7.58 to 14.06 feet at the Site.
3. Groundwater flow is generally from northeast to southwest beneath the Site.
4. Depth to bedrock is greater than 15 feet at the Site.
5. The stratigraphy, from ground surface to approximately 15 feet below ground surface (ft bgs), consists of 5 to 10 feet of historic fill underlain by a brown to grey, sandy silt with trace gravel extending to the water table.
6. Petroleum contamination from a spill associated with former use of the property as a gasoline station was remediated under the authority of DEC and the spill was closed in 2010. Remediation included excavation and removal of two areas roughly 30 by 30 feet including buried USTs and the fuel dispensing areas. Removal in these areas was generally to a depth of 12 feet. Piping delivery lines and associated soil were also removed and disposed offsite. Additional groundwater remediation was performed after the removal was complete and resulted in lowering BTEX to approximately 400-700 ug/l before the spill was closed by DEC. Findings in this RI indicate that groundwater quality has continued to improve since that time.
7. Soil/fill samples collected during the RI showed concentrations of metals (barium, chromium, lead, zinc, and mercury) at levels above Track 1 unrestricted SCOs and typical of historic fill materials. These levels are generally below Track 2 SCOs for commercial and residential uses. PCBs are below Track 1 SCOs. VOCs are below Track 1 SCOs in all samples and at all depths except for one VOC (acetone) which is slightly above Track 1 SCOs at 10-12 feet depth in one sample. SVOCs exceed Track 1 SCOs in shallow samples and are consistent with historical fill. Deep soils (10-12 feet) are below Track 1 SCOs. Several pesticides are above Track 1 SCOs in shallow (0-2) soils but meet Track 1 SCOs in deep soils.
8. Groundwater samples collected during the RI showed that VOCs meet TOGS groundwater standards except for ethylbenzene and toluene in one sample. One SVOC exceeds groundwater standards. Findings are attributed to historic gasoline releases managed under the former petroleum spill and results show significant improvement

from sampling performed at the time of closure of the petroleum spill by DEC. No pesticides were identified above TOGS standards. Metals in unfiltered groundwater samples are unremarkable and generally meet TOGS standards.

9. Based on the results of this RI, we conclude that there is no evidence to suspect disposal of significant quantities of hazardous waste.
10. Soil vapor samples collected during the R I showed low level occurrences of constituents that are residual impacts attributed to residual effects of former gasoline filling station activities and managed under the petroleum spill cleanup. A concentration of hexane was above the OSWER Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soil (Subsurface Vapor Intrusion Guidance), November 2002, Table 2(a) Target Deep Soil Gas Concentration and Target Shallow Soil Gas Concentration.

REMEDIAL INVESTIGATION REPORT

1.0 SITE BACKGROUND

Triangle Court, LLC has enrolled in the New York City Brownfield Cleanup Program (NYC BCP) to investigate and remediate a 0.41-acre site located at 456 Grand Street in Williamsburg section of Brooklyn, New York. Residential and commercial use is proposed for the property. The RI work was performed in February, 2011. This RIR summarizes the nature and extent of contamination and provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy that is protective of human health and the environment consistent with the use of the property pursuant to RCNY§ 43-1407(f).

1.1 SITE LOCATION AND CURRENT USAGE

The Site is located at 456 Grand Street in the Williamsburg section in Brooklyn, New York and is identified as Block 2399 and Lot 1 on the New York City Tax Map. Figure 1 shows the Site location. The Site is 18,250-square feet and is bounded by Grand Steet to the north, Borinquen Place to the south, an undeveloped vacant lot (460 Grand Street) to the east, and Keap Street to the west. A map of the site boundary is shown in Figure 1. Currently, the Site is a fenced vacant unpaved lot.

1.2 Proposed Redevelopment Plan

The proposed future use of the Site will consist of mixed use and will include a single six story residential/commercial structure with a single subterranean level. The subterranean level will house valet parking, the ground floor will include 8,000 square feet of retail commercial space split into five separate store fronts, the second through sixth floors will include 40,000 square feet of rental apartment units (50 total number of units). The layout of the proposed site development is presented in Figure 3a through Figure 3f. The current zoning designation is manufacturing (M1-2) and residential (R6A). The proposed site use is consistent with existing zoning for the property. The subterranean level will cover the entire footprint of the site. The ground level building will cover the majority of the site, the remaining space will consist of a

paved access ramp to the subterranean parking, trash dumpsters, handicap parking, and landscape areas contained in planters. Since the subterranean parking will encompass the entire site footprint, the portions at the ground level outside the building footprint will be constructed directly above the subsurface structure. To allow for the construction of the proposed structure the entire footprint of the site will be excavated to an approximate depth of 12 feet below ground surface. Based on the site dimensions (18,250 ft²) and planned depth of the excavation (12 feet) approximately 219,000 ft³ or 8,111 yd³ of soil will be excavated. Based on an estimate weight of 1.5 tons/yd³ this is a total of 12,167 tons of soil. During the recent Phase II investigation ground water was encountered at a depth of 10 feet below ground surface, therefore it is expected the excavation will extend into the ground water table.

1.3 DESCRIPTION OF SURROUNDING PROPERTY

Figure 1 shows the surrounding land usage. The surrounding properties are a mix of commercial and residential use. There are no surface water bodies or regulated wetlands on or adjacent to the Site. The nearest surface water body is the East River located approximately 0.9-miles west of the Site.

Sensitive Receptors

A review of OER's *SPEED* application shows no hospitals or day care centers are located within a 500-foot radius of the site. Two public schools are located within a 500-foot radius of the site, they include:

- PS 019 Roberto Clemente located approximately 330 feet southwest of the site, and
- PS 319 located approximately 440 feet south-southwest of the site.

Figure 1 shows the surrounding land usage with sensitive receptors indicated.

2.0 SITE HISTORY

2.1 PAST USES AND OWNERSHIP

According to Sanborn maps the subject site is depicted as commercial stores and residences in 1905, stores and an open-air moving picture screen in 1916, the Republic Theatre (built in 1921) from at least 1942 to 1965, and a gasoline station from at least 1978 to 2007 (Shell service station).

2.2 PREVIOUS INVESTIGATIONS

A Phase I ESA was performed in 2010 by Singer Environmental Group, LTD (Singer). Singer concluded in their Phase I ESA report dated September 28, 2010 that a total of three NYSDEC spill numbers have been assigned to the site (#96-08624, #04-03168, and #07-12272), each of these spill numbers have been closed by the NYSDEC. Three USTs were historically located at the site, a 550-gallon steel fuel oil UST, and three 4000-gallon steel gasoline UST. These USTs have all been removed from the site. A 240-gallon steel waste oil AST was historically located on-site. This AST has been removed.

In 1996 Shell removed the above mentioned 550-gallon used oil UST and also removed petroleum impacted soils. NYSDEC spill number 96-08624 was opened. In 1997 Shell completed a direct push soil and ground water investigation and low to non-detect levels of hydrocarbons were reported. NYSDEC spill number 96-08624 was closed on July 11, 2002. In 2004 Shell installed six monitoring wells (MW-1 through MW-6), soil samples collected during this investigation were submitted for laboratory analysis of VOCs, the laboratory reported showed no reported concentrations above laboratory detection limits. Ground water samples collected were submitted for laboratory analysis of VOCs, the laboratory report showed a single exceedance of the applicable standards (MTBE). In 2004 the above mentioned 550-gallon fuel oil UST was removed along with 25 yd³ of impacted soils. NYSDEC spill number 04-03168 was opened in association with the UST removal, and subsequently closed on June 22, 2004. In 2008 Shell completed six soil borings (SB-1 through SB-6). Soil samples collected during this investigation were submitted for laboratory analysis which showed ethylbenzene and xylene concentrations above the applicable standards. As a result NYSDEC spill number 07-12272 was opened. Ground water samples collected during this investigation

did not exhibit concentrations above laboratory reporting limits. In 2008 Shell also removed the above mentioned (3) 4,000-gallon gasoline USTs and associated piping and dispensers. During this removal of these USTs petroleum impacts soils were observed and over excavation activities were conducted in which 517.33 tons of soil was removed. In 2008 Shell installed three additional monitoring wells (MW-1 through MW-9) in association with NYSDEC spill number 07-12272. In 2010 Shell performed two enhanced fluid recovery events on monitoring well MW-7 to address dissolved phase concentrations. On July 19, 2010 NYSDEC spill number 07-12272 was closed, since that time monitoring wells MW-1 through MW-9 have been abandoned.

2.3 AREAS OF CONCERN

Areas of Concern generally include areas where existing or former activities are known or suspected to have resulted in generation, manufacture, refinement, transport, storage, handling, treatment, discharge, release and/or disposal. Sanborn fire insurance maps available for this Site were reviewed to identify historical features of environmental significance, copies of these maps are include in Appendix A.

The AOCs identified for this site include:

- Petroleum storage and dispensation structures associated with the Former Shell Service Station

Phase 1 Report is presented in Appendix A.

3.0 PROJECT MANAGEMENT

3.1 PROJECT ORGANIZATION

The Qualified Environmental Profession (QEP) responsible for preparation of this RIR is Timothy Fisher.

3.2 HEALTH AND SAFETY

All work described in this RIR was performed in full compliance with applicable laws and regulations, including Site and OSHA worker safety requirements and HAZWOPER requirements. A copy of the site Health and Safety Plan is included as Appendix B.

3.3 MATERIALS MANAGEMENT

All material encountered during the RI was managed in accordance with applicable laws and regulations.

4.0 REMEDIAL INVESTIGATION ACTIVITIES

Triangle Court, LLC undertook the following scope of work:

1. Conducted a Site inspection to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed three soil borings across the entire project Site, and collected six soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed three temporary groundwater monitoring wells throughout the and collected three groundwater samples for chemical analysis to evaluate groundwater quality. Ground water flow direction was determined during historical site investigations;
4. Installed three soil vapor probes around Site and collected four samples for chemical analysis. One sample from each soil vapor probe location and an ambient air sample for the purpose of comparison.

These activities build on extensive remedial investigation activities that were performed at the site and which led to the closure of the petroleum spill by DEC in 2010.

4.1 GEOPHYSICAL INVESTIGATION

A geophysical investigation was not performed as part of the Phase II ESA.

4.2 BORINGS AND MONITORING WELLS

Drilling and Soil Logging

Boring logs were prepared by a geologist for all soil samples to document subsurface conditions. Boring logs include a description of the following: soil types and non-soil materials; soil screening results from field instrument measurements (photoionization detector); depth to groundwater; presence of soil mottling; presence of odor, vapors, soil discoloration; and presence of free and/or residual product. Boring logs with this information are attached in Appendix C. A map showing the location of soil borings and monitor wells is shown in Figure 2.

Groundwater Monitoring Well Construction

Three temporary groundwater monitoring wells were installed to allow for the collection of ground water samples.

Each temporary monitoring well was constructed of 1-inch diameter PVC screen from 9 feet bgs to 14 feet bgs and 1-inch diameter riser from the screen to ground surface. Filter sand was placed in the annular space surrounding the screened section of the wells. Well construction details are shown on the boring logs in Appendix C and on Table 1.

Monitor well locations are shown in Figure 2.

Survey

The location of each soil boring and temporary monitoring well were marked with a hand held GPS unit.

Water Level Measurement

Groundwater flow directions are derived from studies performed earlier under the authority of DEC for closure of the petroleum spill. Ground water levels were recorded during the completion of each soil boring. The depth to observed ground water is included in the boring logs. A copy of the boring logs are included in Appendix C.

4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS

Sampling performed as part of the field investigation was conducted for all Areas of Concern and also considered other means for bias of sampling based on professional judgment, area history, discolored soil, stressed vegetation, drainage patterns, field instrument measurements, odor, or other field indicators. All media including soil, groundwater and soil vapor have been sampled and evaluated in the RIR. Discrete (grab) samples have been used for final delineation of the nature and extent of contamination and to determine the impact of contaminants on public health and the environment. The sampling performed and presented in this RIR provides sufficient basis for evaluation of remedial action alternatives, establishment of a qualitative human health exposure assessment, and selection of a final remedy.

Soil Sampling

Six soil samples were collected for chemical analysis during this RI. Data on soil sample collection for chemical analyses, including dates of collection and sample depths, is reported in Table 2. Figure 4 shows the location of samples collected in this investigation. Laboratories and analytical methods are shown below.

Continuous soil samples were collected from each boring location from the ground surface to the termination at 15 feet bgs via five foot cores lined with acetate sleeves. . The soil samples were inspected for visual evidence of impacts and were screened for total volatile organic compounds (VOCs) using a photo-ionization detector (PID). In accordance with the approved work plan two soil samples from each boring location (total of six) were submitted for laboratory analysis. The first soil sample was collected from the 0-2 feet bgs interval (SB-1_0-2ft, SB-2_0-2ft, and SB-3_0-2ft). The second sample was collected from the interval exhibiting the highest PID reading. In the absence of detectable PID readings, the sample collected above the zone of saturation was be submitted for laboratory analysis (SB-1_10-12ft, SB-2_8-10ft, SB-3_5-7ft). The soil samples were forwarded, under chain-of-custody procedures, to Lancaster Laboratories.

Groundwater Sampling

Three groundwater samples were collected for chemical analysis during this RI. Groundwater sample collection data is reported in Table 3. Sampling logs with information on purging and sampling of groundwater monitor wells is included in Appendix D. Figure 2 shows the location of groundwater sampling. Laboratories and analytical methods are shown below.

Ground water samples were collected from each well location utilizing a peristaltic pump and polyethylene tubing. Each well was purged a minimum of three well volumes prior to sample collection. The ground water samples were forwarded, under chain-of-custody procedures, to Lancaster Laboratories.

Soil Vapor Sampling

Three soil vapor probes were installed and four soil vapor samples were collected for chemical analysis during this RI. Soil vapor sampling locations are shown in Figure 2. Soil vapor sample collection data is reported in Table 4. Soil vapor sampling logs are included in Appendix

D. Methodologies used for soil vapor assessment conform to the *NYS DOH Final Guidance on Soil Vapor Intrusion, October 2006*.

Soil vapor samples were collected from each soil vapor point location in accordance with the *New York State Department of Health – Guidance for Evaluating Soil Vapor Intrusion in the State of New York – October 2006*. The soil vapor samples were forwarded, under chain-of-custody procedures, to Lancaster Laboratories.

Chemical Analysis

Chemical analytical work presented in this RIR has been performed in the following manner:

Factor	Description
Quality Assurance Officer	The chemical analytical quality assurance is directed by Susan M. Goshert
Chemical Analytical Laboratory	Chemical analytical laboratory used in the RI is NYS ELAP certified and was Lancaster Laboratories.
Chemical Analytical Methods	Soil analytical methods: <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010C (rev. 2007); • VOCs by EPA Method 8260C (rev. 2006); • SVOCs by EPA Method 8270D (rev. 2007); • Pesticides by EPA Method 8081B (rev. 2000); • PCBs by EPA Method 8082A (rev. 2000); Groundwater analytical methods: <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010C (rev. 2007); • VOCs by EPA Method 8260C (rev. 2006); • SVOCs by EPA Method 8270D (rev. 2007); • Pesticides by EPA Method 8081B (rev. 2000); • PCBs by EPA Method 8082A (rev. 2000);

	Soil vapor analytical methods: <ul style="list-style-type: none">• VOCs by TO-15 VOC parameters.
--	--

Results of Chemical Analyses

Laboratory data for soil, groundwater and soil vapor are summarized in Table 2 through Table 4, respectively. Laboratory data deliverables for all samples evaluated in this RIR are provided in digital form in Appendix E, F, and G.

5.0 ENVIRONMENTAL EVALUATION

5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS

According to the Surficial Geologic Map of New York, Lower Hudson Sheet (Cadwell, 1989), this area of New York is underlain by Pleistocene-age glacial till, dominantly consisting of fine to coarse grain sand with interstitial lenses of gravel and silt, which are remnants of glacial deposition. According to the United States Department of Agriculture Soil Survey Classification and Nomenclature System, this soil would likely be referred to as *Urban Land*, because the original composition and structure of the soil has been significantly altered by urbanization and development activities. Based on surrounding topography, regional ground water likely flows in a southwesterly direction.

Stratigraphy

There are no predominant geological surface features such as rock outcroppings on the subject site. Site-specific stratigraphy was gathered during soil boring advancement activities. Based on soil collected, the subject site is underlain by dark grey to brown, poorly graded silty sand to sandy silt with gravel from ground surface to approximately the maximum depth explored of 15 feet bgs. Evidence of fill material (bricks and concrete) were encountered at depth up to 10 feet bgs. Bedrock was not encountered during this investigation.

The stratigraphy, from ground surface to approximately 15 feet below ground surface (ft bgs), consists of 5 to 10 feet of historic fill underlain by a brown to grey, sandy silt with trace gravel extending to the water table.

Hydrogeology

During the advancement of the soil boring during the Phase II activities ground water was encountered at a depth of 10 feet bgs. Historical site investigation activities associated with NYSDEC Spill # 07-12272 (closed 7/19/10) show depth to ground water measurements ranged from 7.58 to 14.06 feet bgs from November 2008 to May 2010. Direction of ground water flow was shown to be to in a southwesterly direction. A ground water contour map prepared by Sovereign Consulting, Inc. in association with NYSDEC Spill # 07-12272 (closed 7/19/10) is included in Appendix H.

5.2 SOIL CHEMISTRY

Soil analytical data is summarized in Table 2 and compared to Part 375-6.8 Track 1 Soil Cleanup Objectives (SCOs). Exceedances of the SCOs are noted on Table 2. A copy of the full laboratory data deliverable in digital format is included in Appendix E. Petroleum contamination from a spill associated with former use of the property as a gasoline station was remediated under the authority of DEC and the spill was closed in 2010. Remediation included excavation and removal of two areas roughly 30 by 30 feet including buried USTs and the fuel dispensing areas. Removal in these areas was generally to a depth of 12 feet. Piping delivery lines and associated soil were also removed and disposed offsite. Additional groundwater remediation was performed after the removal was complete and resulted in lowering BTEX to approximately 400-700 ug/l before the spill was closed by DEC. Findings in this RI indicate that groundwater quality has continued to improve since that time.

Soil/fill samples collected during the RI showed concentrations of metals (barium, chromium, lead, zinc, and mercury) at levels above Track 1 unrestricted SCOs and typical of historic fill materials. These levels are generally below Track 2 SCOs for commercial and residential uses. PCBs are below Track 1 SCOs. VOCs are below Track 1 SCOs in all samples and at all depths except for one VOC (acetone) which is slightly above Track 1 SCOs at 10-12 feet depth in one sample. SVOCs exceed Track 1 SCOs in shallow samples and are consistent with historical fill. Deep soils (10-12 feet) are below Track 1 SCOs. Several pesticides are above Track 1 SCOs in shallow (0-2) soils but meet Track 1 SCOs in deep soils.

A summary table of data for chemical analyses performed on soil samples is included in Table 2. Figure 4 shows the location values for soil/fill that exceed the 6NYCRR Part 375-6.8 Track 2 Soil Cleanup Objectives.

5.3 GROUNDWATER CHEMISTRY

Ground water analytical data is summarized in Table 3 and compared to Part 703.5 Class GA Groundwater Standards and NYSDEC Technical & Operations Guidance Series (TOGS) 1.1.1, Ambient Water Quality Standards and Guidance Values. Exceedances of the applicable

standards and guidance values are noted on Table 3. A copy of the full laboratory data deliverable in digital format is included in Appendix F.

Groundwater samples collected during the RI showed that VOCs meet TOGS groundwater standards except for ethylbenzene and toluene in one sample. One SVOCs exceeds groundwater standards. Findings are attributed historic gasoline releases managed under the former petroleum spill and results show significant improvement from sampling performed at the time of closure of the petroleum spill by DEC. No pesticides were identified above TOGS standards. Metals in unfiltered groundwater samples are unremarkable and generally meet TOGS standards.

Data collected during the RI is sufficient to delineate the distribution of contaminants in groundwater at the Site. Figure 5 shows the location and posts the values for groundwater that exceed the New York State 6NYCRR Part 703.5 Class GA groundwater standards.

5.4 SOIL VAPOR CHEMISTRY

Soil Vapor analytical data is summarized in Table 4. NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York (October 2006 final draft) explains that New York State does not have any standards, criteria, or guidance values for concentrations of compounds in soil vapor. As a result, compound concentrations detected in the soil vapor samples have been compared to the guidance concentrations listed in Table 2(a) of EPA Office of Solid Waste and Emergency Response (OSWER) Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soil (Subsurface Vapor Intrusion Guidance), November 2002. Table 2(a) is split into two categories, Target Deep Soil Gas Concentration and Target Shallow Soil Gas Concentration. Samples collected from greater than five feet below the buildings slab are compared to Target Deep Soil Gas Concentration. Samples collected from within five feet of a buildings slab are compared to Target Shallow Soil Gas Concentration. Exceedances of the applicable guidance values are noted on Table 4. A copy of the full laboratory data deliverable in digital format is included in Appendix D. As shown in Table 4, soil vapor samples collected from VP-1 and VP-3 did not exhibit compound concentrations above the shallow or deep soil gas limits. The soil vapor sample collected from VP-2 exhibited a single compound concentration (hexane) above the shallow and deep soil gas limits.

Soil vapor samples collected during the RI showed low level occurrences of constituents that are residual impacts attributed to former gasoline filling station activities and managed under the petroleum spill cleanup. A concentration of hexane was above the OSWER Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soil (Subsurface Vapor Intrusion Guidance), November 2002, Table 2(a) Target Deep Soil Gas Concentration and Target Shallow Soil Gas Concentration.

Data collected during the RI is sufficient to delineate the distribution of contaminants in soil vapor at the Site. A summary table of data for chemical analyses performed on soil vapor samples is included in Table 4. A copy of the full laboratory data deliverable in digital format is included in Appendix G.

5.5 PRIOR ACTIVITY

Based on an evaluation of the data and information from this RIR, disposal of significant amounts of hazardous waste is not suspected at this site.

5.6 IMPEDIMENTS TO REMEDIAL ACTION

There are no known impediments to remedial action at this property.

TABLES

TABLE 1
Phase II Investigation
Construction Details for Soil Borings and Monitoring Wells
Triangle Court Project
456 Grand Street, Brooklyn, New York

Name	Type	Date Drilled	Total Depth (ft)	Incr. (ft)	Soil Sample Depth (ft)	First GW Depth (ft)	Well Diameter (in.)	Well Construction Material	Screen Depth (ft)		Well Status	Comments
									Top	Bottom		
SB-1/TW-1	Boring / Temporary Monitoring Well	2/3/2011	15	Continuous	0-15	12	1.00	PVC	5	15	Removed following collection of GW sample	Hand cleared to 5ft bgs. Geoprobe from 5-15 ft bgs
SB-2/TW-2	Boring / Temporary Monitoring Well	2/3/2011	15	Continuous	0-15	12	1.00	PVC	5	15	Removed following collection of GW sample	Hand cleared to 5ft bgs. Geoprobe from 5-15 ft bgs
SB-3/TW-3	Boring / Temporary Monitoring Well	2/3/2011	15	Continuous	0-15	10	1.00	PVC	5	15	Removed following collection of GW sample	Hand cleared to 5ft bgs. Geoprobe from 5-15 ft bgs
Notes: bgs = below ground surface												

TABLE 2
Phase II Investigation
Soil Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	NYSDEC Soil Cleanup Objective - Unrestricted Use ($\mu\text{g}/\text{kg}$) ¹	Soil Sample Locations and Concentrations ($\mu\text{g}/\text{kg}$)					
		SB-1_0-2ft	SB-1_10-12ft	SB-2_0-2ft	SB-2_8-10ft	SB-3_0-2ft	SB-3_5-7ft
Metals							
Aluminum	--	7,870	14,200	7,820	6,400	12,500	10,800
Arsenic	13 ^c	< 1.15	< 1.11	< 1.11	< 1.05	< 5.76	< 1.13
Antimony	--	4.91	2.25 J	4.97	< 1.00	< 5.47	4.02 J
Barium	350 ^c	546	35.0	289	20.3	131	58.0
Beryllium	7.2	0.360 J	0.547 J	0.358 J	0.285 J	0.493 J	0.385 J
Cadmium	2.5 ^c	1.09 J	0.167 J	0.904 J	< 0.148	< 0.806	0.282 J
Calcium	--	41,900	993	49,600	531	38,200	43,600
Chromium	1 ^b	19.7	22.2	15.3	12.0	21.4	15.3
Cobalt	--	5.16	10.8	4.78	3.18	4.30 J	3.85
Copper	50	39.9	16.9	25.0	6.81	16.4	11.2
Iron	--	13,700	18,600	15,200	9,350	45,400	14,100
Lead	63 ^c	138	8.29	211	5.07	89.9	15.3
Magnesium	--	3,240	2,390	3,460	1,270	4,850	4,930
Manganese	1600 ^c	223	412	220	61.2	318	371
Nickel	30	19.2	15.0	16.9	7.35	12.9	11.9
Potassium	--	1,050	1,720	1,400	1,080	1,130	1,220
Selenium	3.9 ^c	< 1.13	< 1.09	< 1.09	< 1.03	< 5.65	< 1.10
Silver	2	0.250 J	< 0.200	0.293 J	< 0.190	< 1.04	< 0.203
Sodium	--	317	139 J	468	200 J	1,430	1,090
Thallium	--	< 1.67	< 1.61	< 1.61	< 1.53	< 8.35	< 1.63
Vanadium	--	34.4	34.4	28.1	19.4	40.3	24.4
Zinc	109 ^c	427	32.4	430	22.0	157	35.5
Total Mercury	0.18 ^c	0.532	0.0046 J	1.38	< 0.0030	0.308	0.0120 J

TABLE 2
Phase II Investigation
Soil Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	NYSDEC Soil Cleanup Objective - Unrestricted Use ($\mu\text{g}/\text{kg}$) ¹	Soil Sample Locations and Concentrations ($\mu\text{g}/\text{kg}$)					
		SB-1_0-2ft	SB-1_10-12ft	SB-2_0-2ft	SB-2_8-10ft	SB-3_0-2ft	SB-3_5-7ft
PCBs / Pesticides							
Aldrin	5 ^c	<4.0	<0.37	<3.8	<0.36	<3.9	<1.9
alpha-BHC	20	<2.0	<0.19	<2.0	<0.18	<2.0	<0.97
beta-BHC	36	<2.3	<0.21	<2.2	<0.21	<2.2	<1.1
Lindane	100	130	<0.19	230	0.36 J	56	21
Chlordane (alpha)	94	<2.0	<0.19	2.0 J	<0.18	<2.0	<0.97
Gamma Chlordane	NS	<2.0	<0.19	<2.0	<0.18	<2.0	<0.97
4,4'-DDD	3.3 ^b	47	<0.37	<27	<0.36	<3.9	<1.9
4,4'-DDE	3.3 ^b	120	<0.37	27	<0.36	11 J	4.3 J
4,4'-DDT	3.3 ^b	21	<0.37	<18	<0.36	<14	<1.9
delta-BHC ^g	40	<3.7	<0.35	<3.6	<0.34	<3.6	<1.8
Dieldrin	5 ^c	<4.0	<0.37	<3.8	<0.36	<3.9	<1.9
Endosulfan ^{d,f}	2400	<2.6	<0.25	<2.5	<0.24	<2.6	<1.3
Endosulfan II ^{e,f}	2400	<4.0	<0.37	<7.5	<0.36	<5.9	<1.9
Endosulfan sulfate ^{g,f}	2400	31	<0.37	<28	<0.36	<24	<1.9
Endrin	14	<4.0	<0.37	<3.8	<0.36	<3.9	<1.9
Endrin Aldehyde	--	5.6 J	<0.37	<6.6	<0.36	<6.2	<1.9
Endrin Ketone	--	<4.0	<0.37	<3.8	<0.36	<3.9	<1.9
Heptachlor	42	19	<0.19	25	<0.18	8.7 J	2.6 J
Heptachlor Epoxide	--	<2.0	<0.19	<2.0	<0.18	<2.0	<0.97
Methoxychlor	--	<2.0	<1.9	<2.0	<1.8	<2.0	<0.97
Toxaphene	--	<130	<12	<130	<12	<130	<63
Dibenzofuran ^f	7000	6,400	<38	16,000	<36	580 J	290
PCB-1016	100	<20	<3.7	<19	<3.6	<3.9	<3.8
PCB-1221	100	<20	<3.7	<19	<3.6	<3.9	<3.8
PCB-1232	100	<20	<3.7	<19	<3.6	<3.9	<3.8
PCB-1242	100	<20	<3.7	<19	<3.6	<3.9	<3.8
PCB-1248	100	<20	<3.7	<19	<3.6	<3.9	<3.8
PCB-1254	100	<20	<3.7	<19	<3.6	<3.9	34
PCB-1260	100	<20	<3.7	67 J	<3.6	13 J	<3.8

TABLE 2
Phase II Investigation
Soil Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	NYSDEC Soil Cleanup Objective - Unrestricted Use ($\mu\text{g}/\text{kg}$) ¹	Soil Sample Locations and Concentrations ($\mu\text{g}/\text{kg}$)					
		SB-1_0-2ft	SB-1_10-12ft	SB-2_0-2ft	SB-2_8-10ft	SB-3_0-2ft	SB-3_5-7ft
Semivolatile organic compounds							
Acenaphthene	20000	4,400 J	< 38	12,000	< 36	680 J	230
Acenaphthylene ^f	100000 ^a	8,600	< 38	21,000	< 36	1,700	79 J
Anthracene ^f	100000 ^a	23,000	< 38	61,000	< 36	3,400	730
Benz(a)anthracene ^f	1000 ^f	54,000	< 38	100,000	< 36	11,000	1,100
Benzo(a)pyrene	1000 ^f	41,000	< 38	87,000	< 36	9,200	830
Benz(b)fluoranthene ^f	1000 ^f	51,000	< 38	110,000	< 36	12,000	920
Benzo(g,h,i)perylene ^f	100000	24,000	< 38	52,000	< 36	6,000	530
Benzo(k)fluoranthene ^f	800 ^c	25,000	< 38	43,000	< 36	5,200	520
4-Bromophenyl-phenylether	--	< 1,000	< 38	< 960	< 36	< 200	< 38
Butylbenzylphthalate	--	< 2,000	< 75	< 1,900	< 72	< 390	6,100
Di-n-butylphthalate	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
Carbazole	--	6,600	< 38	17,000	< 36	1,200	300
4-Chloro-3-methylphenol	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
4-Chloroaniline	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
bis(2-Chloroethoxy)methane	--	< 1,000	< 38	< 960	< 36	< 200	< 38
bis(2-Chloroethyl)ether	--	< 1,000	< 38	< 960	< 36	< 200	< 38
2-Chloronaphthalene	--	< 1,000	< 38	< 960	< 36	< 200	< 38
2-Chlorophenol	--	< 1,000	< 38	< 960	< 36	< 200	< 38
4-Chlorophenyl-phenylether	--	< 1,000	< 38	< 960	< 36	< 200	< 38
2,2'-oxybis(1-Chloropropane)	--	< 1,000	< 38	< 960	< 36	< 200	< 38
Chrysene ^f	1000 ^f	47,000	< 38	99,000	< 36	10,000	1,100
Dibenz(a,h)anthracene ^f	330 ^b	6,900	< 38	15,000	< 36	1,600	160 J
Dibenzofuran	--	6,400	< 38	16,000	< 36	580 J	290
1,2-Dichlorobenzene ^f	1.1	< 1,000	< 38	< 960	< 36	< 200	< 38
1,3-Dichlorobenzene ^f	2.4	< 1,000	< 38	< 960	< 36	< 200	< 38
1,4-Dichlorobenzene	1.8	< 1,000	< 38	< 960	< 36	< 200	< 38
3,3'-Dichlorobenzidine	--	< 3,000	< 110	< 2,900	< 110	< 590	< 110

TABLE 2
Phase II Investigation
Soil Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	NYSDEC Soil Cleanup Objective - Unrestricted Use (µg/kg) ¹	Soil Sample Locations and Concentrations (µg/kg)					
		SB-1_0-2ft	SB-1_10-12ft	SB-2_0-2ft	SB-2_8-10ft	SB-3_0-2ft	SB-3_5-7ft
2,4-Dichlorophenol	--	< 1,000	< 38	< 960	< 36	< 200	< 38
Diethylphthalate	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
2,4-Dimethylphenol	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
Dimethylphthalate	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
4,6-Dinitro-2-methylphenol	--	< 5,000	< 190	< 4,800	< 180	< 980	< 190
2,4-Dinitrophenol	--	< 10,000	< 380	< 9,600	< 360	< 2,000	< 380
2,4-Dinitrotoluene	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
2,6-Dinitrotoluene	--	< 1,000	< 38	< 960	< 36	< 200	< 38
bis(2-Ethylhexyl)phthalate	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
Fluoranthene ^f	100000 ^a	91,000	< 38	240,000	< 36	16,000	2,000
Fluorene	30000	9,300	< 38	21,000	< 36	810	300
Hexachlorobenzene	--	< 1,000	< 38	< 960	< 36	< 200	< 38
Hexachlorobutadiene	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
Hexachlorocyclopentadiene	--	< 5,000	< 190	< 4,800	< 180	< 980	< 190
Hexachloroethane	--	< 1,000	< 38	< 960	< 36	< 200	< 38
Indeno(1,2,3-cd)pyrene ^f	500 ^c	23,000	< 38	50,000	< 36	5,400	510
Isophorone	--	< 1,000	< 38	< 960	< 36	< 200	< 38
2-Methylnaphthalene	--	2,400	< 38	6,000	< 36	< 200	140
2-Methylphenol	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
4-Methylphenol	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
Naphthalene ^f	12000	3,000	< 38	10,000	< 36	310	250
3-Nitroaniline	--	< 1,000	< 38	< 960	< 36	< 200	< 38
4-Nitroaniline	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
Nitrobenzene	--	< 1,000	< 38	< 960	< 36	< 200	< 38
2-Nitrophenol	--	< 1,000	< 38	< 960	< 36	< 200	< 38
4-Nitrophenol	--	< 5,000	< 190	< 4,800	< 180	< 980	< 190
N-Nitroso-di-n-propylamine	--	< 1,000	< 38	< 960	< 36	< 200	< 38
N-Nitrosodiphenylamine	--	< 1,000	< 38	< 960	< 36	< 200	< 38
Di-n-octylphthalate	--	< 2,000	< 75	< 1,900	< 72	< 390	480
Pentachlorophenol	800 ^b	< 5,000	< 190	< 4,800	< 180	< 980	< 190
Phenanthrene ^f	100000	90,000	< 38	220,000	< 36	12,000	2,800
Phenol	330 ^b	< 1,000	< 38	< 960	< 36	< 200	< 38
Pyrene ^f	100000	100,000	< 38	180,000	37	21,000	2,500
1,2,4-Trichlorobenzene	--	< 1,000	< 38	< 960	< 36	< 200	< 38
2,4,5-Trichlorophenol	--	< 2,000	< 75	< 1,900	< 72	< 390	< 76
2,4,6-Trichlorophenol	--	< 1,000	< 38	< 960	< 36	< 200	< 38

TABLE 2
Phase II Investigation
Soil Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	NYSDEC Soil Cleanup Objective - Unrestricted Use (µg/kg) ¹	Soil Sample Locations and Concentrations (µg/kg)						
		SB-1_0-2ft	SB-1_10-12ft	SB-2_0-2ft	SB-2_8-10ft	SB-3_0-2ft	SB-3_5-7ft	
Volatile organic compounds								
Acetone	50	22	61	41	<8	25	28	
Benzene	60	0.8 J	<0.5	1 J	<0.5	0.9 J	2 J	
Bromodichloromethane	--	<1	<1	<1	<1	<1	<1	
Bromoform	--	<1	<1	<1	<1	<1	<1	
Bromomethane	--	<2	<2	<2	<2	<2	<2	
Methyl ethyl ketone (2-butanone)	120	<4	7 J	<5	<4	<5	<5	
Carbon Disulfide	--	<1	<1	1 J	<1	2 J	1 J	
Carbon tetrachloride ^f	760	<1	<1	<1	<1	<1	<1	
Chlorobenzene	1100	<1	<1	<1	<1	<1	<1	
Chloroform	370	<2	<2	<2	<2	<2	<2	
Chloromethane	--	<1	<1	<1	<1	<1	1 J	
Dibromochloromethane	--	<1	<1	<1	<1	<1	<1	
1,1-Dichloroethane ^f	270	<1	<1	<1	<1	<1	<1	
1,2-Dichloroethane	20 ^c	<1	<1	<1	<1	<1	<1	
1,1-Dichloroethene ^f	330	<1	<1	<1	<1	<1	<1	
cis-1,2-Dichloroethene ^f	250	<1	<1	<1	<1	<1	<1	
trans-1,2-Dichloroethene ^f	190	<1	<1	<1	<1	<1	<1	
1,2-Dichloropropane	--	<1	<1	<1	<1	<1	<1	
cis-1,3-Dichloropropene	--	<1	<1	<1	<1	<1	<1	
trans-1,3-Dichloropropene	--	<1	<1	<1	<1	<1	<1	
Ethylbenzene ^f	1000	<1	<1	<1	<1	1 J	<1	
2-Hexanone	--	<3	<3	<4	<3	<4	<4	
4-Methyl-2-pentanone	--	<3	<3	<4	<3	<4	<4	
Methylene chloride	50	<2	<2	<2	<2	<2	<2	
Styrene	--	<1	<1	<1	<1	<1	<1	
1,1,2,2-Tetrachloroethane	--	<1	<1	<1	<1	<1	<1	
Tetrachloroethene	1300	<1	<1	10	<1	<1	<1	
Toluene	700	4 J	<1	1 J	<1	8	2 J	
1,1,1-Trichloroethane ^f	680	<1	<1	<1	<1	<1	<1	
1,1,2-Trichloroethane	--	<1	<1	<1	<1	<1	<1	
Trichloroethene	470	<1	<1	<1	<1	<1	<1	
Vinyl chloride ^f	20	<1	<1	<1	<1	<1	<1	
Xylene (mixed)	260	5	<1	<1	<1	6	2 J	

Notes:

¹ - NYSDEC Subpart 375-6: Remedial Program Soil Cleanup Objectives (SCOs)
^a - The SCOs for unrestricted use were capped at a maximum value of 100 ppm. See Technical Support Document (TSD), section 9.3.³⁰
^b - For constituents where the calculated SCO was lower than the contract required quantitation limit (CRQL), the CRQL is used as the Track 1 SCO value.³⁰
^c - For constituents where the calculated SCO was lower than the rural soil background concentration, as determined by the Department and Department of Health r this use of the site.
^d - SCO is the sum of endosulfan I, endosulfan II and endosulfan sulfate.³⁰
^e - The SCO for this specific compound (or family of compounds) is considered to be met if the analysis for the total species of this contaminant is below the specific S³⁰ protection of ecological of ecological resources SCO according to the TSD.
^f - µg/kg -- microgram per kilogram
 < - Not detected at or above indicated laboratory reporting limit.
 J - Laboratory estimated value
 -- No guidance value
BOLD - A bolded decision signifies and exceedance of one or more of the SCOs

TABLE 3
Phase II Investigation
Ground Water Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	TOGS 1.1.1.1 - Standard (ug/L)	TOGS 1.1.1.1 - Guidance (ug/L)	TW-1 (ug/L)	TW-2 (ug/L)	TW-3 (ug/L)
Volatile organic compounds					
Acetone	--	50	< 6	63	< 6
Benzene	1	--	< 0.5	< 1	< 0.5
Bromodichloromethane	--	50	< 1	< 2	< 1
Bromoform	--	50	< 1	< 2	< 1
Bromomethane	5*	--	< 1	< 2	< 1
2-Butanone	--	50	< 3	23	< 3
Carbon Disulfide	--	--	< 1	< 2	< 1
Carbon Tetrachloride	5	--	< 1	< 2	< 1
Chlorobenzene	5*	--	< 0.8	< 2	< 0.8
Chloroethane	5**	--	< 1	3 J	< 1
Chloroform	7	--	< 0.8	14	22
Chloromethane	--	--	< 1	< 2	< 1
Dibromochloromethane	--	50	< 1	< 2	< 1
1,1-Dichloroethane	5*	--	< 1	< 2	< 1
1,2-Dichloroethane	0.6	--	< 1	< 2	< 1
1,1-Dichloroethene	5*	--	< 0.8	< 2	< 0.8
cis-1,2-Dichloroethene	5*	--	< 0.8	< 2	< 0.8
trans-1,2-Dichloroethene	5*	--	< 0.8	< 2	< 0.8
1,2-Dichloropropane	1	--	< 1	< 2	< 1
cis-1,3-Dichloropropene	0.4	--	< 1	< 2	< 1
trans-1,3-Dichloropropene	0.4	--	< 1	< 2	< 1
Ethylbenzene	5*	--	< 0.8	120	< 0.8
2-Hexanone	--	50	< 3	< 6	< 3
4-Methyl-2-pentanone	--	--	< 3	< 6	< 3
Methylene Chloride	5*	--	< 2	< 4	< 2
Styrene	5**	--	< 1	< 2	< 1
1,1,2,2-Tetrachloroethane	5*	--	< 1	< 2	< 1
Tetrachloroethene	5*	--	< 0.8	< 2	< 0.8
Toluene	5*	--	< 0.7	< 1	< 0.7
1,1,1-Trichloroethane	5*	--	< 0.8	< 2	< 0.8
1,1,2-Trichloroethane	1	--	< 0.8	< 2	< 0.8
Trichloroethene	5*	--	< 1	< 2	< 1
Vinyl Chloride	2	--	< 1	< 2	< 1
Xylene (Total)	5*	--	< 0.8	190	< 0.8

TABLE 3
Phase II Investigation
Ground Water Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	TOGS 1.1.1.1 - Standard (ug/L)	TOGS 1.1.1.1 - Guidance (ug/L)	TW-1 (ug/L)	TW-2 (ug/L)	TW-3 (ug/L)
Semivolatile organic compounds					
Acenaphthene	--	20	< 5	< 1	< 1
Acenaphthylene	--	--	< 5	< 1	< 1
Anthracene	--	50	< 5	< 1	< 1
Benzo(a)anthracene	--	--	< 5	< 1	< 1
Benzo(a)pyrene	ND	--	< 5	< 1	< 1
Benzo(b)fluoranthene	--	0.002	< 5	< 1	< 1
Benzo(g,h,i)perylene	--	--	< 5	< 1	< 1
Benzo(k)fluoranthene	--	0.002	< 5	< 1	< 1
4-Bromophenyl-phenylether	--	--	< 5	< 1	< 1
Butylbenzylphthalate	--	--	< 10	< 2	< 2
Di-n-butylphthalate	--	--	< 10	< 2	< 2
Carbazole	--	--	< 5	< 1	< 1
4-Chloro-3-methylphenol	--	--	< 5	< 1	< 1
4-Chloroaniline	5**	--	< 5	< 1	< 1
bis(2-Chloroethoxy)methane	5**	--	< 5	< 1	< 1
bis(2-Chloroethyl)ether	1	--	< 5	< 1	< 1
2-Chloronaphthalene	--	10	< 10	< 2	< 2
2-Chlorophenol	--	--	< 5	< 1	< 1
4-Chlorophenyl-phenylether	--	--	< 10	< 2	< 2
2,2'-oxybis(1-Chloropropane)	--	--	< 5	< 1	< 1
Chrysene	--	0.002	< 5	< 1	< 1
Dibenz(a,h)anthracene	--	--	< 5	< 1	< 1
Dibenzofuran	--	--	< 5	< 1	< 1
1,2-Dichlorobenzene	3	--	< 5	< 1	< 1
1,3-Dichlorobenzene	3	--	< 5	< 1	< 1
1,4-Dichlorobenzene	3	--	< 5	< 1	< 1
3,3'-Dichlorobenzidine	5**	--	< 10	< 2	< 2
2,4-Dichlorophenol	1	--	< 5	< 1	< 1
Diethylphthalate	--	--	< 10	< 2	< 2
2,4-Dimethylphenol	--	50	< 15	< 3	< 3
Dimethylphthalate	--	--	< 10	< 2	< 2
4,6-Dinitro-2-methylphenol	--	--	< 25	< 5	< 5
2,4-Dinitrophenol	--	10	< 50	< 10	< 10
2,4-Dinitrotoluene	5**	--	< 5	< 1	< 1
2,6-Dinitrotoluene	5*	--	< 5	< 1	< 1
bis(2-Ethylhexyl)phthalate	5	--	< 10	< 2	< 2
Fluoranthene	--	50	< 5	< 1	< 1
Fluorene	--	50	< 5	< 1	< 1
Hexachlorobenzene	0.4	--	< 5	< 1	< 1
Hexachlorobutadiene	0.5	--	< 5	< 1	< 1
Hexachlorocyclopentadiene	5*	--	< 25	< 5	< 5
Hexachloroethane	5*	--	< 5	< 1	< 1
Indeno(1,2,3-cd)pyrene	--	0.002	< 5	< 1	< 1
Isophorone	--	50	< 5	< 1	< 1
2-Methylnaphthalene	--	--	< 5	82	< 1

TABLE 3
Phase II Investigation
Ground Water Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	TOGS 1.1.1.1 - Standard (ug/L)	TOGS 1.1.1.1 - Guidance (ug/L)	TW-1 (ug/L)	TW-2 (ug/L)	TW-3 (ug/L)
2-Methylphenol	--	--	< 5	< 1	< 1
4-Methylphenol	--	--	< 10	< 2	< 2
Naphthalene	--	10	< 5	160	< 1
2-Nitroaniline	5**	--	< 5	< 1	< 1
3-Nitroaniline	5**	--	< 5	< 1	< 1
4-Nitroaniline	5**	--	< 5	< 1	< 1
Nitrobenzene	0.4	--	< 5	< 1	< 1
2-Nitrophenol	--	--	< 5	< 1	< 1
4-Nitrophenol	--	--	< 50	< 10	< 10
N-Nitroso-di-n-propylamine	--	--	< 5	< 1	< 1
N-Nitrosodiphenylamine	--	50	< 10	< 2	< 2
Di-n-octylphthalate	--	--	< 10	< 2	< 2
Pentachlorophenol	1	--	< 15	< 3	< 3
Phenanthrene	--	50	< 5	< 1	< 1
Phenol	1	--	< 5	< 1	< 1
Pyrene	--	50	< 5	< 1	< 1
1,2,4-Trichlorobenzene	--	--	< 5	< 1	< 1
2,4,5-Trichlorophenol	--	--	< 5	< 1	< 1
2,4,6-Trichlorophenol	--	--	< 5	< 1	< 1

TABLE 3
Phase II Investigation
Ground Water Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	TOGS 1.1.1.1 - Standard (ug/L)	TOGS 1.1.1.1 - Guidance (ug/L)	TW-1 (ug/L)	TW-2 (ug/L)	TW-3 (ug/L)
PCBs / Pesticides					
Aldrin	ND	--	< 0.0019	< 0.0019	< 0.0019
Alpha BHC	0.01	--	< 0.0029	< 0.0028	< 0.0029
Beta BHC	0.04	--	< 0.0028	< 0.0027	< 0.0028
Gamma BHC - Lindane	0.05	--	< 0.0019	< 0.0019	0.0022 J
Alpha Chlordane	--	--	< 0.0019	< 0.0019	< 0.0019
Gamma Chlordane	--	--	< 0.0038	< 0.0023	< 0.0023
p,p-DDD	0.3	--	< 0.0048	< 0.0047	0.027
p,p-DDE	0.2	--	< 0.0048	< 0.0047	0.0078 J
p,p-DDT	0.2	--	< 0.0048	< 0.0047	< 0.0048
Delta BHC	0.4	--	< 0.0028	< 0.0027	< 0.0028
Dieldrin	0.004	--	< 0.0050	< 0.0050	< 0.0050
Endosulfan I	--	--	< 0.0041	< 0.0041	< 0.0041
Endosulfan II	--	--	< 0.014	< 0.014	< 0.014
Endosulfan Sulfate	--	--	< 0.0051	< 0.0051	< 0.0051
Endrin	ND	--	< 0.0052	< 0.0052	< 0.0052
Endrin Aldehyde	5**	--	< 0.019	< 0.019	< 0.019
Endrin Ketone	5**	--	< 0.0048	< 0.0047	< 0.0048
Heptachlor	0.04	--	< 0.0019	< 0.0019	< 0.0019
Heptachlor Epoxide	0.03	--	< 0.0022	< 0.0022	< 0.0022
Methoxychlor	35	--	< 0.029	< 0.028	< 0.029
Toxaphene	0.06	--	< 0.95	< 0.95	< 0.95
PCB-1016	0.09	--	< 0.095	< 0.095	< 0.095
PCB-1221	0.09	--	< 0.095	< 0.095	< 0.095
PCB-1232	0.09	--	< 0.095	< 0.095	< 0.095
PCB-1242	0.09	--	< 0.095	< 0.095	< 0.095
PCB-1248	0.09	--	< 0.095	< 0.095	< 0.095
PCB-1254	0.09	--	< 0.095	< 0.095	< 0.095
PCB-1260	0.09	--	< 0.095	< 0.095	< 0.095

TABLE 3
Phase II Investigation
Ground Water Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Analytical Parameter	TOGS 1.1.1.1 - Standard (ug/L)	TOGS 1.1.1.1 - Guidance (ug/L)	TW-1 (ug/L)	TW-2 (ug/L)	TW-3 (ug/L)
Metals					
Aluminum	100	--	10.6	5.88	26.4
Antimony	25	--	< 0.0100	< 0.0100	< 0.0100
Arsenic	3	--	< 0.0098	< 0.0098	0.0126 J
Barium	1000	--	0.0645	0.0741	0.235
Beryllium	3	--	< 0.0014	< 0.0014	< 0.0014
Cadmium	5	--	< 0.0020	0.0024 J	< 0.0020
Calcium	--	--	142	63.7	20.0
Chromium	50	--	0.0189 J	0.0152 J	0.0481
Cobalt	--	--	0.0085 J	0.0089 J	0.0159
Copper	200	--	0.0050 J	0.0064 J	0.0646
Iron	300	--	11.7	60.8	35.8
Lead	25	--	< 0.0069	0.0144 J	0.148
Magnesium	--	35000	15.0	9.54	5.63
Manganese	300	--	0.961	0.493	0.333
Nickel	100	--	0.0118 J	0.0062 J	0.0363
Potassium	--	--	24.7	4.25	4.25
Selenium	10	--	< 0.0089	< 0.0089	< 0.0089
Silver	50	--	< 0.0023	< 0.0023	< 0.0023
Sodium	20000	--	185	26.7	8.72
Thallium	--	0.5	< 0.0140	< 0.0140	< 0.0140
Vanadium	--	--	0.0312	0.0182	0.0592
Zinc	--	2,000	0.0280 J	0.0319 J	0.182
Mercury	0.7	--	< 0.000050	< 0.000050	< 0.000050

Notes:

- Standard / Guidance values are the NYSDEC's TOGS, dated October 22, 1993, revised June 1998.
- < - Not detected at or above indicated laboratory reporting limit
-- No Standard / Guidance Value
ug/L - Micrograms per liter
J - Laboratory estimated value.

TABLE 4
Phase II Investigation
Soil Vapor Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Compound	Basis of Target Concentration C=cancer risk NC=noncancer risk	Target Shallow Soil Gas Concentration Corresponding to Target Indoor Air Concentration Where the Soil Gas to Indoor Air Attenuation Factor=0.01 Csoil-gas		Target Deep Soil Gas Concentration Corresponding to Target Indoor Air Concentration Where the Soil Gas to Indoor Air Attenuation Factor=0.01 Csoil-gas		VP-1		VP-2		VP-3		Surface	
		(ppbv)	(ug/m3)	(ppbv)	(ug/m3)	ppbv (v)	ug/m3	ppbv (v)	ug/m3	ppbv (v)	ug/m3	ppbv (v)	ug/m3
Acetone	NC	1.50E+03	3.50E+03	1.50E+04	3.50E+04	21	50	540	1300	20	47	6.4	15
Acetonitrile	NC	3.60E+02	6.00E+02	3.60E+03	6.00E+03	<0.50	<0.84	150	250	<5	<8.4	2.6	4.4
Acrolein	NC	8.70E+02	2.00E+01	8.70E+01	2.00E+00	<0.50	<1.1	<50	<110	<5	<11	<0.50	<1.1
Acrylonitrile	NC	9.20E+00	2.00E+01	9.20E+01	2.00E+02	<0.50	<1.1	<50	<110	<5	<11	<0.50	<1.1
Benzene	C	9.80E+01	3.10E+02	9.80E+02	3.10E+03	2.5	8.1	<20	<64	<2	<6.4	0.54	1.7
Bromobenzene	--	--	--	--	--	<0.20	<1.3	<20	<130	<2	<13	<0.20	<1.3
Bromodichloromethane	C	**	**	**	**	<0.20	<1.3	<20	<130	<2	<13	<0.20	<1.3
Bromoforn	C	9.70E+00	5.00E+01	9.70E+01	5.00E+02	<0.20	<2.1	<20	<210	<2	<21	<0.20	<2.1
Bromomethane	--	--	--	--	--	<0.20	<0.78	<20	<78	<2	<7.8	<0.20	<0.78
1,3-Butadiene	C	3.90E+00	8.70E+00	3.90E+01	8.70E+01	<0.50	<1.1	<50	<110	<5	<11	<0.50	<1.1
2-Butanone	NC	3.40E+03	1.00E+04	3.40E+04	1.00E+05	5.2	15	<50	<150	<5	<15	2.3	6.9
tert-Butyl Alcohol	--	--	--	--	--	0.72	2.2	<20	<61	<2	<6.1	<0.20	<0.61
Carbon Disulfide	NC	2.20E+03	7.00E+03	2.20E+04	7.00E+04	0.72	2.2	170	540	<2	<6.3	<0.20	<0.62
Carbon Tetrachloride	C	2.60E+01	1.60E+02	2.60E+02	1.60E+03	<0.20	<1.3	<20	<130	<2	<13	<0.20	<1.3
Chlorobenzene	NC	1.30E+02	6.00E+02	1.30E+03	6.00E+03	<0.20	<0.92	<20	<92	<2	<9.2	<0.20	<0.92
Chlorodifluoromethane	NC	1.40E+05	5.00E+05	**	**	0.27	0.96	<20	<71	<2	<7.1	0.31	1.1
Chloroethane	NC	3.80E+04	1.00E+05	3.80E+05	1.00E+06	<0.20	<0.53	<20	<53	<2	<5.3	<0.20	<0.53
Chloroform	C	2.20E+01	1.10E+02	2.20E+02	1.10E+03	1.7	8.2	<20	<98	12	58	<0.20	<0.98
Chloromethane	NC	4.40E+02	9.00E+02	4.40E+03	9.00E+03	<0.20	<0.41	<20	<41	<2	<4.1	0.76	1.6
3-Chloropropene	NC	--	--	--	--	<0.20	<0.63	<20	<63	<2	<6.3	<0.20	<0.63
Cumene	NC	8.10E+02	4.00E+03	8.10E+03	4.00E+04	0.35	1.7	<20	<98	<2	<9.8	<0.20	<0.98
Dibromochloromethane	C	1.20E+01	1.00E+02	1.20E+02	1.00E+03	<0.20	<1.7	<20	<170	<2	<17	<0.20	<1.7
1,2-Dibromoethane	NC	2.60E+01	2.00E+00	2.60E+00	2.00E+01	<0.20	<1.5	<20	<150	<2	<15	<0.20	<1.5
Dibromomethane	NC	4.90E+01	3.50E+02	4.90E+02	3.50E+03	<0.20	<1.40	<20	<140	<2	<14	<0.20	<1.4
1,2-Dichlorobenzene	NC	3.30E+02	2.00E+03	3.30E+03	2.00E+04	<0.20	<1.2	<20	<120	<2	<12	<0.20	<1.2
1,3-Dichlorobenzene	NC	1.70E+02	1.10E+03	1.70E+03	1.10E+04	<0.20	<1.2	<20	<120	<2	<12	<0.20	<1.2
1,4-Dichlorobenzene	NC	1.30E+03	8.00E+03	1.30E+04	8.00E+04	<0.20	<1.2	<20	<120	<2	<12	<0.20	<1.2
Dichlorodifluoromethane	NC	4.00E+02	2.00E+03	4.00E+03	2.00E+04	0.68	3.4	<20	<99	<2	<9.9	0.69	3.4
1,1-Dichloroethane	NC	1.20E+03	5.00E+03	1.20E+04	5.00E+04	<0.20	<0.81	<20	<81	<2	<8.1	<0.20	<0.81
1,2-Dichloroethane	C	2.30E+01	9.40E+01	2.30E+02	9.40E+02	<0.20	<0.81	<20	<81	<2	<8.1	<0.20	<0.81
1,1-Dichloroethene	NC	5.00E+02	2.00E+03	5.00E+03	2.00E+04	<0.20	<0.79	<20	<79	<2	<7.9	<0.20	<0.79
trans-1,2-Dichloroethene	NC	8.80E+01	3.50E+02	8.80E+02	3.50E+03	<0.20	<0.79	<20	<79	<2	<7.9	<0.20	<0.79
Dichlorofluoromethane	NC	1.80E+02	7.00E+02	1.80E+03	7.00E+03	<0.20	<0.84	<20	<84	<2	<8.4	<0.20	<0.84
1,2-Dichloropropane	NC	8.70E+00	4.00E+01	8.70E+01	4.00E+02	<0.20	<0.92	<20	<92	<2	<9.2	<0.20	<0.92
cis-1,3-Dichloropropene	--	--	--	--	--	<0.20	<0.91	<20	<91	<2	<9.1	<0.20	<0.91
trans-1,3-Dichloropropene	--	--	--	--	--	<0.20	<0.91	<20	<91	<2	<9.1	<0.20	<0.91
1,4-Dioxane	--	--	--	--	--	<0.20	<0.72	<20	<72	<2	<7.2	<0.20	<0.72
Ethyl Acetate	NC	8.70E+03	3.20E+04	8.70E+04	3.20E+05	<0.20	<0.72	<20	<72	<2	<7.2	<0.20	<0.72
Ethyl Acrylate	NC	--	--	--	--	<0.20	<0.82	<20	<82	<2	<8.2	<0.20	<0.82
Ethyl Methacrylate	NC	6.80E+02	3.20E+03	6.80E+03	3.20E+04	<0.20	<0.93	<20	<93	<2	<9.3	<0.20	<0.93
Ethylbenzene	C	5.10E+02	2.20E+03	5.10E+03	2.20E+04	7.2	31	<20	<87	5.3	23	<0.20	<0.87
4-Ethyltoluene	--	--	--	--	--	1.5	7.4	<20	<98	<2	<9.8	<0.20	<0.98
Freon 113	NC	3.90E+04	3.00E+05	3.90E+05	3.00E+06	<0.50	<3.8	<50	<380	<5	<38	<0.50	<3.8
Freon 114	--	--	--	--	--	<0.20	<1.4	<20	<140	<2	<14	<0.20	<1.4
Heptane	--	--	--	--	--	1.5	6	210	880	44	180	<0.20	<0.82
Hexachlorobutadiene	C	1.00E+01	1.10E+02	1.00E+02	1.10E+03	<0.50	<5.3	<50	<530	<5	<53	<0.50	<5.3
Hexachloroethane	C	6.30E+01	6.10E+02	6.30E+02	6.10E+03	<0.20	<1.9	<20	<190	<2	<19	<0.20	<1.9
Hexane	NC	5.70E+02	2.00E+03	5.70E+03	2.00E+04	3	11	630	2,200	79	280	0.32	1.1
2-Hexanone	--	--	--	--	--	<0.50	<2.0	<50	<200	<5	<20	<0.50	<2.0
Isocitane	--	--	--	--	--	1.1	5.2	2,400	11,000	28	<130	<0.20	<0.93
Methyl Acrylate	NC	3.00E+02	1.10E+03	3.00E+03	1.10E+04	<0.20	<0.70	<20	<70	<2	<7	<0.20	<0.70
Methyl Iodide	NC	2.00E+02	8.00E+02	2.00E+03	8.00E+03	<0.20	<1.2	<20	<120	<2	<12	<0.20	<1.2

TABLE 4
Phase II Investigation
Soil Vapor Analytical Data
Triangle Court Project
456 Grand Street, Brooklyn, New York

Compound	Basis of Target Concentration C=cancer risk NC=noncancer risk	Target Shallow Soil Gas Concentration Corresponding to Target Indoor Air Concentration Where the Soil Gas to Indoor Air Attenuation Factor=0.01 Csoil-gas		Target Deep Soil Gas Concentration Corresponding to Target Indoor Air Concentration Where the Soil Gas to Indoor Air Attenuation Factor=0.01 Csoil-gas		VP-1		VP-2		VP-3		Surface	
		(ppbv)	(ug/m3)	(ppbv)	(ug/m3)	ppbv (v)	ug/m3						
Methyl Methacrylate	NC	1.70E+03	7.00E+03	1.70E+04	7.00E+04	<0.20	<0.82	410	1700	<2	<8.2	<0.20	<0.82
Alpha Methyl Styrene	--	--	--	--	--	<0.20	<0.97	<20	<97	<2	<9.7	<0.20	<0.97
Methyl t-Butyl Ether	NC	8.30E+03	3.00E+04	8.30E+04	3.00E+05	<0.20	<0.72	<20	<72	<2	<7.2	<0.20	<0.72
4-Methyl-2-Pentanone	NC	2.00E+02	8.00E+02	8.00E+03	2.00E+03	<0.50	<2.0	<50	<200	<5	<20	<0.50	<2.0
Methylene Chloride	NC	1.50E+03	5.20E+03	1.50E+04	5.20E+04	0.35 J	1.2 J	240	840	<2	<6.9	0.29 J	1 J
Octane	--	--	--	--	--	1.1	5.1	51	240	43	200	<0.20	<0.93
Pentane	--	--	--	--	--	7.7	23	390	1200	120	390	0.63 J	1.9 J
Propene	--	--	--	--	--	140	240	<20	<34	120	220	0.94 J	1.6 J
Styrene	NC	2.30E+03	1.00E+04	2.30E+04	1.00E+05	<0.20	<0.85	22 J	96 J	<2	<8.5	<0.20	<0.85
1,1,1,2-Tetrachloroethane	C	4.80E+01	3.30E+02	4.80E+02	3.30E+03	<0.20	<1.4	<20	<140	<2	<14	<0.20	<1.4
1,1,2,2-Tetrachloroethane	C	6.10E+00	4.20E+01	6.10E+01	4.20E+02	<0.20	<1.4	<20	<140	<2	<14	<0.20	<1.4
Tetrachloroethene	C	1.20E+02	8.10E+02	1.20E+03	8.10E+03	0.68 J	4.6 J	<20	<140	<2	<14	<0.20	<1.4
Toluene	NC	1.10E+03	4.00E+03	1.10E+04	4.00E+04	24	92	20 J	77 J	11	40	0.67 J	2.5 J
1,2,4-Trichlorobenzene	NC	2.70E+02	2.00E+03	2.70E+03	2.00E+04	<0.50	<3.7	<50	<370	<5	<37	<0.50	<1.1
1,1,1-Trichloroethane	NC	4.00E+03	2.20E+04	4.00E+04	2.20E+05	0.5 J	2.7 J	<20	<110	<2	<11	<0.20	<1.1
1,1,2-Trichloroethane	C	2.80E+01	1.50E+02	2.80E+02	1.50E+03	<0.20	<1.1	<20	<110	<2	<11	<0.20	<1.1
Trichloroethene	C	4.10E+00	2.20E+01	4.10E+01	2.20E+02	<0.20	<1.1	<20	<110	<2	<11	<0.20	<1.1
Trichlorofluoromethane	NC	1.20E+03	7.00E+03	1.20E+04	7.00E+04	0.4 J	2.2 J	<20	<110	<2	<11	<0.32 J	1.8 J
1,2,3-Trichloropropane	NC	8.10E+00	4.90E+01	8.10E+01	4.90E+02	<0.20	<1.2	<20	<120	<2	<12	<0.20	<1.2
1,2,4-Trimethylbenzene	NC	1.20E+01	6.00E+01	1.20E+02	6.00E+02	4.6	22	<20	<98	2.4 J	12 J	<0.20	<0.98
1,3,5-Trimethylbenzene	NC	5.70E+02	2.00E+03	5.70E+03	2.00E+04	1.3	6.5	<20	<98	<2	<9.8	<0.20	<0.98
Vinyl Acetate	NC	1.10E+02	2.80E+02	1.10E+03	2.80E+03	<0.50	<1.8	<50	<1180	<5	<18	<0.50	<1.8
Vinyl Chloride	C	1.10E+02	2.80E+02	1.10E+03	2.80E+03	<0.20	<0.51	<20	<51	<2	<5.1	<0.20	<0.51
m/p-Xylene	NC	1.60E+04	7.00E+04	1.60E+05	7.00E+05	17	75	<20	<87	19	84	<0.31 J	1.3 J
o-Xylene	NC	1.60E+04	7.00E+04	1.60E+05	7.00E+05	8.1	35	<20	<87	5.6 J	24 J	<0.20	<0.87

Notes:
Table 2 (a) of EPA Office of Solid Waste and Emergency Response (OSWER) Draft Guidance for Evaluating the Vapor Intrusion to Indoor Air Pathway from Groundwater and Soil (Subsurface Vapor Intrusion Guidance), November 2000;
< - Not detected at or above indicated laboratory reporting limit.
-- No Standard / Guidance Value
ppbv - part per billion by volume
ug/m3 - micrograms per cubic meter
J - Laboratory estimated value.

FIGURES



-  NYC E-Designation Sites (E)
-  NYS Brownfield and Voluntary Cleanup Program Sites (BCP/VCP)
-  Public School

FIGURE 1
SITE LOCATION &
SENSITIVE RECEPTOR MAP
 456 GRAND STREET
 BROOKLYN, NEW YORK

PROJECT NO.: V0010RA104	DRAWN BY: LKO
PREPARED BY: TF	DATE: 02/21/2011
FILE NAME: V0010RA104-1	







GRAND STREET

KEAP STREET

BORING PLACE



- LEGEND**
- EXCAVATION LIMITS
 - MV-4 11-13' ABANDONED MONITORING WELL LOCATION
 - B-6 13-15' SAMPLE LOCATION
 - B-6 13-15' BORING LOCATION
 - NS NO SAMPLE
 - SB-3/TW-3/VP-3 SOIL BORING, TEMPORARY MONITORING WELL, SOIL VAPOR MONITORING POINT LOCATION



**FIGURE 2
SITE PLAN**

456 GRAND STREET
BROOKLYN, NEW YORK



PROJECT NO.:	000001
DRAWN BY:	DAVE
PREPARED BY:	02/21/2011
FILE NAME:	11_2011.dwg

KOH ARCHITECTURE, PLLC

100 WEST 10TH STREET
 NEW YORK, NY 10011
 TEL: 212 333 3333
 FAX: 212 333 3334
 WWW.KOHARCHITECTURE.COM

OWNER'S CONTRACTOR
 405 GRAND ST., 4TH FLOOR, BROOKLYN, NY
 11211-1201

ARCHITECT'S CONTRACT
 405 GRAND ST., 4TH FLOOR, BROOKLYN, NY
 11211-1201

DATE: 08/14/13

SCALE: AS SHOWN

PROJECT: 2ND FLOOR PLAN

NO. 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000

REVISIONS

NO. DATE BY DESCRIPTION

1 08/14/13 JKH 2ND FLOOR PLAN

2 08/14/13 JKH 2ND FLOOR PLAN

3 08/14/13 JKH 2ND FLOOR PLAN

4 08/14/13 JKH 2ND FLOOR PLAN

5 08/14/13 JKH 2ND FLOOR PLAN

6 08/14/13 JKH 2ND FLOOR PLAN

7 08/14/13 JKH 2ND FLOOR PLAN

8 08/14/13 JKH 2ND FLOOR PLAN

9 08/14/13 JKH 2ND FLOOR PLAN

10 08/14/13 JKH 2ND FLOOR PLAN

11 08/14/13 JKH 2ND FLOOR PLAN

12 08/14/13 JKH 2ND FLOOR PLAN

13 08/14/13 JKH 2ND FLOOR PLAN

14 08/14/13 JKH 2ND FLOOR PLAN

15 08/14/13 JKH 2ND FLOOR PLAN

16 08/14/13 JKH 2ND FLOOR PLAN

17 08/14/13 JKH 2ND FLOOR PLAN

18 08/14/13 JKH 2ND FLOOR PLAN

19 08/14/13 JKH 2ND FLOOR PLAN

20 08/14/13 JKH 2ND FLOOR PLAN

21 08/14/13 JKH 2ND FLOOR PLAN

22 08/14/13 JKH 2ND FLOOR PLAN

23 08/14/13 JKH 2ND FLOOR PLAN

24 08/14/13 JKH 2ND FLOOR PLAN

25 08/14/13 JKH 2ND FLOOR PLAN

26 08/14/13 JKH 2ND FLOOR PLAN

27 08/14/13 JKH 2ND FLOOR PLAN

28 08/14/13 JKH 2ND FLOOR PLAN

29 08/14/13 JKH 2ND FLOOR PLAN

30 08/14/13 JKH 2ND FLOOR PLAN

31 08/14/13 JKH 2ND FLOOR PLAN

32 08/14/13 JKH 2ND FLOOR PLAN

33 08/14/13 JKH 2ND FLOOR PLAN

34 08/14/13 JKH 2ND FLOOR PLAN

35 08/14/13 JKH 2ND FLOOR PLAN

36 08/14/13 JKH 2ND FLOOR PLAN

37 08/14/13 JKH 2ND FLOOR PLAN

38 08/14/13 JKH 2ND FLOOR PLAN

39 08/14/13 JKH 2ND FLOOR PLAN

40 08/14/13 JKH 2ND FLOOR PLAN

41 08/14/13 JKH 2ND FLOOR PLAN

42 08/14/13 JKH 2ND FLOOR PLAN

43 08/14/13 JKH 2ND FLOOR PLAN

44 08/14/13 JKH 2ND FLOOR PLAN


45 08/14/13 JKH 2ND FLOOR PLAN

46 08/14/13 JKH 2ND FLOOR PLAN

47 08/14/13 JKH 2ND FLOOR PLAN

48 08/14/13 JKH 2ND FLOOR PLAN

49 08/14/13 JKH 2ND FLOOR PLAN



TRIANGLE COURT
 405 GRAND ST., BROOKLYN, NY
 11211-1201

2ND FLOOR PLAN

DATE: 08/14/13
 DRAWN BY: JKH
 CHECKED BY: JKH
 PROJECT NO.: A-102.00

SCALE: AS SHOWN



KOH ARCHITECTURE PLLC

100 WEST 11TH STREET
 NEW YORK, NY 10011
 TEL: 212 255 1100
 FAX: 212 255 1101
 WWW.KOHARCHITECTURE.COM

DESIGNED BY: KOH ARCHITECTURE PLLC
 ALL CONSTRUCTION SHALL BE IN ACCORDANCE WITH THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS REGULATIONS AND THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL CONSERVATION REGULATIONS.

OWNER:
 TRISTAR DEVELOPMENT
 100 WEST 11TH STREET
 NEW YORK, NY 10011
 TEL: 212 255 1100
 FAX: 212 255 1101
 WWW.KOHARCHITECTURE.COM

ARCHITECT:
 KOH ARCHITECTURE PLLC
 100 WEST 11TH STREET
 NEW YORK, NY 10011
 TEL: 212 255 1100
 FAX: 212 255 1101
 WWW.KOHARCHITECTURE.COM


STRUCTURAL ENGINEER:
 JACOBO ALONSO S.P.A.
 100 WEST 11TH STREET
 NEW YORK, NY 10011
 TEL: 212 255 1100
 FAX: 212 255 1101
 WWW.KOHARCHITECTURE.COM

M.E.P. ENGINEER:
 THE ENGINEERING GROUP
 100 WEST 11TH STREET
 NEW YORK, NY 10011
 TEL: 212 255 1100
 FAX: 212 255 1101
 WWW.KOHARCHITECTURE.COM

PERMITS NOTE:
 THIS PLAN IS SUBJECT TO THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS REGULATIONS AND THE CITY OF NEW YORK DEPARTMENT OF ENVIRONMENTAL CONSERVATION REGULATIONS.

DATE: 08/14/13
 DRAWN BY: J. COHEN
 CHECKED BY: J. COHEN
 PROJECT NO.: A-103.00
 SHEET NO.: 01

SCALE: AS SHOWN
 TYP. 3RD-5TH FLOOR PLAN



1. Top Floor 3-5
 Scale 1/8"=1'-0"

2.15

H



SB-2	0-2ft
Chromium	15.3
Lead	211
Zinc	430
Asbestos	530
4,4'-DDE	25
Heptachlor	16,000
Dibenzofuran	100,000
Benzofluoranthene	100,000
Benzofluoranthene	110,000
Benzofluoranthene	43,000
Chrysene	95,000
Dibenzofluoranthene	240,000
Indeno(1,2,3-cd)pyrene	50,000
Phenanthrene	250,000
Pyrene	180,000


SB-2	8-10ft
Chromium	12.0

KEEP STREET

SB-1	0-2ft
Barium	546
Chromium	138
Lead	427
Zinc	427
Total Mercury	0.532
Uranium	430
4,4'-DDE	120
4,4'-DDE	21
Heptachlor	19
Benzofluoranthene	17,000
Benzofluoranthene	41,000
Benzofluoranthene	51,000
Benzofluoranthene	25,000
Chrysene	4,900
Dibenzofluoranthene	4,900
Indeno(1,2,3-cd)pyrene	23,000

SB-1	10-12ft
Chromium	22.2
Acetone	61

GRAND STREET



SB-3/TW-3/VP-3

SB-2/TW-2/VP-2

SB-1/TW-1/VP-1

SB-3	7ft
Chromium	4.3
4,4'-DDE	4.3
Benzofluoranthene	1,100
Chrysene	1,100
Indeno(1,2,3-cd)pyrene	510


SB-3	0-2ft
Chromium	21.4
Lead	699
Lithium	230
4,4'-DDE	11.1
Benzofluoranthene	11,000
Benzofluoranthene	9,200
Benzofluoranthene	5,200
Chrysene	10,000
Dibenzofluoranthene	1,600
Indeno(1,2,3-cd)pyrene	5,400

LEGEND

- EXCAVATION LIMITS
- SOIL BORING, TEMPORARY MONITORING WELL, SOIL VAPOR MONITORING POINT LOCATION

SB-3/TW-3/VP-3

FIGURE 4
SOIL ANALYTICAL DATA
SCO EXCEEDANCES
 456 GRAND STREET
 BROOKLYN, NEW YORK




PROJECT NO.:	11-11-11
DRAWN BY:	DATE:
PREPARED BY:	02/21/2011
FILE NAME:	11-11-11-1





GRAND STREET



TV-2	(ug/L)
Acetone	63
Chloroform	14
1,1,1-Trichloroethane	15
Xylene (Total)	150
Naphthalene	160

KEAP STREET

TV-3	(ug/L)
Chloroform	22

LEGEND
 - - - - - EXCAVATION LIMITS
 ○ SOIL BORING, TEMPORARY MONITORING WELL, SOIL VAPOR MONITORING POINT LOCATION
 ○ SB-3/TW-3/VP-3

TV-1
NO Exceedances




FIGURE 5
GROUND WATER ANALYTICAL DATA - EXCEEDANCES
 456 GRAND STREET
 BROOKLYN, NEW YORK

PROJECT NO.:	09001
DRAWN BY:	DAVE
PREPARED BY:	02/21/2011
FILE NAME:	11_022111.dwg



APPENDIX A – PHASE 1 REPORT

PHASE I ENVIRONMENTAL ASSESSMENT



442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street
BROOKLYN, NY 11211

Prepared For:
Triangle Corp LLC.
Meir Babaev
83-32 Parsons Boulevard
Jamaica, NY 11432

**PHASE I ENVIRONMENTAL
SITE ASSESSMENT REPORT**

**442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/
351 South 1st Street
BROOKLYN, NY 11211**

Date Issued: September 28, 2010

Prepared By:
SINGER ENVIRONMENTAL GROUP, LTD.
5318 New Utrecht Avenue
Brooklyn, NY 11211

TABLE OF CONTENTS

EXECUTIVE SUMMARY	3
1.0 INTRODUCTION.....	10
1.1 Purpose.....	11
1.2 Scope of Services.....	11
1.3 Assumptions.....	12
1.4 Limitations and Exceptions.....	12
1.5 User Provided Information	13
1.6 Interviews.....	13
1.7 Special Terms and Conditions	14
1.8 Use Reliance	15
2.0 SITE DESCRIPTION.....	16
2.1 Property Location and Jurisdiction	16
2.2 Property Description and Improvements	16
3.0 HISTORICAL USE INFORMATION	17
3.1 Certificates of Occupancy	17
4.0 ENVIRONMENTAL SETTING	17
4.1 Topography.....	18
4.2 Soils.....	18
4.3 Geology.....	18
4.4 Hydrology	18
4.5 Flood Zone Information.....	18
4.6 Oil and Gas Exploration.....	18
5.0 SITE RECONNAISSANCE.....	19
5.1 Methodology and Limiting Conditions.....	19
5.2 General Site Characteristics.....	19
5.2.1 Solid Waste Disposal	19
5.2.2 Surface Water Drainage.....	19
5.2.3 Wells and Cisterns	19
5.2.4 Wastewater.....	19
5.2.5 Additional Site Observations	19
5.3 Potential Environmental Conditions.....	12
5.3.1 Hazardous Materials and Petroleum Products Used or Stored at the Site .	12
5.3.2 Evidence of Releases	12
5.3.3 Polychlorinated Biphenyls (PCBs).....	20
5.3.4 Landfills	21
5.3.5 Pits, Ponds, Lagoons, Sumps, and Catch basins	21
5.3.6 On-Site ASTs and USTs.....	21
5.3.7 Radiological Hazards	21

*Singer Environmental
Group, LTD.*

5.3.8	Lead in Drinking Water	22
5.3.9	Additional Hazard Observations.....	22
5.3.10	Asbestos-Containing Materials (ACM)	23
5.3.11	Radon	23
5.3.12	Lead-Based Paint	24
5.3.13	Mold.....	24
6.0	CURRENT AND HISTORICAL USE OF ADJOINING PROPERTIES.....	24
6.1	Current Use	25
6.2	Historical Use.....	16
7.0	RECORDS REVIEW	25
7.1	Standard Environmental Record Sources	26
7.1.1	State and Federal Regulatory Review.....	26
7.1.2	Local Regulatory Review	28
8.0	FINDINGS AND CONCLUSIONS.....	32
8.1	Findings.....	32
8.1.1	On-Site Environmental Conditions.....	32
8.1.2	Off-Site Environmental Conditions	32
8.1.3	Previously Resolved Environmental Conditions	33
8.1.4	<i>De Minimis</i> Environmental Conditions	33
8.2	Conclusions.....	34
8.3	Recommendations.....	34
8.4	Deviations	36
9.0	REFERENCES.....	37
FIGURES	Site Location Map	
	Site Plan	
	Topographic Map	
APPENDIX		
Appendix A	Site Photographs	
Appendix B	Historical Research Documentation	
	B-1 NYC Oasis information, Sanborn History Maps	
Appendix C	Regulatory Records Documentation	
	C-1 Mapped Database Report	
	C-2 General Public Records	
Appendix D	Interview Records	
Appendix E	Qualifications Of Environmental Professionals	

EXECUTIVE SUMMARY

Singer Environmental Group (SEG) has performed a Phase I Environmental Site Assessment (ESA) in general accordance with the scope of work and limitations set forth by SEG for the property located at 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street, Brooklyn, NY (the "Property").

The Phase I Environmental Site Assessment is designed to provide the Client with an assessment concerning environmental conditions (limited to those issues identified in the report) as they exist at the property. This assessment was conducted utilizing generally accepted ESA industry standards in accordance with ASTM E 1527-05, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*.

The Property is situated on an irregular shaped parcel of land comprised of approximately 18250 Sq. Ft. The parcel of land is situated in a commercial/residential area of Brooklyn consisting of commercial type land use. The Property is a lot. According to knowledgeable sources, the building is a former auto repair and the lot is a former gasoline station. According to Sanborn History Maps, the subject property is depicted as stores in the 1910's, theater (built in 1921) from the 1940's to the 1960's, gasoline station from the 1970's to the 1990's.

SEG conducted limited visual asbestos survey as part of this assessment. No suspect ACM was observed at the subject property. Lead based paint and mold hazards were not surveyed for this report.

SEG did not observe any transformers during this inspection.

According to EDR (Environmental Data Resources), (3) 4,000 gallon underground gasoline tanks and (1) 550 gallon underground oil tank were "Closed-Removed" from the subject property.

According to documentation provided to Singer Environmental, a Tank Excavation Assessment and Groundwater Sampling Report, prepared by Sovereign Consulting Inc., dated July 2008, stating in part, "The three (3) 4,000-gallon single wall steel fiberglass lined gasoline USTs that were encased in concrete, were removed and disposed of a Charles J. King, Inc. all tanks were noted to be in good condition with minor amounts of corrosion and no visible holes."

According to documentation provided to Singer Environmental, a Tank Excavation Assessment and Groundwater Sampling Report, prepared by Sovereign Consulting Inc., dated July 2008, stating in part, "The two hydraulic lifts used for servicing vehicles were also removed. One soil sample was collected at each lift from a depth of 3.5 ftbg. These samples were submitted to Accutest where they were analyzed for STARS VOCs including MTBE, by EPA Method 8260B, and STARS SVOCs by EPA Method 8270C. The results shows that there were no VOC's detected above the RSCO in either sample submitted at the laboratory. SVOC's above the RSCO were detected in both samples, with higher concentrations present in H-1."

Singer Environmental Group, LTD.

According to documentation provided to Singer Environmental, an Underground Storage Tank (UST) Closure Report, prepared by Northeast Environmental Solutions, Inc. dated February 17, 2005, stating in part, "Shell retained Northeast Environmental Solutions, Inc. (NES) to observe and document the removal of the heating oil UST at the Shell Service Station in December 2004. Shell contracted Island Pump and Tank of East Northport, NY to excavate and remove the 550 gallon single wall steel heating oil UST and associated fill and vent piping. Excavation and removal activities were conducted on December 3, 2004." (See spill 04-03168)

351 South 1st Street IS listed on the NY Spills Database. On 10-10-96 a "spill"#9608624 was reported due to "Other". Spill Closed Date: 07-11-02. DEC Memo: DEC Recvd report stating tank removed 10-16-96 along with 15 yds of contaminated soil. Samples have high volatiles and semi volatiles. Recd geoprobe investigation 07-11-02 status-No further action "contamination is not significant" six water samples taken in 1997 all were below 10 ppb of MTBE."

No further action is recommended due to the fact that this spill was closed with the NYS DEC.

Shell Service Station @ 351 South 1st Street is listed on the NY Spills Database and ERNS (Emergency Response Notification System Database).

On 06-22-04 a "Spill #04-03168" was reported due to "Other". Spill Closed Date 06-23-04.

According to documentation provided to Singer Environmental a 550-Gallon Heating Oil Underground Storage Tank (UST) Closure report dated February 17, 2005 prepared by Northeast Environmental Solutions, Inc, stating in part, "In June 2004, NES responded to a surface spill at the above referenced site. The source of the spill appeared to be an overflow from the heating oil UST vent caused by an accidental introduction of runoff water into the UST. Following the surface spill, the UST was pumped out and taken out of service by NES. Following securing the necessary permits, the UST was removed on December 3, 2004. Conclusions and Recommendation-Residual PAH impact is present in the soil adjacent of the former heating oil UST; however, based on the low risk for exposure, low concentrations of PAHs in soils and obstructions to further excavation, NES recommends no further action and closure of spill. Additional excavation is hindered by the proximal service station building and sidewalk. Risk for exposure is minimal as solids are capped with asphalt. Soil impact appears to be fairly limited as evidenced by the decreasing trend in PAH concentrations documented by the nine samples collected between 8ft bg and 13 ft bg. Please note that the bottom sample collected at 13 ft bg did not exceed RSCOs for VOCs or PAHs."

No further action is recommended due to the fact that this spill was closed with the NYS DEC.

Singer Environmental Group, LTD.

Shell Station @ 351 South 1st Street IS listed on the NY Spills Database. On 02-21-08 a “spill”#0712272 was reported with the NYS DEC. Spill Cause: Equipment Failure. Spill Closed Date: 07-19-2010. DEC Memo: “2-21-08-Raphael Ketani. I tried to contact the person who had called in the spill, Joseph Rennie of Sovereign Consulting, but I could only leave a message. I send a CSL to the owners... Mr. Rennie called me back. He said that shell is divesting from the site and will be out by the end of April. Sovereign did 6 borings. They hit refusal on one. Mr. Rennie thinks that there is a large tank at this location he said he believes that Shell had replaced the 550s and had installed (3) 4,000 gal. tanks. Sovereign did 2 borings next to the tanks. There were no PID detections. Then they did 2 borings east of the pump islands and had PID detections. These detections were at the 13’ level. Mr. Rennie said that he will send a report to Mr. Rahman, the case manager. 0317-08 rec’d letter from attorney who was sent the DEC correspondence. The letter suggested to contact Shell Oil Company as the responsible party for the oil spill. DEC letter was also forwarded to Shell. 03-18-08 report from Sovereign Consulting Inc. Six soil borings were completed on the property on 02-2008 to evaluate soil and ground water conditions. Minor exceedances of Ethlybenzene/Xylenes in one of the borings (B-4). GW sample was taken from B-3 voc/svoc non detect. Sovereign Consulting recommend for soil excavation when tanks and piping will be removed in May 08’. GW sample from b-4 area with determination of flow direction will be needed to consider spill closure. GW sample can be taken from existing monitoring wells. 07-14-08 recd tank closure and soil/ground water report from Sovereign Consulting. The three 4,000 gallon single wall steel fiberglass lined gasoline USTs were removed and disposed of. All tanks were noted to be in good condition with no visible holes a total of 11 post excavation end point samples were collected from the bottom and sidewalls. No VOCs were detected above TAGM in any of the bottom or sidewall samples. Two product dispensers were removed along with product piping and the impacted soil was removed followed by 10 post excavation soil samples collection. There were minor exceedances of VOC/SVOCs in the samples from dispenser island. Two end point samples were taken from the piping run of which no vocs were detected and one minor svoc was detected. Groundwater samples from the tank and dispenser field have some minor VOCs exceedances. Sovereign proposed to install three additional monitoring wells to further delineate and monitor the hydrocarbons. The six existing monitoring wells, MW1 through MW6 were sampled, no VOCs were detected in any water samples from the wells. 06-04-09 recd quarterly GW monitoring report dated June 2-09 total nine wells were sampled on May 8, 2009. Groundwater monitoring and sampling will be continued.”

Singer Environmental Group, LTD.

According to documentation provided to Singer Environmental regarding the above referenced spill #0712272, an environmental investigation conducted by Sovereign Consulting Inc, dated March 14, 2008, stating in part, "On February 20 and 21, 2008, a total of six (6) borings, B-1 to B6, were completed on the subject property to evaluate subsurface soil and groundwater conditions. Conclusions-It is demonstrated in this investigation that there is a localized petroleum impact to the subsurface soils near the existing northernmost pump island as only the sample from B-4 exhibited ethylbenzene and xylene concentrations slightly above the RSCO, therefore, Sovereign recommends that these source soils be excavated when the tanks and associated product piping lines are removed which is scheduled for May 2008."

According to documentation provided to Singer Environmental, a Tank Excavation Assessment and Groundwater Sampling Report, dated July 2008, stating in part, "Summary-The site operated as a Shell Service Station from 1970 to April 2008. Previous environmental investigations consisted of the installation of 6 monitoring wells (MW-1 through MW-4) in 2004 and 6 soil borings (B-1 through B-6) in 2008. Based upon PID readings and the detection of ethylbenzene and xylenes in the sample from B-4, NYSDEC Spill #07-12272 was generated. The soil analytical results from UST closure activities shows the only samples that exceeded the NYS RSCO for VOCs were 2 samples from the dispenser excavation: bottom sample D-2, which contained only xylenes and bottom sample D-10 which contained a Total BTEX concentration of 57,300 ug/L. Benzene was not detected in the sample D-10 or any other soil samples. SVOC's were detected above the RSCO in endpoint samples from the UST, Dispenser, Product Piping and Hydraulic Lift excavations. Groundwater was encountered during the UST removal activities at approximately 15 ft bg. During the monitoring June 23rd monitoring well sampling event, depth to water ranged from 11.44 to 14.06 feet. There were VOCs detected above groundwater standards in the samples T-GW and D-GW was 471.8 and 14, 324.9 ug/Lm respectively. MTBE in these samples was 11.3 and 59.3 ug/L, respectively. Groundwater sampling results from monitoring wells MW-1 through MW-3, collected on June 4 and 23, 2008 did not contain any compounds detected above laboratory reporting limits. Conclusions- The soil sampling data collected during the UST closure activities shows that there is a limited source remaining in the soils, as VOCs were only detected above the RSCO in D-2 (xylenes only) and D-10. In addition 517.33 tons of impacted soil was removed and disposed of off-site. The groundwater samples from the tank and dispenser excavations does show the presence of VOCs and SVOSs therefore Sovereign proposes to install three additional monitoring wells to further delineate and monitor the hydrocarbons. These wells will be 2-inches in diameter and installed to approximately 25 ftbg with the use of a hollow stem auger rig."

No further action is recommended due to the fact that this spill was closed with the NYS DEC.

Singer Environmental Group, LTD.

Shell Oil-Duarte Serv Sta Inc. @ 351 South 1st Street IS listed on the FINDS, Manifest and RCRA Non-Generator Databases. Violation Status: No violations found.

Shell Oil-Duarte Serv Sta. is no longer located at this property. No further action is recommended.

Block 2399 Lot 1 IS listed on the “E” (Environmental) Designation Database. This site is listed as an “E” Designated site by the NYC Department of City Planning for Hazmat, Description: “underground gasoline storage tanks* testing protocol”.

A soil and groundwater sampling work plan should be submitted to the NYC DEP for approval.

Lot

The lot is earth, demolition debris, patch of concrete, vegetation. Small amounts of household garbage were noted. No mounds, no foreign fill. A monitoring well was noted on site.

Deviations: Please note: Spill #04-03168 is also referred to as Spill #04-03143 in the Underground Storage Tank (UST) Closure report prepared by Northeast Environmental Solutions, Inc.

Singer Environmental Group, LTD.

Conclusions

SEG has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527 of 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street, BROOKLYN, NY, the Property. Any exceptions to or deletions from this practice are described in Section 1.4 of this report. This assessment has revealed no evidence of recognized environmental conditions in connection with the Property except for the following:

- According to EDR (Environmental Data Resources), (3) 4,000 gallon underground gasoline tanks and (1) 550 gallon underground gasoline tank were “Closed-Removed” from the subject property. According to documentation provided to Singer Environmental, an Underground Storage Tank (UST) Closure Report, prepared by Northeast Environmental Solutions, Inc. dated February 17, 2005, stating in part, “Shell retained Northeast Environmental Solutions, Inc. (NES) to observe and document the removal of the heating oil UST at the Shell Service Station in December 2004. Shell contracted Island Pump and Tank of East Northport, NY to excavate and remove the 550 gallon single wall steel heating oil UST and associated fill and vent piping. Excavation and removal activities were conducted on December 3, 2004.”
- 351 South 1st Street IS listed on the NY Spills Database. On 10-10-96 a “spill”#9608624 was reported due to “Other”. Spill Closed Date: 07-11-02. DEC Memo: DEC Recvd report stating tank removed 10-16-96 along with 15 yds of contaminated soil. Samples have high volatiles and semi volatiles. Recd geoprobe investigation 07-11-02 status-No further action “contamination is not significant” six water samples taken in 1997 all were below 10 ppb of MTBE.”

Singer Environmental Group, LTD.

- **Shell Service Station @ 351 South 1st Street is listed on the NY Spills Database and ERNS (Emergency Response Notification System Database).**

On 06-22-04 a “Spill #04-03168” was reported due to “Other”. Spill Closed Date 06-23-04.

According to documentation provided to Singer Environmental a 550-Gallon Heating Oil Underground Storage Tank (UST) Closure report dated February 17, 2005 prepared by Northeast Environmental Solutions, Inc, stating in part, “In June 2004, NES responded to a surface spill at the above referenced site. The source of the spill appeared to be an overflow from the heating oil UST vent caused by an accidental introduction of runoff water into the UST. Following the surface spill, the UST was pumped out and taken out of service by NES. Following securing the necessary permits, the UST was removed on December 3, 2004. Conclusions and Recommendation-Residual PAH impact is present in the soil adjacent of the former heating oil UST; however, based on the low risk for exposure, low concentrations of PAHs in soils and obstructions to further excavation, NES recommends no further action and closure of spill. Additional excavation is hindered by the proximal service station building and sidewalk. Risk for exposure is minimal as solids are capped with asphalt. Soil impact appears to be fairly limited as evidenced by the decreasing trend in PAH concentrations documented by the nine samples collected between 8ft bg and 13 ft bg. Please note that the bottom sample collected at 13 ft bg did not exceed RSCOs for VOCs or PAHs.”

- Shell Oil-Duarte Serv Sta Inc. @ 351 South 1st Street IS listed on the FINDS, Manifest and RCRA Non-Generator Databases. Violation Status: No violations found.
- Shell Station @ 351 South 1st Street IS listed on the NY Spills Database. On 02-21-08 a “spill”#0712272 was reported with the NYS DEC. Spill Cause: Equipment Failure. DEC Memo: “.... 06-04-09 recd quarterly GW monitoring report dated June 2-09 total nine wells were sampled on May 8, 2009. Groundwater monitoring and sampling will be continued.”
- Block 2399 Lot 1 IS listed on the “E” (Environmental) Designation Database. This site is listed as an “E” Designated site by the NYC Department of City Planning for Hazmat, Description: “underground gasoline storage tanks* testing protocol”.

Singer Environmental Group, LTD.

Recommendations

Based on the findings of this ESA, SEG recommends the following:

- No further action is recommended in regard to the former underground storage tanks.
- No further action is recommended in regard to Spill#9608624 due to the fact that this spill was closed with the NYS DEC.
- No further action is recommended in regard to Spill#04-03168 due to the fact that this spill was closed with the NYS DEC.
- Shell Oil-Duarte Serv Sta. is no longer located at this property. No further action is recommended in regard to the FINDS, MANIFEST and RCRA Non Generator Databases.
- No further action is recommended in regard to Spill#0712272 due to the fact that this spill was closed with the NYS DEC.
- A soil and groundwater sampling work plan should be submitted to the NYC DEP for approval.

1.0 INTRODUCTION

Singer Environmental Group (SEG) was retained to conduct a Phase I Environmental Site Assessment (ESA) of the property located at 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street, BROOKLYN, NY 11211 (the Property). The protocol used for this assessment is in general conformance with ASTM E 1527-05, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*.

On September 20, 2010, Shemon Singer, a representative of SEG, conducted a site reconnaissance to assess the possible presence of petroleum products and hazardous materials at the Property. SEG's investigation included review of reconnaissance of adjacent properties, background research, and review of available local, state, and federal regulatory records regarding the presence of petroleum products and/or hazardous materials at the Property.

SEG contracted Environmental Data Resources (EDR) of Southport, Connecticut to perform a computer database search for local, state, and Federal regulatory records pertaining to environmental concerns for the Property and properties in the vicinity of the Property (see Section 7.0).

1.1 Purpose

The purposes of this Phase I Environmental Site Assessment ("ESA") are: To identify existing or potential Recognized Environmental Conditions (as defined by ASTM Standard E-1527-05) in connection with the Property. SEG understands that the findings of this study will be used by the Client to evaluate a pending financial transaction in connection with the Property.

1.2 Scope of Services

The scope of work for this ESA is in accordance with the requirements of ASTM Standard E 1527-05. SEG warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in the Scope of Work. These methodologies are described as representing good commercial and customary practice for conducting an Environmental Site Assessment of a property for the purpose of identifying recognized environmental conditions.

No other warranties are implied or expressed.

1.3 Assumptions

There is a possibility that even with the proper application of these methodologies there may exist on the Property conditions that could not be identified within the scope of the assessment or which were not reasonably identifiable from the available information. SEG believes that the information obtained from the record review and the interviews concerning the site is reliable. However, SEG cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. The methodologies of this assessment are not intended to produce all inclusive or comprehensive results, but rather to provide the Client with information relating to the Property.

1.4 Limitations and Exceptions

The findings and conclusions contain all of the limitations inherent in these methodologies that are referred to in ASTM 1527-05.

Singer Environmental Group, LTD.

1.5 User Provided Information

Pursuant to ASTM E 1527-2005, the following site information was requested from the Client (User of this report), by SEG.

ITEM	PROVIDED BY USER	NOT PROVIDED BY USER	DISCUSSED BELOW	DOES NOT APPLY
2.1.1 Environmental Pre-survey Questionnaire		X		
2.1.2 Title Records		X		
2.1.3 Environmental Liens or Activity and Use Limitation		X		
2.1.4 Specialized Knowledge				
2.1.5 Valuation Reduction for Environmental Issues		X		
2.1.6 Identification of Key Site Manager	X			
2.1.7 Reason for Performing Phase 1 ESA	YES, SEE SECTION 1.1			
2.1.8 Prior Environmental Reports	X			
2.1.9 Other		X		

Underground Storage Tank (UST) Closure Report prepared by Northeast Environmental Solutions, Inc. dated 02-17-05.

Environmental Investigation prepared by Sovereign Consulting Inc., dated 03-14-08.

Tank Excavation Assessment and Groundwater Sampling Report prepared by Sovereign Consulting Inc, dated July 2008.

1.6 Interviews

Interviews were conducted with the following individuals. Findings from these interviews are discussed in the appropriate sections in this report.

Regulatory Officials

- A FOIL Request was submitted to the NYS DEC, NYC Department of Health (DOH) and the NYC Department of Environmental Protection (DEP)

NYS DEC - Hunters Pointe Plaza, 47-40 21st Street, Long Island City, NY 11101

NYC DEP - 59-17 Junction Boulevard 8th Floor, Corona, NY 11373

NYC DOH- 125 Worth Street, New York, NY 11211

1.7 Special Terms and Conditions

The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. The conclusions presented in the report are based solely on the services described therein, and not on scientific tasks or procedures beyond the scope of agreed-upon services or the time and budgeting restraints imposed by the client. No subsurface exploratory drilling or sampling was done under the scope of this work. Unless specifically stated otherwise in the report, no chemical analyses have been performed during the course of this ESA.

Some of the information provided in this report is based upon personal interviews, and research of available documents, records, and maps held by the appropriate government and private agencies. This is subject to the limitations of historical documentation, availability, and accuracy of pertinent records, and the personal recollections of those persons contacted.

SEG, their principals and employees are indemnified for any future changes or conditions of deterioration in or on the subject property. Inasmuch as each has made not guarantees of the premises, expressed or implied in connection with this report, any liability which each may have shall be limited to the fee for the inspection of the property.

Singer Environmental Group, LTD.

1.8 Use Reliance

SEG, in evaluating a request for an extension of credit (the “Mortgage Loan”) to be secured by the property may rely upon this report. This information also may be used by any actual or prospective purchaser, transferee, assignee, or servicer of the Mortgage Loan, any actual or prospective investor (including agent or advisor) in any securities evidencing a beneficial interest in or backed by the Mortgage Loan, any rating agency actually or prospectively rating any such securities, any indenture trustee, and any institutional provider(s) from time to time of any liquidity facility or credit support for such financing. In addition, this report or a reference to this report, may be included or quoted in any offering circular, registration statement, or prospectus in connection with a securitization or transaction involving the Mortgage Loan and/or such securities. This report has no other purpose and should not be relied upon by any other person or entity.

2.0 SITE DESCRIPTION

2.1 Property Location and Jurisdiction

The address of the Property is 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street BROOKLYN, NY. The Property is located in a commercial/residential of BROOKLYN. According to the NYC Department of Buildings, the block and lot numbers are 2399, 1. The legal description is reproduced below:

Parcel 1:

According to the NYC Department of Buildings (DOB), this property is known as 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street with a block and lot of 2399, 1. The DOB has a zoning of “Garage/Gas Station” building use. According to NYC Oasis Information, the landuse of this property is “Transportation and Utility” building use, the zoning is M1-2/R6A Manufacturing. NYC Oasis records that this building was built in 1960. NYC Oasis records a lot area of 18250 sq. ft., lot and a building gross area of 1667 Sq. Ft. This property is located on the corners of Grand Street, Borinquen Place, Keap Street and South 1st Street.

According to the NYC DOF and NYC Oasis, the Property is currently owned by Keap Grand LLC.

2.2 Property Description and Improvements

The Property consists of a rectangular shaped parcel approximately 18250 ft. in size. The Property is designed for commercial purposes. Currently, the Property is a vacant lot.

3.0 HISTORICAL USE INFORMATION

3.1 NYC Oasis information, Sanborn History Maps

According to knowledgeable sources, the building is a former auto repair and the lot is a former gasoline station. According to Sanborn History Maps, the subject property is depicted as stores in the 1910's, theater (built in 1921) from the 1940's to the 1960's, gasoline station from the 1970's to the 1990's.

4.0 ENVIRONMENTAL SETTING

4.1 Topography

The United States Geological Survey (USGS), Brooklyn Quadrangle 7.5-Minute series topographic map was reviewed for this ESA. This map was published by the USGS in 1966 and was photorevised in 1995. A review of the USGS 7.5 Minute Topography map was conducted. Based on the topographical gradients, the groundwater flow is assumed to be in a southwesterly direction.

4.2 Soils

Soil types in the area are generally loamy sand, silt loam, sandy loam and fine sandy loam.

4.3 Geology

There are no predominant geological surface features on subject property. The elevation of the property is 18 Ft. above sea level.

4.4 Hydrology

The nearest surface water in the vicinity of the Property is the East River. No settling ponds, lagoons, surface impoundments, wetlands or natural catchbasins were observed at the Property during this investigation.

4.5 Flood Zone Information

A review of the Flood Insurance Rate Maps, published by the Federal Emergency Management Agency, was performed. The Property is located in Flood Zone X. Zone X are the flood insurance rate zones that correspond to areas outside the 1-percent annual chance floodplain, areas of 1-percent annual chance sheet flow flooding where average depths are less than 1 foot, areas of 1-percent annual chance stream flooding where the contributing drainage area is less than 1 square mile, or areas protected from the 1-percent annual chance flood by levees. No Base Flood Elevations or depths are shown within this zone. Insurance purchase is not required in these zones.

4.6 Oil and Gas Exploration

The on-site reconnaissance addressed oil and gas exploration at the Property. According to the NYS Department of Conservation, Division of Oil, Gas no operating or abandoned oil or gas wells are on or adjacent to the Property.

5.0 SITE RECONNAISSANCE

5.1 Methodology and Limiting Conditions

The Property was inspected by Shemon Singer on September 20, 2010. The weather at the time of the site visit was sunny, 75 degrees. SEG accessed the vacant lot.

5.2 General Site Characteristics

5.2.1 Solid Waste Disposal

No solid waste generated at this building.

5.2.2 Surface Water Drainage

There are no surface water bodies or streams on the subject property.

5.2.3 Wells and Cisterns

No aboveground evidence of wells or cisterns was observed during the site reconnaissance.

Monitoring wells are located onsite. See spill #0712272.

5.2.4 Wastewater

No indications of industrial wastewater disposal or treatment facilities were observed during the onsite reconnaissance.

5.2.5 Additional Site Observations

No additional relevant general Site characteristics were observed.

5.3 Potential Environmental Conditions

5.3.1 Hazardous Materials and Petroleum Products Used or Stored at the Site

According to knowledgeable sources, the building is a former auto repair and the lot is a former gasoline station. According to Sanborn History Maps, the subject property is depicted as stores in the 1910's, theater (built in 1921) from the 1940's to the 1960's, gasoline station from the 1970's to the 1990's.

5.3.1.1 Unlabeled Containers and Drums

No unlabeled containers or drums were observed during the Site reconnaissance.

5.3.1.2 Disposal Locations of Regulated/ Hazardous Waste

No obvious indications of hazardous waste generation, storage or disposal were observed on the Property or were indicated during interviews. See spill # 0712272.

5.3.2 Evidence of Releases

No obvious indications of hazardous material or petroleum product releases, such as stained areas or stressed vegetation, was observed during the site reconnaissance or reported during interviews. **See NY Spills.**

Polychlorinated Biphenyls (PCBs)

An inspection was conducted at the subject property and in the immediate vicinity for the presence of any underground, surface or suspended transformers and visible power supply sources. Oil-containing transformers are known to frequently contain PCBs (Polychlorinated biphenyl's). PCBs are contained in older transformers and other electrical equipment and have the potential for serious health risks. The level of PCB content in such transformers and electrical equipment is regulated by the U.S. Environmental Protection Agency, Regulations 40 CFR Part 761. Upon visual inspection, **NO** suspended transformers power supply sources were identified. Contact with Con Edison has nevertheless been made to determine definitely if any equipment owned and/or maintained by Con Edison located on or in the immediate vicinity of the subject property contain PCB's.

Older transformers and other electrical equipment could contain polychlorinated biphenyls (PCBs) at a level that subjects them to regulation by the U.S. EPA. PCBs in electrical equipment are controlled by United States Environmental Protection Agency regulations 40 CFR, Part 761. Under the regulations, there are three categories into which electrical equipment can be classified:

- Less than 50 parts per million (PPM) of PCBs – *“Non-PCB” transformer*
- 50 ppm-500 ppm – *“PCB-Contaminated” electrical equipment*
- Greater than 500 ppm – *“PCB” transformer*

SEG did not observe any transformers on the Property. No other potential PCB-containing equipment (oil-filled switches, hoists, lifts, dock levelers, hydraulic elevators, etc) expected to contain PCBs was observed on the Property during SEG's reconnaissance.

Singer Environmental Group, LTD.

5.3.4 Landfills

No evidence of on-site landfilling was observed or reported during the site reconnaissance.

5.3.5 Pits, Ponds, Lagoons, Sumps, and Catch basins

No evidence of on-site pits, ponds or lagoons was observed or reported during the site reconnaissance. No evidence of sumps or catch basins, other than used for storm water removal, was observed or reported during the site reconnaissance.

5.3.6 On-Site ASTs and USTs

SEG did not note and aboveground or underground storage tanks. No vent or fill was noted during this inspection.

According to EDR (Environmental Data Resources), (3) 4,000 gallon underground gasoline tanks and (1) 550 gallon underground oil tank were "Closed-Removed" from the subject property.

According to documentation provided to Singer Environmental, a Tank Excavation Assessment and Groundwater Sampling Report, prepared by Sovereign Consulting Inc., dated July 2008, stating in part, "The three (3) 4,000-gallon single wall steel fiberglass lined gasoline USTs that were encased in concrete, were removed and disposed of a Charles J. King, Inc. all tanks were noted to be in good condition with minor amounts of corrosion and no visible holes."

According to documentation provided to Singer Environmental, a Tank Excavation Assessment and Groundwater Sampling Report, prepared by Sovereign Consulting Inc., dated July 2008, stating in part, "The two hydraulic lifts used for servicing vehicles were also removed. One soil sample was collected at each lift from a depth of 3.5 ftbg. These samples were submitted to Accutest where they were analyzed for STARS VOCs including MTBE, by EPA Method 8260B, and STARS SVOCs by EPA Method 8270C. The results shows that there were no VOC's detected above the RSCO in either sample submitted at the laboratory. SVOC's above the RSCO were detected in both samples, with higher concentrations present in H-1."

According to documentation provided to Singer Environmental, an Underground Storage Tank (UST) Closure Report, prepared by Northeast Environmental Solutions, Inc. dated February 17, 2005, stating in part, "Shell retained Northeast Environmental Solutions, Inc. (NES) to observe and document the removal of the heating oil UST at the Shell Service Station in December 2004. Shell contracted Island Pump and Tank of East Northport, NY to excavate and remove the 550 gallon single wall steel heating oil UST and associated fill and vent piping. Excavation and removal activities were conducted on December 3, 2004." (See spill 04-03168)

5.3.7 Radiological Hazards

No radiological substances or equipment was observed or reported stored on the Property.

5.3.8 Lead in Drinking Water

The Property is connected to the city water supply provided by NYC DEP. According to NYC DEP representative, the drinking water supplied to the site is within EPA standards, including lead and copper.

Additional Hazard Observations

As part of this assessment, SEG performed a limited visual inspection for the conspicuous presence of mold. A class of fungi, molds have been found to cause a variety of health problems in humans, including allergic, toxicological, and infectious responses. Molds are decomposers of organic materials, and thrive in humid environments, and produce spores to reproduce, just as plants produce seeds. When mold spores land on a damp spot indoors, they may begin growing and digesting whatever they are growing on in order to survive. When excessive moisture or water accumulates indoors, mold growth will often occur, particularly if the moisture problem remains undiscovered or unaddressed. As such, interior areas of buildings characterized by poor ventilation and high humidity are the most common locations of mold growth. Building materials including drywall, wallpaper, baseboards, wood framing, insulation and carpeting often play host to such growth. Moisture control is the key to mold control. Molds need both food and water to survive; since molds can digest most things, water is the factor that limits mold growth.

The EPA recommends the following action to prevent the amplification of mold growth in buildings:

- Fix leaky plumbing and leaks in the building envelope as soon as possible;
- Watch for condensation and wet spots. Fix source(s) of moisture problem(s) as soon as possible;
- Prevent moisture due to condensation by increasing surface temperature or reducing the moisture level in air (humidity). To increase surface temperature, insulate or increase air circulation. To reduce the moisture level in air, repair leaks, increase ventilation (if outside air is cold and dry), or dehumidify (if outdoor air is warm and humid);
- Keep heating, ventilation, and air conditioning (HVAC) drip pans clean, flowing properly, and unobstructed;
- Vent moisture-generating appliances, such as dryers, to the outside where possible;

Singer Environmental Group, LTD.

- Maintain low indoor humidity, below 60% relative humidity (RH), ideally 30-50%, if possible;
- Perform regular building/HVAC inspections and maintenance as scheduled;
- Clean and dry wet or damp spots within 48 hours;
- Don't let foundations stay wet. Provide drainage and slope the ground away from the foundation.

SEG observed interior areas of the Property structure(s), including interior walls and ceilings (in the 10% of residential units observed), in-unit and common mechanical closets, areas under kitchen and bathroom sinks, and flat roofs (for evidence of water ponding) for the presence of conspicuous mold or observed water intrusion or accumulation. SEG **did not** note conspicuous visual or olfactory indications of the presence of mold, nor did SEG observe obvious indications of significant water damage. No sampling was conducted as part of this assessment.

This activity was not designed to discover all areas which may be affected by mold growth on the Property. Rather, it is intended to give the client an indication as to whether or not conspicuous (based on observed areas) mold growth is present at the Property. Additional areas of mold not observed as part of this limited assessment, possibly in pipe chases, HVAC systems and behind enclosed walls and ceilings, may be present on the Property.

5.3.10 Asbestos-Containing Materials (ACM)

As part of the asbestos section of this survey, an inspection of all the aforementioned areas were conducted:

Construction materials on the exterior and interior of the building were also inspected for possible asbestos content.

Within each of these rooms/areas/facilities, piping insulation (e.g. on hot and cold water supply piping), if any, was checked at exposed locations for possible asbestos content.

No visible and/or friable ACM was noted during this inspection.

5.3.11 Radon

The US EPA has prepared a map to assist National, State, and local organizations to target their resources and to implement radon-resistant building codes. The map divides the country into three Radon Zones, Zone 1 being those areas with the average predicted indoor radon concentration in residential dwellings exceeding the EPA Action limit of 4.0 picoCuries per Liter (pCi/L). It is important to note that the EPA has found homes with elevated levels of radon in all three zones, and the EPA recommends site specific testing in order to determine radon levels at a specific location. However, the map does give a valuable indication of the propensity of radon gas accumulation in structures.

Singer Environmental Group, LTD.

Review of the EPA Map of Radon Zones places the Property in Zone 3, where average predicted radon levels are less than 2.0 pCi/L. This property is located in Zone 3.

5.3.12 Lead-Based Paint

Based on the Scope of Services, LBP was not evaluated for this assessment.

Paint samples were **NOT** taken for lead content. However, in older buildings it is likely that lead based paint was used within the multi-layered painted surfaces. (Lead based paint was banned in 1978). Lead paint can be hazardous if digested, especially by small children.

Lead based paint was not surveyed for this report.

Lead violations, if any, should show up on the Title Report.

5.3.13 Mold

On May 7, 1993, the New York City Department of Health (DOH), the New York City Human Resources Administration (HRA), and the Mt. Sinai Occupational Health Clinic convened an expert panel on *Stachybotrys atra* in Indoor Environments. The purpose of the panel was to develop policies for medical and environmental evaluation and intervention to address *Stachybotrys atra* (now known as *Stachybotrys Chartarum* (SC)) contamination. The original guidelines were developed because of mold growth problems in several New York City buildings in the early 1990's. This document revises and expands the original guidelines to include all fungi (mold).

Currently there are no United States Federal, New York State, or New York City regulations for evaluating potential health effects of fungal contamination and remediation. These guidelines are subject to change as more information regarding fungal contaminants becomes available.

Mold was not surveyed for this report.

6.0 CURRENT USE OF ADJOINING PROPERTIES

During the vicinity reconnaissance, SEG observed the following land use on properties in the immediate vicinity of the Property.

6.1 Current Use

North:	Areas immediately adjacent to the north of the Property include the following: Residential/Stores
South:	Areas immediately adjacent to the south of the Property include the following: Residential/Stores
East:	Areas immediately adjacent to the east of the Property include the following: Residential/Stores
West:	Areas immediately adjacent to the west of the Property include the following: Residential/Stores

6.2 Historical Use

North:	According to Sanborn History Maps the property located to the north is depicted as stores from the 1910's to the 1950's, stores, dwellings, flat (manufacturing) from the 1960's to the 1990's.
South:	According to Sanborn History Maps, the property located to the south is not depicted on the Sanborn History Maps.
East:	According to Sanborn History Maps, the property located to the east is depicted as stores from the 1910's to the 1960's, vacant from the 1970's to the 1990's.
West:	According to Sanborn History Maps, the property located to the west is depicted as stores from the 1910's to the 1990's.

7.0 RECORDS REVIEW

7.1 Standard Environmental Record Sources

7.1.1 State and Federal Regulatory Review

Information from standard Federal and state environmental record sources was provided through Environmental Data Resources (EDR). Data from governmental agency lists are updated and integrated into one database, which is updated as these data are released. This integrated database also contains postal service data in order to enhance address matching. Records from one government source are compared to records from another to clarify any address ambiguities. The demographic and geographic information available provides assistance in identifying and managing risk. The accuracy of the geocoded locations is approximately +/-300 feet.

In some cases, location information supplied by the database provider is insufficient to allow geocoded facility locations. These facilities are listed under the unmappables section within the EDR report. A review of the unmappable facilities indicated that none of these facilities are within the ASTM minimum search distance from the Property.

Regulatory information from the following database sources regarding possible recognized environmental conditions, within the ASTM minimum search distance from the Property, was reviewed. Specific facilities are discussed below if determined likely that a potential recognized environmental condition has resulted at the Property from the listed facilities. Please refer to Appendix C-1 for a complete listing.

Federal NPL

The National Priorities List (NPL) is the Environmental Protection Agency (EPA) database of uncontrolled or abandoned hazardous waste sites identified for priority remedial actions under the Superfund Program.

No NPL sites are located within one mile of the Property.

Federal CERCLIS List

The Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) list is a compilation of sites that the EPA has investigated or is currently investigating for a release or threatened release of hazardous substances.

No CERCLIS sites are listed within one-half mile of the Property.

Singer Environmental Group, LTD.

Federal CERCLIS NFRAP Sites List

The CERCLIS No Further Remedial Action Planned (NFRAP) List is a compilation of sites that the EPA has investigated, and has determined that the facility does not pose a threat to human health or the environment, under the CERCLA framework.

No CERCLIS NAFRAP sites within ½ mile of the property.

Federal Resource Conservation and Recovery Act (RCRA) CORRACTS TSD Facilities List

The EPA Resource Conservation and Recovery Act (RCRA) Program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Treatment, Storage and Disposal (TSD) database is a compilation by the EPA of reporting facilities that treat, store or dispose of hazardous waste. The CORRACTS database is the EPA's list of treatment storage or disposal facilities subject to corrective action under RCRA.

3 RCRA CORRACTS TSD facilities are listed within one mile of the Property.

- Based upon the review of available information, the above listed facilities are not anticipated to directly impact the Property and no further investigation is warranted.

Federal Resource Conservation and Recovery Act (RCRA) Non-CORRACTS TSD Facilities List

The RCRA TSD database is a compilation by the EPA of reporting facilities that treat, store or dispose of hazardous waste.

No RCRA TSD sites are listed within one-half mile of the Property.

Federal RCRA Generator List

The RCRA program identifies and tracks hazardous waste from the point of generation to the point of disposal. The RCRA Generators database is a compilation by the EPA of reporting facilities that generate hazardous waste.

6 Sm. Quantity RCRA Generator facilities are listed within ¼ mile of the property.

- Based upon the review of available information, the above listed facilities are not anticipated to directly impact the Property and no further investigation is warranted.

Shell Oil-Duarte Serv Sta Inc. @ 351 South 1st Street IS listed on the FINDS, Manifest and RCRA Non-Generator Databases. Violation Status: No violations found.

Shell Oil-Duarte Serv Sta. is no longer located at this property. No further action is recommended.

Singer Environmental Group, LTD.

Federal Emergency Response Notification System (ERNS)

The Emergency Response Notification System (ERNS) is a national database used to collect information on reported release of oil or hazardous substances.

No ERNS sites were listed on the Property or on the adjacent properties.

State Priority List

The database maintains a State Priority List (SPL) of sites considered to be actually or potentially contaminated and presenting a possible threat to human health and the environment.

No SPL sites are listed within one mile of the Property.

State CERCLIS-Equivalent List

The database maintains a State CERCLIS-equivalent list (SCL) of sites under investigation that could be actually or potentially contaminated and presenting a possible threat to human health and the environment.

No SCL sites are listed within one-half mile of the Property.

Solid Waste/Landfill Facilities (SWLF)

A database of SWLF is listed.

No SWLF facilities are listed within one-half mile of the Property.

State Leaking Underground Storage Tank List (LUST)

The NYS DEC compiles lists of all leaks of hazardous substances from underground storage tanks.

32 LUST sites are listed within one-half mile of the Property.

- Based upon the review of available information, the above listed facilities are not anticipated to directly impact the Property and no further investigation is warranted.

State Underground Storage Tank List (UST)

The NYS DEC compiles lists of all underground storage tanks located ¼ mile of the subject property.

18 UST sites are listed within one-quarter mile of the Property.

- Based upon the review of available information, the above listed facilities are not anticipated to directly impact the Property and no further investigation is warranted.

According to EDR (Environmental Data Resources), (3) 4,000 gallon underground gasoline tanks and (1) 550 gallon underground tank were “Closed-Removed” from the subject property.

Singer Environmental Group, LTD.

351 South 1st Street IS listed on the NY Spills Database. On 10-10-96 a “spill”#9608624 was reported due to “Other”. Spill Closed Date: 07-11-02. DEC Memo: DEC Recvd report stating tank removed 10-16-96 along with 15 yds of contaminated soil. Samples have high volatiles and semi volatiles. Recd geoprobe investigation 07-11-02 status-No further action “contamination is not significant” six water samples taken in 1997 all were below 10 ppb of MTBE.”

No further action is recommended due to the fact that this spill was closed with the NYS DEC See Spill #0712272.

Shell Service Station @ 351 South 1st Street is listed on the NY Spills Database and ERNS (Emergency Response Notification System Database).

On 06-22-04 a “Spill #04-03168” was reported due to “Other”. Spill Closed Date 06-23-04.

According to documentation provided to Singer Environmental a 550-Gallon Heating Oil Underground Storage Tank (UST) Closure report dated February 17, 2005 prepared by Northeast Environmental Solutions, Inc, stating in part, “In June 2004, NES responded to a surface spill at the above referenced site. The source of the spill appeared to be an overflow from the heating oil UST vent caused by an accidental introduction of runoff water into the UST. Following the surface spill, the UST was pumped out and taken out of service by NES. Following securing the necessary permits, the UST was removed on December 3, 2004. Conclusions and Recommendation-Residual PAH impact is present in the soil adjacent of the former heating oil UST; however, based on the low risk for exposure, low concentrations of PAHs in soils and obstructions to further excavation, NES recommends no further action and closure of spill. Additional excavation is hindered by the proximal service station building and sidewalk. Risk for exposure is minimal as solids are capped with asphalt. Soil impact appears to be fairly limited as evidenced by the decreasing trend in PAH concentrations documented by the nine samples collected between 8ft bg and 13 ft bg. Please note that the bottom sample collected at 13 ft bg did not exceed RSCOs for VOCs or PAHs.”

No further action is recommended due to the fact that this spill was closed with the NYS DEC.

Singer Environmental Group, LTD.

Shell Station @ 351 South 1st Street IS listed on the NY Spills Database. On 02-21-08 a “spill”#0712272 was reported with the NYS DEC. Spill Cause: Equipment Failure. DEC Memo: “2-21-08-Raphael Ketani. I tried to contact the person who had called in the spill, Joseph Rennie of Sovereign Consulting, but I could only leave a message. I send a CSL to the owners... Mr. Rennie called me back. He said that shell is divesting from the site and will be out by the end of April. Sovereign did 6 borings. They hit refusal on one. Mr. Rennie thinks that there is a large tank at this location he said he believes that Shell had replaced the 550s and had installed (3) 4,000 gal. tanks. Sovereign did 2 borings next to the tanks. There were no PID detections. Then they did 2 borings east of the pump islands and had PID detections. These detections were at the 13’ level. Mr. Rennie said that he will send a report to Mr. Rahman, the case manager. 0317-08 rec’d letter from attorney who was sent the DEC correspondence. The letter suggested to contact Shell Oil Company as the responsible party for the oil spill. DEC letter was also forwarded to Shell. 03-18-08 report from Sovereign Consulting Inc. Six soil borings were completed on the property on 02-2008 to evaluate soil and ground water conditions. Minor exceedances of Ethlybenzene/Xylenes in one of the borings (B-4). GW sample was taken from B-3 voc/svoc non detect. Sovereign Consulting recommend for soil excavation when tanks and piping will be removed in May 08’. GW sample from b-4 area with determination of flow direction will be needed to consider spill closure. GW sample can be taken from existing monitoring wells. 07-14-08 recd tank closure and soil/ground water report from Sovereign Consulting. The three 4,000 gallon single wall steel fiberglass lined gasoline USTs were removed and disposed of. All tanks were noted to be in good condition with no visible holes a total of 11 post excavation end point samples were collected from the bottom and sidewalls. No VOCs were detected above TAGM in any of the bottom or sidewall samples. Two product dispensers were removed along with product piping and the impacted soil was removed followed by 10 post excavation soil samples collection. There were minor exceedances of VOC/SVOCs in the samples from dispenser island. Two end point samples were taken from the piping run of which no vocs were detected and one minor svoc was detected. Groundwater samples from the tank and dispenser field have some minor VOCs exceedances. Sovereign proposed to install three additional monitoring wells to further delineate and monitor the hydrocarbons. The six existing monitoring wells, MW1 through MW6 were sampled, no VOCs were detected in any water samples from the wells. 06-04-09 recd quarterly GW monitoring report dated June 2-09 total nine wells were sampled on May 8, 2009. Groundwater monitoring and sampling will be continued.”

No further action is recommended due to the fact that this spill was closed with the NYS DEC.

Block 2399 Lot 1 IS listed on the “E” (Environmental) Designation Database. This site is listed as an “E” Designated site by the NYC Department of City Planning for Hazmat, Description: “underground gasoline storage tanks* testing protocol”.

A soil and groundwater sampling work plan should be submitted to the NYC DEP for approval.

7.1.2 Local Regulatory Review

7.1.2.1 Building Department

Records from the city Building Department were reviewed for evidence indicating the developmental history of the Property, and for the presence of documentation relative to underground storage tanks.

7.1.2.2 Other Agencies

FOIL Requests were submitted to the NYS DEC, NYC DEP and NYC DOH, to date no response has been received, when a response is received an addendum will follow.

8.0 FINDINGS AND CONCLUSIONS

8.1 Findings

8.1.1 On-Site Environmental Conditions

- According to EDR (Environmental Data Resources), (3) 4,000 gallon underground gasoline tanks and (1) 550 gallon underground gasoline tank were “Closed-Removed” from the subject property. According to documentation provided to Singer Environmental, an Underground Storage Tank (UST) Closure Report, prepared by Northeast Environmental Solutions, Inc. dated February 17, 2005, stating in part, “Shell retained Northeast Environmental Solutions, Inc. (NES) to observe and document the removal of the heating oil UST at the Shell Service Station in December 2004. Shell contracted Island Pump and Tank of East Northport, NY to excavate and remove the 550 gallon single wall steel heating oil UST and associated fill and vent piping. Excavation and removal activities were conducted on December 3, 2004.”
- 351 South 1st Street IS listed on the NY Spills Database. On 10-10-96 a “spill”#9608624 was reported due to “Other”. Spill Closed Date: 07-11-02. DEC Memo: DEC Recvd report stating tank removed 10-16-96 along with 15 yds of contaminated soil. Samples have high volatiles and semi volatiles. Recd geoprobe investigation 07-11-02 status-No further action “contamination is not significant” six water samples taken in 1997 all were below 10 ppb of MTBE.”
- **Shell Service Station @ 351 South 1st Street is listed on the NY Spills Database and ERNS (Emergency Response Notification System Database).**
On 06-22-04 a “Spill #04-03168” was reported due to “Other”. Spill Closed Date 06-23-04.
According to documentation provided to Singer Environmental a 550-Gallon Heating Oil Underground Storage Tank (UST) Closure report dated February 17, 2005 prepared by Northeast Environmental Solutions, Inc, stating in part, “In June 2004, NES responded to a surface spill at the above referenced site. The source of the spill appeared to be an overflow from the heating oil UST vent caused by an accidental introduction of runoff water into the UST. Following the surface spill, the UST was pumped out and taken out of service by NES. Following securing the necessary permits, the UST was removed on December 3, 2004. Conclusions and Recommendation-Residual PAH impact is present in the soil adjacent of the former heating oil UST; however, based on the low risk for exposure, low concentrations of PAHs in soils and obstructions to further excavation, NES recommends no further action and closure of spill. Additional excavation is hindered by the proximal service station building and sidewalk. Risk for exposure is minimal as solids are capped with asphalt. Soil impact appears to be fairly limited as evidenced by the decreasing trend in PAH concentrations documented by the nine samples collected between 8ft bg and 13 ft bg. Please note that the bottom sample collected at 13 ft bg did not exceed RSCOs for VOCs or PAHs.”

Singer Environmental Group, LTD.

- Shell Oil-Duarte Serv Sta Inc. @ 351 South 1st Street IS listed on the FINDS, Manifest and RCRA Non-Generator Databases. Violation Status: No violations found.

Shell Station @ 351 South 1st Street IS listed on the NY Spills Database. On 02-21-08 a “spill”#0712272 was reported with the NYS DEC. Spill Cause: Equipment Failure. DEC Memo: “.... 06-04-09 recd quarterly GW monitoring report dated June 2-09 total nine wells were sampled on May 8, 2009. Groundwater monitoring and sampling will be continued.” Spill Closed Date 07-19-10.

- Block 2399 Lot 1 IS listed on the “E” (Environmental) Designation Database. This site is listed as an “E” Designated site by the NYC Department of City Planning for Hazmat, Description: “underground gasoline storage tanks* testing protocol”.

8.1.2 Off-Site Environmental Conditions

No offsite environmental conditions were identified that were considered likely to impact the Property.

8.1.3 Previously Resolved Environmental Conditions

See Underground Storage Tank (UST) Closure Report prepared by Northeast Environmental Solutions, Inc. dated 02-17-05.

Environmental Investigation prepared by Sovereign Consulting Inc., dated 03-14-08.

Tank Excavation Assessment and Groundwater Sampling Report prepared by Sovereign Consulting Inc, dated July 2008.

8.1.4 *De Minimis* Environmental Conditions

Based on the results of this assessment, summarize de minimis conditions that are currently not considered an environmental concern to the Site (either on or offsite).

No *de minimis* environmental conditions were identified in connection with the Property during the course of this assessment.

8.2 Conclusions

SEG has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E 1527-2005 of 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street, BROOKLYN, NY, the Property. Any exceptions to or deletions from this practice are described in Section 1.4 of this report. This assessment has revealed no evidence of recognized environmental conditions in connection with the Property except for the following:

- According to EDR (Environmental Data Resources), (3) 4,000 gallon underground gasoline tanks and (1) 550 gallon underground gasoline tank were “Closed-Removed” from the subject property. According to documentation provided to Singer Environmental, an Underground Storage Tank (UST) Closure Report, prepared by Northeast Environmental Solutions, Inc. dated February 17, 2005, stating in part, “Shell retained Northeast Environmental Solutions, Inc. (NES) to observe and document the removal of the heating oil UST at the Shell Service Station in December 2004. Shell contracted Island Pump and Tank of East Northport, NY to excavate and remove the 550 gallon single wall steel heating oil UST and associated fill and vent piping. Excavation and removal activities were conducted on December 3, 2004.”
- 351 South 1st Street IS listed on the NY Spills Database. On 10-10-96 a “spill”#9608624 was reported due to “Other”. Spill Closed Date: 07-11-02. DEC Memo: DEC Recvd report stating tank removed 10-16-96 along with 15 yds of contaminated soil. Samples have high volatiles and semi volatiles. Recd geoprobe investigation 07-11-02 status-No further action “contamination is not significant” six water samples taken in 1997 all were below 10 ppb of MTBE.”

Singer Environmental Group, LTD.

- **Shell Service Station @ 351 South 1st Street is listed on the NY Spills Database and ERNS (Emergency Response Notification System Database).**

On 06-22-04 a “Spill #04-03168” was reported due to “Other”. Spill Closed Date 06-23-04.

According to documentation provided to Singer Environmental a 550-Gallon Heating Oil Underground Storage Tank (UST) Closure report dated February 17, 2005 prepared by Northeast Environmental Solutions, Inc, stating in part, “In June 2004, NES responded to a surface spill at the above referenced site. The source of the spill appeared to be an overflow from the heating oil UST vent caused by an accidental introduction of runoff water into the UST. Following the surface spill, the UST was pumped out and taken out of service by NES. Following securing the necessary permits, the UST was removed on December 3, 2004. Conclusions and Recommendation-Residual PAH impact is present in the soil adjacent of the former heating oil UST; however, based on the low risk for exposure, low concentrations of PAHs in soils and obstructions to further excavation, NES recommends no further action and closure of spill. Additional excavation is hindered by the proximal service station building and sidewalk. Risk for exposure is minimal as solids are capped with asphalt. Soil impact appears to be fairly limited as evidenced by the decreasing trend in PAH concentrations documented by the nine samples collected between 8ft bg and 13 ft bg. Please note that the bottom sample collected at 13 ft bg did not exceed RSCOs for VOCs or PAHs.”

- Shell Oil-Duarte Serv Sta Inc. @ 351 South 1st Street IS listed on the FINDS, Manifest and RCRA Non-Generator Databases. Violation Status: No violations found.
- Shell Station @ 351 South 1st Street IS listed on the NY Spills Database. On 02-21-08 a “spill”#0712272 was reported with the NYS DEC. Spill Cause: Equipment Failure. DEC Memo: “.... 06-04-09 recd quarterly GW monitoring report dated June 2-09 total nine wells were sampled on May 8, 2009. Groundwater monitoring and sampling will be continued.”
- Block 2399 Lot 1 IS listed on the “E” (Environmental) Designation Database. This site is listed as an “E” Designated site by the NYC Department of City Planning for Hazmat, Description: “underground gasoline storage tanks* testing protocol”.

8.3 Recommendations

Based on the findings of this ESA, SEG recommends the following:

- No further action is recommended in regard to the former underground storage tanks.
- No further action is recommended in regard to Spill#9608624 due to the fact that this spill was closed with the NYS DEC.
- No further action is recommended in regard to Spill#04-03168 due to the fact that this spill was closed with the NYS DEC.
- Shell Oil-Duarte Serv Sta. is no longer located at this property. No further action is recommended in regard to the FINDS, MANIFEST and RCRA Non Generator Databases.
- No further action is recommended in regard to Spill#0712272 due to the fact that this spill was closed with the NYS DEC.
- A soil and groundwater sampling work plan should be submitted to the NYC DEP for approval.

8.4 Deviations

This Phase 1 ESA substantially complies with the scope of services and ASTM 1527-05.

Please note: Spill #04-03168 is also referred to as Spill #04-03143 in the Underground Storage Tank (UST) Closure report prepared by Northeast Environmental Solutions, Inc.

9.0 REFERENCES

Each reference must be adequately annotated to facilitate retrieval by another party

Reports, Plans, and Other Documents Reviewed:

NYC Department of Buildings Property Profile Overview (09-27-10)

NYC Oasis Maps (09-27-10)

Property Shark (09-27-10)

Radon Map

USGS - 7.5 Minute Topographic Quadrangle of Central Park, New York-New Jersey,
1966, photorevised 1995.

Radius database report (442-458 Grand Street/175-189 Borinquen Place/398-412 Keap
Street/351 South 1st Street, Inquiry #2879174.2s dated 09-27-10)

Radon Zone Map

Agencies Contacted via FOIL Requests:

NYS DEC

NYC DEP

NYS DOH

Respectfully Submitted by:

SHEMON SINGER
EAA CERTIFIED ENVIRONMENTAL INSPECTOR
NO. 6209
September 28, 2010

FIGURES

**SITE LOCATION MAP
SITE PLAN
SITE TOPOGRAPHIC MAP**

**APPENDIX A
SITE PHOTOGRAPHS**

APPENDIX B
HISTORICAL RESEARCH DOCUMENTATION

B-1

NYC OASIS INFORMATION

APPENDIX C
REGULATORY RECORDS DOCUMENTATION

C-1

MAPPED DATABASE REPORT

*Singer Environmental
Group, LTD.*

C-2

GENERAL PUBLIC RECORDS

**APPENDIX D
INTERVIEW RECORDS**

*Singer Environmental
Group, LTD.*

RECORD OF COMMUNICATION		
Site Name: 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street		Location:
Communication with: <i>Meir babaev</i>		Of:
Location:		Phone: <i>917-416-2701</i>
Communication via: Telephone	Recorded By: Shemon Singer	Of: Singer Environmental
At: 11:30AM		On: September 19, 2010
Re: Inspection		
Summary of Communication: Access granted to Property		Conclusions/Required: Knowledgeable regarding property

*Singer Environmental
Group, LTD.*

RECORD OF COMMUNICATION		
Site Name: 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street		Location: BROOKLYN
Communication with: NYS DEC		Of:
Location: Long Island City		Phone: 718-482-4900
Communication via: Letter	Recorded By: Erica Hogan	Of: Singer Environmental
At:		On: September 20, 2010
Re: Hazardous conditions, fuel oil tanks, spills, etc.		
Summary of Communication:		Conclusions/Required: No information provided as of this writing


RECORD OF COMMUNICATION		
Site Name: 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street		Location: BROOKLYN
Communication with: NYC DEP		Of:
Location: Corona		Phone:
Communication via: Letter	Recorded By: Erica Hogan	Communication via: Letter
At:		On: September 20, 2010
Re: Hazardous conditions, fuel oil tanks, spills, etc.		
Conclusions/Required: No information provided as of this writing		

RECORD OF COMMUNICATION		
Site Name: 442-458 Grand Street/175-189 Borinquen Place/398-412 Keap Street/351 South 1st Street		Location: BROOKLYN
Communication with: NYC DOH		Of:
Location: New York		Phone: 718-999-2441
Communication via: Letter	Recorded By: Erica Hogan	Communication via: Letter
At:		On: September 20, 2010
Re: Hazardous conditions, fuel oil tanks, spills, etc.		
Conclusions/Required: No information provided as of this writing		

APPENDIX E
QUALIFICATIONS OF
ENVIRONMENTAL PROFESSIONALS



Photograph Number 1: Subject Property



Photograph Number 2: Subject Property



Photograph Number 3: Subject Property



Photograph Number 4: Subject Property



Photograph Number 5: Subject Property



Photograph Number 6: Property located to the north



Photograph Number 7: Property located to the south



Photograph Number 8: Property located to the west



Photograph Number 9: Property located to the east





Photograph Number 10: Monitoring Well

Bing Maps

442 Grand St, Brooklyn, NY 11211

My Notes

 **FREE!** Use **Bing 411** to find movies, businesses & more: **800-BING-411**





Bing Maps

442 Grand St, Brooklyn, NY 11211

My Notes

 **FREE!** Use **Bing 411** to find movies, businesses & more: **800-BING-411**





[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

442 GRAND STREET

GRAND STREET 442 - 458
 BORINQUEN PLACE 175 - 189
 KEAP STREET 398 - 412
 SOUTH 1 STREET 351 - 351

[View DCP Addresses...](#) [Browse Block](#)

BROOKLYN 11211

Health Area : 700
Census Tract : 513
Community Board : 301
Buildings on Lot : 1

BIN# 3062872

Tax Block : 2399
Tax Lot : 1
Condo : NO
Vacant : NO

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): KEAP STREET, GRAND ST EXTENSION
DOB Special Place Name: (6/10)
DOB Building Remarks: NEW ADDRESS=456 GRAND ST...NEW LOT # 1
Landmark Status: **Special Status:** N/A
Local Law: NO **Loft Law:** NO
SRO Restricted: NO **TA Restricted:** NO
UB Restricted: NO
Little 'E' Restricted: HAZMAT **Grandfathered Sign:** NO
Legal Adult Use: NO **City Owned:** NO
Additional BINs for Building: NONE
Additional Designation(s): GW - GREENPOINT-WILLIAMSBURG ANTI-HARASSMENT

Special District: MX-8 - MIXED USE-8 (GREENPOINT-WILLIAMSBURG, BK)

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G4-GARAGE/GAS STAT'N

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	2	0	Electrical Applications
Violations-DOB	1	1	Permits In-Process / Issued
Violations-ECB (DOB)	2	0	Illuminated Signs Annual Permits
Jobs/Filings	32		Plumbing Inspections
ARA / LAA Jobs	0		Open Plumbing Jobs / Work Types
Total Jobs	32		Facades
Actions	20		Marquee Annual Permits
OR Enter Action Type:			Boiler Records
OR Select from List: Select..			DEP Boiler Information
AND <input type="button" value="Show Actions"/>			

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



 [CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
C of O PDF Listing for Property

Premises: 351 SOUTH 1 STREET BROOKLYN

BIN: [3062872](#) Block: 2399 Lot: 1

Download the [Adobe Acrobat Reader](#) if you are unable to open the PDF files

To report a problem with any of these images, please use the [CO Image Problem Form](#)

JOB 320175500:

NO C/Os ISSUED OR NO IMAGE AVAILABLE

[Back](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Actions

Page: 1

BIN: [3062872](#) Block: 2399 Lot: 1

Premises: 351 SOUTH 1 STREET BROOKLYN

NUMBER	TYPE	FILE DATE
ALT 12745REPAIRMAR-072637	ALTERATION	00/00/1907
ALT 9337-081837	ALTERATION	00/00/1908
ALT 6356/17	ALTERATION	12/18/1917
ALT 4189	ALTERATION	12/01/1917
ALT 4234-308-120249	ALTERATION	00/00/1930
BN 1922-87	BUILDING NOTICE	10/01/1987
ES 14164-081837	ELECTRIC SIGN	00/00/1908
ES 14165-081837	ELECTRIC SIGN	00/00/1908
ES 9737-082737	ELECTRIC SIGN	00/00/1908
ES 9739-082737	ELECTRIC SIGN	00/00/1908

Next

Enter Action Type:

Or Select from List:

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Actions

Page: 2

Premises: 351 SOUTH 1 STREET BROOKLYN

BIN: [3062872](#) Block: 2399 Lot: 1

NUMBER	TYPE	FILE DATE
ES 14436-111522	ELECTRIC SIGN	00/00/1911
ES 18856-110122	ELECTRIC SIGN	00/00/1911
MISC 442-88	MISCELLANEOUS	04/25/1988
NB 1073/18	NEW BUILDING	12/18/2001
PD 1280		08/24/1917
PD 1349		09/18/1917
PD 1350		09/18/1917
PD 1630		11/10/1917
PD 1522/21		12/18/1918
SR 1569	SPECIAL REPORT	10/01/1958

[Previous](#) [Next](#)

Enter Action Type:

Or Select from List:

[Refresh](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Actions

Page: 3

Premises: 351 SOUTH 1 STREET BROOKLYN

BIN: [3062872](#) Block: 2399 Lot: 1

NUMBER

TYPE

FILE DATE

V 8389

DOB VIOLATION - ACTIVE

11/03/1967

[VEC* 050610CSST RJ01](#)

ECB VIOLATION DISMISSED

05/06/2010

[VEC* 052197E5YR491A01](#)

ECB VIOLATION DISMISSED

07/23/1997

[Previous](#)

Enter Action Type:

Or Select from List:

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

FINAL ASSESSMENT ROLL 2010-2011 | City of New York

Taxable Status Date: January 5, 2010

[View May 25, 2010 - Market Value History](#)

[View 2010 TENTATIVE ASSESSMENT ROLL](#)

[View January 15, 2010 - Market Value History](#)

[EXPLANATION OF ASSESSMENT ROLL](#)

[View 2009 FINAL ASSESSMENT ROLL](#)

[View 2008 FINAL ASSESSMENT ROLL](#)

[View 2007 FINAL ASSESSMENT ROLL](#)

[View 2006 FINAL ASSESSMENT ROLL](#)

Parcel Information

[◀ Previous BBL](#)

[Next BBL ▶](#)

Owner Name:

KEAP GRAND LLC

Property Address and Zip Code:

442 GRAND STREET 11211

Real Estate Billing Name and Address:

KEAP GRAND LLC

GALSTER MANAGEMENT CORP.

156 WILLIAM ST RM 802

NEW YORK NY 10038

Borough: BROOKLYN

Block: 2399

Lot: 1

Tax Class: 4

Building Class: G4 [Codes](#)

Land Information

Lot Size	Irregular	Corner
150.00FT X 154.00FT	IRREG	SE

Building Information

Number of Buildings	Building Size	Extension	Stories
1	57.33FT X 29.00FT		1

Assessment Information

Description	Land	Total
ESTIMATED MARKET VALUE		452,000
ACTUAL AV	164,250	203,400
ACTUAL EX AV	0	0
TRANS AV	157,140	196,830
TRANS EX AV	0	0

Taxable/Billable Assessed Value

Assessed Value

SUBJECT TO ADJUSTMENTS, YOUR 2010/11 TAXES WILL BE BASED ON 196,830

Property is assessed at the following uniform percentages of full market value, unless limited to a lesser amount by law:

Class 1 - 6%

Class 2 - 45%

Class 3 - 45%

Class 4 - 45%

[Statements List](#) | [Select a BBL](#) | [Logon to NYCProperty](#)

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)

442 GRAND STREET



- Transit, Roads, Refe
- Roads, ferries, commu
- names
- Roads
- Major Roads
- Interstate Highways
- - - - Tunnels
- NYC subway ro
- Parks, Playgrounds,
- Parks & Public l
- Forested Areas
- Community Gar
- School property
- Playgrounds
- Green Spaces A
- Golf Courses
- Baseball/Soccer
- Tennis/Basketba
- Cemeteries
- Land Use
- Block/Lot Boundaries
- (Building footprints

(Not all items in the legend n



This map was created using the Open Accessible Space Information System (OASIS) website, licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 3.0 United States License](http://creativecommons.org/licenses/by-nc-sa/3.0/). Visit www.oasisnyc.net for the latest information about data sources and notes about how the maps were developed. Contact oasisnyc@gc.cuny.edu with questions or comments. OASIS is developed and maintained by the [Center for Urban Research](http://www.cuny.edu/center-for-urban-research/), CUNY Graduate Center.

Location Report

Property Information (1)

442 GRAND STREET , BROOKLYN 11211

Transportation / Utility

Owner: KEAP GRAND LLC

Block: 2399 **Lot:** 1

Property Characteristics:

Lot Area: 18,250 sq ft (150' x 154')

of Buildings: 1 **Year built:** 1960 (Year built is an estimate)

of floors: 1 **Building Area:** 1,667 sq ft

Total Units: 0 **Residential Units:** 0

Zoning: M1-2/R6A **Commercial Overlay:** None

Floor Area Ratio: 0.09 **Max. FAR:** 3

FAR may depend on street widths or other characteristics. Contact [City Planning Dept.](#) for latest information.

MORE INFO:

- **Zoning Map#:** [13b](#)
- [NYC Dept. of Buildings](#)
- [Property transaction records](#)
- [NYC Dept. of Finance Assessment Roll](#)
- [NYC Digital Tax Map](#)
- [NYC zoning guide](#)
- [NYC Watershed Resources](#)

OASIS shortcut to this property:

<http://oasisnyc.net/printmap.aspx?zoomto=lot:3023990001>

Source: The Bytes of the Big Apple (TM) PLUTO (TM) and Tax Block & Tax Lot files are copyrighted by the New York City Department of City Planning, 2009 (ver. 09v1).

YAHOO! Local search results for this address:

Know of something that's missing? [Add it to YAHOO!](#)

Stewards (1)

[Open Space Alliance of North Brooklyn \(OSA\)](#)

Feedback? [Email Us.](#)

[Stewards with large turfs \(not mapped\)](#)

Community District (1)

Brooklyn 1 Community District Information

Chairperson: Mr. Vincent V. Abate

District Manager: Mr. Gerald A. Esposito

Address: 435 Graham Avenue, Brooklyn, NY, 11211

Phone: 718-389-0009 **Email:** bk01@cb.nyc.gov

Website: <http://www.cb1brooklyn.org/>

Meeting Information:

[Go to District Profile](#) by NYC Dept. of City Planning

Political Districts (5)

NYC Council: [District 34](#)

NYS Assembly: [District 53](#)

NYS Senate: [District 17](#)


US House of Representatives: [District 12](#)

US Senate: [New York](#)

442 Grand Street
442 Grand Street
BROOKLYN, NY 11211

Inquiry Number: 2879174.2s
September 27, 2010

The EDR Radius Map™ Report



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	850
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

GeoCheck - Not Requested

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2010 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

442 GRAND STREET
BROOKLYN, NY 11211

COORDINATES

Latitude (North): 40.711400 - 40° 42' 41.0"
Longitude (West): 73.953100 - 73° 57' 11.2"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 588431.9
UTM Y (Meters): 4507036.0
Elevation: 17 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-F8 BROOKLYN, NY
Most Recent Revision: 1995

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 7 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
LOT 1, TAXBLOCK 2399 442 GRAND STREET BROOKLYN, NY 11211	E DESIGNATION	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL..... National Priority List

EXECUTIVE SUMMARY

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal CERCLIS NFRAP site List

CERC-NFRAP..... CERCLIS No Further Remedial Action Planned

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators
RCRA-CESQG..... RCRA - Conditionally Exempt Small Quantity Generator

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent CERCLIS

VAPOR REOPENED..... Vapor Intrusion Legacy Site List

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Facility Register

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

CBS UST..... Chemical Bulk Storage Database
MOSF UST..... Major Oil Storage Facilities Database
CBS AST..... Chemical Bulk Storage Database
MOSF AST..... Major Oil Storage Facilities Database
CBS..... Chemical Bulk Storage Site Listing
MOSF..... Major Oil Storage Facility Site Listing
INDIAN UST..... Underground Storage Tanks on Indian Land

EXECUTIVE SUMMARY

FEMA UST..... Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS..... Registry of Engineering Controls

INST CONTROL..... Registry of Institutional Controls

RES DECL..... Restrictive Declarations Listing

State and tribal voluntary cleanup sites

VCP..... Voluntary Cleanup Agreements

INDIAN VCP..... Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

ERP..... Environmental Restoration Program Listing

BROWNFIELDS..... Brownfields Site List

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

ODI..... Open Dump Inventory

DEBRIS REGION 9..... Torres Martinez Reservation Illegal Dump Site Locations

SWTIRE..... Registered Waste Tire Storage & Facility List

SWRCY..... Registered Recycling Facility List

INDIAN ODI..... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL..... Clandestine Drug Labs

US HIST CDL..... National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

HIST AST..... Historical Petroleum Bulk Storage Database

Local Land Records

LIENS 2..... CERCLA Lien Information

LUCIS..... Land Use Control Information System

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

DOT OPS..... Incident and Accident Data

DOD..... Department of Defense Sites

EXECUTIVE SUMMARY

FUDS.....	Formerly Used Defense Sites
CONSENT.....	Superfund (CERCLA) Consent Decrees
ROD.....	Records Of Decision
UMTRA.....	Uranium Mill Tailings Sites
MINES.....	Mines Master Index File
TRIS.....	Toxic Chemical Release Inventory System
TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS.....	Section 7 Tracking Systems
ICIS.....	Integrated Compliance Information System
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
RADINFO.....	Radiation Information Database
FINDS.....	Facility Index System/Facility Registry System
RAATS.....	RCRA Administrative Action Tracking System
HSWDS.....	Hazardous Substance Waste Disposal Site Inventory
NPDES.....	State Pollutant Discharge Elimination System
AIRS.....	Air Emissions Data
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER.....	PCB Transformer Registration Database
COAL ASH DOE.....	Sleam-Electric Plan Operation Data
FINANCIAL ASSURANCE.....	Financial Assurance Information Listing
COAL ASH.....	Coal Ash Disposal Site Listing

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal RCRA CORRACTS facilities list

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 03/25/2010 has revealed that there are 3

EXECUTIVE SUMMARY

CORRACTS sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
RADIAC RESEARCH CORP	33 S FIRST ST	WNW 1/2 - 1 (0.706 mi.)	219	739

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PFIZER INC	11 BARTLETT ST	SSE 1/2 - 1 (0.815 mi.)	221	802
TECHTRONICS ECOLOGICAL CORP	8 WALWORTH ST	S 1/2 - 1 (0.846 mi.)	223	826

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are 6 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
S F A LEINOFF INC	417 UNION AVE	NE 1/8 - 1/4 (0.128 mi.)	X99	249
MERCURY CLEANERS	20 MARCY AVE	NW 1/8 - 1/4 (0.160 mi.)	AC120	343
TRUVAL CLEANERS	555 GRAND ST	E 1/8 - 1/4 (0.212 mi.)	AJ161	502
METRO CLEANERS	568 METROPOLITAN AVE	NE 1/8 - 1/4 (0.242 mi.)	AS189	627

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
D C CENTER CORP	130 HOPE ST	N 0 - 1/8 (0.052 mi.)	E17	49
NYCT - METROPOLITAN AVE STATIO	METROPOLITAN AVE & UNIO	NNE 1/8 - 1/4 (0.199 mi.)	AE141	423

State- and tribal - equivalent CERCLIS

SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the SHWS list, as provided by EDR, and dated 08/24/2010 has revealed that there are 2 SHWS sites within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BQE/ANSBACHER COLOR & DYE FACT	MEEKER AVENUE	N 1/8 - 1/4 (0.210 mi.)	AH158	497
Class Code: Does not present a significant threat to the public health or the environment - action may be deferred.				
K - WILLIAMSBURG WORKS	KENT AVE / 12TH STREE	NNW 1/2 - 1 (0.859 mi.)	225	847

EXECUTIVE SUMMARY

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 08/24/2010 has revealed that there are 32 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
S/W COR METROPOLITAN/MARC Date Closed: 7/20/2007	S/W COR METROPOLITAN/MAN 1/8 - 1/4 (0.189 mi.)		AH135	409
APARTMENT BUILDING Date Closed: 11/17/2006	278 SOUTH 2ND ST	W 1/8 - 1/4 (0.200 mi.)	AG142	439
273 SOUTH SECOND STREET Date Closed: 4/4/2005	273 SOUTH SECOND STREET W 1/8 - 1/4 (0.205 mi.)		AG148	454
274 SOUTH 2ND ST Date Closed: 10/29/1996	274 SOUTH 2ND ST	W 1/8 - 1/4 (0.207 mi.)	AG154	485
APARTMENT BUILDING Date Closed: 11/17/2006	265 SOUTH 2ND ST	W 1/8 - 1/4 (0.218 mi.)	AO166	546
263 SOUTH 4TH ST/BKLYN Date Closed: 3/4/2003	263 SOUTH 4TH STREET	WSW 1/4 - 1/2 (0.305 mi.)	AU195	646
256 SO 4TH STREET Date Closed: 11/9/1995	256 SO 4TH STREET	WSW 1/4 - 1/2 (0.307 mi.)	AU196	648
209 UNION AVENUE Date Closed: 5/18/1995	209 UNION AVE - 90TH PC	SSE 1/4 - 1/2 (0.348 mi.)	AV197	651
211 UNION AVE. DIESEL LEA Date Closed: 1/10/2005	211 UNION AVE	SSE 1/4 - 1/2 (0.356 mi.)	AV198	653
JOHNSON AVE. & BROADWAY Date Closed: 8/13/1993	JOHNSON AVE / BROADWAY SSE 1/4 - 1/2 (0.399 mi.)		200	660
Not reported Date Closed: 9/27/2005	240 BROADWAY	WSW 1/4 - 1/2 (0.402 mi.)	201	662
187 UNION AVENUE / BROOKL Date Closed: 1/13/2005	187 UNION AVE	SSE 1/4 - 1/2 (0.406 mi.)	202	665
WILLIAMSBURG Date Closed: 4/27/1995	128 MAUJER ST	E 1/4 - 1/2 (0.418 mi.)	AW203	668
NORTHSIDE SENIOR CENTER Date Closed: 11/20/2009	179 NORTH 6TH STREET	NNW 1/4 - 1/2 (0.419 mi.)	AX204	671
Not reported Date Closed: 12/12/2003	179 N 6TH STREET	NNW 1/4 - 1/2 (0.419 mi.)	AX205	673
WILLIAMSBURG Date Closed: 3/23/1994	128 MAUJER STREET	E 1/4 - 1/2 (0.421 mi.)	AW206	676
BROOKLYN NORTH 3+3A SITE Date Closed: 3/2/2005	306 RUTLEDGE ST	S 1/4 - 1/2 (0.433 mi.)	AY207	690
NYC DDC Date Closed: 6/23/2008	306 RUTLEDGE ST	S 1/4 - 1/2 (0.433 mi.)	AY208	693
WILLIAMSBURGH HOUSES	125 STAGG WALK	ESE 1/4 - 1/2 (0.434 mi.)	AZ209	696
WILLIAMSBURG HOUSES Date Closed: 3/29/1999 Date Closed: 1/8/2004	125 STAGG WALK	ESE 1/4 - 1/2 (0.434 mi.)	AZ210	707

*Additional key fields are available in the Map Findings section

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
306 RUTLEDGE ST/BKLYN Date Closed: 3/2/2005	306 RUTLEDGE STREET	S 1/4 - 1/2 (0.440 mi.)	AY212	719
COOPER PARK Date Closed: 3/29/1996	95 JACKSON STREET	NE 1/4 - 1/2 (0.450 mi.)	213	721
ST VINCENT DEPAUL CHURCH Date Closed: 12/21/2005	167 N. 6TH ST	NNW 1/4 - 1/2 (0.451 mi.)	214	724
151 MAUJER ST Date Closed: 2/28/2003	151 MAUJER STREET	E 1/4 - 1/2 (0.452 mi.)	215	725
CARING COMMUNITIES Date Closed: 8/25/2006	157 GRAHAM AVE	E 1/4 - 1/2 (0.483 mi.)	217	735
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
STREET Date Closed: 1/6/2005	HOPE STREET / RODNEY ST	NNW 0 - 1/8 (0.085 mi.)	L43	114
STREET SPILL Date Closed: 1/6/2005	HOPE STREET / RODNEY ST	NNW 0 - 1/8 (0.085 mi.)	L47	126
UNICO GAS STATION Date Closed: 10/7/2005	445 METROPOLITIAN AVE	N 1/8 - 1/4 (0.186 mi.)	AF129	386
522 METROPOLITAN AVE Date Closed: 2/24/2003	522 METROPOLITAN AVE	NNE 1/8 - 1/4 (0.201 mi.)	AE144	445
402 METROPOLITAN AV/BKLYN Date Closed: 5/4/1995	402 METROPOLITAN AVENUENNW 1/8 - 1/4 (0.206 mi.)	AK149	457	
402 METROPOLITAN AVE. Date Closed: 5/4/1995	402 METROPOLITAN AVE	NNW 1/8 - 1/4 (0.207 mi.)	AK150	459
MEEKER DISCOUNT MUFFLERS Date Closed: 8/5/2010	64 FROST ST	NNE 1/4 - 1/2 (0.466 mi.)	216	728

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 27 HIST LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
S/W COR METROPOLITAN/MARC Date Closed: / /	S/W COR METROPOLITAN/MAN 1/8 - 1/4 (0.189 mi.)		AH135	409
273 SOUTH SECOND STREET Date Closed: / /	273 SOUTH SECOND STREET W 1/8 - 1/4 (0.205 mi.)		AG148	454
274 SOUTH 2ND ST Date Closed: 10/29/96	274 SOUTH 2ND ST	W 1/8 - 1/4 (0.207 mi.)	AG154	485
263 SOUTH 4TH ST/BKLYN Date Closed: / /	263 SOUTH 4TH STREET	WSW 1/4 - 1/2 (0.305 mi.)	AU195	646
256 SO 4TH STREET Date Closed: 11/09/95	256 SO 4TH STREET	WSW 1/4 - 1/2 (0.307 mi.)	AU196	648

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
209 UNION AVENUE Date Closed: 05/18/95	209 UNION AVE - 90TH PC	SSE 1/4 - 1/2 (0.348 mi.)	AV197	651
211 UNION AVE. DIESEL LEA Date Closed: / /	211 UNION AVE	SSE 1/4 - 1/2 (0.356 mi.)	AV198	653
APARTMENT BLDG Date Closed: / /	30 MONTROSE AV	SSE 1/4 - 1/2 (0.384 mi.)	199	656
JOHNSON AVE. & BROADWAY Date Closed: 08/13/93	JOHNSON AVE / BROADWAY	SSE 1/4 - 1/2 (0.399 mi.)	200	660
Not reported Date Closed: / /	240 BROADWAY	WSW 1/4 - 1/2 (0.402 mi.)	201	662
187 UNION AVENUE / BROOKL Date Closed: / /	187 UNION AVE	SSE 1/4 - 1/2 (0.406 mi.)	202	665
WILLIAMSBURG Date Closed: 04/27/95	128 MAUJER ST	E 1/4 - 1/2 (0.418 mi.)	AW203	668
Not reported Date Closed: / /	179 N 6TH STREET	NNW 1/4 - 1/2 (0.419 mi.)	AX205	673
WILLIAMSBURG Date Closed: / / Date Closed: 03/23/94	128 MAUJER STREET	E 1/4 - 1/2 (0.421 mi.)	AW206	676
BROOKLYN NORTH 3+3A SITE Date Closed: / /	306 RUTLEDGE ST	S 1/4 - 1/2 (0.433 mi.)	AY207	690
NYC DDC Date Closed: / /	306 RUTLEDGE ST	S 1/4 - 1/2 (0.433 mi.)	AY208	693
WILLIAMSBURGH HOUSES Date Closed: / /	125 STAGG WALK	ESE 1/4 - 1/2 (0.434 mi.)	AZ209	696
WILLIAMSBURG HOUSES Date Closed: / / Date Closed: / /	125 STAGG WALK	ESE 1/4 - 1/2 (0.434 mi.)	AZ210	707
<i>*Additional key fields are available in the Map Findings section</i>				
306 RUTLEDGE ST. Date Closed: / /	306 RUTLEDGE ST.	S 1/4 - 1/2 (0.440 mi.)	AY211	717
306 RUTLEDGE ST/BKLYN Date Closed: / /	306 RUTLEDGE STREET	S 1/4 - 1/2 (0.440 mi.)	AY212	719
COOPER PARK Date Closed: 03/29/96	95 JACKSON STREET	NE 1/4 - 1/2 (0.450 mi.)	213	721
151 MAUJER ST Date Closed: / /	151 MAUJER STREET	E 1/4 - 1/2 (0.452 mi.)	215	725
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
UNICO GAS STATION Date Closed: / /	445 METROPOLITAN AVE	N 1/8 - 1/4 (0.186 mi.)	AF129	386
522 METROPOLITAN AVE Date Closed: / /	522 METROPOLITAN AVE	NNE 1/8 - 1/4 (0.201 mi.)	AE144	445
402 METROPOLITAN AV/BKLYN Date Closed: 05/04/95	402 METROPOLITAN AV	WNW 1/8 - 1/4 (0.206 mi.)	AK149	457
402 METROPOLITAN AVE. Date Closed: 05/04/95	402 METROPOLITAN AVE	NNW 1/8 - 1/4 (0.207 mi.)	AK150	459

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MEEKER DISCOUNT MUFFLERS Date Closed: / /	64 FROST ST	NNE 1/4 - 1/2 (0.466 mi.)	216	728

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 06/17/2010 has revealed that there are 18 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MOTIVA ENTERPRISES, LLC #13860	351 SOUTH 1ST STREET	SSW 0 - 1/8 (0.039 mi.)	C6	16
JOLS REALTY CORP	356 SO 1 ST	SSE 0 - 1/8 (0.054 mi.)	F22	70
LEOGRANDE AUTO REPAIR	172 HOPE STREET	ENE 0 - 1/8 (0.066 mi.)	H28	81
DAMON HOUSE NEW YORK, INC.	310 SOUTH FIRST STREET	W 0 - 1/8 (0.067 mi.)	G30	85
364 SO. 1ST STREET	364 SO 1 ST	SSE 0 - 1/8 (0.068 mi.)	F31	87
UNION PLAZA, LLC	385 UNION AVE	ENE 0 - 1/8 (0.102 mi.)	P67	171
JOLS REALTY COPR	381 HOOPER ST	SSE 0 - 1/8 (0.105 mi.)	N80	200
KEAP STREET HOLDINGS , LLC	405-419 UNION AVENUE	NE 0 - 1/8 (0.116 mi.)	Q88	223
RIVER CREEK REALTY	417 UNION AVENUE	NE 1/8 - 1/4 (0.128 mi.)	X100	271
BERSAM REALTY CORP	5 TEN EYCK STREET	SE 1/8 - 1/4 (0.182 mi.)	AD125	377
373 SOUTH FOURTH ST	373 SOUTH FOURTH STREET	S 1/8 - 1/4 (0.217 mi.)	AN165	544
SALERNO SERVICE STATION	451 LORIMER STREET	ESE 1/8 - 1/4 (0.237 mi.)	AR180	583
VACANT LOT	359 SOUTH 5TH STREET	SSW 1/8 - 1/4 (0.243 mi.)	AT191	632
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
468/78 RODNEY STREET	468 RODNEY STREET	N 1/8 - 1/4 (0.142 mi.)	106	299
UNION REPAIR CORP.	433-447 UNION AVENUE	NE 1/8 - 1/4 (0.146 mi.)	Z111	319
FREMRO SERVICES INC.	447 UNION AVENUE	NNE 1/8 - 1/4 (0.183 mi.)	AE128	382
JOE'S AUTO REPAIR CORNER INC.	445 METROPOLITAN AVENUE	N 1/8 - 1/4 (0.188 mi.)	AF131	392
ALSEAL ISED CAR SALES INC.	402 METROPOLITAN AVE	NNW 1/8 - 1/4 (0.207 mi.)	AK152	464

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 06/17/2010 has revealed that there are 46 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MOTIVA ENTERPRISES, LLC #13860	351 SOUTH 1ST STREET	SSW 0 - 1/8 (0.039 mi.)	C7	19
JOLS REALTY LLC.	360 SOUTH 1ST STREET	SSE 0 - 1/8 (0.061 mi.)	F26	78
145 BORINQUEN PLACE	145 BORINQUEN PLACE	SW 0 - 1/8 (0.075 mi.)	36	99
KARITSA REALTY CORP.	335 SOUTH 2ND STREET	SSW 0 - 1/8 (0.087 mi.)	M49	129
MODEL BRASS & BRONZE CORP	387 S FIRST ST	SE 0 - 1/8 (0.099 mi.)	N57	144
376 KEAP STREET HOUSING	376 KEAP STREET	SSW 0 - 1/8 (0.099 mi.)	M59	151
MANZ REALTY CORP	390 HOOPER ST	SSE 0 - 1/8 (0.116 mi.)	T86	217
SOUTH 2ND STORAGE CORP	400 SO 2ND STREET	SSE 1/8 - 1/4 (0.135 mi.)	T104	293
PUBLIC SCHOOL 19 - BROOKLYN (K	325 SOUTH 3RD STREET	SSW 1/8 - 1/4 (0.144 mi.)	Y107	309

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
330-332 SOUTH 3RD STREET	330-332 SOUTH 3RD STREE	SSW 1/8 - 1/4 (0.146 mi.)	Y112	325
CAISI MANAGEMENT CO. INC.	338-340 SOUTH 3RD STREE	SSW 1/8 - 1/4 (0.149 mi.)	AA113	328
340 SOUTH 3RD STREET HDFC	340 SOUTH 3RD STREET	SSW 1/8 - 1/4 (0.149 mi.)	AA114	332
4109 REALTY ASSOCIATES	310 SOUTH 3RD STREET	SW 1/8 - 1/4 (0.149 mi.)	AB115	334
CAISI MGMT CO. INC.	308-310 SOUTH 3RD STREE	SW 1/8 - 1/4 (0.150 mi.)	AB116	336
300 SOUTH REALTY CORP.	300 SOUTH 3RD ST	SW 1/8 - 1/4 (0.157 mi.)	AB118	341
SMALL HEATING OIL TANK	14 MAUJER STREET	ESE 1/8 - 1/4 (0.163 mi.)	122	360
BERSAM REALTY CORP	5 TEN EYCK STREET	SE 1/8 - 1/4 (0.182 mi.)	AD126	379
286 S. 2ST SHA REALTY	286 SO 2ND STREET	W 1/8 - 1/4 (0.186 mi.)	AG130	389
383 ASSOCIATES	383 SOUTH 3RD ST	SSE 1/8 - 1/4 (0.188 mi.)	134	405
350-352 SOUTH 4 STREET	350-352 SOUTH 4 STREET	SSW 1/8 - 1/4 (0.198 mi.)	140	419
SOUTH SECOND REALTY	278 SO 2 ST	W 1/8 - 1/4 (0.200 mi.)	AG143	441
53-65 HOPE ST	53-65 HOPE ST	NW 1/8 - 1/4 (0.205 mi.)	AI147	451
274-276 SOUTH 2ND STREET	274-276 SOUTH 2ND STREE	W 1/8 - 1/4 (0.207 mi.)	AG153	482
LEROY BECKLES 332 KEAP ST	332 KEAP ST	SSW 1/8 - 1/4 (0.211 mi.)	AM159	499
331 KEAP STREET	331 KEAP STREET	SSW 1/8 - 1/4 (0.213 mi.)	AM163	532
SOUTH SECOND REALTY	265 SO 2 ST	W 1/8 - 1/4 (0.218 mi.)	AO167	548
MEHION SOROUDI	103 HAVEMEYER ST	NW 1/8 - 1/4 (0.219 mi.)	168	552
HAS REALTY ASSOCIATES	393 HEWES STREET	SSE 1/8 - 1/4 (0.224 mi.)	AQ171	557
LUSIA KNOLL	319 HOOPER ST	S 1/8 - 1/4 (0.225 mi.)	AN172	559
380 SOUTH 4TH STREET	380 SOUTH 4TH STREET	S 1/8 - 1/4 (0.226 mi.)	AN173	563
322 RODNEY ST	322 RODNEY ST	SW 1/8 - 1/4 (0.231 mi.)	177	574
LUSIA KNOLL	387 SO 4TH ST	S 1/8 - 1/4 (0.233 mi.)	178	578
82 HAVEMEYER STREET	82 HAVEMEYER STREET	NW 1/8 - 1/4 (0.236 mi.)	179	581
SALERNO SERVICE STATION	451 LORIMER STREET	ESE 1/8 - 1/4 (0.237 mi.)	AR181	590
383 HEWES STREET	383 HEWES STREET	SSE 1/8 - 1/4 (0.239 mi.)	AQ183	602
LUSIA KNOLL	268 UNION AVE	SSE 1/8 - 1/4 (0.239 mi.)	184	605
KARISTA REALTY CORPORATION	160 HAVEMEYER STREET	W 1/8 - 1/4 (0.240 mi.)	AO187	611
LIBERATO'S FAMILY CORPORATION	366 SOUTH FIFTH STREET	SSW 1/8 - 1/4 (0.243 mi.)	AT190	629
164 HAVEMEYER ST	164 HAVEMEYER ST	W 1/8 - 1/4 (0.245 mi.)	192	636
374 SOUTH 5TH STREET	374 SOUTH 5TH STREET	SSW 1/8 - 1/4 (0.246 mi.)	AT193	639
442 LORIMER INC.	442 LORIMER STREET	ESE 1/8 - 1/4 (0.248 mi.)	AR194	642
Lower Elevation	Address	Direction / Distance	Map ID	Page
475 KEAP STREET	475 KEAP STREET	NNE 1/8 - 1/4 (0.130 mi.)	W101	274
UNION REPAIR CORP.	433-447 UNION AVENUE	NE 1/8 - 1/4 (0.146 mi.)	Z111	319
JOE'S AUTO REPAIR CORNER INC.	445 METROPOLITAN AVENUE	N 1/8 - 1/4 (0.188 mi.)	AF132	398
524 METROPOLITAN AVE	524 METROPOLITAN AVENUE	NNE 1/8 - 1/4 (0.203 mi.)	AE145	447
AISEAL USED CAR SALES INC.	402-418 METROPOLITAN AV	NNW 1/8 - 1/4 (0.207 mi.)	AK151	462

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

DEL SHWS: A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

A review of the DEL SHWS list, as provided by EDR, and dated 08/24/2010 has revealed that there is 1 DEL SHWS site within approximately 1 mile of the target property.

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CITY BARREL CO.	421-429 MEEKER STREET	NE 1/2 - 1 (0.680 mi.)	218	737

Local Lists of Registered Storage Tanks

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 14 HIST UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SOUTH 1ST AUTO CARE	351 SOUTH 1ST ST	SSW 0 - 1/8 (0.039 mi.)	C8	22
JOLS REALTY CORP	356 SO 1 ST	SSE 0 - 1/8 (0.054 mi.)	F22	70
364 SO. 1ST STREET	364 SO 1 ST	SSE 0 - 1/8 (0.068 mi.)	F31	87
JOLS REALTY COPR	381 HOOPER ST	SSE 0 - 1/8 (0.105 mi.)	N80	200
RIVER CREEK REALTY	417 UNION AVENUE	NE 1/8 - 1/4 (0.128 mi.)	X100	271
PS 19	325 SOUTH 3RD STREET	SSW 1/8 - 1/4 (0.144 mi.)	Y108	312
BERSAM REALTY CORP	5 TEN EYCK STREET	SE 1/8 - 1/4 (0.182 mi.)	AD127	381
SALERNO SERVICE STATION	451 LORIMER STREET	ESE 1/8 - 1/4 (0.237 mi.)	AR181	590
VACANT LOT	359 SOUTH 5TH STREET	SSW 1/8 - 1/4 (0.243 mi.)	AT191	632

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
468/78 RODNEY STREET	468 RODNEY STREET	N 1/8 - 1/4 (0.142 mi.)	106	299
GULF SERVICE STATION	433 UNION AVENUE	NE 1/8 - 1/4 (0.146 mi.)	Z110	316
FREMRO SERVICES INC.	447 UNION AVENUE	NNE 1/8 - 1/4 (0.183 mi.)	AE128	382
JOE'S AUTO REPAIR CORNER INC.	445 METROPOLITAN AVENUE	N 1/8 - 1/4 (0.188 mi.)	AF133	400
ALSEAL ISED CAR SALES INC.	402 METROPOLITAN AVE	NNW 1/8 - 1/4 (0.207 mi.)	AK152	464

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 08/24/2010 has revealed that there are 27 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
VACANT LOT Date Closed: 8/21/2007	441 GRAND STREET	ENE 0 - 1/8 (0.002 mi.)	A2	8
SHELL STATION Date Closed: 7/19/2010	351 SOUTH 1ST STREET	SSW 0 - 1/8 (0.039 mi.)	C9	26
351 SOUTH 1ST STREET Date Closed: 7/11/2002	351 SOUTH 1ST STREET	SSW 0 - 1/8 (0.039 mi.)	C11	32
REPAIR SHOP Date Closed: 11/30/2006	341 SOUTH 1ST STREET	SW 0 - 1/8 (0.041 mi.)	C12	34
APARTMENT BUILDING Date Closed: 2/27/2004	360 SOUTH 1ST STREET	SSE 0 - 1/8 (0.061 mi.)	F25	76

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WEINBERGER Date Closed: 5/19/2005	178 HOPE STREET	ENE 0 - 1/8 (0.072 mi.)	H35	97
TRANSFORMER 189 Date Closed: 3/29/2002	RODNEY ST / 1ST STREET	W 0 - 1/8 (0.079 mi.)	G39	104
Not reported Date Closed: 3/26/2002	HOPPER ST / GRAND ST	ESE 0 - 1/8 (0.082 mi.)	J40	106
RODNEY ST BETWEEN Date Closed: 7/18/2003	GRAND ST / GRAND ST EXT	ESE 0 - 1/8 (0.082 mi.)	J41	109
VS 6291 Date Closed: 7/18/2003	KEAP ST/S 2ND ST	SSW 0 - 1/8 (0.088 mi.)	M50	132
VS #6291 Date Closed: 4/28/2003	KEAP ST / SOUTH 2ND ST	SSW 0 - 1/8 (0.088 mi.)	M51	134
MULTIPLE DWELLING Date Closed: 12/22/2008	383 SOUTH 1ST STREET	SE 0 - 1/8 (0.093 mi.)	N52	136
Not reported Date Closed: 7/16/2001	HOOPEP ST/SOUTH 1ST ST	SE 0 - 1/8 (0.095 mi.)	N53	137
MANHOLE 149 Date Closed: 8/23/2001	AINSLIE ST / UNION AV	NE 0 - 1/8 (0.114 mi.)	Q84	211
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
DRUM RUN Date Closed: 4/22/2005	423 GRAND STREET	WNW 0 - 1/8 (0.030 mi.)	4	13
Not reported Date Closed: 6/5/2000	HOPE ST / KEAP ST	NNE 0 - 1/8 (0.050 mi.)	B14	44
RODNEY ST & GRAND ST Date Closed: 2/2/2004	RODNEY ST / GRAND STR	WNW 0 - 1/8 (0.069 mi.)	I32	91
Not reported Date Closed: 4/6/1999	RODNEY ST / GRAND ST	WNW 0 - 1/8 (0.069 mi.)	I33	93
34 AINSLE STREET Date Closed: 2/12/1998	34 AINSLE STREET	N 0 - 1/8 (0.082 mi.)	K42	111
FEEDER 61 Date Closed: 11/1/2002	RODNEY / HOPE ST	NNW 0 - 1/8 (0.085 mi.)	L45	120
AINSLIE ST SUBST TR #4 Date Closed: 9/21/2004	34-50 AINSLIE STREET	N 0 - 1/8 (0.103 mi.)	R70	176
AINSLIE ST SUBST TR # 3	34-50 AINSLIE STREET	N 0 - 1/8 (0.103 mi.)	R71	178
AINSLIE ST SUBST TR # 2	34-50 AINSLIE STREET	N 0 - 1/8 (0.103 mi.)	R72	180
AINSLIE ST SUBST TR # 4	34-50 AINSLIE STREET	N 0 - 1/8 (0.103 mi.)	R74	184
34 AINSLIE ST Date Closed: 6/8/1998	34 AINSLIE ST	N 0 - 1/8 (0.103 mi.)	R75	186
AINSLIE ST. S/S Date Closed: 5/12/2008	34 AINSLIE STREET	N 0 - 1/8 (0.103 mi.)	R77	190
RODNEY ST & AINSLEY ST Date Closed: 6/21/1995	RODNEY ST / AINSLEY S	N 0 - 1/8 (0.120 mi.)	U89	226

EXECUTIVE SUMMARY

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 14 NY Hist Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>351 SOUTH 1ST STREET</i>	<i>351 SOUTH 1ST STREET</i>	<i>SSW 0 - 1/8 (0.039 mi.)</i>	<i>C11</i>	<i>32</i>
<i>TRANSFORMER 189</i>	<i>RODNEY ST / 1ST STREET</i>	<i>W 0 - 1/8 (0.079 mi.)</i>	<i>G39</i>	<i>104</i>
<i>Not reported</i>	<i>HOPPER ST / GRAND ST</i>	<i>ESE 0 - 1/8 (0.082 mi.)</i>	<i>J40</i>	<i>106</i>
<i>RODNEY ST BETWEEN</i>	<i>GRAND ST / GRAND ST EXT</i>	<i>ESE 0 - 1/8 (0.082 mi.)</i>	<i>J41</i>	<i>109</i>
<i>Not reported</i>	<i>HOOOPER ST/SOUTH 1ST ST</i>	<i>SE 0 - 1/8 (0.095 mi.)</i>	<i>N53</i>	<i>137</i>
<i>MANHOLE 149</i>	<i>AINSLIE ST / UNION AV</i>	<i>NE 0 - 1/8 (0.114 mi.)</i>	<i>Q84</i>	<i>211</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>Not reported</i>	<i>HOPE ST / KEAP ST</i>	<i>NNE 0 - 1/8 (0.050 mi.)</i>	<i>B14</i>	<i>44</i>
<i>RODNEY ST & GRAND ST</i>	<i>RODNEY ST / GRAND STR</i>	<i>WNW 0 - 1/8 (0.069 mi.)</i>	<i>I32</i>	<i>91</i>
<i>Not reported</i>	<i>RODNEY ST / GRAND ST</i>	<i>WNW 0 - 1/8 (0.069 mi.)</i>	<i>I33</i>	<i>93</i>
<i>34 AINSLE STREET</i>	<i>34 AINSLE STREET</i>	<i>N 0 - 1/8 (0.082 mi.)</i>	<i>K42</i>	<i>111</i>
<i>FEEDER 61</i>	<i>RODNEY / HOPE ST</i>	<i>NNW 0 - 1/8 (0.085 mi.)</i>	<i>L45</i>	<i>120</i>
<i>34 AINSLIE ST</i>	<i>34 AINSLIE ST</i>	<i>N 0 - 1/8 (0.103 mi.)</i>	<i>R75</i>	<i>186</i>
<i>AINSLE ST. S/S</i>	<i>34 AINSLIE STREET</i>	<i>N 0 - 1/8 (0.103 mi.)</i>	<i>R77</i>	<i>190</i>
<i>RODNEY ST & AINSLEY ST</i>	<i>RODNEY ST / AINSLEY S</i>	<i>N 0 - 1/8 (0.120 mi.)</i>	<i>U89</i>	<i>226</i>

Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 02/17/2010 has revealed that there are 23 RCRA-NonGen sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>SHELL OIL-DUARTE SERV STA INC</i>	<i>351 SOUTH 1ST</i>	<i>SSW 0 - 1/8 (0.039 mi.)</i>	<i>C10</i>	<i>28</i>
<i>P V FRENCH CLEANERS</i>	<i>174 BORINQUEN PL</i>	<i>SSW 0 - 1/8 (0.049 mi.)</i>	<i>C13</i>	<i>37</i>
<i>MTA NYCT METROPOLITAN STATION</i>	<i>HOPE ST & UNION AVE</i>	<i>E 0 - 1/8 (0.099 mi.)</i>	<i>P58</i>	<i>148</i>
<i>NYC BD OF ED - PUBLIC SCHOOL 3</i>	<i>360 KEAP ST</i>	<i>SSW 1/8 - 1/4 (0.138 mi.)</i>	<i>Y105</i>	<i>297</i>
<i>NYC BD OF ED - PUBLIC SCHOOL 1</i>	<i>325 S 3RD ST</i>	<i>SSW 1/8 - 1/4 (0.144 mi.)</i>	<i>Y109</i>	<i>314</i>
<i>MORENOS CLEANES</i>	<i>301 UNION AVE</i>	<i>SE 1/8 - 1/4 (0.175 mi.)</i>	<i>AD124</i>	<i>362</i>
<i>CON EDISON</i>	<i>MEEKER AVE & N 6TH ST</i>	<i>N 1/8 - 1/4 (0.192 mi.)</i>	<i>AF136</i>	<i>415</i>
<i>CON EDISON</i>	<i>MEEKER AVE 49 FEET N OF</i>	<i>N 1/8 - 1/4 (0.192 mi.)</i>	<i>AF137</i>	<i>416</i>
<i>JOHN ORBAN & CO</i>	<i>53 HOPE ST</i>	<i>NW 1/8 - 1/4 (0.205 mi.)</i>	<i>AI146</i>	<i>449</i>
<i>MA ALEXANDER - FORMER TENANT</i>	<i>36 MAUJER ST 1C</i>	<i>ESE 1/8 - 1/4 (0.208 mi.)</i>	<i>AL156</i>	<i>488</i>
<i>TRUVAL CLEANERS</i>	<i>568 GRAND ST</i>	<i>E 1/8 - 1/4 (0.212 mi.)</i>	<i>AJ162</i>	<i>521</i>
<i>KEAP CLEANERS</i>	<i>331 KEAP ST</i>	<i>SSW 1/8 - 1/4 (0.213 mi.)</i>	<i>AM164</i>	<i>535</i>
<i>NYNEX-MANHOLE</i>	<i>LORIMER & GRAND STS</i>	<i>E 1/8 - 1/4 (0.221 mi.)</i>	<i>AP170</i>	<i>555</i>
<i>FRIENDS DRY CLEANERS</i>	<i>259 S 2ND ST</i>	<i>W 1/8 - 1/4 (0.228 mi.)</i>	<i>AO175</i>	<i>567</i>

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NYCDEP - SHAFT 14A	KEAP AVE & S 5TH ST	SSW 1/8 - 1/4 (0.240 mi.)	185	609

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - VAULT 3	34-50 AINSLIE ST	N 0 - 1/8 (0.103 mi.)	R76	189
CON EDISON	34-50 AINSLIE ST	N 0 - 1/8 (0.103 mi.)	R78	194
CON ED - M/H 135	RODNEY ST & ANSLIE ST	N 0 - 1/8 (0.120 mi.)	U91	230
CON ED-MH 139	AINSLIE ST & RODNEY ST	N 0 - 1/8 (0.120 mi.)	U92	233
CON ED - MH 136	AINSLIE ST & RODNEY ST	N 0 - 1/8 (0.120 mi.)	U93	235
SFA LEINOFF INC-475 KEAP ST	475 KEAP STREET	NNE 1/8 - 1/4 (0.130 mi.)	W102	277
TOWNE HOUSE RESTORATIONS	475 KEAP ST - REAR ENTR	NNE 1/8 - 1/4 (0.130 mi.)	W103	292
S KLENOSKY INC	543 METROPOLITAN AVE	NNE 1/8 - 1/4 (0.210 mi.)	157	493

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 07/28/2010 has revealed that there are 37 MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SHELL OIL-DUARTE SERV STA INC	351 SOUTH 1ST	SSW 0 - 1/8 (0.039 mi.)	C10	28
P V FRENCH CLEANERS	174 BORINQUEN PL	SSW 0 - 1/8 (0.049 mi.)	C13	37
CONSOLIDATED EDISON	RODNEY ST / SOUTH FIRST	W 0 - 1/8 (0.079 mi.)	G37	101
CONSOLIDATED EDISON MH41314	RODNEY ST / SOUTH FIRST	W 0 - 1/8 (0.079 mi.)	G38	102
MTA NYCT METROPOLITAN STATION	HOPE ST & UNION AVE	E 0 - 1/8 (0.099 mi.)	P58	148
CONSOLIDATED EDISON MH14091	MH14091 507 GRAND ST	ESE 0 - 1/8 (0.121 mi.)	V94	238
S F A LEINOFF INC	417 UNION AVE	NE 1/8 - 1/4 (0.128 mi.)	X99	249
NYC BD OF ED - PUBLIC SCHOOL 3	360 KEAP ST	SSW 1/8 - 1/4 (0.138 mi.)	Y105	297
NYC BD OF ED - PUBLIC SCHOOL 1	325 S 3RD ST	SSW 1/8 - 1/4 (0.144 mi.)	Y109	314
MERCURY CLEANERS	20 MARCY AVE	NW 1/8 - 1/4 (0.160 mi.)	AC120	343
CONSOLIDATED EDISON	RODNEY / S 3RD ST MH6	SW 1/8 - 1/4 (0.160 mi.)	121	358
MORENOS CLEANES	301 UNION AVE	SE 1/8 - 1/4 (0.175 mi.)	AD124	362
CON EDISON	MEEKER AVE & N 6TH ST	N 1/8 - 1/4 (0.192 mi.)	AF136	415
CON EDISON	MEEKER AVE 49 FEET N OF	N 1/8 - 1/4 (0.192 mi.)	AF137	416
CONSOLIDATED EDISON	62 HOPE ST 7 HAVEMEYER	NW 1/8 - 1/4 (0.193 mi.)	Al138	417
MA ALEXANDER - FORMER TENANT	36 MAUJER ST 1C	ESE 1/8 - 1/4 (0.208 mi.)	AL156	488
TRUVAL CLEANERS	555 GRAND ST	E 1/8 - 1/4 (0.212 mi.)	AJ161	502
TRUVAL CLEANERS	568 GRAND ST	E 1/8 - 1/4 (0.212 mi.)	AJ162	521
KEAP CLEANERS	331 KEAP ST	SSW 1/8 - 1/4 (0.213 mi.)	AM164	535
NYNEX-MANHOLE	LORIMER & GRAND STS	E 1/8 - 1/4 (0.221 mi.)	AP170	555
NYNEX	465 LORIMER ST	E 1/8 - 1/4 (0.227 mi.)	AP174	566
FRIENDS DRY CLEANERS	259 S 2ND ST	W 1/8 - 1/4 (0.228 mi.)	AO175	567
CONSOLIDATED EDISON	564 METROPOLITAN AVE -	NE 1/8 - 1/4 (0.238 mi.)	AS182	600
METROPOLITAN CLEANERS	568 METROPOLITAN AVE.	NE 1/8 - 1/4 (0.242 mi.)	AS188	614

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
D C CENTER CORP	130 HOPE ST	N 0 - 1/8 (0.052 mi.)	E17	49
CONSOLIDATED EDISON	HOPE ST / RODNEY ST	NNW 0 - 1/8 (0.085 mi.)	L44	115
CONSOLIDATED EDISON	RODNEY STREET / HOPE	NNW 0 - 1/8 (0.085 mi.)	L46	124
CONSOLIDATED EDISON	34 AINSLIE ST - MOAT	N 0 - 1/8 (0.103 mi.)	R73	182
CON EDISON	34-50 AINSLIE ST	N 0 - 1/8 (0.103 mi.)	R78	194
CONSOLIDATED EDISON	AINSLIE STREET / RODN	N 0 - 1/8 (0.120 mi.)	U90	228
CON ED - M/H 135	RODNEY ST & ANSLIE ST	N 0 - 1/8 (0.120 mi.)	U91	230

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON ED-MH 139	AINSLIE ST & RODNEY ST	N 0 - 1/8 (0.120 mi.)	U92	233
CON ED - MH 136	AINSLIE ST & RODNEY ST	N 0 - 1/8 (0.120 mi.)	U93	235
SFA LEINOFF INC-475 KEAP ST	475 KEAP STREET	NNE 1/8 - 1/4 (0.130 mi.)	W102	277
CONSOLIDATED EDISON	MH43243-UNION AVE / H	NNE 1/8 - 1/4 (0.156 mi.)	Z117	338
NYCT - METROPOLITAN AVE STATIO	METROPOLITAN AVE & UNIO	NNE 1/8 - 1/4 (0.199 mi.)	AE141	423
S KLENOSKY INC	543 METROPOLITAN AVE	NNE 1/8 - 1/4 (0.210 mi.)	157	493

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 03/23/2010 has revealed that there are 10 DRYCLEANERS sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MERCURY DRY CLEANERS	20 MARCY AVE.	NW 1/8 - 1/4 (0.160 mi.)	AC119	343
UNION/JET DRY CLEANING	301 UNION AVENUE	SE 1/8 - 1/4 (0.175 mi.)	AD123	362
TRUVAL CLEANERS	555 GRAND STREET	E 1/8 - 1/4 (0.193 mi.)	AJ139	419
TIME CLEANERS	36 MAUJER STREET	ESE 1/8 - 1/4 (0.208 mi.)	AL155	488
TRIVAL CLEANERS	568 GRAND STREET	E 1/8 - 1/4 (0.212 mi.)	AJ160	502
BUDNAGURA CLEANERS	378 METROPOLITAN AVENUE	NNW 1/8 - 1/4 (0.220 mi.)	169	555
FRIEND DRY CLEANERS	259 SOUTH 2ND STREET	W 1/8 - 1/4 (0.228 mi.)	AO176	574
HAVEMEYER DRY CLEANERS	160 HAVEMEYER STREET	W 1/8 - 1/4 (0.240 mi.)	AO186	610
METROPOLITAN CLEANERS	568 METROPOLITAN AVE.	NE 1/8 - 1/4 (0.242 mi.)	AS188	614

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
D.C. CENTER CO.(2-6304-01640 N	130 HOPE ST.	N 0 - 1/8 (0.052 mi.)	E19	66

E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the E DESIGNATION list, as provided by EDR, and dated 05/25/2010 has revealed that there are 35 E DESIGNATION sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 12,TAXBLOCK 2411	314 SOUTH 1 STREET	WSW 0 - 1/8 (0.063 mi.)	G27	80
LOT 12,TAXBLOCK 2387	172 HOPE STREET	ENE 0 - 1/8 (0.066 mi.)	H29	84
LOT 8,TAXBLOCK 2399	460 GRAND STREET	ESE 0 - 1/8 (0.071 mi.)	J34	96
LOT 4,TAXBLOCK 2779	376 UNION AVENUE	E 0 - 1/8 (0.100 mi.)	P60	153
LOT 3,TAXBLOCK 2779	372 UNION AVENUE	E 0 - 1/8 (0.100 mi.)	P62	158
LOT 2,TAXBLOCK 2779	370 UNION AVENUE	E 0 - 1/8 (0.100 mi.)	P64	163
LOT 1,TAXBLOCK 2779	366 UNION AVENUE	E 0 - 1/8 (0.102 mi.)	P65	166
LOT 12,TAXBLOCK 2375	80 AINSLIE STREET	NE 0 - 1/8 (0.102 mi.)	Q66	169
LOT 16,TAXBLOCK 2375	385 UNION AVENUE	ENE 0 - 1/8 (0.102 mi.)	P68	173
LOT 5,TAXBLOCK 2773	388 UNION AVENUE	ENE 0 - 1/8 (0.105 mi.)	P79	197
LOT 6,TAXBLOCK 2773	390 UNION AVENUE	ENE 0 - 1/8 (0.106 mi.)	S81	203
LOT 7,TAXBLOCK 2773	394 UNION AVENUE	ENE 0 - 1/8 (0.109 mi.)	S82	206
LOT 8,TAXBLOCK 2773	400 UNION AVENUE	NE 0 - 1/8 (0.115 mi.)	Q85	214
LOT 1,TAXBLOCK 2767	402 UNION AVENUE	NE 0 - 1/8 (0.116 mi.)	Q87	220
LOT 49,TAXBLOCK 2779	507 GRAND STREET	ESE 0 - 1/8 (0.121 mi.)	V95	239
LOT 3,TAXBLOCK 2767	408 UNION AVENUE	NE 0 - 1/8 (0.123 mi.)	Q98	246
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 14,TAXBLOCK 2386	429 KEAP STREET	NNE 0 - 1/8 (0.025 mi.)	B3	11

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 2,TAXBLOCK 2387	426 KEAP STREET	NNE 0 - 1/8 (0.037 mi.)	B5	14
LOT 6,TAXBLOCK 2387	150 HOPE STREET	NE 0 - 1/8 (0.051 mi.)	D15	46
LOT 27,TAXBLOCK 2374	441 KEAP STREET	NNE 0 - 1/8 (0.052 mi.)	D16	48
LOT 12,TAXBLOCK 2386	130 HOPE STREET	N 0 - 1/8 (0.052 mi.)	E18	65
LOT 7,TAXBLOCK 2387	154 HOPE STREET	NE 0 - 1/8 (0.053 mi.)	D20	67
LOT 28,TAXBLOCK 2374	129 HOPE STREET	N 0 - 1/8 (0.054 mi.)	E21	68
LOT 31,TAXBLOCK 2374	123 HOPE STREET	N 0 - 1/8 (0.058 mi.)	E23	73
LOT 7,TAXBLOCK 2386	118 HOPE STREET	NNW 0 - 1/8 (0.061 mi.)	E24	75
LOT 1,TAXBLOCK 2374	432 RODNEY STREET	NNW 0 - 1/8 (0.085 mi.)	L48	127
LOT 1,TAXBLOCK 2375	450 KEAP STREET	NNE 0 - 1/8 (0.096 mi.)	O54	139
LOT 5,TAXBLOCK 2375	66 AINSLIE STREET	NNE 0 - 1/8 (0.097 mi.)	O55	141
LOT 10,TAXBLOCK 2375	74 AINSLIE STREET	NE 0 - 1/8 (0.099 mi.)	O56	143
LOT 48,TAXBLOCK 2371	45 AINSLIE STREET	NNE 0 - 1/8 (0.100 mi.)	O61	157
LOT 1,TAXBLOCK 2372	452 KEAP STREET	NNE 0 - 1/8 (0.101 mi.)	O63	161
LOT 7,TAXBLOCK 2374	442 RODNEY STREET	NNW 0 - 1/8 (0.103 mi.)	K69	174
LOT 42,TAXBLOCK 2371	467 KEAP STREET	NNE 0 - 1/8 (0.113 mi.)	O83	209
LOT 1,TAXBLOCK 2371	452 RODNEY STREET	N 0 - 1/8 (0.122 mi.)	U96	242
LOT 40,TAXBLOCK 2371	471 KEAP STREET	NNE 0 - 1/8 (0.122 mi.)	W97	244

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there are 8 Manufactured Gas Plants sites within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
SCHOLES ST. STATION	SCHOLES ST 7 BOGART STS	E 1/2 - 1 (0.987 mi.)	229	849
NASSAU GAS	SKILLMAN AVE	SSW 1/2 - 1 (0.998 mi.)	230	849


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WYTHE AVE. (BERRY ST.) STATION	WYTHE AVE., BERRY ST.,	NNW 1/2 - 1 (0.761 mi.)	220	802
KEAP ST. STATION	KEAP ST. WYTHE AVE. HOO	SW 1/2 - 1 (0.842 mi.)	222	826
PEOPLES WORKS	KENT AVE. S. 10TH ST.,	WSW 1/2 - 1 (0.857 mi.)	224	846
BU-NASSAU BRANCH	KENT AVE AND CROSS, DIV	WSW 1/2 - 1 (0.901 mi.)	226	848
SKILLMAN STATION	SKILLMAN ST. FLUSHING A	SSW 1/2 - 1 (0.909 mi.)	227	848
RUTLEDGE STATION	RUTLEDGE ST. WYTHE AND	SSW 1/2 - 1 (0.931 mi.)	228	848

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped:

<u>Site Name</u>	<u>Database(s)</u>
NYCDEP	MANIFEST
CONSOLIDATED EDISON	MANIFEST
BELL ATLANTIC-NY	MANIFEST
NYCDEP	MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
NYNEX	MANIFEST
NYNEX	MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
CONSOLIDATED EDISON	MANIFEST
CONSOLIDATED EDISON	RCRA-NLR,MANIFEST
NYSDOT CONTRACT D258425	FINDS,RCRA-NLR
MTA NYCT - MYRTLE & WILLOUGHBY AVE	FINDS,RCRA-NLR
BETW/AVE X &	SPILLS
BOX 38486	SPILLS,HIST SPILLS
KINGS HIGHWAY MOBIL	SPILLS
205842; KINGS HWY	SPILLS

OVERVIEW MAP - 2879174.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites


- ▨ Indian Reservations BIA
- ▬ County Boundary
- Power transmission lines
- Oil & Gas pipelines
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- National Wetland Inventory
- State Wetlands



SITE NAME: 442 Grand Street
 ADDRESS: 442 Grand Street
 BROOKLYN NY 11211
 LAT/LONG: 40.7114 / 73.9531


CLIENT: Singer Environmental
 CONTACT: Erica Hogan
 INQUIRY #: 2879174.2s
 DATE: September 27, 2010 12:50 pm

DETAIL MAP - 2879174.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ⚡ Manufactured Gas Plants
- ⚠ Sensitive Receptors
- 🏠 National Priority List Sites
- 🏢 Dept. Defense Sites

- 🏞️ Indian Reservations BIA
- ⚡ Power transmission lines
- 🛢️ Oil & Gas pipelines
- 🌊 100-year flood zone
- 🌊 500-year flood zone



SITE NAME: 442 Grand Street
 ADDRESS: 442 Grand Street
 BROOKLYN NY 11211
 LAT/LONG: 40.7114 / 73.9531

CLIENT: Singer Environmental
 CONTACT: Erica Hogan
 INQUIRY #: 2879174.2s
 DATE: September 27, 2010 12:51 pm

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL		1.000	0	0	0	0	NR	0
Proposed NPL		1.000	0	0	0	0	NR	0
NPL LIENS		TP	NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS		0.500	0	0	0	NR	NR	0
FEDERAL FACILITY		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP		0.500	0	0	0	NR	NR	0
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS		1.000	0	0	0	3	NR	3
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF		0.500	0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG		0.250	0	0	NR	NR	NR	0
RCRA-SQG		0.250	1	5	NR	NR	NR	6
RCRA-CESQG		0.250	0	0	NR	NR	NR	0
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS		TP	NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS		1.000	0	1	0	1	NR	2
VAPOR REOPENED		1.000	0	0	0	0	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF		0.500	0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LTANKS		0.500	2	9	21	NR	NR	32
HIST LTANKS		0.500	0	7	20	NR	NR	27
INDIAN LUST		0.500	0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
UST		0.250	8	10	NR	NR	NR	18

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
AST		0.250	7	39	NR	NR	NR	46
CBS AST		0.250	0	0	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
CBS		0.250	0	0	NR	NR	NR	0
MOSF		0.500	0	0	0	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
FEMA UST		0.250	0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
RES DECL		0.125	0	NR	NR	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
VCP		0.500	0	0	0	NR	NR	0
INDIAN VCP		0.500	0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
ERP		0.500	0	0	0	NR	NR	0
BROWNFIELDS		0.500	0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
ODI		0.500	0	0	0	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US CDL	TP		NR	NR	NR	NR	NR	0
DEL SHWS		1.000	0	0	0	1	NR	1
US HIST CDL	TP		NR	NR	NR	NR	NR	0
<i>Local Lists of Registered Storage Tanks</i>								
HIST UST		0.250	4	10	NR	NR	NR	14
HIST AST	TP		NR	NR	NR	NR	NR	0
<i>Local Land Records</i>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LUCIS		0.500	0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Records of Emergency Release Reports								
HMIRS		TP	NR	NR	NR	NR	NR	0
NY Spills		0.125	27	NR	NR	NR	NR	27
NY Hist Spills		0.125	14	NR	NR	NR	NR	14
Other Ascertainable Records								
RCRA-NonGen		0.250	8	15	NR	NR	NR	23
DOT OPS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	0	NR	0
ROD		1.000	0	0	0	0	NR	0
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
HSWDS		0.500	0	0	0	NR	NR	0
MANIFEST		0.250	15	22	NR	NR	NR	37
DRYCLEANERS		0.250	1	9	NR	NR	NR	10
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
E DESIGNATION	X	0.125	35	NR	NR	NR	NR	35
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0
FINANCIAL ASSURANCE		TP	NR	NR	NR	NR	NR	0
COAL ASH		0.500	0	0	0	NR	NR	0

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants		1.000	0	0	0	8	NR	8
-------------------------	--	-------	---	---	---	---	----	---

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

A1 **LOT 1,TAXBLOCK 2399**
Target **442 GRAND STREET**
Property **BROOKLYN, NY 11211**

E DESIGNATION **S108076152**
 N/A

Site 1 of 2 in cluster A

Actual:
17 ft.

E DESIGNATION:
 Tax Lot(s): 1
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3006
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G4
 Land Use Category: 07
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: KEAP GRAND LLC
 Lot Area: 000018250
 Total Building Floor Area: 00000001667
 Commercial Floor Area: 00000001667
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000001667
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0150.00
 Lot Depth: 0154.00
 Building Frontage: 0057.33
 Building Depth: 0029.00
 Proximity Code: 0
 Irregular Lot Code: Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 1, TAXBLOCK 2399 (Continued)

S108076152

Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000123300
 Total Assessed Value: 00000163800
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1960
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.09
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023990001
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997238
 Y Coordinate: 0198311
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

A2
ENE
< 1/8
0.002 mi.
10 ft.

VACANT LOT
441 GRAND STREET
BROOKLYN, NY
Site 2 of 2 in cluster A

NY Spills S108637362
N/A

Relative:
Equal

NY Spills:
 Site ID: 381745
 Facility Addr2: ALT. ADD.: 414-422 KEAP STREET
 Facility ID: 0702096
 Spill Number: 0702096
 Facility Type: ER
 SWIS: 2401
 Investigator: hrpatel
 Referred To: Not reported
 Spill Date: 5/21/2007
 Reported to Dept: 5/21/2007
 CID: 12
 Spill Cause: Other
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False

Actual:
17 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

S108637362

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/21/2007
Remediation Phase: 0
Date Entered In Computer: 5/21/2007
Spill Record Last Update: 8/21/2007
Spiller Name: Not reported
Spiller Company: VACANT LOT
Spiller Address: 441 GRAND STREET
Spiller City,St,Zip: BROOKLYN, NY 999
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 331140
DEC Memo: Sangesland called Eva at HydroTech to ask for the property owner's name & mailing address. Once we get this address, a CSL letter will need to be sent. Mark Weiss Vintage Builders 5417 18th Avenue Brooklyn, NY 11204 Ph. (718) 232-9101 (O) (917) 553-5004 (C) FAX (718) 232-5603 05/25/07-Hiralkumar Patel. spoke with Eva at Hydrotech. asked her to send analytical data. 05/29/07-Hiralkumar Patel. received report from Eva. abstract: - hydrotech performed Phase I investigation during May 2006 - Phase I revealed the historical utilization of the site as an auto repair facility that contained a gasoline UST - depth to groundwater in the vicinity of the site is approx. 20 ft bg - regional groundwater flow direction in the vicinity of the site is toward the west, in the direction of the East river - installed three soil probes (B-1 to B-3) to depth of 16 ft bg - one groundwater probe (GW-1) was installed in the western portion of the site in the same location as B-2. groundwater was encountered at approx. 16 ft bg - found 1,1,2,2-Tetrachlorethane in sample B-2 (680 ppb, limit: 600 ppb) - found groundwater contaminated -----GW-1 Xylene-----307 1,3,5 Trimethylbenzene----218 1,2,4 Trimethylbenzene----938 Naphthalene-----215 spoke with Mr. Weiss. he is planning to build apartment building at site. and building foundation depth will be 8 ft bg. Eva E. Jakubowska Ph. (718) 636-0800 (O) (631) 457-0419 (C) Fax (718) 636-0900 e-mail: ejakubowska@hydrotechenvironmental.com sent letter to Mr. Weiss requiring Phase I, soil/groundwater delineation via monitoring wells, site specific groundwater flow direction, endpoint samples and vapor barrier. letter faxed to Mr. Weiss. letter emailed to Eva. 05/31/07-Hiralkumar Patel. received email from Eva containing written part of Phase I (without any database search results). abstract: - vicinity of site consists of primarily of residential and commercial properties - according to site representative, the property was formerly developed with a one-story warehouse type building that was reportedly demolished in Jan. 2006. - adjacent site to the south: 442 Grand Street, a Shell gas station - adjacent site to the West: 437 Grand Street, observed five vent pipes - from Sanborn maps of 1916-1942: northwest adjacent Brooklyn Coal Company has been replaced with parking garage. one gasoline tank is noted on property <----- - from Sanborn maps of 1951-1965: site appears to be partially developed with a one-story store and an auto repair facility in rear portion of the site. one

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

S108637362

gasoline tank is depicted within the auto repair portion of the site.
<----- 437 Grand Street: alternate address- 433-439 Grand Street, 425 Keap Street. from PBS records, found PBS registration at 435 Grand Ave (PBS #: 2-601892). site has 7500 gal #2 oil tank aboveground in contact with soil. 442 Grand Street: alternate addresses- 351 South 1st street, 398-412 Keap Street, 175-189 Ext. Grand street. found PBS registration at 351 South 1st Street (PBS #: 2-191027). site has three 4,000 gal gasoline USTs. all three tanks were tested 05/06 and passed. 07/10/07-Hiralkumar Patel. received fax from Ms. Sebbo from hydrotech requiring sidewalk permit letter. fax also contains proposed monitoring well locations. based on site map, proposed locations looks in straight line, which is not sufficient to predict groundwater flow direction. Jessie Sebbo Hydro Tech PH. (631) 457-0523 (C) email: jsebbo@hydrotechenvironmental.com 07/12/07-Hiralkumar Patel. left message for Ms. Sebbo about proposed monitoring well locations. received call from Ms. Sebbo. asked her to resent previous investigation report. sent her fax with changes in proposed monitoring well locations. Hydro tech proposed two wells on Keap street and one on Grand street, but these wells were almost in straight line and were not covering contaminated spot (previous soil boring B-2). asked Ms. Sebbo to install one monitoring well in area between previous boring locations B-2 and B-3 and to move proposed well location MW-1 towards northeast along Keap street (same sidewalk and close to site at 426 Keap Street). sent sidewalk permit request letter also in fax. spoke with Mr. Weiss. asked him to not do any construction at site prior to complete delineation. he mentioned that site currently has stop work order from NYC DOB. 07/13/07-Hiralkumar Patel. received call from Ms. Sebbo regarding monitoring well locations. she mentioned that site is under construction and has been excavated so not possible to install any monitoring well inside site. so now Ms. Sebbo will install wells at following locations: 1. two wells along Keap street on east sidewalk (one close to corner of Keap street and Grand street and another will be at point close to foundation wall between subject site and 426 Keap Street) 2. one well along Grand street on north sidewalk, at point along foundation line between properties 445 Grand street and 449 Grand street. sent updated sidewalk permit request letter to Ms. Sebbo. 08/14/07-Hiralkumar Patel. received message from MR. Weiss (on 08/02/07). received groundwater investigation report from Hydrotech. abstract: - three monitoring wells were installed (two on sidewalk along keap street and one on sidewalk along grand street) - depth to water beneath the site is 10 ft bg - groundwater flow direction beneath the site towards the west - found groundwater contamination in monitoring well # 1 (which is close to previous boring location GW-1) -----MW-1 Ethylbenzene-----82 Xylene-----360 1,2,4-Trimethylbenzene----420 08/21/07-Hiralkumar Patel. discussed with DEC Austin. he asked to visit site to see any odors from site or sheen on any water inside excavation area. visited site. no odors at site. looked through security fence, no oil sheen observed on water that was collected from rain (rain was continue). as per Austin, in absence of odors or sheen/product on water in excavation, case closed. spoke with Mr. Weiss. asked him to install vapor barrier during construction. sent NFA to Mr. Weiss. letter faxed to Mr. Weiss and Ms. Sebbo. DURING SOIL TESTING FOUND CONTAMINATED SOIL & GROUNDWATER

Remarks:
Material:
Site ID:

381745

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

S108637362

Operable Unit ID: 1139180
Operable Unit: 01
Material ID: 2129191
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

B3
NNE
< 1/8
0.025 mi.
133 ft.

LOT 14,TAXBLOCK 2386
429 KEAP STREET
BROOKLYN, NY 11211
Site 1 of 3 in cluster B

E DESIGNATION S108469800
N/A

Relative:
Lower

E DESIGNATION:

Tax Lot(s): 14
E-No: E-138
Effective Date: 5/11/2005
Satisfaction Date: Not reported
Ceqr Number: 04DCP003K
Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK

Actual:
15 ft.

Zoning Map No: 12c, 12d, 13a, 13b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 3004
School District: 14
City Council District: 34
Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 14,TAXBLOCK 2386 (Continued)

S108469800

All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: E9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: HOPE STREET ASSOCIATE
Lot Area: 000004800
Total Building Floor Area: 00000004800
Commercial Floor Area: 00000004800
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000004800
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0048.00
Lot Depth: 0100.00
Building Frontage: 0048.00
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000028260
Total Assessed Value: 00000067950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023860014
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997251
Y Coordinate: 0198651
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 14,TAXBLOCK 2386 (Continued)

S108469800

Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

4
WNW
< 1/8
0.030 mi.
157 ft.

DRUM RUN
423 GRAND STREET
BROOKLYN, NY

NY Spills S106867271
N/A

Relative:
Lower

NY Spills:

Site ID: 338987
Facility Addr2: Not reported
Facility ID: 0413138
Spill Number: 0413138
Facility Type: ER
SWIS: 2401
Investigator: SFRAHMAN
Referred To: Not reported
Spill Date: 3/17/2005
Reported to Dept: 3/17/2005
CID: 12
Spill Cause: Abandoned Drums
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
16 ft.

Spill Closed Dt: 4/22/2005
Remediation Phase: 0
Date Entered In Computer: 3/17/2005
Spill Record Last Update: 4/22/2005
Spiller Name: NYCDEP
Spiller Company: ON STREET
Spiller Address: 423 GRAND STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: NYCDEP
Contact Phone: (718) 595-4653
DEC Region: 2
DER Facility ID: 285605
DEC Memo: Sangesland spoke to Elie St Jean of city DEP. He says 4 small containers adding up to 13 gallons of waste oil were found on the street. The Fire Dept. loaded these small containers into 1 drum which is on the sidewalk in front of 423 Grand St. 04/22/05-SR// Drum emptied 04/21/05- Ref spill# 9930008 & PIN #01036

Remarks: 4 CONTAINERS AT THIS SITE WERE LEFT THERE ILLEGALLY NEED TO BE PICKED UP:

Material:

Site ID: 338987
Operable Unit ID: 1100906

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DRUM RUN (Continued)

S106867271

Operable Unit: 01
 Material ID: 581037
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 13
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

B5
NNE
< 1/8
0.037 mi.
194 ft.

LOT 2,TAXBLOCK 2387
426 KEAP STREET
BROOKLYN, NY 11211
Site 2 of 3 in cluster B

E DESIGNATION S109318054
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 2
 E-No: E-138
Actual: Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3005
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 2,TAXBLOCK 2387 (Continued)

S109318054

All Components2: Not reported
Split Boundary Indicator: N
Building Class: F9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: FIRST STEP REALTY
Lot Area: 000007125
Total Building Floor Area: 00000011800
Commercial Floor Area: 00000011800
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000011800
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0071.25
Lot Depth: 0100.00
Building Frontage: 0023.75
Building Depth: 0025.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000042300
Total Assessed Value: 00000117900
Land Exempt Value: 00000000000
Total Exempt Value: 00000036400
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.66
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023870002
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997400
Y Coordinate: 0198602
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 2, TAXBLOCK 2387 (Continued)

S109318054

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

C6
SSW
< 1/8
0.039 mi.
205 ft.

MOTIVA ENTERPRISES, LLC #138604
351 SOUTH 1ST STREET
BROOKLYN, NY 11211

UST U004076919
N/A

Site 1 of 8 in cluster C

Relative:
Higher

UST:

Actual:
18 ft.

Facility Id: 2-191027
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 588430.89868999994
UTM Y: 4507169.4286200004
Site ID: 5931

Tank Number: 001
Tank ID: 7366
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1970
Capacity Gallons: 4000
Tightness Test Method: 21
Next Test Date: Not reported
Date Tank Closed: 5/6/2008
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 5/23/2006
Register: True
Modified By: NRLOMBAR
Last Modified: 5/21/2008

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
F02 - Pipe External Protection - Original Sacrificial Anode
C02 - Pipe Location - Underground/On-ground
B02 - Tank External Protection - Original Sacrificial Anode
H05 - Tank Leak Detection - In-Tank System (ATG)
K01 - Spill Prevention - Catch Basin
I03 - Overfill - Automatic Shut-Off
E00 - Piping Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
A01 - Tank Internal Protection - Epoxy Liner
G00 - Tank Secondary Containment - None
J01 - Dispenser - Submersible

Tank Number: 002
Tank ID: 7367
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOTIVA ENTERPRISES, LLC #138604 (Continued)

U004076919

Install Date: 12/1/1974
Capacity Gallons: 4000
Tightness Test Method: 21
Next Test Date: Not reported
Date Tank Closed: 5/6/2008
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 5/23/2006
Register: True
Modified By: NRLOMBAR
Last Modified: 5/21/2008

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
H05 - Tank Leak Detection - In-Tank System (ATG)
J01 - Dispenser - Submersible
E00 - Piping Secondary Containment - None
I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
F02 - Pipe External Protection - Original Sacrificial Anode
A01 - Tank Internal Protection - Epoxy Liner
C02 - Pipe Location - Underground/On-ground
B02 - Tank External Protection - Original Sacrificial Anode
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel

Tank Number: 003
Tank ID: 7368
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1974
Capacity Gallons: 4000
Tightness Test Method: 21
Next Test Date: Not reported
Date Tank Closed: 5/6/2008
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 5/23/2006
Register: True
Modified By: NRLOMBAR
Last Modified: 5/21/2008

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
F02 - Pipe External Protection - Original Sacrificial Anode
H05 - Tank Leak Detection - In-Tank System (ATG)
C02 - Pipe Location - Underground/On-ground
B02 - Tank External Protection - Original Sacrificial Anode
I03 - Overfill - Automatic Shut-Off
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
J01 - Dispenser - Submersible
E00 - Piping Secondary Containment - None
K01 - Spill Prevention - Catch Basin
A01 - Tank Internal Protection - Epoxy Liner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOTIVA ENTERPRISES, LLC #138604 (Continued)

U004076919

Tank Number: 004
Tank ID: 7369
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1969
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/19/2004
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 10/14/2004

Equipment Records:

B00 - Tank External Protection - None
I00 - Overfill - None
C02 - Pipe Location - Underground/On-ground
A00 - Tank Internal Protection - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None

Affiliation Records:

Site Id: 5931
Affiliation Type: Mail Contact
Company Name: MOTIVA ENTERPRISES LLC % GILBARCO VEEDER-ROOT INC.
Contact Type: Not reported
Contact Name: CMS MAILSTOP F-76
Address1: 7300 W. FRIENDLY AVE.
Address2: P.O. BOX 22087
City: GREENSBORO
State: NC
Zip Code: 27420
Country Code: 001
Phone: (800) 253-8054
Phone Ext: Not reported
Email: MOTIVA@GILBARCO.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/21/2008

Site Id: 5931
Affiliation Type: Owner
Company Name: MOTIVA ENTERPRISES, LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 12700 NORTHBOROUGH DR.
Address2: Not reported
City: HOUSTON
State: TX
Zip Code: 77067
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOTIVA ENTERPRISES, LLC #138604 (Continued)

U004076919

Phone: (713) 277-8000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 4/1/2010

Site Id: 5931
Affiliation Type: Emergency Contact
Company Name: MOTIVA ENTERPRISES, LLC
Contact Type: Not reported
Contact Name: ENVIRONMENTAL HELP DESK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (800) 997-7725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: bkfalvey
Date Last Modified: 8/31/2009

Site Id: 5931
Affiliation Type: On-Site Operator
Company Name: MOTIVA ENTERPRISES, LLC #138604
Contact Type: Not reported
Contact Name: STATION MANAGER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 302-4896
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/21/2008

C7
SSW
< 1/8
0.039 mi.
205 ft.

MOTIVA ENTERPRISES, LLC #138604
351 SOUTH 1ST STREET
BROOKLYN, NY 11211

AST A100300673
N/A

Site 2 of 8 in cluster C

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-191027
Program Type: PBS
UTM X: 588430.89868999994
UTM Y: 4507169.4286200004
Expiration Date: N/A

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOTIVA ENTERPRISES, LLC #138604 (Continued)

A100300673

Tank Number: 005
Tank Id: 57783
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/1/1997
Capacity Gallons: 240
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 5/6/2008
Register: True
Modified By: NRLOMBAR
Last Modified: 5/21/2008

Equipment Records:

G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
H02 - Tank Leak Detection - Interstitial - Manual Monitoring
L00 - Piping Leak Detection - None
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
D00 - Pipe Type - No Piping
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
J00 - Dispenser - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None

Affiliation Records:

Site Id: 5931
Affiliation Type: Mail Contact
Company Name: MOTIVA ENTERPRISES LLC % GILBARCO VEEDER-ROOT INC.
Contact Type: Not reported
Contact Name: CMS MAILSTOP F-76
Address1: 7300 W. FRIENDLY AVE.
Address2: P.O. BOX 22087
City: GREENSBORO
State: NC
Zip Code: 27420
Country Code: 001
Phone: (800) 253-8054
Phone Ext: Not reported
Email: MOTIVA@GILBARCO.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/21/2008

Site Id: 5931
Affiliation Type: Owner
Company Name: MOTIVA ENTERPRISES, LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 12700 NORTHBOROUGH DR.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOTIVA ENTERPRISES, LLC #138604 (Continued)

A100300673

Address2: Not reported
City: HOUSTON
State: TX
Zip Code: 77067
Country Code: 001
Phone: (713) 277-8000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 4/1/2010

Site Id: 5931
Affiliation Type: Emergency Contact
Company Name: MOTIVA ENTERPRISES, LLC
Contact Type: Not reported
Contact Name: ENVIRONMENTAL HELP DESK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (800) 997-7725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: bkfalvey
Date Last Modified: 8/31/2009

Site Id: 5931
Affiliation Type: On-Site Operator
Company Name: MOTIVA ENTERPRISES, LLC #138604
Contact Type: Not reported
Contact Name: STATION MANAGER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 302-4896
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/21/2008

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

C8
SSW
 < 1/8
 0.039 mi.
 205 ft.

SOUTH 1ST AUTO CARE
351 SOUTH 1ST ST
BKLYN, NY 11211
Site 3 of 8 in cluster C

HIST UST **U000396422**
HIST AST **N/A**

Relative:
Higher

HIST UST:

Actual:
18 ft.

PBS Number: 2-191027
 SPDES Number: Not reported
 Emergency Contact: CHEM TREC
 Emergency Telephone: (800) 424-9300
 Operator: SERGIO SCALZO
 Operator Telephone: (718) 384-1382
 Owner Name: MOTIVA ENTERPRISES, LLC
 Owner Address: 1100 LOUISIANA ST., SUITE 200
 Owner City,St,Zip: HOUSTON, TX 77002
 Owner Telephone: (713) 277-8000
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: MOTIVA ENTERPRISES, LLC.
 Mailing Address: 3 EDGEWATER DR., SUITE 202
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NORWOOD, MA 02062
 Mailing Contact: JENNIFER VARNERIN
 Mailing Telephone: (781) 551-5409
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 351 SOUTH 1ST ST
 SWIS ID: 6101
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/29/2000
 Expiration Date: 04/26/2004
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 12790
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City: 01
 Region: 2
 Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: 19701201
 Capacity (gals): 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 1ST AUTO CARE (Continued)

U000396422

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Epoxy Liner
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: Sacrificial Anode
Second Containment: None
Leak Detection: In-tank System
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Suction
Date Tested: 05/01/1998
Next Test Date: 05/01/2003
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Proeco Sewer Test or U2 Ullage
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19741201
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Epoxy Liner
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: Sacrificial Anode
Second Containment: None
Leak Detection: In-tank System
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Suction
Date Tested: 05/01/1998
Next Test Date: 05/01/2003
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Proeco Sewer Test or U2 Ullage
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19741201
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Epoxy Liner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 1ST AUTO CARE (Continued)

U000396422

Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: Sacrificial Anode
Second Containment: None
Leak Detection: In-tank System
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Suction
Date Tested: 05/01/1998
Next Test Date: 05/01/2003
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Proeco Sewer Test or U2 Ullage
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19691201
Capacity (gals): 550
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

HIST AST:

PBS Number: 2-191027
SWIS Code: 6101
Operator: SERGIO SCALZO
Facility Phone: (718) 384-1382
Facility Addr2: 351 SOUTH 1ST ST
Facility Type: RETAIL GASOLINE SALES
Emergency: CHEM TREC
Emergency Tel: (800) 424-9300
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 1ST AUTO CARE (Continued)

U000396422

Result of Inspection: Not reported
Owner Name: MOTIVA ENTERPRISES, LLC
Owner Address: 1100 LOUISIANA ST., SUITE 200
Owner City,St,Zip: HOUSTON, TX 77002
Federal ID: Not reported
Owner Tel: (713) 277-8000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: JENNIFER VARNERIN
Mailing Name: MOTIVA ENTERPRISES, LLC.
Mailing Address: 3 EDGEWATER DR., SUITE 202
Mailing Address 2: Not reported
Mailing City,St,Zip: NORWOOD, MA 02062
Mailing Telephone: (781) 551-5409
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/29/2000
Expiration: 04/26/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 12790
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 005
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 240
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 00
Pipe Location: Aboveground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: 00
Tank Containment: Vault (w/access)
Leak Detection: 00
Overfill Protection: 34
Dispenser Method: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SOUTH 1ST AUTO CARE (Continued)

U000396422

Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**C9
 SSW
 < 1/8
 0.039 mi.
 205 ft.**

**SHELL STATION
 351 SOUTH 1ST STREET
 BROOKLYN, NY**

**NY Spills S109059795
 N/A**

Site 4 of 8 in cluster C

**Relative:
 Higher**

NY Spills:

**Actual:
 18 ft.**

Site ID: 393866
 Facility Addr2: Not reported
 Facility ID: 0712272
 Spill Number: 0712272
 Facility Type: ER
 SWIS: 2401
 Investigator: SFRAHMAN
 Referred To: Not reported
 Spill Date: 2/21/2008
 Reported to Dept: 2/21/2008
 CID: 12
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/19/2010
 Remediation Phase: 0
 Date Entered In Computer: 2/21/2008
 Spill Record Last Update: 7/19/2010
 Spiller Name: JOE RENNIE
 Spiller Company: SHELL STATION
 Spiller Address: 351 SOUTH 1ST STREET
 Spiller City,St,Zip: BROOKLYN, NY
 Spiller Company: 001
 Contact Name: JOE RENNIE
 Contact Phone: (631) 753-8380
 DEC Region: 2
 DER Facility ID: 343445
 DEC Memo: 2/21/08 - Raphael Ketani. I tried to contact the person who had called in the spill, Joseph Rennie of Sovereign Consulting (631) 753-8380, but I could only leave a message. I sent a CSL to the owners, as per ACRIS. They are: KEAP Grand, LLC, 221 Beach 137 Street, Belle Harbor, NY, 11694. 2/25/08 - Raphael Ketani. Mr. Rennie called me back. He said that Shell is divesting from the site and will be out by the end of April. Sovereign did 6 borings. They hit refusal on one. Mr. Rennie thinks that there is a large tank at this location. He said he believes that Shell had replaced the 550s and had installed 3 4000 gal. tanks. Sovereign did 2 borings next to the tanks. There were no PID detections. Then they did 2 borings east of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL STATION (Continued)

S109059795

the pump islands and had PID detections. These detections were at the 13' level. Mr. Rennie said that he will send a report to Mr. Rahman, the case manager. 03/17/08 Rec'd letter from Rosenbloom & Hofflich,LLP; attorney for Keap Grand LLC, who was sent the DEC correspondence. The letter suggested to contact Shell Oil Company as the responsible party for the oil spill. DEC letter was also forwarded to Shell by Rosenbloom & Hofflich,LLP.(sr) 03/18/08 Report from Sovereign Consulting Inc. Six soil borings were completed on the property on 02/2008 to evaluate soil and ground water conditions. Minor exceedances of Ethylbenzene/Xylenes in one of the borings(B-4). GW sample was taken from B-3; voc/svoc non detect. Sovereign Consulting recommended for soil excavation when tanks and piping will be removed in May '08. GW sample from B-4 area with determination of flow direction will be needed to consider spill closure. GW sample can be taken from existing Monitoring Wells.(sr) 07/14/08 Rec'd Tank Closure and Soil/Ground water report from Sovereign Consulting, Inc. The three 4,000 gallon single wall steel fiberglass lined gasoline USTs were removed and disposed of. All tanks were noted to be in good condition with no visible holes. A total of 11 post excavation end point samples were collected from the bottom and sidewalls. No VOCs were detected above TAGM in any of the bottom or sidewall samples. Two product dispenser were removed along with product piping and the impacted soil was removed followed by 10 post excavation soil samples collection. There were minor exceedances of VOC/SVOCs in the samples from dispenser island. Two end point samples were taken from the piping run of which no vocs were detected and one minor svoc was detected. Ground water samples from the tank and dispenser field have some minor VOCs exceedances. Sovereign Consulting proposed to install three additional monitoring wells (figure attached) to further delineate and monitor the hydrocarbons. The six existing monitoring wells, MW-1 through MW-6 were sampled, no VOCs were detected in any water samples from the wells. (sr) 06/04/09 Rec'd quarterly GW monitoring report dated June 02, 09. Total nine wells were sampled on May 8, 2009. Total BTEX ranged from 6.00 to 1,545.7 ppb. Depth to ground water 7.5 to 13.46 ft. One school is located 700 ft SW of the site. Ground water monitoring and sampling will be continued. (sr) 10/14/09 Rec'd quarterly report. Nine wells were sampled on August 25, 09. BTEX ranged from 6.0 to 2,223.8 ppb. Next sampling 11/2009. (sr) 12/29/09 Rec'd quarterly status report. Nine MWs were sampled on November 16, 2009. BTEX ranged from <6.0 to 2076.65 ppb. Ground Water flow direction South West. (sr) 04/23/10 Quarterly report dated 04/11/10. Sampling date 02/25/10. Seven monitoring wells sampled. Total BTEX <6.00 ppm to 409.48 ppm. EFR was performed on 01/22/10 and approx. 2300 gallon of ground water was extracted. MW-4 was not accessible during the sampling event. Next EFR in April 2010 and sampling in May 2010. (sr) 07/19/20 Rec'd closure report. Sovereign conducted second of two EFR event in April- May 2010. Approx. 2400 gallon of contaminated water was removed from MW-6 and MW-7. MW-5 were destroyed. Samples were taken on May 4, 2010. Seven wells were sampled. Total BTEX <6.00 ppb to 601.5 ppb. MTBE <5.00 ppb. Benzene, Toluene below TAGM. Sovereign requested for NFA as the conc of BTEX decreased, the site no longer operating as service station and the source has been removed. Report in edocs. (sr)

Remarks: SOIL CLASSIFICATIONS SHOWED SOME CONTAMINATED SOIL;
Material:
Site ID: 393866
Operable Unit ID: 1150817

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SHELL STATION (Continued)

S109059795

Operable Unit: 01
 Material ID: 2141458
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

C10
SSW
 < 1/8
 0.039 mi.
 205 ft.

SHELL OIL-DUARTE SERV STA INC
351 SOUTH 1ST
BROOKLYN, NY 11211
 Site 5 of 8 in cluster C

RCRA-NonGen 1000694485
FINDS NYD987008133
MANIFEST

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
 Facility name: SHELL OIL CO
 Facility address: 351 S 1ST ST
 BROOKLYN, NY 112114605
 EPA ID: NYD987008133
 Mailing address: JERICO PLZ
 JERICO, NY 11753
 Contact: Not reported
 Contact address: JERICO PLZ
 JERICO, NY 11753
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
18 ft.

Owner/Operator Summary:

Owner/operator name: UNITED ARTISTS COMMUNITY
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, NY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL OIL-DUARTE SERV STA INC (Continued)

1000694485

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: UNITED ARTISTS COMMUNITY
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999

Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SHELL OIL CO
Classification: Not a generator, verified

Date form received by agency: 06/11/2002
Facility name: SHELL OIL CO
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: SHELL OIL CO
Classification: Not a generator, verified

Date form received by agency: 07/13/1992
Facility name: SHELL OIL CO
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001572986

Environmental Interest/Information System
AFS (Aerometric Information Retrieval System (AIRS) Facility

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL OIL-DUARTE SERV STA INC (Continued)

1000694485

Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD987008133
Country: USA
Mailing Name: SHELL OIL CO
Mailing Contact: STEPHANIE RICE
Mailing Address: P.O. BOX 4540
Mailing Address 2: Not reported
Mailing City: HOUSTON
Mailing State: TX
Mailing Zip: 77210
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 713-241-2258

Document ID: ARA8235780
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: PC0902H20
Trans2 State ID: Not reported
Generator Ship Date: 961122
Trans1 Recv Date: 961122
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961203
Part A Recv Date: Not reported
Part B Recv Date: 961224
Generator EPA ID: NYD987008133
Trans1 EPA ID: OHD009865825
Trans2 EPA ID: Not reported
TSDf ID: ARD069748192
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00501
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SHELL OIL-DUARTE SERV STA INC (Continued)

1000694485

Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: ARA9257480
Manifest Status: Not reported
Trans1 State ID: OHD009865825
Trans2 State ID: Not reported
Generator Ship Date: 06/24/1998
Trans1 Recv Date: 06/24/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/24/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987008133
Trans1 EPA ID: ARD069748192
Trans2 EPA ID: Not reported
TSD ID: 0902H205
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01412
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

C11 **351 SOUTH 1ST STREET**
SSW **351 SOUTH 1ST STREET**
< 1/8 **BROOKLYN, NY**
0.039 mi.
205 ft. **Site 6 of 8 in cluster C**

NY Spills **S103569906**
NY Hist Spills **N/A**

Relative:
Higher

NY Spills:

Actual:
18 ft.

Site ID: 252106
Facility Addr2: 351 SOUTH FIRST STREET
Facility ID: 9608624
Spill Number: 9608624
Facility Type: ER
SWIS: 2401
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 10/10/1996
Reported to Dept: 10/10/1996
CID: 12
Spill Cause: Other
Water Affected: Not reported
Spill Source: Gasoline Station
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/11/2002
Remediation Phase: 0
Date Entered In Computer: 10/10/1996
Spill Record Last Update: 7/11/2002
Spiller Name: DAVE MCNEIL
Spiller Company: SHELL OIL COMPANY
Spiller Address: 30 JERICHO TURNPIKE
Spiller City,St,Zip: JERICHO, NY
Spiller Company: 001
Contact Name: BROOKS PERLEE
Contact Phone: (516) 365-2489
DEC Region: 2
DER Facility ID: 206585
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" 4/4/97 mmm:DEC REC'VD REPORT STATING TANK REMOVED 10/16/96 ALONG WITH 15 YD3 OF CONT. SOIL. ENDPOINT SAMPLES HAVE HIGH VOL'S & SEMI-VOLS. REC'D GEOPROBE INVESTIGATION. 7/11/2002 - Status - No Further Action "contamination is not significant" - six water samples taken in 1997 all were below 10 ppb of MTBE

Remarks: caller found contaminated soil while uncovering a tank

Material:

Site ID: 252106
Operable Unit ID: 1039839
Operable Unit: 01
Material ID: 344355
Material Code: 0022
Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

351 SOUTH 1ST STREET (Continued)

S103569906

Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9608624
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/10/1996 00:00
Reported to Dept Date/Time: 10/10/96 12:51
SWIS: 61
Spiller Name: SHELL OIL COMPANY
Spiller Contact: DAVE MCNEIL
Spiller Phone: (516) 365-7240
Spiller Contact: BROOKS PERLEE
Spiller Phone: (516) 365-2489
Spiller Address: 30 JERICHO TURNPIKE
Spiller City,St,Zip: JERICHO, NY
Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 05
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

351 SOUTH 1ST STREET (Continued)

S103569906

Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/10/96
Date Spill Entered In Computer Data File: Not reported
Update Date: 01/06/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: WASTE OIL
Class Type: WASTE OIL
Times Material Entry In File: 9509
CAS Number: Not reported
Last Date: 19940927
DEC Remarks: 4/4/97 mmm:DEC REC VD REPORT STATING TANK REMOVED 10/16/96 ALONG WITH 15 YD3 OF CONT. SOIL. ENDPOINT SAMPLES HAVE HIGH VOL S SEMI-VOLS. REC D GEOPROBE INVESTIGATION.

Remark: caller found contaminated soil while uncovering a tank

C12
SW
< 1/8
0.041 mi.
217 ft.

**REPAIR SHOP
341 SOUTH 1ST STREET
BROOKLYN, NY**

**NY Spills S108295603
N/A**

Site 7 of 8 in cluster C

**Relative:
Equal**

NY Spills:

Site ID: 372827
Facility Addr2: Not reported
Facility ID: 0608796
Spill Number: 0608796
Facility Type: ER
SWIS: 2401
Investigator: rvketani
Referred To: Not reported
Spill Date: 10/31/2006
Reported to Dept: 10/31/2006
CID: 12
Spill Cause: Other
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

**Actual:
17 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

REPAIR SHOP (Continued)

S108295603

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/30/2006
Remediation Phase: 0
Date Entered In Computer: 10/31/2006
Spill Record Last Update: 4/17/2007
Spiller Name: REAL ESTATE- MARK LIVERY
Spiller Company: REPAIR SHOP
Spiller Address: 341 SOUTH 1ST STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: REAL ESTATE- MARK LIVERY
Contact Phone: (718) 238-8999
DEC Region: 2
DER Facility ID: 322555
DEC Memo: Sangesland left a message with Mr. Baral's office (environmental consultant) requesting the name and address for the property owner - need to send CSL 11/16 Paul Stewart called and spoke to Sangesland. Stewart works for the current owner of the site. He says the caller of this spill works for a potential purchaser and did a phase 2 on the site. Their investigation found a problem with lead and one of the SVOC's. The owner then hired Paul Stewart to replicate the Phase 2 investigation with new borings and lab samples. These samples came back below TAGM levels. Sangesland told Paul Stewart to submit both sets of data along with a letter outlining who the various players are in this property and either request closure based on Stewart's results or identify what remedial work will be done to close the case out. 11/30/06 - Raphael Ketani. The contamination was found on 10/31/06 and listed motor oil as the contaminant. Mark Lively, real estate agent for Massey & Knakal (718) 238-8999, was the seller. Several PAHs and a metal were found in the soil. I reviewed the 11/13/06 Phase II Environmental Site Assessment report (EASR) submitted by Mr. Stewart of Advanced Cleanup Technologies, Inc. [ACT;(631) 293-4992, ext.12]. There were very low level hits (below TAGM) for toluene, and consistent hits for methylene chloride and acetone in the soil samples. There were also several low level hits for PAHs. The one groundwater sample from TW-05 had low level hits of acetone and toluene and tetrachloroethene. The RCRA metals showed high exceedences at many boring sites. In all instances, the acetone and methylene chloride hits are artifacts of laboratory cleaning of the bottles and testing equipment. The low level PAHs are typical combustion products and not representative of oil contamination. Regarding the groundwater, the low level hits suggest that the contaminants probably didn't originate from being dumped at the site, but are part of the general groundwater contamination. The metals are the only reason to remove the soil. The 9/25/06 Phase II report from Lawrence Environmental Group, LLC contained tables which showed consist 2-butanone exceedences that were at the same level of concentration in all of the soil samples. There was also one hit each of toluene and tetrachloroethene at a very low level. Several PAHs had low level exceedences and the RCRA metals had high exceedences. As the 2-butanone hits are present in each samples and at the same level for all of the soil samples, it suggests that contaminated sampling tools were used or there was laboratory contamination. The low level PAH exceedences suggest, again, that they represent combustion products, not oil contamination. Also, this report indicates that the soil needs to be removed due to high metals concentrations. Based upon the entire 11/13/06 EASR submitted by ACT,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

REPAIR SHOP (Continued)

S108295603

I am closing the spill case. There doesn't appear to be any oil contamination. I will send Mr. Stewart a spills NFA letter as he requested, but I will stipulate that the soil and fill need to be excavated as there are RCRA metals exceedences. I sent the letter. 12/11/06 - Raphael Ketani. Will Ryman called today. He said he was the prospective buyer of the property. He asked whether the metals contamination had to be removed even though he is not developing the property. He said that he will just replace the roof and the floor. I told him that the high metals concentrations have been made known to DEC and that we can't ignore the contamination. I told him the contaminated soil has to be removed at some time. He said that he understood. Mr. Ryman called back with Paul Stewart of Advanced Cleanup Technologies on the line. Mr. Stewart asked why the DEC put the metals stipulation in the NFA letter. I told him that the DEC was made aware of the contamination, that we can't ignore it and that it has to be cleaned up. Mr. Stewart said that all Mr. Ryman wants to do is to replace the roof and the floor and then use the building for the near future. I told him that if rain water is allowed to pass through the floor or through a hole in the floor, then the metals will eventually be washed down to the water table and will contaminate it. Mr. Stewart stated that Mr. Ryman will repair the roof first and then the floor. I told him that would be protective for the immediate future, but, eventually, the metals will have to be cleaned up. Mr. Stewart said that the site will eventually be dug up and the soil removed. He added that manifests would be provided and a cleanup report. I told him that would be fine. Mr. Stewart asked whether NYC DEP was aware of the metals contamination. I told him I didn't know, but that they will probably get involved once he applies for a permit for construction and development to other city agencies. With that the conversation ended. 1/16/07 - Raphael Ketani. Mr. O'Connor called me at 4:30PM today. He is an architect who is working with Mr. Ryman. Mr. O'Connor is with Daniel O'Connor Architects (212) 685-0472. He wanted to know whether the metals contaminated soil could be left in place indefinitely. I told him "No." I told him that sometime in the near future, the soil has to be cleaned up in the hotspots. He asked if the roof is repaired, then can he avoid digging up the ground below the concrete slab. I told him that all contamination has to be removed. 2/6/07 - Raphael Ketani. John Sabatino of A. B. Environmental called to request clarification regarding what additional environmental work needed to be done, since an NFA letter had been issued. I told him that DEC needed a cleanup/soil removal report for the high metals soil. 2/13/07 - Raphael Ketani. William Sleites of Eurostruct Construction (917) 335-7774 called to ask what was necessary to correct the contamination at the site. He said he was a contractor who was hired by a friend of his who bought the property for an art studio. I told him the metals contamination had to be removed. He said he would hire someone for the job. 3/14/07 - Raphael Ketani. Andrew Gesparo of Landmark Consultants called. He said he has been hired to remediate the metals contaminated soil. He said that the soil will be removed soon and sent to a recycling facility - Hudson Valley in Newburgh, NY. I told him that we would need a copy of the soil analyticals, a letter from Hudson Valley accepting the soil and a copy of the permit Hudson Valley has in order to be allowed to take metals contaminated soil. He said he would send this. 4/3/07 - Raphael Ketani. Mr. Ryman called me today. He said that the cleanup company has removed all of the metals contaminated soil and has back filled with clean fill. He

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

REPAIR SHOP (Continued)

S108295603

said that they are putting together a report that will have manifests, pictures, soil analyses, etc. He asked that a letter be sent to him if the Department finds the work to be satisfactory and the site appropriately cleaned. He asked that the letter be sent to: Will Ryman, 341 South First Street, LLC, 193 Bowery, NY, NY, 10002. 4/10/07 - Raphael Ketani. I received the metals contamination soil cleanup Site Remediation Report from Andrew Gasparro of Landmark Consultants, Inc. (212) 967-2484. The report contained soil manifests, a copy of the waste hauler permit, and pictures of the digging. The report indicates that they dug down 3 feet and left a margin of 6 feet so as not to have underpinning issues. Mr. Gasparro told me that they will put down a new concrete slab. I found the report to be acceptable. Based upon the report, I drafted an NFA letter, based on the metals contamination removal, for Randall Austin's approval. Mr. Austin is the Chief Spills Engineer for Region 2. 4/17/07 - Raphael Ketani. I sent out the NFA letter today.

Remarks: DURING A PHASE TWO INVESTIGATION: SEVERAL PAH'S IN SOIL: METALS ALSO

Material:

Site ID: 372827
Operable Unit ID: 1130560
Operable Unit: 01
Material ID: 2120230
Material Code: 0015
Material Name: Motor Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

C13
SSW
< 1/8
0.049 mi.
260 ft.

P V FRENCH CLEANERS
174 BORINQUEN PL
BROOKLYN, NY 11211
Site 8 of 8 in cluster C

RCRA-NonGen 1000277825
FINDS NYD986903045
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: P V FRENCH CLEANERS
Facility address: 174 BORINQUEN PL
BROOKLYN, NY 11211
EPA ID: NYD986903045

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Mailing address: BORINQUEN PL
BROOKLYN, NY 11211
Contact: Not reported
Contact address: BORINQUEN PL
BROOKLYN, NY 11211
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: FRANCISCO PENA
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FRANCISCO PENA
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: P V FRENCH CLEANERS
Classification: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Date form received by agency: 07/08/1999
Facility name: P V FRENCH CLEANERS
Classification: Not a generator, verified

Date form received by agency: 05/24/1990
Facility name: P V FRENCH CLEANERS
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004447821

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986903045
Country: USA
Mailing Name: P V FRENCH CLNRS
Mailing Contact: P V FRENCH CLNRS
Mailing Address: BET 1ST & 2ND 174 BORINQUEN PL
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-000-0000

Document ID: NYC0408835
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: AM6252NY
Trans2 State ID: Not reported
Generator Ship Date: 900817
Trans1 Recv Date: 900817
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900817
Part A Recv Date: 901025
Part B Recv Date: 900921
Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC0571792
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: LP3931NY
Trans2 State ID: Not reported
Generator Ship Date: 901127
Trans1 Recv Date: 901127
Trans2 Recv Date: Not reported
TSD Site Recv Date: 901127
Part A Recv Date: 910412
Part B Recv Date: 901226
Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC0742296
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: AP4503NY
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Generator Ship Date: 910222
Trans1 Recv Date: 910222
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910222
Part A Recv Date: 910422
Part B Recv Date: 910313
Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC0608602
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: LP3931NY
Trans2 State ID: Not reported
Generator Ship Date: 901127
Trans1 Recv Date: 901127
Trans2 Recv Date: Not reported
TSD Site Recv Date: 901127
Part A Recv Date: 910416
Part B Recv Date: 901226
Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC0510243
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 901008
Trans1 Recv Date: 901008
Trans2 Recv Date: Not reported
TSD Site Recv Date: 901008
Part A Recv Date: 910208
Part B Recv Date: 901012
Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC0660328
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: AP4503NY
Trans2 State ID: Not reported
Generator Ship Date: 910117
Trans1 Recv Date: 910117
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910117
Part A Recv Date: 910212
Part B Recv Date: 910124

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00180
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC0893125
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: EU1732NY
Trans2 State ID: Not reported
Generator Ship Date: 910422
Trans1 Recv Date: 910422
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910422
Part A Recv Date: 910613
Part B Recv Date: 910501
Generator EPA ID: NYD986903045
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

P V FRENCH CLEANERS (Continued)

1000277825

Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

B14
NNE
< 1/8
0.050 mi.
263 ft.

HOPE ST / KEAP ST
BROOKLYN, NY

NY Spills S104650852
NY Hist Spills N/A

Site 3 of 3 in cluster B

Relative:
Lower

NY Spills:

Actual:
15 ft.

Site ID: 85550
 Facility Addr2: Not reported
 Facility ID: 0002744
 Spill Number: 0002744
 Facility Type: ER
 SWIS: 2401
 Investigator: JMKRIMGO
 Referred To: Not reported
 Spill Date: 6/4/2000
 Reported to Dept: 6/4/2000
 CID: 207
 Spill Cause: Other
 Water Affected: Not reported
 Spill Source: Commercial Vehicle
 Spill Notifier: Citizen
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 6/5/2000
 Remediation Phase: 0
 Date Entered In Computer: 6/4/2000
 Spill Record Last Update: 6/5/2000
 Spiller Name: Not reported
 Spiller Company: VISION TRANSPORT INC
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller Company: 001
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 78583
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD"
 Remarks: citizen complaint about a garbage truck parked in a residential neighborhood emitting foul smelling odors and allegedly leaking unk material from the vehicle

Material:

Site ID: 85550
 Operable Unit ID: 824260
 Operable Unit: 01
 Material ID: 551096
 Material Code: 0064A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104650852

Material Name: UNKNOWN MATERIAL
Case No.: Not reported
Material FA: Other
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0002744
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/04/2000 17:00
Reported to Dept Date/Time: 06/04/00 18:03
SWIS: 61
Spiller Name: VISION TRANSPORT INC
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 07
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104650852

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 06/05/00
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 06/04/00
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 06/05/00
 Is Updated: False

Tank:
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: Raw Sewage
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: True
 Material: UNKNOWN MATERIAL
 Class Type: UNKNOWN MATERIAL
 Times Material Entry In File: 9140
 CAS Number: Not reported
 Last Date: 19941109
 DEC Remarks: Not reported
 Remark: citi en complaint about a garbage truck parked in a residential neighborhood emitting foul smelling odors and allegedly leaking unk material from the vehicle

D15
 NE
 < 1/8
 0.051 mi.
 269 ft.

**LOT 6,TAXBLOCK 2387
 150 HOPE STREET
 BROOKLYN, NY 11211**
 Site 1 of 3 in cluster D

**E DESIGNATION S109318074
 N/A**

**Relative:
 Lower**

E DESIGNATION:
 Tax Lot(s): 6
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3005
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30

**Actual:
 16 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 6, TAXBLOCK 2387 (Continued)

S109318074

Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: G2
Land Use Category: 10
Number of Easements: 0
Owner, Type of Code: X
Owner Name: CHURCH OF GOD IN NEW
Lot Area: 000001765
Total Building Floor Area: 00000000780
Commercial Floor Area: 00000000780
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000780
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0018.58
Lot Depth: 0095.00
Building Frontage: 0018.58
Building Depth: 0042.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000010305
Total Assessed Value: 00000020250
Land Exempt Value: 00000010305
Total Exempt Value: 00000020250
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.44
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023870006
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997448
Y Coordinate: 0198567
Zoning Map: 13B
Sanborn Map: 304 020

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 6, TAXBLOCK 2387 (Continued)

S109318074

Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**D16
 NNE
 < 1/8
 0.052 mi.
 272 ft.**

**LOT 27, TAXBLOCK 2374
 441 KEAP STREET
 BROOKLYN, NY 11211**

**E DESIGNATION S108076457
 N/A**

Site 2 of 3 in cluster D

**Relative:
 Lower**

E DESIGNATION:

Tax Lot(s): 27
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK

**Actual:
 15 ft.**

Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3003
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: WECHSLER EQUITIES L.P
 Lot Area: 000001169
 Total Building Floor Area: 00000001169
 Commercial Floor Area: 00000001169
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000001169

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 27,TAXBLOCK 2374 (Continued)

S108076457

Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0021.00
Lot Depth: 0055.67
Building Frontage: 0021.00
Building Depth: 0055.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000007875
Total Assessed Value: 00000019440
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023740027
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997298
Y Coordinate: 0198772
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

E17
North
< 1/8
0.052 mi.
272 ft.

**D C CENTER CORP
130 HOPE ST
BROOKLYN, NY 11211
Site 1 of 6 in cluster E**

**RCRA-SQG 1001224458
FINDS NYR000056754
MANIFEST**

**Relative:
Lower**

RCRA-SQG:
Date form received by agency:01/01/2007
Facility name: D C CENTER CORP
Facility address: 130 HOPE ST
BROOKLYN, NY 112113406

**Actual:
14 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

EPA ID: NYR000056754
Mailing address: HOPE ST
BROOKLYN, NY 11211
Contact: ALBERTO LEE
Contact address: HOPE ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (212) 555-1212
Contact email: Not reported
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: HENRY STERN
Owner/operator address: 51-18 GRAND AVE
MASPETH, NY 11378
Owner/operator country: US
Owner/operator telephone: (718) 456-9700
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: HENRY STERN
Owner/operator address: 51-18 GRAND AVE
MASPETH, NY 11378
Owner/operator country: US
Owner/operator telephone: (718) 456-9700
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: D C CENTER CORP
Classification: Small Quantity Generator

Date form received by agency: 06/17/1998
Facility name: D C CENTER CORP
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002366546

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYR000056754
Country: USA
Mailing Name: DC CENTER CO
Mailing Contact: GEORGE GUARNEROS
Mailing Address: 130 HOPE ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-486-8749

Document ID: NYC7443843
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 03/28/2005
Trans1 Recv Date: 03/28/2005
Trans2 Recv Date: 04/01/2005
TSD Site Recv Date: 04/04/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: 71148JRNY
Trans2 EPA ID: DEP03217
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7541526
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD000682061
Generator Ship Date: 05/13/2005
Trans1 Recv Date: 05/13/2005
Trans2 Recv Date: 05/20/2005
TSD Site Recv Date: 05/23/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NYCAT8305
Trans2 EPA ID: 080489
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01170
Units: P - Pounds
Number of Containers: 008
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7558896
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 02/22/2005
Trans1 Recv Date: 02/22/2005
Trans2 Recv Date: 02/25/2005
TSD Site Recv Date: 02/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NY71148JR
Trans2 EPA ID: T468GLNJ
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01170
Units: P - Pounds
Number of Containers: 006
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7545521
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 06/06/2005
Trans1 Recv Date: 06/06/2005
Trans2 Recv Date: 06/10/2005
TSD Site Recv Date: 06/13/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NY71148JR
Trans2 EPA ID: T44V4W
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7575737
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 01/06/2005
Trans1 Recv Date: 01/06/2005
Trans2 Recv Date: 01/14/2005
TSD Site Recv Date: 01/17/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NYC58468J
Trans2 EPA ID: T365DA
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7596213
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: OHD985974780
Generator Ship Date: 09/12/2005
Trans1 Recv Date: 09/12/2005
Trans2 Recv Date: 09/15/2005
TSD Site Recv Date: 09/21/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NY71148JR
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7639413
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: OHD986974780
Generator Ship Date: 11/09/2005
Trans1 Recv Date: 11/09/2005
Trans2 Recv Date: 11/18/2005
TSD Site Recv Date: 11/21/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NY71148JR
Trans2 EPA ID: OH067
TSD ID: OHD980587364

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7587347
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 07/18/2005
Trans1 Recv Date: 07/18/2005
Trans2 Recv Date: 07/22/2005
TSD Site Recv Date: 07/25/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NYCAT8305
Trans2 EPA ID: NJT18L8D
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00975
Units: P - Pounds
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7618094
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 08/16/2005
Trans1 Recv Date: 08/16/2005
Trans2 Recv Date: 08/23/2005
TSD Site Recv Date: 08/24/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: NY71148JR
Trans2 EPA ID: T44V4W
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5375531
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 09/08/1998
Trans1 Recv Date: 09/08/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Trans2 Recv Date: 09/10/1998
TSD Site Recv Date: 09/16/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAM6252
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5411823
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 10/08/1998
Trans1 Recv Date: 10/08/1998
Trans2 Recv Date: 10/13/1998
TSD Site Recv Date: 10/14/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAM6252
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5440296
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 11/03/1998
Trans1 Recv Date: 11/03/1998
Trans2 Recv Date: 11/10/1998
TSD Site Recv Date: 11/13/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAM6252
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5966908
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 11/05/1999
Trans1 Recv Date: 11/05/1999
Trans2 Recv Date: 11/10/1999
TSD Site Recv Date: 11/16/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Trans2 EPA ID: Not reported
TSDF ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5522286
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 01/29/1999
Trans1 Recv Date: 01/29/1999
Trans2 Recv Date: 02/03/1999
TSD Site Recv Date: 02/09/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYGF2859
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00975
Units: P - Pounds
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Mgmt Method Type Code: Not reported

Document ID: NYC5548342
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 02/25/1999
Trans1 Recv Date: 02/25/1999
Trans2 Recv Date: 03/02/1999
TSD Site Recv Date: 03/05/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: JE4550NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5610532
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 04/22/1999
Trans1 Recv Date: 04/22/1999
Trans2 Recv Date: 04/29/1999
TSD Site Recv Date: 05/05/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5669324
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 06/17/1999
Trans1 Recv Date: 06/17/1999
Trans2 Recv Date: 06/23/1999
TSD Site Recv Date: 06/24/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5852496
Manifest Status: Not reported
Trans1 State ID: ILD984908202

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Trans2 State ID: SCD987574647
Generator Ship Date: 07/15/1999
Trans1 Recv Date: 07/15/1999
Trans2 Recv Date: 07/21/1999
TSD Site Recv Date: 07/23/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5915968
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 09/07/1999
Trans1 Recv Date: 09/07/1999
Trans2 Recv Date: 09/08/1999
TSD Site Recv Date: 09/14/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D C CENTER CORP (Continued)

1001224458

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5627430
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 08/11/1999
Trans1 Recv Date: 08/11/1999
Trans2 Recv Date: 08/18/1999
TSD Site Recv Date: 08/20/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056754
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access
97 additional NY_MANIFEST: record(s) in the EDR Site Report.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

E18 **LOT 12,TAXBLOCK 2386**
North **130 HOPE STREET**
< 1/8 **BROOKLYN, NY 11211**
0.052 mi.
272 ft. **Site 2 of 6 in cluster E**

E DESIGNATION **S108076239**
N/A

Relative:
Lower

E DESIGNATION:

Actual:
14 ft.

Tax Lot(s):	12
E-No:	E-138
Effective Date:	5/11/2005
Satisfaction Date:	Not reported
Ceqr Number:	04DCP003K
Ulurp Number:	050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
Zoning Map No:	12c, 12d, 13a, 13b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	BK
Community District:	301
Census Tract:	513
Census Block:	3004
School District:	14
City Council District:	34
Fire Company:	L104
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2/R6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	MX-8
Special Purpose District2:	Not reported
All Components1:	M1-2/R6/MX-8
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	F9
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	HOPE STREET ASSOCIATE
Lot Area:	000005200
Total Building Floor Area:	00000005200
Commercial Floor Area:	00000005200
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000005200
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0052.00
Lot Depth:	0100.00
Building Frontage:	0052.00
Building Depth:	0100.00
Proximity Code:	0
Irregular Lot Code:	N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 12,TAXBLOCK 2386 (Continued)

S108076239

Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000030600
Total Assessed Value: 00000057150
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023860012
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997211
Y Coordinate: 0198671
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

E19 **D.C. CENTER CO.(2-6304-01640 NEW LOCATION)**
North **130 HOPE ST.**
< 1/8 **BROOKLYN, NY 11211**
0.052 mi.
272 ft. **Site 3 of 6 in cluster E**

DRYCLEANERS **S110246350**
N/A

Relative: **DRYCLEANERS:**
Lower Facility ID: 2-6101-01064
Region: 2
Actual: Registration Effective Date: N/A
14 ft. Inspection Date: 08DEC5
Drop Shop: Not reported
Shutdown: Y
Alternate Solvent: Not reported
Current Business: NOT A DRY CLEANER

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D20
NE
 < 1/8
 0.053 mi.
 278 ft.

LOT 7, TAXBLOCK 2387
154 HOPE STREET
BROOKLYN, NY 11211
Site 3 of 3 in cluster D

E DESIGNATION **S109318077**
 N/A

Relative:
Lower

E DESIGNATION:

Actual:
16 ft.

Tax Lot(s):	7
E-No:	E-138
Effective Date:	5/11/2005
Satisfaction Date:	Not reported
Ceqr Number:	04DCP003K
Ulurp Number:	050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
Zoning Map No:	12c, 12d, 13a, 13b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	BK
Community District:	301
Census Tract:	513
Census Block:	3005
School District:	14
City Council District:	34
Fire Company:	L104
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2/R6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	MX-8
Special Purpose District2:	Not reported
All Components1:	M1-2/R6/MX-8
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	Z9
Land Use Category:	Not reported
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	ROBERT J SMITH
Lot Area:	000008210
Total Building Floor Area:	00000000000
Commercial Floor Area:	00000000000
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area, Total Bld Source Code7	
Number of Buildings:	00000
Number of Floors:	000.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0086.42
Lot Depth:	0095.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 7, TAXBLOCK 2387 (Continued)

S109318077

Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000051750
 Total Assessed Value: 00000066600
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023870007
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997517
 Y Coordinate: 0198535
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

E21
North
 < 1/8
 0.054 mi.
 283 ft.

LOT 28, TAXBLOCK 2374
129 HOPE STREET
BROOKLYN, NY 11211
 Site 4 of 6 in cluster E

E DESIGNATION **S108076473**
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 28
 E-No: E-138
Actual: Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3003
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 2374 (Continued)

S108076473

Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: E9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: WECHSLER EQUITIES L.P
Lot Area: 000002793
Total Building Floor Area: 0000002793
Commercial Floor Area: 0000002793
Office Floor Area: 0000000000
Retail Floor Area: 0000000000
Garage Floor Area: 0000000000
Storage Floor Area: 0000002793
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0044.33
Lot Depth: 0063.00
Building Frontage: 0044.33
Building Depth: 0063.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000016470
Total Assessed Value: 00000057600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023740028
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997274
Y Coordinate: 0198803
Zoning Map: 13B
Sanborn Map: 304 020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 28,TAXBLOCK 2374 (Continued)

S108076473

Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

F22
SSE
< 1/8
0.054 mi.
287 ft.

JOLS REALTY CORP
356 SO 1 ST
BROOKLYN, NY 11211

UST U001836603
HIST UST N/A

Site 1 of 4 in cluster F

Relative:
Higher

UST:

Actual:
20 ft.

Facility Id: 2-289698
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2007/08/24
UTM X: 586170.34658000001
UTM Y: 4502962.1245100005
Site ID: 13057

Tank Number: 001
Tank ID: 18910
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: 03
Next Test Date: 7/1/1995
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 7/1/1990
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOLS REALTY CORP (Continued)

U001836603

Affiliation Records:

Site Id: 13057
Affiliation Type: Emergency Contact
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 627-2771
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 13057
Affiliation Type: Owner
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (071) 838-4646
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 13057
Affiliation Type: Mail Contact
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 13057
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOLS REALTY CORP (Continued)

U001836603

Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 627-2771
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-289698
SPDES Number: Not reported
Emergency Contact: MORRIS KNOLL
Emergency Telephone: (718) 627-2771
Operator: MORRIS KNOLL
Operator Telephone: (718) 384-6461
Owner Name: JOLS REALTY CORP
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (718) 384-6461
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: JOLS REALTY CORP
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Contact: Not reported
Mailing Telephone: (718) 384-6461
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 356 SO 1 ST
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/01/1997
Expiration Date: 08/24/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JOLS REALTY CORP (Continued)

U001836603

Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 2500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: 07/01/1990
 Next Test Date: 07/01/1995
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Horner EZ Check
 Deleted: False
 Updated: False
 Lat/long: Not reported

E23
North
< 1/8
0.058 mi.
305 ft.

LOT 31,TAXBLOCK 2374
123 HOPE STREET
BROOKLYN, NY 11211
Site 5 of 6 in cluster E

E DESIGNATION S108076517
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 31
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK

Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3003
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090

Actual:
14 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 31,TAXBLOCK 2374 (Continued)

S108076517

Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: E9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: WECHSLER EQUITIES L.P
Lot Area: 000007500
Total Building Floor Area: 00000007500
Commercial Floor Area: 00000007500
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000007500
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0075.00
Lot Depth: 0088.08
Building Frontage: 0075.00
Building Depth: 0088.08
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000044775
Total Assessed Value: 00000153900
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023740031
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997236
Y Coordinate: 0198847
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 31,TAXBLOCK 2374 (Continued)

S108076517

E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**E24
 NNW
 < 1/8
 0.061 mi.
 322 ft.**

**LOT 7,TAXBLOCK 2386
 118 HOPE STREET
 BROOKLYN, NY 11211
 Site 6 of 6 in cluster E**

**E DESIGNATION S108076697
 N/A**

**Relative:
 Lower**

E DESIGNATION:

Tax Lot(s): 7
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK

**Actual:
 13 ft.**

Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3004
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: F9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: HOPE STREET ASSOCIATE
 Lot Area: 000010000
 Total Building Floor Area: 00000010000
 Commercial Floor Area: 00000010000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000010000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7, TAXBLOCK 2386 (Continued)

S108076697

Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0100.00
Lot Depth: 0100.00
Building Frontage: 0100.00
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000059850
Total Assessed Value: 00000149850
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023860007
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997150
Y Coordinate: 0198702
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

F25
SSE
< 1/8
0.061 mi.
322 ft.

APARTMENT BUILDING
360 SOUTH 1ST STREET
BROOKLYN, NY
Site 2 of 4 in cluster F

NY Spills S106125355
N/A

Relative:
Higher

NY Spills:
Site ID: 141925
Facility Addr2: Not reported
Facility ID: 0311641
Spill Number: 0311641
Facility Type: ER

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S106125355

SWIS: 2401
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 1/15/2004
Reported to Dept: 1/15/2004
CID: 12
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/27/2004
Remediation Phase: 0
Date Entered In Computer: 1/15/2004
Spill Record Last Update: 2/27/2004
Spiller Name: CARMELLA
Spiller Company: PETRO OIL COMPANY
Spiller Address: 55-60 58TH STREET
Spiller City,St,Zip: QUEENS, NY
Spiller Company: 001
Contact Name: MRS. KNOLL
Contact Phone: (718) 384-6461
DEC Region: 2
DER Facility ID: 121159
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"SANGESLAND" Milro did cleanup - closed
Remarks: UNKNOWN WHAT HAPPENED, CAME OUT OF TANK, WILL LOOK INTO FURTHER.

Material:
Site ID: 141925
Operable Unit ID: 879251
Operable Unit: 01
Material ID: 496893
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S106125355

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

F26
SSE
< 1/8
0.061 mi.
322 ft.

JOLS REALTY LLC.
360 SOUTH 1ST STREET
BROOKLYN, NY 11211

AST A100318911
N/A

Site 3 of 4 in cluster F

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-399698
Program Type: PBS
UTM X: 586181.22002000001
UTM Y: 4502955.15699
Expiration Date: 2012/11/16

Actual:
21 ft.

Tank Number: 001
Tank Id: 21655
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 7/1/2000
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kaker
Last Modified: 12/18/2007

Equipment Records:

J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 19044
Affiliation Type: On-Site Operator
Company Name: JOLS REALTY LLC.
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOLS REALTY LLC. (Continued)

A100318911

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 12/18/2007

Site Id: 19044
Affiliation Type: Emergency Contact
Company Name: JOLS REALTY LLC.
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 12/18/2007

Site Id: 19044
Affiliation Type: Owner
Company Name: JOLS REALTY LLC.
Contact Type: VP
Contact Name: M. KNOLL
Address1: 360 SO 1 ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 12/18/2007

Site Id: 19044
Affiliation Type: Mail Contact
Company Name: JOLS REALTY
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JOLS REALTY LLC. (Continued)

A100318911

Country Code: 001
 Phone: (718) 384-6461
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: kakyer
 Date Last Modified: 12/18/2007

G27
WSW
< 1/8
0.063 mi.
333 ft.

LOT 12,TAXBLOCK 2411
314 SOUTH 1 STREET
BROOKLYN, NY 11211
Site 1 of 5 in cluster G

E DESIGNATION S108076241
N/A

Relative:
Equal

Actual:
17 ft.

E DESIGNATION:
 Tax Lot(s): 12
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 4007
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G7
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GABA RLTY CORP
 Lot Area: 000003200
 Total Building Floor Area: 0000000000
 Commercial Floor Area: 0000000000
 Office Floor Area: 0000000000
 Retail Floor Area: 0000000000
 Garage Floor Area: 0000000000
 Storage Floor Area: 0000000000
 Factory Floor Area: 0000000000
 Other Floor Area: 0000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 12,TAXBLOCK 2411 (Continued)

S108076241

Number of Floors: 000.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0032.00
Lot Depth: 0100.00
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000020025
Total Assessed Value: 00000020025
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1991
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3024110012
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0996882
Y Coordinate: 0198315
Zoning Map: 13B
Sanborn Map: 303 016
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

H28
ENE
< 1/8
0.066 mi.
348 ft.

LEOGRANDE AUTO REPAIR
172 HOPE STREET
BROOKLYN, NY 11211

Site 1 of 3 in cluster H

UST U004067768
N/A

Relative:
Higher

UST:

Facility Id: 2-610389
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: Not reported
UTM Y: Not reported

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LEOGRANDE AUTO REPAIR (Continued)

U004067768

Site ID: 373152
Tank Number: 001
Tank ID: 214374
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/5/1975
Capacity Gallons: 275
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/19/2009
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 6/3/2009

Equipment Records:

E03 - Piping Secondary Containment - Vault (without Access)
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
I05 - Overfill - Vent Whistle
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)

Affiliation Records:

Site Id: 373152
Affiliation Type: Owner
Company Name: JOSEPH LEOGRANDE
Contact Type: PRESIDENT
Contact Name: JOSEPH LEOGRANDE
Address1: 22 NORTH HENRY STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 389-0511
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/31/2009

Site Id: 373152
Affiliation Type: Mail Contact
Company Name: LEOGRANDE AUTO
Contact Type: Not reported
Contact Name: JOSEPH LEOGRANDE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LEOGRANDE AUTO REPAIR (Continued)

U004067768

Address1: 172 HOPE STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-7088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/16/2006

Site Id: 373152
Affiliation Type: Emergency Contact
Company Name: JOSEPH LEOGRANDE
Contact Type: Not reported
Contact Name: JOSEPH LEOGRANDE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 389-0511
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/31/2009

Site Id: 373152
Affiliation Type: On-Site Operator
Company Name: LEOGRANDE AUTO REPAIR
Contact Type: Not reported
Contact Name: JOSEPH LEOGRANDE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-7088
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/31/2009

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

H29
ENE
< 1/8
0.066 mi.
348 ft.

LOT 12,TAXBLOCK 2387
172 HOPE STREET
BROOKLYN, NY 11211

E DESIGNATION **S108469762**
N/A

Site 2 of 3 in cluster H

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 12
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3005
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G2
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: LEO GRANDE, JOSEPH
 Lot Area: 000001876
 Total Building Floor Area: 00000001876
 Commercial Floor Area: 00000001876
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000001876
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0019.75
 Lot Depth: 0095.00
 Building Frontage: 0019.75
 Building Depth: 0100.00
 Proximity Code: 0
 Irregular Lot Code: N

Actual:
18 ft.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 12,TAXBLOCK 2387 (Continued)

S108469762

Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000012645
 Total Assessed Value: 00000028980
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1975
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023870012
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997585
 Y Coordinate: 0198502
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

G30
West
< 1/8
0.067 mi.
354 ft.

DAMON HOUSE NEW YORK, INC.
310 SOUTH FIRST STREET
BROOKLYN, NY 11211
Site 2 of 5 in cluster G

UST U004125654
N/A

Relative:
Equal

UST:
 Facility Id: 2-608549
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2008/03/12
 UTM X: 588312.56056000001
 UTM Y: 4507225.45933
 Site ID: 30401

Actual:
17 ft.

Tank Number: 107378-01
 Tank ID: 65315
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 12/2/1999
 Capacity Gallons: 2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAMON HOUSE NEW YORK, INC. (Continued)

U004125654

Tightness Test Method: 00
Next Test Date: 12/2/2009
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

J00 - Dispenser - None
F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
A99 - Tank Internal Protection - Other
I01 - Overfill - Float Vent Valve
G00 - Tank Secondary Containment - None

Affiliation Records:

Site Id: 30401
Affiliation Type: On-Site Operator
Company Name: DAMON HOUSE NEW YORK, INC.
Contact Type: Not reported
Contact Name: TIAYA ASHWOOD-COOK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-9100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30401
Affiliation Type: Owner
Company Name: GABA REALTY
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 727
Address2: Not reported
City: MERRICK
State: NY
Zip Code: 11566
Country Code: 001
Phone: (516) 868-1266
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DAMON HOUSE NEW YORK, INC. (Continued)

U004125654

Site Id: 30401
Affiliation Type: Mail Contact
Company Name: DAMON HOUSE NEW YORK
Contact Type: Not reported
Contact Name: VALRIE FOWLER
Address1: 175 REMSEN STREET
Address2: SUITE 500
City: BROOKLYN
State: NY
Zip Code: 11201
Country Code: 001
Phone: (718) 858-0202
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30401
Affiliation Type: Emergency Contact
Company Name: GABA REALTY
Contact Type: Not reported
Contact Name: ALEJANDRO UBIERA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 219-5493
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

F31 364 SO. 1ST STREET
SSE 364 SO 1 ST
< 1/8 BROOKLYN, NY 11211
0.068 mi.
361 ft. Site 4 of 4 in cluster F

UST U003652014
HIST UST N/A

Relative:
Higher

UST:
Facility Id: 2-399701
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2007/10/06
UTM X: 586192.09346999996
UTM Y: 4502948.18946999996
Site ID: 19045

Actual:
22 ft.

Tank Number: 001
Tank ID: 21656
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

364 SO. 1ST STREET (Continued)

U003652014

Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: 00
Next Test Date: 12/27/1987
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
I00 - Overfill - None
C03 - Pipe Location - Aboveground/Underground Combination
G00 - Tank Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Affiliation Records:

Site Id: 19045
Affiliation Type: Emergency Contact
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: JOSEPH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19045
Affiliation Type: Mail Contact
Company Name: JOLS REALTY CORP C/O KNOLL
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

364 SO. 1ST STREET (Continued)

U003652014

Date Last Modified: 3/4/2004

Site Id: 19045
Affiliation Type: On-Site Operator
Company Name: 364 SO. 1ST STREET
Contact Type: Not reported
Contact Name: JOSEPH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19045
Affiliation Type: Owner
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (071) 838-4646
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-399701
SPDES Number: Not reported
Emergency Contact: JOSEPH
Emergency Telephone: (718) 384-6461
Operator: JOSEPH
Operator Telephone: (718) 384-6461
Owner Name: JOLS REALTY CORP
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (718) 384-6461
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: JOLS REALTY CORP C/O KNOLL
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Contact: Not reported
Mailing Telephone: (718) 384-6461

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

364 SO. 1ST STREET (Continued)

U003652014

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 364 SO 1 ST
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/25/1999
Expiration Date: 10/06/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: 12/27/1987
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

I32
WNW
< 1/8
0.069 mi.
363 ft.

RODNEY ST & GRAND ST
RODNEY ST / GRAND STREET
BROOKLYN, NY

NY Spills S103937308
NY Hist Spills N/A

Site 1 of 2 in cluster I

Relative:
Lower

NY Spills:

Actual:
16 ft.

Site ID: 203984
 Facility Addr2: Not reported
 Facility ID: 9930005
 Spill Number: 9930005
 Facility Type: ER
 SWIS: 2401
 Investigator: SIGONA
 Referred To: Not reported
 Spill Date: 5/14/1999
 Reported to Dept: 5/14/1999
 CID: Not reported
 Spill Cause: Housekeeping
 Water Affected: Not reported
 Spill Source: Passenger Vehicle
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Unknown Responsible Party. Corrective action taken. (ISR)
 Spill Closed Dt: 2/2/2004
 Remediation Phase: 0
 Date Entered In Computer: 5/14/1999
 Spill Record Last Update: 2/2/2004
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: NANCY PEREZ/485 RODNEY
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 169625
 DEC Memo: Not reported
 Remarks: SEVERAL AREAS ALONG SIDE THE FENCED ROADWAY HAVE OIL CONTAMINATED SOIL. NOTIFIED BY LETTER

Material:

Site ID: 203984
 Operable Unit ID: 1093005
 Operable Unit: 01
 Material ID: 293688
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RODNEY ST & GRAND ST (Continued)

S103937308

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9930005
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/14/1999 09:55
Reported to Dept Date/Time: 05/14/99 09:55
SWIS: 61
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: NANCY PEREZ/485 RODNEY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Housekeeping
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 06
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Unknown Responsible Party. Corrective action taken. (ISR)
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/14/99
Date Spill Entered In Computer Data File: 10:10
Update Date: 05/21/99
Is Updated: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RODNEY ST & GRAND ST (Continued)

S103937308

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: WASTE OIL
 Class Type: WASTE OIL
 Times Material Entry In File: 9509
 CAS Number: Not reported
 Last Date: 19940927
 DEC Remarks: Referral from DEP Ha Mat.
 Remark: SEVERAL AREAS ALONG SIDE THE FENCED ROADWAY HAVE LARGE POOLS OF OIL THAT HAVE CONTAMINATED THE SOIL. NOTIFIED BY LETTER

**I33
 WNW
 < 1/8
 0.069 mi.
 363 ft.**

**RODNEY ST / GRAND ST
 BROOKLYN, NY**

**NY Spills S104648802
 NY Hist Spills N/A**

Site 2 of 2 in cluster I

**Relative:
 Lower**

NY Spills:

Site ID: 297764
 Facility Addr2: Not reported
 Facility ID: 9900191
 Spill Number: 9900191
 Facility Type: ER
 SWIS: 2401
 Investigator: JXZHAO
 Referred To: Not reported
 Spill Date: 4/6/1999
 Reported to Dept: 4/6/1999
 CID: 205
 Spill Cause: Deliberate
 Water Affected: Not reported
 Spill Source: Passenger Vehicle
 Spill Notifier: Citizen
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 4/6/1999
 Remediation Phase: 0
 Date Entered In Computer: 4/6/1999
 Spill Record Last Update: 4/6/1999
 Spiller Name: Not reported

**Actual:
 16 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648802

Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: CALLER
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 240910
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ZHAO" ON RODNEY STREET BETWEEN GRAND STREET AND GRAND STREET EXTENSION TO BQE 24 EXIT. THE GUY IS CHANGING OIL RIGHT NOW. THE CALLER SAW HIM DUMPING OIL ON THE GRASS MANY TIMES. IF SOMEBODY GOES THERE RIGHT NOW HE COULD BE CATCHED. REFERRED TO NYCDEP.

Remarks: caller stated that subjects are dumping on property next to her house. caller further stated that she has complained to dec before and nothing is being done.

Material:

Site ID: 297764
Operable Unit ID: 1075040
Operable Unit: 01
Material ID: 307333
Material Code: 0022
Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9900191
Investigator: ZHAO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/06/1999 10:19
Reported to Dept Date/Time: 04/06/99 10:19

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648802

SWIS: 61
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Deliberate
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 06
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/06/99
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/06/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 04/06/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: WASTE OIL
Class Type: WASTE OIL
Times Material Entry In File: 9509
CAS Number: Not reported
Last Date: 19940927

DEC Remarks: ON RODNEY STREET BETWEEN GRAND STREET AND GRAND STREET EXTENSION TO BQE 24
EXIT. THE GUY IS CHANGING OIL RIGHT NOW. THE CALLER SAW HIM DUMPING OIL ON
THE GRASS MANY TIMES. IF SOMEBODY GOES THERE RIGHT NOW HE COULD BE CATCHED.
REFERRED TO NYCDEP.

Remark: caller stated that subjects are dumping on property next to her house. caller
further stated that she has complained to dec before and nothing is being done.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

J34
ESE
< 1/8
0.071 mi.
374 ft.

LOT 8, TAXBLOCK 2399
460 GRAND STREET
BROOKLYN, NY 11211

E DESIGNATION **S108076717**
 N/A

Site 1 of 3 in cluster J

Relative:
Higher

E DESIGNATION:

Actual:
22 ft.

Tax Lot(s):	8
E-No:	E-138
Effective Date:	5/11/2005
Satisfaction Date:	Not reported
Ceqr Number:	04DCP003K
Ulurp Number:	050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
Zoning Map No:	12c, 12d, 13a, 13b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	BK
Community District:	301
Census Tract:	513
Census Block:	3006
School District:	14
City Council District:	34
Fire Company:	L104
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2/R6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	MX-8
Special Purpose District2:	Not reported
All Components1:	M1-2/R6/MX-8
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	Z9
Land Use Category:	Not reported
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	460 GRAND STREET REA
Lot Area:	000004313
Total Building Floor Area:	00000002250
Commercial Floor Area:	00000002250
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000002250
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area, Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	003.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0115.17
Lot Depth:	0074.75
Building Frontage:	0025.00
Building Depth:	0030.00
Proximity Code:	0
Irregular Lot Code:	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 8, TAXBLOCK 2399 (Continued)

S108076717

Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000029115
 Total Assessed Value: 00000031500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1930
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.52
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023990008
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997398
 Y Coordinate: 0198320
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

H35
ENE
< 1/8
0.072 mi.
379 ft.

WEINBERGER
178 HOPE STREET
BROOKLYN, NY
Site 3 of 3 in cluster H

NY Spills S106968059
N/A

Relative:
Higher

NY Spills:
 Site ID: 346303
 Facility Addr2: Not reported
 Facility ID: 0502023
 Spill Number: 0502023
 Facility Type: ER
 SWIS: 2401
 Investigator: SFRAHMAN
 Referred To: Not reported
 Spill Date: 5/19/2005
 Reported to Dept: 5/19/2005
 CID: 12
 Spill Cause: Housekeeping
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEINBERGER (Continued)

S106968059

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 5/19/2005
Remediation Phase: 0
Date Entered In Computer: 5/19/2005
Spill Record Last Update: 5/19/2005
Spiller Name: ANNY
Spiller Company: WEINBERGER
Spiller Address: 178 HOPE STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: ANNY
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 292556
DEC Memo: 05/19/05 SR// Spill case has been referred to Air program.
Remarks: CALLER STATES THAT AT THIS SITE, THEY ARE SPRAYING LACER/ STAIN AND IT IS GETTING INTO THE AIR: STRONG ODOR: HE DOES NOT BELIEVE THEY HAVE CORRECT VENTILATION FOR THIS OPERATION:

Material:

Site ID: 346303
Operable Unit ID: 1104033
Operable Unit: 01
Material ID: 584241
Material Code: 0055A
Material Name: PAINT
Case No.: Not reported
Material FA: Other
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

36
SW
< 1/8
0.075 mi.
394 ft.

145 BORINQUEN PLACE
145 BORINQUEN PLACE
BROOKLYN, NY 11211

AST A100173695
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604954
Program Type: PBS
UTM X: 584215.97016000003
UTM Y: 4502473.7795200003
Expiration Date: 2013/03/12

Actual:
19 ft.

Tank Number: 001
Tank Id: 59244
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1980
Capacity Gallons: 4500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 11/13/2008

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- F00 - Pipe External Protection - None
- J02 - Dispenser - Suction
- G02 - Tank Secondary Containment - Vault (w/access)
- L00 - Piping Leak Detection - None
- E00 - Piping Secondary Containment - None
- C03 - Pipe Location - Aboveground/Underground Combination
- H00 - Tank Leak Detection - None
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None
- B00 - Tank External Protection - None

Affiliation Records:

Site Id: 26823
Affiliation Type: On-Site Operator
Company Name: 145 BORINQUEN PLACE
Contact Type: Not reported
Contact Name: DAVID RIVERA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 BORINQUEN PLACE (Continued)

A100173695

Phone: (646) 773-0949
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 11/13/2008

Site Id: 26823
Affiliation Type: Emergency Contact
Company Name: 145 BORINQUEN PL. INVESTOR, LLC
Contact Type: Not reported
Contact Name: VILMA ROSARIO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 331-6228
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 11/13/2008

Site Id: 26823
Affiliation Type: Mail Contact
Company Name: 145 BORINQUEN PL. INVESTOR, LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: C/O THE DERMOT REALTY MGMT. CO., INC.
Address2: 1775 BROADWAY, SUITE 510
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 488-1770
Phone Ext: Not reported
Email: RMARET@DERMOTCOMPANY.COM
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 11/13/2008

Site Id: 26823
Affiliation Type: Owner
Company Name: 145 BORINQUEN PL. INVESTOR, LLC
Contact Type: REGIONAL PROPERTY MGR. NY
Contact Name: RAJIVE MRET
Address1: 1775 BROADWAY, SUITE 510
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 488-1770
Phone Ext: Not reported
Email: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

145 BORINQUEN PLACE (Continued)

A100173695

Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 11/13/2008

G37
West
< 1/8
0.079 mi.
419 ft.

CONSOLIDATED EDISON
RODNEY ST / SOUTH FIRST ST
BROOKLYN, NY 11211

MANIFEST S110046630
N/A

Site 3 of 5 in cluster G

Relative:
Equal

NY MANIFEST:
 EPA ID: NYP004184305
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Actual:
17 ft.

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-07-23
 Trans1 Recv Date: 2009-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004184305
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 800.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 000894708GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046630

Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-07-23
 Trans1 Recv Date: 2009-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004184305
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: Not reported
 Quantity: 800.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 000894708GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

G38
West
< 1/8
0.079 mi.
419 ft.

CONSOLIDATED EDISON MH41314
RODNEY ST / SOUTH FIRST ST
BROOKLYN, NY 11211
Site 4 of 5 in cluster G

MANIFEST S110046904
N/A

Relative:
Equal

NY MANIFEST:
 EPA ID: NYP004184313
 Country: USA

Actual:
17 ft.

Mailing Name: CONSOLIDATED EDISON MH41314
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON MH41314 (Continued)

S110046904

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-23
Trans1 Recv Date: 2009-07-23
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004184313
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 400.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894709GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-23
Trans1 Recv Date: 2009-07-23
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004184313
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 400.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON MH41314 (Continued)

S110046904

Year: 09
 Manifest Tracking Num: 000894709GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

G39
West
< 1/8
0.079 mi.
419 ft.

TRANSFORMER 189
RODNEY ST / 1ST STREET
BROOKLYN, NY

NY Spills S104284330
NY Hist Spills N/A

Site 5 of 5 in cluster G

Relative:
Equal

NY Spills:
 Site ID: 92370
 Facility Addr2: Not reported
 Facility ID: 9910300
 Spill Number: 9910300
 Facility Type: ER
 SWIS: 2401
 Investigator: COMENALE
 Referred To: Not reported
 Spill Date: 11/26/1999
 Reported to Dept: 11/26/1999
 CID: 389
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 3/29/2002
 Remediation Phase: 0
 Date Entered In Computer: 11/26/1999
 Spill Record Last Update: 3/29/2002
 Spiller Name: UNKNOWN
 Spiller Company: UNKNOWN
 Spiller Address: UNKNOWN
 Spiller City,St,Zip: UNKNOWN, ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 82959
 DEC Memo: Not reported
 Remarks: CALLER REPORTING A SCHEEN OF UNK OIL IN A TM CLEAN UP NOT IN PROGRESS

Actual:
17 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRANSFORMER 189 (Continued)

S104284330

CONED#129102 NO CALLBACK NECESSARY

Material:

Site ID: 92370
Operable Unit ID: 1088995
Operable Unit: 01
Material ID: 295793
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9910300
Investigator: COMENALE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/26/1999 13:15
Reported to Dept Date/Time: 11/26/99 14:38
SWIS: 61
Spiller Name: UNK
Spiller Contact: UNK
Spiller Phone: (000) 000-0000
Spiller Address: UNK
Spiller City,St,Zip: NY
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRANSFORMER 189 (Continued)

S104284330

Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/26/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/15/00
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: CALLER REPORTING A SCHEEN OF UNK OIL IN A TM CLEAN UP NOT IN PROGRESS CONED
129102 NO CALLBACK NECESSARY

J40
ESE
< 1/8
0.082 mi.
435 ft.

HOPPER ST / GRAND ST
BROOKLYN, NY

NY Spills S104650385
NY Hist Spills N/A

Site 2 of 3 in cluster J

Relative:
Higher

NY Spills:
Site ID: 330791
Facility Addr2: Not reported
Facility ID: 9913655
Spill Number: 9913655
Facility Type: ER
SWIS: 2401
Investigator: JHOCONNE
Referred To: Not reported
Spill Date: 3/3/2000
Reported to Dept: 3/3/2000
CID: 312
Spill Cause: Equipment Failure
Water Affected: Not reported

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104650385

Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/26/2002
Remediation Phase: 0
Date Entered In Computer: 3/3/2000
Spill Record Last Update: 3/26/2002
Spiller Name: CALLER
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 266065
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"O'CONNELL"
Remarks: DEFECTIVE TRANSFORMER - CASE #130233

Material:

Site ID: 330791
Operable Unit ID: 1092122
Operable Unit: 01
Material ID: 295489
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 3
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9913655

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104650385

Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/03/2000 11:15
Reported to Dept Date/Time: 03/03/00 12:06
SWIS: 61
Spiller Name: CON EDISON
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/03/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 03/03/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 3
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DIELECTRIC FLUID
Class Type: DIELECTRIC FLUID
Times Material Entry In File: 41
CAS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104650385

Last Date: Not reported
DEC Remarks: Not reported
Remark: DEFECTIVE TRANSFORMER - CASE 130233

J41
ESE
< 1/8
0.082 mi.
435 ft.

RODNEY ST BETWEEN
GRAND ST / GRAND ST EXT
BROOKLYN, NY

NY Spills S103829256
NY Hist Spills N/A

Site 3 of 3 in cluster J

Relative:
Higher

NY Spills:

Actual:
23 ft.

Site ID: 148017
Facility Addr2: Not reported
Facility ID: 9815121
Spill Number: 9815121
Facility Type: ER
SWIS: 2401
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 3/22/1999
Reported to Dept: 3/22/1999
CID: 257
Spill Cause: Housekeeping
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Citizen
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/18/2003
Remediation Phase: 0
Date Entered In Computer: 3/22/1999
Spill Record Last Update: 7/18/2003
Spiller Name: UNKNOWN
Spiller Company: RODNEY ST BETWEEN
Spiller Address: GRAND ST AND GRAND ST EXT
Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: UNKNOWN
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 125994
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"SANGESLAND"
Remarks: THERE IS A OIL SLICK FROM WERE THIS INFORMAL AUTO REPAIR KEEPS DUMPING
THE OIL AND OTHER PRODUCTS

Material:

Site ID: 148017
Operable Unit ID: 1072981
Operable Unit: 01
Material ID: 569236
Material Code: 0005A
Material Name: AUTO WASTE FLUIDS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RODNEY ST BETWEEN (Continued)

S103829256

Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9815121
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/22/1999 09:00
Reported to Dept Date/Time: 03/22/99 10:52
SWIS: 61
Spiller Name: RODNEY ST BETWEEN
Spiller Contact: UNKNOWN
Spiller Phone: () -
Spiller Contact: UNKNOWN
Spiller Phone: () -
Spiller Address: GRAND ST AND GRAND ST EXT
Spiller City,St,Zip: BROOKLYN, NY
Spill Cause: Housekeeping
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RODNEY ST BETWEEN (Continued)

S103829256

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 03/22/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 03/22/99
 Is Updated: False

Tank:
 PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:
 Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: AUTO WASTE FLUIDS
 Class Type: AUTO WASTE FLUIDS
 Times Material Entry In File: 82
 CAS Number: Not reported
 Last Date: 19940928
 DEC Remarks: Not reported
 Remark: THERE IS A OIL SLICK FROM WERE THIS INFORMAL AUTO REPAIR KEEPS DUMPING THE OIL AND OTHER PRODUCTS

K42
North
< 1/8
0.082 mi.
435 ft.

34 AINSLE STREET
34 AINSLE STREET
BROOKLYN, NY
Site 1 of 2 in cluster K

NY Spills S104496034
NY Hist Spills N/A

Relative:
Lower

NY Spills:
 Site ID: 233605
 Facility Addr2: Not reported
 Facility ID: 9501155
 Spill Number: 9501155
 Facility Type: ER
 SWIS: 2401
 Investigator: CAENGELH
 Referred To: Not reported
 Spill Date: 4/24/1995
 Reported to Dept: 4/24/1995
 CID: 14
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

34 AINSLE STREET (Continued)

S104496034

UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/12/1998
Remediation Phase: 0
Date Entered In Computer: 5/16/1995
Spill Record Last Update: 2/12/1998
Spiller Name: Not reported
Spiller Company: CON ED
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 192476
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"ENGELHARDT" Duplicate of spill #9501140.
Remarks: LEAKING TRANSFORMER HIGH LEVELS IN SEWERS

Material:
Site ID: 233605
Operable Unit ID: 1011974
Operable Unit: 01
Material ID: 369773
Material Code: 0017A
Material Name: PCB OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9501155
Investigator: ENGELHARDT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

34 AINSLE STREET (Continued)

S104496034

Notifier Phone: Not reported
Spill Date/Time: 04/24/1995 12:00
Reported to Dept Date/Time: 04/24/95 02:25
SWIS: 61
Spiller Name: CON ED
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/12/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/16/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/12/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: PCB OIL
Class Type: PCB OIL
Times Material Entry In File: 1229
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Duplicate of spill 9501140.
Remark: LEAKING TRANSFORMER HIGH LEVELS IN SEWERS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

L43
NNW
< 1/8
0.085 mi.
448 ft.

STREET
HOPE STREET / RODNEY ST
BROOKLYN, NY

LTANKS **S106737728**
N/A

Site 1 of 6 in cluster L

Relative:
Lower

LTANKS:

Actual:
14 ft.

Site ID: 335838
Spill No: 0410793
Spill Date: 1/3/2005
Spill Cause: Tank Failure
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. No DEC Response. No corrective action required.
Spill Closed Dt: 1/6/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 2401
Investigator: TJDMEEO
Referred To: Not reported
Reported to Dept: 1/3/2005
CID: 409
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/3/2005
Spill Record Last Update: 1/6/2005
Spiller Name: Not reported
Spiller Company: UNKNOWN VESSEL
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: DISPPATCHER 368
Spiller Phone: (718) 965-8261
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 271147
DEC Memo: Not reported
Remarks: IN PROCESS OF CLEAN UP.

Material:

Site ID: 335838
Operable Unit ID: 1097897
Operable Unit: 01
Material ID: 578043
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STREET (Continued)

S106737728

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**L44
NNW
< 1/8
0.085 mi.
448 ft.**

**CONSOLIDATED EDISON
HOPE ST / RODNEY ST
BROOKLYN, NY 11211**

**MANIFEST 1009237099
N/A**

Site 2 of 6 in cluster L

**Relative:
Lower**

NY MANIFEST:
EPA ID: NYP004023115
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

**Actual:
14 ft.**

Document ID: NJA2760294
Manifest Status: Not reported
Trans1 State ID: NYD986908085
Trans2 State ID: Not reported
Generator Ship Date: 05/16/1998
Trans1 Recv Date: 05/16/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/19/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: S07691
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00012
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009237099

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: CTF0581921
Manifest Status: Not reported
Trans1 State ID: NYD986908085
Trans2 State ID: Not reported
Generator Ship Date: 05/16/1998
Trans1 Recv Date: 05/16/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/18/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: CTD002593887
Trans2 EPA ID: Not reported
TSDF ID: 68855F
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 05400
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2784927
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/16/1998
Trans1 Recv Date: 05/16/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/03/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009237099

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: S5811
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00025
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2784928
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/17/1998
Trans1 Recv Date: 05/17/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/03/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: S5811
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00022
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009237099

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2784931
Manifest Status: Not reported
Trans1 State ID: NYD986908085
Trans2 State ID: Not reported
Generator Ship Date: 05/16/1998
Trans1 Recv Date: 05/16/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/18/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: S07691
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00006
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2784932
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 05/17/1998
Trans1 Recv Date: 05/17/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/03/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: S5811

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009237099

Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00022
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 001
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE0104668
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 05/16/1998
Trans1 Recv Date: 05/16/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/18/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004023115
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: ES9944
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00056
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

1009237099

Document ID: NYE0107212
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 05/18/1998
 Trans1 Recv Date: 05/18/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/19/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004023115
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: 80680AB
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00227
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 98
 Manifest Tracking Num: Not reported
 Import Ind: Not reported
 Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

**L45
 NNW
 < 1/8
 0.085 mi.
 448 ft.**

**FEEDER 61
 RODNEY / HOPE ST
 BROOKLYN, NY
 Site 3 of 6 in cluster L**

**NY Spills S103274405
 NY Hist Spills N/A**

**Relative:
 Lower**

NY Spills:
 Site ID: 65510
 Facility Addr2: Not reported
 Facility ID: 9802008
 Spill Number: 9802008
 Facility Type: ER
 SWIS: 2401
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 5/15/1998
 Reported to Dept: 5/15/1998
 CID: 270
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported

**Actual:
 14 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEEDER 61 (Continued)

S103274405

Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/1/2002
Remediation Phase: 0
Date Entered In Computer: 5/15/1998
Spill Record Last Update: 11/1/2002
Spiller Name: STEVE ROMERO
Spiller Company: CON EDISON
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: STEVE ROMERO
Contact Phone: (212) 580-6763
DEC Region: 2
DER Facility ID: 62896
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" DEC responder notes: 5/15/98: Initial leak rate was 400 gals per hour from a feeder line running between Farragut and Ravenswood Stations. The leak was located at the intersection of Rodney and Hope Streets on the eastbound BQE service road, south of Metropolitan Avenue. The exact location of the leak was found when FDNY was called with a report of oil coming up out of the roadway. The leak rate was updated to 400 gallons per hour (not per minute). Pressure on the feeder was immediately reduced when the leak was noted by Con Edison. The cause of the leak turned out to be a fence post installed by a fencing contractor hired by NYCDDC for the installation of guard rails along the BQE service road. Apparently the contractor (Metro Fencing) used a pile driver to install the fence posts without getting a complete Code 53 mark-out. They drove a post directly into the feeder cable. Since there was the possibility that the electrical transmission cable itself was damaged, the electrical service along this feeder was shut off (Con Ed has redundant systems in most of the City, so no one was affected by power outages). Approximately 1300 gallons of non-PCB dielectric oil leaked before a temporary clamp was installed. Two temporary freeze pits were installed to allow for inspection of the electrical cable before permanent repairs were made. Con Ed's cleanup contractors (Clean Venture and Miller Environmental Group) recovered approximately 500 gallons of liquid waste from both the street and the nearby combined sewer. In addition, several roll-off containers of contaminated soil and debris were also removed. Back end samples were collected from the excavation for analysis. Results are pending. In addition to FDNY, NYC OEM, DEP and DDC responded. (JHO) On Feb. 8, 1999 Con Ed submitted a spill closure request, including history of spill, amount of oil leaked, amounts recovered and lab analytical for TPH and benzene. (JHO) e2mis no. 116-869: 5-MAY-1998 @ 14:15 HRS. CONTROL CENTER LEAK DETECTION SYSTEM ACTIVATED ON FDR 61. CONTROL CENTER CHECKING DATA AT FARRAGUT PP#. ALL INDICATIONS FDR HAS A LEAK. 14:31 HRS FDR REQ OOE CAT#1, AND PFT VAN DISPATCHED. 14:35 HRS. FDR 6 C/O UT NOTIFIED TO SEND CREWS OUT, SYSTEMS REQUESTED TO SHUT DOWN PURS ON FDR 61. BROOKLYN DIVISION NOTIFIED TO PATROL FDR61. 14:50 HRS. GAS DISPATCHERS TO INSPECT 11TH STREET CONDUIT. 15:15 HRS BROOKLYN #9 REPORTS FIRE DEPT FOUND LEAK ON THE BQE EAST BOUND EXIT RAMP NEAR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEEDER 61 (Continued)

S103274405

METROPOLIATIN AVE.FDNY CLOSED DOWN EXIT RAMP. 16:00 HRS LEAK POSSIBLY ATTRIBUTTED TO CONTRACTOR INSTALLING NEW GUARD RAILS ALONG BQE.APPROXIMATELY 00 GALLONS OF OIL ON SOIL AND BLACKTOP.NO ENTRY TO SEWERS OR WATERWAYS. 16:15 HRS V&R EXCAVATING CONTRACTOR ON SITE, CLEAN VENTURES CONTRACTOR ENROUTE. 15-MAY-1998 @ 20:30 UTO- REPORTS OIL LEAK ON 10 INCH FEEDER PIPE & TEMPORARY CLAMP APPLIED AND LEAK STOPPED. 05/17/98 0100HRS AS PER ERT THE ORIGINAL REPORT WAS INCORRECT SAYING THAT NO OIL HAD ENTERED A SEWER.AT APPROX.5HRS ON 5/15/98 A ERT REP. ON THE SCENE CONFIRMED THAT A UNKNOWN AMOUNT OIL DID IN FACT ENTER A SEWER. Leak rate 250-300 gph. Leak was contained in half-drum at 18:00hrs. Temp clamp installed at 18:30hrs. Lab samples 98-05431 <1.0 ppm PCBs and 24.5 ppm Benzene. Excavation continues to make trench large enough for permanent repairs and for freeze pits. Temporary EPA #NYP004023115 received for benzene solids and PCB/asbesots coal tar coating. X-Rays taken - shows that cable at bottom of pipe and should not be damaged. Freeze pits excavated on both sides of damage Brooklyn FOD ID three locations- freezes started at 11:00 hrs 5/17/98. Pipe coupon cut out at 12:30 hrs 5/18/98 and engineering inspection made. Cable OK. Custom barrel to be fabricated on 3-11 shift and welded onto pipe on 11-7 shift 5/19/98. Jane O'Connell (DEC) met on site at 09:00 5/18/98. Before cleanup is complete sheeting will need to be pulled and inspection made. She will make inspection on 5/21 with Con Edison remediation representative. Barrel installation completed 07:00 5/19. Freezes released and flushing complete at 07:00 5/20. Rainey potheads, cooling plant and joint in MH64802 bled at 12:00 - normal pressure requested. TO signed off at 00:45 hrs on 5/21/98. Meeting on 5/21 with Jane O'Connell (DEC) on location while sheeting was removed. Additional soil was removed, absorbents in sewers were replaced and permission was given to backfill excavation. Restoration completed 5/26/98. Clean Ventures and MEG removed 6400 gallons of oil/water and 187 cubic yards of contaminated material. On 5/26 Clean Ventures replaced sorbents in sewers - removed 2 drums of material for disposal. On 6/2 Clean Ventures replaced sobents in sewers again. DEC Responder notes: 2/8/99: Spill Closure Request and MEG report submitted. (JHO) 11/1/02: NFA letter sent to Con Ed (see file for copy). (JHO)

Remarks: UNKNOWN EXACTLY WHERE LIE IS LEAKING. IT IS LEAKING AT A RATE OF 350 GALS PER MINUTE

Material:

Site ID: 65510
Operable Unit ID: 1059912
Operable Unit: 01
Material ID: 323914
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 1300
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEEDER 61 (Continued)

S103274405

Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9802008
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/15/1998 14:15
Reported to Dept Date/Time: 05/15/98 15:09
SWIS: 61
Spiller Name: CON EDISON
Spiller Contact: STEVE ROMERO
Spiller Phone: Not reported
Spiller Contact: STEVE ROMERO
Spiller Phone: (212) 580-6763
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/15/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/26/98
Is Updated: False

Tank:

PBS Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FEEDER 61 (Continued)

S103274405

Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 1300
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: DIELECTRIC FLUID
 Class Type: DIELECTRIC FLUID
 Times Material Entry In File: 41
 CAS Number: Not reported
 Last Date: Not reported

DEC Remarks: 5/15/98: Initial leak rate was 400 gals per hour from a feeder line running between Farragut and Ravenswood Stations. The leak was located at the intersection of Rodney and Hope Streets on the eastbound BQE service road, south of Metropolitan Avenue. The exact location of the leak was found when FDNY was called with a report of oil coming up out of the roadway. The leak rate was updated to 400 gallons per hour (not per minute). Pressure on the feeder was immediately reduced when the leak was noted by Con Edison. The cause of the leak turned out to be a fence post installed by a fencing contractor hired by NYCDDC for the installation of guard rails along the BQE service road. Apparently the contractor (Metro Fencing) used a pile driver to install the fence posts without getting a complete Code 53 mark-out. They drove a post directly into the feeder cable. Since there was the possibility that the electrical transmission cable itself was damaged, the electrical service along this feeder was shut off (Con Ed has redundant systems in most of the City, so no one was affected by power outages). Approximately 1300 gallons of non-PCB dielectric oil leaked before a temporary clamp was installed. Two temporary free pits were installed to allow for inspection of the electrical cable before permanent repairs were made. Con Ed's cleanup contractors (Clean Venture and Miller Environmental Group) recovered approximately 500 gallons of liquid waste from both the street and the nearby combined sewer. In addition, several roll-off containers of contaminated soil and debris were also removed. Back end samples were collected from the excavation for analysis. Results are pending. In addition to FDNY, NYC OEM, DEP and DDC responded.

Remark: UNKNOWN EXACTLY WHERE LIE IS LEAKING. IT IS LEAKING AT A RATE OF 350 GALS PER MINUTE

L46
 NNW
 < 1/8
 0.085 mi.
 448 ft.

**CONSOLIDATED EDISON
 RODNEY STREET / HOPE STREET
 BROOKLYN, NY 11211**

**MANIFEST S110046520
 N/A**

Site 4 of 6 in cluster L

**Relative:
 Lower**

NY MANIFEST:
 EPA ID: NYP004183984
 Country: USA

**Actual:
 14 ft.**

Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046520

Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-27
Trans1 Recv Date: 2009-07-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004183984
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 800.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894764GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-27
Trans1 Recv Date: 2009-07-27
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004183984
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110046520

Waste Code: Not reported
Quantity: 800.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894764GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

**L47
NNW
< 1/8
0.085 mi.
448 ft.**

**STREET SPILL
HOPE STREET / RODNEY ST
BROOKLYN, NY**

**LTANKS S106737730
N/A**

Site 5 of 6 in cluster L

**Relative:
Lower**

LTANKS:
Site ID: 335840
Spill No: 0410795
Spill Date: 1/3/2005
Spill Cause: Tank Failure
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/6/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 2401
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 1/3/2005
CID: 409
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/3/2005
Spill Record Last Update: 1/6/2005
Spiller Name: ROBERT RICHARDS
Spiller Company: BERNHARDT FURNITURE COMP
Spiller Address: UNKNOWN
Spiller City,St,Zip: LENOIR, NC
Spiller County: 001
Spiller Contact: JOESPH MCGOVERN

**Actual:
14 ft.**

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STREET SPILL (Continued)

S106737730

Spiller Phone: (718) 476-6288
 Spiller Extension: Not reported
 DEC Region: 2
 DER Facility ID: 271147
 DEC Memo: Not reported
 Remarks: SANTITATION ON SCENE.

Material:
 Site ID: 335840
 Operable Unit ID: 1097899
 Operable Unit: 01
 Material ID: 578045
 Material Code: 0008
 Material Name: Diesel
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

**L48
 NNW
 < 1/8
 0.085 mi.
 448 ft.**

**LOT 1,TAXBLOCK 2374
 432 RODNEY STREET
 BROOKLYN, NY 11211**

**E DESIGNATION S109318040
 N/A**

Site 6 of 6 in cluster L

**Relative:
 Lower**

E DESIGNATION:
 Tax Lot(s): 1
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3003
 School District: 14
 City Council District: 34

**Actual:
 13 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2374 (Continued)

S109318040

Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: F9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: DIAMOND SUGAR CO INC
Lot Area: 000015698
Total Building Floor Area: 00000015675
Commercial Floor Area: 00000015675
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000015675
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0120.00
Lot Depth: 0125.00
Building Frontage: 0095.00
Building Depth: 0125.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000094050
Total Assessed Value: 00000258750
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023740001
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997163
Y Coordinate: 0198893

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1, TAXBLOCK 2374 (Continued)

S109318040

Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

M49
SSW
< 1/8
0.087 mi.
461 ft.

KARITSA REALTY CORP.
335 SOUTH 2ND STREET
BROOKLYN, NY 11211

AST U003396093
HIST AST N/A

Site 1 of 4 in cluster M

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601241
Program Type: PBS
UTM X: 588363.33236999996
UTM Y: 4507119.2048399998
Expiration Date: 2012/07/23

Actual:
20 ft.

Tank Number: 001
Tank Id: 45055
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1989
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 4/16/2007

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
K99 - Spill Prevention - Other
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
D00 - Pipe Type - No Piping
H99 - Tank Leak Detection - Other
G99 - Tank Secondary Containment - Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KARITSA REALTY CORP. (Continued)

U003396093

B00 - Tank External Protection - None

Affiliation Records:

Site Id: 23210
Affiliation Type: Owner
Company Name: ACCI-335, LLC
Contact Type: MEMBER
Contact Name: GUS GALATIANOS
Address1: P.O. BOX 54-1608
Address2: Not reported
City: FLUSHING
State: NY
Zip Code: 11354
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/16/2007

Site Id: 23210
Affiliation Type: Emergency Contact
Company Name: ACCI-335, LLC
Contact Type: Not reported
Contact Name: GUS GALATIANOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23210
Affiliation Type: Mail Contact
Company Name: ACCI- 335 LLC
Contact Type: Not reported
Contact Name: GUS GALATIANOS
Address1: P.O. BOX 54-1608
Address2: Not reported
City: FLUSHING
State: NY
Zip Code: 11354
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: ACCIDRG@AOL.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/16/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KARITSA REALTY CORP. (Continued)

U003396093

Site Id: 23210
Affiliation Type: On-Site Operator
Company Name: ACCI-335, LLC
Contact Type: Not reported
Contact Name: GUS GALATIANOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-601241
SWIS Code: 6101
Operator: BILL TSIOFLIKIS
Facility Phone: (718) 238-7297
Facility Addr2: 335 SOUTH 2ND STREET
Facility Type: APARTMENT BUILDING
Emergency: BILL TSIOFLIKIS
Emergency Tel: (718) 238-7297
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: KARITSA REALTY CO.
Owner Address: 308 84 STREET
Owner City,St,Zip: BROOKLYN, NY 11209
Federal ID: Not reported
Owner Tel: (718) 238-7297
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: BILL TSIOFLIKIS
Mailing Name: KARITSA REALTY CO.
Mailing Address: 308 84 STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11209
Mailing Telephone: (718) 238-7297
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/12/1997
Expiration: 11/24/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KARITSA REALTY CORP. (Continued)

U003396093

Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 00
Pipe Location: Aboveground
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Other
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

M50
SSW
< 1/8
0.088 mi.
464 ft.

VS 6291
KEAP ST/S 2ND ST
BROOKLYN, NY
Site 2 of 4 in cluster M

NY Spills S106012887
N/A

Relative:
Higher

NY Spills:
Site ID: 80842
Facility Addr2: Not reported
Facility ID: 0300193
Spill Number: 0300193
Facility Type: ER
SWIS: 2401
Investigator: KMFOLEY
Referred To: Not reported
Spill Date: 4/5/2003
Reported to Dept: 4/6/2003
CID: 246
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 6291 (Continued)

S106012887

Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/18/2003
Remediation Phase: 0
Date Entered In Computer: 4/6/2003
Spill Record Last Update: 7/18/2003
Spiller Name: UNKNOWN
Spiller Company: UNKNOWN
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN, ZZ
Spiller Company: 001
Contact Name: CALLER
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 74869
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "FOLEY" Con Ed e2mis #147788: 4/5/03 0850hrs - Steve Fuller # 37342 Splicer, Networks reports while on location to do maintenance work on new transformer installed 1/8/03 found and undiaperable (1 oz) sheen of oil on 30 gallons water in VS6291. Mfg tag on unit reads 0 ppm pcb. Pressure tested unit - okay. Checked oil level - Good. Unit on fdr 6b58. Env. stop tag # 39183 placed. Cement sump in structure as per previous incident #145720. Sample taken marked E priority - 24 hr program - chain of custody # CC11879. Clean up pending test results. 4/05/03 20:12 HRS. PCB RESULTS: <1.0 PPM, LAB SEQ # 03-02853. 4/6/03 04:56 HRS. NOT ABLE TO CLEAN STRUCTURE UNTIL AM SHIFT DUE TO FLUSH TRUCKS NEEDED FOR #9 AND FOD. Update - 4/6/03 1005hrs B. Tudy env. ops mech reports clean up completed by double washing with 760 biogen. Removed env. stop tag # 39183. No leaking co. equipment found. Found cement sump in structure. Clean up completed 100%.

Remarks: OIL SHEEN DISCOVERED ON 30 GAL WATER IN VS (UNIT IN IT). LAB RESULTS ARE LESS THAN 1 PPM PCB CLEANUP PENDING CREW

Material:
Site ID: 80842
Operable Unit ID: 868506
Operable Unit: 01
Material ID: 508275
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 6291 (Continued)

S106012887

Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**M51
SSW
< 1/8
0.088 mi.
464 ft.**

**VS #6291
KEAP ST / SOUTH 2ND ST
BROOKLYN, NY
Site 3 of 4 in cluster M**

**NY Spills S106008702
N/A**

**Relative:
Higher**

NY Spills:

**Actual:
20 ft.**

Site ID: 279498
Facility Addr2: Not reported
Facility ID: 0207689
Spill Number: 0207689
Facility Type: ER
SWIS: 2401
Investigator: JHOCONNE
Referred To: Not reported
Spill Date: 10/24/2002
Reported to Dept: 10/24/2002
CID: 233
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/28/2003
Remediation Phase: 0
Date Entered In Computer: 10/24/2002
Spill Record Last Update: 4/28/2003
Spiller Name: KEVIN MCARTLE
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: MANHATTAN, NY 10003
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 226957
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" Con Ed e2mis #145720: 10-24-02 1445 HRS R. CILENTO #44214 NETWORK REPORTS WHILE MAKING INSPECTION IN VS6291 E/S KEAP ST 20' N/O SO.2 ST FDR. 6B58 HE FOUND THE TRANSF BELOW MIN IT LEAKED APPROX 15 GALLONS OIL OR MORE ONTO DIRT , NO WATER. DUE TO THE FEEDER STILL IN SERVICE IT IS UNSAFE TO GO INTO STRUCTURE. THE FEEDER IS BEING REQUESTED OFF ON EMERG PRIORITY # 1. HE THEN CAN PRESSURE TEST UNIT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS #6291 (Continued)

S106008702

AND TAKE A LIQUID SAMPLE FROM TRANSF AND MAKE A TRANSF INSPECTION. THERE WAS NO FIRE OR SMOKE AT THIS LOCATION NO PRIVATE PROPERTY AFFECTED. NO INJURIES. HE DOES NOT SEE A SEWER CONNECTION OR SUMP AT THIS TIME. LIQUID SEEMS CONTAINED NO SEWERS OR WATERWAYS AFFECTED. ENGINEERING PLATES SHOW SOIL DRAIN. HE WAS UNABLE TO TAKE A SAMPLE AT THIS TIME , THE HISTORICAL RECORD IS 14 PPM AND WAS LAST TESTED 5-20-1987. CLEANUP TO START WHEN STRUCTURE IS MADE SAFE . HE PLACED E.S.TAG # 06456. ENRV REP S. STATHIS WAS NOTIFIED 1510 HRS N/P 0800 HR TO 0930 HRS TUESDAY & FRIDAY. CIG NOTIFIED . UPDATE 10-24-02 1558 HRS FDR.6B58 WAS CUT OUT (OOE) STILL HAS TO BE GROUNDED EPA # NYP004104006 UPDATE @ 0225 HRS 10/25 .S.MALLYA ENVIROMENTAL SUP REPORTS TANKER REMOVED 180 GALLONS OF DIELECTRIC FLUID FROM TRANSFORMER & REMOVED 80 GALLONS OF WATER & DETERGANT FROM STRUCTURE, CEMENTED SUMP AFTER TAKING 2 SAMPLES. TAG REMAINS IN PLACE PENDING REMOVAL OF TRANSFORMER & SAMPLES.#12255 VDC. 10/25/02 02:31 -- PCB RESULTS: 10 PPM, AROCLOR 1254, LAB SEQ 02-10022. -- W.W. #17344 1-7-03 1415 HRS . T. LOSCHAVIO OS NETWORK REPORTS TRANSF WAS REMOVED AND CLEANUP CREW TO CONTINUE CLEANUP. LAZ # 04425 1-7-03 1600 HRS R. TUDY MECH "A" FLUSH DEPT REPORTS CLEANUP IS COMPLETED. TRANSF CREW REMOVED TRANSF. FLUSH CREW DOUBLE WASH STRUCTURE WITH BIO-JEN 760. THEY REMOVED ALL LIQUIDS WITH THERE VACTOR. HE FOUND A SUMP THAT HAD BEEN CEMENTED. HE REMOVED E,S,TAG # 06456. LAZ # 04425 con ed # 145720 no to all five questions transformer is showing below min. historic data shows 14 ppm pcb from 1987

Remarks:

Material:

Site ID: 279498
Operable Unit ID: 860556
Operable Unit: 01
Material ID: 565783
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N52
SE
< 1/8
0.093 mi.
489 ft.

MULTIPLE DWELLING
383 SOUTH 1ST STREET
BROOKLYN, NY

NY Spills **S109413762**
N/A

Site 1 of 4 in cluster N

Relative:
Higher

NY Spills:

Actual:
25 ft.

Site ID: 408151
Facility Addr2: Not reported
Facility ID: 0810618
Spill Number: 0810618
Facility Type: ER
SWIS: 2401
Investigator: jbvought
Referred To: Not reported
Spill Date: 12/21/2008
Reported to Dept: 12/21/2008
CID: 12
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/22/2008
Remediation Phase: 0
Date Entered In Computer: 12/21/2008
Spill Record Last Update: 12/22/2008
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: GABRIEL
Contact Phone: (646) 404-0972
DEC Region: 2
DER Facility ID: 357399
DEC Memo: 12/22/08-Vought-Off hours responder. Received call from and spoke to Gabriel (super 646-404-0972) and spill on concrete sidewalk and cleaned using absorbent material. No sewers or drains affected. Spill closed by Vought.
Remarks: Some of the feul (very Little) went in to storm drain.Hazmat Crew cleaned it up with HTP.

Material:

Site ID: 408151
Operable Unit ID: 1164671
Operable Unit: 01
Material ID: 2156059
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 9
Units: Gallons

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MULTIPLE DWELLING (Continued)

S109413762

Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

**N53
 SE
 < 1/8
 0.095 mi.
 500 ft.**

**HOOPER ST/SOUTH 1ST ST
 BROOKLYN, NY**

Site 2 of 4 in cluster N

**NY Spills S105055808
 NY Hist Spills N/A**

**Relative:
 Higher**

NY Spills:

**Actual:
 25 ft.**

Site ID: 121740
 Facility Addr2: Not reported
 Facility ID: 0102020
 Spill Number: 0102020
 Facility Type: ER
 SWIS: 2401
 Investigator: TJDMEEO
 Referred To: Not reported
 Spill Date: 5/4/2001
 Reported to Dept: 5/22/2001
 CID: 396
 Spill Cause: Abandoned Drums
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/16/2001
 Remediation Phase: 0
 Date Entered In Computer: 5/22/2001
 Spill Record Last Update: 7/27/2001
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ -
 Spiller Company: 001
 Contact Name: ELIE SANIT-JEAN
 Contact Phone: (718) 595-4653

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105055808

DEC Region: 2
DER Facility ID: 105669
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" 7/16/2001 No drum found at location
Remarks: 1 55 gal drum of water oil. drum is intact.

Material:
Site ID: 121740
Operable Unit ID: 840835
Operable Unit: 01
Material ID: 568860
Material Code: 0022
Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 0102020
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 05/04/2001 09:00
Reported to Dept Date/Time: 05/22/01 11:00
SWIS: 61
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Contact: ELIE SANIT-JEAN
Spiller Phone: (718) 595-4653
Spiller Address: Not reported
Spiller City,St,Zip: -
Spill Cause: Abandoned Drums
Reported to Dept: On Land
Water Affected: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S105055808

Spill Source: 12
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 07/16/01
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 05/22/01
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 07/27/01
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: WASTE OIL
 Class Type: WASTE OIL
 Times Material Entry In File: 9509
 CAS Number: Not reported
 Last Date: 19940927
 DEC Remarks: 7/16/2001 No drum found at location
 Remark: 1 55 gal drum of water oil. drum is intact.

O54
 NNE
 < 1/8
 0.096 mi.
 509 ft.

LOT 1,TAXBLOCK 2375
 450 KEAP STREET
 BROOKLYN, NY 11211
 Site 1 of 6 in cluster O

E DESIGNATION S108076149
 N/A

Relative:
 Lower

E DESIGNATION:

Tax Lot(s): 1
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b

Actual:
 15 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2375 (Continued)

S108076149

Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 3002
School District: 14
City Council District: 34
Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: E9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: PARKLOT HOLDING CO
Lot Area: 000005000
Total Building Floor Area: 00000010000
Commercial Floor Area: 00000010000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000010000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0025.00
Lot Depth: 0100.00
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000029520
Total Assessed Value: 00000157950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1990
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.00

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 1, TAXBLOCK 2375 (Continued)

S108076149

Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023750001
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997447
 Y Coordinate: 0198696
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

O55
NNE
 < 1/8
 0.097 mi.
 512 ft.

LOT 5, TAXBLOCK 2375
66 AINSIE STREET
BROOKLYN, NY 11211
Site 2 of 6 in cluster O

E DESIGNATION S108469849
N/A

Relative:
Lower

Actual:
15 ft.

E DESIGNATION:
 Tax Lot(s): 5
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3002
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: F4
 Land Use Category: 06
 Number of Easements: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 5, TAXBLOCK 2375 (Continued)

S108469849

Owner, Type of Code: P
Owner Name: TAVOLARIO MESZAROS
Lot Area: 000007500
Total Building Floor Area: 00000007500
Commercial Floor Area: 00000007500
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000007500
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0075.00
Lot Depth: 0100.00
Building Frontage: 0075.00
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000044505
Total Assessed Value: 00000098100
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023750005
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997497
Y Coordinate: 0198829
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

O56
NE
< 1/8
0.099 mi.
520 ft.

LOT 10,TAXBLOCK 2375
74 AINSLIE STREET
BROOKLYN, NY 11211

E DESIGNATION **S108076196**
N/A

Site 3 of 6 in cluster O

Relative:
Lower

E DESIGNATION:

Actual:
16 ft.

Tax Lot(s):	10
E-No:	E-138
Effective Date:	5/11/2005
Satisfaction Date:	Not reported
Ceqr Number:	04DCP003K
Ulurp Number:	050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
Zoning Map No:	12c, 12d, 13a, 13b
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	BK
Community District:	301
Census Tract:	513
Census Block:	3002
School District:	14
City Council District:	34
Fire Company:	L104
Health Area:	30
Police Precinct:	090
Zone District 1:	M1-2/R6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	MX-8
Special Purpose District2:	Not reported
All Components1:	M1-2/R6/MX-8
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	F9
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	ZIMMERMAN ARNOLD P
Lot Area:	000005060
Total Building Floor Area:	00000005000
Commercial Floor Area:	00000005000
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000005000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00000
Lot Frontage:	0050.00
Lot Depth:	0100.00
Building Frontage:	0050.00
Building Depth:	0100.00
Proximity Code:	0
Irregular Lot Code:	Y

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 10,TAXBLOCK 2375 (Continued)

S108076196

Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000029880
 Total Assessed Value: 00000066600
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1974
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.99
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023750010
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997554
 Y Coordinate: 0198800
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**N57
 SE
 < 1/8
 0.099 mi.
 523 ft.**

**MODEL BRASS & BRONZE CORP
 387 S FIRST ST
 BROOKLYN, NY 11211
 Site 3 of 4 in cluster N**

**AST U003392540
 HIST AST N/A**

**Relative:
 Higher**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-199877
 Program Type: PBS
 UTM X: 588566.17050000001
 UTM Y: 4507113.9821199998
 Expiration Date: 2013/11/02

 Tank Number: 001
 Tank Id: 24812
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1986

**Actual:
 26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MODEL BRASS & BRONZE CORP (Continued)

U003392540

Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 9/11/2008

Equipment Records:

H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 6702
Affiliation Type: Mail Contact
Company Name: CHURCH OF GOD OF PROPHECY
Contact Type: Not reported
Contact Name: MIRKA LOUIS
Address1: 414 HOOPER ST.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 218-8567
Phone Ext: Not reported
Email: EOGOP333UNION@YAHOO.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/29/2006

Site Id: 6702
Affiliation Type: On-Site Operator
Company Name: 387 S 1ST ST
Contact Type: Not reported
Contact Name: DOMINGO CAMPOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 218-8567
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/29/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MODEL BRASS & BRONZE CORP (Continued)

U003392540

Site Id: 6702
Affiliation Type: Emergency Contact
Company Name: CHURCH OF GOD OF PROPHECY
Contact Type: Not reported
Contact Name: DOMINGO CAMPOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 388-4547
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/29/2006

Site Id: 6702
Affiliation Type: Owner
Company Name: CHURCH OF GOD OF PROPHECY
Contact Type: SECRETARY
Contact Name: MIRKA LOUIS
Address1: 387 SOUTH 1ST ST.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-4547
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/29/2006

HIST AST:

PBS Number: 2-199877
SWIS Code: 6101
Operator: MODEL BRASS & BRONZE CORP
Facility Phone: (718) 384-2177
Facility Addr2: 387 S 1ST ST
Facility Type: Not reported
Emergency: J CARUSI
Emergency Tel: (718) 948-4084
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
Owner Address: 3225 GALLOWS RD.; ENV.ENGINEER
Owner City,St,Zip: FAIRFAX, VA 22037
Federal ID: Not reported
Owner Tel: (703) 849-5862
Owner Type: Not reported
Owner Subtype: M
Mailing Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MODEL BRASS & BRONZE CORP (Continued)

U003392540

Mailing Name: MOBIL OIL CORP;ATT:A.J.PRINGLE
Mailing Address: P O BOX 142667
Mailing Address 2: Not reported
Mailing City,St,Zip: AUSTIN, TX 78714
Mailing Telephone: (703) 849-5862
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/23/1987
Expiration: 10/23/1992
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P58
East
< 1/8
0.099 mi.
524 ft.

MTA NYCT METROPOLITAN STATION
HOPE ST & UNION AVE
BROOKLYN, NY 11211

RCRA-NonGen 1001223858
FINDS NYR000050740
MANIFEST

Site 1 of 8 in cluster P

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: MTA NYCT METROPOLITAN STATION

Facility address: HOPE ST & UNION AVE

BROOKLYN, NY 11211

EPA ID: NYR000050740

Mailing address: JAY ST ROOM 819

BROOKLYN, NY 11201

Contact: HOWARD MATZA

Contact address: JAY ST ROOM 819

BROOKLYN, NY 11201

Contact country: US

Contact telephone: (718) 243-4581

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
21 ft.

Owner/Operator Summary:

Owner/operator name: MTA NEW YORK CITY TRANSIT

Owner/operator address: 370 JAY ST ROOM 819

BROOKLYN, NY 11206

Owner/operator country: US

Owner/operator telephone: (718) 743-4581

Legal status: Municipal

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: MTA NEW YORK CITY TRANSIT

Owner/operator address: 370 JAY ST ROOM 819

BROOKLYN, NY 11206

Owner/operator country: US

Owner/operator telephone: (718) 743-4581

Legal status: Municipal

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: No

Transporter of hazardous waste: Unknown

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: Unknown

Furnace exemption: Unknown

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA NYCT METROPOLITAN STATION (Continued)

1001223858

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: MTA NYCT METROPOLITAN STATION
Classification: Not a generator, verified

Date form received by agency: 12/14/1999
Facility name: MTA NYCT METROPOLITAN STATION
Classification: Small Quantity Generator

Date form received by agency: 07/14/1999
Facility name: MTA NYCT METROPOLITAN STATION
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008102454

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000050740
Country: USA
Mailing Name: NYCTA
Mailing Contact: GIOVANNI BASSI
Mailing Address: 370 JAY ST RM 819
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11201
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-243-4581

Document ID: NJA2786423
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 03/26/1998
Trans1 Recv Date: 03/26/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/26/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA NYCT METROPOLITAN STATION (Continued)

1001223858

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000050740
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSDF ID: NJDEPES58
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00955
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3015475
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 04/16/1999
Trans1 Recv Date: 04/16/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/16/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000050740
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSDF ID: S5811
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01004
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MTA NYCT METROPOLITAN STATION (Continued)

1001223858

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3070309
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 01/05/2000
Trans1 Recv Date: 01/05/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/14/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000050740
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00250
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

M59
SSW
< 1/8
0.099 mi.
524 ft.

376 KEAP STREET HOUSING
376 KEAP STREET
BROOKLYN, NY 11211

Site 4 of 4 in cluster M

AST A100292270
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-608500
Program Type: PBS
UTM X: 588363.83224999998
UTM Y: 4507098.50502
Expiration Date: 2013/03/05

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

376 KEAP STREET HOUSING (Continued)

A100292270

Tank Number: 1
Tank Id: 65254
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1983
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 4/23/2008

Equipment Records:

I05 - Overfill - Vent Whistle
C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 30352
Affiliation Type: Emergency Contact
Company Name: 376 KEAP HOUSING
Contact Type: Not reported
Contact Name: JOSE TORIBIO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-9275
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30352
Affiliation Type: Mail Contact
Company Name: 376 KEAP HOUSING
Contact Type: Not reported
Contact Name: SUPER
Address1: 376 KEAP STREET
Address2: #7
City: BROOKLYN
State: NY

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

376 KEAP STREET HOUSING (Continued)

A100292270

Zip Code: 11211
 Country Code: 001
 Phone: (718) 388-8975
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30352
 Affiliation Type: On-Site Operator
 Company Name: 376 KEAP STREET HOUSING
 Contact Type: Not reported
 Contact Name: HECTOR QUERO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 388-8975
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30352
 Affiliation Type: Owner
 Company Name: 376 KEAP HOUSING
 Contact Type: AGENT
 Contact Name: F RODRIQUEZ
 Address1: 376 KEAP ST, #7
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11211
 Country Code: 001
 Phone: (917) 653-0450
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 4/23/2008

P60
East
< 1/8
0.100 mi.
528 ft.

LOT 4, TAXBLOCK 2779
376 UNION AVENUE
BROOKLYN, NY 11211
Site 2 of 8 in cluster P

E DESIGNATION S109942542
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 4
 E-No: E-232
 Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 4, TAXBLOCK 2779 (Continued)

S109942542

Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S2
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MARGARET ADELCHI
Lot Area: 000002494
Total Building Floor Area: 00000003784
Commercial Floor Area: 00000001320
Office Floor Area: 00000000000
Retail Floor Area: 00000001320
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 003.00
Residential Units: 00002
Non and Residential Units: 00003
Lot Frontage: 0022.00
Lot Depth: 0093.50
Building Frontage: 0022.00
Building Depth: 0090.00
Proximity Code: 3
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000002663
Total Assessed Value: 00000018750
Land Exempt Value: 00000001430
Total Exempt Value: 00000001430
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 4, TAXBLOCK 2779 (Continued)

S109942542

Built Floor Area Ratio-Far: 0001.52
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027790004
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997866
Y Coordinate: 0198539
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 4
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S2
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MARGARET ADELCHI
Lot Area: 000002494
Total Building Floor Area: 00000003784
Commercial Floor Area: 00000001320
Office Floor Area: 00000000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 4, TAXBLOCK 2779 (Continued)

S109942542

Retail Floor Area: 00000001320
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00003
Number of Floors: 003.00
Residential Units: 00002
Non and Residential Units: 00003
Lot Frontage: 0022.00
Lot Depth: 0093.50
Building Frontage: 0022.00
Building Depth: 0090.00
Proximity Code: 3
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000002663
Total Assessed Value: 00000018750
Land Exempt Value: 00000001430
Total Exempt Value: 00000001430
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.52
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027790004
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997866
Y Coordinate: 0198539
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

O61
NNE
< 1/8
0.100 mi.
529 ft.

LOT 48,TAXBLOCK 2371
45 AINSLIE STREET
BROOKLYN, NY 11211

E DESIGNATION **S108076631**
N/A

Site 4 of 6 in cluster O

Relative:
Lower

E DESIGNATION:

Actual:
14 ft.

Tax Lot(s): 48
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3000
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: ARM & LEG CO INC
 Lot Area: 000005050
 Total Building Floor Area: 00000020000
 Commercial Floor Area: 00000020000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000020000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0100.50
 Lot Depth: 0050.25
 Building Frontage: 0100.00
 Building Depth: 0050.00
 Proximity Code: 0
 Irregular Lot Code: N

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 48,TAXBLOCK 2371 (Continued)

S108076631

Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000029655
 Total Assessed Value: 00000173250
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1910
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0003.96
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023710048
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997326
 Y Coordinate: 0199066
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

P62
East
< 1/8
0.100 mi.
528 ft.

LOT 3,TAXBLOCK 2779
372 UNION AVENUE
BROOKLYN, NY 11211
Site 3 of 8 in cluster P

E DESIGNATION S109942423
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 3
 E-No: E-232
Actual: Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK
 Zoning Map No: 12c 13a 13b
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 1003
 School District: 14
 City Council District: 34
 Fire Company: E216
 Health Area: 30
 Police Precinct: 090

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 3,TAXBLOCK 2779 (Continued)

S109942423

Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: C4
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MARGARET ADELCHI
Lot Area: 000002170
Total Building Floor Area: 00000004200
Commercial Floor Area: 00000001400
Office Floor Area: 00000000000
Retail Floor Area: 00000001400
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00004
Non and Residential Units: 00006
Lot Frontage: 0028.00
Lot Depth: 0077.50
Building Frontage: 0028.00
Building Depth: 0050.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000002739
Total Assessed Value: 00000037129
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.94
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027790003
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997834
Y Coordinate: 0198507
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 3,TAXBLOCK 2779 (Continued)

S109942423

E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 3
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: C4
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: MARGARET ADELCHI
Lot Area: 000002170
Total Building Floor Area: 00000004200
Commercial Floor Area: 00000001400
Office Floor Area: 00000000000
Retail Floor Area: 00000001400
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00004
Non and Residential Units: 00006
Lot Frontage: 0028.00

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 3, TAXBLOCK 2779 (Continued)

S109942423

Lot Depth: 0077.50
 Building Frontage: 0028.00
 Building Depth: 0050.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000002739
 Total Assessed Value: 00000037129
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1930
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.94
 Maximum Allowable Far: 02.43
 Borough Code: 3
 Borough Tax Block And Lot: 3027790003
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997834
 Y Coordinate: 0198507
 Zoning Map: 13B
 Sanborn Map: 304 021
 Tax Map: 30906
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

O63
NNE
 < 1/8
 0.101 mi.
 531 ft.

LOT 1, TAXBLOCK 2372
452 KEAP STREET
BROOKLYN, NY 11211
Site 5 of 6 in cluster O

E DESIGNATION S108076147
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 1
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513

Actual:
15 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2372 (Continued)

S108076147

Census Block: 3001
School District: 14
City Council District: 34
Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: F9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: RIVER CREEK REALTY IN
Lot Area: 000005750
Total Building Floor Area: 00000006240
Commercial Floor Area: 00000006240
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000006240
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0091.67
Lot Depth: 0084.33
Building Frontage: 0091.00
Building Depth: 0084.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000033930
Total Assessed Value: 00000084600
Land Exempt Value: 00000000000
Total Exempt Value: 00000016020
Year Built: 1954
Year Built Code: Not reported
Year Altered1: 1997
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.09
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023720001
Condominium Number: 00000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1, TAXBLOCK 2372 (Continued)

S108076147

Census Tract 2: 0513
X Coordinate: 0997557
Y Coordinate: 0198973
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**P64
East
< 1/8
0.100 mi.
530 ft.**

**LOT 2, TAXBLOCK 2779
370 UNION AVENUE
BROOKLYN, NY 11211
Site 4 of 8 in cluster P**

**E DESIGNATION S109942311
N/A**

**Relative:
Higher**

E DESIGNATION:
Tax Lot(s): 2
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S2
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DANIEL M SCIBELLI REV
Lot Area: 000002338
Total Building Floor Area: 00000002575
Commercial Floor Area: 00000000815

**Actual:
22 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 2,TAXBLOCK 2779 (Continued)

S109942311

Office Floor Area: 00000000000
Retail Floor Area: 00000000815
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00002
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0093.50
Building Frontage: 0022.00
Building Depth: 0040.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000001511
Total Assessed Value: 00000009434
Land Exempt Value: 00000001511
Total Exempt Value: 00000002370
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.10
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027790002
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997866
Y Coordinate: 0198485
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 2
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 2,TAXBLOCK 2779 (Continued)

S109942311

Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S2
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: DANIEL M SCIBELLI REV
Lot Area: 000002338
Total Building Floor Area: 00000002575
Commercial Floor Area: 00000000815
Office Floor Area: 00000000000
Retail Floor Area: 00000000815
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00002
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0093.50
Building Frontage: 0022.00
Building Depth: 0040.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000001511
Total Assessed Value: 00000009434
Land Exempt Value: 00000001511
Total Exempt Value: 00000002370
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 2, TAXBLOCK 2779 (Continued)

S109942311

Built Floor Area Ratio-Far: 0001.10
 Maximum Allowable Far: 02.43
 Borough Code: 3
 Borough Tax Block And Lot: 3027790002
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997866
 Y Coordinate: 0198485
 Zoning Map: 13B
 Sanborn Map: 304 021
 Tax Map: 30906
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

P65
East
< 1/8
0.102 mi.
538 ft.

LOT 1, TAXBLOCK 2779
366 UNION AVENUE
BROOKLYN, NY 11211
Site 5 of 8 in cluster P

E DESIGNATION **S109942118**
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 1
 E-No: E-232
Actual: Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK
 Zoning Map No: 12c 13a 13b
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 1003
 School District: 14
 City Council District: 34
 Fire Company: E216
 Health Area: 30
 Police Precinct: 090
 Zone District 1: R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: R6
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: C0
 Land Use Category: 02
 Number of Easements: 0

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2779 (Continued)

S109942118

Owner, Type of Code: Not reported
Owner Name: JAN LOU PROPERTIES,
Lot Area: 000002338
Total Building Floor Area: 00000002575
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00003
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0093.50
Building Frontage: 0022.00
Building Depth: 0040.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 2
Land Assessed Value: 00000000769
Total Assessed Value: 00000008708
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.10
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027790001
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997840
Y Coordinate: 0198462
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2779 (Continued)

S109942118

E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: C0
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: JAN LOU PROPERTIES,
Lot Area: 000002338
Total Building Floor Area: 00000002575
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00003
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0093.50
Building Frontage: 0022.00
Building Depth: 0040.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 2
Land Assessed Value: 00000000769
Total Assessed Value: 00000008708
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 1,TAXBLOCK 2779 (Continued)

S109942118

Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.10
 Maximum Allowable Far: 02.43
 Borough Code: 3
 Borough Tax Block And Lot: 3027790001
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997840
 Y Coordinate: 0198462
 Zoning Map: 13B
 Sanborn Map: 304 021
 Tax Map: 30906
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**Q66
 NE
 < 1/8
 0.102 mi.
 537 ft.**

**LOT 12,TAXBLOCK 2375
 80 AINSLIE STREET
 BROOKLYN, NY 11211
 Site 1 of 6 in cluster Q**

**E DESIGNATION S108076237
 N/A**

**Relative:
 Equal**

E DESIGNATION:
 Tax Lot(s): 12
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3002
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported

**Actual:
 17 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 12,TAXBLOCK 2375 (Continued)

S108076237

All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: F9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CITY OF NEW YORK
Lot Area: 000005908
Total Building Floor Area: 00000006000
Commercial Floor Area: 00000006000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000006000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0059.08
Lot Depth: 0100.00
Building Frontage: 0059.00
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000034920
Total Assessed Value: 00000074700
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.02
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023750012
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997601
Y Coordinate: 0198775
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 12,TAXBLOCK 2375 (Continued)

S108076237

Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**P67
ENE
< 1/8
0.102 mi.
539 ft.**

**UNION PLAZA, LLC
385 UNION AVE
BROOKLYN, NY 11211
Site 6 of 8 in cluster P**

**UST U004151158
N/A**

**Relative:
Higher**

UST:

Facility Id: 2-611285
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: Not reported
UTM Y: Not reported
Site ID: 426065

**Actual:
20 ft.**

Tank Number: 01
Tank ID: 233372
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: 00
Next Test Date: Not reported
Date Tank Closed: 12/30/2005
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 3/16/2010

Equipment Records:

E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
K00 - Spill Prevention - None

Affiliation Records:

Site Id: 426065
Affiliation Type: Owner
Company Name: UNION AVE LLC
Contact Type: OWNER
Contact Name: ANSHEL FREIDMAN
Address1: 385 UNION AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION PLAZA, LLC (Continued)

U004151158

Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 302-7005
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/16/2010

Site Id: 426065
Affiliation Type: Mail Contact
Company Name: KEREN STAR MGMT
Contact Type: Not reported
Contact Name: ANSHEL FREIDMAN
Address1: 329 HEWES STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 302-7005
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/16/2010

Site Id: 426065
Affiliation Type: Emergency Contact
Company Name: UNION AVE LLC
Contact Type: Not reported
Contact Name: PINNY GLUCK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 302-7005
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/16/2010

Site Id: 426065
Affiliation Type: On-Site Operator
Company Name: UNION PLAZA, LLC
Contact Type: Not reported
Contact Name: PINNY GLUCK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION PLAZA, LLC (Continued)

U004151158

Zip Code: Not reported
Country Code: 001
Phone: (718) 302-7005
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/16/2010

P68
ENE
< 1/8
0.102 mi.
539 ft.

LOT 16,TAXBLOCK 2375
385 UNION AVENUE
BROOKLYN, NY 11211
Site 7 of 8 in cluster P

E DESIGNATION **S108076314**
N/A

Relative:
Higher

E DESIGNATION:
Tax Lot(s): 16
E-No: E-138
Effective Date: 5/11/2005
Satisfaction Date: Not reported
Ceqr Number: 04DCP003K
Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
Zoning Map No: 12c, 12d, 13a, 13b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 3002
School District: 14
City Council District: 34
Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: F4
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: P
Owner Name: UNION PLAZA LLC
Lot Area: 000015000
Total Building Floor Area: 00000012500
Commercial Floor Area: 00000012500
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000012500
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 16,TAXBLOCK 2375 (Continued)

S108076314

Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0149.58
Lot Depth: 0100.00
Building Frontage: 0149.00
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000088650
Total Assessed Value: 00000196200
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1972
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.83
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023750016
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997655
Y Coordinate: 0198709
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**K69
NNW
< 1/8
0.103 mi.
542 ft.**

**LOT 7,TAXBLOCK 2374
442 RODNEY STREET
BROOKLYN, NY 11211
Site 2 of 2 in cluster K**

**E DESIGNATION S108469867
N/A**

**Relative:
Lower
Actual:
13 ft.**

E DESIGNATION:
Tax Lot(s): 7
E-No: E-138
Effective Date: 5/11/2005
Satisfaction Date: Not reported
Ceqr Number: 04DCP003K
Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7, TAXBLOCK 2374 (Continued)

S108469867

Zoning Map No: 12c, 12d, 13a, 13b
Description: Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 3003
School District: 14
City Council District: 34
Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: U5
Land Use Category: 07
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: BKLYN EDISON CO
Lot Area: 000000000
Total Building Floor Area: 00000000000
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00000
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0080.00
Lot Depth: 0177.00
Building Frontage: 0055.00
Building Depth: 0080.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000000000
Total Assessed Value: 00000000000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 7, TAXBLOCK 2374 (Continued)

S108469867

Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 03.00
 Borough Code: 3
 Borough Tax Block And Lot: 3023740007
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997221
 Y Coordinate: 0198971
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

R70
North
< 1/8
0.103 mi.
544 ft.

AINSLIE ST SUBST TR #4
34-50 AINSLIE STREET
BROOKLYN, NY
Site 1 of 9 in cluster R

NY Spills S106699152
N/A

Relative:
Lower

NY Spills:

Site ID: 142010
 Facility Addr2: Not reported
 Facility ID: 0406371
 Spill Number: 0406371
 Facility Type: ER
 SWIS: 2401
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 9/9/2004
 Reported to Dept: 9/10/2004
 CID: 14
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/21/2004
 Remediation Phase: 0
 Date Entered In Computer: 9/10/2004
 Spill Record Last Update: 9/21/2004
 Spiller Name: ERT DESK
 Spiller Company: CON ED
 Spiller Address: 34-50 AINSLIE STREET

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLIE ST SUBST TR #4 (Continued)

S106699152

Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: ERT DESK
Contact Phone: (212) 580-8383
DEC Region: 2
DER Facility ID: 121232
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" e2mis no. 155289: BQE reports that in Transformer # 4 concrete vault 1000 gallons of water was found and sampled and the results came back as 66 ppm of PCB oil. The transformers have previously been drained. This substation is a decommissioned station and the water was found on an inspection due to the amount of rainfall that has occurred. Clean up pending. DUE TO STRUCTURES BEING INTERCONNECTED ALL FOUR UNITS (#1, #2, #3 & #4) ARE BEING TREATED AS 50-499 PPM. WATER QUANTITY IS APPROX. 5000 GALS; OIL QUANTITY IS APPROX. 3 GALS. AT 66 PPM AS PER RESULT ON LS# 04-07120. 9/10/2004 20:35 HRS. -- EQUIPMENT GROUP O/S R. BRENSEKE REPORTS COMPARTMENT #4 DRAINED WITH TANKER, FOUND AN ABANDONED SUMP PIT AND RE-SEALED THE ALREADY SEALED CONNECTIONS WITH CONCRETE. Update - 9/11/04 0820hrs Sean McKeever reports > 50 tanker removed 6,200 gallons of water. Removed also 8 barrels of solid waste from all 4 transformer vaults. Double washed by Clean Ventures. Removed env. stop tag # 06423. Clean up completed as of this time. ~~~~~ DEC Inspector notes: 9/21/04: Duplicate spill report - see 0406635. Close out. (JHO)
Not reported
Remarks: LESS THAN 1 OUNCE ON 1000 GALLONS OF WATER CAME BACK AT 66 PPM: CONED # 155289: NO SEWERS OR WATERWAYS CLEAN UP PENDING CREWS: **** was on 24 hr clock and now coming off*****

Material:

Site ID: 142010
Operable Unit ID: 889928
Operable Unit: 01
Material ID: 487427
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 142010
Operable Unit ID: 889928
Operable Unit: 01
Material ID: 487426
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AINSLIE ST SUBST TR #4 (Continued)

S106699152

Tank Test:
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

R71
North
< 1/8
0.103 mi.
544 ft.

AINSLIE ST SUBST TR # 3
34-50 AINSLIE STREET
BROOKLYN, NY
Site 2 of 9 in cluster R

NY Spills S106699432
N/A

Relative:
Lower

NY Spills:
 Site ID: 142013
 Facility Addr2: Not reported
 Facility ID: 0406787
 Spill Number: 0406787
 Facility Type: ER
 SWIS: 2401
 Investigator: JMOCONNE
 Referred To: Not reported
 Spill Date: 9/20/2004
 Reported to Dept: 9/20/2004
 CID: 14
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Railroad Car
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not Closed
 Remediation Phase: 1
 Date Entered In Computer: 9/20/2004
 Spill Record Last Update: 9/16/2009
 Spiller Name: ERT DESK
 Spiller Company: CON EDISON
 Spiller Address: 34-50 AINSLIE STREET
 Spiller City,St,Zip: BROOKLYN, NY
 Spiller Company: 001
 Contact Name: ERT DESK
 Contact Phone: (212) 580-8383
 DEC Region: 2
 DER Facility ID: 121232
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" DEC Inspector notes: 9/21/04: Met with Ron Cosentino.

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLIE ST SUBST TR # 3 (Continued)

S106699432

This is an old substation - built by Transit Authority circa 1890; sold to Con Ed circa 1930; decommissioned in 1995. There are 4 transformers inside concrete vaults, all located inside the building. The vaults are in the basement of the building, and there are large steel doors from the vaults out to the sidewalk on Ainslie Street. All 4 transformers were drained in 1995. PCB concentrations of residual oil in the transformers was all 10 ppm or less, however all were most likely retro-filled at some point in the recent past (though the company has no records of retro-fills). Following heavy rain 2 weeks ago, water was found in vault #4 with approx 1 pint of oil. Oil tested 66 ppm PCB. This week, following additional heavy rain, oil was also found in vaults 2 & 3 on top of water. PCB concentrations = 168 ppm (vault 2) and 2832 ppm (vault 3). A duplicate sample was collected from vault 3 today to verify PCB results. There is a heavy influx of groundwater in the western portion of the basement (outside the vaults). The water coming in appears crystal clear. There are at least 3 sump pits outside the vaults, but none of the pumps are connected. The water in the vaults could be groundwater or could be overflow from street flooding coming in through steel doors (bottom of doors is approx. 6 inches above sidewalk grade). I suspect the oil is residual from old leaks that is trapped beneath the transformers and is being picked up by water. Clean Harbors is on site with crews to power-wash the vaults. Told Ron Cosentino to have vaults checked on Thursday or Friday (after clean up is complete but before next expected rain event) to see if water re-appears to give indication if water is from rain or groundwater infiltration. See also spill #s 0406630 and 0406635.

(JHO) ~~~~~ e2mis no. 155449: ON LOCATION FOR RETIREMENT OF TRANSFORMERS IN AINSLIE ST SUBSTATION AND DUE TO RAIN HE WAS INSPECTING VAULT #3 AND FOUND APPROX. 1/2 GAL. UNKNOWN OIL ON APPROX. 500 GAL WATER. CLEANUP PENDING PCB RESULTS FROM CHEM LAB. NOTE: THERE ARE FOUR TRANSFORMERS IN THIS DECOMMISSIONED SUBSTATION, WITH E2MIS INCIDENTS FOR VAULT #2 (155289, 66 PPM & 155400, 5 PPM) AND VAULT # 4 (155403, 168 PPM). AS PER AN UPDATE ON E2MIS INCIDENT 155289, EQUIP. GROUP REPORTED ON 9/10/04 THAT ALL FOUR VAULTS ARE INTER-CONNECTED, THEREFORE ALL WILL BE CLEANED AS 50-499 PPM. AS PER UPDATE ON INCIDENT 155400 [DEC spill # 0406630] FROM EQUIP. GROUP, CLEANUP WILL BE SUPERVISED BY EQUIPMENT GROUP AND CLEANUP PERSONNEL PROVIDED BY CLEAN HARBORS. LIQUIDS TO BE REMOVED WITH CON ED "OVER 50" TANKER AND SOLIDS TO BE BARRELLED AND BROUGHT BACK TO ASTORIA. UPDATE 20-SEP-2004 HRS CHEMIST J. HENDRIX CONTACTED THE CONTROL DESK WITH A "PRELIMINARY" PCB COUNT OF >500 PPM PCB.

Remarks: ON 500 GALLONS OF WATER: CLEAN UP PENDING LAB RESULTS AND NO TO 5 QUESTIONS: CONED # 155449

Material:
Site ID: 142013
Operable Unit ID: 890201
Operable Unit: 01
Material ID: 488032
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AINSLIE ST SUBST TR # 3 (Continued)

S106699432

Oxygenate: False
 Site ID: 142013
 Operable Unit ID: 890201
 Operable Unit: 01
 Material ID: 488033
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

R72
North
< 1/8
0.103 mi.
544 ft.

AINSLIE ST SUBST TR # 2
34-50 AINSLIE STREET
BROOKLYN, NY

NY Spills S106699330
N/A

Site 3 of 9 in cluster R

Relative:
Lower

NY Spills:

Site ID: 142011
 Facility Addr2: Not reported
 Facility ID: 0406630
 Spill Number: 0406630
 Facility Type: ER
 SWIS: 2401
 Investigator: JMOCONNE
 Referred To: Not reported
 Spill Date: 9/16/2004
 Reported to Dept: 9/16/2004
 CID: 14
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Railroad Car
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLIE ST SUBST TR # 2 (Continued)

S106699330

Spill Closed Dt: Not Closed
Remediation Phase: 1
Date Entered In Computer: 9/16/2004
Spill Record Last Update: 9/16/2009
Spiller Name: ERT DESK
Spiller Company: CON ED
Spiller Address: 34-50 AINSLIE STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: ERT DESK
Contact Phone: (212) 580-8383
DEC Region: 2
DER Facility ID: 121232
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" 9/21/04 Met with Ron Cosentino. This is an old substation - built by Transit Authority circa 1890; sold to Con Ed circa 1930; decommissioned in 1995. There are 4 transformers inside concrete vaults, all located inside the building. The vaults are in the basement of the building, and there are large steel doors from the vaults out to the sidewalk on Ainslie Street. All 4 transformers were drained in 1995. PCB concentrations of residual oil in the transformers was all 10 ppm or less, however all were most likely retro-filled at some point in the recent past (though the company has no records of retro-fills). Following heavy rain 2 weeks ago, water was found in vault #4 with approx 1 pint of oil. Oil tested 66 ppm PCB. This week, following additional heavy rain, oil was also found in vaults 2 & 3 on top of water. PCB concentrations = 168 ppm (vault 2) and 2832 ppm (vault 3). A duplicate sample was collected from vault 3 today to verify PCB results. There is a heavy influx of groundwater in the western portion of the basement (outside the vaults). The water coming in appears crystal clear. There are at least 3 sump pits outside the vaults, but none of the pumps are connected. The water in the vaults could be groundwater or could be overflow from street flooding coming in through steel doors (bottom of doors is approx. 6 inches above sidewalk grade). I suspect the oil is residual from old leaks that is trapped beneath the transformers and is being picked up by water. Clean Harbors is on site with crews to power-wash the vaults. Told Ron Cosentino to have vaults checked on Thursday or Friday (after clean up is complete but before next expected rain event) to see if water re-appears to give indication if water is from rain or groundwater infiltration. See also spill #s 0406635, 0406787 and 9501140 (Transformer #4). (JHO) THIS INCIDENT WILL REMAIN OPEN TILL THE TRANSFORMERS ARE REMOVED AND INVESTIGATION/CLEANUP CAN BE DONE.

Remarks: ON 200 GALLONS OF WATER: NO TO 5 QUESTIONS: NOT SURE WHEN IT WILL BE CLEANED UP DUE TO AGE; CONED # 155400

Material:
Site ID: 142011
Operable Unit ID: 889262
Operable Unit: 01
Material ID: 487814
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLIE ST SUBST TR # 2 (Continued)

S106699330

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

R73
North
< 1/8
0.103 mi.
544 ft.

CONSOLIDATED EDISON
34 AINSLIE ST - MOAT
BROOKLYN, NY
Site 4 of 9 in cluster R

MANIFEST 1009243674
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004131983
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
13 ft.

Document ID: NYE0633402
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 06/01/2005
Trans1 Recv Date: 06/01/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/02/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004131983
Trans1 EPA ID: 46826JM
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 05918
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243674

Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE0633402
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 06/01/2005
Trans1 Recv Date: 06/01/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/02/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004131983
Trans1 EPA ID: 46826JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 05918
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

R74
North
< 1/8
0.103 mi.
544 ft.

AINSLIE ST SUBST TR # 4
34-50 AINSLIE STREET
BROOKLYN, NY

Site 5 of 9 in cluster R

NY Spills **S106699307**
N/A

Relative:
Lower

NY Spills:

Actual:
13 ft.

Site ID: 142012
 Facility Addr2: Not reported
 Facility ID: 0406635
 Spill Number: 0406635
 Facility Type: ER
 SWIS: 2401
 Investigator: JMOCONNE
 Referred To: Not reported
 Spill Date: 9/16/2004
 Reported to Dept: 9/16/2004
 CID: 14
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed
 Remediation Phase: 1
 Date Entered In Computer: 9/16/2004
 Spill Record Last Update: 9/16/2009
 Spiller Name: ERT DESK
 Spiller Company: CON ED
 Spiller Address: 34-50 AINSLIE STREET
 Spiller City,St,Zip: BROOKLYN, NY
 Spiller Company: 001
 Contact Name: ERT DESK
 Contact Phone: (212) 580-8383
 DEC Region: 2
 DER Facility ID: 121232
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" DEC Inspector notes: 9/21/04 Met with Ron Cosentino. This is an old substation - built by Transit Authority circa 1890; sold to Con Ed circa 1930; decommissioned in 1995. There are 4 transformers inside concrete vaults, all located inside the building. The vaults are in the basement of the building, and there are large steel doors from the vaults out to the sidewalk on Ainslie Street. All 4 transformers were drained in 1995. PCB concentrations of residual oil in the transformers was all 10 ppm or less, however all were most likely retro-filled at some point in the recent past (though the company has no records of retro-fills). Following heavy rain 2 weeks ago, water was found in vault #4 with approx 1 pint of oil. Oil tested 66 ppm PCB. This week, following additional heavy rain, oil was also found in vaults 2 & 3 on top of water. PCB concentrations = 168 ppm (vault 2) and 2832 ppm (vault 3). A duplicate sample was collected from vault 3 today to verify PCB results. There is a heavy influx of groundwater in the western portion of the basement (outside

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLIE ST SUBST TR # 4 (Continued)

S106699307

the vaults). The water coming in appears crystal clear. There are at least 3 sump pits outside the vaults, but none of the pumps are connected. The water in the vaults could be groundwater or could be overflow from street flooding coming in through steel doors (bottom of doors is approx. 6 inches above sidewalk grade). I suspect the oil is residual from old leaks that is trapped beneath the transformers and is being picked up by water. Clean Harbors is on site with crews to power-wash the vaults. Told Ron Cosentino to have vaults checked on Thursday or Friday (after clean up is complete but before next expected rain event) to see if water re-appears to give indication if water is from rain or groundwater infiltration. See also spill #s 0406630 and 0406787. (JHO) ~~~~~ e2mis no. 155403: APPX 1 PT OF UNKNOWN OIL, NO WATER IN VAULT NO. 4. THIS IS A SECOND INCIDENT INVOLVING THIS VAULT. THE INITIAL INCIDENT IS NO. 155289, 9/10/04, [NYSDEC spill # 0406371] THE LAB RESULTS AT THAT TIME WERE 66PPM. THEREFORE, THEY ARE TREATING THIS AS A 50-499 PPM CLEANUP. 9/16/04 12:35 HRS THIS INCIDENT WILL REMAIN OPEN TILL THE TRANSFORMER IS REMOVED.

Remarks: 1 PINT OIL LEAKED: CONED # 155403: CLEAN UP PENDING REMOVAL OF TRANSFORMER:

Material:

Site ID: 142012
Operable Unit ID: 889264
Operable Unit: 01
Material ID: 487826
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 142012
Operable Unit ID: 889264
Operable Unit: 01
Material ID: 487827
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLIE ST SUBST TR # 4 (Continued)

S106699307

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

R75
North
< 1/8
0.103 mi.
544 ft.

34 AINSLIE ST
34 AINSLIE ST
BROOKLYN, NY
Site 6 of 9 in cluster R

NY Spills **S103272956**
NY Hist Spills **N/A**

Relative:
Lower

NY Spills:

Site ID: 225365
Facility Addr2: Not reported
Facility ID: 9613561
Spill Number: 9613561
Facility Type: ER
SWIS: 2401
Investigator: JHOCONNE
Referred To: Not reported
Spill Date: 2/19/1997
Reported to Dept: 2/19/1997
CID: 14
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
13 ft.

Spill Closed Dt: 6/8/1998
Remediation Phase: 0
Date Entered In Computer: 2/19/1997
Spill Record Last Update: 4/4/2003
Spiller Name: TIM SOILCH
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: MANHATTAN, NY 10003
Spiller Company: 001
Contact Name: MR ROSADO
Contact Phone: (718) 802-5178
DEC Region: 2
DER Facility ID: 130206
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" Leaking gasket on transformer ~3 gallons in sump due to age. Maintenance on scene cleaning sump. Will make repairs. Pumps disabled. DEP notified. E2MIS 104361 2-19-97 AT 0851HRS.LUBRANO REPORTS AT AINSLIE ST.SUB.STA.TRANSFORMER #1 WELL SUMP PUMP#1 FOUND 3 GALLONS OIL.. NOTIFIED C.I.G.ROMERO AT 0902HRS. NOTIFIED ZALLOUGHY AT 0857HRS. MAY HAVE PUMPED INTO SEWER.. WELL SUMP PUMP SHUT DOWN & MAINTENANCE CREWS RESPONDING . 0854HRS.ZALLOUGHY CONTACTED AND RESPONDING TO LOCATION. COAST GUARD CALLED QUESTIONING SPILL - WILL RESPOND TO LOCATION. D.HERBST 27461 19 FEB 0950 G KATZ OF DEC CALLED ABOUT SPILL GIVEN RUNDOWN BY ROSADO 19 FEB 1997 1025 LOBRANO REPORTS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

34 AINSLIE ST (Continued)

S103272956

FIRE DEPT ON LOCATION , GAVE CON EDISON E VIOLATION #1 TRANSFORMER LEAKING OIL #2 OIL AT BASE OF TRANSFORMER AND SUMP AREA SHEEN ON WATER. MUST COMPLY IN 2 DAYS. CREWS ON LOCATION CLEAN UP IN PROGRESS. 94768 19 FEB 1997 1020 PAGE NOTIFICATIONS SENT OUT 19 FEB 1206 LUBRANO REPORTS ENVIRONMENTAL TEAM MEMBER AVERY TOM ON LOCATION 1000 HRS LEFT 1200 HRS MR TOM NOTIFIED DEC NRC ISC AND CON EDISON LAW DEPT 94768.....UPDATE 13:30HRS LUBRANO REPORTS TRANSF. FLOOR CLEANED UP WITH ABSORBANT AND DIAPERS & WELL OF SUMP WAS DIAPERED WATER NOW CLEAR.INSTALLED DOUBLE DIAPERS UNDER LEAKING TRANSF.MCTE TO MONITOR DAILY.WILL CHECK WITH ENGERNEERING TO TAKE TRANSF OFF LINE MONDAY & TANKER ORDERED FOR MONDAY. UPDATE 2/21/97 1415 HRS TANKER WAS CANCELLED FOR MONDAY AS PER BKLYN ENG. UNTIL STUDY IS COMPLETED FOR SYSTEM RELIABILITY. THIS UPDATE CALLED IN BY R. WISNIEWSKI SSM. 11973RO. UPDATE 2/24/97 0700 HRS. AS PER ENG TRANS #1 CAN BE DRAINED. TANKER DISPATCHED TO AINSLIE ST. UPDATE 2/24/97 18:30 HRS. R. WISNIEWSKI SSM REPORTS TRANS #1 MAIN BODY AND PRIMARY COMPT DRAINED. 11973RO. UPDATE 2/26/97 A. LURANO REPORTS UPON INSPECTION OF TRANS #1 FOUND OIL SETTLING ON Environmental Detailed Incident Report BOTTOM SLIGHTLY LEAKING. MAINT TO FOLLOWUP. 11973 2/26 UPDATE ENVIROMENTAL STOP TAG #07227 IN PLACE. UPDATE 3/3/ 1997 RECEIVED E-MAIL (ATTACHED) FROM A. LUBRANO MANAGER SSM/SSO STATING THE FIRE DEPT. INSPECTED AINSLIE ST. BANK #1 AND FOUND NO PROBLEMS OR VIOLATIONS. THEY GAVE A CLEAN BILL ON INSPECTION. 11973RO.....UPDATE 3/12/97 SSM IN CONCERT WITH FIELD MANAGER ZALLOUGHI, CONCUR THAT A MODEST AMOUNT OF OIL THAT ENTERED THE WELL DID NOT ENTER THE NYC SEWER SYSTEM THROUGH THE SUMP PUMP. THE FILM OF OIL WAS DIAPERED CLEAN... UPDATE 3/14/97 E-MAIL RECEIVED FROM WISNIEWSKI SSM SUPERVISOR STATING THAT THE STAINED DIAPERS IN TRANS # 1 WERE REMOVED AND NEW DIAPERS PLACED AROUND THE TRANSFORMER. THERE ARE NO LEAKS AT THE PRESENT TIME. THE TRANSFORMER WILL BE VISUALLY INSPECTED EVERY OTHER WEEK. 11973RO. (COPY OF THE E-MAIL AND LAB RESULTS ATTACHED.) 11/3/97 COMPLETION NOTIFICATION RECEIVED FROM SSM. GOLD ST. THAT THE TRANSFORMER WAS DRAINED BY ASTORIA TANKER ON 2/24/97. CLEANUP COMPLETED 9/17/97 BY OLSEN #44583. THIS INCIDENT IS CLOSED. 11973RO.

Remarks: CREW ARE ON THE WAY TO CLEAN UP SOME PRODUCT MIGHT HAVE GOTTEN INTO SEWER FROM A SUMP PUMP LESS THAN 10 PARTS PCB

Material:

Site ID: 225365
Operable Unit ID: 1041134
Operable Unit: 01
Material ID: 338670
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 3
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

34 AINSLIE ST (Continued)

S103272956

Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9613561
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/19/1997 08:51
Reported to Dept Date/Time: 02/19/97 09:22
SWIS: 61
Spiller Name: CON ED
Spiller Contact: TIM SOILCH
Spiller Phone: (212) 580-6764
Spiller Contact: MR ROSADO
Spiller Phone: (718) 802-5178
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: MANHATTAN, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/08/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/19/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 06/08/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

34 AINSIE ST (Continued)

S103272956

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 3
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926

DEC Remarks: Leaking gasket on transformer 3 gallons in sump due to age. Maintenance on scene cleaning sump. Will make repairs. Pumps disabled. DEP notified.

Remark: CREW ARE ON THE WAY TO CLEAN UP SOME PRODUCT MIGHT HAVE GOTTEN INTO SEWER FROM A SUMP PUMP LESS THAN 10 PARTS PCB

R76
North
< 1/8
0.103 mi.
544 ft.

CON EDISON - VAULT 3
34-50 AINSIE ST
BROOKLYN, NY 11201
Site 7 of 9 in cluster R

RCRA-NonGen 1010325739
NYP004131983

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 02/23/2006
Facility name: CON EDISON - VAULT 3
Facility address: 34-50 AINSIE ST
BROOKLYN, NY 11201
EPA ID: NYP004131983
Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: FRANKLIN MURRAY
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-2808
Contact email: MURRAYFR@CONED.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
13 ft.

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 09/20/2004
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 3 (Continued)

1010325739

Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 09/20/2004
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/22/2006
Facility name: CON EDISON - VAULT 3
Classification: Not a generator, verified

Date form received by agency: 02/21/2006
Facility name: CON EDISON - VAULT 3
Classification: Large Quantity Generator

Violation Status: No violations found

R77
North
< 1/8
0.103 mi.
544 ft.

AINSLE ST. S/S
34 AINSLIE STREET
BROOKLYN, NY

NY Spills S102150014
NY Hist Spills N/A

Site 8 of 9 in cluster R

Relative:
Lower

NY Spills:
Site ID: 153474
Facility Addr2: Not reported
Facility ID: 9501140
Spill Number: 9501140
Facility Type: ER
SWIS: 2401
Investigator: JHOCONNE
Referred To: Not reported
Spill Date: 4/24/1995
Reported to Dept: 4/27/1995
CID: 14
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLE ST. S/S (Continued)

S102150014

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/12/2008
Remediation Phase: 0
Date Entered In Computer: 5/16/1995
Spill Record Last Update: 5/12/2008
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Company: Not reported
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 130206
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ENGELHARDT" 4/27/95: Engelhardt went to Ainsle S/S, met with Con Ed (Keith Baruch - Env. Affairs, Steve Zalloughi - Brklyn Env. Manager, Rich Opah - S/S supervisor). Opah discovered oil several days ago. It was sampled, PCBs = 177 ppm. Some oil is dripping from transformer but this is thought to be PCB-free. Facility is built on top of underground spring - water is pumped to sewer when level reaches pre-set height - DEP PERMIT REQUIRED! Tomorrow, Con Ed will pump out and clean the vault, clean the area immediately surrounding the vault, perform wipe tests in and around the vault and test the oil in the transformer for PCBs. Keith Baruch to send results of analyses. Duplicate report of spill # 9501155. 5/12/08: Close - track under DEC # 0406630. (JHO)
Remarks: FOUND OIL IN THE SUMP UNDER TRANSFORMER #4 - THINKS UNKNOWN AMPUNT OF OIL HASS BEEN PUMPED INTO SEWER.
Material:
Site ID: 153474
Operable Unit ID: 1015545
Operable Unit: 01
Material ID: 369759
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 153474
Operable Unit ID: 1015545
Operable Unit: 01
Material ID: 369760
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLE ST. S/S (Continued)

S102150014

Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9501140
Investigator: ENGELHARDT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/24/1995 10:20
Reported to Dept Date/Time: 04/27/95 12:27
SWIS: 61
Spiller Name: CON EDISON
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AINSLE ST. S/S (Continued)

S102150014

Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/16/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/10/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926

DEC Remarks: 4/27/95: Engelhardt went to Ainsle S/S, met with Con Ed Keith Baruch - Env. Affairs, Steve Zalloughi - Brklyn Env. Manager, Rich Opah - S/S supervisor). Opah discovered oil several days ago. It was sampled, PCBs = 177 ppm. Soome oil is dripping from trasnformer but this is thought to be PCB-free. Facility is built on top of underground spring - water is pumped to sewer when level reaches pre-set height - DEP PERMIT REQUIRED Tomorrow, Con Ed will pump out and clean the vault, clean the area immediately surrounding the vault, perform wipe tests in and around the vault and test the oil in the transformer for PCBs. Keith Baruch to send results of analyses. Duplicate report of spill 9501155.

Remark: FOUND OIL IN THE SUMP UNDER TRANSFORMER 4 - THINKS UNKNOWN AMPUNT OF OIL HASS BEEN PUMPED INTO SEWER.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

R78
North
< 1/8
0.103 mi.
544 ft.

CON EDISON
34-50 AINSLIE ST
BROOKLYN, NY 11201

Site 9 of 9 in cluster R

RCRA-NonGen 1008892115
MANIFEST NYP004137337

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 07/07/2006

Facility name: CON EDISON

Facility address: 34-50 AINSLIE ST
BROOKLYN, NY 11201

EPA ID: NYP004137337

Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003

Contact: DANIEL PONTECORVO

Contact address: 4 IRVING PL, RM 828
NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 580-8383

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003

Owner/operator country: US

Owner/operator telephone: Not reported

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: 09/20/2004

Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.

Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003

Owner/operator country: US

Owner/operator telephone: Not reported

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: 09/20/2004

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: Unknown

Transporter of hazardous waste: Unknown

Treater, storer or disposer of HW: Unknown

Underground injection activity: Unknown

On-site burner exemption: Unknown

Furnace exemption: Unknown

Used oil fuel burner: Unknown

Used oil processor: Unknown

User oil refiner: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1008892115

Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 07/06/2006
Facility name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 07/05/2006
Facility name: CON EDISON
Classification: Unverified

Date form received by agency: 02/21/2006
Facility name: CON EDISON
Site name: CON EDISON - VAULT #3
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004137337
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NJA5212608
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 11/02/2005
Trans1 Recv Date: 11/02/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/11/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004137337
Trans1 EPA ID: S5811
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 00284
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1008892115

Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5212608
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 11/02/2005
Trans1 Recv Date: 11/02/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/11/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004137337
Trans1 EPA ID: S5811
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 00284
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

P79 **LOT 5,TAXBLOCK 2773**
ENE **388 UNION AVENUE**
< 1/8 **BROOKLYN, NY 11211**
0.105 mi.
553 ft. **Site 8 of 8 in cluster P**

E DESIGNATION **S109942646**
N/A

Relative:
Higher

E DESIGNATION:

Actual:
20 ft.

Tax Lot(s):	5
E-No:	E-232
Effective Date:	7/29/2009
Satisfaction Date:	Not reported
Ceqr Number:	09DCP056K
Ulurp Number:	090334ZMK
Zoning Map No:	12c 13a 13b
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	BK
Community District:	301
Census Tract:	513
Census Block:	1002
School District:	14
City Council District:	34
Fire Company:	E216
Health Area:	30
Police Precinct:	090
Zone District 1:	R6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	R6
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	L9
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	388 UNION CORP.
Lot Area:	000003000
Total Building Floor Area:	00000003060
Commercial Floor Area:	00000003060
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000003060
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0030.00
Lot Depth:	0103.03
Building Frontage:	0030.00
Building Depth:	0101.08
Proximity Code:	3
Irregular Lot Code:	Y
Lot Type:	5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 5, TAXBLOCK 2773 (Continued)

S109942646

Basement Type Grade: 5
Land Assessed Value: 00000019710
Total Assessed Value: 00000112950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.02
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730005
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997802
Y Coordinate: 0198695
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 5
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1002
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 5, TAXBLOCK 2773 (Continued)

S109942646

All Components2: Not reported
Split Boundary Indicator: N
Building Class: L9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 388 UNION CORP.
Lot Area: 000003000
Total Building Floor Area: 00000003060
Commercial Floor Area: 00000003060
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000003060
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0030.00
Lot Depth: 0103.03
Building Frontage: 0030.00
Building Depth: 0101.08
Proximity Code: 3
Irregular Lot Code: Y
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000019710
Total Assessed Value: 00000112950
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1950
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.02
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730005
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997802
Y Coordinate: 0198695
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 5, TAXBLOCK 2773 (Continued)

S109942646

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

N80
SSE
< 1/8
0.105 mi.
555 ft.

JOLS REALTY COPR
381 HOOPER ST
BROOKLYN, NY 11211
Site 4 of 4 in cluster N

UST U001835063
HIST UST N/A

Relative:
Higher

UST:

Actual:
26 ft.

Facility Id: 2-268461
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2007/07/10
UTM X: 588548.47481000004
UTM Y: 4507084.7959099999
Site ID: 11190

Tank Number: 001
Tank ID: 13503
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: 03
Next Test Date: 7/1/1995
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 7/1/1990
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
I00 - Overfill - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 11190
Affiliation Type: Emergency Contact
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOLS REALTY COPR (Continued)

U001835063

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 627-2771
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11190
Affiliation Type: Owner
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (071) 838-4646
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11190
Affiliation Type: Mail Contact
Company Name: JOLS REALTY CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (071) 838-4646
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11190
Affiliation Type: On-Site Operator
Company Name: JOLS REALTY COPR
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOLS REALTY COPR (Continued)

U001835063

Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-268461
SPDES Number: Not reported
Emergency Contact: MORRIS KNOLL
Emergency Telephone: (718) 627-2771
Operator: MORRIS KNOLL
Operator Telephone: (718) 384-6461
Owner Name: JOLS REALTY CORP
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (071) 838-4646
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: JOLS REALTY CORP
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Contact: Not reported
Mailing Telephone: (071) 838-4646
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 381 HOOPER ST
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 07/10/1997
Expiration Date: 07/10/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JOLS REALTY COPR (Continued)

U001835063

Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 2500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: 07/01/1990
 Next Test Date: 07/01/1995
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Horner EZ Check
 Deleted: False
 Updated: False
 Lat/long: Not reported

S81
ENE
< 1/8
0.106 mi.
558 ft.

LOT 6,TAXBLOCK 2773
390 UNION AVENUE
BROOKLYN, NY 11211

E DESIGNATION S109942707
N/A

Site 1 of 2 in cluster S

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 6
 E-No: E-232
 Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK
 Zoning Map No: 12c 13a 13b
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 1002
 School District: 14
 City Council District: 34
 Fire Company: E216
 Health Area: 30
 Police Precinct: 090
 Zone District 1: R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: R6
 All Components2: Not reported
 Split Boundary Indicator: N

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 6, TAXBLOCK 2773 (Continued)

S109942707

Building Class: C0
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: ANDY DELEON
Lot Area: 000002083
Total Building Floor Area: 00000002400
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00003
Non and Residential Units: 00003
Lot Frontage: 0020.00
Lot Depth: 0104.17
Building Frontage: 0020.00
Building Depth: 0045.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 2
Land Assessed Value: 00000000841
Total Assessed Value: 00000013824
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1899
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.15
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730006
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997836
Y Coordinate: 0198721
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 6, TAXBLOCK 2773 (Continued)

S109942707

Pluto-Base Map Indicator: 1

Tax Lot(s): 6
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1002
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: C0
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: ANDY DELEON
Lot Area: 000002083
Total Building Floor Area: 00000002400
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7

Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00003
Non and Residential Units: 00003
Lot Frontage: 0020.00
Lot Depth: 0104.17
Building Frontage: 0020.00
Building Depth: 0045.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 2
Land Assessed Value: 00000000841
Total Assessed Value: 00000013824

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 6, TAXBLOCK 2773 (Continued)

S109942707

Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1899
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.15
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730006
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997836
Y Coordinate: 0198721
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

S82
ENE
< 1/8
0.109 mi.
576 ft.

LOT 7, TAXBLOCK 2773
394 UNION AVENUE
BROOKLYN, NY 11211

E DESIGNATION **S109942747**
N/A

Site 2 of 2 in cluster S

Relative:
Higher

E DESIGNATION:
Tax Lot(s): 7
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1002
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported

Actual:
19 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7, TAXBLOCK 2773 (Continued)

S109942747

Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S1
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: BOONE JOHN
Lot Area: 000002625
Total Building Floor Area: 00000004000
Commercial Floor Area: 00000001375
Office Floor Area: 00000000000
Retail Floor Area: 00000001375
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00001
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0105.58
Building Frontage: 0025.00
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000006594
Total Assessed Value: 00000022866
Land Exempt Value: 00000001430
Total Exempt Value: 00000001430
Year Built: 1925
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.52
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730007
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997804
Y Coordinate: 0198740
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 7, TAXBLOCK 2773 (Continued)

S109942747

Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 7
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1002
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S1
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: BOONE JOHN
Lot Area: 000002625
Total Building Floor Area: 00000004000
Commercial Floor Area: 00000001375
Office Floor Area: 00000000000
Retail Floor Area: 00000001375
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00001
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0105.58
Building Frontage: 0025.00
Building Depth: 0100.00
Proximity Code: 0

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 7, TAXBLOCK 2773 (Continued)

S109942747

Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000006594
 Total Assessed Value: 00000022866
 Land Exempt Value: 00000001430
 Total Exempt Value: 00000001430
 Year Built: 1925
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.52
 Maximum Allowable Far: 02.43
 Borough Code: 3
 Borough Tax Block And Lot: 3027730007
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997804
 Y Coordinate: 0198740
 Zoning Map: 13B
 Sanborn Map: 304 021
 Tax Map: 30906
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

O83
NNE
< 1/8
0.113 mi.
598 ft.

LOT 42, TAXBLOCK 2371
467 KEAP STREET
BROOKLYN, NY 11211
Site 6 of 6 in cluster O

E DESIGNATION S108076609
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 42
 E-No: E-138
 Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3000
 School District: 14
 City Council District: 34
 Fire Company: L104

Actual:
15 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 42,TAXBLOCK 2371 (Continued)

S108076609

Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: F9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 138 REALTY INC
Lot Area: 000011735
Total Building Floor Area: 00000011285
Commercial Floor Area: 00000011285
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000011285
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0046.08
Lot Depth: 0183.33
Building Frontage: 0042.00
Building Depth: 0183.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000079200
Total Assessed Value: 00000138150
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.96
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023710042
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997361
Y Coordinate: 0199117
Zoning Map: 13B

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 42,TAXBLOCK 2371 (Continued)

S108076609

Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**Q84
 NE
 < 1/8
 0.114 mi.
 604 ft.**

**MANHOLE 149
 AINSLIE ST / UNION AVE
 BROOKLYN, NY**

**NY Spills S105140896
 NY Hist Spills N/A**

Site 2 of 6 in cluster Q

**Relative:
 Higher**

NY Spills:

**Actual:
 18 ft.**

Site ID: 301449
 Facility Addr2: Not reported
 Facility ID: 0104301
 Spill Number: 0104301
 Facility Type: ER
 SWIS: 2401
 Investigator: AERODRIG
 Referred To: Not reported
 Spill Date: 7/22/2001
 Reported to Dept: 7/23/2001
 CID: 207
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 8/23/2001
 Remediation Phase: 0
 Date Entered In Computer: 7/23/2001
 Spill Record Last Update: 9/7/2001
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: BILL MURPHY
 Contact Phone: (212) 580-6763
 DEC Region: 2
 DER Facility ID: 243593
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "RODRIGUEZ" CON ED E2MIS REPORT 7-22-01 1qt. of unknown oil on 100gals. of water in MH-149. No fire/smoke,no private property,sewer

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 149 (Continued)

S105140896

or waterway affected. Contained to structure. There is a dielectric filled Feeder in structure. One sample taken on 4-6hr. priority. Env. tag hung and an over 50 tanker ordered for cleanup. Incident will be on a 24hr. deminimus program. 2000hrs. All liquids were removed. Hot zone set up and structure made workable for Underground and FOD. 7-23-01 12:30hrs. Cleanup will not be completed within 24hrs due to construction and heavy traffic. Incident type changed from Deminimus, will notify CIG Cleanup completed as of 2215hrs. Structure double washed with slix. No sump in structure, no leaking company equipment. Tag removed, clenaup completed.

Remarks: 1 qt unk oil on 100 gals water in manhole sample taken - <1 ppm pcb spill originally classified as a 24 hour diminimus - at 12-30 this date determined spill would not be cleaned in 24 ours due to construction and heavy traffic. 138383

Material:

Site ID: 301449
Operable Unit ID: 842711
Operable Unit: 01
Material ID: 532799
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0104301
Investigator: RODRIGUEZ
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/22/2001 14:50
Reported to Dept Date/Time: 07/23/01 12:38
SWIS: 61
Spiller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 149 (Continued)

S105140896

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: BILL MURPHY
Spiller Phone: (212) 580-6763
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/23/01
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/23/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/07/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: CON ED E2MIS REPORT 7-22-01 1qt. of unknown oil on 100gals. of water in MH-149. No fire/smoke,no private property,sewer or waterway affected. Contained to structure. There is a dielectric filled Feeder in structure. One sample taken on 4-6hr. priority. Env. tag hung and an over 50 tanker ordered for cleanup. Incident will be on a 24hr. deminimus program. 2000hrs. All liquids were removed. Hot one set up and structure made workable for Underground and FOD. 7-23-01 12:30hrs. Cleanupwill not be completed within 24hrs due to construction and heavy traffic. Incident type changed from

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MANHOLE 149 (Continued)

S105140896

Remark: Deminimus, will notify CIG Cleanup completed as of 2215hrs. Structure double washed with slix. No sump in structure, no leaking company equipment. Tag removed, clenaup completed.
 1 qt unk oil on 100 gals water in manhole sample taken - <1 ppm pcb spill originally classified as a 24 hour diminimus - at 12-30 this date determined spill would not be cleaned in 24 ours due to construction and heavy traffic.
 138383

**Q85
 NE
 < 1/8
 0.115 mi.
 606 ft.**

**LOT 8,TAXBLOCK 2773
 400 UNION AVENUE
 BROOKLYN, NY 11211
 Site 3 of 6 in cluster Q**

**E DESIGNATION S109942777
 N/A**

**Relative:
 Higher**

E DESIGNATION:
 Tax Lot(s): 8
 E-No: E-232
Actual: Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK
 Zoning Map No: 12c 13a 13b
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 1002
 School District: 14
 City Council District: 34
 Fire Company: E216
 Health Area: 30
 Police Precinct: 090
 Zone District 1: R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: R6
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E3
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: AJ-BOHEA CO INC
 Lot Area: 000005200
 Total Building Floor Area: 00000005200
 Commercial Floor Area: 00000005200
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000005200
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 8, TAXBLOCK 2773 (Continued)

S109942777

Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0050.00
Lot Depth: 0104.00
Building Frontage: 0050.00
Building Depth: 0104.00
Proximity Code: 2
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000038925
Total Assessed Value: 00000093600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730008
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997829
Y Coordinate: 0198780
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 8
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1002
School District: 14
City Council District: 34
Fire Company: E216

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 8, TAXBLOCK 2773 (Continued)

S109942777

Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: E3
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: AJ-BOHEA CO INC
Lot Area: 000005200
Total Building Floor Area: 00000005200
Commercial Floor Area: 00000005200
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000005200
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area, Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0050.00
Lot Depth: 0104.00
Building Frontage: 0050.00
Building Depth: 0104.00
Proximity Code: 2
Irregular Lot Code: Y
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000038925
Total Assessed Value: 00000093600
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1930
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027730008
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997829
Y Coordinate: 0198780
Zoning Map: 13B

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 8, TAXBLOCK 2773 (Continued)

S109942777

Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

T86
SSE
< 1/8
0.116 mi.
611 ft.

MANZ REALTY CORP
390 HOOPER ST
BKLYN, NY 11211

AST U003388282
HIST AST N/A

Site 1 of 2 in cluster T

Relative:
Higher

AST:

Actual:
27 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-268976
Program Type: PBS
UTM X: 588535.69990000001
UTM Y: 4507062.4803999998
Expiration Date: 2012/07/10

Tank Number: 001
Tank Id: 13560
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 7/1/1985
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 4/20/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANZ REALTY CORP (Continued)

U003388282

Affiliation Records:

Site Id: 11233
Affiliation Type: Emergency Contact
Company Name: MANZ REALTY CORP
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11233
Affiliation Type: Owner
Company Name: MANZ REALTY CORP
Contact Type: PRESIDENT
Contact Name: MORRIS KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/20/2007

Site Id: 11233
Affiliation Type: Mail Contact
Company Name: MANZ REALTY CORP
Contact Type: PRESIDENT
Contact Name: MORRIS KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/20/2007

Site Id: 11233
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANZ REALTY CORP (Continued)

U003388282

Company Name: MANZ REALTY CORP
Contact Type: Not reported
Contact Name: MORRIS KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-268976
SWIS Code: 6101
Operator: MORRIS KNOLL
Facility Phone: (718) 384-6461
Facility Addr2: 390 HOOPER ST
Facility Type: APARTMENT BUILDING
Emergency: MORRIS KNOLL
Emergency Tel: (718) 627-2771
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MANZ REALTY CORP
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-6461
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MORRIS KNOLL
Mailing Name: MANZ REALTY CORP
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BKLYN, NY 11211
Mailing Telephone: (718) 384-6461
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 07/07/1997
Expiration: 07/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MANZ REALTY CORP (Continued)

U003388282

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

Q87
NE
 < 1/8
 0.116 mi.
 612 ft.

LOT 1,TAXBLOCK 2767
402 UNION AVENUE
BROOKLYN, NY 11211
Site 4 of 6 in cluster Q

E DESIGNATION **S109942116**
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 1
 E-No: E-232
 Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK
 Zoning Map No: 12c 13a 13b
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 1001
 School District: 14
 City Council District: 34
 Fire Company: E216
 Health Area: 30
 Police Precinct: 090
 Zone District 1: R6

Actual:
18 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2767 (Continued)

S109942116

Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K4
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: SALVATORE MONTAGNA
Lot Area: 000001356
Total Building Floor Area: 00000002356
Commercial Floor Area: 00000001356
Office Floor Area: 00000000000
Retail Floor Area: 00000001356
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00001
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0054.25
Building Frontage: 0025.00
Building Depth: 0054.25
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000013770
Total Assessed Value: 00000060300
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1901
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.74
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027670001
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997793
Y Coordinate: 0198872
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2767 (Continued)

S109942116

Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 1
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1001
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K4
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: SALVATORE MONTAGNA
Lot Area: 000001356
Total Building Floor Area: 00000002356
Commercial Floor Area: 00000001356
Office Floor Area: 00000000000
Retail Floor Area: 00000001356
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00001
Non and Residential Units: 00002
Lot Frontage: 0025.00
Lot Depth: 0054.25

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 1, TAXBLOCK 2767 (Continued)

S109942116

Building Frontage: 0025.00
 Building Depth: 0054.25
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000013770
 Total Assessed Value: 00000060300
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1901
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.74
 Maximum Allowable Far: 02.43
 Borough Code: 3
 Borough Tax Block And Lot: 3027670001
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997793
 Y Coordinate: 0198872
 Zoning Map: 13B
 Sanborn Map: 304 021
 Tax Map: 30906
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Q88
NE
< 1/8
0.116 mi.
613 ft.

KEAP STREET HOLDINGS , LLC
405-419 UNION AVENUE
BROOKLYN, NY 11211
Site 5 of 6 in cluster Q

UST U004107538
N/A

Relative:
Higher

UST:
 Facility Id: 2-610577
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Program Type: PBS
 Expiration Date: N/A
 UTM X: Not reported
 UTM Y: Not reported
 Site ID: 381829

Actual:
18 ft.

Tank Number: 001
 Tank ID: 217348
 Tank Status: Closed - Removed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP STREET HOLDINGS , LLC (Continued)

U004107538

Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/16/2006
Capacity Gallons: 3000
Tightness Test Method: 00
Next Test Date: Not reported
Date Tank Closed: 4/27/2007
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/15/2007

Equipment Records:

C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I00 - Overfill - None
J00 - Dispenser - None
G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
B00 - Tank External Protection - None

Tank Number: 002
Tank ID: 218893
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/14/2007
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/15/2007

Equipment Records:

A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
L00 - Piping Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
C02 - Pipe Location - Underground/On-ground
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP STREET HOLDINGS , LLC (Continued)

U004107538

K00 - Spill Prevention - None

Affiliation Records:

Site Id: 381829
Affiliation Type: Mail Contact
Company Name: KEAP STREET HOLDINGS , LLC
Contact Type: Not reported
Contact Name: MR. JUDA KLEIN
Address1: % PARKVIEW MANAGEMENT
Address2: 34 RODNEY STREET
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (917) 642-8415
Phone Ext: Not reported
Email: JUDAKLEIN@GMAIL.COM
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/15/2007

Site Id: 381829
Affiliation Type: Owner
Company Name: KEAP STREET HOLDINGS , LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 405-419 INION AVE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (917) 642-8415
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/15/2007

Site Id: 381829
Affiliation Type: Emergency Contact
Company Name: KEAP STREET HOLDINGS , LLC
Contact Type: Not reported
Contact Name: JUDA KLEIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 642-8415
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/15/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP STREET HOLDINGS , LLC (Continued)

U004107538

Site Id: 381829
Affiliation Type: On-Site Operator
Company Name: KEAP STREET HOLDINGS , LLC
Contact Type: Not reported
Contact Name: JUDA KLEIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 642-8415
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/15/2007

U89
North
< 1/8
0.120 mi.
635 ft.

RODNEY ST & AINSLEY ST
RODNEY ST / AINSLEY ST
BROOKLYN, NY

NY Spills S102150305
NY Hist Spills N/A

Site 1 of 6 in cluster U

Relative:
Lower

NY Spills:

Site ID: 134130
Facility Addr2: Not reported
Facility ID: 9503124
Spill Number: 9503124
Facility Type: ER
SWIS: 2401
Investigator: MCTIBBE
Referred To: Not reported
Spill Date: 6/13/1995
Reported to Dept: 6/13/1995
CID: Not reported
Spill Cause: Abandoned Drums
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/21/1995
Remediation Phase: 0
Date Entered In Computer: 6/20/1995
Spill Record Last Update: 1/26/1998
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported

Actual:
14 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RODNEY ST & AINSLEY ST (Continued)

S102150305

DEC Region: 2
DER Facility ID: 115248
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" HANDLED BY DEP.
Remarks: 2 55GAL DRUMS LEAKING UNKNOWN PRODUCE

Material:

Site ID: 134130
Operable Unit ID: 1014361
Operable Unit: 01
Material ID: 368181
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9503124
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/13/1995 11:30
Reported to Dept Date/Time: 06/13/95 11:39
SWIS: 61
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Abandoned Drums
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RODNEY ST & AINSLEY ST (Continued)

S102150305

PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/21/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 06/20/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 01/26/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: HANDLED BY DEP.
Remark: 2 55GAL DRUMS LEAKING UNKNOWN PRODUCE

U90
North
< 1/8
0.120 mi.
635 ft.

CONSOLIDATED EDISON
AINSLIE STREET / RODNEY STREET
BROOKLYN, NY 11211

MANIFEST S110045601
N/A

Site 2 of 6 in cluster U

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004184016
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported

Actual:
14 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045601

Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-08-04
Trans1 Recv Date: 2009-08-04
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004184016
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 1000.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894816GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-08-04
Trans1 Recv Date: 2009-08-04
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-08-06
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004184016
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 1000.0
Units: G - Gallons (liquids only)* (8.3 pounds)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045601

Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894816GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

U91
North
< 1/8
0.120 mi.
635 ft.

CON ED - M/H 135
RODNEY ST & ANSLIE ST
BROOKLYN, NY 11211

RCRA-NonGen 1007206550
MANIFEST NYP004011813

Site 3 of 6 in cluster U

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 02/28/1998

Facility name: CON ED - M/H 135
Facility address: RODNEY ST & ANSLIE ST
BROOKLYN, NY 112110000
EPA ID: NYP004011813
Mailing address: CONSOLIDATED EDISON INC
4 IRVING PL - ROOM 300
NEW YORK, NY 100030000

Contact: ANTHONY DRUMMINGS
Contact address: CONSOLIDATED EDISON INC
NEW YORK, NY 100030000

Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported

EPA Region: 02
Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
Used oil refiner: Unknown
Used oil fuel marketer to burner: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - M/H 135 (Continued)

1007206550

Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/27/1998
Facility name: CON ED - M/H 135
Classification: Not a generator, verified

Date form received by agency: 02/26/1998
Facility name: CON ED - M/H 135
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004011813
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0005562
Manifest Status: Completed copy
Trans1 State ID: 20854AD
Trans2 State ID: Not reported
Generator Ship Date: 970925
Trans1 Recv Date: 970925
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970926
Part A Recv Date: 971014
Part B Recv Date: 971014
Generator EPA ID: NYP004011813
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 02500
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - M/H 135 (Continued)

1007206550

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0903663
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 80336AD
Trans2 State ID: Not reported
Generator Ship Date: 970925
Trans1 Recv Date: 970925
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970929
Part A Recv Date: 971015
Part B Recv Date: 971023
Generator EPA ID: NYP004011813
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00681
Units: K - Kilograms (2.2 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00681
Units: K - Kilograms (2.2 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

U92
North
< 1/8
0.120 mi.
635 ft.

CON ED-MH 139
ANISLIE ST & RODNEY ST
BROOKLYN, NY 11211

RCRA-NonGen 1007206309
MANIFEST NYP004007647

Site 4 of 6 in cluster U

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 02/28/1998

Facility name: CON ED-MH 139

Facility address: ANISLIE ST & RODNEY ST
BROOKLYN, NY 112110000

EPA ID: NYP004007647

Mailing address: CONSOLIDATED EDISON INC
4 IRVING PL ROOM 300
NEW YORK, NY 100030000

Contact: ANTHONY DRUMMINGS

Contact address: CONSOLIDATED EDISON INC
NEW YORK, NY 100030000

Contact country: US

Contact telephone: (212) 460-3770

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/27/1998

Facility name: CON ED-MH 139

Classification: Not a generator, verified

Date form received by agency: 02/26/1998

Facility name: CON ED-MH 139

Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004007647

Country: USA

Mailing Name: CONSOLIDATED EDISON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED-MH 139 (Continued)

1007206309

Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYG0251586
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 80336AB
Trans2 State ID: Not reported
Generator Ship Date: 970529
Trans1 Recv Date: 970529
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970530
Part A Recv Date: 970610
Part B Recv Date: 970715
Generator EPA ID: NYP004007647
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDf ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00002
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0251451
Manifest Status: Completed copy
Trans1 State ID: 20854AD
Trans2 State ID: Not reported
Generator Ship Date: 970529
Trans1 Recv Date: 970529
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970530
Part A Recv Date: 970612
Part B Recv Date: 970610

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CON ED-MH 139 (Continued)

1007206309

Generator EPA ID: NYP004007647
 Trans1 EPA ID: NYD006982359
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
 Quantity: 03518
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 97
 Manifest Tracking Num: Not reported
 Import Ind: Not reported
 Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

U93
North
< 1/8
0.120 mi.
635 ft.

CON ED - MH 136
AINSLIE ST & RODNEY ST
BROOKLYN, NY 11211

RCRA-NonGen **1007206327**
MANIFEST **NYP004008132**

Site 5 of 6 in cluster U

Relative:
Lower

RCRA-NonGen:
 Date form received by agency: 02/28/1998
 Facility name: CON ED - MH 136
 Facility address: AINSLIE ST & RODNEY ST
 BROOKLYN, NY 112110000
 EPA ID: NYP004008132
 Mailing address: CONSOLIDATED EDISON INC
 4 IRVING PL RM 300
 NEW YORK, NY 100030000
 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC
 NEW YORK, NY 100030000
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
 Mixed waste (haz. and radioactive): Unknown
 Recycler of hazardous waste: Unknown
 Transporter of hazardous waste: Unknown
 Treater, storer or disposer of HW: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - MH 136 (Continued)

1007206327

Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/27/1998
Facility name: CON ED - MH 136
Classification: Not a generator, verified

Date form received by agency: 02/26/1998
Facility name: CON ED - MH 136
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004008132
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYG0251802
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 80336AB
Trans2 State ID: Not reported
Generator Ship Date: 970606
Trans1 Recv Date: 970606
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970609
Part A Recv Date: 970617
Part B Recv Date: 970715
Generator EPA ID: NYP004008132
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00001
Units: Y - Cubic yards* (.85 tons)
Number of Containers: 003
Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - MH 136 (Continued)

1007206327

Handling Method: L Landfill.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0094932
Manifest Status: Completed copy
Trans1 State ID: 20854AD
Trans2 State ID: Not reported
Generator Ship Date: 970606
Trans1 Recv Date: 970606
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970609
Part A Recv Date: 970617
Part B Recv Date: 970618
Generator EPA ID: NYP004008132
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 00710
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

V94
 ESE
 < 1/8
 0.121 mi.
 636 ft.

CONSOLIDATED EDISON MH14091
MH14091 507 GRAND ST
BROOKLYN, NY

MANIFEST S110046845
N/A

Site 1 of 2 in cluster V

Relative:
Higher

NY MANIFEST:

Actual:
26 ft.

EPA ID:	NYP004184271
Country:	USA
Mailing Name:	CONSOLIDATED EDISON MH14091
Mailing Contact:	FRANKLYN MURRAY
Mailing Address:	4 IRVING PL RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	2009-07-24
Trans1 Recv Date:	2009-07-24
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-07-28
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004184271
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD991291105
Waste Code:	Not reported
Quantity:	100.0
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Year:	09
Manifest Tracking Num:	000894722GBF
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111

Document ID: Not reported
 Manifest Status: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON MH14091 (Continued)

S110046845

Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-07-24
 Trans1 Recv Date: 2009-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-07-28
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004184271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: Not reported
 Quantity: 100.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 000894722GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

V95
ESE
 < 1/8
 0.121 mi.
 636 ft.

LOT 49,TAXBLOCK 2779
507 GRAND STREET
BROOKLYN, NY 11211
Site 2 of 2 in cluster V

E DESIGNATION S109942630
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 49
 E-No: E-232
 Effective Date: 7/29/2009
 Satisfaction Date: Not reported
 Ceqr Number: 09DCP056K
 Ulurp Number: 090334ZMK
 Zoning Map No: 12c 13a 13b
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 1003
 School District: 14
 City Council District: 34
 Fire Company: E216
 Health Area: 30
 Police Precinct: 090
 Zone District 1: R6

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 49,TAXBLOCK 2779 (Continued)

S109942630

Zone District 2: Not reported
Commercial Overlay1: C1-3
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C1-3/R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: LUKA PEPGJONAJ
Lot Area: 000002500
Total Building Floor Area: 00000005500
Commercial Floor Area: 00000001375
Office Floor Area: 00000000000
Retail Floor Area: 00000001375
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00005
Lot Frontage: 0025.00
Lot Depth: 0100.00
Building Frontage: 0025.00
Building Depth: 0055.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000019770
Total Assessed Value: 00000066436
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.20
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027790049
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997893
Y Coordinate: 0198401
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 49,TAXBLOCK 2779 (Continued)

S109942630

Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 49
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1003
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: C1-3
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C1-3/R6
All Components2: Not reported
Split Boundary Indicator: N
Building Class: S9
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: LUKA PEPGJONAJ
Lot Area: 000002500
Total Building Floor Area: 00000005500
Commercial Floor Area: 00000001375
Office Floor Area: 00000000000
Retail Floor Area: 00000001375
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00003
Non and Residential Units: 00005
Lot Frontage: 0025.00
Lot Depth: 0100.00

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 49,TAXBLOCK 2779 (Continued)

S109942630

Building Frontage: 0025.00
 Building Depth: 0055.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000019770
 Total Assessed Value: 00000066436
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.20
 Maximum Allowable Far: 02.43
 Borough Code: 3
 Borough Tax Block And Lot: 3027790049
 Condominium Number: 00000
 Census Tract 2: 0513
 X Coordinate: 0997893
 Y Coordinate: 0198401
 Zoning Map: 13B
 Sanborn Map: 304 021
 Tax Map: 30906
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

U96
North
< 1/8
0.122 mi.
642 ft.

LOT 1,TAXBLOCK 2371
452 RODNEY STREET
BROOKLYN, NY 11211

E DESIGNATION S109318039
N/A

Site 6 of 6 in cluster U

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 1
 E-No: E-138
Actual: Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3000

Actual:
15 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 1,TAXBLOCK 2371 (Continued)

S109318039

School District: 14
City Council District: 34
Fire Company: L104
Health Area: 30
Police Precinct: 090
Zone District 1: M1-2/R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: MX-8
Special Purpose District2: Not reported
All Components1: M1-2/R6/MX-8
All Components2: Not reported
Split Boundary Indicator: N
Building Class: E9
Land Use Category: 06
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 452 RODNEY STREET LLC
Lot Area: 000003017
Total Building Floor Area: 00000003017
Commercial Floor Area: 00000003017
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000003017
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 001.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0030.17
Lot Depth: 0100.00
Building Frontage: 0030.20
Building Depth: 0100.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 3
Basement Type Grade: 5
Land Assessed Value: 00000018000
Total Assessed Value: 00000060300
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1940
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.00
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023710001
Condominium Number: 00000
Census Tract 2: 0513

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 1,TAXBLOCK 2371 (Continued)

S109318039

X Coordinate: 0997258
 Y Coordinate: 0199094
 Zoning Map: 13B
 Sanborn Map: 304 020
 Tax Map: 30805
 E Designation No: E-138
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

W97
NNE
< 1/8
0.122 mi.
643 ft.

LOT 40,TAXBLOCK 2371
471 KEAP STREET
BROOKLYN, NY 11211
Site 1 of 4 in cluster W

E DESIGNATION S108076599
N/A

Relative:
Lower

E DESIGNATION:
 Tax Lot(s): 40
 E-No: E-138
Actual: Effective Date: 5/11/2005
 Satisfaction Date: Not reported
 Ceqr Number: 04DCP003K
 Ulurp Number: 050110 ZRK, 050111 ZMK, 050415 MMK, 040416 MMK, 040417 MMK, 040418 MMK, 050110 (A) ZRK, 050111 (A) ZMK
 Zoning Map No: 12c, 12d, 13a, 13b
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: BK
 Community District: 301
 Census Tract: 513
 Census Block: 3000
 School District: 14
 City Council District: 34
 Fire Company: L104
 Health Area: 30
 Police Precinct: 090
 Zone District 1: M1-2/R6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: MX-8
 Special Purpose District2: Not reported
 All Components1: M1-2/R6/MX-8
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: FOTINOS PANAGAKOS
 Lot Area: 000004400
 Total Building Floor Area: 00000011800
 Commercial Floor Area: 00000011800

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 40,TAXBLOCK 2371 (Continued)

S108076599

Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000011800
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0044.33
Lot Depth: 0099.75
Building Frontage: 0040.00
Building Depth: 0099.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000026145
Total Assessed Value: 00000131400
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1910
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0002.68
Maximum Allowable Far: 03.00
Borough Code: 3
Borough Tax Block And Lot: 3023710040
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997445
Y Coordinate: 0199104
Zoning Map: 13B
Sanborn Map: 304 020
Tax Map: 30805
E Designation No: E-138
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

Q98
NE
< 1/8
0.123 mi.
650 ft.

LOT 3,TAXBLOCK 2767
408 UNION AVENUE
BROOKLYN, NY 11211
Site 6 of 6 in cluster Q

E DESIGNATION **S109942422**
N/A

Relative:
Higher

E DESIGNATION:

Actual:
18 ft.

Tax Lot(s):	3
E-No:	E-232
Effective Date:	7/29/2009
Satisfaction Date:	Not reported
Ceqr Number:	09DCP056K
Ulurp Number:	090334ZMK
Zoning Map No:	12c 13a 13b
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	BK
Community District:	301
Census Tract:	513
Census Block:	1001
School District:	14
City Council District:	34
Fire Company:	E216
Health Area:	30
Police Precinct:	090
Zone District 1:	R6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	R6
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	C0
Land Use Category:	02
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	408 UNION
Lot Area:	000002871
Total Building Floor Area:	00000003200
Commercial Floor Area:	00000000000
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	003.00
Residential Units:	00003
Non and Residential Units:	00003
Lot Frontage:	0025.00
Lot Depth:	0114.83
Building Frontage:	0020.00
Building Depth:	0040.00
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 3, TAXBLOCK 2767 (Continued)

S109942422

Basement Type Grade: 1
Land Assessed Value: 00000001254
Total Assessed Value: 00000013975
Land Exempt Value: 00000001254
Total Exempt Value: 00000001430
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.11
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027670003
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997818
Y Coordinate: 0198927
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 3
E-No: E-232
Effective Date: 7/29/2009
Satisfaction Date: Not reported
Ceqr Number: 09DCP056K
Ulurp Number: 090334ZMK
Zoning Map No: 12c 13a 13b
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: BK
Community District: 301
Census Tract: 513
Census Block: 1001
School District: 14
City Council District: 34
Fire Company: E216
Health Area: 30
Police Precinct: 090
Zone District 1: R6
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: R6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 3,TAXBLOCK 2767 (Continued)

S109942422

All Components2: Not reported
Split Boundary Indicator: N
Building Class: C0
Land Use Category: 02
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 408 UNION
Lot Area: 000002871
Total Building Floor Area: 00000003200
Commercial Floor Area: 00000000000
Office Floor Area: 00000000000
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 003.00
Residential Units: 00003
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0114.83
Building Frontage: 0020.00
Building Depth: 0040.00
Proximity Code: 2
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 1
Land Assessed Value: 00000001254
Total Assessed Value: 00000013975
Land Exempt Value: 00000001254
Total Exempt Value: 00000001430
Year Built: 1910
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0001.11
Maximum Allowable Far: 02.43
Borough Code: 3
Borough Tax Block And Lot: 3027670003
Condominium Number: 00000
Census Tract 2: 0513
X Coordinate: 0997818
Y Coordinate: 0198927
Zoning Map: 13B
Sanborn Map: 304 021
Tax Map: 30906
E Designation No: Not reported
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 3, TAXBLOCK 2767 (Continued)

S109942422

Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**X99
NE
1/8-1/4
0.128 mi.
674 ft.**

**S F A LEINOFF INC
417 UNION AVE
BROOKLYN, NY 11211**

Site 1 of 2 in cluster X

**RCRA-SQG 1004760222
FINDS NYR000036202
MANIFEST
MANIFEST**

**Relative:
Higher**

RCRA-SQG:

**Actual:
18 ft.**

Date form received by agency: 01/01/2007
Facility name: S F A LEINOFF INC
Facility address: 417 UNION AVE
BROOKLYN, NY 11211
EPA ID: NYR000036202
Mailing address: UNION AVE
BROOKLYN, NY 11211
Contact: ARTHUR LEINOFF
Contact address: UNION AVE
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 388-4042
Contact email: Not reported
EPA Region: 02
Land type: Private
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: PFANNER LEINOFF
Owner/operator address: 417 UNION AVE
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 388-4042
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: PFANNER LEINOFF
Owner/operator address: 417 UNION AVE
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 388-4042
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: S F A LEINOFF INC
Classification: Small Quantity Generator

Date form received by agency: 03/03/1997
Facility name: S F A LEINOFF INC
Classification: Conditionally Exempt Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: SR - 371.1(f)(7)
Area of violation: Generators - General
Date violation determined: 05/15/2003
Date achieved compliance: 06/26/2003
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/04/2003
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 05/15/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 06/26/2003
Evaluation lead agency: State

FINDS:

Registry ID: 110004532747

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NJ MANIFEST:

Manifest Code:	004718683JJK
EPA ID:	NYR000036202
Date Shipped:	03/23/09
TSDf EPA ID:	NJD980536593
Transporter EPA ID:	NYD064748304
Transporter 2 EPA ID:	NJD080631369
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/23/09
Date Trans2 Transported Waste:	3/24/09
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	03/27/09
Transporter 1 Decal:	Not reported
Transporter 2 Decal:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	F003
Manifest Year:	2009 New Jersey Manifest Data
Quantity:	900
Unit:	P
Hand Code:	H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Manifest Code: 004072038JJK
EPA ID: NYR000036202
Date Shipped: 9/19/2008
TSDf EPA ID: NJD980536593
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD080631369
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 9/19/2008
Date Trans2 Transported Waste: 9/26/2008
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 9/26/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: F003
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 1350
Unit: P
Hand Code: H141

Manifest Code: 001416880JJK
EPA ID: NYR000036202
Date Shipped: 8/9/2007
TSDf EPA ID: NJD002454544
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD002454544
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 8/9/20
Date Trans2 Transported Waste: 8/17/2
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 8/17/2
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: F003
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 1200
Unit: P
Hand Code: H06

Manifest Code: 004718035JJK
EPA ID: NYR000036202
Date Shipped: 09/18/09
TSDf EPA ID: NJD980536593
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD080631369
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/18/09
Date Trans2 Transported Waste: 9/21/09
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 09/25/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: F003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 900
Unit: P
Hand Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Manifest Code: NJA5031619
EPA ID: NYR000036202
Date Shipped: 20040127
TSDf EPA ID: NJD002454544
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD002454544
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 040127
Date Trans2 Transported Waste: 040130
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 040130
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 03090422
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5031782
EPA ID: NYR000036202
Date Shipped: 20041028
TSDf EPA ID: NJD002454544
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD002454544
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 041028
Date Trans2 Transported Waste: 041109
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 041109
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 12280421
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: 001417933JJK
EPA ID: NYR000036202
Date Shipped: 2/15/2008
TSDf EPA ID: NJD980536593
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD080631369
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 2/15/2008
Date Trans2 Transported Waste: 2/21/2008
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 2/21/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: F003
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 900
Unit: P
Hand Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Manifest Code: NJA5031780
EPA ID: NYR000036202
Date Shipped: 20060329
TSDf EPA ID: NJD002454544
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD002454544
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 060329
Date Trans2 Transported Waste: 060404
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 060404
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06080622
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5031781
EPA ID: NYR000036202
Date Shipped: 20050919
TSDf EPA ID: NJD002454544
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD002454544
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050919
Date Trans2 Transported Waste: 050920
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050920
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 10280521
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5031779
EPA ID: NYR000036202
Date Shipped: 20060421
TSDf EPA ID: NJD002454544
Transporter EPA ID: NYD064748304
Transporter 2 EPA ID: NJD002454544
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 060421
Date Trans2 Transported Waste: 060502
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 060502
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06230621
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

NY MANIFEST:

EPA ID: NYR000036202
Country: USA
Mailing Name: SFA LEINOFF INC
Mailing Contact: SFA LEINOFF INC
Mailing Address: 115 SUTTON ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11222
Mailing Zip4: 3739
Mailing Country: USA
Mailing Phone: 212-285-4949

Document ID: NJA5031781
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 09/19/2005
Trans1 Recv Date: 09/19/2005
Trans2 Recv Date: 09/20/2005
TSD Site Recv Date: 09/20/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: 26676JENY
Trans2 EPA ID: 2809
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 01800
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2967549
Manifest Status: Not reported
Trans1 State ID: NJD986608941
Trans2 State ID: Not reported
Generator Ship Date: 08/20/1998
Trans1 Recv Date: 08/20/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/20/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 10339
Waste Code: F003 - UNKNOWN
Quantity: 00080
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2833178
Manifest Status: Not reported
Trans1 State ID: NJD986608941
Trans2 State ID: Not reported
Generator Ship Date: 02/18/1998
Trans1 Recv Date: 02/18/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/20/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 10339
Waste Code: F003 - UNKNOWN
Quantity: 00090
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2892283
Manifest Status: Not reported
Trans1 State ID: NJD986608941
Trans2 State ID: Not reported
Generator Ship Date: 01/18/1999
Trans1 Recv Date: 01/18/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/21/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 10339
Waste Code: F005 - UNKNOWN
Quantity: 00080
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3128605
Manifest Status: Not reported
Trans1 State ID: NJD986608941
Trans2 State ID: Not reported
Generator Ship Date: 06/21/1999
Trans1 Recv Date: 06/21/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/24/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Trans2 EPA ID: Not reported
TSDF ID: 10339
Waste Code: F005 - UNKNOWN
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 041
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3182607
Manifest Status: Not reported
Trans1 State ID: ARD069748192
Trans2 State ID: NJD046555033
Generator Ship Date: 12/13/2001
Trans1 Recv Date: 12/13/2001
Trans2 Recv Date: 12/20/2001
TSD Site Recv Date: 12/21/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSDF ID: 08464
Waste Code: F003 - UNKNOWN
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Mgmt Method Type Code: Not reported

Document ID: NJA3183038
Manifest Status: Not reported
Trans1 State ID: ARD069748192
Trans2 State ID: Not reported
Generator Ship Date: 03/12/2001
Trans1 Recv Date: 03/12/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/15/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 08464
Waste Code: F003 - UNKNOWN
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3182723
Manifest Status: Not reported
Trans1 State ID: TNR000009183
Trans2 State ID: NJD002454544
Generator Ship Date: 09/24/2002
Trans1 Recv Date: 09/24/2002
Trans2 Recv Date: 10/02/2002
TSD Site Recv Date: 10/02/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 50203
Waste Code: F003 - UNKNOWN
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5031782
Manifest Status: Not reported
Trans1 State ID: 1A378
Trans2 State ID: 2809
Generator Ship Date: 10/28/2004
Trans1 Recv Date: 10/28/2004
Trans2 Recv Date: 11/09/2004
TSD Site Recv Date: 11/09/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NYD064748304
Trans2 EPA ID: Not reported
TSD ID: NJD002454
Waste Code: F003 - UNKNOWN
Quantity: 01800
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5031619
Manifest Status: Not reported
Trans1 State ID: 26676JENY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Trans2 State ID: 2809
Generator Ship Date: 01/27/2004
Trans1 Recv Date: 01/27/2004
Trans2 Recv Date: 01/30/2004
TSD Site Recv Date: 01/30/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NYD064748304
Trans2 EPA ID: Not reported
TSD ID: NJD002454
Waste Code: F003 - UNKNOWN
Quantity: 02000
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5031781
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 09/19/2005
Trans1 Recv Date: 09/19/2005
Trans2 Recv Date: 09/20/2005
TSD Site Recv Date: 09/20/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: 26676JENY
Trans2 EPA ID: 2809
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 01800
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5031779
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 04/21/2006
Trans1 Recv Date: 04/21/2006
Trans2 Recv Date: 05/02/2006
TSD Site Recv Date: 05/02/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: 1A378
Trans2 EPA ID: 2809
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00600
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 06
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5031780
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 03/29/2006
Trans1 Recv Date: 03/29/2006
Trans2 Recv Date: 04/04/2006
TSD Site Recv Date: 04/04/2006
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NYSIA318
Trans2 EPA ID: 2809
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00330
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 06
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 2007-08-09
Trans1 Recv Date: 2007-08-09
Trans2 Recv Date: 2007-08-17
TSD Site Recv Date: 2007-08-17
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: Not reported
Quantity: 1200.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 001416880JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H061

Document ID: NJA5031780
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 03/29/2006
Trans1 Recv Date: 03/29/2006
Trans2 Recv Date: 04/04/2006
TSD Site Recv Date: 04/04/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: NYSIA318
Trans2 EPA ID: 2809
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00330
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 06
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD002454544
Generator Ship Date: 8/9/2007
Trans1 Recv Date: 8/9/2007
Trans2 Recv Date: 8/17/2007
TSD Site Recv Date: 8/17/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Quantity: 1200
Units: P - Pounds
Number of Containers: 3
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1
Year: 07
Manifest Tracking Num: 001416880JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H061

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-02-15
Trans1 Recv Date: 2008-02-15
Trans2 Recv Date: 2008-02-21
TSD Site Recv Date: 2008-02-21
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 900.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 001417933JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-09-19
Trans1 Recv Date: 2008-09-19
Trans2 Recv Date: 2008-09-26
TSD Site Recv Date: 2008-09-26
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 1350.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 004072038JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-02-15
Trans1 Recv Date: 2008-02-15
Trans2 Recv Date: 2008-02-21
TSD Site Recv Date: 2008-02-21
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 900.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S F A LEINOFF INC (Continued)

1004760222

Year: 08
Manifest Tracking Num: 001417933JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD064748304
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-02-15
Trans1 Recv Date: 2008-02-15
Trans2 Recv Date: 2008-02-21
TSD Site Recv Date: 2008-02-21
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036202
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 900.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 001417933JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

[Click this hyperlink](#) while viewing on your computer to access
9 additional NY_MANIFEST: record(s) in the EDR Site Report.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

X100 **RIVER CREEK REALTY**
NE **417 UNION AVENUE**
1/8-1/4 **BROOKLYN, NY 11211**
0.128 mi.
674 ft. **Site 2 of 2 in cluster X**

UST **U003127206**
HIST UST **N/A**

Relative:
Higher

UST:

Actual:
18 ft.

Facility Id: 2-602781
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2006/11/22
UTM X: 588604.90839
UTM Y: 4507376.2211100003
Site ID: 24737

Tank Number: 001
Tank ID: 51534
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/1/1954
Capacity Gallons: 3000
Tightness Test Method: 21
Next Test Date: 1/9/2008
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 1/9/2003
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 24737
Affiliation Type: Emergency Contact
Company Name: RIVER CREEK REALTY
Contact Type: Not reported
Contact Name: ARTHUR LEINOFF
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-4042

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RIVER CREEK REALTY (Continued)

U003127206

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24737
Affiliation Type: On-Site Operator
Company Name: RIVER CREEK REALTY
Contact Type: Not reported
Contact Name: ARTHUR LEINOFF
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-4042
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24737
Affiliation Type: Mail Contact
Company Name: RIVER CREEK REALTY
Contact Type: Not reported
Contact Name: ARTHUR LEINOFF
Address1: 417 UNION AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-4042
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24737
Affiliation Type: Owner
Company Name: RIVER CREEK REALTY
Contact Type: Not reported
Contact Name: Not reported
Address1: 417 UNION AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-4042
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RIVER CREEK REALTY (Continued)

U003127206

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-602781
SPDES Number: Not reported
Emergency Contact: ARTHUR LEINOFF/ANDREAS PFANNER
Emergency Telephone: (718) 388-4042
Operator: ARTHUR LEINOFF/ANDREAS PFANNER
Operator Telephone: (718) 388-4042
Owner Name: RIVER CREEK REALTY, INC.
Owner Address: 417 UNION AVENUE
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (718) 388-4042
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: RIVER CREEK REALTY, INC.
Mailing Address: 417 UNION AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Contact: A.LEINOFF/A. PFANNER
Mailing Telephone: (718) 388-4042
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/31/2001
Expiration Date: 11/22/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19541001
Capacity (gals): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RIVER CREEK REALTY (Continued)

U003127206

Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: 08/01/1996
 Next Test Date: 08/01/2001
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Horner EZ Check
 Deleted: False
 Updated: True
 Lat/long: Not reported

W101
NNE
1/8-1/4
0.130 mi.
688 ft.

475 KEAP STREET
475 KEAP STREET
BROOKLYN, NY 11211

Site 2 of 4 in cluster W

AST U003384736
HIST AST N/A

Relative:
Lower

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-093580
 Program Type: PBS
 UTM X: 588547.77601999999
 UTM Y: 4507418.6629100004
 Expiration Date: N/A

Actual:
15 ft.

Tank Number: 001
 Tank Id: 4345
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 2/28/2008
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 10/30/2009

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
 H99 - Tank Leak Detection - Other
 L09 - Piping Leak Detection - Exempt Suction Piping
 D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

475 KEAP STREET (Continued)

U003384736

J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)

Affiliation Records:

Site Id: 2485
Affiliation Type: On-Site Operator
Company Name: 475 KEAP STREET
Contact Type: Not reported
Contact Name: MEYER CHETRIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 230-9360
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/28/2009

Site Id: 2485
Affiliation Type: Owner
Company Name: 475 KEAP STREET LLC
Contact Type: MEMBER
Contact Name: MEYER CHETRIT
Address1: 404 FIFTH AVE. 6TH FLR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (646) 230-9360
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/30/2009

Site Id: 2485
Affiliation Type: Emergency Contact
Company Name: CHASWILO REALTY CORP
Contact Type: Not reported
Contact Name: MEYER CHETRIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 230-9360
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

475 KEAP STREET (Continued)

U003384736

Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/28/2009

Site Id: 2485
Affiliation Type: Mail Contact
Company Name: 475 KEAP STREET LLC
Contact Type: MEMBER
Contact Name: MEYER CHETRIT
Address1: 404 FIFTH AVE. 6TH FLR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (646) 230-9360
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/30/2009

HIST AST:

PBS Number: 2-093580
SWIS Code: 6101
Operator: EUGENE N HOLLAND
Facility Phone: (718) 387-3314
Facility Addr2: 475 KEAP STREET
Facility Type: OTHER
Emergency: ARTHUR C HOLLAND
Emergency Tel: (914) 576-3942
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CHASWILO REALTY CORP
Owner Address: 477 KEAP STREET
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 387-3314
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ARTHUR C HOLLAND
Mailing Name: CHASWILO REALTY CORP
Mailing Address: 477 KEAP STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 387-3314
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/20/1997
Expiration: 05/07/2002
Renew Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

475 KEAP STREET (Continued)

U003384736

Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Vault (w/access)
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

W102
NNE
1/8-1/4
0.130 mi.
688 ft.

SFA LEINOFF INC-475 KEAP ST
475 KEAP STREET
BROOKLYN, NY 11211
Site 3 of 4 in cluster W

RCRA-NonGen 1000318078
FINDS NYD982717548
MANIFEST

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: LEINOFF S F A INC
Facility address: 475 KEAP ST
BROOKLYN, NY 11211
EPA ID: NYD982717548
Mailing address: KEAP ST
BROOKLYN, NY 11211
Contact: Not reported
Contact address: KEAP ST
BROOKLYN, NY 11211
Contact country: US

Actual:
15 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ARTHUR LEINOFF, ANDREAS PFANNER
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ARTHUR LEINOFF, ANDREAS PFANNER
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: LEINOFF S F A INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: LEINOFF S F A INC
Classification: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Date form received by agency: 11/17/1988
Facility name: LEINOFF S F A INC
Classification: Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 01/18/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110001613433

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD982717548
Country: USA
Mailing Name: S F A PINWOOD WORKING INC
Mailing Contact: S F A PINWOOD WORKING INC
Mailing Address: 475 KEAP STREET
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-384-0397

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Document ID: NJA0627751
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 890410
Trans1 Recv Date: 890410
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890411
Part A Recv Date: 890418
Part B Recv Date: 890419
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD980787147
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F005 - UNKNOWN
Quantity: 00050
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0628981
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 891005
Trans1 Recv Date: 891005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 891005
Part A Recv Date: 891121
Part B Recv Date: 891016
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD980787147
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F005 - UNKNOWN
Quantity: 00070
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Year: 89
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0840763
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 900410
Trans1 Recv Date: 900410
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900410
Part A Recv Date: 900509
Part B Recv Date: 900418
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD980787147
Trans2 EPA ID: Not reported
TSDf ID: NJD002454544
Waste Code: F005 - UNKNOWN
Quantity: 00065
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 90
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA0963563
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 901120
Trans1 Recv Date: 901120

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Trans2 Recv Date: Not reported
TSD Site Recv Date: 901121
Part A Recv Date: 910410
Part B Recv Date: 910109
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD980787147
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00080
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 90
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1159470
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 910422
Trans1 Recv Date: 910422
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910423
Part A Recv Date: 910501
Part B Recv Date: 910503
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD980787147
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00045
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 91
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1240485
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 911018
Trans1 Recv Date: 911018
Trans2 Recv Date: Not reported
TSD Site Recv Date: 911018
Part A Recv Date: Not reported
Part B Recv Date: 911106
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00075
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 91
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1394043
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 920413
Trans1 Recv Date: 920413
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920414
Part A Recv Date: Not reported
Part B Recv Date: 920427
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Trans2 EPA ID: Not reported
TSDF ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1513451
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 920923
Trans1 Recv Date: 920923
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920924
Part A Recv Date: Not reported
Part B Recv Date: 921008
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSDF ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00080
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Mgmt Method Type Code: Not reported

Document ID: NJA1557305
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 930308
Trans1 Recv Date: 930308
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930310
Part A Recv Date: 930317
Part B Recv Date: 930322
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1769558
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 930923
Trans1 Recv Date: 930923
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930923
Part A Recv Date: 931013
Part B Recv Date: 931007
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00085
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1886111
Manifest Status: Completed copy
Trans1 State ID: 10339
Trans2 State ID: Not reported
Generator Ship Date: 940328
Trans1 Recv Date: 940328
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940331
Part A Recv Date: 940411
Part B Recv Date: 940412
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00080
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA1987213
Manifest Status: Completed copy
Trans1 State ID: 10339

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Trans2 State ID: Not reported
Generator Ship Date: 940914
Trans1 Recv Date: 940914
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940915
Part A Recv Date: 940927
Part B Recv Date: 940923
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00075
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2062206
Manifest Status: Completed copy
Trans1 State ID: 10339
Trans2 State ID: Not reported
Generator Ship Date: 950202
Trans1 Recv Date: 950202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950202
Part A Recv Date: 950210
Part B Recv Date: 950214
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00085
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2181888
Manifest Status: Completed copy
Trans1 State ID: 10339
Trans2 State ID: Not reported
Generator Ship Date: 950816
Trans1 Recv Date: 950816
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950818
Part A Recv Date: 960228
Part B Recv Date: 950906
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00085
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2291057
Manifest Status: Completed copy
Trans1 State ID: 10339
Trans2 State ID: Not reported
Generator Ship Date: 960215
Trans1 Recv Date: 960215
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960216
Part A Recv Date: 960228

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Part B Recv Date: 960229
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00095
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 96
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2632463
Manifest Status: Completed copy
Trans1 State ID: 10339
Trans2 State ID: Not reported
Generator Ship Date: 960820
Trans1 Recv Date: 960820
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960822
Part A Recv Date: Not reported
Part B Recv Date: 960910
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 96
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2744833
Manifest Status: Completed copy
Trans1 State ID: 10339
Trans2 State ID: Not reported
Generator Ship Date: 970225
Trans1 Recv Date: 970225
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970226
Part A Recv Date: Not reported
Part B Recv Date: 970307
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F003 - UNKNOWN
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3134114
Manifest Status: Not reported
Trans1 State ID: NJD002454544
Trans2 State ID: Not reported
Generator Ship Date: 10/29/1999
Trans1 Recv Date: 10/29/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/29/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 2809
Waste Code: F003 - UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SFA LEINOFF INC-475 KEAP ST (Continued)

1000318078

Quantity: 00150
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA3103255
Manifest Status: Not reported
Trans1 State ID: NJD002454544
Trans2 State ID: Not reported
Generator Ship Date: 05/23/2000
Trans1 Recv Date: 05/23/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/23/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD982717548
Trans1 EPA ID: NJD002454544
Trans2 EPA ID: Not reported
TSD ID: 2809
Waste Code: F003 - UNKNOWN
Quantity: 00100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

W103
NNE
1/8-1/4
0.130 mi.
688 ft.

TOWNE HOUSE RESTORATIONS
475 KEAP ST - REAR ENTRANCE
BROOKLYN, NY 11211

RCRA-NonGen **1000554721**
FINDS **NYD986971943**

Site 4 of 4 in cluster W

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: TOWNE HOUSE RESTORATIONS

Facility address: 475 KEAP ST - REAR ENTRANCE

SITE 2

BROOKLYN, NY 11211

EPA ID: NYD986971943

Mailing address: KEAP ST - REAR ENTRANCE

SITE 2

BROOKLYN, NY 11211

Contact: Not reported

Contact address: KEAP ST - REAR ENTRANCE

BROOKLYN, NY 11211

Contact country: US

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 02

Land type: Facility is not located on Indian land. Additional information is not known.

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ALLEN BARR

Owner/operator address: UNKNOWN
UNKNOWN, NY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: ALLEN BARR

Owner/operator address: UNKNOWN
UNKNOWN, NY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: No

Transporter of hazardous waste: Unknown

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: Unknown

Furnace exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TOWNE HOUSE RESTORATIONS (Continued)

1000554721

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: TOWNE HOUSE RESTORATIONS
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: TOWNE HOUSE RESTORATIONS
Classification: Not a generator, verified

Date form received by agency: 06/26/1991
Facility name: TOWNE HOUSE RESTORATIONS
Classification: Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 01/18/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110004476745

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

T104
SSE
1/8-1/4
0.135 mi.
711 ft.

SOUTH 2ND STORAGE CORP
400 SO 2ND STREET
BROOKLYN, NY 11211
Site 2 of 2 in cluster T

AST U003392961
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-329444
Program Type: PBS
UTM X: 588604.0382299995

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 2ND STORAGE CORP (Continued)

U003392961

UTM Y: 4507000.9667100003
Expiration Date: 1992/10/23

Tank Number: 001
Tank Id: 25733
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I00 - Overfill - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 15473
Affiliation Type: Owner
Company Name: SOUTH 2ND STORAGE CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 400 SO 2ND STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-0707
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15473
Affiliation Type: On-Site Operator
Company Name: SOUTH 2ND STORAGE CORP
Contact Type: Not reported
Contact Name: SOUTH 2ND STORAGE CORP
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 2ND STORAGE CORP (Continued)

U003392961

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-0707
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15473
Affiliation Type: Emergency Contact
Company Name: SOUTH 2ND STORAGE CORP
Contact Type: Not reported
Contact Name: SOUTH 2ND STORAGE CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-0707
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15473
Affiliation Type: Mail Contact
Company Name: SOUTH 2ND STORAGE CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 400 SO 2ND STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-0707
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:
PBS Number: 2-329444
SWIS Code: 6101
Operator: SOUTH 2ND STORAGE CORP
Facility Phone: (718) 388-0707
Facility Addr2: 400 SO 2ND STREET
Facility Type: Not reported
Emergency: SOUTH 2ND STORAGE CORP
Emergency Tel: (718) 388-0707

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 2ND STORAGE CORP (Continued)

U003392961

Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: SOUTH 2ND STORAGE CORP
Owner Address: 400 SO 2ND STREET
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 388-0707
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: SOUTH 2ND STORAGE CORP
Mailing Address: 400 SO 2ND STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 388-0707
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/23/1987
Expiration: 10/23/1992
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: Not reported
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH 2ND STORAGE CORP (Continued)

U003392961

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Y105
SSW
1/8-1/4
0.138 mi.
728 ft.

NYC BD OF ED - PUBLIC SCHOOL 319 BKLYN
360 KEAP ST
BROOKLYN, NY 11211

RCRA-NonGen **1004759488**
FINDS **NYR000011304**
MANIFEST

Site 1 of 5 in cluster Y

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: NYC BD OF ED - PUBLIC SCHOOL 319 BKLYN
Facility address: 360 KEAP ST
BROOKLYN, NY 11211
EPA ID: NYR000011304
Mailing address: KEAP ST
BROOKLYN, NY 11211
Contact: ROBERT GUASTA
Contact address: KEAP ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 349-5590
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
23 ft.

Owner/Operator Summary:

Owner/operator name: NYC BOARD OF EDUCATION
Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 349-5600
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYC BOARD OF EDUCATION
Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 349-5600
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - PUBLIC SCHOOL 319 BKLYN (Continued)

1004759488

Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYC BD OF ED - PUBLIC SCHOOL 319 BKLYN
Classification: Not a generator, verified

Date form received by agency: 08/10/1995
Facility name: NYC BD OF ED - PUBLIC SCHOOL 319 BKLYN
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004517265

Environmental Interest/Information System

NCES (National Center for Education Statistics) is the primary federal entity for collecting and analyzing data related to education in the United States and other nations and the institute of education sciences.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000011304
Country: USA
Mailing Name: NYC BOARD OF EDUCATION
Mailing Contact: JACK BRUCCULERI
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: Not reported
Mailing City: LONG ISLAND CITY
Mailing State: NY
Mailing Zip: 11101
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-349-5660

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - PUBLIC SCHOOL 319 BKLYN (Continued)

1004759488

Document ID: NJA2116679
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 50082
Trans2 State ID: S6993
Generator Ship Date: 950812
Trans1 Recv Date: 950812
Trans2 Recv Date: 951026
TSD Site Recv Date: 951027
Part A Recv Date: Not reported
Part B Recv Date: 951107
Generator EPA ID: NYR000011304
Trans1 EPA ID: NY0000551218
Trans2 EPA ID: NJD980772768
TSDf ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

106
North
1/8-1/4
0.142 mi.
750 ft.

**468/78 RODNEY STREET
468 RODNEY STREET
BROOKLYN, NY 11211**

UST U000412097
HIST UST N/A

**Relative:
Lower
Actual:
16 ft.**

UST:
Facility Id: 2-600384
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 588432.17217999999
UTM Y: 4507459.8834800003
Site ID: 22367

Tank Number: 001
Tank ID: 42411
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/1/1973

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
I00 - Overfill - None
B00 - Tank External Protection - None

Tank Number: 002
Tank ID: 42412
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1968
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None

Tank Number: 003
Tank ID: 42413
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1968

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 004
Tank ID: 42414
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1968
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
I00 - Overfill - None
F00 - Pipe External Protection - None
J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None

Tank Number: 005
Tank ID: 42415
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1968

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
I00 - Overfill - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None

Tank Number: 006
Tank ID: 42416
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1968
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
C00 - Pipe Location - No Piping
I00 - Overfill - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 007
Tank ID: 52767
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1997
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
I00 - Overfill - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C02 - Pipe Location - Underground/On-ground
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Tank Number: 008
Tank ID: 52768
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1997
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C02 - Pipe Location - Underground/On-ground
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 22367
Affiliation Type: Mail Contact
Company Name: WALTER T GORMAN,P.E.
Contact Type: Not reported
Contact Name: WALTER T GORMAN,P.E.,P.C.
Address1: 115-14 BEACH CHANNEL DRIVE
Address2: Not reported
City: ROCKAWAY PARK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

State: NY
Zip Code: 11694
Country Code: 001
Phone: (718) 474-3400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22367
Affiliation Type: On-Site Operator
Company Name: 468/78 RODNEY STREET
Contact Type: Not reported
Contact Name: JOSEPH MATARESE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-7110
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22367
Affiliation Type: Owner
Company Name: MATARESE REALTY CO
Contact Type: Not reported
Contact Name: Not reported
Address1: 503 UNION AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-7110
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22367
Affiliation Type: Emergency Contact
Company Name: MATARESE REALTY CO
Contact Type: Not reported
Contact Name: JOSEPH MATARESE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Phone: (718) 388-7110
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-600384
SPDES Number: Not reported
Emergency Contact: JOSEPH MATARESE
Emergency Telephone: (718) 388-7110
Operator: JOSEPH MATARESE
Operator Telephone: (718) 388-7110
Owner Name: MATARESE REALTY CO
Owner Address: 503 UNION AVENUE
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (718) 388-7110
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: WALTER T GORMAN,P.E.
Mailing Address: 115-14 BEACH CHANNEL DRIVE
Mailing Address 2: Not reported
Mailing City,St,Zip: ROCKAWAY PARK, NY 11694
Mailing Contact: WALTER T GORMAN,P.E.,P.C.
Mailing Telephone: (718) 474-3400
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
and Subpart 360-14.
Facility Addr2: 468 RODNEY STREET
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: Not reported
Expiration Date: 06/12/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: False
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: 0
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Install Date: 19730301
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19681201
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19681201
Capacity (gals): 550
Product Stored: DIESEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19681201
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 005
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19681201
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 006
Tank Location: UNDERGROUND
Tank Status: Closed Before April 1, 1991
Install Date: 19681201
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 007
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: EMPTY
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

468/78 RODNEY STREET (Continued)

U000412097

Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 04/01/1997
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 008
 Tank Location: UNDERGROUND
 Tank Status: Closed-In Place
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: EMPTY
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 04/01/1997
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Y107
 SSW
 1/8-1/4
 0.144 mi.
 762 ft.

PUBLIC SCHOOL 19 - BROOKLYN (K019)
325 SOUTH 3RD STREET
BROOKLYN, NY 11211
 Site 2 of 5 in cluster Y

AST A100295628
N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-478725
 Program Type: PBS
 UTM X: 588360.82333000004
 UTM Y: 4507013.3121999996
 Expiration Date: 2014/12/01

Actual:
23 ft.

Tank Number: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 19 - BROOKLYN (K019) (Continued)

A100295628

Tank Id: 38560
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1997
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 11/16/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction
B01 - Tank External Protection - Painted/Asphalt Coating
C03 - Pipe Location - Aboveground/Underground Combination
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
K00 - Spill Prevention - None

Tank Number: 002
Tank Id: 38561
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1997
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 11/16/2004

Equipment Records:

J02 - Dispenser - Suction
G02 - Tank Secondary Containment - Vault (w/access)
E00 - Piping Secondary Containment - None
B01 - Tank External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
F01 - Pipe External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 19 - BROOKLYN (K019) (Continued)

A100295628

C03 - Pipe Location - Aboveground/Underground Combination
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None

Affiliation Records:

Site Id: 21289
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY OF DEP. EDUCATION
Contact Type: Not reported
Contact Name: SCHOOL SAFETY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 935-3300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/16/2004

Site Id: 21289
Affiliation Type: On-Site Operator
Company Name: PUBLIC SCHOOL 19 - BROOKLYN (K019)
Contact Type: Not reported
Contact Name: PLANT OPERATIONS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 349-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/16/2004

Site Id: 21289
Affiliation Type: Owner
Company Name: NEW YORK CITY OF DEP. EDUCATION
Contact Type: MANAGER, FUEL DIVISION
Contact Name: RAYMOND CORREA
Address1: 44-36 VERNON BOULEVARD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 19 - BROOKLYN (K019) (Continued)

A100295628

Date Last Modified: 3/23/2010

Site Id: 21289
Affiliation Type: Mail Contact
Company Name: NEW YORK CITY DEP. OF EDUCATION
Contact Type: Not reported
Contact Name: RAYMOND CORREA
Address1: FIELD OPERATIONS-FUEL DIVISION
Address2: 44-36 VERNON BOULEVARD
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: RCORREA5@SCHOOLS.NYC.GOV
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 3/23/2010

Y108
SSW
1/8-1/4
0.144 mi.
762 ft.

PS 19
325 SOUTH 3RD STREET
BROOKLYN, NY 11211

HIST UST **U000418261**
N/A

Site 3 of 5 in cluster Y

Relative:
Higher

HIST UST:

Actual:
23 ft.

PBS Number: 2-478725
SPDES Number: Not reported
Emergency Contact: SCHOOL SAFETY
Emergency Telephone: (212) 979-3300
Operator: PLANT OPERATOR
Operator Telephone: (718) 391-6000
Owner Name: NYC BOARD OF EDUCATION
Owner Address: 28-11 QUEENS PLAZA NORTH
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 391-6832
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: BOARD OF EDUCATION
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: 5TH FLOOR
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: FRANK CARDELLO NTROL
Mailing Telephone: (718) 391-6832
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: SCHOOL
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 19 (Continued)

U000418261

Certification Date: 12/15/1999
Expiration Date: 12/01/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 15000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 19 (Continued)

U000418261

Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Y109
SSW
1/8-1/4
0.144 mi.
762 ft.

NYC BD OF ED - PUBLIC SCHOOL 19
325 S 3RD ST
BROOKLYN, NY 11211

RCRA-NonGen **1001489116**
FINDS **NYR000071423**
MANIFEST

Site 4 of 5 in cluster Y

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: NYC BD OF ED - PUBLIC SCHOOL 19
Facility address: 325 S 3RD ST
BROOKLYN, NY 11211
EPA ID: NYR000071423
Mailing address: S 3RD ST
BROOKLYN, NY 11211
Contact: WILLIAM MARINO
Contact address: S 3RD ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 384-7016
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
23 ft.

Owner/Operator Summary:

Owner/operator name: NYSCA
Owner/operator address: 30-30 THOMPSON AVE
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 472-8399
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYSCA
Owner/operator address: 30-30 THOMPSON AVE
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 472-8399
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - PUBLIC SCHOOL 19 (Continued)

1001489116

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYC BD OF ED - PUBLIC SCHOOL 19
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Facility name: NYC BD OF ED - PUBLIC SCHOOL 19
Site name: P S 19 BROOKLYN
Classification: Large Quantity Generator

Date form received by agency: 05/18/1999
Facility name: NYC BD OF ED - PUBLIC SCHOOL 19
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004553144

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000071423
Country: USA
Mailing Name: PS 19
Mailing Contact: GREGORY J CORTESE
Mailing Address: 325 SOUTH 3RD ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - PUBLIC SCHOOL 19 (Continued)

1001489116

Mailing State: NY
Mailing Zip: 11245
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-472-8397

Document ID: NYG1708344
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 11/04/1999
Trans1 Recv Date: 11/04/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/05/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000071423
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: PD1011NY
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 09600
Units: P - Pounds
Number of Containers: 024
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Z110
NE
1/8-1/4
0.146 mi.
771 ft.

**GULF SERVICE STATION
433 UNION AVENUE
BROOKLYN, NY 11326**

**HIST UST U003066162
N/A**

Site 1 of 3 in cluster Z

**Relative:
Lower**

HIST UST:
PBS Number: 2-001538
SPDES Number: Not reported
Emergency Contact: TONY DHILLON
Emergency Telephone: (718) 984-9551
Operator: VEERU DHILLON
Operator Telephone: (718) 384-2171
Owner Name: RICHMOND PETROLEUM
Owner Address: 3881 RICHMOND AVENUE
Owner City,St,Zip: STATEN ISLAND, NY 10312

**Actual:
16 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GULF SERVICE STATION (Continued)

U003066162

Owner Telephone: (718) 984-9551
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: RICHMOND PETROLEUM
Mailing Address: 3881 RICHMOND AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: STATEN ISLAND, NY 10312
Mailing Contact: TONY DHILLON
Mailing Telephone: (718) 984-9551
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 433 UNION AVENUE
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 12/22/2000
Expiration Date: 12/18/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 9550
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19820101
Capacity (gals): 3000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Impressed Current
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: Fiberglass
Second Containment: Diking
Leak Detection: In-tank System
Overfill Prot: High Level Alarm
Dispenser: Submersible
Date Tested: 04/01/1996
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GULF SERVICE STATION (Continued)

U003066162

Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: VPLT (NDE)
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19820101
Capacity (gals): 3000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Impressed Current
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: Fiberglass
Second Containment: Diking
Leak Detection: In-tank System
Overfill Prot: High Level Alarm
Dispenser: Submersible
Date Tested: 04/01/1996
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: VPLT (NDE)
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19820101
Capacity (gals): 3000
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Impressed Current
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: None
Pipe External: Fiberglass
Second Containment: Diking
Leak Detection: In-tank System
Overfill Prot: High Level Alarm
Dispenser: Submersible
Date Tested: 04/01/1996
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: VPLT (NDE)

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

GULF SERVICE STATION (Continued)

U003066162

Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 004
 Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: 19590401
 Capacity (gals): 550
 Product Stored: UNKNOWN
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Other
 Pipe Location: None
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Submersible
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Z111
NE
1/8-1/4
0.146 mi.
771 ft.

UNION REPAIR CORP.
433-447 UNION AVENUE
BROOKLYN, NY 11211
Site 2 of 3 in cluster Z

UST U004064183
AST N/A

Relative:
Lower

UST:
 Facility Id: 2-001538
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2012/03/26
 UTM X: 588599.44827000005
 UTM Y: 4507416.4135400001
 Site ID: 17

Actual:
16 ft.

Tank Number: 001
 Tank ID: 712
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: D
 Install Date: 1/1/1982
 Capacity Gallons: 3000
 Tightness Test Method: 21
 Next Test Date: 3/8/2013
 Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION REPAIR CORP. (Continued)

U004064183

Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/8/2008
Register: True
Modified By: JMKRIMGO
Last Modified: 2/9/2009

Equipment Records:

- K01 - Spill Prevention - Catch Basin
- J01 - Dispenser - Submersible
- H05 - Tank Leak Detection - In-Tank System (ATG)
- F04 - Pipe External Protection - Fiberglass
- B07 - Tank External Protection - Retrofitted Sacrificial Anode
- L08 - Piping Leak Detection - Tank Top Sump
- I02 - Overfill - High Level Alarm
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- A00 - Tank Internal Protection - None
- G00 - Tank Secondary Containment - None
- C02 - Pipe Location - Underground/On-ground
- B01 - Tank External Protection - Painted/Asphalt Coating
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

Tank Number: 002
Tank ID: 713
Tank Status: In Service
Tank Model: Not reported
Pipe Model: D
Install Date: 1/1/1982
Capacity Gallons: 3000
Tightness Test Method: 21
Next Test Date: 3/8/2013
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/8/2008
Register: True
Modified By: JMKRIMGO
Last Modified: 2/9/2009

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- F04 - Pipe External Protection - Fiberglass
- H05 - Tank Leak Detection - In-Tank System (ATG)
- B07 - Tank External Protection - Retrofitted Sacrificial Anode
- G00 - Tank Secondary Containment - None
- L08 - Piping Leak Detection - Tank Top Sump
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- C02 - Pipe Location - Underground/On-ground
- J01 - Dispenser - Submersible
- I02 - Overfill - High Level Alarm
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

Tank Number: 003
Tank ID: 714

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION REPAIR CORP. (Continued)

U004064183

Tank Status: In Service
Tank Model: Not reported
Pipe Model: D
Install Date: 1/1/1982
Capacity Gallons: 3000
Tightness Test Method: 21
Next Test Date: 3/8/2013
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/8/2008
Register: True
Modified By: JMKRIMGO
Last Modified: 2/9/2009

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
K01 - Spill Prevention - Catch Basin
A00 - Tank Internal Protection - None
J01 - Dispenser - Submersible
L08 - Piping Leak Detection - Tank Top Sump
E04 - Piping Secondary Containment - Double-Walled (Underground)
G00 - Tank Secondary Containment - None
C02 - Pipe Location - Underground/On-ground
I02 - Overfill - High Level Alarm
B07 - Tank External Protection - Retrofitted Sacrificial Anode
B01 - Tank External Protection - Painted/Asphalt Coating
F04 - Pipe External Protection - Fiberglass

Tank Number: 004
Tank ID: 715
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1959
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/20/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 1/25/2005

Equipment Records:

I00 - Overfill - None
J01 - Dispenser - Submersible
F00 - Pipe External Protection - None
B99 - Tank External Protection - Other
G00 - Tank Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION REPAIR CORP. (Continued)

U004064183

Affiliation Records:

Site Id: 17
Affiliation Type: Mail Contact
Company Name: UNION REPAIR CORP.
Contact Type: Not reported
Contact Name: NARENDRA KAUR
Address1: 98 JEWETT AVENUE
Address2: Not reported
City: STATEN ISLAND
State: NY
Zip Code: 10302
Country Code: 001
Phone: (718) 420-5100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Site Id: 17
Affiliation Type: On-Site Operator
Company Name: UNION REPAIR CORP.
Contact Type: Not reported
Contact Name: UNION REPAIR CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-2171
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Site Id: 17
Affiliation Type: Emergency Contact
Company Name: MOHAN DHILLON
Contact Type: Not reported
Contact Name: NARENDRA KAUR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 420-5100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Site Id: 17
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION REPAIR CORP. (Continued)

U004064183

Company Name: MOHAN DHILLON
Contact Type: PRESIDENT
Contact Name: NARENDRA KAUR
Address1: 98 JEWETT AVENUE
Address2: Not reported
City: STATEN ISLAND
State: NY
Zip Code: 10302
Country Code: 001
Phone: (718) 420-5200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-001538
Program Type: PBS
UTM X: 588599.44827000005
UTM Y: 4507416.41354000001
Expiration Date: 2012/03/26

Tank Number: 004A
Tank Id: 181571
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/11/2004
Capacity Gallons: 300
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 3/26/2007

Equipment Records:

K00 - Spill Prevention - None
E04 - Piping Secondary Containment - Double-Walled (Underground)
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
D00 - Pipe Type - No Piping
B04 - Tank External Protection - Fiberglass
J00 - Dispenser - None
H00 - Tank Leak Detection - None
A03 - Tank Internal Protection - Fiberglass Liner (FRP)
C00 - Pipe Location - No Piping
L00 - Piping Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION REPAIR CORP. (Continued)

U004064183

Affiliation Records:

Site Id: 17
Affiliation Type: Mail Contact
Company Name: UNION REPAIR CORP.
Contact Type: Not reported
Contact Name: NARENDRA KAUR
Address1: 98 JEWETT AVENUE
Address2: Not reported
City: STATEN ISLAND
State: NY
Zip Code: 10302
Country Code: 001
Phone: (718) 420-5100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Site Id: 17
Affiliation Type: On-Site Operator
Company Name: UNION REPAIR CORP.
Contact Type: Not reported
Contact Name: UNION REPAIR CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-2171
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Site Id: 17
Affiliation Type: Emergency Contact
Company Name: MOHAN DHILLON
Contact Type: Not reported
Contact Name: NARENDRA KAUR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 420-5100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Site Id: 17
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION REPAIR CORP. (Continued)

U004064183

Company Name: MOHAN DHILLON
Contact Type: PRESIDENT
Contact Name: NARENDRA KAUR
Address1: 98 JEWETT AVENUE
Address2: Not reported
City: STATEN ISLAND
State: NY
Zip Code: 10302
Country Code: 001
Phone: (718) 420-5200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/26/2007

Y112
SSW
1/8-1/4
0.146 mi.
771 ft.

330-332 SOUTH 3RD STREET
330-332 SOUTH 3RD STREET
BROOKLYN, NY 11211
Site 5 of 5 in cluster Y

AST **U003394666**
HIST AST **N/A**

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-467138
Program Type: PBS
UTM X: 588405.87974999996
UTM Y: 4506992.21263999996
Expiration Date: 1994/02/15

Actual:
23 ft.

Tank Number: 001
Tank Id: 36981
Tank Location: 4
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: 03
Date Test: 1/1/1999
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330-332 SOUTH 3RD STREET (Continued)

U003394666

G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 20304
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: LEE KERBEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 636-3015
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20304
Affiliation Type: Mail Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20304
Affiliation Type: Owner
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330-332 SOUTH 3RD STREET (Continued)

U003394666

Site Id: 20304
Affiliation Type: On-Site Operator
Company Name: 330-332 SOUTH 3RD STREET
Contact Type: Not reported
Contact Name: NYC HOUSING PRESERV & DEVEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-467138
SWIS Code: 6101
Operator: NYC HOUSING PRESERV & DEVEL
Facility Phone: (212) 806-8565
Facility Addr2: 330 SOUTH 3RD STREET
Facility Type: Not reported
Emergency: LEE KERBEL
Emergency Tel: (718) 636-3015
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8565
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8565
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/19/1999
Expiration: 02/15/1994
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330-332 SOUTH 3RD STREET (Continued)

U003394666

Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND 10% OR MORE BELOW GROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: 01/01/1999
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AA113
SSW
1/8-1/4
0.149 mi.
788 ft.

CAISI MANAGEMENT CO. INC.
338-340 SOUTH 3RD STREET
BKLYN, NY 11211
Site 1 of 2 in cluster AA

AST **U003391289**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-374911
Program Type: PBS
UTM X: 588428.37639999995
UTM Y: 4506981.64597
Expiration Date: 2013/12/22

Actual:
24 ft.

Tank Number: 001
Tank Id: 21188
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAISI MANAGEMENT CO. INC. (Continued)

U003391289

Install Date: 6/1/1996
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 12/29/2008

Equipment Records:

G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 18879
Affiliation Type: On-Site Operator
Company Name: 340 SOUTH THIRD HDFC
Contact Type: Not reported
Contact Name: LENISSE HENRIQUEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-3776
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 18879
Affiliation Type: Emergency Contact
Company Name: 340 SOUTH THIRD HDFC
Contact Type: Not reported
Contact Name: LENISSE HENRIQUEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-3776
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAISI MANAGEMENT CO. INC. (Continued)

U003391289

Date Last Modified: 3/4/2004

Site Id: 18879
Affiliation Type: Owner
Company Name: 340 SOUTH THIRD HDFC
Contact Type: MANAGER/PRESIDENT
Contact Name: LENISSE HENRIQUEZ
Address1: 340 SOUTH THIRD ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-3776
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/29/2008

Site Id: 18879
Affiliation Type: Mail Contact
Company Name: 340 SOUTH THIRD HDFC
Contact Type: Not reported
Contact Name: LENISSE HENRIQUEZ
Address1: 340 SOUTH THIRD STREET
Address2: APT A-4
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-3776
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-374911
SWIS Code: 6101
Operator: JAIME RODRIGUEZ
Facility Phone: (516) 233-5935
Facility Addr2: 338 SOUTH 3RD STREET
Facility Type: APARTMENT BUILDING
Emergency: CASI MGMT CO. INC.
Emergency Tel: (516) 271-1717
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: FEDERAL HOME LOAN MORTGAGE C/O CAISI MGMT CO. INC.
Owner Address: 575 LEXINGTON AVE. SUITE 2505
Owner City,St,Zip: NEW YORK, NY 10022
Federal ID: Not reported
Owner Tel: (212) 418-8900
Owner Type: Federal Government

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAISI MANAGEMENT CO. INC. (Continued)

U003391289

Owner Subtype: Not reported
Mailing Contact: CLAUDIA
Mailing Name: CAISI MGMT CO. INC.
Mailing Address: P.O. BOX #1484
Mailing Address 2: Not reported
Mailing City,St,Zip: MELVILLE, NY 11747
Mailing Telephone: (516) 271-1717
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/01/1993
Expiration: 10/01/1998
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AA114 340 SOUTH 3RD STREET HDFC
SSW 340 SOUTH 3RD STREET
1/8-1/4 BROOKLYN, NY 11211
0.149 mi.
788 ft. Site 2 of 2 in cluster AA

AST A100173676
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604930
Program Type: PBS
UTM X: 588434.00055999996
UTM Y: 4506979.0043000001
Expiration Date: 2005/12/22

Actual:
24 ft.

Tank Number: 001
Tank Id: 59190
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
B05 - Tank External Protection - Jacketed
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
I01 - Overfill - Float Vent Valve
A01 - Tank Internal Protection - Epoxy Liner
G03 - Tank Secondary Containment - Vault (w/o access)

Affiliation Records:

Site Id: 26799
Affiliation Type: Mail Contact
Company Name: INTERACTIVE MANAGEMENT
Contact Type: Not reported
Contact Name: JOSE DE LA CRUZ
Address1: 317 EAST THIRD STREET
Address2: SUITE 1415
City: NEW YORK
State: NY
Zip Code: 10009
Country Code: 001
Phone: (212) 982-0322
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

340 SOUTH 3RD STREET HDFC (Continued)

A100173676

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26799
Affiliation Type: Owner
Company Name: 340 SOUTH 3RD STREET HDFC
Contact Type: Not reported
Contact Name: Not reported
Address1: 340 SOUTH 3RD STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (212) 982-0322
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26799
Affiliation Type: On-Site Operator
Company Name: 340 SOUTH 3RD STREET HDFC
Contact Type: Not reported
Contact Name: SANTO JEREZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-8216
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26799
Affiliation Type: Emergency Contact
Company Name: 340 SOUTH 3RD STREET HDFC
Contact Type: Not reported
Contact Name: JOSE DE LA CRUZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 337-2909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AB115
SW
1/8-1/4
0.149 mi.
789 ft.

4109 REALTY ASSOCIATES
310 SOUTH 3RD STREET
BROOKLYN, NY 11211

Site 1 of 3 in cluster AB

AST A100147106
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604104
Program Type: PBS
UTM X: 588340.29330999998
UTM Y: 4507022.4196199998
Expiration Date: 2014/06/04

Actual:
22 ft.

Tank Number: 001
Tank Id: 56695
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1995
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 4/6/2009

Equipment Records:

C00 - Pipe Location - No Piping
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
K01 - Spill Prevention - Catch Basin
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 25988
Affiliation Type: Owner
Company Name: 4109 REALTY ASSOCIATES
Contact Type: MANAGER
Contact Name: SAM KAY
Address1: P.O. BOX 190071
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4109 REALTY ASSOCIATES (Continued)

A100147106

Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 5/25/2004

Site Id: 25988
Affiliation Type: On-Site Operator
Company Name: 4109 REALTY ASSOCIATES
Contact Type: Not reported
Contact Name: AHMET HOTI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 218-8633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 5/25/2004

Site Id: 25988
Affiliation Type: Emergency Contact
Company Name: 4109 REALTY ASSOCIATES
Contact Type: Not reported
Contact Name: S. KAY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 5/25/2004

Site Id: 25988
Affiliation Type: Mail Contact
Company Name: KAY MANAGEMENT
Contact Type: Not reported
Contact Name: SANDY
Address1: P.O. BOX 190071
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

4109 REALTY ASSOCIATES (Continued)

A100147106

Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/3/2010

AB116
SW
1/8-1/4
0.150 mi.
794 ft.

CAISI MGMT CO. INC.
308-310 SOUTH 3RD STREET
BROOKLYN, NY 11211

AST A100300702
N/A

Site 2 of 3 in cluster AB

Relative:
Higher

AST:

Actual:
22 ft.

Region: STATE
DEC Region: 2
Site Status: Administratively Closed
Facility Id: 2-236314
Program Type: PBS
UTM X: 588330.02830000001
UTM Y: 4507026.97333000004
Expiration Date: N/A

Tank Number: 001
Tank Id: 11105
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 3/11/2003
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 8749
Affiliation Type: Emergency Contact
Company Name: FEDERAL HOME LOAN MORTGAGE C/O CAISI MGMT CO. INC.
Contact Type: Not reported
Contact Name: CAISI MGMT CO. INC.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAISI MGMT CO. INC. (Continued)

A100300702

Zip Code: Not reported
Country Code: 001
Phone: (516) 271-1717
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8749
Affiliation Type: Owner
Company Name: FEDERAL HOME LOAN MORTGAGE C/O CAISI MGMT CO. INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 575 LEXINGTON AVE - SUITE 2505
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 418-8900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8749
Affiliation Type: Mail Contact
Company Name: CAISI MANAGEMENT CO. INC.
Contact Type: Not reported
Contact Name: CLAUDIA
Address1: P.O. BOX #1484
Address2: Not reported
City: MELVILLE
State: NY
Zip Code: 11747
Country Code: 001
Phone: (516) 271-1717
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8749
Affiliation Type: On-Site Operator
Company Name: CAISI MGMT CO. INC.
Contact Type: Not reported
Contact Name: CARMEN SOTO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-0478

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAISI MGMT CO. INC. (Continued)

A100300702

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Z117
NNE
1/8-1/4
0.156 mi.
822 ft.

CONSOLIDATED EDISON
MH43243-UNION AVE / HEYWARD ST
BROOKLYN, NY

MANIFEST 1009243871
N/A

Site 3 of 3 in cluster Z

Relative:
Lower

NY MANIFEST:
EPA ID: NYP004134755
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
15 ft.

Document ID: NYE0625392
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 08/22/2005
Trans1 Recv Date: 08/22/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/22/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004134755
Trans1 EPA ID: 46235JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00400
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243871

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE1306098
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 08/22/2005
Trans1 Recv Date: 08/22/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/23/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004134755
Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00161
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE0625392
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 08/22/2005
Trans1 Recv Date: 08/22/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/22/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004134755
Trans1 EPA ID: 46235JM
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00400

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243871

Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE1306098
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 08/22/2005
Trans1 Recv Date: 08/22/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/23/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004134755
Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00161
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AB118
SW
1/8-1/4
0.157 mi.
827 ft.

300 SOUTH REALTY CORP.
300 SOUTH 3RD ST
BROOKLYN, NY 11211
Site 3 of 3 in cluster AB

AST A100301588
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-364258
Program Type: PBS
UTM X: 588288.96826999995
UTM Y: 4507045.18817
Expiration Date: 2012/04/09

Actual:
21 ft.

Tank Number: 001
Tank Id: 22545
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/2/1965
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 4/2/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
A01 - Tank Internal Protection - Epoxy Liner
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
B05 - Tank External Protection - Jacketed

Affiliation Records:

Site Id: 18454
Affiliation Type: On-Site Operator
Company Name: NAFTALI HAGER, RECEIVER
Contact Type: Not reported
Contact Name: VICTOR LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 486-0673
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 SOUTH REALTY CORP. (Continued)

A100301588

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 18454
Affiliation Type: Mail Contact
Company Name: 300 SOUTH 3RD REALTY CORP.
Contact Type: MANAGING AGENT
Contact Name: JACOB HAGER
Address1: 544 PARK AVE, SUITE #610
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11205
Country Code: 001
Phone: (718) 852-0978
Phone Ext: Not reported
Email: JHAGER@HAGERMANAGEMENT.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/2/2007

Site Id: 18454
Affiliation Type: Owner
Company Name: 300 SOUTH 3RD REALTY CORP.
Contact Type: MANAGING AGENT
Contact Name: JACOB HAGER
Address1: 544 PARK AVE, SUITE #610
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11205
Country Code: 001
Phone: (718) 852-0978
Phone Ext: Not reported
Email: JHAGER@HAGERMANAGEMENT.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/2/2007

Site Id: 18454
Affiliation Type: Emergency Contact
Company Name: 300 SOUTH 3RD REALTY CORP.
Contact Type: Not reported
Contact Name: HAGER MANAGEMENT, INC.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 852-0978
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 SOUTH REALTY CORP. (Continued)

A100301588

Date Last Modified: 4/2/2007

**AC119
NW
1/8-1/4
0.160 mi.
843 ft.**

**MERCURY DRY CLEANERS
20 MARCY AVE.
BROOKLYN, NY 11211
Site 1 of 2 in cluster AC**

**DRYCLEANERS S110247269
N/A**

**Relative:
Higher**

DRYCLEANERS:
Facility ID: 2-6101-00062
Region: 2
Registration Effective Date: 7/26/2001 14:10:04:88
Inspection Date: 09MAR16
Drop Shop: Not reported
Shutdown: Y
Alternate Solvent: Not reported
Current Business: NOT A DRY CLEANER

**Actual:
18 ft.**

**AC120
NW
1/8-1/4
0.160 mi.
843 ft.**

**MERCURY CLEANERS
20 MARCY AVE
BROOKLYN, NY 11211
Site 2 of 2 in cluster AC**

**RCRA-SQG 1004760258
FINDS NYR000037671
MANIFEST**

**Relative:
Higher**

RCRA-SQG:
Date form received by agency: 01/01/2007
Facility name: MERCURY CLEANERS
Facility address: 20 MARCY AVE
BROOKLYN, NY 11211
EPA ID: NYR000037671
Mailing address: MARCY AVE
BROOKLYN, NY 11211
Contact: HONG YOO
Contact address: MARCY AVE
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 782-7778
Contact email: Not reported
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

**Actual:
18 ft.**

Owner/Operator Summary:

Owner/operator name: HONG S YOO
Owner/operator address: 20 MARCY AVE
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 782-7778
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Owner/operator name: HONG S YOO
Owner/operator address: 20 MARCY AVE
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 782-7778
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: MERCURY CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 04/14/1997
Facility name: MERCURY CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004533657

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

NY MANIFEST:

EPA ID: NYR000037671
Country: USA
Mailing Name: MERCURY CLEANERS
Mailing Contact: HONG S YOO
Mailing Address: 20 MARCY AVE
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-782-7778

Document ID: NYG5364666
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 10/24/2005
Trans1 Recv Date: 10/24/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01040
Units: P - Pounds
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5437386
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 01/18/2005
Trans1 Recv Date: 01/18/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00520
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2744766
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 971204
Trans1 Recv Date: 971204
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971212
Part A Recv Date: 980120
Part B Recv Date: 980105
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00200
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: NYG4449555
Trans1 State ID: NYR000037671
Trans2 State ID: Not reported
Generator Ship Date: NJD000564906
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSD ID: N
Waste Code: N
Quantity: Not reported
Units: 4
Number of Containers: DM
Container Type: 520
Handling Method: P
Specific Gravity: 1
Waste Code: T
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Document ID: 07
Manifest Status: 001303420JJK
Trans1 State ID: NYR000037671
Trans2 State ID: Not reported
Generator Ship Date: CDX107000000
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSD ID: N
Waste Code: N
Quantity: Not reported
Units: 3
Number of Containers: DM
Container Type: 390
Handling Method: P
Specific Gravity: 1
Waste Code: R
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0322326
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: NYF006000053
Generator Ship Date: 08/14/2001
Trans1 Recv Date: 08/14/2001
Trans2 Recv Date: 08/21/2001
TSD Site Recv Date: 08/22/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: CDX107000000
Trans2 EPA ID: Not reported
TSD ID: 84182

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0322398
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: NYF005000053
Generator Ship Date: 11/30/2001
Trans1 Recv Date: 11/30/2001
Trans2 Recv Date: 12/11/2001
TSD Site Recv Date: 12/12/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: CDX107000000
Trans2 EPA ID: Not reported
TSD ID: 84182
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00200
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Document ID: NYG2016801
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: NYF006000053
Generator Ship Date: 10/31/2002
Trans1 Recv Date: 10/31/2002
Trans2 Recv Date: 11/14/2002
TSD Site Recv Date: 11/15/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: CDX107000000
Trans2 EPA ID: Not reported
TSD ID: 50149
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG2016846
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: NYF006000053
Generator Ship Date: 02/28/2002
Trans1 Recv Date: 02/28/2002
Trans2 Recv Date: 03/07/2002
TSD Site Recv Date: 03/08/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: CDX107000000
Trans2 EPA ID: Not reported
TSD ID: 50149
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00230
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0322794
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: NYF006000053
Generator Ship Date: 05/02/2002
Trans1 Recv Date: 05/02/2002
Trans2 Recv Date: 05/07/2002
TSD Site Recv Date: 05/08/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: CDX107000000
Trans2 EPA ID: Not reported
TSD ID: 50149
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00260
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0324081
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 05/13/2003
Trans1 Recv Date: 05/13/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/20/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NJ420
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00520
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0324522
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 09/02/2003
Trans1 Recv Date: 09/02/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/09/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NJ420
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00130
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG2017197
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 02/06/2003
Trans1 Recv Date: 02/06/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/13/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NJ420
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00260
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG0325593
Manifest Status: Not reported
Trans1 State ID: NJ420
Trans2 State ID: Not reported
Generator Ship Date: 03/25/2004
Trans1 Recv Date: 03/25/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/30/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJD000564906

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Trans2 EPA ID: Not reported
TSDF ID: NJD000564
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00650
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG2018961
Manifest Status: Not reported
Trans1 State ID: NJ420
Trans2 State ID: Not reported
Generator Ship Date: 07/21/2004
Trans1 Recv Date: 07/21/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/29/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSDF ID: NJD000564
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Mgmt Method Type Code: Not reported

Document ID: NYG5364666
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 10/24/2005
Trans1 Recv Date: 10/24/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01040
Units: P - Pounds
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5437386
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 01/18/2005
Trans1 Recv Date: 01/18/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00520
Units: P - Pounds
Number of Containers: 004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG4449555
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 04/17/2006
Trans1 Recv Date: 04/17/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/25/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00520
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 06
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Trans2 State ID: Not reported
Generator Ship Date: 2007-01-04
Trans1 Recv Date: 2007-01-04
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2007-01-05
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 390.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 001303420JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 1/4/2007
Trans1 Recv Date: 1/4/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 1/5/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037671
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 390
Units: P - Pounds
Number of Containers: 3
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1
Year: 07
Manifest Tracking Num: 001303420JJK
Import Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MERCURY CLEANERS (Continued)

1004760258

Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

[Click this hyperlink](#) while viewing on your computer to access
6 additional NY_MANIFEST: record(s) in the EDR Site Report.

121
SW
1/8-1/4
0.160 mi.
846 ft.

**CONSOLIDATED EDISON
RODNEY / S 3RD ST MH64803
BROOKLYN, NY 11201**

**MANIFEST 1009244032
N/A**

**Relative:
Higher**

NY MANIFEST:
EPA ID: NYP004136727
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

**Actual:
20 ft.**

Document ID: NYE1307871
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/20/2005
Trans1 Recv Date: 10/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/24/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004136727
Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00450
Units: K - Kilograms (2.2 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009244032

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYE1307871
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/20/2005
Trans1 Recv Date: 10/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/24/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004136727
Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00450
Units: K - Kilograms (2.2 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122
ESE
1/8-1/4
0.163 mi.
860 ft.

SMALL HEATING OIL TANK
14 MAUJER STREET
BROOKLYN, NY 11206

AST A100296064
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-608442
Program Type: PBS
UTM X: 588662.48017
UTM Y: 4507119.7204299998
Expiration Date: 2013/02/27

Actual:
31 ft.

Tank Number: 001
Tank Id: 65175
Tank Location: 1
Tank Type: Concrete
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1950
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 12/14/2007

Equipment Records:

B00 - Tank External Protection - None
I05 - Overfill - Vent Whistle
D10 - Pipe Type - Copper
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None

Affiliation Records:

Site Id: 30294
Affiliation Type: On-Site Operator
Company Name: SMALL HEATING OIL TANK
Contact Type: Not reported
Contact Name: JOSEPH SOO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 749-8383
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SMALL HEATING OIL TANK (Continued)

A100296064

Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	30294
Affiliation Type:	Mail Contact
Company Name:	NAUJER REALTY, LLC
Contact Type:	Not reported
Contact Name:	JOSEPH SOO
Address1:	P O BOX 564139
Address2:	Not reported
City:	COLLEGE POINT
State:	NY
Zip Code:	11356
Country Code:	001
Phone:	(917) 749-8383
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	30294
Affiliation Type:	Owner
Company Name:	MAUJER REALTY, LLC
Contact Type:	OFFICER
Contact Name:	JOSEPH SOO
Address1:	P O BOX 564139
Address2:	Not reported
City:	COLLEGE POINT
State:	NY
Zip Code:	11356
Country Code:	001
Phone:	(917) 749-8383
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	msbaptis
Date Last Modified:	12/14/2007
Site Id:	30294
Affiliation Type:	Emergency Contact
Company Name:	MAUJER REALTY, LLC
Contact Type:	Not reported
Contact Name:	JOSEPH SOO
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(917) 749-8383
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AD123
SE
1/8-1/4
0.175 mi.
924 ft.

UNION/JET DRY CLEANING
301 UNION AVENUE
BROOKLYN, NY 11211

DRYCLEANERS

S110248194
N/A

Site 1 of 5 in cluster AD

Relative:
Higher

DRYCLEANERS:
Facility ID: 2-6101-00966
Region: 2
Registration Effective Date: N/A
Inspection Date: 08FEB6
Drop Shop: Y
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: DROP SHOP

Actual:
32 ft.

AD124
SE
1/8-1/4
0.175 mi.
924 ft.

MORENOS CLEANES
301 UNION AVE
BROOKLYN, NY 11211

RCRA-NonGen
FINDS
MANIFEST

1004755953
NY0000891655

Site 2 of 5 in cluster AD

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: MORENOS CLEANES
Facility address: 301 UNION AVE
BROOKLYN, NY 112115801
EPA ID: NY0000891655
Mailing address: UNION AVE
BROOKLYN, NY 112115801
Contact: LOUIS ALCANTARA
Contact address: UNION AVE
BROOKLYN, NY 112115801
Contact country: US
Contact telephone: (718) 384-8911
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
32 ft.

Owner/Operator Summary:

Owner/operator name: LOUIS ALCANTARA
Owner/operator address: 35-46 65TH ST
WOODSIDE, NY 11377
Owner/operator country: US
Owner/operator telephone: (718) 565-7195
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: LOUIS ALCANTARA
Owner/operator address: 35-46 65TH ST
WOODSIDE, NY 11377
Owner/operator country: US
Owner/operator telephone: (718) 565-7195
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: MORENOS CLEANES
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 01/18/2000
Facility name: MORENOS CLEANES
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Facility name: MORENOS CLEANES
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110004320823

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0000891655
Country: USA
Mailing Name: J R DRY CLEANERS & TAILORS
Mailing Contact: JOE RIVERA
Mailing Address: 301 UNION AVENUE
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-599-1610

Document ID: NYC3560580
Manifest Status: Completed copy
Trans1 State ID: JE4550NY
Trans2 State ID: Not reported
Generator Ship Date: 950622
Trans1 Recv Date: 950622
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950622
Part A Recv Date: 950630
Part B Recv Date: 950630
Generator EPA ID: NY0000891655
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NYD980785760
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4067640
Manifest Status: Completed copy

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Trans1 State ID: GF2859NY
Trans2 State ID: AR0041204
Generator Ship Date: 960424
Trans1 Recv Date: 960424
Trans2 Recv Date: 960426
TSD Site Recv Date: 960427
Part A Recv Date: 960507
Part B Recv Date: 960516
Generator EPA ID: NY0000891655
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: ARD981908551
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC3668477
Manifest Status: Completed copy
Trans1 State ID: GF2859NY
Trans2 State ID: 5068BGOK
Generator Ship Date: 960110
Trans1 Recv Date: 960110
Trans2 Recv Date: 960112
TSD Site Recv Date: 960115
Part A Recv Date: Not reported
Part B Recv Date: 960201
Generator EPA ID: NY0000891655
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: ARD981908551
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6280874
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 11/28/2000
Trans1 Recv Date: 11/28/2000
Trans2 Recv Date: 12/01/2000
TSD Site Recv Date: 12/05/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6294723
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 10/03/2000
Trans1 Recv Date: 10/03/2000
Trans2 Recv Date: 10/06/2000
TSD Site Recv Date: 10/12/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5082928
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 06/08/2000
Trans1 Recv Date: 06/08/2000
Trans2 Recv Date: 06/13/2000
TSD Site Recv Date: 06/15/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYGF2859
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6175833
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 08/02/2000
Trans1 Recv Date: 08/02/2000
Trans2 Recv Date: 08/04/2000
TSD Site Recv Date: 08/08/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6348914
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 01/23/2001
Trans1 Recv Date: 01/23/2001
Trans2 Recv Date: 01/26/2001
TSD Site Recv Date: 02/01/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6446880
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 08/07/2001
Trans1 Recv Date: 08/07/2001
Trans2 Recv Date: 08/10/2001
TSD Site Recv Date: 08/14/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: GF1411NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Document ID: NYC6455878
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 05/15/2001
Trans1 Recv Date: 05/15/2001
Trans2 Recv Date: 05/18/2001
TSD Site Recv Date: 05/22/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6668122
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 11/29/2001
Trans1 Recv Date: 11/29/2001
Trans2 Recv Date: 12/07/2001
TSD Site Recv Date: 12/11/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: GF1411NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6582611
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 07/11/2001
Trans1 Recv Date: 07/11/2001
Trans2 Recv Date: 07/13/2001
TSD Site Recv Date: 07/17/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: JE4744NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Document ID: NYC6496547
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 10/04/2001
Trans1 Recv Date: 10/04/2001
Trans2 Recv Date: 10/12/2001
TSD Site Recv Date: 10/19/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: GF1411NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6907331
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: MOD095038998
Generator Ship Date: 11/25/2002
Trans1 Recv Date: 11/25/2002
Trans2 Recv Date: 11/27/2002
TSD Site Recv Date: 12/02/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NY94885JE
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6818984
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 09/25/2002
Trans1 Recv Date: 09/25/2002
Trans2 Recv Date: 09/27/2002
TSD Site Recv Date: 09/27/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6790623
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 07/11/2002
Trans1 Recv Date: 07/11/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Trans2 Recv Date: 07/19/2002
TSD Site Recv Date: 07/19/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYC94889J
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6782984
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 05/17/2002
Trans1 Recv Date: 05/17/2002
Trans2 Recv Date: 05/24/2002
TSD Site Recv Date: 05/24/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYC94889J
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6674523
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: MOD095038998
Generator Ship Date: 03/28/2002
Trans1 Recv Date: 03/28/2002
Trans2 Recv Date: 04/04/2002
TSD Site Recv Date: 04/05/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NJXAB6384
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6633180
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 01/19/2002
Trans1 Recv Date: 01/19/2002
Trans2 Recv Date: 01/28/2002
TSD Site Recv Date: 01/29/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Trans2 EPA ID: Not reported
TSD ID: NY89930JE
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7070141
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: MOR000505347
Generator Ship Date: 08/11/2003
Trans1 Recv Date: 08/11/2003
Trans2 Recv Date: 08/18/2003
TSD Site Recv Date: 08/19/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000891655
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NY20722JH
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MORENOS CLEANES (Continued)

1004755953

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access
2 additional NY_MANIFEST: record(s) in the EDR Site Report.

**AD125
SE
1/8-1/4
0.182 mi.
960 ft.**

**BERSAM REALTY CORP
5 TEN EYCK STREET
BROOKLYN, NY 11206**

Site 3 of 5 in cluster AD

**UST U004078127
N/A**

**Relative:
Higher**

UST:

**Actual:
33 ft.**

Facility Id: 2-323330
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/08/28
UTM X: 588674.0661499997
UTM Y: 4507009.8662700001
Site ID: 15104

Tank Number: 001
Tank ID: 20035
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 4/1/2003
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 11/1/1998
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel
G00 - Tank Secondary Containment - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERSAM REALTY CORP (Continued)

U004078127

Affiliation Records:

Site Id: 15104
Affiliation Type: Emergency Contact
Company Name: BERSAM REALTY CORP
Contact Type: Not reported
Contact Name: SAM WASSER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15104
Affiliation Type: Mail Contact
Company Name: BERSAM REALTY CORP.
Contact Type: Not reported
Contact Name: ISREAL WASSER
Address1: P.O. BOX 101
Address2: Not reported
City: CEDARHURST
State: NY
Zip Code: 11516
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/7/2007

Site Id: 15104
Affiliation Type: Owner
Company Name: BERSAM REALTY CORP
Contact Type: AGENT
Contact Name: ISREAL WASSER
Address1: P O BOX 101
Address2: Not reported
City: CEDARHURST
State: NY
Zip Code: 11516
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/7/2007

Site Id: 15104
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERSAM REALTY CORP (Continued)

U004078127

Company Name: BERSAM REALTY CORP
Contact Type: Not reported
Contact Name: SAM WASSER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

AD126
SE
1/8-1/4
0.182 mi.
960 ft.

BERSAM REALTY CORP
5 TEN EYCK STREET
BROOKLYN, NY 11206
Site 4 of 5 in cluster AD

AST A100293235
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-323330
Program Type: PBS
UTM X: 588674.06614999997
UTM Y: 4507009.8662700001
Expiration Date: 2012/08/28

Actual:
33 ft.

Tank Number: 002
Tank Id: 65942
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/2003
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- L09 - Piping Leak Detection - Exempt Suction Piping
- I05 - Overfill - Vent Whistle
- F00 - Pipe External Protection - None
- C01 - Pipe Location - Aboveground
- G03 - Tank Secondary Containment - Vault (w/o access)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERSAM REALTY CORP (Continued)

A100293235

H00 - Tank Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Affiliation Records:

Site Id: 15104
Affiliation Type: Emergency Contact
Company Name: BERSAM REALTY CORP
Contact Type: Not reported
Contact Name: SAM WASSER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15104
Affiliation Type: Mail Contact
Company Name: BERSAM REALTY CORP.
Contact Type: Not reported
Contact Name: ISREAL WASSER
Address1: P.O. BOX 101
Address2: Not reported
City: CEDARHURST
State: NY
Zip Code: 11516
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/7/2007

Site Id: 15104
Affiliation Type: Owner
Company Name: BERSAM REALTY CORP
Contact Type: AGENT
Contact Name: ISREAL WASSER
Address1: P O BOX 101
Address2: Not reported
City: CEDARHURST
State: NY
Zip Code: 11516
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERSAM REALTY CORP (Continued)

A100293235

Date Last Modified: 6/7/2007
Site Id: 15104
Affiliation Type: On-Site Operator
Company Name: BERSAM REALTY CORP
Contact Type: Not reported
Contact Name: SAM WASSER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-1990
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

**AD127
SE
1/8-1/4
0.182 mi.
960 ft.**

**BERSAM REALTY CORP
5 TEN EYCK STREET
BROOKLYN, NY 11206**

**HIST UST U001836912
N/A**

Site 5 of 5 in cluster AD

**Relative:
Higher**

HIST UST:

**Actual:
33 ft.**

PBS Number: 2-323330
SPDES Number: Not reported
Emergency Contact: SAM WASSER
Emergency Telephone: (516) 295-0863
Operator: SAM WASSER
Operator Telephone: (718) 388-1990
Owner Name: BERSAM REALTY CORP
Owner Address: P O BOX 101
Owner City,St,Zip: CEDARHURST, NY 11516
Owner Telephone: (718) 388-1990
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: BERSAM REALTY CORP
Mailing Address: P O BOX 101
Mailing Address 2: Not reported
Mailing City,St,Zip: CEDARHURST, NY 11516
Mailing Contact: Not reported
Mailing Telephone: (718) 388-1990
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 5 TEN EYCK STREET
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERSAM REALTY CORP (Continued)

U001836912

Certification Date: 12/21/1998
Expiration Date: 08/28/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Gravity
Date Tested: 11/01/1998
Next Test Date: 11/01/2003
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

AE128
NNE
1/8-1/4
0.183 mi.
964 ft.

FREMRO SERVICES INC.
447 UNION AVENUE
BROOKLYN, NY 11211
Site 1 of 4 in cluster AE

UST U003297832
HIST UST N/A

Relative:
Lower

UST:
Facility Id: 2-603384
Region: STATE
DEC Region: 2
Site Status: Administratively Closed
Program Type: PBS
Expiration Date: N/A
UTM X: 588588.42325999995
UTM Y: 4507492.8541599995
Site ID: 25301

Actual:
14 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FREMRO SERVICES INC. (Continued)

U003297832

Tank Number: 004
Tank ID: 54087
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/1/1998
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: JMKRIMGO
Last Modified: 10/19/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C02 - Pipe Location - Underground/On-ground
I00 - Overfill - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 25301
Affiliation Type: Emergency Contact
Company Name: FREMRO SERVICES INC.
Contact Type: Not reported
Contact Name: HOWARD FRENDER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-2171
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25301
Affiliation Type: On-Site Operator
Company Name: FREMRO SERVICES INC.
Contact Type: Not reported
Contact Name: HOWARD FRENDER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FREMRO SERVICES INC. (Continued)

U003297832

Phone: (718) 384-2171
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25301
Affiliation Type: Mail Contact
Company Name: FREMRO SERVICES INC.
Contact Type: Not reported
Contact Name: HOWARD FREMDER
Address1: 2905 MANDALEY BEACH RD.
Address2: Not reported
City: WONTAGH
State: NY
Zip Code: 11793
Country Code: 001
Phone: (718) 221-3481
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25301
Affiliation Type: Owner
Company Name: FREMRO SERVICES INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 447 UNION AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-2171
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-603384
SPDES Number: Not reported
Emergency Contact: HOWARD FRENDER
Emergency Telephone: (516) 221-3481
Operator: HOWARD FRENDER
Operator Telephone: (718) 384-2171
Owner Name: FREMRO SERVICES INC.
Owner Address: 447 UNION AVENUE
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (718) 384-2171
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: FREMRO SERVICES INC.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FREMRO SERVICES INC. (Continued)

U003297832

Mailing Address: 2905 MANDALEY BEACH RD.
Mailing Address 2: Not reported
Mailing City,St,Zip: WONTAGH, NY 11793
Mailing Contact: HOWARD FREMDER
Mailing Telephone: (718) 221-3481
Owner Mark: First Owner
Facility Status: 4 - Subpart 360-14 only (active)
Facility Addr2: Not reported
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/02/1998
Expiration Date: 03/17/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 550
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: Temporarily Out Of Service
Install Date: 19980301
Capacity (gals): 550
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AF129
North
1/8-1/4
0.186 mi.
984 ft.

UNICO GAS STATION
445 METROPOLITIAN AVE
BROOKLYN, NY

LTANKS **S104278570**
HIST LTANKS **N/A**

Site 1 of 6 in cluster AF

Relative:
Lower

LTANKS:

Site ID: 148052
 Spill No: 9909193
 Spill Date: 10/28/1999
 Spill Cause: Tank Failure
 Spill Source: Gasoline Station
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Actual:
15 ft.

Spill Closed Dt: 10/7/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: hmdudek
 Referred To: Not reported
 Reported to Dept: 10/28/1999
 CID: 14
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 10/28/1999
 Spill Record Last Update: 10/26/2005
 Spiller Name: JOE
 Spiller Company: UNICO GAS STATION
 Spiller Address: 445 METROPOLITIAN AVE
 Spiller City,St,Zip: BROOKLYN, ZZ
 Spiller County: 001
 Spiller Contact: JOE
 Spiller Phone: (000) 000-0000
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 194392
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks:

"ROMMEL" 11/1/99 On site. All tanks out. Station covered with fresh concrete already. Two 55 gallon drums on side of station need to be disposed. All tanks off site. No stockpile of soil. Spill 9909344 reported by anonymous citizen. 11/2/99 Spoke to Butch (516) 831-2982 - beeper? from ITAR Tanks. Dr. Munroe was on site to collect samples from the excavation. NO soil was removed. Concrete slab was removed. PBS needs to be updated - tanks listed as temporarily-out-of-service. Site visit 10/5/05 - Site abandoned. No drums present. underground storage tanks were being removed and contaminated soil was discovered - site assessment will be done and the owner will decide what he wants to do for clean up

Material:

Site ID: 148052
 Operable Unit ID: 1083803
 Operable Unit: 01
 Material ID: 298281

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNICO GAS STATION (Continued)

S104278570

Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9909193
Spill Date: 10/28/1999
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/28/99
Reported to Department Time: 13:45
SWIS: 61
Spiller Contact: JOE
Spiller Phone: (000) 000-0000
Spiller Extention: Not reported
Spiller Name: UNICO GAS STATION
Spiller Address: 445 METROPOLITIAN AVE
Spiller City,St,Zip: BROOKLYN
Spiller Cleanup Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNICO GAS STATION (Continued)

S104278570

Facility Contact: JOE
Facility Phone: (000) 000-0000
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/28/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/02/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 11/1/99 On site. All tanks out. Station covered with fresh concrete already. Two 55 gallon drums on side of station need to be disposed. All tanks off site. No stockpile of soil. Spill 9909344 reported by anonymous citi en. 11/2/99 Spoke to Butch 516) 831-2982 - beeper? from ITAR Tanks. Dr. Munroe was on site to collect samples from the excavation. NO soil was removed. Concrete slab was removed. PBS needs to be updated - tanks listed as temporarily-out-of-service.
Spill Cause: underground storage tanks were being removed and contaminated soil was discovered - site assessment will be done and the owner will decide what he wants to do for clean up

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AG130 **286 S. 2ST SHA REALTY**
West **286 SO 2ND STREET**
1/8-1/4 **BROOKLYN, NY 11211**
0.186 mi.
983 ft. **Site 1 of 6 in cluster AG**

AST **U003388838**
HIST AST **N/A**

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-281751
Program Type: PBS
UTM X: 588159.10355
UTM Y: 4507211.9992899997
Expiration Date: 2014/02/22

Actual:
31 ft.

Tank Number: 001
Tank Id: 14733
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1910
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 11/21/2008

Equipment Records:

F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 12368
Affiliation Type: Owner
Company Name: SHA REALTY
Contact Type: MGR
Contact Name: SAM KAY
Address1: P.O. BOX 71
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 234-5900
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

286 S. 2ST SHA REALTY (Continued)

U003388838

Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 11/21/2008

Site Id: 12368
Affiliation Type: Mail Contact
Company Name: KAY MANAGEMENT
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 190071
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 11/21/2008

Site Id: 12368
Affiliation Type: On-Site Operator
Company Name: 286 S. 2 ST SHA REALTY
Contact Type: Not reported
Contact Name: PAUL ZAPATA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 938-3455
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12368
Affiliation Type: Emergency Contact
Company Name: SHA REALTY
Contact Type: Not reported
Contact Name: S. KAY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

286 S. 2ST SHA REALTY (Continued)

U003388838

Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-281751
SWIS Code: 6101
Operator: PAUL SAPATA
Facility Phone: (718) 387-6081
Facility Addr2: 286 SO 2ND STREET
Facility Type: APARTMENT BUILDING
Emergency: S. KAY
Emergency Tel: (718) 435-2700
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: SHA REALTY
Owner Address: P.O. BOX 71
Owner City,St,Zip: BROOKLYN, NY 11219
Federal ID: Not reported
Owner Tel: (718) 435-2700
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: KAY MANAGEMENT
Mailing Name: KAY MANAGEMENT
Mailing Address: P.O. BOX 71
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11219
Mailing Telephone: (718) 435-2700
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/11/1999
Expiration: 02/22/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

286 S. 2ST SHA REALTY (Continued)

U003388838

Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AF131
North
1/8-1/4
0.188 mi.
990 ft.

JOE'S AUTO REPAIR CORNER INC.
445 METROPOLITAN AVENUE
BROOKLYN, NY 11211

UST U004078261
N/A

Site 2 of 6 in cluster AF

Relative:
Lower

UST:

Facility Id: 2-477060
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/10/04
UTM X: 588400.60239999997
UTM Y: 4507525.8606099999
Site ID: 21142

Actual:
15 ft.

Tank Number: 1
Tank ID: 38166
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U004078261

D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
I00 - Overfill - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Number: 2
Tank ID: 38167
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Number: 3
Tank ID: 38168
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U004078261

J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
I00 - Overfill - None

Tank Number: 4
Tank ID: 38169
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
I00 - Overfill - None

Tank Number: 5
Tank ID: 38170
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
I00 - Overfill - None
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U004078261

C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel

Tank Number: 6
Tank ID: 38171
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
I00 - Overfill - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Number: 7
Tank ID: 38172
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U004078261

J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I00 - Overfill - None
B00 - Tank External Protection - None

Tank Number: 8
Tank ID: 38173
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1995
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
I00 - Overfill - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Number: 9
Tank ID: 62199
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 0
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/29/1999
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
J00 - Dispenser - None
D00 - Pipe Type - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U004078261

G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I00 - Overfill - None

Affiliation Records:

Site Id: 21142
Affiliation Type: Emergency Contact
Company Name: YOSEPH ZANCO
Contact Type: Not reported
Contact Name: YOSEPH ZANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 219-4909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/27/2009

Site Id: 21142
Affiliation Type: Owner
Company Name: YOSEPH ZANCO
Contact Type: Not reported
Contact Name: Not reported
Address1: 208-41 15TH DRIVE
Address2: Not reported
City: BAYSIDE
State: NY
Zip Code: 11360
Country Code: 001
Phone: (347) 219-4909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21142
Affiliation Type: On-Site Operator
Company Name: JOES AUTO REPAIR CORNER INC.
Contact Type: Not reported
Contact Name: YOSEPH ZANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 782-2881
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U004078261

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21142
Affiliation Type: Mail Contact
Company Name: YOSEPH ZANCO
Contact Type: Not reported
Contact Name: Not reported
Address1: 208-41 15TH DRIVE
Address2: Not reported
City: BAYSIDE
State: NY
Zip Code: 11360
Country Code: 001
Phone: (347) 219-4909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

AF132
North
1/8-1/4
0.188 mi.
990 ft.

JOE'S AUTO REPAIR CORNER INC.
445 METROPOLITAN AVENUE
BROOKLYN, NY 11211
Site 3 of 6 in cluster AF

AST A100194001
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-477060
Program Type: PBS
UTM X: 588400.60239999997
UTM Y: 4507525.8606099999
Expiration Date: 2011/10/04

Actual:
15 ft.

Tank Number: 001
Tank Id: 62260
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/2000
Capacity Gallons: 250
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 5/27/2009

Equipment Records:
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

A100194001

- J00 - Dispenser - None
- F00 - Pipe External Protection - None
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- K01 - Spill Prevention - Catch Basin
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- C00 - Pipe Location - No Piping
- L00 - Piping Leak Detection - None

Affiliation Records:

Site Id: 21142
Affiliation Type: Emergency Contact
Company Name: YOSEPH ZANCO
Contact Type: Not reported
Contact Name: YOSEPH ZANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 219-4909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 5/27/2009

Site Id: 21142
Affiliation Type: Owner
Company Name: YOSEPH ZANCO
Contact Type: Not reported
Contact Name: Not reported
Address1: 208-41 15TH DRIVE
Address2: Not reported
City: BAYSIDE
State: NY
Zip Code: 11360
Country Code: 001
Phone: (347) 219-4909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21142
Affiliation Type: On-Site Operator
Company Name: JOES AUTO REPAIR CORNER INC.
Contact Type: Not reported
Contact Name: YOSEPH ZANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

A100194001

Zip Code: Not reported
 Country Code: 001
 Phone: (718) 782-2881
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 21142
 Affiliation Type: Mail Contact
 Company Name: YOSEPH ZANCO
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 208-41 15TH DRIVE
 Address2: Not reported
 City: BAYSIDE
 State: NY
 Zip Code: 11360
 Country Code: 001
 Phone: (347) 219-4909
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

AF133
North
1/8-1/4
0.188 mi.
990 ft.

JOE'S AUTO REPAIR CORNER INC.
445 METROPOLITAN AVENUE
BROOKLYN, NY 11211
Site 4 of 6 in cluster AF

HIST UST **U003065866**
N/A

Relative:
Lower

HIST UST:
 PBS Number: 2-477060
 SPDES Number: Not reported
 Emergency Contact: YOSEPH ZANCO
 Emergency Telephone: (347) 219-4909
 Operator: YOSEPH ZANCO
 Operator Telephone: (718) 782-2881
 Owner Name: YOSEPH ZANCO
 Owner Address: 208-41 15TH DRIVE
 Owner City,St,Zip: BAYSIDE, NY 11360
 Owner Telephone: (347) 219-4909
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: YOSEPH ZANCO
 Mailing Address: 208-41 15TH DRIVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BAYSIDE, NY 11360
 Mailing Contact: Not reported
 Mailing Telephone: (347) 219-4909
 Owner Mark: Second Owner
 Facility Status: 4 - Subpart 360-14 only (active)
 Facility Addr2: 445 METROPOLITAN AVENUE
 SWIS ID: 6101
 Old PBS Number: Not reported
 Facility Type: OTHER

Actual:
15 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U003065866

Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/05/2001
Expiration Date: 10/04/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 250
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 1
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 2
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U003065866

Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 3
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 4
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U003065866

Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 5
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 6
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U003065866

Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 7
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 8
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1995

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOE'S AUTO REPAIR CORNER INC. (Continued)

U003065866

Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/29/1999
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 9
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 0
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Major Data Missing (which is on the certificate)
Date Closed: 10/29/1999
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

134
SSE
1/8-1/4
0.188 mi.
995 ft.

383 ASSOCIATES
383 SOUTH 3RD ST
BROOKLYN, NY 11211

AST U003385772
HIST AST N/A

Relative:
Higher

Actual:
28 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-158682
Program Type: PBS
UTM X: 588546.95591999998
UTM Y: 4506926.3759700004
Expiration Date: 2012/10/15

Tank Number: 001
Tank Id: 8535
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

383 ASSOCIATES (Continued)

U003385772

Install Date: 1/6/1920
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 8/27/2007

Equipment Records:

F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 5324
Affiliation Type: Emergency Contact
Company Name: 383 ASSOCIATES INC
Contact Type: Not reported
Contact Name: ZEU RUB
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 486-5081
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 5324
Affiliation Type: Mail Contact
Company Name: 383 ASSOCIATES INC
Contact Type: Not reported
Contact Name: SHLOMA STUHL
Address1: 543 BEDFORD AVE
Address2: #239
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 387-7584
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

383 ASSOCIATES (Continued)

U003385772

Date Last Modified: 3/4/2004

Site Id: 5324
Affiliation Type: Owner
Company Name: 383 ASSOCIATES INC
Contact Type: PRES
Contact Name: SHLOMA STUHL
Address1: 543 BEDFORD AVE #239
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 387-7584
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 8/27/2007

Site Id: 5324
Affiliation Type: On-Site Operator
Company Name: 383 ASSOCIATES INC
Contact Type: Not reported
Contact Name: ZEU RUB
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 486-5081
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-158682
SWIS Code: 6101
Operator: A. LASKER
Facility Phone: (718) 336-7466
Facility Addr2: 383 SOUTH 3RD ST
Facility Type: Not reported
Emergency: A. LASKER
Emergency Tel: (718) 336-7466
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 383 ASSOCIATES
Owner Address: P.O. BOX 525
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 336-7466
Owner Type: Corporate/Commercial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

383 ASSOCIATES (Continued)

U003385772

Owner Subtype: Not reported
Mailing Contact: A. LASKER
Mailing Name: 383 ASSOCIATES
Mailing Address: PO BOX 525
Mailing Address 2: Not reported
Mailing City, St, Zip: BKLYN, NY 11211
Mailing Telephone: (718) 336-7466
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/10/1997
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AH135
North
1/8-1/4
0.189 mi.
998 ft.

S/W COR METROPOLITAN/MARC
S/W COR METROPOLITAN/MARC
BROOKLYN, NY

LTANKS **S100494686**
HIST LTANKS **N/A**

Site 1 of 2 in cluster AH

Relative:
Higher

LTANKS:

Actual:
18 ft.

Site ID: 63483
 Spill No: 9212269
 Spill Date: 1/28/1993
 Spill Cause: Tank Failure
 Spill Source: Gasoline Station
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/20/2007
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: WXSUN
 Referred To: Not reported
 Reported to Dept: 1/28/1993
 CID: 12
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 1/29/1993
 Spill Record Last Update: 8/17/2007
 Spiller Name: JOSEPH MACCHIA, JR.
 Spiller Company: CITGO STATION/NORTHLAND
 Spiller Address: 556 CENTRAL AVENUE
 Spiller City,St,Zip: BETHPAGE, NY 11714
 Spiller County: 001
 Spiller Contact: JOSEPH MACCHIA, JR
 Spiller Phone: (516) 933-0700
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 61317
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SUN" 10/10/95: This is additional information about material spilled from the translation of the old spill file: CONTAM MONITORING. 402 Metropolitan Avenue, Brooklyn Owner: Estate of James J. Mannix and Joseph M. Mattone Leased by: Joseph Macchia - Northland Marketing Spill #8907310 reported on 10/24/89 when four 550 gallon underground storage tanks (USTs) failed a tank test. Spill #9212269 was reported on 1/28/93 when Soil Mechanics (hired by the Estate of James Mannix and Joseph Mattone) installed three on-site monitoring wells and encountered 3 1/4 feet of gasoline in MW3. Spill # 9213355 reported on 3/2/93 when six 550 USTs failed a tightness test. Repairs were made to the stick box and vent lines and the tanks passed a retest on 4/2/93 3/9/93 Case No. R2-0941-93-03 initiated. 12/6/94 Order on Consent No. R2-0966-93-03 signed by Joseph Macchia. All three spill numbers cited in Schedule B - Petroleum Discharge and Clean-Up Violations. After the signing of the Consent Order, Macchia contracted Berninger Environmental as their consultant. Including the three wells installed by Soil Mechanics, there is now a total of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S/W COR METROPOLITAN/MARC (Continued)

S100494686

thirteen monitoring wells both on and off-site. The site is currently on a monthly monitoring and bailing schedule. According to the February 2001 Monitoring Report, the hottest well is MW-3 (in the middle of the property, downgradient of the tank mat) with a total of .97 feet of floating product. The report also indicates that a total of 304 gallons of free product has been bailed from the site wells during these monthly visits. In numerous meetings and letters dated 8/12/98 and 1/22/99 and 9/30/97, DEC required Northland to periodically perform Vacuum Enhanced Fluid Recovery (VEFR) until the tanks are removed and a permanent remediation system installed. According to DEC's file, VEFR was only performed on five occasions with a total of 267 gallons of free product recovered. 9/12/03 Letter mailed to Joe Macchia requiring additional investigation and remediation. 09/23/03 Reassigned from Rommel to Sun. 02/12/04-Sun-File Update by Sun: -On 09/22/03, Joe Sun sent and also faxed a letter and Stipulation Agreement to Joseph Macchia, Jr. of Northland Marketing Corp. requesting complete delineation of petroleum contamination, submittal of Investigation Summary Report followed by a submittal of a Remedial Action Plan. The investigation must include, but not limited to the following: (1) Confirm groundwater flow direction by surveying site wells, (2) Install additional wells to delineate the contamination to the west, (3) Implement a sampling program, on a quarterly basis, for all non-product monitoring wells and analyze for EPA Method 8270 B/N and 8021 including MTBE, (4) Determine the type of product in MW-9 via product ID analysis, (5) Repair MW-3. Currently the cap for the 2" PVC casing cannot be placed due to insufficient clearance between top of casing and its manhole cover. The PVC casing needs to be shortened. The Department set a deadline of October 3, 2003 for signing of the Stipulation Agreement by the Respondent. -Monthly Monitoring Report (January 2004, by Berninger Environmental, Inc. (Water Berninger, 631-588-2251): The monitoring wells were gauged on 12/22/03. The free phase products were detected on three monitoring wells: 0.59 feet on MW-1, 0.93 feet on MW-3 and 1.20 feet on MW-6. Snow/ice covered the following monitoring wells: MW-7, MW-8, MW-12 and MW-13, and thus those wells were not gauged. Consultant's Report stated that " it appears that other contractors are working on site, areas fenced off with locked gates, thus denying access to monitoring wells, for at least the sixth time drum for bailing product is missing, various utility mark outs, missing well designation markings etc." -02/12/04-Joe Sun called the Manager of the current Used Car Services on-site (Alex Tulchistka, 718-388-2424) about what kind of construction activities are being performed onsite. He replied that no new construction activity is performed and no fence or locked gate was installed onsite as far as he knew. Joe Sun then called Walter Berninger again and informed him the conflict information from the Car Service Manager. Berninger will take the picture next time when they perform the monitoring activity and provide more details on gauging the monitoring wells. 12/30/04 File Update by Sun: On 12/21/04, Joe Sun mailed a letter to Kenneth Raisch and Christopher Todd of The Estate of James Mannix and Joseph Matton informing them that the Remedial Action Plan (RAP) submitted by their consultant, Advanced Site Restoration (ASR) has been reviewed by the Department and has the following comments: - ASR proposed two remedial approaches for managing the petroleum-contaminated soil to be excavated on site. The first approach, transport off-site and proper disposal, is approved by the Department. The alternative,

MAP FINDINGS

S/W COR METROPOLITAN/MARC (Continued)

S100494686

stabilization/solidification approach, is not approved as proposed. If ASR still wishes to pursue this approach the Department has the following comments and requirements which need to be addressed and a revised RAP needs to be resubmitted for review: 1. To evaluate the effectiveness of the proposed remedial process on the subject site, the horizontal hydraulic gradient at the site must be determined, and the hydraulic conductivity and porosity of the soil must be estimated. The seepage velocity and direction of the ground water flow must be calculated. 2. Redraft the "Soil Remediation" section (page 5) for clarity, and refer to the product as "cold mix asphalt" as is done in the applicable Beneficial Use Determination (BUD) approvals. 3. The use of the term "cement based" (page 6, second to last paragraph) is potentially confusing. The 2001 amendment to BUD Approval 93-0007 allows for the addition of Portland Cement to improve the physical properties of the product, but the petroleum contamination is still stabilized with asphalt emulsion. 4. The sampling schedule required by the BUD (sampling method, analytical method, number of samples and timing of samples) should be tabulated and included in the RAP. 5. The proposed uses for the cold mix asphalt (see page 6, second to last paragraph) are not consistent with the BUD (see 2001 amendment to BUD Approval 93-0007, Operational Requirements, bullet 2). Use of this material as a substitute for conventional asphalt pavement would be a more appropriate application. The Department has the following comments regarding the proposed free product recovery and groundwater remediation. These issues must be addressed in the revised RAP: 1. Provide the formula used to calculate the amount of BioRem required. 2. The plan to periodically re-inoculate the site with BioRem is troubling. If conditions are suitable for the constituent bacteria in BioRem to grow, re-inoculation would be unnecessary. If conditions are unsuitable for growth, the addition of more of the same bacteria will not change things. BioRem should be contacted to learn the optimum conditions for growth, and the acceptable concentrations. A sampling plan to determine if conditions on the site are within these ranges should be provided for review. BioRem should also provide information about the terminal electron acceptors utilized by their proprietary bacteria so the attenuative capacity of the site can be estimated, and compared to the concentration of residual contamination. This comparison is best done with TPH data, rather than the STARS list of compounds for gasoline spills that is usually requested. 3. There is a potential for LNAPL to be present in areas outside the limits of the proposed excavation. If this is confirmed, depending upon the estimated amount of LNAPL, another technology in addition to BioRem may be required for remediation. 4. The 8 to 18 month time frame allotted for bio-remediation is considerably longer than the 7 to 14 weeks stated in the BioRem H-10 Specification Sheet. A soil and ground water monitoring plan to track the bio-remediation should be developed, and included for review in the re-drafted RAP 5. The RAP should have a provision that samples will be collected and analyzed at the discretion of the ASR site supervisor (see page 9, second to last paragraph) or the direction of the DEC project manager. 6. If soil excavation does not commence soon after the product is removed from the wells with the vac-truck, the wells should be monitored daily for free product and the vac-truck recalled when appropriate. 03/01/05 File Update by Sun: On 02/28/05, Sun sent a letter to the property owner informing him that the Department has reviewed the revised remedial action plan (RAP), prepared by Advanced Site

S/W COR METROPOLITAN/MARC (Continued)

S100494686

Restoration, LLC dated February 17, 2005. ASR proposed to excavate the contaminated soil and dispose of property off-site and use Bio Rem product H-10 for subsurface bioremediation of hydrocarbon contamination in groundwater. ASR also proposed to remove the free product with a vacuum truck if free-floating hydrocarbons are detected. The Department approves the revised RAP proposed in Reference 1, as noted below: 1. Collection of Soil Samples: As per DER-10 Section 5.4, soil samples must be collected from the bottom of each sidewall for every 30 linear feet of sidewall and one sample from the bottom for every 900 square feet of bottom area. In all cases, samples should be biased toward locations of highest expected contamination as indicated by field evidence or PID measurements. 2. Salvage of Existing Groundwater Monitoring Wells: Page 4 of the revised RAP in Reference 1 under Section 5.0 "Groundwater Remediation" stated that "ASR will attempt to salvage any groundwater observation wells still existing on the site. If additional wells are needed, they will be installed strategically, to maximize the data that can be obtained." It should be noted that according to the historical data, free product was detected in monitoring wells MW-1, MW-3, MW-6 and MW-11. These four monitoring wells and other existing wells must be restored at the same locations or at the locations to be consulted with the Department if they were destroyed during excavation. 11/11/05: Sun received UST Closure Report for the subject site, dated 11/07/05. 11/23/05: Review of the monthly report dated 10/19/05 indicated that Total BTEX ranged from <MDL to 20,900 ppb, and MTBE ranged from <NDL to 6,300ppb. A total of 16 Monitoring wells were gauged and sampled. Only one well (MW-11) had free phased product with thickness of 0.23 feet. (Sun) 12/13/05: Review of the monthly report dated 11/10/05 indicated that Total BTEX ranged from <MDL to 20,900 ppb (October, 2005), and MTBE ranged from <NDL to 6,300ppb (October, 2005). A total of 16 Monitoring wells were gauged and sampled. Only two wells (MW-11 & MW-12) had free phased product with max thickness of 0.49 feet. (Sun) 02/21/06: Review of the monthly report dated 02/10/06 indicated that Total BTEX ranged from <MDL to 13,060 ppb (December, 2005), and MTBE ranged from <NDL to 10,000ppb (December, 2005). A total of 16 Monitoring wells were gauged and sampled. Only two wells (MW-11 & MW-12) had free phased product with max thickness of 0.27 feet. (Sun) 11/14/06-Sun: Based on the Quarterly Report, dated 9/11/06, BTEX ranged 5,258 to 11,180 ppb, and MTBE ranged from 170 ppb to 8000 ppb. (Sun) 04/13/07-Sun: Sun the following email to Chris Tomasello: Hi Chris, I have reviewed the Remediation Progress Report, submitted by ASR, dated January 2007. The Department approves the following recommendations: 1. Stop sampling MW-4, MW-5, MW-6, MW-8, MW-10, MW-12, MW-13, and MW-16. 2. Continue to sample and monitor the remaining groundwater monitoring wells for VOCs only using EPA 8260 method. 3. Continue to monitor the concentrations of BTEX, MTBE, and Total VOCs from MW-1, MW-2, MW-3, MW-11, and MW-14. 4. Continue to monitor the plate counts to determine the colony count for the bacteria. Upon review of the analytical results of new round of groundwater sampling data, the Department will determine if quarterly sampling event shall continue or petition for a NFA is warranted. The Department requires five days advanced notice of any remedial and/or monitoring events at the site. (Sun) 07/17/07-Sun: Review of the Remediation Progress report dated June 2007 prepared by Advanced Site Restoration, LLC (ASR) indicated that a total of five (5) groundwater monitoring wells were sampled on 5/2/07. Of the five (5) samples analyzed, four (4) indicated a total

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S/W COR METROPOLITAN/MARC (Continued)

S100494686

BTEX concentration of between 150 and 6,700 parts per billion (ppb), and the remaining one (1) well had total BTEX concentrations of non-detect level. MTBE was detected above the New York State Water Quality Standards in two (2) of the five (5) groundwater monitoring wells. The concentration of the MTBE in both of these two (2) groundwater monitoring wells, was the lowest ever recorded during the twenty month samplin period. High levels of dissolved hydrocarbons have historically been detected in MW-14. MW-14 continues to show the highest levels of dissolved hydrocarbons, although they are at the lowest levels recoreded during twenty month history of sampling the site. Low levels of dissolved hydrocarbons also appeared in MW-1, MW-2.MW-3. AST proposes to monitor the concentration of BTEX, MTBE, and total VOCs by collecting and analyzing groundwater samples frm Mw-1, MW-2, MW-3, Mw-11 and MW-14. ASR will continue to monitor the heterotrophic plate counts to determine the colony count for the bacteria. ASR will continue to document the downward of the residual contamination, to demonstrate that concentrations will continue to acceptable TAGM 4046 Groundwater Standards. 07/20/07-Sun: Review of the groundwater sampling report dated July 14, 2007 prepared by Advanced Site Restoration, LLC (ASR) indicated that the groundwater sample collected from MW-14 wells on 7/12/07 indicated a total BTEX concentration at 318 parts per billion (ppb), including Benzene concentration at 52 ppb, and MTBE concentration at 340 ppb. MW-14 has been historically the hot spot with highest BTEX and MTBE concentrations. Based on these low concentratiuons of BTEX and MTBE and continued downward trend in concentrations of BTEX and MTBE, the spill is closed and NFA letter will be issued. (Sun) 08/16/07-NFA letter was sent to RP and ASR. (Sun)

Remarks: WILL BAIL WELL-WILL PULL TANK-OLD AND STEEL (O'DOWD)

Material:

Site ID: 63483
Operable Unit ID: 979256
Operable Unit: 01
Material ID: 402123
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S/W COR METROPOLITAN/MARC (Continued)

S100494686

HIST LTANKS:

Region of Spill: 2
Spill Number: 9212269
Spill Date: 01/28/1993
Spill Time: 08:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/28/93
Reported to Department Time: 10:18
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: CITGO STATION
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/29/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/08/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S/W COR METROPOLITAN/MARC (Continued)

S100494686

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: CONTAM MONITORING.
Spill Cause: WILL BAIL WELL-WILL PULL TANK-OLD AND STEEL O DOWD)

AF136
North
1/8-1/4
0.192 mi.
1012 ft.

CON EDISON
MEEKER AVE & N 6TH ST
BROOKLYN, NY 11207

RCRA-NonGen 1010327468
MANIFEST NYP004146817

Site 5 of 6 in cluster AF

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/11/2007
Facility name: CON EDISON
Facility address: MEEKER AVE & N 6TH ST
BROOKLYN, NY 11207
EPA ID: NYP004146817
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: MICHAEL D'AGOSTINO
Contact address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 580-8383
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
18 ft.

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: Unknown
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1010327468

Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/10/2007
Facility name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 01/09/2007
Facility name: CON EDISON
Classification: Unverified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004146817
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

NY MANIFEST:

No Manifest Records Available

AF137
North
1/8-1/4
0.192 mi.
1012 ft.

CON EDISON
MEEKER AVE 49 FEET N OF N 6TH
BROOKLYN, NY 11203
Site 6 of 6 in cluster AF

RCRA-NonGen **1010327546**
MANIFEST **NYP004147203**

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/11/2007
Facility name: CON EDISON
Facility address: MEEKER AVE 49 FEET N OF N 6TH
ST

Actual:
18 ft.

BROOKLYN, NY 11203
EPA ID: NYP004147203
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: ANTONIO DELGADO
Contact address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact country: US
Contact telephone: (718) 204-4201
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1010327546

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: Unknown
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/10/2007
Facility name: CON EDISON
Classification: Not a generator, verified

Date form received by agency: 01/09/2007
Facility name: CON EDISON
Classification: Unverified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004147203
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

NY MANIFEST:

No Manifest Records Available

AI138
NW
1/8-1/4
0.193 mi.
1018 ft.

CONSOLIDATED EDISON
62 HOPE ST 7 HAVEMEYER ST - MH13676
BROOKLYN, NY 11202
Site 1 of 3 in cluster AI

MANIFEST S110045960
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004183919
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045960

Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-22
Trans1 Recv Date: 2009-07-22
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004183919
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 250.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894719GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: Not reported
Generator Ship Date: 2009-07-22
Trans1 Recv Date: 2009-07-22
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-07-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004183919

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045960

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDf ID: NJD991291105
Waste Code: Not reported
Quantity: 250.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894719GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

AJ139
East
1/8-1/4
0.193 mi.
1020 ft.

TRUVAL CLEANERS
555 GRAND STREET
BROOKLYN, NY 11211
Site 1 of 4 in cluster AJ

DRYCLEANERS S106435479
N/A

Relative:
Higher

DRYCLEANERS:
Facility ID: 2-6101-01144
Region: 2
Registration Effective Date: 03NOV6
Inspection Date: 07AUG23
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: PERC DRY CLEANER

Actual:
28 ft.

140
SSW
1/8-1/4
0.198 mi.
1044 ft.

350-352 SOUTH 4 STREET
350-352 SOUTH 4 STREET
BROOKLYN, NY 11211

AST U003394613
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-466565
Program Type: PBS
UTM X: 588399.65735999995
UTM Y: 4506913.8021
Expiration Date: 1994/02/15

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350-352 SOUTH 4 STREET (Continued)

U003394613

Tank Number: 001
Tank Id: 36901
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 20255
Affiliation Type: On-Site Operator
Company Name: 350-352 SOUTH 4 STREET
Contact Type: Not reported
Contact Name: NYC HOUSING PRESERV & DEVEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20255
Affiliation Type: Owner
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350-352 SOUTH 4 STREET (Continued)

U003394613

Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20255
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: LEE KERBEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 636-3015
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20255
Affiliation Type: Mail Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

HIST AST:
PBS Number: 2-466565
SWIS Code: 6101
Operator: NYC HOUSING PRESERV & DEVEL
Facility Phone: (212) 806-8565
Facility Addr2: 350 SOUTH 4 STREET
Facility Type: Not reported
Emergency: LEE KERBEL
Emergency Tel: (718) 636-3015
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350-352 SOUTH 4 STREET (Continued)

U003394613

Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8565
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8565
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/15/1989
Expiration: 02/15/1994
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

350-352 SOUTH 4 STREET (Continued)

U003394613

Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

AE141
NNE
1/8-1/4
0.199 mi.
1053 ft.

NYCT - METROPOLITAN AVE STATION (G LINE)
METROPOLITAN AVE & UNION AVE
BROOKLYN, NY 11211

RCRA-SQG 1001224431
FINDS NYR000056481
MANIFEST
MANIFEST

Site 2 of 4 in cluster AE

Relative:
Lower

RCRA-SQG:

Date form received by agency: 01/01/2007

Facility name: NYCT - METROPOLITAN AVE STATION (G LINE)
 Facility address: METROPOLITAN AVE & UNION AVE
 BROOKLYN, NY 11211

EPA ID: NYR000056481
 Mailing address: 370 JAY STREET, ROOM 819
 BROOKLYN, NY 11201

Contact: JOSEPHINE F BROWN
 Contact address: 370 JAY STREET, ROOM 819
 BROOKLYN, NY 11201

Contact country: US
 Contact telephone: (718) 243-4581
 Contact email: JOBBROWN4@NYCT.COM
 EPA Region: 02

Land type: State
 Classification: Small Small Quantity Generator

Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NYCT
 Owner/operator address: 370 JAY ST - RM 819
 BROOKLYN, NY 11201

Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: State
 Owner/Operator Type: Owner
 Owner/Op start date: 06/01/1953
 Owner/Op end date: Not reported

Owner/operator name: NO NAME FOUND
 Owner/operator address: Not reported
 Not reported

Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: State
 Owner/Operator Type: Operator
 Owner/Op start date: 06/01/1953
 Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYCT - METROPOLITAN AVE STATION (G LINE)
Classification: Small Quantity Generator

Date form received by agency: 02/09/2004
Facility name: NYCT - METROPOLITAN AVE STATION (G LINE)
Classification: Large Quantity Generator

Date form received by agency: 06/12/1998
Facility name: NYCT - METROPOLITAN AVE STATION (G LINE)
Site name: MTA NYCT - METROPOLITAN AVE STATION
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/09/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

FINDS:

Registry ID: 110008104103

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NJ MANIFEST:

Manifest Code: NJA5286888

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

EPA ID: NYR000056481
Date Shipped: 20051230
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 051230
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 051230
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 02230622
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5268326
EPA ID: NYR000056481
Date Shipped: 20050805
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050805
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050808
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 09060521
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5028164
EPA ID: NYR000056481
Date Shipped: 20040909
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 040909
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 040909
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 10150422
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5006931

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

EPA ID: NYR000056481
Date Shipped: 20040305
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD980772768
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 040305
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 040305
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 04020421
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5104797
EPA ID: NYR000056481
Date Shipped: 20040602
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD980772768
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 040602
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 040602
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06170425
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5025288
EPA ID: NYR000056481
Date Shipped: 20040805
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 040805
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 040805
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 08310421
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5202509

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

EPA ID: NYR000056481
Date Shipped: 20041014
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 041014
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 041014
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 12060425
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5222859
EPA ID: NYR000056481
Date Shipped: 20041210
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 041210
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 041210
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 01240525
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5061466
EPA ID: NYR000056481
Date Shipped: 20040209
TSDf EPA ID: NJD991291105
Transporter EPA ID: NJD980772768
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 040209
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 040209
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 03190421
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5226808

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

EPA ID: NYR000056481
Date Shipped: 20050311
TSDf EPA ID: NJD991291105
Transporter EPA ID: NYD046765574
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050311
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050311
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 04250525
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

NY MANIFEST:

EPA ID: NYR000056481
Country: USA
Mailing Name: NYCTA METROPOLITAN AVE STATION
Mailing Contact: N/S
Mailing Address: 2 BROADWAY 2ND FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10004
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 646-252-3500

Document ID: NJA5268326
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Trans1 Recv Date: 08/05/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/08/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: S8424
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00400
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5226808
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 03/11/2005
Trans1 Recv Date: 03/11/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/11/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: S8424
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00900
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5045170
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 09/08/2003
Trans1 Recv Date: 09/08/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/08/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NJD991291105
Trans2 EPA ID: Not reported
TSDF ID: 08424
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 02500
Units: P - Pounds
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5061466
Manifest Status: Not reported
Trans1 State ID: 06993
Trans2 State ID: Not reported
Generator Ship Date: 02/09/2004
Trans1 Recv Date: 02/09/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/09/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Trans1 EPA ID: NJD980772768
Trans2 EPA ID: Not reported
TSDF ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5104797
Manifest Status: Not reported
Trans1 State ID: 06993
Trans2 State ID: Not reported
Generator Ship Date: 06/02/2004
Trans1 Recv Date: 06/02/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/02/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NJD980772768
Trans2 EPA ID: Not reported
TSDF ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 02000
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5202509
Manifest Status: Not reported
Trans1 State ID: S8424
Trans2 State ID: Not reported
Generator Ship Date: 10/14/2004
Trans1 Recv Date: 10/14/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/14/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSD ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01500
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5222859
Manifest Status: Not reported
Trans1 State ID: S8424
Trans2 State ID: Not reported
Generator Ship Date: 12/10/2004
Trans1 Recv Date: 12/10/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/10/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSD ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01000
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5006931
Manifest Status: Not reported
Trans1 State ID: 06993
Trans2 State ID: Not reported
Generator Ship Date: 03/05/2004
Trans1 Recv Date: 03/05/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/05/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NJD980772768
Trans2 EPA ID: Not reported
TSD ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00750
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5028164
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Trans1 State ID: 08424
Trans2 State ID: Not reported
Generator Ship Date: 09/09/2004
Trans1 Recv Date: 09/09/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/09/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSD ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00700
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5025288
Manifest Status: Not reported
Trans1 State ID: 08424
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2004
Trans1 Recv Date: 08/05/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/05/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: NYD046765574
Trans2 EPA ID: Not reported
TSD ID: NJD991291
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00150
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5268326
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 08/05/2005
Trans1 Recv Date: 08/05/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/08/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: S8424
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00400
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA5226808
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 03/11/2005
Trans1 Recv Date: 03/11/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/11/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCT - METROPOLITAN AVE STATION (G LINE) (Continued)

1001224431

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000056481
Trans1 EPA ID: S8424
Trans2 EPA ID: Not reported
TSDf ID: NJD991291105
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00900
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

AG142
West
1/8-1/4
0.200 mi.
1055 ft.

APARTMENT BUILDING
278 SOUTH 2ND ST
BROOKLYN, NY
Site 2 of 6 in cluster AG

LTANKS S107789097
N/A

Relative:
Higher

LTANKS:
Site ID: 362171
Spill No: 0600215
Spill Date: 4/6/2006
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/17/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 4/6/2006
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/6/2006
Spill Record Last Update: 11/20/2006

Actual:
32 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S107789097

Spiller Name: CHUCK MERRITT
Spiller Company: APARTMENT BUILDING
Spiller Address: 278 SOUTH 2ND ST
Spiller City,St,Zip: BROOKLYN, NY 11201
Spiller County: 001
Spiller Contact: CHUCK MERRITT
Spiller Phone: (718) 767-7997
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 312409
DEC Memo: 04/07/06-Hiralkumar Patel. Spoke with Jim at Protest and he found that tank was leaking. this is 4000 gal AST vaulted in Concrete. haven't heard after tank test. Left message for Chuck Merritt at Merritt Engineering. 04/17/06-Hiralkumar Patel. Left message for Ms. Marian at Merritt Engineering. Received call from Maryann Wagh from Merritt Engineering. she gave me following information about owner of property: Super REalty LLC Mr. Abe Lasker (917) 753-8996. Left message for Chuck at Merritt as Maryann doesn't have latest information on case. Spoke with Abe Lasker at Super Realty. as per Mr. Lasker, somebody did work at site on Thursday to find out leakage. he doesn't know who did it. He is the Manager of property and his address is: Abe Lasker Super Realty LLC PO Box 110525 Brooklyn, NY 11211 Ph. (917) 753-8996 FAX (718) 336-8983 Received call from Chuck (FAX: 718-767-7996) from Merritt Engineering. as per him, Protest did isolation test and found leakage in pipings. Spoke with John at Pro Test. these are two different buildings and as per him, he found leakage in Vent pipe and remote fill. one building has vent pipe only leakage and another has vent pipe and remote fill. he doesn't know which one has what problem, so he will fax me that information with copies of test results. he still waiting to get approval for repair work. 05/11/06-Hiralkumar Patel. Left message for Jim at Protest. Received message from Jim. they haven't heard from owner yet. left message from Mr. Merritt. 06/02/06-Hiralkumar Patel. Spoke to John at Protest. He will call back with more information. 07/06/06-Hiralkumar Patel. spoke to Mr. Lasker and asked to send work invoice and test result. Mr. Lasker will call back. spoke to Maria at Protest. she will call back with updates. 08/01/06-Hiralkumar Patel. left message for Mr. Lasker. received call from Mr. Lasker. he will call protest and will call back with updates. 08/29/06-Hiralkumar Patel. spoke with John at protest. they will be going onsite for repair work in next two weeks. if find any contamination, will remove it and if necessary will take endpoint samples. will send lab analyticals by first week of Oct. 2006. 09/25/06-Hiralkumar Patel. spoke with Bob at Protest. he will check and call back. received call from Bob. he found that Protest has done some piping replacement work and he couldn't find test results. he will ask John to call the Department. 11/08/06-Hiralkumar Patel. left message for John at Protest. 11/17/06-Hiralkumar Patel. received letter and tank test result from Ted from Protest. as per Ted, leak was at vent pipe. they have replaced leaking vent pipe portion. no PBS record. spoke with Mr. Lasker. this building has been sold out in Aug. 06 and has new management. Mr. Lasker has new management company's information in office and will fax this information. sent fax to Mr. Lasker requesting new management's information and asked him to contact DEC Falvey. sent email to DEC Falvey with Mr. Lasker's contact number and detail about tank and site. Mr. Falvey will contact new management about tank registration. based on available documents, case closed.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S107789097

Remarks: 11/20/06-Hiralkumar Patel. received fax from Mr. Lasker. as per Mr. Lasker, tank is registered. new management is: Mag Realty Corp 475 Washington Avenue Brooklyn, NY 11238 Ph. (718) 622-6157 Fax (718) 789-3500 Contact: Mitch Asher spoke with Mr. Asher. he doesn't know about registration. he will check and will do registration if not registered. Mr. Asher asked to send application form.
Tank test failure.

Material:
Site ID: 362171
Operable Unit ID: 1120273
Operable Unit: 01
Material ID: 2109769
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 362171
Spill Tank Test: 1549873
Tank Number: 1
Tank Size: 4000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 4/6/2006
Test Method: Horner EZ Check I or II

AG143 SOUTH SECOND REALTY
West 278 SO 2 ST
1/8-1/4 BKLYN, NY 11211
0.200 mi.
1055 ft. Site 3 of 6 in cluster AG

AST U003390310
HIST AST N/A

Relative: AST:
Higher Region: STATE
DEC Region: 2
Actual: Site Status: Active
32 ft. Facility Id: 2-212849
Program Type: PBS
UTM X: 588136.72762000002
UTM Y: 4507220.97052
Expiration Date: 2011/08/08

Tank Number: 001
Tank Id: 18796
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH SECOND REALTY (Continued)

U003390310

Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1910
Capacity Gallons: 3500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 2/1/2007

Equipment Records:

C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 7827
Affiliation Type: On-Site Operator
Company Name: SOUTH SECOND REALTY
Contact Type: Not reported
Contact Name: FRANCISCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 477-0166
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

Site Id: 7827
Affiliation Type: Emergency Contact
Company Name: S. 2ND ST PARTNER LLC C/O MAG REALTY CORP.
Contact Type: Not reported
Contact Name: FRANCISCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (516) 477-0166
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH SECOND REALTY (Continued)

U003390310

Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

Site Id: 7827
Affiliation Type: Mail Contact
Company Name: MAG REALTY CORP.
Contact Type: Not reported
Contact Name: MITCHELL ASHON
Address1: 475 WASHINGTON AVE, SUITE 2C
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11238
Country Code: 001
Phone: (718) 622-6157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

Site Id: 7827
Affiliation Type: Owner
Company Name: S. 2ND ST PARTNER LLC C/O MAG REALTY CORP.
Contact Type: MANAGING AGENT
Contact Name: MITCHELL ASHON
Address1: 475 WASHINGTON AVE, SUITE 2C
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11238
Country Code: 001
Phone: (718) 622-6157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

HIST AST:

PBS Number: 2-212849
SWIS Code: 6101
Operator: RAMON LEZAMA
Facility Phone: (917) 350-8137
Facility Addr2: 278 SO 2 ST
Facility Type: APARTMENT BUILDING
Emergency: ABRAHAM LASKER
Emergency Tel: (718) 336-7466
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: SOUTH SECOND REALTY
Owner Address: P.O. BOX 525
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH SECOND REALTY (Continued)

U003390310

Owner Tel: (718) 336-7466
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SUPER FACILITY MANAGER
Mailing Name: SOUTH SECOND REALTY C/O LASKER
Mailing Address: P. O. BOX 525
Mailing Address 2: WMSGGH STATION
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 336-7466
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 04/21/1998
Expiration: 04/10/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AE144
NNE
1/8-1/4
0.201 mi.
1062 ft.

522 METROPOLITAN AVE
522 METROPOLITAN AVE
BROOKLYN, NY

LTANKS **S102673301**
HIST LTANKS **N/A**

Site 3 of 4 in cluster AE

Relative:
Lower

LTANKS:

Site ID: 127377
 Spill No: 9515443
 Spill Date: 2/29/1996
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Actual:
14 ft.

Spill Closed Dt: 2/24/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 3/1/1996
 CID: 14
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/1/1996
 Spill Record Last Update: 2/24/2003
 Spiller Name: JACOB
 Spiller Company: TERMINAL OIL COMPANY
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: MS CASTANO
 Spiller Phone: (718) 782-4799
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 110011
 DEC Memo: Not reported
 Remarks: TANK OVERFILL INTO SOIL - ALTERNATIVE PHONE # 718-330-3236 MR MUNZO

Material:

Site ID: 127377
 Operable Unit ID: 1030089
 Operable Unit: 01
 Material ID: 569746
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 300
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

522 METROPOLITAN AVE (Continued)

S102673301

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9515443
Spill Date: 02/29/1996
Spill Time: 09:51
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/01/96
Reported to Department Time: 09:48
SWIS: 61
Spiller Contact: MS CASTANO
Spiller Phone: (718) 782-4799
Spiller Extention: Not reported
Spiller Name: TERMINAL OIL COMPANY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: JACOB
Facility Phone: (718) 369-2825
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

522 METROPOLITAN AVE (Continued)

S102673301

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/01/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/26/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 300
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK OVERFILL INTO SOIL - ALTERNATIVE PHONE 718-330-3236 MR MUNZO

**AE145
NNE
1/8-1/4
0.203 mi.
1070 ft.**

**524 METROPOLITAN AVE
524 METROPOLITAN AVENUE
BROOKLYN, NY 11211**

**AST A100194112
N/A**

Site 4 of 4 in cluster AE

**Relative:
Lower**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607066
Program Type: PBS
UTM X: 588595.51956000004
UTM Y: 4507527.4421600001
Expiration Date: 2006/10/03

**Actual:
14 ft.**

Tank Number: 001
Tank Id: 62249
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4750
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

524 METROPOLITAN AVE (Continued)

A100194112

Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
B05 - Tank External Protection - Jacketed

Affiliation Records:

Site Id: 28921
Affiliation Type: On-Site Operator
Company Name: 524 METROPOLITAN AVE
Contact Type: Not reported
Contact Name: HARVEY COPELAND
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-5134
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28921
Affiliation Type: Owner
Company Name: A&F MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: Not reported
Address1: PO BOX 3162
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11103
Country Code: 001
Phone: (718) 388-5262
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28921
Affiliation Type: Mail Contact
Company Name: A&F MANAGEMENT CORP.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

524 METROPOLITAN AVE (Continued)

A100194112

Contact Type: Not reported
Contact Name: ALEXANDER KARAS
Address1: PO BOX 3162
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11103
Country Code: 001
Phone: (718) 388-5134
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28921
Affiliation Type: Emergency Contact
Company Name: A&F MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: ALEX KARAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 483-1944
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

A1146
NW
1/8-1/4
0.205 mi.
1083 ft.

JOHN ORBAN & CO
53 HOPE ST
BROOKLYN, NY 11211
Site 2 of 3 in cluster AI

RCRA-NonGen 1000305786
FINDS NYD054542758

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: JOHN ORBAN & CO
Facility address: 53 HOPE ST
BROOKLYN, NY 11211
EPA ID: NYD054542758
Mailing address: HOPE ST
BROOKLYN, NY 11211
Contact: Not reported
Contact address: HOPE ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOHN ORBAN & CO (Continued)

1000305786

Owner/Operator Summary:

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: JOHN ORBAN & CO
Classification: Not a generator, verified

Date form received by agency: 12/31/1979
Facility name: JOHN ORBAN & CO
Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 02/03/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

JOHN ORBAN & CO (Continued)

1000305786

Date achieved compliance: Not reported
 Evaluation lead agency: EPA

FINDS:

Registry ID: 110004359471

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AI147 53-65 HOPE ST
NW 53-65 HOPE ST
 1/8-1/4 BROOKLYN, NY 11211
 0.205 mi.
 1083 ft. **Site 3 of 3 in cluster AI**

AST U003384956
HIST AST N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-108294
 Program Type: PBS
 UTM X: 588218.10577999998
 UTM Y: 4507427.8512899997
 Expiration Date: 2007/05/07

Actual:
21 ft.

Tank Number: 001
 Tank Id: 4795
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

Equipment Records:

- B00 - Tank External Protection - None
- G03 - Tank Secondary Containment - Vault (w/o access)
- I04 - Overfill - Product Level Gauge (A/G)
- L09 - Piping Leak Detection - Exempt Suction Piping
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- F00 - Pipe External Protection - None
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

53-65 HOPE ST (Continued)

U003384956

C00 - Pipe Location - No Piping

Affiliation Records:

Site Id: 3191
Affiliation Type: Mail Contact
Company Name: RICHFIELD PROPERTIES LTD
Contact Type: Not reported
Contact Name: NEIL A DOLGIN/AGENT
Address1: 101 RICHARDSON ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-7700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 3191
Affiliation Type: Emergency Contact
Company Name: RICHFIELD PROPERTIES LTD
Contact Type: Not reported
Contact Name: NEIL A DOLGIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-7700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 3191
Affiliation Type: Owner
Company Name: RICHFIELD PROPERTIES LTD
Contact Type: Not reported
Contact Name: Not reported
Address1: 101 RICHARDSON ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-7700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

53-65 HOPE ST (Continued)

U003384956

Site Id: 3191
Affiliation Type: On-Site Operator
Company Name: 53-65 HOPE ST
Contact Type: Not reported
Contact Name: MANNY SUAREZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-7700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-108294
SWIS Code: 6101
Operator: MANNY SUAREZ
Facility Phone: (718) 388-7700
Facility Addr2: 53 HOPE ST
Facility Type: MANUFACTURING
Emergency: NEIL A DOLGIN
Emergency Tel: (718) 388-7700
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: RICHFIELD PROPERTIES LTD
Owner Address: 101 RICHARDSON ST
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 388-7700
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: NEIL A DOLGIN
Mailing Name: RICHFIELD PROPERTIES LTD
Mailing Address: 101 RICHARDSON ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 388-7700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/13/1997
Expiration: 05/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

53-65 HOPE ST (Continued)

U003384956

Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3500
 Product Stored: NOS 5 OR 6 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

AG148
West
1/8-1/4
0.205 mi.
1084 ft.

273 SOUTH SECOND STREET
273 SOUTH SECOND STREET
BROOKLYN, NY
Site 4 of 6 in cluster AG

LTANKS **S102959974**
HIST LTANKS **N/A**

Relative:
Higher

Actual:
32 ft.

LTANKS:
 Site ID: 276183
 Spill No: 9712027
 Spill Date: 1/20/1998
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/4/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: SFRAHMAN
 Referred To: Not reported
 Reported to Dept: 1/28/1998
 CID: 12

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

273 SOUTH SECOND STREET (Continued)

S102959974

Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/28/1998
Spill Record Last Update: 4/4/2005
Spiller Name: MR STIMETZ
Spiller Company: 273 SOUTH SECOND STREET
Spiller Address: 273 SOUTH SECOND STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: JOHN LEDDY
Spiller Phone: (516) 321-4670
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 224543
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "AUSTIN" NO PBS. 3/11/03 - SAMUEL- File available in active unassigned spill files. 3/3/05 - Austin - Reassigned to Rahman 04/04/05-SR//No Further Action was issued on 03/24/1999 by Christopher P. Tomasello. Records are in the file.

Remarks: TANK TEST FAILURE

Material:

Site ID: 276183
Operable Unit ID: 1054698
Operable Unit: 01
Material ID: 326658
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9712027

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

273 SOUTH SECOND STREET (Continued)

S102959974

Spill Date: 01/20/1998
Spill Time: 11:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/28/98
Reported to Department Time: 10:52
SWIS: 61
Spiller Contact: JOHN LEDDY
Spiller Phone: (516) 321-4670
Spiller Extention: Not reported
Spiller Name: 273 SOUTH SECOND STREET
Spiller Address: 273 SOUTH SECOND STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: MR STIMETZ
Facility Phone: (718) 387-3783
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/28/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

273 SOUTH SECOND STREET (Continued)

S102959974

Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: NO PBS.
Spill Cause: TANK TEST FAILURE

AK149
NNW
1/8-1/4
0.206 mi.
1089 ft.

402 METROPOLITAN AV/BKLYN
402 METROPOLITAN AVENUE
NEW YORK CITY, NY

LTANKS **S106703388**
HIST LTANKS **N/A**

Site 1 of 4 in cluster AK

Relative:
Lower

LTANKS:

Actual:
16 ft.

Site ID: 63482
Spill No: 8907310
Spill Date: 10/24/1989
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/4/1995
Facility Addr2: Not reported
Cleanup Ceased: 5/4/1995
Cleanup Meets Standard: True
SWIS: 2401
Investigator: SULLIVAN
Referred To: Not reported
Reported to Dept: 10/24/1989
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 10/25/1989
Spill Record Last Update: 7/25/2005
Spiller Name: Not reported
Spiller Company: DITAL ENERGY CORP
Spiller Address: 402 METROPOLITAN AVENUE
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 61317
DEC Memo: Not reported
Remarks: (4) 550 GAL TANKS MANIFOLDED FAILED AIR PRESSURE TEST WITH A LEAK RATE OF 1.5LBS/1/2HR, NYC FD ON SCENE, TANKS TO BE ISOLATED & RETESTED. SEE SPILL # 9212269.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

402 METROPOLITAN AV/BKLYN (Continued)

S106703388

Material:

Site ID: 63482
Operable Unit ID: 934941
Operable Unit: 01
Material ID: 444098
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 63482
Spill Tank Test: 1536300
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8907310
Spill Date: 10/24/1989
Spill Time: 16:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/04/95
Cleanup Ceased: 05/04/95
Cleanup Meets Standard: True
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/24/89
Reported to Department Time: 16:42
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

402 METROPOLITAN AV/BKLYN (Continued)

S106703388

Spiller Extention: Not reported
Spiller Name: DITAL ENERGY CORP
Spiller Address: 402 METROPOLITAN AVENUE
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 384-2705
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-402850
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/25/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/04/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: 4) 550 GAL TANKS MANIFOLDED FAILED AIR PRESSURE TEST WITH A LEAK RATE OF 1.5LBS/1/2HR, NYCFD ON SCENE, TANKS TO BE ISOLATED RETESTED. SEE SPILL 9212269.

AK150
NNW
1/8-1/4
0.207 mi.
1092 ft.

402 METROPOLITAN AVE.
402 METROPOLITAN AVE
BROOKLYN, NY
Site 2 of 4 in cluster AK

LTANKS S100494817
HIST LTANKS N/A

Relative:
Lower

LTANKS:
Site ID: 168459
Spill No: 9213355
Spill Date: 3/2/1993
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station

Actual:
16 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

402 METROPOLITAN AVE. (Continued)

S100494817

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/4/1995
Facility Addr2: Not reported
Cleanup Ceased: 5/4/1995
Cleanup Meets Standard: True
SWIS: 2401
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 3/3/1993
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 3/10/1993
Spill Record Last Update: 7/19/2005
Spiller Name: Not reported
Spiller Company: UNKNOWN OWNER-LANDLORD
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 61317
DEC Memo: Not reported
Remarks: TO EXCAVATE & INVEST & POSSIBLY REPAIR SEE SPILL # 9212269.

Material:

Site ID: 168459
Operable Unit ID: 977609
Operable Unit: 01
Material ID: 572955
Material Code: 1213A
Material Name: MTBE (METHYL-TERT-BUTYL ETHER)
Case No.: 01634044
Material FA: Hazardous Material
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: True
Site ID: 168459
Operable Unit ID: 977609
Operable Unit: 01
Material ID: 403149
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

402 METROPOLITAN AVE. (Continued)

S100494817

Resource Affected: Not reported
Oxygenate: True

Tank Test:

Site ID: 168459
Spill Tank Test: 1541230
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9213355
Spill Date: 03/02/1993
Spill Time: 20:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/04/95
Cleanup Ceased: 05/04/95
Cleanup Meets Standard: True
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/03/93
Reported to Department Time: 15:24
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNKNOWN OWNER-LANDLORD
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 961-8880
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

402 METROPOLITAN AVE. (Continued)

S100494817

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/10/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/04/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: NO LEAD.
Spill Cause: TO EXCAVATE INVEST POSSIBLY REPAIR SEE SPILL 9212269.

**AK151
NNW
1/8-1/4
0.207 mi.
1092 ft.**

**AISEAL USED CAR SALES INC.
402-418 METROPOLITAN AVE
BROOKLYN, NY 11211
Site 3 of 4 in cluster AK**

**AST A100292979
N/A**

**Relative:
Lower**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-609533
Program Type: PBS
UTM X: 588221.43694000004
UTM Y: 4507535.3490300002
Expiration Date: 2009/04/21

**Actual:
16 ft.**

Tank Number: 001
Tank Id: 178613
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AISEAL USED CAR SALES INC. (Continued)

A100292979

Capacity Gallons: 250
Tightness Test Method: 00
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kxtang
Last Modified: 4/21/2004

Equipment Records:

G05 - Tank Secondary Containment - Synthetic Liner

Affiliation Records:

Site Id: 55570
Affiliation Type: On-Site Operator
Company Name: AISEAL USED CAR SALES INC.
Contact Type: Not reported
Contact Name: SEMYON ROZENTULLER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 258-5649
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 4/21/2004

Site Id: 55570
Affiliation Type: Emergency Contact
Company Name: AISEAL USED CAR SALES INC.
Contact Type: Not reported
Contact Name: SEMYON ROZENTULLER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 258-5649
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 4/21/2004

Site Id: 55570
Affiliation Type: Mail Contact
Company Name: AISEAL USED CAR SALES INC.
Contact Type: Not reported
Contact Name: SEMYON ROZENTULLER
Address1: 402-418 METROPOLITAN AVE.
Address2: Not reported
City: BROOKLYN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AISEAL USED CAR SALES INC. (Continued)

A100292979

State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 258-5649
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 4/21/2004

Site Id: 55570
Affiliation Type: Owner
Company Name: AISEAL USED CAR SALES INC.
Contact Type: V PRES.
Contact Name: ROZENTULLER
Address1: 402-418 METROPOLITAN AVE.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 258-5649
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 4/21/2004

AK152 **ALSEAL ISED CAR SALES INC.**
NNW **402 METROPOLITAN AVE**
1/8-1/4 **BROOKLYN, NY 11211**
0.207 mi.
1092 ft. **Site 4 of 4 in cluster AK**

UST **U000405477**
HIST UST **N/A**

Relative: UST:
Lower Facility Id: 2-402850
Region: STATE
Actual: DEC Region: 2
16 ft. Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 588302.45612999995
UTM Y: 4507521.8589700004
Site ID: 19313

Tank Number: 001
Tank ID: 22893
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1970
Capacity Gallons: 4000
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel

Tank Number: 002
Tank ID: 22894
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 003
Tank ID: 22895
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
C00 - Pipe Location - No Piping
I00 - Overfill - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Tank Number: 004
Tank ID: 22896
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

I00 - Overfill - None
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None

Tank Number: 005
Tank ID: 22897
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

C00 - Pipe Location - No Piping
I00 - Overfill - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 006
Tank ID: 22898
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction

Tank Number: 007
Tank ID: 22899
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction

Tank Number: 008
Tank ID: 22900
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Number: 009
Tank ID: 22901
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
I00 - Overfill - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Tank Number: 010
Tank ID: 22902
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None

Tank Number: 011
Tank ID: 22903
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I00 - Overfill - None
B00 - Tank External Protection - None

Tank Number: 012
Tank ID: 22904
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
I00 - Overfill - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Number: 013
Tank ID: 22905
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 4/1/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None

Tank Number: 014
Tank ID: 22906
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/2005
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
I00 - Overfill - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None

Tank Number: 015
Tank ID: 22907
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1968
Capacity Gallons: 1080
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/2005
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping

Tank Number: 016
Tank ID: 50504
Tank Status: Tank Converted to Non-Regulated Use
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/2005
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: JMKRIMGO
Last Modified: 5/9/2005

Equipment Records:

F00 - Pipe External Protection - None
J00 - Dispenser - None
C02 - Pipe Location - Underground/On-ground
I00 - Overfill - None
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None

Affiliation Records:

Site Id: 19313
Affiliation Type: On-Site Operator
Company Name: ALSEAL ISED CAR SALES INC.
Contact Type: Not reported
Contact Name: ALSEAL USED CAR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-2424
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Modified By: EXROSSAN
Date Last Modified: 8/27/2004

Site Id: 19313
Affiliation Type: Mail Contact
Company Name: SAM ROSENTHAL
Contact Type: Not reported
Contact Name: SAM ROSENTHAL
Address1: 402 METROPOLITAN AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-2424
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19313
Affiliation Type: Owner
Company Name: JOSEPH M. MATTONE
Contact Type: Not reported
Contact Name: Not reported
Address1: 159-17 NORTHERN BLVD.
Address2: Not reported
City: FLUSHING
State: NY
Zip Code: 11358
Country Code: 001
Phone: (718) 961-8880
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: JMKRIMGO
Date Last Modified: 5/9/2005

Site Id: 19313
Affiliation Type: Emergency Contact
Company Name: JOSEPH M. MATTONE
Contact Type: Not reported
Contact Name: JOSEPH MACCHIA, JR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-7700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

HIST UST:

PBS Number: 2-402850
SPDES Number: Not reported
Emergency Contact: JOSEPH MACCHIA, JR
Emergency Telephone: (718) 387-7700
Operator: ALSEAL USED CAR
Operator Telephone: (718) 388-2424
Owner Name: JOSEPH M. MATTONE
Owner Address: 159-17 NORTHERN BLVD.
Owner City,St,Zip: FLUSHING, NY 11358
Owner Telephone: (718) 961-8880
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: SAM ROSENTHAL
Mailing Address: 402 METROPOLITAN AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Contact: SAM ROSENTHAL
Mailing Telephone: (718) 388-2424
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 402 METROPOLITAN AVE
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: OTHER RETAIL SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 12/27/1995
Expiration Date: 11/15/1998
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 11700
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19700101
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1993
Next Test Date: 03/01/1998
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 005
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 006
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 007
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 008
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 009
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 010
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 011
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Lat/long: Not reported

Tank Id: 012
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 013
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 04/01/1993
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Tank Id: 014
Tank Location: UNDERGROUND
Tank Status: Tank Converted To Non-Regulated Use
Install Date: 19680501
Capacity (gals): 550
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 08/01/1996
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 015
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19680501
Capacity (gals): 550
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 016
Tank Location: UNDERGROUND
Tank Status: In Service

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ALSEAL ISED CAR SALES INC. (Continued)

U000405477

Install Date: Not reported
 Capacity (gals): 550
 Product Stored: USED OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: None
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

AG153
West
1/8-1/4
0.207 mi.
1091 ft.

274-276 SOUTH 2ND STREET
274-276 SOUTH 2ND STREET
BROOKLYN, NY 11211
Site 5 of 6 in cluster AG

AST U003394662
HIST AST N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-467073
 Program Type: PBS
 UTM X: 588125.53966000001
 UTM Y: 4507225.4561400004
 Expiration Date: 1994/02/15

Actual:
33 ft.

Tank Number: 001
 Tank Id: 36977
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

Equipment Records:
 F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

274-276 SOUTH 2ND STREET (Continued)

U003394662

D02 - Pipe Type - Galvanized Steel
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
B02 - Tank External Protection - Original Sacrificial Anode
H00 - Tank Leak Detection - None

Affiliation Records:

Site Id: 20300
Affiliation Type: Mail Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20300
Affiliation Type: On-Site Operator
Company Name: 274-276 SOUTH 2ND STREET
Contact Type: Not reported
Contact Name: NYC HOUSING PRESERV & DEVEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20300
Affiliation Type: Owner
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

274-276 SOUTH 2ND STREET (Continued)

U003394662

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20300
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: LEE KERBEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 636-3015
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-467073
SWIS Code: 6101
Operator: NYC HOUSING PRESERV & DEVEL
Facility Phone: (212) 806-8565
Facility Addr2: 274 SOUTH 2ND STREET
Facility Type: Not reported
Emergency: LEE KERBEL
Emergency Tel: (718) 636-3015
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8565
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8565
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/15/1989
Expiration: 02/15/1994

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

274-276 SOUTH 2ND STREET (Continued)

U003394662

Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: 2
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

AG154
West
1/8-1/4
0.207 mi.
1091 ft.

274 SOUTH 2ND ST
274 SOUTH 2ND ST
BROOKLYN, NY

Site 6 of 6 in cluster AG

LTANKS **S102662645**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
 Site ID: 280545
 Spill No: 9607724
 Spill Date: 9/19/1996
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/29/1996
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

274 SOUTH 2ND ST (Continued)

S102662645

Cleanup Meets Standard: False
SWIS: 2401
Investigator: LUCE
Referred To: Not reported
Reported to Dept: 9/19/1996
CID: 12
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/19/1996
Spill Record Last Update: 11/19/1996
Spiller Name: TONY CARUCCI
Spiller Company: AJ LIBERTY PARK OIL CO
Spiller Address: 67-70 73RD PLACE
Spiller City,St,Zip: MIDDLE VILLAGE, NY 11379-001
Spiller County: 001
Spiller Contact: TONY CARUCCI
Spiller Phone: (718) 894-9218
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 227791
DEC Memo: Not reported
Remarks: DRIVER OVERFILLED THE OIL TANK - ABSORBANTS ARE BEING APPLIED TO THE SPILL

Material:

Site ID: 280545
Operable Unit ID: 1035842
Operable Unit: 01
Material ID: 346985
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 25
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

274 SOUTH 2ND ST (Continued)

S102662645

HIST LTANKS:

Region of Spill: 2
Spill Number: 9607724
Spill Date: 09/19/1996
Spill Time: 13:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/29/96
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: LUCE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/19/96
Reported to Department Time: 13:57
SWIS: 61
Spiller Contact: TONY CARUCCI
Spiller Phone: (718) 894-9218
Spiller Extention: Not reported
Spiller Name: AJ LIBERTY PARK OIL CO
Spiller Address: 67-70 73RD PLACE
Spiller City,St,Zip: MIDDLE VILLAGE, NY 11379-
Spiller Cleanup Date: / /
Facility Contact: TONY CARUCCI
Facility Phone: (718) 894-9218
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/19/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/19/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

274 SOUTH 2ND ST (Continued)

S102662645

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 25
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: SPOKE TO TONY - DRIVEWAY - DRIVERS CLEANING INSURANCE COMPANY GOING TO CHECK IT OUT - SWEET CLAIMS GAVE TONY S , ASKED TO CALL BACK WHEN HE KNOWS AMOUNT - HE SAID MAY BE 25-50 BUT HE DOESN T KNOW. PBS REGISTRATION EXPIRED.
Spill Cause: DRIVER OVERFILLED THE OIL TANK - ABSORBANTS ARE BEING APPLIED TO THE SPILL

AL155
ESE
1/8-1/4
0.208 mi.
1098 ft.

TIME CLEANERS
36 MAUJER STREET
BROOKLYN, NY 11206
Site 1 of 2 in cluster AL

DRYCLEANERS S110248126
N/A

Relative:
Higher

DRYCLEANERS:
Facility ID: SHUT DOWN
Region: 2
Registration Effective Date: N/A
Inspection Date: Not reported
Drop Shop: Not reported
Shutdown: Y
Alternate Solvent: Not reported
Current Business: NOT A DRY CLEANER

Actual:
34 ft.

AL156
ESE
1/8-1/4
0.208 mi.
1098 ft.

MA ALEXANDER - FORMER TENANT
36 MAUJER ST 1C
BROOKLYN, NY 11206
Site 2 of 2 in cluster AL

RCRA-NonGen 1001233042
FINDS NYR000036210
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: MA ALEXANDER - FORMER TENANT
Facility address: 36 MAUJER ST 1C
BROOKLYN, NY 11206
EPA ID: NYR000036210
Mailing address: LAKE RD
LAKE SUCCESS, NY 11020
Contact: ALEXANDER MA
Contact address: LAKE RD
LAKE SUCCESS, NY 11020
Contact country: US
Contact telephone: (917) 822-9388
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MA ALEXANDER - FORMER TENANT (Continued)

1001233042

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ALEXANDER MA
Owner/operator address: 2A LAKE RD
LAKE SUCCESS, NY 11020
Owner/operator country: US
Owner/operator telephone: (917) 822-9388
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ALEXANDER MA
Owner/operator address: 2A LAKE RD
LAKE SUCCESS, NY 11020
Owner/operator country: US
Owner/operator telephone: (917) 822-9388
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: MA ALEXANDER - FORMER TENANT
Classification: Not a generator, verified

Date form received by agency: 12/16/1998
Facility name: MA ALEXANDER - FORMER TENANT
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004532756

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MA ALEXANDER - FORMER TENANT (Continued)

1001233042

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000036210
Country: USA
Mailing Name: CUSTOM CARE
Mailing Contact: VINCENT CICILEO
Mailing Address: 36 MAUJER ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11206
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-963-2567

Document ID: NYC4941764
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NYGF2859
Trans2 State ID: Not reported
Generator Ship Date: 971230
Trans1 Recv Date: 971230
Trans2 Recv Date: Not reported
TSD Site Recv Date: 980109
Part A Recv Date: Not reported
Part B Recv Date: 980209
Generator EPA ID: NYR000036210
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDf ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MA ALEXANDER - FORMER TENANT (Continued)

1001233042

Mgmt Method Type Code: Not reported

Document ID: NYC4581527
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NYGF2859
Trans2 State ID: MO001
Generator Ship Date: 971119
Trans1 Recv Date: 971119
Trans2 Recv Date: 971202
TSD Site Recv Date: 971204
Part A Recv Date: 971211
Part B Recv Date: 980108
Generator EPA ID: NYR000036210
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: MOD095038998
TSDf ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4965118
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: NYD980769947
Generator Ship Date: 01/30/1998
Trans1 Recv Date: 01/30/1998
Trans2 Recv Date: 02/07/1998
TSD Site Recv Date: 02/08/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036210
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDf ID: NYAP4503
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MA ALEXANDER - FORMER TENANT (Continued)

1001233042

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5000163
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: MOD095038998
Generator Ship Date: 03/06/1998
Trans1 Recv Date: 03/06/1998
Trans2 Recv Date: 03/12/1998
TSD Site Recv Date: 03/13/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036210
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAP4503
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MA ALEXANDER - FORMER TENANT (Continued)

1001233042

Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG1059291
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 01/14/1999
Trans1 Recv Date: 01/14/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/19/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000036210
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: PD1011NY
Waste Code: F001 - UNKNOWN
Quantity: 00185
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

157
NNE
1/8-1/4
0.210 mi.
1108 ft.

**S KLENOSKY INC
543 METROPOLITAN AVE
BROOKLYN, NY 11211**

**RCRA-NonGen 1000890352
FINDS NY0000348300
MANIFEST**

**Relative:
Lower**

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: S KLENOSKY INC
Facility address: 543 METROPOLITAN AVE
BROOKLYN, NY 112113501
EPA ID: NY0000348300
Mailing address: METROPOLITAN AVE
BROOKLYN, NY 112113501
Contact: Not reported
Contact address: METROPOLITAN AVE
BROOKLYN, NY 112113501
Contact country: US
Contact telephone: Not reported

**Actual:
16 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S KLENOSKY INC (Continued)

1000890352

Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: S KLENOSKY INC
Owner/operator address: 543 METROPOLITAN AVE
BROOKLYN, NY 11211

Owner/operator country: US
Owner/operator telephone: (718) 782-7141
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: S KLENOSKY INC
Owner/operator address: 543 METROPOLITAN AVE
BROOKLYN, NY 11211

Owner/operator country: US
Owner/operator telephone: (718) 782-7141
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: S KLENOSKY INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: S KLENOSKY INC
Classification: Not a generator, verified

Date form received by agency: 06/06/1994
Facility name: S KLENOSKY INC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S KLENOSKY INC (Continued)

1000890352

Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004315928

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0000348300
Country: USA
Mailing Name: KLENOSKY PAINT
Mailing Contact: IRWIN KLENOSKY
Mailing Address: 534 METROPOLITAN AVE
Mailing Address 2: Not reported
Mailing City: BROOLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-782-7141

Document ID: NYB5796819
Manifest Status: Completed copy
Trans1 State ID: 2A218
Trans2 State ID: Not reported
Generator Ship Date: 940620
Trans1 Recv Date: 940620
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940620
Part A Recv Date: 940715
Part B Recv Date: 940714
Generator EPA ID: NY0000348300
Trans1 EPA ID: NYD982719221
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01600
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 02400
Units: P - Pounds
Number of Containers: 006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S KLENOSKY INC (Continued)

1000890352

Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 94
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYS049178296
Trans2 State ID: OHD000000539
Generator Ship Date: 2009-08-18
Trans1 Recv Date: 2009-08-18
Trans2 Recv Date: 2009-08-25
TSD Site Recv Date: 2009-09-08
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY0000348300
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD083377010
Waste Code: Not reported
Quantity: 100.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004854840JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H061

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AH158
North
1/8-1/4
0.210 mi.
1109 ft.

BQE/ANSBACHER COLOR & DYE FACTORY
MEEKER AVENUE
BROOKLYN, NY

SHWS **S106780917**
N/A

Site 2 of 2 in cluster AH

Relative:
Lower

SHWS:

Program: HW
 Site Code: 55913

Actual:
16 ft.

Classification: DOES NOT PRESENT A SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR THE ENVIRONMENT - ACTION MAY BE DEFERRED.

Region: 2
 Acres: .600
 HW Code: 224016
 Record Add: 11/18/1999 12:00:00 PM
 Record Upd: 1/11/2008 3:28:00 PM
 Updated By: JAAVERSA

Site Description: This site lies underneath the elevated Brooklyn - Queens Expressway (I-278) along Meeker Avenue between Metropolitan and Union Avenues in the Williamsburg Section of Brooklyn. It is believed that during the construction of the BQE, waste material and debris from the former Ansbacher Color & Dye Factory may have been used as fill material in the project area. A Phase II - type investigation was conducted by the New York State Department of Transportation in 1988. The investigation found hazardous levels of arsenic and lead in the soil and elevated levels of arsenic, lead and cyanide in the groundwater. During the reconstruction of the BQE in the early 1990s, the NYS DOT completed an IRM (soil removal) within the project's right-of way. The remaining contaminated soil is located beneath asphalt and concrete. A Preliminary Site Assessment was completed during the summer of 1999 to evaluate the areas outside the BQE footprint. The sampling results indicate that the subsurface soils within the footprint of the former Ansbacher Plant contain elevated levels of arsenic, lead, and mercury. The groundwater in this area is also contaminated with these metals, but the contaminated groundwater has not migrated significantly beyond the footprint of the former factory. Not reported

Env Problem: The primary contaminants of concern at this site are arsenic, lead, mercury and cyanide. Investigations indicate that the subsurface soils within the footprint of the former Ansbacher Plant contain elevated levels of arsenic, lead, and mercury. The groundwater in this area is also contaminated with these metals. The site does not constitute a significant threat to the environment as the contaminated soil is covered by existing layers of asphalt and concrete, and the contaminated groundwater has not migrated significantly beyond the footprint of the former factory.

Health Problem: Residual arsenic and lead contamination remain under the BQE and is covered with several layers of concrete and asphalt, thereby preventing direct contact. Contaminated soil also underlies several on-site buildings formerly used by Ansbacher. Groundwater in the area is not used, since public water is available. Off-site sampling of surface soils from residential yards adjacent to the site indicated the presence of metals (particularly arsenic and lead) at concentrations above the range of concentrations typically encountered in urban neighborhoods. However, the exact source of the metals in the soils could not be determined from the data collected. The NYSDOH gave the residents advice on how to minimize their exposure to these surface soil contaminants.

Dump: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BQE/ANSBACHER COLOR & DYE FACTORY (Continued)

S106780917

Structure: False
Lagoon: False
Landfill: True
Pond: False
Disp Start: unknown
Disp Term: unknown
Lat/Long: 40:42:52:0 / 73:57:12:0
Dell: False
Record Add: 11/18/1999 12:00:00 PM
Record Upd: 11/18/1999 12:00:00 PM
Updated By: INITIAL
Own Op: Disp. Owner
Sub Type: NNN
Owner Name: Not reported
Owner Company: ANSBACHER COLOR & DYE FACTORY
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: ZZ
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: NNN
Owner Name: Not reported
Owner Company: Ansbacher Color & Dye Factory
Owner Address: Meeker Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Brooklyn, NY 11211
Owner Country: United States of America
Own Op: On-Site Operator
Sub Type: B99
Owner Name: Not reported
Owner Company: ANSBACHER COLOR & DYE FACTORY
Owner Address: MEEKER AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: BROOKLYN, NY
Owner Country: United States of America
Own Op: Owner
Sub Type: NNN
Owner Name: Not reported
Owner Company: NYS Department of Transportation
Owner Address: State Campus - Building 5
Owner Addr2: Not reported
Owner City,St,Zip: Albany, NY 12232
Owner Country: United States of America
Own Op: Owner
Sub Type: B99
Owner Name: Not reported
Owner Company: NYS Department of Transportation
Owner Address: STATE CAMPUS, BUILDING 5
Owner Addr2: Not reported
Owner City,St,Zip: ALBANY, NY 12232
Owner Country: United States of America
HW Code: 224016
Waste Type: LEAD
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 224016
Waste Type: ARSENIC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BQE/ANSBACHER COLOR & DYE FACTORY (Continued)

S106780917

Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: Not reported
Cross Ref Type Code: Not reported
Cross Ref Type: Not reported
Record Added Date: Not reported
Record Updated: Not reported
Updated By: Not reported

**AM159
SSW
1/8-1/4
0.211 mi.
1115 ft.**

**LEROY BECKLES 332 KEAP ST
332 KEAP ST
BKLYN, NY 11211
Site 1 of 3 in cluster AM**

**AST U003390839
HIST AST N/A**

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-330094
Program Type: PBS
UTM X: 588332.13327999995
UTM Y: 4506934.5921599995
Expiration Date: 2010/01/08

**Actual:
26 ft.**

Tank Number: 001
Tank Id: 20219
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1960
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 6/8/2007

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
G99 - Tank Secondary Containment - Other

Affiliation Records:

Site Id: 15533
Affiliation Type: On-Site Operator
Company Name: LEROY BECKLES 332 KEAP ST
Contact Type: Not reported
Contact Name: SERAFIN GONZALEZ

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LEROY BECKLES 332 KEAP ST (Continued)

U003390839

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-4394
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15533
Affiliation Type: Owner
Company Name: LEROY BECKLES (THE ESTATE OF..)
Contact Type: MANAGING AGENT
Contact Name: MARY ANN GONZALEZ
Address1: P.O. BOX 130
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-4394
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/8/2007

Site Id: 15533
Affiliation Type: Emergency Contact
Company Name: LEROY BECKLES
Contact Type: Not reported
Contact Name: LEROY BECKLES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-4394
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15533
Affiliation Type: Mail Contact
Company Name: LEROY BECKLES
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX130
Address2: WILLIAMSBURG STATION
City: BROOKLYN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LEROY BECKLES 332 KEAP ST (Continued)

U003390839

State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-4394
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 12/15/2004

HIST AST:

PBS Number: 2-330094
SWIS Code: 6101
Operator: SERAFIN GONZALEZ
Facility Phone: (718) 384-4394
Facility Addr2: 332 KEAP ST
Facility Type: APARTMENT BUILDING
Emergency: LEROY BECKLES
Emergency Tel: (718) 384-4394
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: LEROY BECKLES
Owner Address: P.O. BOX130
Owner City,St,Zip: BKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-4394
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: LEROY BECKLES
Mailing Address: P.O. BOX130
Mailing Address 2: WILLIAMSBURG STATION
Mailing City,St,Zip: BKLYN, NY 11211
Mailing Telephone: (718) 384-4394
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 08/15/1997
Expiration: 08/28/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LEROY BECKLES 332 KEAP ST (Continued)

U003390839

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: 1
 Tank Containment: Other
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

AJ160
 East
 1/8-1/4
 0.212 mi.
 1120 ft.

TRIVAL CLEANERS
568 GRAND STREET
BROOKLYN, NY 11211
 Site 2 of 4 in cluster AJ

DRYCLEANERS **S110248173**
 N/A

Relative:
Higher

DRYCLEANERS:
 Facility ID: 2-6101-00928
 Region: 2
 Registration Effective Date: N/A
 Inspection Date: 10/24/03
 Drop Shop: Not reported
 Shutdown: Y
 Alternate Solvent: Not reported
 Current Business: FLORIST

Actual:
28 ft.

AJ161
 East
 1/8-1/4
 0.212 mi.
 1120 ft.

TRUVAL CLEANERS
555 GRAND ST
BROOKLYN, NY 11211
 Site 3 of 4 in cluster AJ

RCRA-SQG **1004761703**
FINDS **NYR000089557**
MANIFEST

Relative:
Higher

RCRA-SQG:
 Date form received by agency: 01/01/2007
 Facility name: TRUVAL CLEANERS
 Facility address: 555 GRAND ST
 BROOKLYN, NY 11211
 EPA ID: NYR000089557
 Mailing address: GRAND ST

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Contact: BROOKLYN, NY 11211
Contact address: RICHARDO RIVAS
GRAND ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 486-7639
Contact email: Not reported
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: RICARDO RIVAS
Owner/operator address: 555 GRAND ST
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 486-7639
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 02/20/2001
Owner/Op end date: Not reported

Owner/operator name: RICARDO RIVAS
Owner/operator address: 555 GRAND ST
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 486-7639
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 02/20/2001
Owner/Op end date: Not reported

Owner/operator name: MAG BAE
Owner/operator address: 325 MIDLAND AVE
PARAMUS, NJ 07652
Owner/operator country: Not reported
Owner/operator telephone: (201) 406-3765
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/0001
Owner/Op end date: Not reported

Owner/operator name: MAG BAE
Owner/operator address: 325 MIDLAND AVE
PARAMUS, NJ 07652
Owner/operator country: US
Owner/operator telephone: (201) 406-3765
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: RICARDO RIVAS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Owner/operator address: 555 GRAND ST
BROOKLYN, NY 11211
Owner/operator country: Not reported
Owner/operator telephone: (718) 486-7639
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 02/20/2001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: TRUVAL CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 03/06/2001
Facility name: TRUVAL CLEANERS
Classification: Small Quantity Generator

Date form received by agency: 08/14/2000
Facility name: TRUVAL CLEANERS
Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D007
Waste name: CHROMIUM

Waste code: D039
Waste name: TETRACHLOROETHYLENE

Waste code: D040
Waste name: TRICHLOROETHYLENE

Waste code: F002
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE,
METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,
CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE,
ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110004564276

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYR000089557
Country: USA
Mailing Name: TRUVAL CLEANERS
Mailing Contact: RICARDO RIVAS
Mailing Address: 568 GRAND ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-486-7639

Document ID: NYG5362146
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 07/20/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Trans1 Recv Date: 07/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00050
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00260
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: 001303387JJK
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: CDX107000000
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Trans2 EPA ID: N
TSDF ID: N
Waste Code: N
Quantity: Not reported
Units: 1
Number of Containers: DM
Container Type: 80
Handling Method: P
Specific Gravity: 1
Waste Code: R
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: 001303387JJK
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: CDX107000000
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSDF ID: N
Waste Code: N
Quantity: Not reported
Units: 3
Number of Containers: DM
Container Type: 390
Handling Method: P
Specific Gravity: 1
Waste Code: R
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: NYG4242177
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: NJD000564906
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSDF ID: N
Waste Code: N
Quantity: Not reported
Units: 4
Number of Containers: DM
Container Type: 240
Handling Method: P
Specific Gravity: 1
Waste Code: T
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: NYG4242177
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: NJD000564906
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSD ID: N
Waste Code: N
Quantity: Not reported
Units: 6
Number of Containers: DM
Container Type: 780
Handling Method: P
Specific Gravity: 1
Waste Code: T
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: NYG4447917
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: NJD000564906
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Trans1 EPA ID: N
Trans2 EPA ID: N
TSDF ID: N
Waste Code: N
Quantity: Not reported
Units: 3
Number of Containers: DM
Container Type: 390
Handling Method: P
Specific Gravity: 1
Waste Code: T
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 06
Manifest Status: NYG4447917
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: NJD000564906
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564906
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSDF ID: N
Waste Code: N
Quantity: Not reported
Units: 1
Number of Containers: DM
Container Type: 80
Handling Method: P
Specific Gravity: 1
Waste Code: T
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: 07
Manifest Status: 001305618JJK
Trans1 State ID: NYR000089557
Trans2 State ID: Not reported
Generator Ship Date: CDX107000000
Trans1 Recv Date: Not reported
Trans2 Recv Date: NJD000564905
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: N
Trans1 EPA ID: N
Trans2 EPA ID: N
TSDF ID: N
Waste Code: N
Quantity: Not reported
Units: 2
Number of Containers: DM
Container Type: 260
Handling Method: P
Specific Gravity: 1
Waste Code: R
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
Document ID:	07
Manifest Status:	001305618JJK
Trans1 State ID:	NYR000089557
Trans2 State ID:	Not reported
Generator Ship Date:	CDX107000000
Trans1 Recv Date:	Not reported
Trans2 Recv Date:	NJD000564905
TSD Site Recv Date:	Not reported
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	N
Trans1 EPA ID:	N
Trans2 EPA ID:	N
TSD ID:	N
Waste Code:	N
Quantity:	Not reported
Units:	1
Number of Containers:	DM
Container Type:	80
Handling Method:	P
Specific Gravity:	1
Waste Code:	R
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	Not reported
Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
Document ID:	NYC6536935
Manifest Status:	Not reported
Trans1 State ID:	SCR000075150
Trans2 State ID:	NJD071629976
Generator Ship Date:	06/15/2001
Trans1 Recv Date:	06/15/2001
Trans2 Recv Date:	06/25/2001
TSD Site Recv Date:	06/26/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6561033
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 09/10/2001
Trans1 Recv Date: 09/10/2001
Trans2 Recv Date: 09/17/2001
TSD Site Recv Date: 09/18/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: GF1411NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6909028
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 11/01/2002
Trans1 Recv Date: 11/01/2002
Trans2 Recv Date: 11/08/2002
TSD Site Recv Date: 11/11/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NY84885JE
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6850528
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: 71629976
Generator Ship Date: 07/31/2002
Trans1 Recv Date: 07/31/2002
Trans2 Recv Date: 08/02/2002
TSD Site Recv Date: 08/02/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 89930JENY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6632436
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 02/20/2002
Trans1 Recv Date: 02/20/2002
Trans2 Recv Date: 02/22/2002
TSD Site Recv Date: 02/27/2002
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCEH2705
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7105026
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 10/24/2003
Trans1 Recv Date: 10/24/2003
Trans2 Recv Date: 10/31/2003
TSD Site Recv Date: 11/03/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NY83381JN
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6977970
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 04/15/2003
Trans1 Recv Date: 04/15/2003
Trans2 Recv Date: 04/17/2003
TSD Site Recv Date: 04/21/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYAT8305
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7317314

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Manifest Status: Not reported
Trans1 State ID: NY83381JN
Trans2 State ID: 044T17L84
Generator Ship Date: 01/16/2004
Trans1 Recv Date: 01/16/2004
Trans2 Recv Date: 01/23/2004
TSD Site Recv Date: 01/26/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: TXR000050930
Trans2 EPA ID: Not reported
TSD ID: OHD980587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 04
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5362146
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 07/20/2005
Trans1 Recv Date: 07/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Quantity: 00050
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00260
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: Not reported
Year: 2005
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG4242177
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 07/26/2006
Trans1 Recv Date: 07/26/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/04/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00240
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Quantity: 00780
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 06
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG4447917
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: Not reported
Generator Ship Date: 03/09/2006
Trans1 Recv Date: 03/09/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/17/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000089557
Trans1 EPA ID: NJ420
Trans2 EPA ID: Not reported
TSD ID: NJD000564906
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 06
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004761703

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access 24 additional NY_MANIFEST: record(s) in the EDR Site Report.

AJ162
East
1/8-1/4
0.212 mi.
1120 ft.

TRUVAL CLEANERS
568 GRAND ST
BROOKLYN, NY 11211
Site 4 of 4 in cluster AJ

RCRA-NonGen 1004760265
FINDS NYR000037945
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: TRUVAL CLEANERS
Facility address: 568 GRAND ST
BROOKLYN, NY 11211
EPA ID: NYR000037945
Mailing address: GRAND ST
BROOKLYN, NY 11211
Contact: RICARDO RIVAS
Contact address: GRAND ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 486-7639
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
28 ft.

Owner/Operator Summary:
Owner/operator name: INOCENSIA RIVAS
Owner/operator address: 105-30 75TH ST
JAMAICA, NY 11207
Owner/operator country: US
Owner/operator telephone: (718) 235-5380
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: INOCENSIA RIVAS
Owner/operator address: 105-30 75TH ST
JAMAICA, NY 11207
Owner/operator country: US
Owner/operator telephone: (718) 235-5380
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:
U.S. importer of hazardous waste: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: TRUVAL CLEANERS
Classification: Not a generator, verified

Date form received by agency: 04/17/1997
Facility name: TRUVAL CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004533764

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000037945
Country: USA
Mailing Name: TRUVAL CLEANERS
Mailing Contact: RICARDO RIVAS
Mailing Address: 568 GRAND ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-486-7639

Document ID: NYC4569344
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Trans1 State ID: NYGF2859
Trans2 State ID: 12071PNY
Generator Ship Date: 971104
Trans1 Recv Date: 971104
Trans2 Recv Date: 971112
TSD Site Recv Date: 971117
Part A Recv Date: Not reported
Part B Recv Date: 971218
Generator EPA ID: NYR000037945
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: NYD980769947
TSDF ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC4965131
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: MOD095038998
Generator Ship Date: 02/06/1998
Trans1 Recv Date: 02/06/1998
Trans2 Recv Date: 02/12/1998
TSD Site Recv Date: 02/13/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYC496513
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5210155
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: DER000000273
Generator Ship Date: 04/24/1998
Trans1 Recv Date: 04/24/1998
Trans2 Recv Date: 05/05/1998
TSD Site Recv Date: 05/07/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAM6252
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5350342
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: MOD095038998
Generator Ship Date: 08/07/1998
Trans1 Recv Date: 08/07/1998
Trans2 Recv Date: 08/13/1998
TSD Site Recv Date: 08/14/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAM6252
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5440274
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 11/10/1998
Trans1 Recv Date: 11/10/1998
Trans2 Recv Date: 11/17/1998
TSD Site Recv Date: 11/20/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAM6252
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5529251
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 01/29/1999
Trans1 Recv Date: 01/29/1999
Trans2 Recv Date: 02/03/1999
TSD Site Recv Date: 02/09/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYGF2859
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5610510
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 04/22/1999
Trans1 Recv Date: 04/22/1999
Trans2 Recv Date: 04/29/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

TSD Site Recv Date: 05/05/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5852474
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 07/15/1999
Trans1 Recv Date: 07/15/1999
Trans2 Recv Date: 07/21/1999
TSD Site Recv Date: 07/23/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5941067
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: NJD071629976
Generator Ship Date: 10/07/1999
Trans1 Recv Date: 10/07/1999
Trans2 Recv Date: 10/14/1999
TSD Site Recv Date: 10/18/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6280907
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 12/01/2000
Trans1 Recv Date: 12/01/2000
Trans2 Recv Date: 12/05/2000
TSD Site Recv Date: 12/08/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5096575
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 02/24/2000
Trans1 Recv Date: 02/24/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Trans2 Recv Date: 03/01/2000
TSD Site Recv Date: 03/03/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYEH2705
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6247956
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 07/12/2000
Trans1 Recv Date: 07/12/2000
Trans2 Recv Date: 07/14/2000
TSD Site Recv Date: 07/19/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRUVAL CLEANERS (Continued)

1004760265

Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6368365
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: Not reported
Generator Ship Date: 03/22/2001
Trans1 Recv Date: 03/22/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/30/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000037945
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AM163 331 KEAP STREET
SSW 331 KEAP STREET
1/8-1/4 BROOKLYN, NY 11211
0.213 mi.
1122 ft. Site 2 of 3 in cluster AM

AST U003396226
HIST AST N/A

Relative:
Higher

AST:

Actual:
26 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601582
Program Type: PBS
UTM X: 588326.09979999997
UTM Y: 4506920.5458500003
Expiration Date: 2013/08/27

Tank Number: 001
Tank Id: 46988
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/15/1984
Capacity Gallons: 3500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 7/14/2008

Equipment Records:

D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
I03 - Overfill - Automatic Shut-Off
B05 - Tank External Protection - Jacketed
F05 - Pipe External Protection - Jacketed
G00 - Tank Secondary Containment - None
J00 - Dispenser - None

Affiliation Records:

Site Id: 23544
Affiliation Type: Emergency Contact
Company Name: SHEFA 331 LLC
Contact Type: Not reported
Contact Name: DAVID MITTELMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 408-9692
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

331 KEAP STREET (Continued)

U003396226

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23544
Affiliation Type: Mail Contact
Company Name: SHEFA 331 LLC
Contact Type: Not reported
Contact Name: DAVID MITTELMAN
Address1: P.O. BOX 050408 PRATT ST.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11205
Country Code: 001
Phone: (718) 243-1278
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23544
Affiliation Type: On-Site Operator
Company Name: SHEFA 331 LLC
Contact Type: Not reported
Contact Name: LUCIANO VENTURA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 486-0656
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23544
Affiliation Type: Owner
Company Name: SHEFA 331 LLC
Contact Type: OWNER
Contact Name: DAVID MITTELMAN
Address1: P.O. BOX 050408, PRATT STA.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11205
Country Code: 001
Phone: (718) 243-1278
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/14/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

331 KEAP STREET (Continued)

U003396226

HIST AST:
PBS Number: 2-601582
SWIS Code: 6101
Operator: LUCIANO VENTURA
Facility Phone: (718) 387-0902
Facility Addr2: 331 KEAP STREET
Facility Type: APARTMENT BUILDING
Emergency: DAVID SHAPIRO
Emergency Tel: (718) 545-7782
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 331 KEAP ST REALTY CORP.
Owner Address: 24-65 38TH STREET
Owner City,St,Zip: ASTORIA, NY 11103
Federal ID: Not reported
Owner Tel: (718) 545-7782
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: DAVID SHAPIRO
Mailing Name: 331 KEAP STREET REALTY CORP.
Mailing Address: 24-65 38TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: LIC ASTORIA, NY 11103
Mailing Telephone: (718) 545-7782
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/23/1998
Expiration: 08/27/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: 05
Pipe Location: Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

331 KEAP STREET (Continued)

U003396226

Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: 05
Tank Containment: None
Leak Detection: 00
Overfill Protection: 03
Dispenser Method: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AM164
SSW
1/8-1/4
0.213 mi.
1122 ft.**

**KEAP CLEANERS
331 KEAP ST
BROOKLYN, NY 11211**

Site 3 of 3 in cluster AM

**RCRA-NonGen 1001224319
FINDS NYR000055368
MANIFEST**

**Relative:
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: KEAP CLEANERS

Facility address: 331 KEAP ST
BROOKLYN, NY 11211

EPA ID: NYR000055368
Mailing address: KEAP ST
BROOKLYN, NY 11211

Contact: MARTIN GOMEZ
Contact address: KEAP ST
BROOKLYN, NY 11211

Contact country: US
Contact telephone: (718) 388-9210
Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 331 KEAP REALTY CORP
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 11211

Owner/operator country: US
Owner/operator telephone: (718) 545-7782

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 331 KEAP REALTY CORP
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 11211

Owner/operator country: US
Owner/operator telephone: (718) 545-7782

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: KEAP CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 05/21/1998
Facility name: KEAP CLEANERS
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004543548

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000055368
Country: USA
Mailing Name: KEAP CLNRS
Mailing Contact: MARTIN GOMEZ
Mailing Address: 331 KEAP ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-388-9210

Document ID: NYC5440285
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 11/12/1998
Trans1 Recv Date: 11/12/1998
Trans2 Recv Date: 11/17/1998
TSD Site Recv Date: 11/20/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYGF2859
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5966897
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 11/05/1999
Trans1 Recv Date: 11/05/1999
Trans2 Recv Date: 11/10/1999
TSD Site Recv Date: 11/16/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYLP3931

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC5610521
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 04/23/1999
Trans1 Recv Date: 04/23/1999
Trans2 Recv Date: 04/29/1999
TSD Site Recv Date: 05/05/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Document ID: NYC6294778
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 09/28/2000
Trans1 Recv Date: 09/28/2000
Trans2 Recv Date: 10/03/2000
TSD Site Recv Date: 10/05/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6053332
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 02/03/2000
Trans1 Recv Date: 02/03/2000
Trans2 Recv Date: 02/09/2000
TSD Site Recv Date: 02/11/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYEH2705
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6060767
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 04/19/2000
Trans1 Recv Date: 04/19/2000
Trans2 Recv Date: 04/26/2000
TSD Site Recv Date: 04/28/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6247967
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 07/12/2000
Trans1 Recv Date: 07/12/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Trans2 Recv Date: 07/14/2000
TSD Site Recv Date: 07/19/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6536946
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 06/15/2001
Trans1 Recv Date: 06/15/2001
Trans2 Recv Date: 06/25/2001
TSD Site Recv Date: 06/26/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00133
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6368376
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: Not reported
Generator Ship Date: 03/22/2001
Trans1 Recv Date: 03/22/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/30/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6909030
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 11/01/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Trans1 Recv Date: 11/01/2002
Trans2 Recv Date: 11/08/2002
TSD Site Recv Date: 11/11/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NY84885JE
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6936390
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: MOR000505347
Generator Ship Date: 06/04/2003
Trans1 Recv Date: 06/04/2003
Trans2 Recv Date: 06/06/2003
TSD Site Recv Date: 06/09/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000055368
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAT8305
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00133
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEAP CLEANERS (Continued)

1001224319

Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

AN165
South
1/8-1/4
0.217 mi.
1144 ft.

373 SOUTH FOURTH ST
373 SOUTH FOURTH STREET
BROOKLYN, NY 11211
Site 1 of 3 in cluster AN

UST U004078468
N/A

Relative:
Higher

UST:
Facility Id: 2-608205
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2008/01/30
UTM X: 588447.15971000004
UTM Y: 4506904.8755400004
Site ID: 30057

Actual:
27 ft.

Tank Number: 001
Tank ID: 64890
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
H03 - Tank Leak Detection - Vapor Well

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

373 SOUTH FOURTH ST (Continued)

U004078468

B05 - Tank External Protection - Jacketed
F05 - Pipe External Protection - Jacketed
C01 - Pipe Location - Aboveground

Affiliation Records:

Site Id: 30057
Affiliation Type: Owner
Company Name: JAC HOLDING LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 179 PROSPECT PLACE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11238
Country Code: 001
Phone: (718) 636-8396
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30057
Affiliation Type: On-Site Operator
Company Name: 373 SOUTH FOURTH ST
Contact Type: Not reported
Contact Name: JOSE ROSA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-7161
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 30057
Affiliation Type: Mail Contact
Company Name: JAC HOLDING LLC
Contact Type: Not reported
Contact Name: J. ALLISON CROCKETT
Address1: 179 PROSPECT PLACE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11238
Country Code: 001
Phone: (718) 636-8396
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

373 SOUTH FOURTH ST (Continued)

U004078468

Date Last Modified: 3/4/2004

Site Id: 30057
Affiliation Type: Emergency Contact
Company Name: JAC HOLDING LLC
Contact Type: Not reported
Contact Name: J. CROCKETT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 636-8396
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

AO166
West
1/8-1/4
0.218 mi.
1151 ft.

APARTMENT BUILDING
265 SOUTH 2ND ST
BROOKLYN, NY

Site 1 of 6 in cluster AO

LTANKS **S107789096**
N/A

Relative:
Higher

Actual:
33 ft.

LTANKS:
Site ID: 362170
Spill No: 0600214
Spill Date: 4/6/2006
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/17/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 4/6/2006
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/6/2006
Spill Record Last Update: 11/20/2006
Spiller Name: CHUCK MERRITT
Spiller Company: APARTMENT BUILDING
Spiller Address: 265 SOUTH 2ND ST.
Spiller City,St,Zip: BROOKLYN, NY 11201
Spiller County: 001
Spiller Contact: CHUCK MERRITT
Spiller Phone: (718) 767-7997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S107789096

Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 312408
DEC Memo: 04/07/06-Hiralkumar Patel. Spoke with Jim at Protest and he found that tank was leaking. this is 4000 gal AST vaulted in Concrete. haven't heard after tank test. Left message for Chuck Merritt at Merritt Engineering. 04/17/06-Hiralkumar Patel. Left message for Ms. Marian at Merritt Engineering. Received call from Maryann Wagh from Merritt Engineering. she gave me following information about owner of property: Super REalty LLC Mr. Abe Lasker (917) 753-8996. Left message for Chuck at Merritt as Maryann doesn't have latest information on case. Spoke with Abe Lasker at Super Realty. as per Mr. Lasker, somebody did work at site on Thursday to find out leakage. he doesn't know who did it. He is the Manager of property and his address is: Abe Lasker Super Realty LLC PO Box 110525 Brooklyn, NY 11211 Ph. (917) 753-8996 FAX (718) 336-8983 Received call from Chuck (FAX: 718-767-7996) from Merritt Engineering. as per him, Protest did isolation test and found leakage in pipings. Spoke with John at Pro Test. these are two different buildings and as per him, he found leakage in Vent pipe and remote fill. one building has vent pipe only leakage and another has vent pipe and remote fill. he doesn't know which one has what problem, so he will fax me that information with copies of test results. he still waiting to get approval for repair work. 05/11/06-Hiralkumar Patel. Left message for Jim at Protest. Received message from Jim. they haven't heard from owner yet. left message for Mr. Merritt. 06/01/06-Hiralkumar Patel. Spoke at Protest. Jim is out of office and will be back tomorrow. 06/02/06-Hiralkumar Patel. Spoke to John at Protest. He will call back with more information. 07/06/06-Hiralkumar Patel. spoke to Mr. Lasker and asked to send work invoice and test result. Mr. Lasker will call back. spoke to Maria at Protest. she will call back with updates. 08/01/06-Hiralkumar Patel. left message for Mr. Lasker. received call from Mr. Lasker. he will call protest and will call back with updates. 08/29/06-Hiralkumar Patel. spoke with John. they will be going onsite for repair work in next two weeks. if find any contamination, will remove it and if necessary will take endpoint samples. will send lab analyticals by first week of Oct. 2006. 09/25/06-Hiralkumar Patel. spoke with Bob at Protest. he will check and call back. received call from Bob. he found that Protest has done some piping replacement work and he couldn't find test results. he will ask John to call the Department. 11/08/06-Hiralkumar Patel. left message for John at Protest. 11/17/06-Hiralkumar Patel. received letter and tank test result from Ted from Protest. as per Ted, leak was at remote fill above grade. they have relocate the remote fill and replaced some aboveground pipings. no PBS record. spoke with Mr. Lasker. this building has been sold out in Aug. 06 and has new management. Mr. Lasker has new management company's information in office and will fax this information. sent fax to Mr. Lasker requesting new management's information and asked him to contact DEC Falvey. sent email to DEC Falvey with Mr. Lasker's contact number and detail about tank and site. Mr. Falvey will contact new management about tank registration. based on available documents, case closed. 11/20/06-Hiralkumar Patel. received fax from Mr. Lasker. as per Mr. Lasker, tank is registered. new management is: Mag Realty Corp 475 Washington AVenue Brooklyn, NY 11238 Ph. (718) 622-6157 Fax (718) 789-3500 Contact: Mitch Asher spoke with Mr. Asher. he doesn't know about registration. he will check and will do registration if not

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

APARTMENT BUILDING (Continued)

S107789096

Remarks: registered. Mr. Asher asked to send application form.
 Tank test failure.

Material:
 Site ID: 362170
 Operable Unit ID: 1120272
 Operable Unit: 01
 Material ID: 2109768
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: 362170
 Spill Tank Test: 1549872
 Tank Number: 1
 Tank Size: 4000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Watchdog
 Last Modified: 4/6/2006
 Test Method: Horner EZ Check I or II

AO167
West
1/8-1/4
0.218 mi.
1151 ft.

SOUTH SECOND REALTY
265 SO 2 ST
BKLYN, NY 11211
Site 2 of 6 in cluster AO

AST U003390308
HIST AST N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-212822
 Program Type: PBS
 UTM X: 588111.39017000003
 UTM Y: 4507231.1291300002
 Expiration Date: 2011/08/08

Actual:
33 ft.

Tank Number: 001
 Tank Id: 18794
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1914
 Capacity Gallons: 4000
 Tightness Test Method: 21

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH SECOND REALTY (Continued)

U003390308

Date Test: 9/14/2006
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 2/1/2007

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H99 - Tank Leak Detection - Other
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 7825
Affiliation Type: On-Site Operator
Company Name: SOUTH SECOND REALTY
Contact Type: Not reported
Contact Name: FRANCISCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 477-0166
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

Site Id: 7825
Affiliation Type: Mail Contact
Company Name: MAG REALTY CORP
Contact Type: Not reported
Contact Name: MITCHELL ASHON
Address1: 475 WASHINGTON AVE, 2C
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11238
Country Code: 001
Phone: (718) 622-6157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

Site Id: 7825

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH SECOND REALTY (Continued)

U003390308

Affiliation Type: Emergency Contact
Company Name: S. 2ND ST. PARTNERS LLC C/O MAG REALTY CORP
Contact Type: Not reported
Contact Name: FRANCISCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (516) 477-0166
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

Site Id: 7825
Affiliation Type: Owner
Company Name: S. 2ND ST. PARTNERS LLC C/O MAG REALTY CORP
Contact Type: MANAGING AGENT
Contact Name: MITCHELL ASHON
Address1: 475 WASHINGTON AVE, 2C
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11238
Country Code: 001
Phone: (718) 622-6157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/1/2007

HIST AST:

PBS Number: 2-212822
SWIS Code: 6101
Operator: ERNEST BUCKNER
Facility Phone: (718) 218-9594
Facility Addr2: 265 SO 2 ST
Facility Type: APARTMENT BUILDING
Emergency: ABRAHAM LASKER
Emergency Tel: (718) 336-7466
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: SOUTH SECOND REALTY
Owner Address: P.O. BOX 525
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 336-7466
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SUPER FACILITY MANAGER
Mailing Name: SOUTH SECOND REALTY C/O LASKER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SOUTH SECOND REALTY (Continued)

U003390308

Mailing Address: P.O. BOX 525
Mailing Address 2: WMSBGH STATION
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 336-7466
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 04/21/1998
Expiration: 04/10/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

168
NW
1/8-1/4
0.219 mi.
1157 ft.

MEHION SOROUDI
103 HAVEMEYER ST
BROOKLYN, NY 11211

AST U003384127
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-083143
Program Type: PBS
UTM X: 588172.48384
UTM Y: 4507435.71906
Expiration Date: 2012/10/15

Actual:
23 ft.

Tank Number: 001
Tank Id: 3061
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1970
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KAKYER
Last Modified: 8/10/2007

Equipment Records:

J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
H04 - Tank Leak Detection - Groundwater Well

Affiliation Records:

Site Id: 1846
Affiliation Type: Owner
Company Name: MEHRAN SOROUDI
Contact Type: OWNER
Contact Name: MEHRAN SORDUDI
Address1: PO BOX 770172
Address2: Not reported
City: WOODSIDE
State: NY
Zip Code: 11377
Country Code: 001
Phone: (718) 387-8467
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEHION SOROUDI (Continued)

U003384127

Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/10/2007

Site Id: 1846
Affiliation Type: Mail Contact
Company Name: MEHRAN SOROUDI
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 770172
Address2: Not reported
City: WOODSIDE
State: NY
Zip Code: 11377
Country Code: 001
Phone: (516) 365-6601
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/10/2007

Site Id: 1846
Affiliation Type: On-Site Operator
Company Name: MEHRAN SOROUDI
Contact Type: Not reported
Contact Name: MEHRAN SOROUDI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-8467
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1846
Affiliation Type: Emergency Contact
Company Name: MEHRAN SOROUDI
Contact Type: Not reported
Contact Name: MEHRAN SOROUDI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-8467
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEHION SOROUDI (Continued)

U003384127

Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-083143
SWIS Code: 6101
Operator: MEHIAN SOROUDI
Facility Phone: (718) 387-2811
Facility Addr2: 103 HAVEMEYER ST
Facility Type: APARTMENT BUILDING
Emergency: MEHRAN SEROUDI
Emergency Tel: (718) 387-2811
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MEHRAN SOROUDI
Owner Address: 54-02 39TH AVENUE
Owner City,St,Zip: WOODSIDE, NY 11377
Federal ID: Not reported
Owner Tel: (718) 387-2811
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: MEHRAN SOROUDI
Mailing Address: P.O. BOX 770172
Mailing Address 2: Not reported
Mailing City,St,Zip: WOODSIDE, NY 11377
Mailing Telephone: (516) 869-9899
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/08/1999
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEHION SOROUDI (Continued)

U003384127

Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 3
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

169
NNW
1/8-1/4
0.220 mi.
1161 ft.

BUDNAGURA CLEANERS
378 METROPOLITAN AVENUE
BROOKLYN, NY 11211

DRYCLEANERS **S110246100**
N/A

Relative:
Higher

DRYCLEANERS:
Facility ID: SHUT DOWN
Region: 2
Registration Effective Date: N/A
Inspection Date: Not reported
Drop Shop: Not reported
Shutdown: Y
Alternate Solvent: Not reported
Current Business: NOT A DRY CLEANER

Actual:
18 ft.

AP170
East
1/8-1/4
0.221 mi.
1169 ft.

NYNEX-MANHOLE
LORIMER & GRAND STS
BROOKLYN, NY 11201

RCRA-NonGen **1007205224**
MANIFEST **NYP000921361**

Site 1 of 2 in cluster AP

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 03/27/1996
Facility name: NYNEX-MANHOLE
Facility address: LORIMER & GRAND STS
BROOKLYN, NY 112010000
EPA ID: NYP000921361
Mailing address: 221 E 37TH ST 4TH FLR
NEW YORK, NY 100160000
Contact: JOHN QUATRALE
Contact address: 221 E 37TH ST 4TH FLR
NEW YORK, NY 100160000
Contact country: US
Contact telephone: (212) 338-7141
Telephone ext.: 9999
Contact email: Not reported

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX-MANHOLE (Continued)

1007205224

EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 03/26/1996
Facility name: NYNEX-MANHOLE
Classification: Not a generator, verified

Date form received by agency: 03/25/1996
Facility name: NYNEX-MANHOLE
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP000921361
Country: USA
Mailing Name: NYNEX
Mailing Contact: SUSHMITA BISWAS
Mailing Address: 221 EAST 37TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-338-7126

Document ID: MIA4133793
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 950808
Trans1 Recv Date: 950808
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950815

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX-MANHOLE (Continued)

1007205224

Part A Recv Date: Not reported
Part B Recv Date: 950906
Generator EPA ID: NYP000921361
Trans1 EPA ID: NYD010951986
Trans2 EPA ID: NYD046765574
TSDF ID: MID096963194
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 02400
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

AQ171
SSE
1/8-1/4
0.224 mi.
1183 ft.

**HAS REALTY ASSOCIATES
393 HEWES STREET
BROOKLYN, NY 11211**
Site 1 of 2 in cluster AQ

AST A100153979
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-603122
Program Type: PBS
UTM X: 588631.33660000004
UTM Y: 4506912.9296800001
Expiration Date: 2014/07/06

Actual:
29 ft.

Tank Number: 001
Tank Id: 56813
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1995
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAS REALTY ASSOCIATES (Continued)

A100153979

Last Modified: 6/26/2009

Equipment Records:

- K00 - Spill Prevention - None
- B00 - Tank External Protection - None
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- E00 - Piping Secondary Containment - None
- I04 - Overfill - Product Level Gauge (A/G)
- C00 - Pipe Location - No Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- F00 - Pipe External Protection - None

Affiliation Records:

Site Id: 25074
Affiliation Type: Mail Contact
Company Name: KAY MANAGEMENT
Contact Type: Not reported
Contact Name: SAM KAY
Address1: P.O. BOX 190071
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/8/2004

Site Id: 25074
Affiliation Type: Emergency Contact
Company Name: HAS REALTY ASSOCIATES
Contact Type: Not reported
Contact Name: SAM KAY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 234-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/8/2004

Site Id: 25074
Affiliation Type: On-Site Operator
Company Name: HAS REALTY ASSOCIATES
Contact Type: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HAS REALTY ASSOCIATES (Continued)

A100153979

Contact Name: ARMANDO GUZMAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 807-4556
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/8/2004

Site Id: 25074
 Affiliation Type: Owner
 Company Name: HAS REALTY ASSOCIATES
 Contact Type: OFFICER
 Contact Name: SAM KAY
 Address1: P.O. BOX 190071
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11211
 Country Code: 001
 Phone: (718) 234-5900
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/8/2004

AN172 **LUISIA KNOLL**
South **319 HOOPER ST**
1/8-1/4 **BROOKLYN, NY 11211**
0.225 mi.
1186 ft. **Site 2 of 3 in cluster AN**

AST **U003386570**
HIST AST **N/A**

Relative: **AST:**
Higher Region: STATE
 DEC Region: 2
Actual: Site Status: Active
26 ft. Facility Id: 2-240281
 Program Type: PBS
 UTM X: 588451.26792000001
 UTM Y: 4506859.3831000002
 Expiration Date: 2012/07/07

Tank Number: 001
 Tank Id: 10259
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 4/28/1996
 Capacity Gallons: 2500
 Tightness Test Method: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUISIA KNOLL (Continued)

U003386570

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 3/27/2007

Equipment Records:

A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 9095
Affiliation Type: Mail Contact
Company Name: LUISIA KNOLL
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9095
Affiliation Type: On-Site Operator
Company Name: LUISIA KNOLL
Contact Type: Not reported
Contact Name: LUISIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9095

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUISIA KNOLL (Continued)

U003386570

Affiliation Type: Owner
Company Name: LUISIA KNOLL
Contact Type: MA
Contact Name: DR. MORRIS JOSEPH KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/27/2007

Site Id: 9095
Affiliation Type: Emergency Contact
Company Name: LUISIA KNOLL
Contact Type: Not reported
Contact Name: LUISIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-240281
SWIS Code: 6101
Operator: LUISIA KNOLL
Facility Phone: (718) 384-6461
Facility Addr2: 319 HOOPER ST
Facility Type: APARTMENT BUILDING
Emergency: LUISIA KNOLL
Emergency Tel: (718) 384-6461
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: LUISIA KNOLL
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-6461
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: LUISIA KNOLL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUISIA KNOLL (Continued)

U003386570

Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 384-6461
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/07/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AN173 **380 SOUTH 4TH STREET**
South **380 SOUTH 4TH STREET**
1/8-1/4 **BROOKLYN, NY 11211**
0.226 mi.
1192 ft. **Site 3 of 3 in cluster AN**

AST **U003396228**
HIST AST **N/A**

Relative:
Higher

AST:

Actual:
27 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601586
Program Type: PBS
UTM X: 588505.60242000001
UTM Y: 4506863.5210199999
Expiration Date: 2012/06/18

Tank Number: 001
Tank Id: 47040
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1940
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kaker
Last Modified: 11/20/2007

Equipment Records:

- I03 - Overfill - Automatic Shut-Off
- H00 - Tank Leak Detection - None
- C01 - Pipe Location - Aboveground
- B05 - Tank External Protection - Jacketed
- G00 - Tank Secondary Containment - None
- D02 - Pipe Type - Galvanized Steel
- A00 - Tank Internal Protection - None
- F05 - Pipe External Protection - Jacketed
- J00 - Dispenser - None

Affiliation Records:

Site Id: 23548
Affiliation Type: Mail Contact
Company Name: 378 SOUTH 4TH LLC.
Contact Type: MANAGING MEMBER
Contact Name: ROBERT RAPHAEL
Address1: 50 MERRICK RD.
Address2: Not reported
City: ROCKVILLE CTR
State: NY
Zip Code: 11570
Country Code: 001
Phone: (516) 764-0226
Phone Ext: Not reported
Email: ROBERT@GLIMANMANAGEMENT.COM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

380 SOUTH 4TH STREET (Continued)

U003396228

Fax Number: Not reported
Modified By: kaker
Date Last Modified: 11/20/2007

Site Id: 23548
Affiliation Type: On-Site Operator
Company Name: 380 SOUTH 4TH STREET
Contact Type: Not reported
Contact Name: JUAN SANCHEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 302-5108
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/9/2004

Site Id: 23548
Affiliation Type: Owner
Company Name: 378 SOUTH 4TH LLC.
Contact Type: MANAGING MEMBER
Contact Name: ROBERT RAPHAEL
Address1: 50 MERRICK RD.
Address2: Not reported
City: ROCKVILLE CTR
State: NY
Zip Code: 11570
Country Code: 001
Phone: (516) 764-0226
Phone Ext: Not reported
Email: ROBERT@GLIMANMANAGEMENT.COM
Fax Number: Not reported
Modified By: kaker
Date Last Modified: 11/20/2007

Site Id: 23548
Affiliation Type: Emergency Contact
Company Name: PRANA NINE PROPERTIES, LLC
Contact Type: Not reported
Contact Name: MARIZED SURRA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (914) 380-8220
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/9/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

380 SOUTH 4TH STREET (Continued)

U003396228

HIST AST:
PBS Number: 2-601586
SWIS Code: 6101
Operator: RAMON ORTIZ
Facility Phone: (718) 387-5421
Facility Addr2: 380 SOUTH 4TH STREET
Facility Type: APARTMENT BUILDING
Emergency: DAVID SHAPIRO
Emergency Tel: (718) 545-7782
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 380 SOUTH 4TH STREET REALTY CORP.
Owner Address: 24-65 38TH STREET
Owner City,St,Zip: ASTORIA, NY 11103
Federal ID: Not reported
Owner Tel: (718) 545-7782
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: DAVID SHAPIRO
Mailing Name: 380SOUTH 4TH STREET REALTY CORP.
Mailing Address: 24-65 38TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: ASTORIA, NY 11103
Mailing Telephone: (718) 545-7782
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/23/1998
Expiration: 09/07/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 05
Pipe Location: Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

380 SOUTH 4TH STREET (Continued)

U003396228

Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: 05
Tank Containment: None
Leak Detection: 00
Overfill Protection: 03
Dispenser Method: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AP174
East
1/8-1/4
0.227 mi.
1197 ft.

NYNEX
465 LORIMER ST
BROOKLYN, NY 11201
Site 2 of 2 in cluster AP

MANIFEST 1009233756
N/A

Relative:
Higher

Actual:
31 ft.

NY MANIFEST:
EPA ID: NYP000920199
Country: USA
Mailing Name: NYNEX
Mailing Contact: SUSHMITA BISWAS
Mailing Address: 221 EAST 37TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10016
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-338-7126

Document ID: MIA4133652
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 950511
Trans1 Recv Date: 950511
Trans2 Recv Date: 950512
TSD Site Recv Date: 950526
Part A Recv Date: Not reported
Part B Recv Date: 950614
Generator EPA ID: NYP000920199
Trans1 EPA ID: NYD010951986
Trans2 EPA ID: NYD046765574
TSDf ID: MID096963194
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01200
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

1009233756

Specific Gravity: 100
Year: 95
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

AO175
West
1/8-1/4
0.228 mi.
1203 ft.

FRIENDS DRY CLEANERS
259 S 2ND ST
BROOKLYN, NY 11211
Site 3 of 6 in cluster AO

RCRA-NonGen 1001818148
FINDS NYR000076349
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: FRIENDS DRY CLEANERS
Facility address: 259 S 2ND ST
BROOKLYN, NY 11211
EPA ID: NYR000076349
Mailing address: S 2ND ST
BROOKLYN, NY 11211
Contact: FRANCISCO VENTURA
Contact address: S 2ND ST
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 218-7017
Contact email: Not reported
EPA Region: 02
Land type: Private
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
35 ft.

Owner/Operator Summary:
Owner/operator name: FRANCISCO VENTURA
Owner/operator address: 312 BEDFORD AVE
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 218-7017
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FRANCISCO VENTURA
Owner/operator address: 312 BEDFORD AVE
BROOKLYN, NY 11211
Owner/operator country: US
Owner/operator telephone: (718) 218-7017
Legal status: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: FRIENDS DRY CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 09/09/1999
Facility name: FRIENDS DRY CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: SR - 371.1(f)(7)(iii), 232.9
Area of violation: Generators - General
Date violation determined: 07/27/1999
Date achieved compliance: 09/28/1999
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/16/1999
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 11/05/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 07/27/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 09/28/1999
Evaluation lead agency: EPA

FINDS:

Registry ID: 110001985763

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000076349
Country: USA
Mailing Name: FRIENDS DRY CLEANERS
Mailing Contact: FRANCISCO VENTURA
Mailing Address: 259 SOUTH 2ND ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-218-7017

Document ID: NYC5945422
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCR000074591
Generator Ship Date: 12/23/1999
Trans1 Recv Date: 12/23/1999
Trans2 Recv Date: 12/29/1999
TSD Site Recv Date: 12/30/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Trans2 EPA ID: Not reported
TSDF ID: NYLP3931
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6318527
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 12/27/2000
Trans1 Recv Date: 12/27/2000
Trans2 Recv Date: 12/28/2000
TSD Site Recv Date: 01/09/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Mgmt Method Type Code: Not reported

Document ID: NYC6208031
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 06/13/2000
Trans1 Recv Date: 06/13/2000
Trans2 Recv Date: 06/20/2000
TSD Site Recv Date: 06/23/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6472978
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: MOD095038998
Generator Ship Date: 04/20/2001
Trans1 Recv Date: 04/20/2001
Trans2 Recv Date: 04/27/2001
TSD Site Recv Date: 04/28/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYCGF1411
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6496582
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 10/04/2001
Trans1 Recv Date: 10/04/2001
Trans2 Recv Date: 10/12/2001
TSD Site Recv Date: 10/19/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: GF1411NY
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC6674556
Manifest Status: Not reported
Trans1 State ID: SCR000075150

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Trans2 State ID: MOD095038998
Generator Ship Date: 03/22/2002
Trans1 Recv Date: 03/22/2002
Trans2 Recv Date: 03/28/2002
TSD Site Recv Date: 03/28/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NJXAB6362
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYC7084440
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: MOR000505347
Generator Ship Date: 06/04/2003
Trans1 Recv Date: 06/04/2003
Trans2 Recv Date: 06/06/2003
TSD Site Recv Date: 06/09/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076349
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NYAT8305
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 03
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FRIENDS DRY CLEANERS (Continued)

1001818148

Export Ind: Not reported
 Discr Quantity Ind: Not reported
 Discr Type Ind: Not reported
 Discr Residue Ind: Not reported
 Discr Partial Reject Ind: Not reported
 Discr Full Reject Ind: Not reported
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: Not reported

AO176
West
1/8-1/4
0.228 mi.
1203 ft.

FRIEND DRY CLEANERS
259 SOUTH 2ND STREET
BROOKLYN, NY 11211

DRYCLEANERS

S110246643
N/A

Site 4 of 6 in cluster AO

Relative:
Higher

DRYCLEANERS:
 Facility ID: 2-6101-01052
 Region: 2
 Registration Effective Date: N/A
 Inspection Date: 04NOV30
 Drop Shop: Y
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: DROP SHOP

Actual:
35 ft.

177
SW
1/8-1/4
0.231 mi.
1217 ft.

322 RODNEY ST
322 RODNEY ST
BKLYN, NY 11211

AST
HIST AST

U003386010
N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-273767
 Program Type: PBS
 UTM X: 588217.56475000002
 UTM Y: 4506945.9325599996
 Expiration Date: 2012/08/24

Actual:
28 ft.

Tank Number: 001
 Tank Id: 8996
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 6/3/1960
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322 RODNEY ST (Continued)

U003386010

Register: True
Modified By: DXLIVING
Last Modified: 6/26/2007

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 11663
Affiliation Type: On-Site Operator
Company Name: 322 RODNEY ST
Contact Type: Not reported
Contact Name: NOEL RIVAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 387-4963
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11663
Affiliation Type: Mail Contact
Company Name: 322 RODNEY ST LLC
Contact Type: Not reported
Contact Name: HAGER MANAGEMENT
Address1: 544 PARK AVE. #610
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11205
Country Code: 001
Phone: (718) 852-0978
Phone Ext: Not reported
Email: JHAGER@HAGERMANAGEMENT.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/26/2007

Site Id: 11663
Affiliation Type: Emergency Contact
Company Name: 322 RODNEY ST LLC
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322 RODNEY ST (Continued)

U003386010

Contact Name: J. HAGER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 852-0978
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/26/2007

Site Id: 11663
Affiliation Type: Owner
Company Name: 322 RODNEY ST LLC
Contact Type: MANAGING AGENT
Contact Name: JACOB HAGER
Address1: 544 PARK AVE. #610
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11205
Country Code: 001
Phone: (718) 852-0978
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/26/2007

HIST AST:

PBS Number: 2-273767
SWIS Code: 6101
Operator: NOEL
Facility Phone: (718) 387-4963
Facility Addr2: 322 RODNEY ST
Facility Type: APARTMENT BUILDING
Emergency: J. HAGER
Emergency Tel: (718) 782-0579
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: REAL MANAGEMENT G. ASSO.
Owner Address: 217 HAVEMEYER STREET #505
Owner City,St,Zip: BKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 782-0579
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: REAL MANAGEMENT G. ASSO.
Mailing Address: 217 HAVEMEYER STREET #505
Mailing Address 2: Not reported
Mailing City,St,Zip: BKLYN, NY 11211

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322 RODNEY ST (Continued)

U003386010

Mailing Telephone: (718) 782-0579
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/13/1997
Expiration: 08/24/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

178
South
1/8-1/4
0.233 mi.
1233 ft.

LUSIA KNOLL
387 SO 4TH ST
BROOKLYN, NY 11211

AST U003387153
HIST AST N/A

Relative:
Higher

AST:

Actual:
27 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-192813
Program Type: PBS
UTM X: 588531.9483999999
UTM Y: 4506851.3662799997
Expiration Date: 2012/07/07

Tank Number: 001
Tank Id: 11332
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 7/23/2005
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 4/16/2007

Equipment Records:

B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None

Affiliation Records:

Site Id: 6084
Affiliation Type: Emergency Contact
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003387153

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6084
Affiliation Type: Mail Contact
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: LUISIA KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6084
Affiliation Type: Owner
Company Name: LUSIA KNOLL
Contact Type: MA
Contact Name: DR. MORRIS JOSEPH KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/16/2007

Site Id: 6084
Affiliation Type: On-Site Operator
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003387153

Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-192813
SWIS Code: 6101
Operator: LUSIA KNOLL
Facility Phone: (718) 384-6461
Facility Addr2: 387 SO 4TH ST
Facility Type: APARTMENT BUILDING
Emergency: LUSIA KNOLL
Emergency Tel: (718) 384-6461
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: LUSIA KNOLL
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-6461
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: LUISIA KNOLL
Mailing Name: LUSIA KNOLL
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 384-6461
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/07/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003387153

Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

179
NW
1/8-1/4
0.236 mi.
1244 ft.

82 HAVEMEYER STREET
82 HAVEMEYER STREET
BROOKLYN, NY 11211

AST A100292778
N/A

Relative:
Higher

AST:

Actual:
20 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-609681
Program Type: PBS
UTM X: 588172.98768999998
UTM Y: 4507531.88643999996
Expiration Date: 2009/08/17

Tank Number: 1
Tank Id: 179797
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: CGFREEDM
Last Modified: 8/17/2004

Equipment Records:

H00 - Tank Leak Detection - None
I02 - Overfill - High Level Alarm
A00 - Tank Internal Protection - None
L00 - Piping Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

82 HAVEMEYER STREET (Continued)

A100292778

D01 - Pipe Type - Steel/Carbon Steel/Iron
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
E01 - Piping Secondary Containment - Diking (Aboveground)
K02 - Spill Prevention - Transfer Station Containment
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 59071
Affiliation Type: Emergency Contact
Company Name: GIGA GREENPOINT REALTY LLC
Contact Type: Not reported
Contact Name: FERRANTINO FUEL OIL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 832-6700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 8/17/2004

Site Id: 59071
Affiliation Type: Mail Contact
Company Name: GIGA GREENPOINT REALTY LLC
Contact Type: Not reported
Contact Name: DOBRIVOYE FILIPOVICH
Address1: 122 HURON STREET
Address2: P.O. BOX 22-0070
City: BROOKLYN
State: NY
Zip Code: 11222
Country Code: 001
Phone: (718) 389-8667
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 8/17/2004

Site Id: 59071
Affiliation Type: Owner
Company Name: GIGA GREENPOINT REALTY LLC
Contact Type: VICE PRESIDENT
Contact Name: OLIVA FILIPOVICH
Address1: 122 HURON STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11222
Country Code: 001
Phone: (718) 389-8667

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

82 HAVEMEYER STREET (Continued)

A100292778

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 8/17/2004

Site Id: 59071
Affiliation Type: On-Site Operator
Company Name: 82 HAVEMEYER STREET
Contact Type: Not reported
Contact Name: DOBRIVOYE FILIPOVICH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 389-8667
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 8/17/2004

**AR180
ESE
1/8-1/4
0.237 mi.
1249 ft.**

**SALERNO SERVICE STATION
451 LORIMER STREET
BROOKLYN, NY 11206**

**UST U004064281
N/A**

Site 1 of 3 in cluster AR

**Relative:
Higher**

UST:
Facility Id: 2-600442
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/11/26
UTM X: 588828.9667099995
UTM Y: 4507116.0107800001
Site ID: 22423

**Actual:
35 ft.**

Tank Number: 001
Tank ID: 42756
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 7/1/1997
Capacity Gallons: 2000
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 8/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1997
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
C02 - Pipe Location - Underground/On-ground
B01 - Tank External Protection - Painted/Asphalt Coating
F01 - Pipe External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
D02 - Pipe Type - Galvanized Steel

Tank Number: 006
Tank ID: 50043
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997
Capacity Gallons: 2000
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 7/1/1997
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: 3/1/1997
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

J01 - Dispenser - Submersible
F04 - Pipe External Protection - Fiberglass
I03 - Overfill - Automatic Shut-Off
B04 - Tank External Protection - Fiberglass
K01 - Spill Prevention - Catch Basin
C02 - Pipe Location - Underground/On-ground
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
A00 - Tank Internal Protection - None
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 007
Tank ID: 50044
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 7/1/1997
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1997
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Last Modified: 3/4/2004

Equipment Records:

I00 - Overfill - None
F01 - Pipe External Protection - Painted/Asphalt Coating
B01 - Tank External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
H05 - Tank Leak Detection - In-Tank System (ATG)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
C02 - Pipe Location - Underground/On-ground
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 008
Tank ID: 50045
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 7/1/1997
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1997
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C02 - Pipe Location - Underground/On-ground
H05 - Tank Leak Detection - In-Tank System (ATG)
I00 - Overfill - None
F01 - Pipe External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction
B01 - Tank External Protection - Painted/Asphalt Coating
G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 009
Tank ID: 50046
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: 7/1/1997
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 3/1/1997
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Last Modified: 3/4/2004

Equipment Records:

- F01 - Pipe External Protection - Painted/Asphalt Coating
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- I00 - Overfill - None
- H05 - Tank Leak Detection - In-Tank System (ATG)
- A00 - Tank Internal Protection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- C02 - Pipe Location - Underground/On-ground
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 11
Tank ID: 55730
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1995
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

- C02 - Pipe Location - Underground/On-ground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- A01 - Tank Internal Protection - Epoxy Liner
- B04 - Tank External Protection - Fiberglass
- J01 - Dispenser - Submersible
- F04 - Pipe External Protection - Fiberglass
- I03 - Overfill - Automatic Shut-Off
- K01 - Spill Prevention - Catch Basin
- L07 - Piping Leak Detection - Pressurized Piping Leak Detector
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 12
Tank ID: 55731
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

- B04 - Tank External Protection - Fiberglass
- A01 - Tank Internal Protection - Epoxy Liner
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I03 - Overfill - Automatic Shut-Off
- F04 - Pipe External Protection - Fiberglass
- J01 - Dispenser - Submersible
- C02 - Pipe Location - Underground/On-ground
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
- L07 - Piping Leak Detection - Pressurized Piping Leak Detector

Tank Number: 13
Tank ID: 55732
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

- F04 - Pipe External Protection - Fiberglass
- C02 - Pipe Location - Underground/On-ground
- J01 - Dispenser - Submersible
- B04 - Tank External Protection - Fiberglass
- I03 - Overfill - Automatic Shut-Off
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- A01 - Tank Internal Protection - Epoxy Liner
- L07 - Piping Leak Detection - Pressurized Piping Leak Detector
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

Tank Number: 14
Tank ID: 55733
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Capacity Gallons: 2000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

I03 - Overfill - Automatic Shut-Off
K01 - Spill Prevention - Catch Basin
J01 - Dispenser - Submersible
B04 - Tank External Protection - Fiberglass
A01 - Tank Internal Protection - Epoxy Liner
C02 - Pipe Location - Underground/On-ground
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
F04 - Pipe External Protection - Fiberglass
D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
G04 - Tank Secondary Containment - Double-Walled (Underground)
L07 - Piping Leak Detection - Pressurized Piping Leak Detector
E04 - Piping Secondary Containment - Double-Walled (Underground)

Tank Number: 5
Tank ID: 55728
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997
Capacity Gallons: 1080
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 6/1/2008
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

H00 - Tank Leak Detection - None
F99 - Pipe External Protection - Other
A00 - Tank Internal Protection - None
D10 - Pipe Type - Copper
I00 - Overfill - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
C02 - Pipe Location - Underground/On-ground
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Affiliation Records:

Site Id: 22423
Affiliation Type: Emergency Contact
Company Name: MARIO AVALLONE
Contact Type: Not reported
Contact Name: MARIO AVALLONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 599-0746
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/12/2009

Site Id: 22423
Affiliation Type: Owner
Company Name: MARIO AVALLONE
Contact Type: OWNER
Contact Name: MARIO AVALLONE
Address1: 451 LORIMER ST.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11206
Country Code: 001
Phone: (718) 599-0746
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/12/2009

Site Id: 22423
Affiliation Type: On-Site Operator
Company Name: SALERNO SERVICE STATION
Contact Type: Not reported
Contact Name: MARIO AVALLONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-4880
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/30/2007

Site Id: 22423
Affiliation Type: Mail Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U004064281

Company Name: SALERNO SERVICE STATION
Contact Type: Not reported
Contact Name: MARIO AVALLONE
Address1: 451 LORIMER STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11206
Country Code: 001
Phone: (718) 384-4880
Phone Ext: Not reported
Email: SALERNO451@AOL.COM
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/5/2006

AR181
ESE
1/8-1/4
0.237 mi.
1249 ft.

SALERNO SERVICE STATION
451 LORIMER STREET
BROOKLYN, NY 11206
Site 2 of 3 in cluster AR

HIST UST **U001841452**
AST **N/A**
HIST AST

Relative:
Higher

HIST UST:

Actual:
35 ft.

PBS Number: 2-600442
SPDES Number: Not reported
Emergency Contact: MAIRO AVALLONE
Emergency Telephone: (718) 599-0746
Operator: MARIO AVALLONE
Operator Telephone: (718) 384-4880
Owner Name: MARIO AVALLONE
Owner Address: 120 AINSLIE STREET
Owner City,St,Zip: NEW YORK, NY 11211
Owner Telephone: (718) 384-4880
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: SALERNO SERVICE STATION
Mailing Address: 451 LORIMER STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11206
Mailing Contact: MARIO AVALLONE
Mailing Telephone: (718) 384-4880
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 451 LORIMER STREET
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/13/2000
Expiration Date: 11/26/2006
Renew Flag: False
Renewal Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Total Capacity: 15355
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19970701
Capacity (gals): 2000
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: Painted/Asphalt Coating
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: 03/01/1997
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 08/01/1996
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 006
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19970801
Capacity (gals): 2000
Product Stored: DIESEL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: 40
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Automatic Shut-Off, Catch Basin
Dispenser: Submersible
Date Tested: 03/01/1997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 07/01/1997
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 007
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Other
Pipe External: Painted/Asphalt Coating
Second Containment: Vault (w/access)
Leak Detection: In-tank System
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1997
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 07/01/1997
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 008
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Other
Pipe External: Painted/Asphalt Coating
Second Containment: Vault (w/access)
Leak Detection: In-tank System
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1997
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 07/01/1997

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 009
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Other
Pipe External: Painted/Asphalt Coating
Second Containment: Vault (w/access)
Leak Detection: In-tank System
Overfill Prot: Not reported
Dispenser: Suction
Date Tested: 03/01/1997
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 07/01/1997
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 11
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19950801
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass coated steel
Tank Internal: Epoxy Liner
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Catch Basin, Automatic Shut-Off
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Lat/long: Not reported

Tank Id: 12
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970801
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass coated steel
Tank Internal: Epoxy Liner
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Catch Basin, Automatic Shut-Off
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 13
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970801
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Fiberglass coated steel
Tank Internal: Epoxy Liner
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: In-tank System
Overfill Prot: Catch Basin, Automatic Shut-Off
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Tank Id: 14
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970801
Capacity (gals): 2000
Product Stored: DIESEL
Tank Type: Fiberglass coated steel
Tank Internal: Epoxy Liner
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: STAINLESS STEEL ALLOY
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Fiberglass
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: Catch Basin, Automatic Shut-Off
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 5
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970801
Capacity (gals): 1080
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: FIBERGLASS COATED STEEL
Pipe Internal: Other
Pipe External: Other
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Facility Id: 2-600442
Program Type: PBS
UTM X: 588828.96670999995
UTM Y: 4507116.0107800001
Expiration Date: 2011/11/26

Tank Number: 002
Tank Id: 42757
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/1/1997
Capacity Gallons: 2000
Tightness Test Method: 03
Date Test: 3/1/1997
Next Test Date: Not reported
Date Tank Closed: 7/1/1997
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
C02 - Pipe Location - Underground/On-ground
I00 - Overfill - None
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None

Tank Number: 10
Tank Id: 55729
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

D00 - Pipe Type - No Piping
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

J00 - Dispenser - None
F00 - Pipe External Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
I00 - Overfill - None
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None

Tank Number: 4
Tank Id: 230079
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/2009
Capacity Gallons: 275
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 8/12/2009

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
C01 - Pipe Location - Aboveground
D10 - Pipe Type - Copper
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None

Affiliation Records:

Site Id: 22423
Affiliation Type: Emergency Contact
Company Name: MARIO AVALLONE
Contact Type: Not reported
Contact Name: MARIO AVALLONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 599-0746
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Date Last Modified: 8/12/2009

Site Id: 22423
Affiliation Type: Owner
Company Name: MARIO AVALLONE
Contact Type: OWNER
Contact Name: MARIO AVALLONE
Address1: 451 LORIMER ST.
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11206
Country Code: 001
Phone: (718) 599-0746
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/12/2009

Site Id: 22423
Affiliation Type: On-Site Operator
Company Name: SALERNO SERVICE STATION
Contact Type: Not reported
Contact Name: MARIO AVALLONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-4880
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/30/2007

Site Id: 22423
Affiliation Type: Mail Contact
Company Name: SALERNO SERVICE STATION
Contact Type: Not reported
Contact Name: MARIO AVALLONE
Address1: 451 LORIMER STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11206
Country Code: 001
Phone: (718) 384-4880
Phone Ext: Not reported
Email: SALERNO451@AOL.COM
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/5/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

HIST AST:

PBS Number: 2-600442
SWIS Code: 6101
Operator: MARIO AVALLONE
Facility Phone: (718) 384-4880
Facility Addr2: 451 LORIMER STREET
Facility Type: RETAIL GASOLINE SALES
Emergency: MAIRO AVALLONE
Emergency Tel: (718) 599-0746
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MARIO AVALLONE
Owner Address: 120 AINSLIE STREET
Owner City,St,Zip: NEW YORK, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-4880
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MARIO AVALLONE
Mailing Name: SALERNO SERVICE STATION
Mailing Address: 451 LORIMER STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11206
Mailing Telephone: (718) 384-4880
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 01/13/2000
Expiration: 11/26/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 15355
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 002
Tank Location: ABOVEGROUND
Tank Status: Closed-In Place
Install Date: 19970301
Capacity (Gal): 2000
Product Stored: DIESEL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Underground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SALERNO SERVICE STATION (Continued)

U001841452

Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: 00
Tank Containment: None
Leak Detection: 00
Overfill Protection: 00
Dispenser Method: Suction
Date Tested: 03/01/1997
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 07/01/1997
Test Method: Horner EZ Check
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: 10
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19970801
Capacity (Gal): 275
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 03
Pipe Location: None
Pipe Type: NONE
Pipe Internal: None
Pipe External: 00
Tank Containment: None
Leak Detection: 00
Overfill Protection: 00
Dispenser Method: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AS182
NE
1/8-1/4
0.238 mi.
1254 ft.**

**CONSOLIDATED EDISON
564 METROPOLITAN AVE - MH4939
BROOKLYN, NY 11202
Site 1 of 3 in cluster AS**

**MANIFEST S110045937
N/A**

**Relative:
Higher**

NY MANIFEST:
EPA ID: NYP004183968
Country: USA

**Actual:
21 ft.**

Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045937

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 2009-07-22
Trans1 Recv Date: 2009-07-22
Trans2 Recv Date: 2009-07-23
TSD Site Recv Date: 2009-07-23
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004183968
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD991291105
Waste Code: Not reported
Quantity: 100.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894668GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD003812047
Trans2 State ID: NJD003812047
Generator Ship Date: 2009-07-22
Trans1 Recv Date: 2009-07-22
Trans2 Recv Date: 2009-07-23
TSD Site Recv Date: 2009-07-23
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004183968
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045937

TSDF ID: NJD991291105
Waste Code: Not reported
Quantity: 100.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 000894668GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

AQ183
SSE
1/8-1/4
0.239 mi.
1260 ft.

383 HEWES STREET
383 HEWES STREET
BROOKLYN, NY 11211
Site 2 of 2 in cluster AQ

AST U003394617
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-466611
Program Type: PBS
UTM X: 588622.80127000005
UTM Y: 4506893.6763300002
Expiration Date: 1994/02/15

Actual:
27 ft.

Tank Number: 001
Tank Id: 36905
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

383 HEWES STREET (Continued)

U003394617

A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron

Affiliation Records:

Site Id: 20259
Affiliation Type: On-Site Operator
Company Name: 383 HEWES STREET
Contact Type: Not reported
Contact Name: NYC HOUSING PRESERV & DEVEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 806-8565
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20259
Affiliation Type: Owner
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20259
Affiliation Type: Mail Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

383 HEWES STREET (Continued)

U003394617

Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20259
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: LEE KERBEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 636-3015
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-466611
SWIS Code: 6101
Operator: NYC HOUSING PRESERV & DEVEL
Facility Phone: (212) 806-8565
Facility Addr2: 383 HEWES STREET
Facility Type: Not reported
Emergency: LEE KERBEL
Emergency Tel: (718) 636-3015
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8565
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8565
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 02/15/1989

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

383 HEWES STREET (Continued)

U003394617

Expiration: 02/15/1994
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

184
 SSE
 1/8-1/4
 0.239 mi.
 1262 ft.

**LUSIA KNOLL
 268 UNION AVE
 BROOKLYN, NY 11211**

**AST U003388251
 HIST AST N/A**

**Relative:
 Higher**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-268402
 Program Type: PBS
 UTM X: 588670.83863000001
 UTM Y: 4506887.1218299996
 Expiration Date: 2012/07/10

**Actual:
 30 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003388251

Tank Number: 001
Tank Id: 13496
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/9/1981
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 4/20/2007

Equipment Records:

H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 11184
Affiliation Type: Owner
Company Name: LUSIA KNOLL
Contact Type: MANAGING AGENT
Contact Name: LISA KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/20/2007

Site Id: 11184
Affiliation Type: Emergency Contact
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003388251

Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11184
Affiliation Type: Mail Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/20/2007

Site Id: 11184
Affiliation Type: On-Site Operator
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-268402
SWIS Code: 6101
Operator: LUSIA KNOLL
Facility Phone: (718) 384-6461
Facility Addr2: 268 UNION AVE
Facility Type: APARTMENT BUILDING
Emergency: LUSIA KNOLL
Emergency Tel: (718) 384-6461
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003388251

Result of Inspection: Not reported
Owner Name: LUSIA KNOLL
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-6461
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: LUSIA KNOLL
Mailing Name: LUSIA KNOLL
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 384-6461
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/07/1997
Expiration: 07/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: Not reported
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LUSIA KNOLL (Continued)

U003388251

Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

185
SSW
1/8-1/4
0.240 mi.
1269 ft.

NYCDEP - SHAFT 14A
KEAP AVE & S 5TH ST
BROOKLYN, NY 11211

RCRA-NonGen 1004761998
FINDS NYR000092510

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: NYCDEP - SHAFT 14A
Facility address: KEAP AVE & S 5TH ST
BROOKLYN, NY 11211

EPA ID: NYR000092510
Mailing address: JUNCTION BLVD
CORONA, NY 11368

Contact: EILEEN MURPHY
Contact address: JUNCTION BLVD
CORONA, NY 11368

Contact country: US
Contact telephone: (718) 595-7439
Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NYCDEP
Owner/operator address: 59-17 JUNCTION BLVD
CORONA, NY 11368

Owner/operator country: US
Owner/operator telephone: (718) 595-3518

Legal status: Municipal

Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: NYCDEP
Owner/operator address: 59-17 JUNCTION BLVD
CORONA, NY 11368

Owner/operator country: US
Owner/operator telephone: (718) 595-3518

Legal status: Municipal

Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NYCDEP - SHAFT 14A (Continued)

1004761998

Underground injection activity: No
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No
 Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: NYCDEP - SHAFT 14A
 Classification: Not a generator, verified

Date form received by agency: 11/02/2000
 Facility name: NYCDEP - SHAFT 14A
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008113889

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AO186
 West
 1/8-1/4
 0.240 mi.
 1270 ft.

HAVEMEYER DRY CLEANERS
160 HAVEMEYER STREET
BROOKLYN, NY 11211

DRYCLEANERS S110246784
N/A

Site 5 of 6 in cluster AO

Relative:
Higher

DRYCLEANERS:
 Facility ID: 2-6101-00912
 Region: 2
 Registration Effective Date: N/A
 Inspection Date: 04MAR12
 Drop Shop: Not reported
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: NOT A DRY CLEANER

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AO187 **KARISTA REALTY CORPORATION**
West **160 HAVEMEYER STREET**
1/8-1/4 **BROOKLYN, NY 11211**
0.240 mi.
1270 ft. **Site 6 of 6 in cluster AO**

AST **U003395802**
HIST AST **N/A**

Relative:
Higher

AST:

Actual:
37 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-600921
Program Type: PBS
UTM X: 588071.29926
UTM Y: 4507217.7821699996
Expiration Date: 2012/10/07

Tank Number: 001
Tank Id: 44603
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1908
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 7/18/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
K00 - Spill Prevention - None
B00 - Tank External Protection - None
G99 - Tank Secondary Containment - Other

Affiliation Records:

Site Id: 22892
Affiliation Type: On-Site Operator
Company Name: ACCI PROPERTIES INC
Contact Type: Not reported
Contact Name: GUS GALATIANOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 344-1147

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KARISTA REALTY CORPORATION (Continued)

U003395802

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22892
Affiliation Type: Mail Contact
Company Name: ACCI PROPERTIES INC
Contact Type: Not reported
Contact Name: GUS GALATIANOS
Address1: 160 HAVEMEYER STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22892
Affiliation Type: Emergency Contact
Company Name: ACCI-160, LLC
Contact Type: Not reported
Contact Name: GIS GALATIANOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22892
Affiliation Type: Owner
Company Name: ACCI-160, LLC
Contact Type: PRESIDENT
Contact Name: GUS GALATIANOS
Address1: P.O. BOX 54-1608
Address2: Not reported
City: FLUSHING
State: NY
Zip Code: 11354
Country Code: 001
Phone: (718) 344-1147
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KARISTA REALTY CORPORATION (Continued)

U003395802

Modified By: DXLIVING
Date Last Modified: 7/18/2007

HIST AST:

PBS Number: 2-600921
SWIS Code: 6101
Operator: BILL TSIOFLIKIS
Facility Phone: (718) 238-7297
Facility Addr2: 160 HAVEMEYER STREET
Facility Type: APARTMENT BUILDING
Emergency: BILL TSIOFLIKIS
Emergency Tel: (718) 238-7297
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: KARISTA REALTY CORPORATION
Owner Address: 308 84TH STREET
Owner City,St,Zip: BROOKLYN, NY 11209
Federal ID: Not reported
Owner Tel: (718) 238-7297
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: KARISTA REALTY CORPORATION
Mailing Address: 308 84TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11209
Mailing Telephone: (718) 238-7297
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/01/1997
Expiration: 10/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KARISTA REALTY CORPORATION (Continued)

U003395802

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Other
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AS188
NE
1/8-1/4
0.242 mi.
1277 ft.**

**METROPOLITAN CLEANERS
568 METROPOLITAN AVE.
BROOKLYN, NY 11211**

**MANIFEST S106435470
DRYCLEANERS N/A**

Site 2 of 3 in cluster AS

**Relative:
Higher**

NY MANIFEST:
EPA ID: NYR000160317
Country: USA
Mailing Name: METRO CLEANERS
Mailing Contact: CHUNG KIM
Mailing Address: 568 METROPOLITAN AVE
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-599-3555

**Actual:
22 ft.**

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-01-29
Trans1 Recv Date: 2009-01-29
Trans2 Recv Date: 2009-01-30
TSD Site Recv Date: 2009-01-31
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980535JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-03-03
Trans1 Recv Date: 2009-03-03
Trans2 Recv Date: 2009-03-06
TSD Site Recv Date: 2009-03-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980676JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-01-29
Trans1 Recv Date: 2009-01-29
Trans2 Recv Date: 2009-01-30
TSD Site Recv Date: 2009-01-31
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 520.0
Units: P - Pounds
Number of Containers: 4.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980535JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-03-03
Trans1 Recv Date: 2009-03-03
Trans2 Recv Date: 2009-03-06
TSD Site Recv Date: 2009-03-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 260.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980676JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-01-29
Trans1 Recv Date: 2009-01-29
Trans2 Recv Date: 2009-01-30
TSD Site Recv Date: 2009-01-31
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980535JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-03-03
Trans1 Recv Date: 2009-03-03
Trans2 Recv Date: 2009-03-06
TSD Site Recv Date: 2009-03-07

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980676JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-04-04
Trans1 Recv Date: 2009-04-04
Trans2 Recv Date: 2009-04-10
TSD Site Recv Date: 2009-04-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004562450JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-03-03
Trans1 Recv Date: 2009-03-03
Trans2 Recv Date: 2009-03-06
TSD Site Recv Date: 2009-03-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 260.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980676JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-04-04
Trans1 Recv Date: 2009-04-04
Trans2 Recv Date: 2009-04-10
TSD Site Recv Date: 2009-04-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004562450JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-01-29
Trans1 Recv Date: 2009-01-29
Trans2 Recv Date: 2009-01-30
TSD Site Recv Date: 2009-01-31
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 520.0
Units: P - Pounds
Number of Containers: 4.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980535JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-03-03
Trans1 Recv Date: 2009-03-03
Trans2 Recv Date: 2009-03-06
TSD Site Recv Date: 2009-03-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 260.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980676JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-05-15
Trans1 Recv Date: 2009-05-15
Trans2 Recv Date: 2009-05-20
TSD Site Recv Date: 2009-05-20
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 260.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Year: 09
Manifest Tracking Num: 004980981JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-01-29
Trans1 Recv Date: 2009-01-29
Trans2 Recv Date: 2009-01-30
TSD Site Recv Date: 2009-01-31
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 520.0
Units: P - Pounds
Number of Containers: 4.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0

Year: 09
Manifest Tracking Num: 004980535JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-05-15
Trans1 Recv Date: 2009-05-15

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Trans2 Recv Date: 2009-05-20
TSD Site Recv Date: 2009-05-20
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980981JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-06-17
Trans1 Recv Date: 2009-06-17
Trans2 Recv Date: 2009-06-18
TSD Site Recv Date: 2009-06-19
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 260.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004981018JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-06-17
Trans1 Recv Date: 2009-06-17
Trans2 Recv Date: 2009-06-18
TSD Site Recv Date: 2009-06-19
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004981018JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-04-04
Trans1 Recv Date: 2009-04-04
Trans2 Recv Date: 2009-04-10
TSD Site Recv Date: 2009-04-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Trans2 EPA ID: Not reported
TSDF ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004562450JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-01-29
Trans1 Recv Date: 2009-01-29
Trans2 Recv Date: 2009-01-30
TSD Site Recv Date: 2009-01-31
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CDX107000000
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980535JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-07-17
Trans1 Recv Date: 2009-07-17
Trans2 Recv Date: 2009-07-23
TSD Site Recv Date: 2009-07-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004981211JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2009-03-03
Trans1 Recv Date: 2009-03-03
Trans2 Recv Date: 2009-03-06
TSD Site Recv Date: 2009-03-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000160317
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METROPOLITAN CLEANERS (Continued)

S106435470

Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 004980676JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

[Click this hyperlink](#) while viewing on your computer to access 29 additional NY_MANIFEST: record(s) in the EDR Site Report.

DRYCLEANERS:

Facility ID: 2-6101-00500
Region: 2
Registration Effective Date: 6/24/1999
Inspection Date: 07MAY1
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: PERC DRY CLEANER

**AS189
NE
1/8-1/4
0.242 mi.
1277 ft.**

**METRO CLEANERS
568 METROPOLITAN AVE
BROOKLYN, NY 11211
Site 3 of 3 in cluster AS**

**RCRA-SQG 1011863519
NYR000160317**

**Relative:
Higher**

RCRA-SQG:

**Actual:
22 ft.**

Date form received by agency: 10/10/2008
Facility name: METRO CLEANERS
Facility address: 568 METROPOLITAN AVE
BROOKLYN, NY 11211
EPA ID: NYR000160317
Mailing address: METROPOLITAN AVE
BROOKLYN, NY 11211
Contact: WON K CHO
Contact address: METROPOLITAN AVE
BROOKLYN, NY 11211
Contact country: US
Contact telephone: (718) 599-3555
Contact email: Not reported
EPA Region: 02
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO CLEANERS (Continued)

1011863519

Owner/Operator Summary:

Owner/operator name: WON K CHO
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/01/2004
Owner/Op end date: Not reported

Owner/operator name: CHUNG S KIM
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/02/2004
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Hazardous Waste Summary:

Waste code: F001
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS USED IN DEGREASING: TETRACHLOROETHYLENE, TRICHLOROETHYLENE, METHYLENE CHLORIDE, 1,1,1-TRICHLOROETHANE, CARBON TETRACHLORIDE, AND CHLORINATED FLUOROCARBONS; ALL SPENT SOLVENT MIXTURES/BLENDS USED IN DEGREASING CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: F002
Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

METRO CLEANERS (Continued)

1011863519

BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste code: U210
Waste name: ETHENE, TETRACHLORO-

Violation Status: No violations found

AT190
SSW
1/8-1/4
0.243 mi.
1283 ft.

LIBERATO'S FAMILY CORPORATION
366 SOUTH FIFTH STREET
BROOKLYN, NY 11211

AST U003393258
HIST AST N/A

Site 1 of 3 in cluster AT

Relative:
Higher

AST:

Actual:
28 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-326151
Program Type: PBS
UTM X: 588357.03647000005
UTM Y: 4506845.5291400002
Expiration Date: 2002/10/10

Tank Number: 001
Tank Id: 26435
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction

Affiliation Records:

Site Id: 15184
Affiliation Type: Owner
Company Name: LIBERATOS FAMILY CORPORATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIBERATO'S FAMILY CORPORATION (Continued)

U003393258

Contact Type: Not reported
Contact Name: Not reported
Address1: 366 SOUTH FIFTH STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 388-6186
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15184
Affiliation Type: On-Site Operator
Company Name: LIBERATOS FAMILY CORPORATION
Contact Type: Not reported
Contact Name: SIMON LIBERATO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-6186
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15184
Affiliation Type: Mail Contact
Company Name: LIBERATOS FAMILY CORPORATION
Contact Type: Not reported
Contact Name: SIMON LIBERATO
Address1: 366 SOUTH FIFTY STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211-1
Country Code: 001
Phone: (718) 388-6186
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15184
Affiliation Type: Emergency Contact
Company Name: LIBERATOS FAMILY CORPORATION
Contact Type: Not reported
Contact Name: SIMON LIBERATO
Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LIBERATO'S FAMILY CORPORATION (Continued)

U003393258

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 388-6186
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-326151
SWIS Code: 6101
Operator: SIMON LIBERATO
Facility Phone: (718) 388-6186
Facility Addr2: Not reported
Facility Type: Not reported
Emergency: SIMON LIBERATO
Emergency Tel: (718) 388-6186
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: LIBERATO'S FAMILY CORPORATION
Owner Address: 366 SOUTH FIFTH STREET
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 388-6186
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SIMON LIBERATO
Mailing Name: LIBERATO'S FAMILY CORPORATION
Mailing Address: 366 SOUTH FIFTY STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211-1
Mailing Telephone: (718) 388-6186
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/12/1997
Expiration: 10/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LIBERATO'S FAMILY CORPORATION (Continued)

U003393258

Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: Not reported
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 00
 Overfill Protection: 06
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

AT191
SSW
1/8-1/4
0.243 mi.
1284 ft.

VACANT LOT
359 SOUTH 5TH STREET
BROOKLYN, NY 11231
Site 2 of 3 in cluster AT

UST U003749726
HIST UST N/A

Relative:
Higher

UST:
 Facility Id: 2-604697
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Program Type: PBS
 Expiration Date: N/A
 UTM X: 588366.38812999998
 UTM Y: 4506841.3522699997
 Site ID: 26568

Actual:
28 ft.

Tank Number: 001
 Tank ID: 58628
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: 8/1/2000
 Tank Location: 5
 Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

U003749726

Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
D00 - Pipe Type - No Piping
J00 - Dispenser - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None

Affiliation Records:

Site Id: 26568
Affiliation Type: Owner
Company Name: SOUTHSIDE HOUSING CORP./JULIE REQUARTH
Contact Type: Not reported
Contact Name: Not reported
Address1: 155 3RD STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11231-4822
Country Code: 001
Phone: (718) 875-8500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26568
Affiliation Type: Emergency Contact
Company Name: SOUTHSIDE HOUSING CORP./JULIE REQUARTH
Contact Type: Not reported
Contact Name: JULIE REQUARTH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 875-8500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26568
Affiliation Type: Mail Contact
Company Name: CA RICH CONSULTANTS, INC.
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

U003749726

Contact Name: STEPHEN MALINOWSKI
Address1: 17 DUPONT STREET
Address2: Not reported
City: PLAINVIEW
State: NY
Zip Code: 11803
Country Code: 001
Phone: (516) 576-8844
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26568
Affiliation Type: On-Site Operator
Company Name: VACANT LOT
Contact Type: Not reported
Contact Name: NONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: Not reported
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: aeskalsk
Date Last Modified: 5/20/2008

HIST UST:

PBS Number: 2-604697
SPDES Number: Not reported
Emergency Contact: JULIE REQUARTH
Emergency Telephone: (718) 875-8500
Operator: NONE
Operator Telephone: (000) 000-0000
Owner Name: SOUTHSIDE HOUSING CORP./JULIE REQUARTH
Owner Address: 155 3RD STREET
Owner City,St,Zip: BROOKLYN, NY 11231-4822
Owner Telephone: (718) 875-8500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CA RICH CONSULTANTS, INC.
Mailing Address: 17 DUPONT STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: PLAINVIEW, NY 11803
Mailing Contact: STEPHEN MALINOWSKI
Mailing Telephone: (516) 576-8844
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
and Subpart 360-14.
Facility Addr2: Not reported
SWIS ID: 6101
Old PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

U003749726

Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: Not reported
Expiration Date: 09/18/2005
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: 0
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: NONE
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 08/01/2000
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

192
West
1/8-1/4
0.245 mi.
1293 ft.

164 HAVEMEYER ST
164 HAVEMEYER ST
BKLYN, NY 11211

AST U003391412
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-373915
Program Type: PBS
UTM X: 588063.82966000005
UTM Y: 4507202.8891899996
Expiration Date: 2012/10/06

Actual:
37 ft.

Tank Number: 001
Tank Id: 21423
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/3/2000
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 7/23/2007

Equipment Records:

H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C03 - Pipe Location - Aboveground/Underground Combination
I05 - Overfill - Vent Whistle
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 18792
Affiliation Type: Emergency Contact
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

164 HAVEMEYER ST (Continued)

U003391412

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 18792
Affiliation Type: On-Site Operator
Company Name: 164 HAVEMEYER ST
Contact Type: Not reported
Contact Name: LUSIA KNOLL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 18792
Affiliation Type: Mail Contact
Company Name: LUSIA KNOLL
Contact Type: Not reported
Contact Name: Not reported
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 12/16/2004

Site Id: 18792
Affiliation Type: Owner
Company Name: LUSIA KNOLL
Contact Type: PARTNER
Contact Name: DR KNOLL
Address1: 319 HOOPER ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-6461
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

164 HAVEMEYER ST (Continued)

U003391412

Modified By: msbaptis
Date Last Modified: 7/23/2007

HIST AST:

PBS Number: 2-373915
SWIS Code: 6101
Operator: LUSIA KNOLL
Facility Phone: (718) 384-6461
Facility Addr2: 164 HAVEMEYER ST
Facility Type: APARTMENT BUILDING
Emergency: LUSIA KNOLL
Emergency Tel: (718) 384-6461
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: LUSIA KNOLL
Owner Address: 319 HOOPER ST
Owner City,St,Zip: BKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 384-6461
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: LUSIA KNOLL
Mailing Address: 319 HOOPER ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BKLYN, NY 11211
Mailing Telephone: (718) 384-6461
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/25/1999
Expiration: 10/06/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

164 HAVEMEYER ST (Continued)

U003391412

Tank Internal: 0
Tank External: 00
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 00
Tank Containment: Diking
Leak Detection: 00
Overfill Protection: 46
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AT193
SSW
1/8-1/4
0.246 mi.
1299 ft.

374 SOUTH 5TH STREET
374 SOUTH 5TH STREET
BROOKLYN, NY 11211

AST U003396227
HIST AST N/A

Site 3 of 3 in cluster AT

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601583
Program Type: PBS
UTM X: 588381.97421999997
UTM Y: 4506834.3908200003
Expiration Date: 2003/08/27

Actual:
28 ft.

Tank Number: 001
Tank Id: 46989
Tank Location: 1
Tank Type: Stainless Steel Alloy
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4019
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

J00 - Dispenser - None
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
G00 - Tank Secondary Containment - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

374 SOUTH 5TH STREET (Continued)

U003396227

B05 - Tank External Protection - Jacketed
I03 - Overfill - Automatic Shut-Off
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D10 - Pipe Type - Copper

Affiliation Records:

Site Id: 23545
Affiliation Type: Mail Contact
Company Name: 374 SOUTH 5TH STREET REALTY CORP.
Contact Type: Not reported
Contact Name: DAVID SHAPIRO
Address1: 24-65 38TH STREET
Address2: Not reported
City: ASTORIA
State: NY
Zip Code: 11103
Country Code: 001
Phone: (718) 545-7782
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23545
Affiliation Type: On-Site Operator
Company Name: 374 SOUTH 5TH STREET
Contact Type: Not reported
Contact Name: RAMON ORTIZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 782-1267
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23545
Affiliation Type: Emergency Contact
Company Name: 374 SOUTH 5TH STREET REALTY CORP.
Contact Type: Not reported
Contact Name: DAVID SHAPIRO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 545-7782
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

374 SOUTH 5TH STREET (Continued)

U003396227

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23545
Affiliation Type: Owner
Company Name: 374 SOUTH 5TH STREET REALTY CORP.
Contact Type: Not reported
Contact Name: Not reported
Address1: 24-65 38TH STREET
Address2: Not reported
City: ASTORIA
State: NY
Zip Code: 11103
Country Code: 001
Phone: (718) 545-7782
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-601583
SWIS Code: 6101
Operator: RAMON ORTIZ
Facility Phone: (718) 782-1267
Facility Addr2: 374 SOUTH 5TH STREET
Facility Type: APARTMENT BUILDING
Emergency: DAVID SHAPIRO
Emergency Tel: (718) 545-7782
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 374 SOUTH 5TH STREET REALTY CORP.
Owner Address: 24-65 38TH STREET
Owner City,St,Zip: ASTORIA, NY 11103
Federal ID: Not reported
Owner Tel: (718) 545-7782
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: DAVID SHAPIRO
Mailing Name: 374 SOUTH 5TH STREET REALTY CORP.
Mailing Address: 24-65 38TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: ASTORIA, NY 11103
Mailing Telephone: (718) 545-7782
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 07/23/1998
Expiration: 08/27/2003
Renew Flag: False
Renew Date: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

374 SOUTH 5TH STREET (Continued)

U003396227

Total Capacity: 4019
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4019
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Stainless steel alloy
 Tank Internal: Not reported
 Tank External: 05
 Pipe Location: Aboveground
 Pipe Type: FIBERGLASS COATED STEEL
 Pipe Internal: None
 Pipe External: 05
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 03
 Dispenser Method: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**AR194
 ESE
 1/8-1/4
 0.248 mi.
 1308 ft.**

**442 LORIMER INC.
 442 LORIMER STREET
 BROOKLYN, NY 11206**

Site 3 of 3 in cluster AR

**AST U003396119
 HIST AST N/A**

**Relative:
 Higher**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-601303
 Program Type: PBS
 UTM X: 588833.97046999994
 UTM Y: 4507078.9638999999
 Expiration Date: 2013/02/05

**Actual:
 38 ft.**

Tank Number: 001
 Tank Id: 45395
 Tank Location: 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

442 LORIMER INC. (Continued)

U003396119

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1935
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 12/3/2007

Equipment Records:

J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
H99 - Tank Leak Detection - Other
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None

Affiliation Records:

Site Id: 23270
Affiliation Type: Owner
Company Name: 442 LORIMER INC.
Contact Type: AGENT
Contact Name: E. FELDMAN
Address1: P.O. BOX 190307
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 438-4422
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/3/2007

Site Id: 23270
Affiliation Type: On-Site Operator
Company Name: 442 LORIMER INC.
Contact Type: Not reported
Contact Name: JOSE DIAZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 599-5952

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

442 LORIMER INC. (Continued)

U003396119

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23270
Affiliation Type: Emergency Contact
Company Name: 442 LORIMER INC.
Contact Type: Not reported
Contact Name: E.FELDMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 438-4422
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23270
Affiliation Type: Mail Contact
Company Name: 442 LORIMER INC.
Contact Type: Not reported
Contact Name: E.FELDMAN
Address1: P.O. BOX 190307
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 438-4422
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-601303
SWIS Code: 6101
Operator: JOSE DIAZ
Facility Phone: (718) 599-5952
Facility Addr2: 442 LORIMER STREET
Facility Type: APARTMENT BUILDING
Emergency: E.FELDMAN
Emergency Tel: (718) 438-4422
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 442 LORIMER INC.
Owner Address: P.O. BOX 190307

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

442 LORIMER INC. (Continued)

U003396119

Owner City,St,Zip: BROOKLYN, NY 11219
Federal ID: Not reported
Owner Tel: (718) 438-4422
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: E.FELDMAN
Mailing Name: 442 LORIMER INC.
Mailing Address: P.O. BOX 190307
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11219
Mailing Telephone: (718) 438-4422
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 01/16/1998
Expiration: 02/05/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

442 LORIMER INC. (Continued)

U003396119

Lat/Long: Not reported

AU195
WSW
 1/4-1/2
 0.305 mi.
 1613 ft.

263 SOUTH 4TH ST/BKLYN
263 SOUTH 4TH STREET
NEW YORK CITY, NY

LTANKS **S106703480**
HIST LTANKS **N/A**

Site 1 of 2 in cluster AU

Relative:
Higher

LTANKS:

Actual:
42 ft.

Site ID: 177231
 Spill No: 9008048
 Spill Date: 10/23/1990
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 3/4/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: ADMIN. CLOSED
 Referred To: Not reported
 Reported to Dept: 10/23/1990
 CID: 12
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 11/1/1990
 Spill Record Last Update: 9/3/2003
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 148926
 DEC Memo: Not reported
 Remarks: 2K TANK FAILED VACUTECH WITH A GROSS LEAK, WATER IN TANK. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS.

Material:

Site ID: 177231
 Operable Unit ID: 948700
 Operable Unit: 01
 Material ID: 431878
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

263 SOUTH 4TH ST/BKLYN (Continued)

S106703480

Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 177231
Spill Tank Test: 1537752
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9008048
Spill Date: 10/23/1990
Spill Time: 17:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/23/90
Reported to Department Time: 17:49
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 321-5016
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

263 SOUTH 4TH ST/BKLYN (Continued)

S106703480

Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/01/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/13/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: 2K TANK FAILED VACUTECH WITH A GROSS LEAK, WATER IN TANK.

AU196
WSW
1/4-1/2
0.307 mi.
1622 ft.

256 SO 4TH STREET
256 SO 4TH STREET
BROOKLYN NY, NY
Site 2 of 2 in cluster AU

LTANKS S102239839
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 106919
Spill No: 9509901
Spill Date: 11/9/1995
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/9/1995
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 11/9/1995
CID: 12

Actual:
42 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

256 SO 4TH STREET (Continued)

S102239839

Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/9/1995
Spill Record Last Update: 11/27/1995
Spiller Name: TONY CARUCCI
Spiller Company: HA LIBERTY PARK FUEL OIL
Spiller Address: 67-70 73RD PLACE
Spiller City,St,Zip: MIDDLEVILLAGE, NY 11379-
Spiller County: 001
Spiller Contact: TONY CARUCCI
Spiller Phone: (718) 894-9218
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 94110
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"
Remarks: THEY ORDERED TO MUCH OIL AND IT BACKED OUT THE FUEL TANK AREA WAS CLEANED UP BY CALLERS COMPANY

Material:

Site ID: 106919
Operable Unit ID: 1020316
Operable Unit: 01
Material ID: 360831
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6
Units: Gallons
Recovered: 6
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9509901
Spill Date: 11/09/1995
Spill Time: 11:40

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

256 SO 4TH STREET (Continued)

S102239839

Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/09/95
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/09/95
Reported to Department Time: 12:18
SWIS: 61
Spiller Contact: TONY CARUCCI
Spiller Phone: (718) 894-9218
Spiller Extention: Not reported
Spiller Name: HA LIBERTY PARK FUEL OIL
Spiller Address: 67-70 73RD PLACE
Spiller City,St,Zip: MIDDLEVILLAGE, NY 11379-
Spiller Cleanup Date: / /
Facility Contact: TONY CARUCCI
Facility Phone: (718) 894-9218
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/09/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/27/95
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 6
Unkonwn Quantity Spilled: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

256 SO 4TH STREET (Continued)

S102239839

Units: Gallons
Quantity Recovered: 6
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: THEY ORDERED TO MUCH OIL AND IT BACKED OUT THE FUEL TANK AREA WAS CLEANED UP BY CALLERS COMPANY

**AV197
SSE
1/4-1/2
0.348 mi.
1839 ft.**

**209 UNION AVENUE
209 UNION AVE - 90TH PCT
BROOKLYN, NY**

**LTANKS S102672924
HIST LTANKS N/A**

Site 1 of 2 in cluster AV

**Relative:
Higher**

LTANKS:

**Actual:
19 ft.**

Site ID: 322916
Spill No: 9502048
Spill Date: 5/18/1995
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/18/1995
Facility Addr2: Not reported
Cleanup Ceased: 5/18/1995
Cleanup Meets Standard: True
SWIS: 2401
Investigator: GUTIERREZ
Referred To: Not reported
Reported to Dept: 5/18/1995
CID: Not reported
Water Affected: Not reported
Spill Notifier: DEC
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/25/1995
Spill Record Last Update: 1/16/1996
Spiller Name: Not reported
Spiller Company: NYCPD
Spiller Address: SAME
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 260128
DEC Memo: Not reported
Remarks: 1983- OVERFILL - TANKS CONTAINING WATER 1987- EMERGENCY GENERATING TANK FAILED TEST.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

209 UNION AVENUE (Continued)

S102672924

Material:

Site ID: 322916
Operable Unit ID: 1013114
Operable Unit: 01
Material ID: 367117
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9502048
Spill Date: 05/18/1995
Spill Time: 11:00
Spill Cause: Tank Overfill
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/18/95
Cleanup Ceased: 05/18/95
Cleanup Meets Standard: True
Investigator: GUTIERREZ
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/18/95
Reported to Department Time: 11:19
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

209 UNION AVENUE (Continued)

S102672924

Spiller Extention: Not reported
Spiller Name: NYCPD
Spiller Address: SAME
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 786-3838
Facility Extention: Not reported
Spill Notifier: DEC
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/25/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/16/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: 1983- OVERFILL - TANKS CONTAINING WATER 1987- EMERGENCY GENERATING TANK FAILED TEST.

AV198 211 UNION AVE. DIESEL LEA
SSE 211 UNION AVE
1/4-1/2 NEW YORK CITY, NY
0.356 mi.
1881 ft. Site 2 of 2 in cluster AV

LTANKS S100144696
HIST LTANKS N/A

Relative: LTANKS:
Higher Site ID: 85755
Spill No: 8606252
Actual: Spill Date: 1/7/1987
18 ft. Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

211 UNION AVE. DIESEL LEA (Continued)

S100144696

Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt: 1/10/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: JAKOLLEE
Referred To: Not reported
Reported to Dept: 1/7/1987
CID: 12
Water Affected: GROUND WATER
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 2/10/1987
Spill Record Last Update: 7/7/2005
Spiller Name: Not reported
Spiller Company: NYC POLICE DEPT.
Spiller Address: 90 TH PRECINCT
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 72843
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KOLLEENY" // : DEC SULLIVAN WILL INVESTIGATE. FIRE DEPT PUT DRY-SORB ON SPILL. This spill is referred to spill # 8607159 and is closed today by II (01/10/05).
Remarks: P.D. DIESEL FEUL TANK ALLEGEDLY LEAKED INTO BASEMENT OF ADJACENT FIRE HOUSE - REASSIGNED TO DGS MONITORS FOR FORMAL INVESTIGATION

Material:

Site ID: 85755
Operable Unit ID: 903055
Operable Unit: 01
Material ID: 475385
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

211 UNION AVE. DIESEL LEA (Continued)

S100144696

Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8606252
Spill Date: 01/07/1987
Spill Time: Not reported
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: GROUND WATER
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KOLLEENY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/07/87
Reported to Department Time: 14:50
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC POLICE DEPT.
Spiller Address: 90 TH PRECINCT
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Fire Department
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/10/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/14/97
Is Updated: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

211 UNION AVE. DIESEL LEA (Continued)

S100144696

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: / / : DEC SULLIVAN WILL INVESTIGATE. FIRE DEPT PUT DRY- SORB ON SPILL.
Spill Cause: P.D. DIESEL FEUL TANK ALLEGEDLY LEAKED INTO BASEMENT OF ADJACENT FIRE HOUSE - REASSIGNED TO DGS MONITORS FOR FORMAL INVESTIGATION

199
SSE
1/4-1/2
0.384 mi.
2027 ft.

APARTMENT BLDG
30 MONTROSE AV
BROOKLYN, NY

HIST LTANKS S105055138
NY Spills N/A

Relative:
Higher

HIST LTANKS:

Region of Spill: 2
Spill Number: 0103137
Spill Date: 06/20/2001
Spill Time: 11:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 06/21/01
Reported to Department Time: 10:36
SWIS: 61
Spiller Contact: JIM BRYANT
Spiller Phone: (718) 384-3159

Actual:
19 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S105055138

Spiller Extention: Not reported
Spiller Name: APARTMENT BLDG /
Spiller Address: 30 MONTROSE AV
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: JIM BRYANT
Facility Phone: (718) 384-3159
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 06/21/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/09/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: 06/21/01 NEW YORK PLUMBING. PROTEST JOHN LEDDE IS TRANSFERRING THE OIL FROM THE TWO TANKS IN THE AREA OF THE LEAK TO OTHER TANKS THAT THE COMPLEX OWNS. THE NEXT STEP WILL BE DETERMINED WHEN THE TANKS ARE CLEANED AND CAN BE INSPECTED. 6/26/2001 STEWART THE CONCERNED CITIZEN CALLED TO EXPRESS HIS CONCERNS. 718-441-6800 EDDIE SHAPIRO 718-782-9000 MGMT OFFICE 8/9/01 Spoke with Carol Karp from Phoenix Environmental regarding work plan submitted on 7/26/01. Plan approved. Initial investigationto include soil borings and the installation of 2 monitoring wells.

Spill Cause: underground tank failed - unk amount spilled

NY Spills:

Site ID: 329820
Facility Addr2: Not reported
Facility ID: 0103137
Spill Number: 0103137

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S105055138

Facility Type: ER
SWIS: 2401
Investigator: hrpatel
Referred To: Not reported
Spill Date: 6/20/2001
Reported to Dept: 6/21/2001
CID: 12
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/4/2009
Remediation Phase: 0
Date Entered In Computer: 6/21/2001
Spill Record Last Update: 9/9/2009
Spiller Name: JIM BRYANT
Spiller Company: APARTMENT BLDG /
Spiller Address: 30 MONTROSE AV
Spiller City,St,Zip: BROOKLYN, NY
Spiller Company: 001
Contact Name: JIM BRYANT
Contact Phone: (718) 384-3159
DEC Region: 2
DER Facility ID: 265363
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" 06/21/01 NEW YORK PLUMBING. PROTEST JOHN LEDDE IS TRANSFERRING THE OIL FROM THE TWO TANKS IN THE AREA OF THE LEAK TO OTHER TANKS THAT THE COMPLEX OWNS. THE NEXT STEP WILL BE DETERMINED WHEN THE TANKS ARE CLEANED AND CAN BE INSPECTED. 6/26/2001 STEWART THE CONCERNED CITIZEN CALLED TO EXPRESS HIS CONCERNS. 718-441-6800 EDDIE SHAPIRO 718-782-9000 MGMT OFFICE 8/9/01 Spoke with Carol Karp from Phoenix Environmental regarding work plan submitted on 7/26/01. Plan approved. Initial investigation to include soil borings and the installation of 2 monitoring wells. 09/04/09-Hiralkumar Patel. transferred case from needs reassignment to me as working on another spill (0905433) at the same site. reviewed old documents.

-* 07/26/01: work plan letter from Phoenix environmental regarding tank test and borings around tank. 11/21/01: letter report from Phoenix environmental:- - conducted subsurface investigation and monitoring well installation in the vicinity of the two 30,000 gal USTs - investigation was prompted when fule oil was found to be seeping through the basement wall adjacent to USTs <----- - advanced five soil borings: borings B-1 through B-4 were installed to depths of 22 to 30 ft bg and boring B-5 was installed to depth of 14 ft bg where refusal encountered - PID readings ranged from 0 to 11 ppm except for in B-3 (10-14 ft) which has a reading of 124 ppm <----- - soil encountered consisted of sandy fill material to approx. 8 ft bg underlain by silty clay with varying amount of fine sand - three monitoring wells were installed at boring locations B-1,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BLDG (Continued)

S105055138

B-2 and B-3 - three wells were gauged on four dates to check for product - no product detected in wells except for in MW-3 where 0.03 ft of product measured on 09/11/01 - based on soil and gw investigation, proposed to install additional soil borings and wells between the USTs and the building, to the west of MW-3 <----- - groundwater found between 10 to 12 ft bg - screen in wells MW-1 and MW-2 installed from 5 ft to 15 ft depth and in well MW-3 from 4 to 14 ft depth - no soil or groundwater sample analyticals available in report 08/27/02: DEC DeMeo sent letter to Phoenix environmental approving proposed well installation in report dated 11/21/01. also required to submit previous sample analyticals. 09/05/02: letter from Phoenix environmental proposed to installed two additional wells and further soil borings around MW-2 and MW-3. 01/31/03: Quarterly Update report from Phoenix environmental:- - soil borings B-5, B-6, B-7 and B-8, and monitoring well MW-4 were drilled to depths ranging from 10 to 22 ft below land surface - borings B-6, B-7 and B-8 were advanced in the vicinity of existing wells MW-3, MW-2 and MW-1, respectively, to collect additional soil data - PID readings ranged from 0 to 63 ppm - soil samples collected at or above water table from borings B-5, B-7 and B-8, and well MW-4 - no soil sample collected from B-6 as found refusal before reaching groundwater and PID was 0 ppm - two inch diameter well was installed at MW-4 to 13 ft bg, consisting of 10 ft of screen - depth to groundwater in well ranged from 9.43 to 11.49 ft bg - well MW-4 contained 0.03 ft of product

Remarks: -* spill closed. refer to spill #: 0905433.
underground tank failed - unk amount spilled

Material:
Site ID: 329820
Operable Unit ID: 839728
Operable Unit: 01
Material ID: 535233
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOHNSON AVE. & BROADWAY (Continued)

S100560449

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9305896
Spill Date: 08/13/1993
Spill Time: 09:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/13/93
Cleanup Ceased: 08/13/93
Cleanup Meets Standard: True
Investigator: GRIFFIN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/13/93
Reported to Department Time: 09:34
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JOHNSON AVE. & BROADWAY (Continued)

S100560449

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/16/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: U/G GASOLINE TANK APPEARS TO BE LEAKING - NYC FIRE HAZ/MAT CHECKING FIREMAN RICHARD KELLER

201
WSW
1/4-1/2
0.402 mi.
2124 ft.

**240 BROADWAY
BROOKLYN, NY**

**LTANKS S104877138
HIST LTANKS N/A**

**Relative:
Higher**

LTANKS:

**Actual:
46 ft.**

Site ID: 323817
Spill No: 0008979
Spill Date: 11/2/2000
Spill Cause: Tank Failure
Spill Source: Non Major Facility > 1,100 gal
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/27/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: JRSTRANG
Referred To: Not reported
Reported to Dept: 11/2/2000
CID: 12
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104877138

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/2/2000
Spill Record Last Update: 9/27/2005
Spiller Name: MARIA MANDARINO
Spiller Company: BRIDGE TRANSPORTATION
Spiller Address: 176 27TH ST
Spiller City,St,Zip: BROOKLYN, NY 11217-001
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 260865
DEC Memo: 9/12/05 Transferred to Strang Closed less than 25 gallons, spill cleaned up.
Remarks: PLUGGED VENT CAUSED BACK UP - BEING CLEANED UP

Material:
Site ID: 323817
Operable Unit ID: 829573
Operable Unit: 01
Material ID: 546482
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: 10
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 0008979
Spill Date: 11/02/2000
Spill Time: 13:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Non Major Facility > 1,100 gallons
Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104877138

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/02/00
Reported to Department Time: 14:45
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: BRIDGE TRANSPORTATION
Spiller Address: 176 27TH ST
Spiller City,St,Zip: BROOKLYN, NY 11217-
Spiller Cleanup Date: / /
Facility Contact: MARIA MANDARINO
Facility Phone: (718) 369-6016
Facility Extension: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/02/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/17/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 10
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104877138

Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: On November 15, 2000, PTC Lara) reported that they completed the removal of 2 X 275 ABOVEGROUND AND 1 X 2,000 Aboveground mounded completed the excavation on Monday November 13, 2000. The bottom of the tank was resting on concrete and not sure ifthe product went through the concrete. The building owner is rennovating the building. There no impact to sumps and basement is clean. On November 17, 2000, DEC Sigona performed an inspection with PTC Lara) of the basement area impacted by the tank failure. The spill impacted two separate rooms which had concrete surface. There was cardboard and debris which emitted a petroleum odor. There was also a noticeable petroleum odor in the entrance. DEC requested that 4 soil borings being advanced in each of the two rooms. The soil will be screened with a PID and submitted for laboratory analysis.
 Spill Cause: PLUGGED VENT CAUSED BACK UP - BEING CLEANED UP

202
 SSE
 1/4-1/2
 0.406 mi.
 2141 ft.

187 UNION AVENUE / BROOKL
 187 UNION AVE
 BROOKLYN, NY

LTANKS
 HIST LTANKS S102662540
 N/A

Relative:
 Equal

LTANKS:

Actual:
 17 ft.

Site ID: 188778
 Spill No: 8607159
 Spill Date: 2/24/1987
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
 Spill Closed Dt: 1/13/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: JAKOLLEE
 Referred To: Not reported
 Reported to Dept: 2/24/1987
 CID: 12
 Water Affected: Not reported
 Spill Notifier: Federal Government
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/4/1987
 Spill Record Last Update: 7/7/2005
 Spiller Name: Not reported
 Spiller Company: NYC FIRE / POLICE DEPT.
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 141497
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

187 UNION AVENUE / BROOKL (Continued)

S102662540

Remarks: "ZHITOMIRSKY" // : BURIED ABOVE GROUND TANK LEAKING THROUGH FIRE WALL FROM 90TH PCT. TO FIREHOUSE. ABSORBENT PADS ARE BEINGPUT DOWN. This spill is referred to spill # 9807905 and is closed today as per discussion with Alex. - II (01/13/05).
UNDERGROUND TANK LEAKING FROM THE POLICE DEPT. TO THE FIRE DEPT. FOR SEVERAL MONTHS. 90TH PRECINCT - 718-963-5311 ASSIGNED TO DGS MONITORS FOR FURTHER ACTION

Material:

Site ID: 188778
Operable Unit ID: 904921
Operable Unit: 01
Material ID: 559700
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 188778
Operable Unit ID: 904921
Operable Unit: 01
Material ID: 559701
Material Code: 0063A
Material Name: UNKNOWN HAZARDOUS MATERIAL
Case No.: Not reported
Material FA: Hazardous Material
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8607159
Spill Date: 02/24/1987
Spill Time: 12:55
Spill Cause: Tank Overfill
Resource Affectd: Groundwater

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

187 UNION AVENUE / BROOKL (Continued)

S102662540

Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ZHITOMIRSKY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/24/87
Reported to Department Time: 12:55
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC FIRE / POLICE DEPT.
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 476-6288
Facility Extention: Not reported
Spill Notifier: Federal Government
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/04/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/14/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

187 UNION AVENUE / BROOKL (Continued)

S102662540

Unkonwn Quantity Recovered: False
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
Material Class Type: Nonpetroleum/Nonhazardous
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN HAZARDOUS MATERIAL
Class Type: UNKNOWN HAZARDOUS MATERIAL
Times Material Entry In File: 2093
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: / / : BURIED ABOVE GROUND TANK LEAKING THROUGH FIRE WALL FROM 90TH PCT. TO FIREHOUSE. ABSORBENT PADS ARE BEINGPUT DOWN.
Spill Cause: UNDERGROUND TANK LEAKING FROM THE POLICE DEPT. TO THE FIRE DEPT. FOR SEVERAL MONTHS. 90TH PRECINCT - 718-963-5311 ASSIGNED TO DGS MONITORS FOR FURTHER ACTION

AW203
East
1/4-1/2
0.418 mi.
2210 ft.

WILLIAMSBURG
128 MAUJER ST
WILLIAMSBURG, NY
Site 1 of 2 in cluster AW

LTANKS S100153697
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
39 ft.

Site ID: 128131
Spill No: 9104201
Spill Date: 7/19/1991
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/27/1995
Facility Addr2: Not reported
Cleanup Ceased: 4/27/1995
Cleanup Meets Standard: True
SWIS: 2401
Investigator: HEALY
Referred To: Not reported
Reported to Dept: 7/19/1991
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/22/1991
Spill Record Last Update: 1/17/2006
Spiller Name: Not reported
Spiller Company: NYCHA
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

S100153697

Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 105628
DEC Memo: Not reported
Remarks: 8K TANK HORNER EZY CHECK; VISUAL GROSS LEAK, WILL REPAIR & RETEST.
SEE SPILL # 9305275

Material:

Site ID: 128131
Operable Unit ID: 958108
Operable Unit: 01
Material ID: 423293
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 128131
Spill Tank Test: 1538781
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9104201
Spill Date: 07/19/1991
Spill Time: 12:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/27/95
Cleanup Ceased: 04/27/95
Cleanup Meets Standard: True
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

S100153697

Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/19/91
Reported to Department Time: 14:07
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NY, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-601883
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/22/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/27/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: 8K TANK HORNER EZY CHECK; VISUAL GROSS LEAK, WILL REPAIR RETEST. SEE SPILL
9305275

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AX204 **NORTHSIDE SENIOR CENTER**
NNW **179 NORTH 6TH STREET**
1/4-1/2 **BROOKLYN, NY 11211**
0.419 mi.
2214 ft. **Site 1 of 2 in cluster AX**

LTANKS **U003835965**
HIST UST **N/A**

Relative:
Higher

LTANKS:

Actual:
24 ft.

Site ID: 414529
Spill No: 0902485
Spill Date: 6/1/2009
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/20/2009
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 2401
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 6/1/2009
CID: 14
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/1/2009
Spill Record Last Update: 11/20/2009
Spiller Name: Not reported
Spiller Company: MARTIN GURSHON
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: MARTIN GURSHON
Spiller Phone: (212) 267-4459
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 363668
DEC Memo: TTF sent to property manager: Mr. Martin Gurshon 233 Broadway - Suite 2704 New York, NY 10279 11/20/09. J.Krimgold reviewed the letter report submitted by Pro Test Enviro and dated 10/30/09. According to the letter the tank system failed the test due to a leak in the supply and/or return lines. The damaged portions of these line were replaced and the tank system retested and passed. During excavation of piping contaminated soil was encountered. This soil was excavated, drummed and properly disposed of. End point samples show no contaminant above TAGM limits. Case closed.

Remarks:

1518 The caller advised dispatch the tank has failed their test and requested to obtain a spill number. No water ways have been affected. This was just a tank test failure. The owner will be incharge of the fixing of the system. At this time chemicals have spilled. 4000 gallon underground tank.

Material:

Site ID: 414529
Operable Unit ID: 1170913

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE SENIOR CENTER (Continued)

U003835965

Operable Unit: 01
Material ID: 2162696
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST UST:

PBS Number: 2-606143
SPDES Number: Not reported
Emergency Contact: MARTIN GENSHON
Emergency Telephone: (212) 267-4459
Operator: MARY JANE TREVIZAN
Operator Telephone: (718) 387-2316
Owner Name: NORTHWEST BKLYN COLATION FOR SENIOR HOUSING,INC
Owner Address: C/O MARTIN GERSHON, 377 BROADWAY 9TH FL.
Owner City,St,Zip: NEW YORK, NY 10013
Owner Telephone: (212) 267-4459
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: NORTHWEST BKLYN. COALITION FOR SENIOR HOUSING, INC
Mailing Address: 377 BROADWAY 9TH FLOOR
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10013
Mailing Contact: MARTIN GENSHON, 9TH FL.
Mailing Telephone: (212) 267-4459
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 179 NORTH 6TH ST.
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTHSIDE SENIOR CENTER (Continued)

U003835965

Certification Flag: False
Certification Date: 11/30/2001
Expiration Date: 06/28/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: 09/07/2001
Next Test Date: 09/07/2006
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: 21
Deleted: False
Updated: True
Lat/long: Not reported

**AX205
NNW
1/4-1/2
0.419 mi.
2214 ft.**

**179 N 6TH STREET
BROOKLYN, NY
Site 2 of 2 in cluster AX**

**LTANKS S105135025
HIST LTANKS N/A**

**Relative:
Higher**

LTANKS:

**Actual:
24 ft.**

Site ID: 306031
Spill No: 0104288
Spill Date: 7/23/2001
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105135025

Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 7/23/2001
CID: 14
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/23/2001
Spill Record Last Update: 12/12/2003
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: MARY JANE TREVZEN
Spiller Phone: (718) 387-2316
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 247190
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" 11/28/2001 Tank passed EZY 3 LP test on 9/7/01. jz 12/12/03
TJD Spill closed based on above entry.
Remarks: tank contained #2 fuel oil

Material:
Site ID: Not reported
Operable Unit ID: Not reported
Operable Unit: Not reported
Material ID: Not reported
Material Code: Not reported
Material Name: Not reported
Case No.: Not reported
Material FA: Not reported
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:
Site ID: 306031
Spill Tank Test: 1526473
Tank Number: 1
Tank Size: 4000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105135025

Test Method: Horner EZ Check I or II

HIST LTANKS:
Region of Spill: 2
Spill Number: 0104288
Spill Date: 07/23/2001
Spill Time: 09:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/23/01
Reported to Department Time: 10:28
SWIS: 61
Spiller Contact: MARY JANE TREVZEN
Spiller Phone: (718) 387-2316
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/23/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/28/01
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: 1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S105135025

Tank Size: 4000
 Test Method: Horner EZ Check
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Talk Test Failures only pass or fail

Material:

Material Class Type: Not reported
 Quantity Spilled: Not reported
 Unkonwn Quantity Spilled: Not reported
 Units: Not reported
 Quantity Recovered: Not reported
 Unkonwn Quantity Recovered: Not reported
 Material: Not reported
 Class Type: Not reported
 Times Material Entry In File: Not reported
 CAS Number: Not reported
 Last Date: Not reported
 DEC Remarks: 11/28/2001 Tank passed EZY 3 LP test on 9/7/01. j
 Spill Cause: tank contained 2 fuel oil

AW206
East
1/4-1/2
0.421 mi.
2224 ft.

WILLIAMSBURG
128 MAUJER STREET
BROOKLYN, NY
Site 2 of 2 in cluster AW

LTANKS **U002034231**
HIST LTANKS **N/A**
HIST UST
NY Spills
NY Hist Spills

Relative:
Higher

LTANKS:

Actual:
39 ft.

Site ID: 121683
 Spill No: 9305275
 Spill Date: 7/28/1993
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: jkkann
 Referred To: Not reported
 Reported to Dept: 7/28/1993
 CID: 12
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 7/29/1993
 Spill Record Last Update: 8/4/2008
 Spiller Name: Not reported
 Spiller Company: NYC HOUSING AUTH.
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 105628
DEC Memo: 01/17/06: This spill transferred from J.Kolleeny to S.Kraszewski. Two TTF for tank 001 and it was replaced in 1994. No contamination evident during the removal. However, this open spill number exists and a site assessment must be performed. - SK 09/01/06: DEC Lead for this spill changed from "unassigned" to S. Kraszewski. - J. Kolleeny 02/09/07 - J.Kann - Spill reassigned from S.Kraszewski to J.Kann. 08/04/08- J.Kann - Spill 9113231 (same address) closed and consolidated with this spill. J.kann
Remarks: PROB. EMPTY TANK AND CHECK FOR LEAK RATE.

Material:
Site ID: 121683
Operable Unit ID: 986780
Operable Unit: 01
Material ID: 395207
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 121683
Spill Tank Test: 1541817
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Site ID: 131045
Spill No: 9314699
Spill Date: 3/15/1994
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/23/1994
Facility Addr2: Not reported
Cleanup Ceased: 3/23/1994
Cleanup Meets Standard: True
SWIS: 2401
Investigator: HEALY
Referred To: Not reported
Reported to Dept: 3/15/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

CID: 12
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/21/1994
Spill Record Last Update: 1/17/2006
Spiller Name: Not reported
Spiller Company: NYC HOUS. AUTH.
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 105628
DEC Memo: Not reported
Remarks: CONTAINED CLEANED UP BY BAYSIDE FUEL OIL - PUT INTO DRUM - SPEEDY DRY USED. 350/PM CALLED GENTILE - SPILL ON CONCRETE & ASPHALT AT PARKING LOT - FUEL CO. & H.A. CLEANED UP QUICKLY BECAUSE IT WAS RAINI

Material:

Site ID: 131045
Operable Unit ID: 996626
Operable Unit: 01
Material ID: 386486
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 131045
Spill Tank Test: 1542497
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9314699
Spill Date: 03/15/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Spill Time: 11:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/23/94
Cleanup Ceased: 03/23/94
Cleanup Meets Standard: True
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/15/94
Reported to Department Time: 15:14
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC HOUS. AUTH.
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: 2-601883
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/21/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/07/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: CONTAINED CLEANED UP BY BAYSIDE FUEL OIL - PUT INTO DRUM - SPEEDY DRY USED.
350/PM CALLED GENTILE - SPILL ON CONCRETE ASPHALT AT PARKING LOT - FUEL CO.
H.A. CLEANED UP QUICKLY BECAUSE IT WAS RAINI

Region of Spill: 2
Spill Number: 9305275
Spill Date: 07/28/1993
Spill Time: 15:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/28/93
Reported to Department Time: 15:22
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTH.
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3129
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-601883
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/29/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/27/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: PROB. EMPTY TANK AND CHECK FOR LEAK RATE.

HIST UST:

PBS Number: 2-601883
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE SQUAD
Emergency Telephone: (212) 289-3940
Operator: RAFAEL VELEZ
Operator Telephone: (212) 306-3142
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 250 BROADWAY
Owner City,St,Zip: NEW YORK, NY 10007
Owner Telephone: (212) 306-3142
Owner Type: Local Government
Owner Subtype: 51
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 250 BROADWAY
Mailing Address 2: 16TH FLOOR - REMEDIATION SECTION
Mailing City,St,Zip: NEW YORK, NY 10007
Mailing Contact: FRANK OCELLO
Mailing Telephone: (212) 306-3142
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/29/1999
Expiration Date: 06/02/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 14400
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19781201
Capacity (gals): 7000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: Wrapped (Piping)
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 08/01/1994
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19940901
Capacity (gals): 7000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Fiberglass
Pipe Location: Underground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: Electronic
Overfill Prot: High Level Alarm, Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: 09/01/2009
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19781201
Capacity (gals): 7400
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: Wrapped (Piping)
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

NY Spills:

Site ID: 121686
Facility Addr2: Not reported
Facility ID: 9506468
Spill Number: 9506468
Facility Type: ER
SWIS: 2401
Investigator: HEALY
Referred To: Not reported
Spill Date: 8/24/1995
Reported to Dept: 8/25/1995
CID: 12
Spill Cause: Human Error
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Affected Persons
Cleanup Ceased: 8/25/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/25/1995
Remediation Phase: 0
Date Entered In Computer: 8/25/1995
Spill Record Last Update: 8/28/1995
Spiller Name: Not reported
Spiller Company: B&G NATIONAL
Spiller Address: 33-59 55TH STREET
Spiller City,St,Zip: WOODSIDE, NY 11377
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 105628
DEC Memo: Not reported
Remarks: CONTRACTOR FOR BROOKLYN UNION GAS WAS CONVERTING BOILER ROOM FROM OIL TO DUAL FUEL-LEFT COVERS OFF OIL STRAINERS, CAUSED LEAK TO FLOOR DRAINS AND SUMP. NO OIL GOT INTO SEWER. CONTRACTOR TO CLEAN

Material:
Site ID: 121686
Operable Unit ID: 1017247
Operable Unit: 01
Material ID: 364434
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 40
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 121684
Facility Addr2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Facility ID: 9412051
Spill Number: 9412051
Facility Type: ER
SWIS: 2401
Investigator: HEALY
Referred To: Not reported
Spill Date: 12/9/1994
Reported to Dept: 12/9/1994
CID: 12
Spill Cause: Human Error
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: 5/1/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/1/1995
Remediation Phase: 0
Date Entered In Computer: 12/15/1994
Spill Record Last Update: 5/1/1995
Spiller Name: Not reported
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 105628
DEC Memo: Not reported
Remarks: PUT FILL LINE TO SECONDARY CONTAINMENT-SPILL WENT ONTO LAWN AND
CONCRETE-WILL RELIEVE PRESSURE AND CLEAN.

Material:

Site ID: 121684
Operable Unit ID: 1009840
Operable Unit: 01
Material ID: 374387
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 136
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 121684
Spill Tank Test: 1543436
Tank Number: Not reported
Tank Size: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

[Click this hyperlink](#) while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2
Spill Number: 9412051
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/09/1994 10:00
Reported to Dept Date/Time: 12/09/94 11:42
SWIS: 61
Spiller Name: NYC HOUSING AUTHORITY
Spiller Contact: Not reported
Spiller Phone: (212) 306-3142
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: 2-601883
Cleanup Ceased: 05/01/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/01/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/15/94
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/01/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 136
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: Not reported

Remark: PUT FILL LINE TO SECONDARY CONTAINMENT-SPILL WENT ONTO LAWN AND CONCRETE-WILL RELIEVE PRESSURE AND CLEAN.

Region of Spill: 2
Spill Number: 9208264
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/16/1992 15:45
Reported to Dept Date/Time: 10/16/92 16:17
SWIS: 61
Spiller Name: NYCHA
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Other
PBS Number: 2-601883
Cleanup Ceased: 10/16/92
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/16/92
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/20/92
Date Spill Entered In Computer Data File: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

Update Date: 09/07/94
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Remark: OIL FOUND IN STICKWELL AFTER DELIVERY-NYC HOUSING TO CLEANUP. CALLED JIM CAREY AT CASTLE OIL, OIL CAME OUT OF THE STICK HOLE CONTAMINATED SURROUNDING SOIL,NYCHA CALL CONTRACTOR TO PICK UP.

Region of Spill: 2
Spill Number: 9506468
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 08/24/1995 12:00
Reported to Dept Date/Time: 08/25/95 11:39
SWIS: 61
Spiller Name: B&G NATIONAL
Spiller Contact: Not reported
Spiller Phone: (718) 476-2220
Spiller Address: 33-59 55TH STREET
Spiller City,St,Zip: WOODSIDE, NY 11377
Spill Cause: Human Error
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: 08/25/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/25/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 08/25/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 08/28/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 40
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: Not reported

Remark: CONTRACTOR FOR BROOKLYN UNION GAS WAS CONVERTING BOILER ROOM FROM OIL TO DUAL FUEL-LEFT COVERS OFF OIL STRAINERS, CAUSED LEAK TO FLOOR DRAINS AND SUMP. NO OIL GOT INTO SEWER. CONTRACTOR TO CLEAN

Region of Spill: 2
Spill Number: 9414149
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 01/25/1995 11:50
Reported to Dept Date/Time: 01/25/95 11:57
SWIS: 61
Spiller Name: T & S TRUCKING
Spiller Contact: Not reported
Spiller Phone: (718) 499-2900
Spiller Address: RALPH SOLIMINE
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 08
Spill Notifier: DEC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG (Continued)

U002034231

PBS Number: Not reported
Cleanup Ceased: 02/02/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/02/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/02/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/16/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 10
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: HOSE ON TRUCK FAILED-DEC ON SCENE. DRIVER APPLYING SPEEDY DRY. NYCHA NOTIFIED.

[Click this hyperlink](#) while viewing on your computer to access additional NY_HIST_SPILL: detail in the EDR Site Report.

AY207
South
1/4-1/2
0.433 mi.
2288 ft.

BROOKLYN NORTH 3+3A SITE
306 RUTLEDGE ST
BROOKLYN, NY
Site 1 of 4 in cluster AY

LTANKS **S102233321**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
Site ID: 127997
Spill No: 9601941
Spill Date: 5/9/1996
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROOKLYN NORTH 3+3A SITE (Continued)

S102233321

Spill Closed Dt: 3/2/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: AllIslam
Referred To: Not reported
Reported to Dept: 5/9/1996
CID: 10
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/9/1996
Spill Record Last Update: 3/2/2005
Spiller Name: ANTHONY MARINO
Spiller Company: DEPT OF GENERAL SERVICES
Spiller Address: MUNICIPAL BLDG-15TH FLOOR
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller County: 001
Spiller Contact: ANTHONY MARINO
Spiller Phone: (212) 669-8286
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 114349
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMIRSKY" TRANSFERRED FROM Y.KRIMGOLD. The spill is closed in consultation with Alex to consolidate with spill # 0001698. The site is currently under remediation by LiRo Engineers. - II (03/02/05).
Remarks: caller received results from soil tests from around an underground storage tank and the results indicated contamination

Material:

Site ID: 127997
Operable Unit ID: 1029528
Operable Unit: 01
Material ID: 351737
Material Code: 9999
Material Name: Other -
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROOKLYN NORTH 3+3A SITE (Continued)

S102233321

Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9601941
Spill Date: 05/09/1996
Spill Time: 10:15
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/09/96
Reported to Department Time: 10:54
SWIS: 61
Spiller Contact: ANTHONY MARINO
Spiller Phone: (212) 669-8286
Spiller Extention: Not reported
Spiller Name: DEPT OF GENERAL SERVICES
Spiller Address: MUNICIPAL BLDG-15TH FLOOR
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller Cleanup Date: / /
Facility Contact: ANTHONY MARINO
Facility Phone: (212) 669-8286
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/09/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/24/96
Is Updated: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROOKLYN NORTH 3+3A SITE (Continued)

S102233321

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: OTHER PETROLEUM
Class Type: OTHER PETROLEUM
Times Material Entry In File: 996
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: caller received results from soil tests from around an underground storage tank and the results indicated contamination

AY208
South
1/4-1/2
0.433 mi.
2288 ft.

NYC DDC
306 RUTLEDGE ST
BROOKLYN, NY

LTANKS **S104621574**
HIST LTANKS **N/A**

Site 2 of 4 in cluster AY

Relative:
Higher

LTANKS:

Site ID: 127996
Spill No: 0001698
Spill Date: 4/21/2000
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/23/2008
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: jamaison
Referred To: HOIST OIL
Reported to Dept: 5/10/2000
CID: 10
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/10/2000
Spill Record Last Update: 6/23/2008
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DDC (Continued)

S104621574

Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: MOHAMMED AZIZ
Spiller Phone: (917) -
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 114349
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL" 10/14/04 The spill was reassigned to Alex. This spill is also referred to spill # 9601941,9200212& 0001698. -II (03/02/05). 3/09/06: This spill transferred from I. Islam to Q. Abidi. 5/31/07 Spill case transferred from K. Tang to J. Maisonave. - JAM 6/23/08 This spill case is closed and consolidated with spill number 9200212. Free phase hoist oil has been evacuated from several wells. An active MPE system is also remediating a gasoline spill at this site. Hoist oil will be added to the list of materials for spill number 9200212. See that spill for more information. - JAM

Remarks: North 3-3a garage.

Material:

Site ID: 127996
Operable Unit ID: 823519
Operable Unit: 01
Material ID: 289913
Material Code: 1096A
Material Name: HOIST OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 127996
Spill Tank Test: 1525572
Tank Number: 2
Tank Size: 550
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 0001698
Spill Date: 04/21/2000
Spill Time: 12:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DDC (Continued)

S104621574

Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/10/00
Reported to Department Time: 09:49
SWIS: 61
Spiller Contact: MOHAMMED AZIZ
Spiller Phone: (917) -
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/10/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/10/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 2
Tank Size: 550
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
PBS Number: Not reported
Tank Number: 2
Tank Size: 550
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC DDC (Continued)

S104621574

Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: HOIST OIL
Class Type: HOIST OIL
Times Material Entry In File: 1
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: Not reported
Spill Cause: North 3-3a garage.

AZ209
ESE
1/4-1/2
0.434 mi.
2289 ft.

WILLIAMSBURGH HOUSES
125 STAGG WALK
BROOKLYN, NY 11206
Site 1 of 2 in cluster AZ

LTANKS U001840731
HIST LTANKS N/A
UST
HIST UST
AST
HIST AST

Relative:
Higher

LTANKS:

Actual:
40 ft.

Site ID: 313516
Spill No: 0102133
Spill Date: 5/25/2001
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: jkkann
Referred To: SITE STATUS RPT PENDING
Reported to Dept: 5/25/2001
CID: 12
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 5/25/2001
Spill Record Last Update: 2/6/2007
Spiller Name: JOHN TOMKIN
Spiller Company: NEW YORK CITY HOUSING AUT
Spiller Address: 123 WILLIAMS
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller County: 001
Spiller Contact: JOHN TOMKIN
Spiller Phone: (718) 566-8960
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 170013
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "BREEN" 11/09/05: Joel Rogers, P.E. from Gannett Fleming sent request letter dated June 23, 2005 for elvaluation of Site Investigation Work

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Remarks: Plan dated Jan. 13, 2004. Jon sent approval for Site Investigation Work Plan on Feb. 4 2005 to NYCHA. I spoke with Joel, he never recieved approval letter possibly because Steve Saccacio from NYCHA transferred from his position around the time Jon submitted his approval. I spoke with Ralph Trocchio at NYCHA, he said he would look into it. - SK This spill transferred from J.Kolleeny to S.Kraszewski. 11/22/05: Message from Joel Rogers, says he still hasn't recieved approval for work plan. Faxed him copy of approval. - SK 02/06/07 - J.Kann - site reassigned from S. Kraszewski to J.Kann.
CALLER DID TANK REMOVAL AND SOIL SAMPLE TAKEN SHOWED CONTAMINATION. See 9811727, 9810261, 9810259 and 9415279.

Material:

Site ID: 313516
Operable Unit ID: 840958
Operable Unit: 01
Material ID: 534258
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0102133
Spill Date: 05/25/2001
Spill Time: 10:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SANGESLAND
Caller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/25/01
Reported to Department Time: 11:00
SWIS: 61
Spiller Contact: JOHN TOMKIN
Spiller Phone: (718) 566-8960
Spiller Extension: Not reported
Spiller Name: NEW YORK CITY HOUSING AUT
Spiller Address: 123 WILLIAMS
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller Cleanup Date: / /
Facility Contact: JOHN TOMKIN
Facility Phone: (718) 566-8960
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/25/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/29/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CALLER DID TANK REMOVAL AND SOIL SAMPLE TAKEN SHOWED CONTAMINATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

UST:

Facility Id: 2-475157
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2014/03/28
UTM X: 589070.81464
UTM Y: 4506985.1056700004
Site ID: 20977

Tank Number: 1
Tank ID: 61674
Tank Status: In Service
Tank Model: 108
Pipe Model: E
Install Date: 8/1/2001
Capacity Gallons: 15000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: 0
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 12/31/2008

Equipment Records:

- L08 - Piping Leak Detection - Tank Top Sump
- B09 - Tank External Protection - Urethane
- I03 - Overfill - Automatic Shut-Off
- J02 - Dispenser - Suction
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- L09 - Piping Leak Detection - Exempt Suction Piping
- A00 - Tank Internal Protection - None
- C02 - Pipe Location - Underground/On-ground
- F05 - Pipe External Protection - Jacketed
- D11 - Pipe Type - Flexible Piping
- H05 - Tank Leak Detection - In-Tank System (ATG)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: OLD 1
Tank ID: 37751
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1978
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/2001
Tank Location: 5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
C02 - Pipe Location - Underground/On-ground
B00 - Tank External Protection - None

Tank Number: OLD 2
Tank ID: 37752
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1978
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/2001
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
F06 - Pipe External Protection - Wrapped
B00 - Tank External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None

Affiliation Records:

Site Id: 20977
Affiliation Type: On-Site Operator
Company Name: WILLIAMSBURGH HOUSES
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION UNIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/31/2008

Site Id: 20977
Affiliation Type: Mail Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION COORDINATOR
Address1: 23-02 49TH AVENUE
Address2: TECH SERVS DEPT - 5TH FLOOR
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/19/2010

Site Id: 20977
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: EMERGENCY SERVICES DEPT.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: 718-707-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/31/2008

Site Id: 20977
Affiliation Type: Owner
Company Name: NYC HOUSING AUTHORITY
Contact Type: \\
Contact Name: Not reported
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2010

HIST UST:

PBS Number: 2-475157
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE DEPT.
Emergency Telephone: (212) 289-3940
Operator: MR. LUIS PONCE
Operator Telephone: (718) 707-5725
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: MR. LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 176 MAUJER STREET (MGMT OFFICE)
SWIS ID: 6101
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/07/2001
Expiration Date: 03/28/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 15000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 61
Town or City: 01
Region: 2

Tank Id: 1
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 20010801
Capacity (gals): 15000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: Not reported
Tank External: Fiberglass
Pipe Location: Underground
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: Other
Pipe External: Other
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: Float Vent Valve, High Level Alarm
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: OLD 1
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19781201
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Wrapped (Piping)
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 05/01/2001
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: OLD 2
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19781201
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Tank External: Not reported
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Wrapped (Piping)
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 05/01/2001
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-475157
Program Type: PBS
UTM X: 589070.81464
UTM Y: 4506985.1056700004
Expiration Date: 2014/03/28

Tank Number: T-1
Tank Id: 60290
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/1/2000
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 8/1/2001
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
I03 - Overfill - Automatic Shut-Off
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Affiliation Records:

Site Id: 20977
Affiliation Type: On-Site Operator
Company Name: WILLIAMSBURGH HOUSES
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION UNIT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/31/2008

Site Id: 20977
Affiliation Type: Mail Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: FUEL OIL REMEDIATION COORDINATOR
Address1: 23-02 49TH AVENUE
Address2: TECH SERVS DEPT - 5TH FLOOR
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/19/2010

Site Id: 20977
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING AUTHORITY
Contact Type: Not reported
Contact Name: EMERGENCY SERVICES DEPT.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: 718-707-5900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/31/2008

Site Id: 20977
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

Company Name: NYC HOUSING AUTHORITY
Contact Type: \\
Contact Name: Not reported
Address1: 23-02 49TH AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 707-5725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2010

HIST AST:

PBS Number: 2-475157
SWIS Code: 6101
Operator: MR. LUIS PONCE
Facility Phone: (718) 707-5725
Facility Addr2: 176 MAUJER STREET (MGMT OFFICE)
Facility Type: APARTMENT BUILDING
Emergency: EMERGENCY SERVICE DEPT.
Emergency Tel: (212) 289-3940
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Federal ID: Not reported
Owner Tel: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51
Mailing Contact: MR. LUIS PONCE
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 08/07/2001
Expiration: 03/28/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 15000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

WILLIAMSBURGH HOUSES (Continued)

U001840731

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 61
 Town or City Code: 01
 Region: 2

Tank ID: T-1
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank Status: Closed-Removed
 Install Date: 20001001
 Capacity (Gal): 20000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Vault (w/access)
 Leak Detection: Not reported
 Overfill Protection: 34
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 08/01/2001
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**AZ210
 ESE
 1/4-1/2
 0.434 mi.
 2289 ft.**

**WILLIAMSBURGH HOUSES
 125 STAGG WALK
 BROOKLYN, NY
 Site 2 of 2 in cluster AZ**

**LTANKS S102672842
 HIST LTANKS N/A
 NY Spills
 NY Hist Spills**

**Relative:
 Higher**

LTANKS:
 Site ID: 204509
 Spill No: 9811727
 Spill Date: 12/17/1998
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 3/29/1999
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: SACCACIO
 Referred To: Not reported
 Reported to Dept: 12/17/1998
 CID: 12
 Water Affected: Not reported
 Spill Notifier: Tank Tester

**Actual:
 40 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/17/1998
Spill Record Last Update: 3/29/1999
Spiller Name: Not reported
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 170013
DEC Memo: Not reported
Remarks: ISOLATE AND RETEST.

Material:

Site ID: 204509
Operable Unit ID: 1072529
Operable Unit: 01
Material ID: 312013
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 204509
Spill Tank Test: 1546664
Tank Number: 1
Tank Size: 20000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

Site ID: 204508
Spill No: 9810261
Spill Date: 11/13/1998
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/8/2004
Facility Addr2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: JAKOLLEE
Referred To: Not reported
Reported to Dept: 11/13/1998
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/13/1998
Spill Record Last Update: 3/14/2005
Spiller Name: PAUL GOLDSTEIN
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-001
Spiller County: PAUL GOLDSTEIN
Spiller Contact: (212) 306-3233
Spiller Phone: Not reported
Spiller Extention: 2
DEC Region: 170013
DER Facility ID: Not reported
DEC Memo: TANK TO BE EMPTIED AND INVESTIGATED.
Remarks:

Material:

Site ID: 204508
Operable Unit ID: 1071175
Operable Unit: 01
Material ID: 314128
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 204508
Spill Tank Test: 1546532
Tank Number: 2
Tank Size: 20000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Site ID: 204507
Spill No: 9810259
Spill Date: 11/13/1998
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/8/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 11/13/1998
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/13/1998
Spill Record Last Update: 3/4/2005
Spiller Name: PAUL GOLDSTEIN
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller County: 001
Spiller Contact: PAUL GOLDSTEIN
Spiller Phone: (212) 306-3233
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 170013
DEC Memo: Not reported
Remarks: TANKS TO BE EMPTIED AND INVESTIGATED

Material:

Site ID: 204507
Operable Unit ID: 1071172
Operable Unit: 01
Material ID: 314127
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 204507
Spill Tank Test: 1546531
Tank Number: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Tank Size: 20000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9810259
Spill Date: 11/13/1998
Spill Time: 14:15
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/13/98
Reported to Department Time: 14:44
SWIS: 61
Spiller Contact: PAUL GOLDSTEIN
Spiller Phone: (212) 306-3233
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller Cleanup Date: / /
Facility Contact: PAUL GOLDSTEIN
Facility Phone: (212) 306-3233
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: -475157
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/13/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/29/99

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 20000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 3/29/99 -Saccacio- Subsequent tank test failure 9811727) on 12/17/98 closed and refered to this spill.
Spill Cause: TANKS TO BE EMPTIED AND INVESTIGATED

Region of Spill: 2
Spill Number: 9811727
Spill Date: 12/17/1998
Spill Time: 13:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/29/99
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/17/98
Reported to Department Time: 13:14
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: -475157
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/17/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/29/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 20000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: 3/29/99 -Saccacio- Subsequent tank test failure. Previous tank test failure
9810259) on 11/13/98 will remain open. Spill closed 3/29/99
Spill Cause: ISOLATE AND RETEST.

Region of Spill: 2
Spill Number: 9810261
Spill Date: 11/13/1998
Spill Time: 14:15
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/13/98
Reported to Department Time: 14:49
SWIS: 61
Spiller Contact: PAUL GOLDSTEIN
Spiller Phone: (212) 306-3233
Spiller Extension: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: NEW YORK, NY 10007-
Spiller Cleanup Date: / /
Facility Contact: PAUL GOLDSTEIN
Facility Phone: (212) 306-3233
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: -475157
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/13/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/29/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 2
Tank Size: 20000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK TO BE EMPTIED AND INVESTIGATED.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

NY Spills:

Site ID: 204506
Facility Addr2: Not reported
Facility ID: 9415279
Spill Number: 9415279
Facility Type: ER
SWIS: 2401
Investigator: HEALY
Referred To: Not reported
Spill Date: 2/22/1995
Reported to Dept: 2/22/1995
CID: 12
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: 4/3/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/3/1995
Remediation Phase: 0
Date Entered In Computer: 2/22/1995
Spill Record Last Update: 4/3/1995
Spiller Name: Not reported
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 170013
DEC Memo: Not reported
Remarks: STEAM PRE-HEATER LEAKING FROM BROKEN VALVE. WINSTON TO CLEAN UP.

Material:

Site ID: 204506
Operable Unit ID: 1012595
Operable Unit: 01
Material ID: 370459
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 75
Units: Gallons
Recovered: 75
Resource Affected: Not reported
Oxygenate: False
Site ID: 204506
Operable Unit ID: 1012595
Operable Unit: 01
Material ID: 370460

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Material Code: 0012
Material Name: Kerosene (#1 Fuel Oil)
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9415279
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/22/1995 07:00
Reported to Dept Date/Time: 02/22/95 10:25
SWIS: 61
Spiller Name: NYC HOUSING AUTHORITY
Spiller Contact: Not reported
Spiller Phone: (212) 306-3142
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 04/03/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WILLIAMSBURG HOUSES (Continued)

S102672842

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/03/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/22/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 04/03/95
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 75
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 75
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: KEROSENE
Class Type: KEROSENE
Times Material Entry In File: 2052
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: STEAM PRE-HEATER LEAKING FROM BROKEN VALVE. WINSTON TO CLEAN UP.

AY211
South
1/4-1/2
0.440 mi.
2323 ft.

**306 RUTLEDGE ST.
306 RUTLEDGE ST.
WILLIAMSBURG, NY**
Site 3 of 4 in cluster AY

**HIST LTANKS S106703614
N/A**

**Relative:
Higher**

HIST LTANKS:
Region of Spill: 2
Spill Number: 9200212
Spill Date: 04/07/1992
Spill Time: 07:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

**Actual:
22 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

306 RUTLEDGE ST. (Continued)

S106703614

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ZHITOMIRSKY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/07/92
Reported to Department Time: 08:51
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC DOS
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 387-1378
Facility Extention: Not reported
Spill Notifier: Citizen
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/08/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/14/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

306 RUTLEDGE ST. (Continued)

S106703614

Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: U.G. TANK INSIDE BLDG, NOT USED FOR 10 YEARS. EXCAV. FOR NEW FLOOR, DISCOVERED CONTAMINATED SOIL. SHOULD BE CHECKED ASAP, PLAN TO POUR NEW FLOOR SOON.

AY212
South
1/4-1/2
0.440 mi.
2323 ft.

306 RUTLEDGE ST/BKLYN
306 RUTLEDGE STREET
NEW YORK CITY, NY
Site 4 of 4 in cluster AY

LTANKS S106703313
HIST LTANKS N/A

Relative:
Higher

LTANKS:
Site ID: 132862
Spill No: 8809462
Spill Date: 11/2/1988
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
22 ft.

Spill Closed Dt: 3/2/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: AllIslam
Referred To: Not reported
Reported to Dept: 3/8/1989
CID: 10
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 3/8/1989
Spill Record Last Update: 3/2/2005
Spiller Name: Not reported
Spiller Company: DOS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 114349
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMERSKY" The spill is closed in consultation with Alex to consolidate with spill # 9200212. The site is under remediation by LiRo Engineers. - II (03/02/05).

Remarks: 550 GALLON TANK FAILED A NYCFD AIR PRESSURE TEST, UNDETERMINED LEAK RATE, PUMPED OUT TANK, WILL RETEST.

Material:
Site ID: 132862

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

306 RUTLEDGE ST/BKLYN (Continued)

S106703313

Operable Unit ID: 925527
Operable Unit: 01
Material ID: 454194
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 132862
Spill Tank Test: 1535230
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8809462
Spill Date: 11/02/1988
Spill Time: 12:00
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ZHITOMERSKY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/08/89
Reported to Department Time: 10:04
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

306 RUTLEDGE ST/BKLYN (Continued)

S106703313

Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: 2-455970
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/08/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/26/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: 550 GALLON TANK FAILED A NYCFD AIR PRESSURE TEST, UNDETERMINED LEAK RATE, PUMPED OUT TANK, WILL RETEST.

213
NE
1/4-1/2
0.450 mi.
2375 ft.

COOPER PARK
95 JACKSON STREET
BROOKLYN, NY

LTANKS S101341307
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 315998
Spill No: 9414271
Spill Date: 1/27/1995
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COOPER PARK (Continued)

S101341307

Spill Closed Dt: 3/29/1996
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: HEALY
Referred To: Not reported
Reported to Dept: 1/27/1995
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/27/1995
Spill Record Last Update: 12/16/2005
Spiller Name: Not reported
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 204947
DEC Memo: Not reported
Remarks: TANK TEST FAILURE - COULD NOT MAINTAIN LEVEL

Material:

Site ID: 315998
Operable Unit ID: 1007841
Operable Unit: 01
Material ID: 373014
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 315998
Spill Tank Test: 1543579
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COOPER PARK (Continued)

S101341307

HIST LTANKS:

Region of Spill: 2
Spill Number: 9414271
Spill Date: 01/27/1995
Spill Time: 15:20
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/29/96
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: HEALY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/27/95
Reported to Department Time: 15:49
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-474630
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/27/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/29/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COOPER PARK (Continued)

S101341307

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: -1

Unkonwn Quantity Spilled: False

Units: Gallons

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: #2 FUEL OIL

Class Type: #2 FUEL OIL

Times Material Entry In File: 24464

CAS Number: Not reported

Last Date: 19941207

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: TTF.

Spill Cause: TANK TEST FAILURE - COULD NOT MAINTAIN LEVEL

214
NNW
1/4-1/2
0.451 mi.
2382 ft.

ST VINCENT DEPAUL CHURCH
167 N. 6TH ST
BROOKLYN, NY

LTANKS S105998861
N/A

Relative:
Higher

LTANKS:

Site ID: 177051

Spill No: 0301163

Spill Date: 5/1/2003

Spill Cause: Tank Test Failure

Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/21/2005

Facility Addr2: Not reported

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 2401

Investigator: JBLISTER

Referred To: Not reported

Reported to Dept: 5/1/2003

CID: 14

Water Affected: Not reported

Spill Notifier: Tank Tester

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 5/1/2003

Spill Record Last Update: 1/6/2006

Spiller Name: FR. KING

Spiller Company: ST VINCENT DEPAUL CHURCH

Spiller Address: 167 N. 6TH ST

Spiller City,St,Zip: BROOKLYN, NY

Spiller County: 001

Spiller Contact: FR. KING

Spiller Phone: (718) 388-4218

Spiller Extention: Not reported

DEC Region: 2

Actual:
28 ft.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ST VINCENT DEPAUL CHURCH (Continued)

S105998861

DER Facility ID: 148793
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" 05/02/03 - ROSSAN, DDO - Tank test failure letter was sent 5/2/03 Letter was sent to: Fr. King St Vincent De Paul Church 167 N 6th Street Brooklyn, NY 11211 END 4/30/2004 SS sent a new ttf ltr 12/06/05 called for Father King who I was informed was no longer at the church. Bishop Manuel will call me when he returns. J Lister 12/21/05 Spill closed after receiving documentation that tank was retested and passed. J Lister

Remarks: tank test failure

Material:
 Site ID: 177051
 Operable Unit ID: 867566
 Operable Unit: 01
 Material ID: 509219
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: 177051
 Spill Tank Test: 1528335
 Tank Number: 001
 Tank Size: 5000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

215
 East
 1/4-1/2
 0.452 mi.
 2385 ft.

**151 MAUJER ST
 151 MAUJER STREET
 BROOKLYN, NY**

**LTANKS S101508983
 HIST LTANKS N/A**

**Relative:
 Higher**

LTANKS:
 Site ID: 233375
 Spill No: 9414176
 Spill Date: 1/25/1995
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: No spill occurred. No DEC Response. No corrective action required.
 Spill Closed Dt: 2/28/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401

**Actual:
 38 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 MAUJER ST (Continued)

S101508983

Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 1/25/1995
CID: 12
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/16/1995
Spill Record Last Update: 2/28/2003
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 192302
DEC Memo: Not reported
Remarks: Not reported

Material:

Site ID: 233375
Operable Unit ID: 1007757
Operable Unit: 01
Material ID: 372923
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 233375
Spill Tank Test: 1543568
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9414176

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 MAUJER ST (Continued)

S101508983

Spill Date: 01/25/1995
Spill Time: 13:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/25/95
Reported to Department Time: 13:39
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/16/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 MAUJER ST (Continued)

S101508983

Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: Not reported

216
NNE
1/4-1/2
0.466 mi.
2459 ft.

MEEKER DISCOUNT MUFFLERS
64 FROST ST
BROOKLYN, NY

LTANKS S102232676
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 261281
Spill No: 9601530
Spill Date: 4/30/1996
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
16 ft.

Spill Closed Dt: 8/5/2010
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: hrpatel
Referred To: Not reported
Reported to Dept: 4/30/1996
CID: 14
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 4/30/1996
Spill Record Last Update: 8/5/2010
Spiller Name: Not reported
Spiller Company: MEEKER DISCOUNT MUFFLERS
Spiller Address: 64 FROST ST
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: (718) 388-3329
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 6789
DEC Memo: 3/11/03 - SAMUEL- File available in active unassigned spill files.
4/3/06 Diaz - Next Steps - February 2000 Investigation report stated further investigation & possible remedial work recommended. Verify & conduct work or close site. 6/28/07. J.Krimgold reviewed and approved IWP submitted by FPM Group (631-737-6200)on June 27, 2007. The plan

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

calls for 4 soil/gw samples around tanks excavation pit 5/21/08.
email from FPM's Ben Cancemi informed that excavation and sampling activities will commence on 5/22/08. 02/12/09-Hiralkumar Patel. contaminated groundwater (with sheen) was discovered under basement floor at 684 Lorimer Street, site located behind subject gas station. based on location of both sites, contamination under house at 684 Lorimer street might be originated from subject gas station site. based on recent findings, case transferred from DEC Jacob to DEC Patel. found following documents for the subject site: - tank closure environmental site assessment, Nov. 1999 - subsurface investigation report, Feb. 2000 - subsurface investigation work plan, Jun. 27, 2007 - subsurface investigation report and remedial action plan, Sep. 10, 2007 abstract of tank closure report, Nov. 1999: - total of eight 550 gal and one 3000 gal USTs were removed including all pipings and portions of pump islands - all of the tank in very good condition and exhibited no evidence of corrosion - five of the tanks were empty, and three tanks were filled with concrete - 3000 gal tank contained approx. 1300 gal of water and petroleum products - total of eight soil and water samples were collected after tank removal - depth to groundwater ranged from 14-16 ft bg <----- - according to fire department record, in Nov. of 1984, the eight 550 gal tanks failed the official 10 year test - in sept. of 1985, three 550 gal were purged and filled with concrete - one pump was removed and all associated lines were sealed - highest PID readings were noted at an average depth of 10 to 15 ft <----- - fine to medium sized grain sand with clay lenses were found to a level of 12 to 14 ft bg - a layer of one foot in thickness of peat-like material intermixed with clay occurred at about 16 ft bg - found xylene contamination in east and north sidewall samples - found contamination in groundwater samples soil analyticals: -----Xylene North----4,600 East----13,500 groundwater analyticals: -----west bottom pit----east bottom pit Benzene-----160-----230 Toluene-----200-----230 Ethylbenzene-----97-----120 Xylene-----1,410-----1,520 Naphthalene-----390-----640 MTBE-----1,900-----2,300 abstract of subsurface investigation report, feb. 2000: - eight borings (B1 thru B8) were advanced and collected soil and groundwater samples from borings - borings B1, B2 and B5 thru B8 were advanced in the immediate vicinity of the former tank field and borings B3 and B4 advanced near the west property line - groundwater found at 10 ft depth- soil samples collected at 8-10 ft depth from each boring except boring B4 where no sample collected; additional soil sample collected from boring B1 at 0-4 ft depth - high PID reading found during borings - contamination found in soil and groundwater samples PID readings: -----0-4----4-8----8-10 B1-----1,120----1,160----1,190 B5-----110----20----55 B6-----2,010 B7-----640 soil analyticals: -----B1-----B1-----B6 0-4 ft 8-10 ft 8-10 ft Benzene-----<250 Xylene-----25,000-----5,300-----1,200 1,2,4-Trimethylbenzene--14,000 1,3,5-Trimethylbenzene--23,000-----3,200 groundwater analyticals: -----GW1----GW-3----GW-4----GW-5----GW-6----GW-7----GW-8

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

Benzene-----
-----2,900
Toluene-----520-----
-----540
Ethylbenzene-----120----160----
-260----1,700
Xylene-----360-----640----420---2
,000---15,000
Naphthalene-----
-140-----700
MTBE-----260-----180-----830-----120---1,
200---1,500---7,000
1,2,
4-Trimethylbenzene---210-----190-----750
---3,600
1,3,
5-Trimethylbenzene---330-----170-----300---1,
700---7,200 abstract of subsurface investigation report, Sep., 2007:
- four soil boring were installed to final depth of 15 ft bg - soils
encountered at the property generally consisted of fine to medium
grained sand with gravel and trace amount of silt and clay from just
below grade to the top of blue-green clay layer - the top of the
blue-green clay layer was evident in all of the borings at depths
ranging from approx. 12.5 to 14.5 ft bg - the blue-green clay layer
showed no indications of potential contamination and was not fully
penetrated by any of the borings - staining and petroleum odors were
generally observed in the soils from all of the borings in an
interval near the water table surface, which was generally
encountered at 8 to 8.5 ft bg - interval of staining/odor was
variable in thickness and ranged from approx. one foot at boring B4
to approx. 7 ft at boring B1 - PID readings in stained soils
generally ranged between 10 and 60 ppm - groundwater samples
collected from each borings - no free-phase product was observed in
any borings - found contamination in soil and groundwater samples
soil analyticals: -----B1 (7-8 ft depth)
Benzene-----7,000 Toluene-----200,000
Ethylbenzene-----110,000 Xylene-----620,000
Naphthalene-----56,000 1,2,4-Trimethylbenzene--510,000
1,3,5-Trimethylbenzene--150,000 groundwater analyticals:
-----B1-AQ-----B2-AQ-----B3-AQ-----
B4-AQ Benzene-----1,500
Toluene-----3,700 Ethylbenzene-----1,100
Xylene-----4,900
Naphthalene-----470-----120
MTBE-----
--300 1,2,4-Trimethylbenzene-----1,500-----140-----440
1,3,5-Trimethylbenzene-----370 abstract of remedial action plan,
Sept. 2007: - proposed to excavate impacted soils in the vicinity of
boring B1 - "based on relatively low levels of groundwater impact,
its apparently limited extent, and the apparent absence of free-phase
product, no groundwater remediation recommended" - three groundwater
wells are proposed to be installed for groundwater flow direction
determination - each well will be installed to a depth of no more
than 14 ft, so as not to penetrate the clay underlying the property -
each well will be installed with 10 ft of screen summary: -
groundwater found at different depths: 14-16 ft during tank removal,
10 ft during subsurface investigation in 2000 and at 8.5 ft during

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

subsurface investigation in 2007 - no groundwater flow direction available - no permanent wells installed at the site - heavy soil and groundwater contamination found during each investigation - contamination found in all sides of previous tank location - DEC Jacob issued RAP approval letter on Oct. 4, 2007 <----- - as per email from Ben Cancemi from FPM group, excavation according to approved RAP was scheduled on 05/22/08 <----- Paul's LLC **site owner** 318 Grand Street Brooklyn, NY 11211 Attn.: Paul Joffe Ph. (718) 486-6916 (O) (917) 693-3292 (C) email: pauljoffe@pauljoffe.com according to building department permit record, Mr. Joffe applied for permit to convert service station into dining location. found another spill case reported at the gas station site. - 9806871: spill called in by citizen on 09/04/1998 about abandoned tanks; tipped over. spill closed on 02/26/2003. left message for Mr. Joffe. received call from Mr. Carter from Mr. Joffe's office. informed him about situation. Mr. Carter doesn't know much about this site but will ask Mr. Joffe to call back. Nathan Carter Ph. (718) 486-6804 02/13/09-Hiralkumar Patel. left message for Mr. Joffe. left message for Ben Cancemi, consultant who was going to perform remedial activities. Ben T. Cancemi, CPG FPM Group Ph. (631) 737-6200 Fax (631) 737-2410 email: b.cancemi@fpm-group.com 02/17/09-Hiralkumar Patel. received call from Ben from FPM Group. they excavated contaminated soil to water table in front of stores and installed three monitoring wells in June 2008. but haven't got authorization to sample these wells. Ben mentioned that endpoint sample analyticals were clean. asked Ben to submit sample analytical summary table and scaled site map with locations of endpoint samples and wells. also asked him to include approx. location of tank and dispenser islands. received email from Ben with sample analytical summary table with site plan showing endpoint sample and well locations. site plan shows that wells were installed in front of stores on-site. but no well observed during site visit, but found some fresh patches in concrete (which could be location of wells). received call from Mr. Joffe. asked him to submit remedial action report by the end of March 06, 2009. he mentioned that area between his property and houses along Lorimer street is a commercial property at 297 Meeker Ave which is a paint shop. 02/18/09-Hiralkumar Patel. received email from Ben. they will do well sampling on 02/20/09. 02/20/09-Hiralkumar Patel. visited site. met Mr. Joffe and John (FPM group). monitoring wells found in front of store. groundwater was found around 6-7 ft bg. found sheen on water from each wells. will submit sample analyticals and groundwater flow direction. during site visit, noticed an auto repair shop at 59 Frost Street. met store manager. site has one 275 gal waste oil AST. tank is not registered. asked manager to register tank. sent email to DEC Jacob regarding un-registered waste oil tank at 59 Frost St. no parts cleaning operation at the auto repair shop. Billy Alex Unique Auto Repair 59 Frost St Brooklyn, NY 11211 PH. (718) 387-7537 Fax (718) 384-6180 email: uniqueauto59@gmail.com during site visit, Mr. Joffe mentioned that site at 297 Meeker Ave runs from Meeker Ave to Frost Street, between the subject gas station and house at 684 Lorimer st where contaminated water was found. Mr. Joffe mentioned that there is painting business at 297 Meeker Ave. owner's address for 297 Meeker Ave, from property shark: Wanda Berry 56 Frost St. Brooklyn, NY 11211 Ph. (516) 627-4245 owner's address for 297 Meeker Ave, from ACRIS: Wanda Berry PO Box 131 Manhasset, NY 11030-0131 02/23/09-Hiralkumar Patel. received email from Mr. Joffe. he found from NYC DOB that site across frost st was dry cleaner and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

had seven 1000 gal USTs. 03/06/09-Hiralkumar Patel. received remedial action report from Ben. abstract: - 186.34 tons of contaminated soils were excavated from southern portion of the former UST area and in proximity to the location of a reported former fuel dispensing island - two endpoint bottom samples and four endpoint sidewall samples collected from excavation - found some contamination in endpoint bottom sample from north end of excavation - additional soil was removed from the north end and collected additional endpoint bottom sample - sidewall samples were taken at 7 ft bg and bottom samples taken at 11 ft bg (means bottom endpoint samples were taken below water table) - three monitoring wells (MW-1 through MW-3) were installed in proximity to the former soil boring locations B1 through B3 (borings that done during subsurface investigation in 2007) - well MW-2 installed at previous boring B1 and MW-3 installed at previous boring B3 - wells were installed to a depth of approx. 14 ft bg and completed with ten feet of screen - groundwater was found at around 8 ft depth <----- - site-specific groundwater flow direction is to the northeast <----- - no free-phase product or other visible indications of potential contamination were observed - found MTBE contamination in all three wells -----MTBE MW-1-----12 MW-2-----150 MW-3-----50 report missing scaled site map. 03/13/09-Hiralkumar Patel. spoke with Ben at FPM. asked him to submit scaled site map with all previous sampling/well locations. asked Ben about any dewatering as soil was removed from below water table also. Ben mentioned that water was coming into excavation so slowly. they were removing soil from excavation and wait till water from excavation bucket drain out before loading soil for disposal. so no dewatering happened. summary: during all previous investigations, highest contamination was found towards the west end of property, in close proximity to existing well MW-2. and MW-2 is the downgradient well at the property edge. based on results of high soil and groundwater contamination in area of MW-2 and groundwater flow direction, requires off-site groundwater investigation. requires off-site well downgradient from existing well MW-2. spoke with Mr. Joffe. explained him findings of previous investigations and asked him for one more well downgradient from well MW-2. sent letter to Mr. Joffe requiring delineation of possible soil and groundwater contamination, downgradient from well MW-2. letter emailed to Mr. Joffe and Ben. 03/27/09-Hiralkumar Patel. received email from Mr. Cancemi with site map including location of proposed downgradient well. 03/30/09-Hiralkumar Patel. received email from Mr. Cancemi. he is planning to install well on April 08, 2009. sent email to Mr. Cancemi approving proposed location. 05/11/09-Hiralkumar Patel. 1:35 PM:- received report from Mr. Cancemi. abstract: - off-site well installed (MW-4), about 20 ft downgradient from well MW-2 - well installed to a depth of approx. 14 ft bg with 10 ft of screen - soil generally consisted of fine to medium-grained silty sand with gravel and trace amount of clay. brick, wood, coal, ash and concrete fragments were noted in the entire screen interval, but were more abundant in the top five ft of boring - faint petroleum odors and PID responses were noted on soils from 8 to 9 ft interval; no odor or PID noticed in other intervals - groundwater was found at approx. 7.5 ft bg <----- - one soil sample collected just above water table and one at 8-9 ft depth (below water table) - no free product observed in any wells on site - groundwater flow towards northeast <----- - 1,400 ppb of MTBE found in soil sample at 8-9 ft depth - 98 ppb of MTBE found in groundwater sample from MW-4 05/29/09-Hiralkumar Patel.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

10:46 AM:- sent letter to Mr. Joffe requiring surrounding area site map (with possible off-site source) and quarterly groundwater monitoring and sampling for a period of one year (including wells gauging during each sampling events to define site specific groundwater flow direction). letter emailed to Mr. Joffe and Mr. Cancemi. 09/24/09-Hiralkumar Patel. 3:20 PM:- spoke with Ben. they submitted proposal to Mr. Joffe but hasn't heard back. 3:22 PM:- spoke with Mr. Joffe. he will ask Ben to conduct groundwater sampling. 09/29/09-Hiralkumar Patel. 12:13 PM:- received email from Ben. he will sample wells on 10/01/09. he mentioned that previous samples were analyzed for VOCs only as gasoline spill was the cause. he asked whether SVOC analysis needed for groundwater samples. 12:45 PM:- sent email to Ben to analyze samples for VOCs only. 12/01/09-Hiralkumar Patel. 3:26 PM:- spoke with Mr. Joffe. he spoke with Ben today. Ben is preparing report. asked Mr. Joffe to submit report by the end of 12/11/09. 12/02/09-Hiralkumar Patel. 11:20 AM:- received quarterly groundwater sampling reprt from Ben. sampled all four wells in Oct. 2009. minor MTBE contamination found in samples. will sample all wells again in Jan. 2010. 12:42 PM:- sent email to Ben asking to submit next quarterly report by end of Feb. 2010. email copied to Mr. Joffe. 12/11/09-Hiralkumar Patel. 11:20 AM:- received email from Ben including site map showing surrounding area use. 01/25/10-Hiralkumar Patel. 3:41 PM:- received message from Daniel Cole (212-341-0964) from NYC DEP. he mentioned that subject site is e-designated and currently reviewing closure report. Mr. Cole wants to know spill status. 01/26/10-Hiralkumar Patel. 2:40 PM:- received email from Ben. they collected second round of groundwater sampling last week and will submit second quarterly report once lab data is available. 3:06 PM:- spoke with Mr. Cole. Mr. Cole asked if DEC requires anything more than quarterly monitoring. informed Mr. Cole that the department may require additional work based on quarterly groundwater sampling reports. Mr. Cole mentioned that owner did air monitoring. asked Mr. Cole to send copy of air monitoring report. he will email the report. 02/11/10-Hiralkumar Patel. 8:23 AM:- received second quarterly report from Ben. minor MTBE contamination found in groundwater samples (MW-3: 20 ppb, MW-4: 40 ppb). will sample wells in Apr. 2010. 05/12/10-Hiralkumar Patel. 1:56 PM:- received third quarterly report from Ben. minor MTBE contamination found in groundwater samples (MW-3: 23 ppb, MW-4: 57 ppb). will sample wells in July 2010. 08/05/10-Hiralkumar Patel. 8:57 AM:- received fourth quarterly report from Ben. minor MTBE contamination found in groundwater samples (MW-3: 20 ppb, MW-4: 25 ppb). based on submitted documents, case closed. 2:50 PM:- spill closure letter emailed to Mr. Joffe. email copied to Ben.

Remarks: caller believes its a bad line - 5 - 550 gal tanks manifolded together

Material:

Site ID: 261281
Operable Unit ID: 1029178
Operable Unit: 01
Material ID: 351329
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 261281
Spill Tank Test: 1544507
Tank Number: 1-5
Tank Size: 550
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9601530
Spill Date: 04/30/1996
Spill Time: 11:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/30/96
Reported to Department Time: 11:39
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: (718) 388-3329
Spiller Extention: Not reported
Spiller Name: MEEKER DISCOUNT MUFFLERS
Spiller Address: 64 FROST ST
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 388-3329
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-200956
Last Inspection: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MEEKER DISCOUNT MUFFLERS (Continued)

S102232676

Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/30/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/23/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1-5
Tank Size: 550
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: caller belives its a bad line - 5 - 550 gal tanks manifolded together

217
East
1/4-1/2
0.483 mi.
2549 ft.

CARING COMMUNITIES
157 GRAHAM AVE
BROOKLYN, NY 11211

LTANKS S105999991
N/A

Relative:
Higher

LTANKS:

Actual:
39 ft.

Site ID: 131344
Spill No: 0306650
Spill Date: 9/23/2003
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/25/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 2401
Investigator: LXZIELIN
Referred To: Not reported
Reported to Dept: 9/23/2003
CID: 12
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CARING COMMUNITIES (Continued)

S105999991

Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/23/2003
Spill Record Last Update: 2/14/2007
Spiller Name: JUAN PEREZ
Spiller Company: CARING COMMUNITIES
Spiller Address: 157 GRAHAM AVE
Spiller City,St,Zip: BROOKLYN, ZZ
Spiller County: 001
Spiller Contact: JUAN PEREZ
Spiller Phone: (718) 963-3955
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 17030
DEC Memo: 08/25/06 - Zielinski The drawing has been received and photos indicating filling lines and vent lines. They run in the basement above a concrete floor. Thew case is closed. 8/17/06 - Zielinski Steven Tsevdos called and said that they have only two 257-gallon tanks on the site. The drawing depicting the location of the closed tank and pipe lines would be sent to DEC. 8/17/06 - Zielinski Received soil samples' analyses taken 3 feet below tha tank bottom--no indication of soil contamination (eDOCs). Jim Donelan of Protest faxed a tank test report-- it had been a dry leak. Left a message for Steven Tsevdos, Caring Communities manager, asking for a layout of the failed tank and a number of tanks in service since the subject tank had been closed, and no records of registered tanks at the site. 7/17/06 - Zielinski Sent a letter requesting that within three weeks of receipt of this letter, Caring Communities would submit a report, required by the department's letter of September 24, 2003. This letter provides that the Caring Communities must submit soil sample analyses, an explanation of tank failure, and remove contaminated soil. 7/13/06 - Zielinski Took photos of at the site. No indication of soil boring. Talked to Mr. Perez- superintendent. Left a note to Mr. Alonso requesting soil sampling results. 7/6/06 - Zielinski Spoke with Gustavo Alonso, the manager of Caring Communitis. Asked him to sent all documents related to the spill. That same day, he faxed a DEC letter of 09/24/03 requesting a report and an affidavit; a proposal of work to be done, submitted by Petroleum Tank Cleaners, dated 11/21/03; an affidavit from Mercury Tank & Pump Inc., dated 4/9/04. Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHAO" 9/24/03 DDO Sawyer sent tank test failure letter to: Juan Perez 157 Graham Ave. Brooklyn, NY 11206 10/3/05: CBN Called Juan Perez and was told that the spill has been taken care of. Requested documentation/report for spill closure. Manager will get back to DEC on that.
Remarks: RECOMMEND TO EXCAVATE-ISOLATE- AND RE-TEST

Material:
Site ID: 131344
Operable Unit ID: 875397
Operable Unit: 01
Material ID: 503846
Material Code: 0001
Material Name: #2 Fuel Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CARING COMMUNITIES (Continued)

S105999991

Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 131344
Spill Tank Test: 1528699
Tank Number: 1
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

218
NE
1/2-1
0.680 mi.
3591 ft.

**CITY BARREL CO.
421-429 MEEKER STREET
BROOKLYN, NY 11378**

**DEL SHWS S105972440
N/A**

**Relative:
Higher**

DEL SHWS:

Year: Not reported
Site Code Id: 224005
Site Classification: D1
Region: 2
Epa Id Number: Not reported
Site Type - Dump: No
Site Type - Structure: No
Site Type - Lagoon: No
Site Type - Landfill: No
Site Type - Treat Pond: No
Site Size (Acres): Acres
Site Size Comment: Not reported
Period Assoc/HW Start: Not reported
Period Assoc/HW End: Not reported
Lat/Long: 0 0' 0" / 0 0' 0"
Lat/Long Decimal: 0.00000 / 0.00000
Lat/Long (dms): 0 0 0 / 0 0 0
Hazardous Waste Code: Not reported
Hazard Waste Disposed: Not reported
Quantity: Not reported
Air Data Available: No
SW Std Contravention: No
GW Std Contravention: No
Soil Type: Not reported
Sediment Data Available: No
GW Std Contravention: No
DW Std Contravention: No
SW Std Contravention: No
Air Stand Contraventions: No

**Actual:
18 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY BARREL CO. (Continued)

S105972440

Legal Action Type:	Not reported
State Legal Action:	No
Federal Legal Action:	No
Enforce Status Code:	Not reported
Remedial Act Proposed:	No
Rem Act Under Design:	No
Rem Act In Progress:	No
Rem Act Completed:	No
Remedial Action Type:	Not reported
Soil Type:	Not reported
Depth To Groundwater:	Not reported
Owner Name:	Not reported
Owner Address:	421-429 Meeker Street
Owner City,St,Zip:	Brooklyn 11378
Owner Phone:	Not reported
Owner Contact Name:	Not reported
Owner During Disposal:	Not reported
Owner During Use:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City,St,Zip:	Not reported
Operator Phone:	Not reported
Operator Contact Name:	Not reported
Oper During Disposal:	Not reported
Site Type:	Not reported
HW Disposal Period:	From: To:
Analytical Data Available:	Not reported
Applicable Std Exceeded:	Not reported
Geotech Info:	Not reported
Depth To Groundwater:	Not reported
Status:	Not reported
Nature Of Action:	Not reported
Env Prob Assessment:	Not reported
Site Description:	This site was listed in the Eckhardt subcommittee report as a disposal site. Investigation by the NYSDEC Regional offices indicate that this is an industrial operation to recycle, recover and refurbish drums and that no apparent disposal of hazardous or toxic waste have occurred here.
Confirmed HW:	unknown
Environment Assesment:	None known. No apparent disposal of significant quantities of any hazardous waste.
Health Assesment:	Not reported
Disposal Start Date:	Not reported
Disposal Term Date:	Not reported
Air Violation:	Not reported
Groundwater Violation:	Not reported
Drink Water Violation:	Not reported
Surface Water Violation:	Not reported
Legal New York State:	Not reported
Legal Federal:	Not reported
Legal State:	Not reported
Remedial Action Active:	Not reported
Remedial Action Done:	Not reported
NPL Status:	Not reported
Count Operator:	Not reported
Count Owner:	Not reported
NYTM X:	0
NYTM Y:	0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CITY BARREL CO. (Continued)

S105972440

Co Name: Not reported
Co Addr: Not reported
Operator Addr: Not reported
Operator Addr 2: Not reported
Operator Addr 3: Not reported
Operator Addr 4: Not reported
HWDP From: Not reported
From To: Not reported
Assessment Of Health: Not reported
Env Assessment: Not reported
HW Disposed/Quantity: Not reported
Description: Not reported
Assess/Env Prog: Not reported
Assess/Health Prob: Not reported
Site Description: Not reported

219
WNW
1/2-1
0.706 mi.
3730 ft.

RADIAC RESEARCH CORP
33 S FIRST ST
BROOKLYN, NY 11211

RCRA-TSDF 1000245435
CORRACTS NYD049178296
RCRA-LQG
FTTS
HIST FTTS
PADS
FINDS
MANIFEST
MANIFEST
MANIFEST

Relative:
Higher

Actual:
32 ft.

RCRA-TSDF:

Date form received by agency: 01/01/2007
Facility name: RADIAC RESEARCH CORP
Facility address: S 1ST ST
BROOKLYN, NY 11211
EPA ID: NYD049178296
Mailing address: KENT AVE
BROOKLYN, NY 11211
Contact: JOHN V TEKIN JR
Contact address: Not reported
Not reported
Contact country: US
Contact telephone: (718) 963-2233
Telephone ext.: TEKIN
Contact email: JTEKIN@RADIACENV.COM
EPA Region: 02
Land type: Private
Classification: TSDF
Description: Handler is engaged in the treatment, storage or disposal of hazardous waste
TSD commencement date: Not reported
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Classification: from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time
Description: Non-Generator
Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NO NAME FOUND
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1986
Owner/Op end date: Not reported

Owner/operator name: SAM & ETHEL LOEFFLER
Owner/operator address: ALTON PKWY
SILVER SPRING, MD 20910
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1974
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/08/2006
Facility name: RADIAC RESEARCH CORP
Classification: Not a generator, verified

Date form received by agency: 02/07/2006
Facility name: RADIAC RESEARCH CORP
Classification: Large Quantity Generator

Date form received by agency: 02/23/2004
Facility name: RADIAC RESEARCH CORP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Classification: Not a generator, verified

Date form received by agency: 02/11/2002

Facility name: RADIAC RESEARCH CORP

Classification: Not a generator, verified

Date form received by agency: 01/01/2001

Facility name: RADIAC RESEARCH CORP

Site name: RADIAC RESEARCH CORP.

Classification: Large Quantity Generator

Date form received by agency: 07/29/1999

Facility name: RADIAC RESEARCH CORP

Classification: Large Quantity Generator

Date form received by agency: 02/27/1998

Facility name: RADIAC RESEARCH CORP

Classification: Small Quantity Generator

Date form received by agency: 08/01/1997

Facility name: RADIAC RESEARCH CORP

Classification: Not a generator, verified

Date form received by agency: 02/11/1997

Facility name: RADIAC RESEARCH CORP

Classification: Not a generator, verified

Date form received by agency: 03/06/1996

Facility name: RADIAC RESEARCH CORP

Site name: RADIAC RESEARCH CORP.

Classification: Not a generator, verified

Date form received by agency: 03/25/1994

Facility name: RADIAC RESEARCH CORP

Classification: Not a generator, verified

Date form received by agency: 02/27/1992

Facility name: RADIAC RESEARCH CORP

Classification: Large Quantity Generator

Date form received by agency: 03/01/1990

Facility name: RADIAC RESEARCH CORP

Site name: RADIAC RESEARCH CORPORATION

Classification: Not a generator, verified

Date form received by agency: 11/19/1980

Facility name: RADIAC RESEARCH CORP

Classification: Not a generator, verified

Date form received by agency: 07/21/1980

Facility name: RADIAC RESEARCH CORP

Classification: Unverified

Corrective Action Summary:

Event date: 11/29/1985

Event: RFA Completed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Event date: 02/10/1993
Event: CA Prioritization, Facility or area was assigned a low corrective action priority.

Event date: 12/28/2000
Event: RFA Completed

Event date: 12/28/2000
Event: RFA Determination Of Need For An RFI, RFI is Not Necessary;

Event date: 09/24/2009
Event: Date For Remedy Selection (CM Imposed)

Event date: 09/24/2009
Event: CA550NR

Event date: 09/24/2009
Event: Current Human Exposures under Control, Yes, Current Human Exposures Under Control has been verified. Based on a review of information contained in the EI determination, current human exposures are expected to be under control at the facility under current and reasonably expected conditions. This determination will be re-evaluated when the Agency/State becomes aware of significant changes at the facility.

Event date: 09/24/2009
Event: Migration of Contaminated Groundwater under Control, Yes, Migration of Contaminated Groundwater Under Control has been verified. Based on a review of information contained in the EI determination, it has been determined that migration of contaminated groundwater is under control at the facility. Specifically, this determination indicates that the migration of contaminated groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the existing area of contaminated groundwater. This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Universal Waste - Small Quantity Handlers
Date violation determined: 11/03/2006
Date achieved compliance: 09/05/2008
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 07/28/2008
Enf. disposition status: Action Satisfied (Case Closed)
Enf. disp. status date: 09/05/2008
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5000
Paid penalty amount: 5000

Regulation violated: Not reported
Area of violation: Transporters - General
Date violation determined: 11/03/2006
Date achieved compliance: 09/05/2008
Violation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 07/28/2008
Enf. disposition status: Action Satisfied (Case Closed)
Enf. disp. status date: 09/05/2008
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 5000
Paid penalty amount: 5000

Regulation violated: SR - 373 Permit/373-2.3(b)
Area of violation: TSD - General
Date violation determined: 06/24/2004
Date achieved compliance: 06/24/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/14/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373 Permit/373-2.9(h)(3)
Area of violation: TSD - General
Date violation determined: 06/24/2004
Date achieved compliance: 06/24/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/14/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373 Permit
Area of violation: TSD - General
Date violation determined: 06/24/2004
Date achieved compliance: 06/24/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/14/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Transporters - Manifest and Recordkeeping
Date violation determined: 05/08/2001
Date achieved compliance: 06/21/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Enforcement action date: 05/08/2002
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 03/28/2000
Date achieved compliance: 09/08/2000
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/08/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 03/28/2000
Date achieved compliance: 09/08/2000
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/08/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 09/27/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 09/27/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 09/27/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/15/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 20000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 09/27/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 02/15/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 20000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 6nycrr373-2.3(d) & Permit Cond
Area of violation: TSD - General
Date violation determined: 07/26/1999
Date achieved compliance: 08/13/1999
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/26/1999
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 04/20/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 04/20/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 04/23/1999
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 04/20/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 04/20/1999
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 04/23/1999
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 05/15/1998
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 05/15/1998
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/27/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 24995
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 05/15/1998
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 05/15/1998
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/11/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12000
Paid penalty amount: 12100

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 05/15/1998
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/27/1998
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Proposed penalty amount: 24995
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 04/28/1997
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 04/28/1997
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/02/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 1200
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 04/28/1997
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/04/2000
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 20000
Paid penalty amount: 20000

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 04/28/1997
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 10/02/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: 1200

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 04/28/1997
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/11/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12000
Paid penalty amount: 12100

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 04/28/1997
Date achieved compliance: 04/04/2000
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/11/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12000
Paid penalty amount: 12100

Regulation violated: SR - 6NYCRR373-2.2(g)(2) & (4)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 12/17/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: SR - 6nycrr373-2.5(d)(1), 373-2.2(h)
Area of violation: Permits - Application
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/11/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Paid penalty amount: 12100

Regulation violated: SR - 6nycrr373-2.5(d)(1), 373-2.2(h)
Area of violation: Permits - Application
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 6NYCRR373-2.2(g)(2) & (4)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 12/17/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: FR - 40cfr265.32(c)and 265.33
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: FR - 40CFR265.16(d)(4) & (e)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Regulation violated: FR - 40cfr265.32(c)and 265.33
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/11/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12000
Paid penalty amount: 12100

Regulation violated: SR - 6NYCRR373-2.2(g)(2) & (4)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 12/17/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/11/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12000
Paid penalty amount: 12100

Regulation violated: FR - 40CFR265.16(d)(4) & (e)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: FR - 40cfr265.32(c)and 265.33
Area of violation: TSD - General Facility Standards
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 6nycrr373-2.5(d)(1), 373-2.2(h)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Area of violation: Permits - Application
Date violation determined: 06/28/1996
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: SR - 6NYCRR 376.5(a)(1)(ii)('a')
Area of violation: TSD - Container Use and Management
Date violation determined: 06/07/1995
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: SR - 6NYCRR373-2.3(f)
Area of violation: TSD - Preparedness and Prevention
Date violation determined: 06/07/1995
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: SR - 6NYCRR373-2.3(f)
Area of violation: TSD - Preparedness and Prevention
Date violation determined: 06/07/1995
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 6NYCRR 376.5(a)(1)(ii)('a')
Area of violation: TSD - Container Use and Management

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date violation determined: 06/07/1995
Date achieved compliance: 07/08/1996
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - iNYCRR373-2.2(h)(5)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/07/1995
Date achieved compliance: 04/17/1996
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/05/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 12100
Paid penalty amount: 12100

Regulation violated: SR - iNYCRR373-2.2(h)(5)
Area of violation: TSD - General Facility Standards
Date violation determined: 06/07/1995
Date achieved compliance: 04/17/1996
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 06/28/1996
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - Manifest/Records/Reporting
Date violation determined: 12/16/1994
Date achieved compliance: 01/30/1995
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/16/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 12/16/1994

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date achieved compliance: 05/17/1995
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/16/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 12/16/1994
Date achieved compliance: 05/17/1995
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/16/1994
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 02/01/1991
Date achieved compliance: 01/30/1992
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 05/28/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 40000
Paid penalty amount: 40000

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 12/21/1990
Date achieved compliance: 05/28/1991
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/20/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 07/26/1990
Date achieved compliance: 01/30/1992

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 05/28/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 40000
Paid penalty amount: 40000

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 07/20/1990
Date achieved compliance: 05/28/1991
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/20/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 05/11/1990
Date achieved compliance: 09/24/1990
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/11/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 09/19/1986
Date achieved compliance: 09/30/1986
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/19/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - Financial Requirements
Date violation determined: 05/15/1986
Date achieved compliance: 08/20/1986
Violation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/15/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 05/02/1986
Date achieved compliance: 07/11/1986
Violation lead agency: State

Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/02/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: TSD - General
Date violation determined: 07/31/1984
Date achieved compliance: 07/12/1985
Violation lead agency: State

Enforcement action: WRITTEN INFORMAL
Enforcement action date: 03/27/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 09/05/2008
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/05/2008
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/05/2007
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Universal Waste - Small Quantity Handlers
Date achieved compliance: 09/05/2008
Evaluation lead agency: State

Evaluation date: 11/05/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Transporters - General
Date achieved compliance: 09/05/2008
Evaluation lead agency: State

Evaluation date: 11/28/2006
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/03/2006
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Transporters - General
Date achieved compliance: 09/05/2008
Evaluation lead agency: State

Evaluation date: 11/03/2006
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Universal Waste - Small Quantity Handlers
Date achieved compliance: 09/05/2008
Evaluation lead agency: State

Evaluation date: 05/20/2006
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/11/2006
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/24/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 06/24/2004
Evaluation lead agency: State

Evaluation date: 03/10/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 02/20/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/27/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation lead agency: EPA

Evaluation date: 07/08/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/04/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/15/2002
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/11/2002
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 03/01/2002
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/01/2002
Evaluation: CASE DEVELOPMENT INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/28/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/12/2001
Evaluation: CASE DEVELOPMENT INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/06/2001
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/08/2001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation:	CASE DEVELOPMENT INSPECTION
Area of violation:	Transporters - Manifest and Recordkeeping
Date achieved compliance:	06/21/2001
Evaluation lead agency:	State
Evaluation date:	03/09/2001
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	Not reported
Date achieved compliance:	Not reported
Evaluation lead agency:	State
Evaluation date:	11/28/2000
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	Not reported
Date achieved compliance:	Not reported
Evaluation lead agency:	State
Evaluation date:	09/08/2000
Evaluation:	NOT A SIGNIFICANT NON-COMPLIER
Area of violation:	Not reported
Date achieved compliance:	Not reported
Evaluation lead agency:	State
Evaluation date:	03/28/2000
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	TSD - General
Date achieved compliance:	09/08/2000
Evaluation lead agency:	State
Evaluation date:	03/28/2000
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	LDR - General
Date achieved compliance:	09/08/2000
Evaluation lead agency:	State
Evaluation date:	09/27/1999
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	LDR - General
Date achieved compliance:	04/04/2000
Evaluation lead agency:	State
Evaluation date:	09/27/1999
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	TSD - General
Date achieved compliance:	04/04/2000
Evaluation lead agency:	State
Evaluation date:	06/17/1999
Evaluation:	COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation:	TSD - General
Date achieved compliance:	08/13/1999
Evaluation lead agency:	EPA
Evaluation date:	04/20/1999
Evaluation:	SIGNIFICANT NON-COMPLIER
Area of violation:	Not reported
Date achieved compliance:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation lead agency: State

Evaluation date: 03/03/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 04/04/2000
Evaluation lead agency: State

Evaluation date: 03/03/1999
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 04/04/2000
Evaluation lead agency: State

Evaluation date: 03/19/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 04/04/2000
Evaluation lead agency: State

Evaluation date: 03/19/1998
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 04/04/2000
Evaluation lead agency: State

Evaluation date: 02/25/1997
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 04/04/2000
Evaluation lead agency: State

Evaluation date: 02/25/1997
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 04/04/2000
Evaluation lead agency: State

Evaluation date: 07/08/1996
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 06/28/1996
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 04/17/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General Facility Standards
Date achieved compliance: 12/17/1997
Evaluation lead agency: EPA

Evaluation date: 04/17/1996

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General Facility Standards
Date achieved compliance: 07/08/1996
Evaluation lead agency: EPA

Evaluation date: 04/17/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Permits - Application
Date achieved compliance: 07/08/1996
Evaluation lead agency: EPA

Evaluation date: 06/07/1995
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA

Evaluation date: 05/24/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - Container Use and Management
Date achieved compliance: 07/08/1996
Evaluation lead agency: EPA

Evaluation date: 05/24/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - Preparedness and Prevention
Date achieved compliance: 07/08/1996
Evaluation lead agency: EPA

Evaluation date: 05/24/1995
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General Facility Standards
Date achieved compliance: 04/17/1996
Evaluation lead agency: EPA

Evaluation date: 09/27/1994
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 05/17/1995
Evaluation lead agency: State

Evaluation date: 09/27/1994
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 05/17/1995
Evaluation lead agency: State

Evaluation date: 09/27/1994
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - Manifest/Records/Reporting
Date achieved compliance: 01/30/1995
Evaluation lead agency: State

Evaluation date: 09/20/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation lead agency: State

Evaluation date: 09/21/1992
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/30/1992
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/30/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/01/1991
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 12/21/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 01/30/1992
Evaluation lead agency: State

Evaluation date: 12/21/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 05/28/1991
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 07/20/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 05/28/1991
Evaluation lead agency: EPA

Evaluation date: 07/06/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 01/30/1992
Evaluation lead agency: State

Evaluation date: 02/28/1990
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 09/24/1990
Evaluation lead agency: State

Evaluation date: 02/15/1989

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 11/09/1987
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 09/11/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 09/03/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/12/1987
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/11/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/11/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 10/22/1986
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/25/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 09/30/1986
Evaluation lead agency: State

Evaluation date: 08/25/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 06/11/1986
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/16/1986
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/15/1986
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: TSD - Financial Requirements
Date achieved compliance: 08/20/1986
Evaluation lead agency: State

Evaluation date: 02/28/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 07/11/1986
Evaluation lead agency: State

Evaluation date: 02/28/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 06/27/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/31/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: TSD - General
Date achieved compliance: 07/12/1985
Evaluation lead agency: State

Evaluation date: 04/30/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/04/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

CORRACTS:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

EPA ID: NYD049178296
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 02/10/1993
Action: CA075LO - CA Prioritization, Facility or area was assigned a low corrective action priority
NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 09/24/2009
Action: CA750YE - Migration of Contaminated Groundwater under Control, Yes, Migration of Contaminated Groundwater Under Control has been verified
NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 09/24/2009
Action: CA400 - Date For Remedy Selection (CM Imposed)
NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 09/24/2009
Action: CA550NR
NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 09/24/2009
Action: CA725YE - Current Human Exposures Under Control, Yes, Current Human Exposures Under Control has been verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local

Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296

EPA Region: 02

Area Name: SITEWIDE

Actual Date: 11/29/1985

Action: CA050 - RFA Completed

NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local

Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296

EPA Region: 02

Area Name: SITEWIDE

Actual Date: 12/28/2000

Action: CA050 - RFA Completed

NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local

Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD049178296

EPA Region: 02

Area Name: SITEWIDE

Actual Date: 12/28/2000

Action: CA070NO - RFA Determination Of Need For An RFI, RFI is Not Necessary

NAICS Code(s): 562211 49311 48411
Hazardous Waste Treatment and Disposal
General Warehousing and Storage
General Freight Trucking, Local

Original schedule date: Not reported
Schedule end date: Not reported

FTTS INSP:

Inspection Number: 2004102123577 1
Region: 02
Inspection Date: 10/21/04
Inspector: L. PAPPALARDO, CN
Violation occurred: No
Investigation Type: Section 6 PCB Federal Conducted
Investigation Reason: For Cause, Disposal
Legislation Code: TSCA
Facility Function: Disposer

HIST FTTS INSP:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Inspection Number: 2004102123577 1
Region: 02
Inspection Date: Not reported
Inspector: L. PAPPALARDO, CN
Violation occurred: No
Investigation Type: Section 6 PCB Federal Conducted
Investigation Reason: For Cause, Disposal
Legislation Code: TSCA
Facility Function: Disposer

PADS:

EPAID: NYD049178296
Facility name: Radiac Research Corp.
Facility Address: 33 South 1st St.
Brooklyn, NY 11211
Facility country: US
Generator: No
Storer: No
Transporter: Yes
Disposer: No
Research facility: No
Smelter: No
Facility owner name: Radiac Research Corp.
Contact title: Not reported
Contact name: Louis Camacho
Contact tel: (718)963-2233
Contact extension: Not reported
Mailing address: 261 Kent Ave.
Brooklyn, NY 11211
Mailing country: US
Cert. title: Not reported
Cert. name: Not reported
Cert. date: 4/15/2003
Date received: 5/29/2003

FINDS:

Registry ID: 110000616502

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NJ MANIFEST:

Manifest Code: 004853741JJK
EPA ID: NYR000133033
Date Shipped: 03/12/09
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 03/12/09
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 03/14/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 120
Unit: P
Hand Code: H061

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 200
Unit: P
Hand Code: H061

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 1400
Unit: P
Hand Code: H061

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Manifest Code: 004853929JJK
EPA ID: NYR000086314
Date Shipped: 03/27/09
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 03/27/09
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 04/02/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 80
Unit: P
Hand Code: H061

Manifest Code: NJA2876765
EPA ID: NYD049178296
Date Shipped: 20050426
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050426
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050427
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06160522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5082859
EPA ID: NYD049178296
Date Shipped: 20050119
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050119
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050119
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 03010521
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Manifest Code: NJA2876756
EPA ID: NYD049178296
Date Shipped: 20050420
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050420
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050421
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06160522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA2876755
EPA ID: NYD049178296
Date Shipped: 20050407
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050407
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050412
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06160522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5062424
EPA ID: NYD049178296
Date Shipped: 20050104
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050104
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050105
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 04250522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Manifest Code: NJA2876770
EPA ID: NYD049178296
Date Shipped: 20050407
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050407
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050412
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06160522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5104138
EPA ID: NYD049178296
Date Shipped: 20050202
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050202
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050203
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 04190521
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5062459
EPA ID: NYD049178296
Date Shipped: 20050324
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: NYD049178296
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050324
Date Trans2 Transported Waste: 050329
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050329
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 05180522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Manifest Code: NJA2876773
EPA ID: NYD049178296
Date Shipped: 20050607
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050607
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050610
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 07070522
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA2876766
EPA ID: NYD049178296
Date Shipped: 20050613
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050613
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050624
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 08090535
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5062428
EPA ID: NYD049178296
Date Shipped: 20050526
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050526
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 050527
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 07120525
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Manifest Code: NJA5104135
EPA ID: NYD049178296
Date Shipped: 20050505
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050505
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050506
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 06010521
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: 004853355JJK
EPA ID: NYR000133033
Date Shipped: 12/17/2008
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/17/2008
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 12/18/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 120
Unit: P
Hand Code: H061

Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 180
Unit: P
Hand Code: H061

Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 1200
Unit: P
Hand Code: H061

Manifest Code: 000706488FLE
EPA ID: NYD000707810
Date Shipped: 12/24/2008
TSDF EPA ID: NJD002182897
Transporter EPA ID: NYR000052373
Transporter 2 EPA ID: NYD049178296
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/24/2008
Date Trans2 Transported Waste: 1/5/2009
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 1/5/2009
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 400
Unit: P
Hand Code: H061

Manifest Code: 000706485FLE
EPA ID: NYD000707810
Date Shipped: 12/18/2008
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYR000052373
Transporter 2 EPA ID: NYD049178296
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/18/2008
Date Trans2 Transported Waste: 12/24/2008
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/27/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 600
Unit: P
Hand Code: H061

Manifest Code: 000706477FLE
EPA ID: NYD000707810
Date Shipped: 12/4/2008
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYR000052373
Transporter 2 EPA ID: NYD049178296
Transporter 3 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/4/2008
Date Trans2 Transported Waste: 12/18/2008
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/18/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 1050
Unit: P
Hand Code: H061

Manifest Code: 000706481FLE
EPA ID: NYD000707810
Date Shipped: 12/11/2008
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYR000052373
Transporter 2 EPA ID: NYD049178296
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/11/2008
Date Trans2 Transported Waste: 12/18/2008
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/18/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 950
Unit: P
Hand Code: H061

Manifest Code: 004182510JJK
EPA ID: NYD986961050
Date Shipped: 12/10/20
TSDf EPA ID: NJD002182897
Transporter EPA ID: NYD049178296
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/10/
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/13/
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

NY MANIFEST:

EPA ID: NYD049178296
Country: USA
Mailing Name: RADIAC RESEARCH CORP
Mailing Contact: JOHN TEKIN JR
Mailing Address: 261 KENT AVE
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11211
Mailing Zip4: 4188
Mailing Country: USA
Mailing Phone: 718-963-2233

Document ID: MIA8265342
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: MI0000263871
Generator Ship Date: 01/24/2005
Trans1 Recv Date: 01/24/2005
Trans2 Recv Date: 01/27/2005
TSD Site Recv Date: 02/07/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD67988NY
Trans2 EPA ID: Not reported
TSD ID: MID000724831
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 05650
Units: P - Pounds
Number of Containers: 016
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 02400
Units: P - Pounds
Number of Containers: 015
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00900
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: L Landfill.
Specific Gravity: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MIA8265366
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: MI0000263871
Generator Ship Date: 02/15/2005
Trans1 Recv Date: 02/15/2005
Trans2 Recv Date: 02/22/2005
TSD Site Recv Date: 03/02/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD68226NY
Trans2 EPA ID: Not reported
TSD ID: MID000724831
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D006 - CADMIUM 1.0 MG/L TCLP
Quantity: 05660
Units: P - Pounds
Number of Containers: 028
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 01200
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: L Landfill.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MIA8265370
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: MI0000263871
Generator Ship Date: 05/24/2005
Trans1 Recv Date: 05/24/2005
Trans2 Recv Date: 05/26/2005
TSD Site Recv Date: 06/01/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD68226NY
Trans2 EPA ID: Not reported
TSD ID: MID000724831
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 02000
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 02600
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 04400
Units: P - Pounds
Number of Containers: 011
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 01800
Units: P - Pounds
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: L Landfill.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MIA7535490
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: MI0000263871
Generator Ship Date: 02/15/2005
Trans1 Recv Date: 02/15/2005
Trans2 Recv Date: 02/22/2005
TSD Site Recv Date: 03/02/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD68226
Trans2 EPA ID: Not reported
TSDF ID: MID000724831
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00600
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 03800
Units: P - Pounds
Number of Containers: 018
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00100
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00900
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: L Landfill.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: MIA8265371
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: MI0000266871
Generator Ship Date: 05/24/2005
Trans1 Recv Date: 05/24/2005
Trans2 Recv Date: 05/26/2005
TSD Site Recv Date: 06/01/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD68226NY
Trans2 EPA ID: Not reported
TSDF ID: MID000724831
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00600
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D005 - BARIUM 100.0 MG/L TCLP
Quantity: 00400
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00800
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: L Landfill.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2876755
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 04/07/2005
Trans1 Recv Date: 04/07/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/12/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: 01102
Trans2 EPA ID: Not reported
TSD ID: NJD002182897

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: F003 - UNKNOWN
Quantity: 04200
Units: P - Pounds
Number of Containers: 013
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F003 - UNKNOWN
Quantity: 01280
Units: P - Pounds
Number of Containers: 032
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00800
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2876756
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 04/20/2005
Trans1 Recv Date: 04/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/21/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: 01102
Trans2 EPA ID: Not reported
TSD ID: NJD002182897

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01000
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: U226 - 1,1,1-TRICHLOROETHANE
Quantity: 00300
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2876765
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 04/26/2005
Trans1 Recv Date: 04/26/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/27/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: 01102
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01840
Units: P - Pounds
Number of Containers: 046
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: F003 - UNKNOWN
Quantity: 01000
Units: P - Pounds
Number of Containers: 025
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 02240
Units: P - Pounds
Number of Containers: 056
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F003 - UNKNOWN
Quantity: 02900
Units: P - Pounds
Number of Containers: 010
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2876766
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 06/13/2005
Trans1 Recv Date: 06/13/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/24/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: 01102
Trans2 EPA ID: Not reported
TSD ID: NJD002182897

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: F003 - UNKNOWN
Quantity: 03600
Units: P - Pounds
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F003 - UNKNOWN
Quantity: 00700
Units: P - Pounds
Number of Containers: 007
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2876770
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 04/07/2005
Trans1 Recv Date: 04/07/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/12/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: 01102
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01480
Units: P - Pounds
Number of Containers: 037
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: F003 - UNKNOWN
Quantity: 00320
Units: P - Pounds
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01680
Units: P - Pounds
Number of Containers: 042
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJA2876773
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 06/07/2005
Trans1 Recv Date: 06/07/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/10/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: 01102
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01280
Units: P - Pounds
Number of Containers: 032
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: F003 - UNKNOWN
Quantity: 00640
Units: P - Pounds
Number of Containers: 016
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01360
Units: P - Pounds
Number of Containers: 034
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5226201
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 01/07/2005
Trans1 Recv Date: 01/07/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/11/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD28910NY
Trans2 EPA ID: Not reported
TSD ID: CDX48000000
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 09500
Units: P - Pounds
Number of Containers: 019
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00450
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00450
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5226255
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 01/10/2005
Trans1 Recv Date: 01/10/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/13/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD67951NY
Trans2 EPA ID: Not reported
TSDF ID: CDX960000000
Waste Code: F003 - UNKNOWN
Quantity: 14000
Units: P - Pounds
Number of Containers: 035
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5226408
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 01/05/2005
Trans1 Recv Date: 01/05/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/07/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD68056NY
Trans2 EPA ID: Not reported
TSDF ID: CDX480000000
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 02800
Units: P - Pounds
Number of Containers: 004
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5227119
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 06/13/2005
Trans1 Recv Date: 06/13/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/23/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD67388NY
Trans2 EPA ID: Not reported
TSD ID: CDD980756415
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 01200
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: L Landfill.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5227794
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 03/07/2005
Trans1 Recv Date: 03/07/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/08/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AG28910NY
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

TSDF ID: CDX48000000
Waste Code: F003 - UNKNOWN
Quantity: 01350
Units: P - Pounds
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D038 - PYRIDINE 5.0 MG/L TCLP
Quantity: 00900
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: F003 - UNKNOWN
Quantity: 00300
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01400
Units: P - Pounds
Number of Containers: 002
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5227812
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 03/17/2005
Trans1 Recv Date: 03/17/2005

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/23/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AC28910NY
Trans2 EPA ID: Not reported
TSD ID: CDX109000000
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00200
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00005
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5227857
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 04/20/2005
Trans1 Recv Date: 04/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/22/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AC28910NY
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

TSDF ID: CDX480000000
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 04000
Units: P - Pounds
Number of Containers: 010
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYG5228217
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 05/19/2005
Trans1 Recv Date: 05/19/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/20/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD049178296
Trans1 EPA ID: AD67691NY
Trans2 EPA ID: Not reported
TSDF ID: CDX480000000
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D020 - CHLORDANE 0.03 MG/L TCLP
Quantity: 02050
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 01.00
Waste Code: P051 - ENDRIN
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Specific Gravity:	01.00
Waste Code:	Not reported
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	L Landfill.
Specific Gravity:	Not reported
Year:	Not reported
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
Document ID:	NYG5228352
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Trans2 State ID:	Not reported
Generator Ship Date:	06/14/2005
Trans1 Recv Date:	06/14/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/21/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD049178296
Trans1 EPA ID:	AD68145NY
Trans2 EPA ID:	Not reported
TSD ID:	CDX480000000
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	01600
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	01.00
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	02000
Units:	P - Pounds
Number of Containers:	005
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	Not reported
Specific Gravity:	01.00
Waste Code:	D006 - CADMIUM 1.0 MG/L TCLP
Quantity:	01500
Units:	P - Pounds
Number of Containers:	010
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RADIAC RESEARCH CORP (Continued)

1000245435

Specific Gravity: 01.00
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: Not reported
Year: Not reported
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access
2694 additional NY_MANIFEST: record(s) in the EDR Site Report.

MANIFEST:

GEN Cert Date: 6/6/1980
Transporter Recpt Date: Not reported
Number Of Containers: 0
Container Type: Not reported
Waste Code1: R006
Waste Code2: Not reported
Waste Code3: Not reported
Comment: Not reported
Fee Exempt Code: Not reported
TSDf Name: RADIAC RESEARCH
TSDf ID: NYD049178296
TSDf Date: Not reported
Date Imported: Not reported
Transporter 2 Name: Not reported
Transporter 2 ID: Not reported
Manifest Docket Number: Not reported
Waste Description: Not reported
Quantity: Not reported
WT/Vol Units: Not reported
Item Number: Not reported
Transporter Name: Not reported
Transporter EPA ID: Not reported
GEN Cert Date: Not reported
Transporter Recpt Date: Not reported
Transporter 2 Recpt Date: Not reported
TSDf Recpt Date: Not reported
EPA ID: Not reported
Transporter 2 ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

220 WYTHE AVE. (BERRY ST.) STATION
 NNW WYTHE AVE., BERRY ST., N 12TH AND 13TH ST
 1/2-1 BROOKLYN, NY 11211
 0.761 mi.
 4016 ft.

Manufactured Gas Plants 1008407903
 N/A

Relative:
 Lower

Actual:
 15 ft.
 221 PFIZER INC
 SSE 11 BARTLETT ST
 1/2-1 BROOKLYN, NY 11206
 0.815 mi.
 4301 ft.

CORRACTS 1000443177
 RCRA-LQG NYD001374214
 FINDS
 RAATS
 MANIFEST

Relative:
 Lower

CORRACTS:

Actual:
 13 ft.

EPA ID: NYD001374214
 EPA Region: 02
 Area Name: SITEWIDE
 Actual Date: 04/19/1994
 Action: CA075ME - CA Prioritization, Facility or area was assigned a medium
 corrective action priority
 NAICS Code(s): 56291
 Remediation Services
 Original schedule date: Not reported
 Schedule end date: Not reported

EPA ID: NYD001374214
 EPA Region: 02
 Area Name: SITEWIDE
 Actual Date: 09/22/1992
 Action: CA050 - RFA Completed
 NAICS Code(s): 56291
 Remediation Services
 Original schedule date: Not reported
 Schedule end date: Not reported

RCRA-LQG:

Date form received by agency: 03/04/2008
 Facility name: PFIZER INC
 Facility address: 13 BARTLETT ST
 BROOKLYN, NY 11206
 EPA ID: NYD001374214
 Mailing address: RTE 206 NORTH
 PEAPACK, NJ 07977
 Contact: RUSSELL G DOWNEY
 Contact address: RTE 206 NORTH
 PEAPACK, NJ 07977
 Contact country: US
 Contact telephone: (908) 901-6079
 Contact email: Not reported
 EPA Region: 02
 Land type: Private
 Classification: Large Quantity Generator
 Description: Handler: generates 1,000 kg or more of hazardous waste during any
 calendar month; or generates more than 1 kg of acutely hazardous waste
 during any calendar month; or generates more than 100 kg of any
 residue or contaminated soil, waste or other debris resulting from the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: PFIZER INC
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1851
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC
Owner/operator address: ROUTE 206 NORTH M/S 611
PEAPACK, NJ 07977
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1851
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC
Owner/operator address: ROUTE 206 NORTH M/S 611
PEAPACK, NJ 07977
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1851
Owner/Op end date: Not reported

Owner/operator name: PFIZER INC
Owner/operator address: RTE 206 NORTH
PEAPACK, NJ 07977
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1851
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Yes
Treater, storer or disposer of HW: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 03/03/2008
Facility name: PFIZER INC
Classification: Large Quantity Generator

Date form received by agency: 03/03/2008
Facility name: PFIZER INC
Classification: Large Quantity Generator

Date form received by agency: 01/01/2006
Facility name: PFIZER INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: PFIZER INC
Classification: Not a generator, verified

Date form received by agency: 03/01/1990
Facility name: PFIZER INC
Site name: PFIZER INC BROOKLYN PLANT
Classification: Large Quantity Generator

Date form received by agency: 11/19/1980
Facility name: PFIZER INC
Classification: Not a generator, verified

Date form received by agency: 08/18/1980

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Facility name: PFIZER INC
Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D009
Waste name: MERCURY

Waste code: B007
Waste name: B007

Waste code: D009
Waste name: MERCURY

Waste code: B007
Waste name: B007

Biennial Reports:

Last Biennial Reporting Year: 2009

Annual Waste Handled:

Waste code: D009
Waste name: MERCURY
Amount (Lbs): 1201.2

Corrective Action Summary:

Event date: 09/22/1992
Event: RFA Completed

Event date: 04/19/1994
Event: CA Prioritization, Facility or area was assigned a medium corrective action priority.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 05/01/1987
Date achieved compliance: 06/01/1987
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/01/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 06/24/1985
Date achieved compliance: 07/24/1985
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 12/30/1985

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 3000
Paid penalty amount: 3000

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/01/1985
Date achieved compliance: 08/11/1985
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/11/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 02/05/1985
Date achieved compliance: 08/11/1985
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/11/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 02/05/1985
Date achieved compliance: 08/01/1985
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 06/11/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/14/1984
Date achieved compliance: 08/20/1984
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 05/31/1984
Enf. disposition status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: 10000
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 10/09/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/01/1987
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 06/01/1987
Evaluation lead agency: State

Evaluation date: 04/08/1987
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/16/1986
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 06/24/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 07/24/1985
Evaluation lead agency: EPA

Evaluation date: 03/28/1985
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/01/1985
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Generators - General
Date achieved compliance: 08/11/1985
Evaluation lead agency: State

Evaluation date: 02/05/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 08/01/1985
Evaluation lead agency: State

Evaluation date: 02/05/1985
Evaluation: FOCUSED COMPLIANCE INSPECTION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Area of violation: Generators - General
Date achieved compliance: 08/11/1985
Evaluation lead agency: State

Evaluation date: 08/20/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 06/18/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 03/14/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 08/20/1984
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

FINDS:

Registry ID: 110001595122

Environmental Interest/Information System

US EPA TRIS (Toxics Release Inventory System) contains information from facilities on the amounts of over 300 listed toxic chemicals that these facilities release directly to air, water, land, or that are transported off-site.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NY MANIFEST:

EPA ID: NYD001374214

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Country: USA
Mailing Name: PFIZER INC BROOKLYN PLANT
Mailing Contact: HETTENBACH JR SEN PROC EN
Mailing Address: 11 BARTLETT ST
Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11206
Mailing Zip4: 5001
Mailing Country: USA
Mailing Phone: 212-573-1686

Document ID: NJO0034274
Manifest Status: Generator copy
Trans1 State ID: S-1846
Trans2 State ID: Not reported
Generator Ship Date: 810506
Trans1 Recv Date: 810506
Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0077294
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NYJA026
Trans2 State ID: Not reported
Generator Ship Date: 810930
Trans1 Recv Date: 810930
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810930

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0077295
Manifest Status: TSD copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 811019
Trans1 Recv Date: Not reported
Trans2 Recv Date: Not reported
TSD Site Recv Date: 811001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: Not reported
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0077296
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: JA026
Trans2 State ID: Not reported
Generator Ship Date: 810930
Trans1 Recv Date: 810930
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810930
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSDF ID: NJD089216790
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1553517
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NY2A004
Trans2 State ID: Not reported
Generator Ship Date: 811222
Trans1 Recv Date: 811222
Trans2 Recv Date: Not reported
TSD Site Recv Date: 811222
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDF ID: NYD049178296

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Waste Code: D000 - NON-LISTED TOXIC WASTES
Quantity: 00990
Units: P - Pounds
Number of Containers: 007
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0011783
Manifest Status: Generator copy
Trans1 State ID: 7A026
Trans2 State ID: Not reported
Generator Ship Date: 810514
Trans1 Recv Date: 810514
Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 03000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Document ID: NJO0020400
Manifest Status: Generator copy
Trans1 State ID: S-1846F
Trans2 State ID: Not reported
Generator Ship Date: 810311
Trans1 Recv Date: 810311
Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0034164
Manifest Status: Generator copy
Trans1 State ID: S-1846
Trans2 State ID: Not reported
Generator Ship Date: 810527
Trans1 Recv Date: 810527
Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0034174
Manifest Status: Generator copy
Trans1 State ID: S-1846
Trans2 State ID: Not reported
Generator Ship Date: 810608
Trans1 Recv Date: 810608
Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSDF ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 04100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0034222
Manifest Status: Generator copy
Trans1 State ID: S1846EG
Trans2 State ID: Not reported
Generator Ship Date: 810410
Trans1 Recv Date: 810410

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1664109
Manifest Status: Completed copy
Trans1 State ID: NY2A004
Trans2 State ID: Not reported
Generator Ship Date: 810528
Trans1 Recv Date: 810528
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810529
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: MDD022604425
TSD ID: MDD074923392
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 10400
Units: P - Pounds
Number of Containers: 026
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 13600
Units: P - Pounds
Number of Containers: 034
Container Type: DM - Metal drums, barrels
Handling Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00500
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00700
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: U044 - CHLOROFORM
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0060807
Manifest Status: Generator copy
Trans1 State ID: JA026
Trans2 State ID: Not reported
Generator Ship Date: 820201
Trans1 Recv Date: 820201
Trans2 Recv Date: Not reported
TSD Site Recv Date: Not reported
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

TSDF ID: MAD053452637
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 06000
Units: P - Pounds
Number of Containers: 015
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1553013
Manifest Status: Completed copy
Trans1 State ID: NY2A004
Trans2 State ID: Not reported
Generator Ship Date: 810929
Trans1 Recv Date: 810929
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810929
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDF ID: NYD049178296
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 04400
Units: P - Pounds
Number of Containers: 011
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 01600
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Specific Gravity: 100
Waste Code: Not reported
Quantity: 04400
Units: P - Pounds
Number of Containers: 011
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: D000 - NON-LISTED TOXIC WASTES
Quantity: 00400
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1553013
Manifest Status: Completed copy
Trans1 State ID: NY2A004
Trans2 State ID: Not reported
Generator Ship Date: 810929
Trans1 Recv Date: 810929
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810929
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

TSDF ID: NYD049178296
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01600
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1664109
Manifest Status: Completed copy
Trans1 State ID: NY2A004
Trans2 State ID: Not reported
Generator Ship Date: 810528
Trans1 Recv Date: 810528
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810529
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001374214
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: MDD022604425
TSDF ID: MDD074923392
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 01600
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00100
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Specific Gravity:	100
Waste Code:	Not reported
Quantity:	02000
Units:	P - Pounds
Number of Containers:	005
Container Type:	DM - Metal drums, barrels
Handling Method:	Not reported
Specific Gravity:	100
Year:	80-81
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
Document ID:	NJO0146511
Manifest Status:	Completed copy
Trans1 State ID:	S1846IQ
Trans2 State ID:	Not reported
Generator Ship Date:	830317
Trans1 Recv Date:	830317
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	830317
Part A Recv Date:	030330
Part B Recv Date:	030330
Generator EPA ID:	NYD001374214
Trans1 EPA ID:	NJD089216790
Trans2 EPA ID:	Not reported
TSD ID:	NJD089216790
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00880
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	016
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00165
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	003
Container Type:	DM - Metal drums, barrels
Handling Method:	Not reported
Specific Gravity:	100
Year:	83
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
Document ID:	NJO0146506
Manifest Status:	Completed copy
Trans1 State ID:	S1846IQ
Trans2 State ID:	Not reported
Generator Ship Date:	830325
Trans1 Recv Date:	830325
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	830325
Part A Recv Date:	030401
Part B Recv Date:	030401
Generator EPA ID:	NYD001374214
Trans1 EPA ID:	NJD089216790
Trans2 EPA ID:	Not reported
TSD ID:	NJD089216790
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Specific Gravity: 100
Waste Code: F005 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 83
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0146507
Manifest Status: Completed copy
Trans1 State ID: S1846IQ
Trans2 State ID: Not reported
Generator Ship Date: 830325
Trans1 Recv Date: 830325
Trans2 Recv Date: Not reported
TSD Site Recv Date: 830325
Part A Recv Date: 030401
Part B Recv Date: 030401
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 83
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0146508
Manifest Status: Completed copy
Trans1 State ID: S1846IQ
Trans2 State ID: Not reported
Generator Ship Date: 830325
Trans1 Recv Date: 830325
Trans2 Recv Date: Not reported
TSD Site Recv Date: 830325
Part A Recv Date: 030401
Part B Recv Date: 030401
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: U112 - ETHYL ACETATE
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	Not reported
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	F005 - UNKNOWN
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	83
Manifest Tracking Num:	Not reported
Import Ind:	Not reported
Export Ind:	Not reported
Discr Quantity Ind:	Not reported
Discr Type Ind:	Not reported
Discr Residue Ind:	Not reported
Discr Partial Reject Ind:	Not reported
Discr Full Reject Ind:	Not reported
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	Not reported
Document ID:	NJO0146509
Manifest Status:	Completed copy
Trans1 State ID:	S1846IQ
Trans2 State ID:	Not reported
Generator Ship Date:	830325
Trans1 Recv Date:	830325

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PFIZER INC (Continued)

1000443177

Trans2 Recv Date: Not reported
TSD Site Recv Date: 830325
Part A Recv Date: 030401
Part B Recv Date: 030401
Generator EPA ID: NYD001374214
Trans1 EPA ID: NJD089216790
Trans2 EPA ID: Not reported
TSD ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: Not reported
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 83
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access
217 additional NY_MANIFEST: record(s) in the EDR Site Report.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

222
SW
1/2-1
0.842 mi.
4443 ft.

KEAP ST. STATION
KEAP ST. WYTHE AVE. HOOPER ST. AND KENT AVE
BROOKLYN, NY 11211

Manufactured Gas Plants

1008407893
N/A

Relative:
Lower

Actual:
16 ft.
223
South
1/2-1
0.846 mi.
4465 ft.

TECHTRONICS ECOLOGICAL CORP
8 WALWORTH ST
NEW YORK, NY 11205

CORRACTS
RCRA-NonGen
FINDS
MANIFEST

1000244308
NYD000824334

Relative:
Lower

CORRACTS:

Actual:
13 ft.

EPA ID: NYD000824334
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 08/02/1994
Action: CA075ME - CA Prioritization, Facility or area was assigned a medium corrective action priority
NAICS Code(s): 32551
Paint and Coating Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

EPA ID: NYD000824334
EPA Region: 02
Area Name: SITEWIDE
Actual Date: 11/22/1985
Action: CA050 - RFA Completed
NAICS Code(s): 32551
Paint and Coating Manufacturing
Original schedule date: Not reported
Schedule end date: Not reported

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: TECHTRONICS ECOLOGICAL CORP
Facility address: 8 WALWORTH ST
NEW YORK, NY 11205
EPA ID: NYD000824334
Mailing address: FLUSHING AVE
BROOKLYN, NY 11205
Contact: Not reported
Contact address: FLUSHING AVE
BROOKLYN, NY 11205
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TECHTRONICS ECOLOGICAL CORP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Owner/operator address: 501 FLUSHING AVE
OPERCITY, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 624-5240
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: TWELVE WALWORTH STREET CORP
Owner/operator address: 501 FLUSHING AVE
BROOKLYN, NY 11205
Owner/operator country: US
Owner/operator telephone: (212) 624-5240
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: TECHTRONICS ECOLOGICAL CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: TECHTRONICS ECOLOGICAL CORP
Classification: Not a generator, verified

Date form received by agency: 11/19/1980
Facility name: TECHTRONICS ECOLOGICAL CORP
Classification: Not a generator, verified

Date form received by agency: 08/18/1980
Facility name: TECHTRONICS ECOLOGICAL CORP
Classification: Large Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Corrective Action Summary:

Event date: 11/22/1985
Event: RFA Completed

Event date: 08/02/1994
Event: CA Prioritization, Facility or area was assigned a medium corrective action priority.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 12/13/1988
Date achieved compliance: 06/06/1990
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 03/01/1990
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 03/30/1988
Date achieved compliance: 04/30/1988
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 01/15/1987
Date achieved compliance: 01/17/1987
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 01/15/1987
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Permits - Application
Date violation determined: 08/28/1986
Date achieved compliance: 04/30/1988
Violation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/11/1986
Date achieved compliance: 08/28/1986
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 03/11/1986
Date achieved compliance: 04/30/1988
Violation lead agency: State
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 09/16/1985
Date achieved compliance: 07/16/1986
Violation lead agency: State
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 04/24/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: 875
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 09/16/1985
Date achieved compliance: 07/16/1986
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Enforcement action date: 09/16/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 05/16/1985
Date achieved compliance: 01/17/1987
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 05/16/1985
Date achieved compliance: 07/16/1986
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 02/21/1985
Date achieved compliance: 06/06/1990
Violation lead agency: EPA
Enforcement action: Not reported
Enforcement action date: Not reported
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: Not reported
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 05/01/1984
Date achieved compliance: 06/08/1984
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 05/11/1984

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - Manifest
Date violation determined: 03/31/1984
Date achieved compliance: 10/04/1985
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/20/1985
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Permits - Application
Date violation determined: 03/09/1984
Date achieved compliance: 11/21/1984
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/20/1984
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 12/13/1988
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 06/06/1990
Evaluation lead agency: State

Evaluation date: 03/30/1988
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 04/30/1988
Evaluation lead agency: EPA

Evaluation date: 05/27/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 02/13/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 02/13/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 01/15/1987
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Manifest
Date achieved compliance: 01/17/1987
Evaluation lead agency: State

Evaluation date: 01/06/1987
Evaluation: FINANCIAL RECORD REVIEW
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/28/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 08/28/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Permits - Application
Date achieved compliance: 04/30/1988
Evaluation lead agency: State

Evaluation date: 03/11/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 04/30/1988
Evaluation lead agency: State

Evaluation date: 03/11/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 08/28/1986
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 09/16/1985
Evaluation: FOCUSED COMPLIANCE INSPECTION
Area of violation: Generators - Manifest
Date achieved compliance: 07/16/1986
Evaluation lead agency: State

Evaluation date: 05/16/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Manifest
Date achieved compliance: 07/16/1986
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Evaluation date: 05/16/1985
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - Manifest
Date achieved compliance: 01/17/1987
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

Evaluation date: 02/21/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 06/06/1990
Evaluation lead agency: EPA

Evaluation date: 02/21/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 05/01/1984
Evaluation: NON-FINANCIAL RECORD REVIEW
Area of violation: Generators - General
Date achieved compliance: 06/08/1984
Evaluation lead agency: EPA

Evaluation date: 03/31/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Manifest
Date achieved compliance: 10/04/1985
Evaluation lead agency: State

Evaluation date: 03/09/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Permits - Application
Date achieved compliance: 11/21/1984
Evaluation lead agency: State

FINDS:

Registry ID: 110007996204

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD000824334
Country: USA
Mailing Name: TECHTRONICS ECOLOGICAL
Mailing Contact: CARL LING-GENERAL MANAGER
Mailing Address: 501 FLUSHING AVE
Mailing Address 2: Not reported
Mailing City: BROOKLYN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Mailing State: NY
Mailing Zip: 11205
Mailing Zip4: 1610
Mailing Country: USA
Mailing Phone: 718-522-3838

Document ID: NYO1500615
Manifest Status: TSDf copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 820110
Trans1 Recv Date: Not reported
Trans2 Recv Date: Not reported
TSD Site Recv Date: 811231
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDf ID: Not reported
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500651
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: S6005BA
Trans2 State ID: Not reported
Generator Ship Date: 820308
Trans1 Recv Date: 820308
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820308
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821
Trans2 EPA ID: Not reported
TSDf ID: NJT000027821

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 04000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500669
Manifest Status: TSDf copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 820318
Trans1 Recv Date: Not reported
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820311
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDf ID: Not reported
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Document ID: NYO1500678
Manifest Status: TSDF copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 820305
Trans1 Recv Date: Not reported
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820224
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: Not reported
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500687
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S6005AW
Trans2 State ID: Not reported
Generator Ship Date: 820224
Trans1 Recv Date: 820224
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820224
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821
Trans2 EPA ID: Not reported
TSD ID: NJT000027821
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500696
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: TY5854
Trans2 State ID: Not reported
Generator Ship Date: 820218
Trans1 Recv Date: 820218
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820218
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821
Trans2 EPA ID: Not reported
TSDf ID: NJT000027821
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05775
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: Not reported
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500705
Manifest Status: TSDf copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 820305
Trans1 Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Trans2 Recv Date: Not reported
TSD Site Recv Date: 820222
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: Not reported
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500714
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: S6005BA
Trans2 State ID: Not reported
Generator Ship Date: 820216
Trans1 Recv Date: 820216
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820216
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821
Trans2 EPA ID: Not reported
TSD ID: NJT000027821
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05225
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500732
Manifest Status: TSDF copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 820308
Trans1 Recv Date: Not reported
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820212
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: Not reported
Waste Code: Not reported
Quantity: Not reported
Units: Not reported
Number of Containers: Not reported
Container Type: Not reported
Handling Method: Not reported
Specific Gravity: Not reported
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1500741
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S6005BA
Trans2 State ID: Not reported
Generator Ship Date: 820204
Trans1 Recv Date: 820204
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820204
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Trans2 EPA ID: Not reported
TSDF ID: NJT000027821
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1144017
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S6005AZ
Trans2 State ID: Not reported
Generator Ship Date: 820311
Trans1 Recv Date: 820311
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820311
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821
Trans2 EPA ID: Not reported
TSDF ID: NJT000027821
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 05665
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Mgmt Method Type Code: Not reported

Document ID: NYO1144044
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: S6005AZ
Trans2 State ID: Not reported
Generator Ship Date: 820326
Trans1 Recv Date: 820326
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820326
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NYD000824334
Trans2 EPA ID: Not reported
TSDf ID: NYD000824334
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 06000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1144098
Manifest Status: Completed copy
Trans1 State ID: S6005AZ
Trans2 State ID: Not reported
Generator Ship Date: 820330
Trans1 Recv Date: 820330
Trans2 Recv Date: Not reported
TSD Site Recv Date: 820330
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJT000027821
Trans2 EPA ID: Not reported
TSDf ID: NJT000027821
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 06000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJ00111258
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJS8165
Trans2 State ID: A4007CJ
Generator Ship Date: 821012
Trans1 Recv Date: 821012
Trans2 Recv Date: 821013
TSD Site Recv Date: 821013
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: PAD980715692
Trans2 EPA ID: PAD064375470
TSDf ID: PAD064375470
Waste Code: F003 - UNKNOWN
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJ00111931
Manifest Status: Completed copy
Trans1 State ID: S8165AA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Trans2 State ID: SWAS400
Generator Ship Date: 820921
Trans1 Recv Date: 820921
Trans2 Recv Date: 820922
TSD Site Recv Date: 820922
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: PAD980715692
Trans2 EPA ID: PAD064375470
TSD ID: PAD064375470
Waste Code: F003 - UNKNOWN
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NJO0111932
Manifest Status: Completed copy
Trans1 State ID: S8165
Trans2 State ID: NJSWAS4
Generator Ship Date: 820928
Trans1 Recv Date: 820928
Trans2 Recv Date: 820929
TSD Site Recv Date: 820929
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: PAD980715692
Trans2 EPA ID: PAD064375470
TSD ID: PAD064375470
Waste Code: F003 - UNKNOWN
Quantity: 05000
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 82
Manifest Tracking Num: Not reported
Import Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1673379
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: JA024
Trans2 State ID: Not reported
Generator Ship Date: 810609
Trans1 Recv Date: 810609
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810610
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJD000692343
Trans2 EPA ID: Not reported
TSDf ID: IND084259951
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 04400
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 080
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1673397
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 52111
Trans2 State ID: Not reported
Generator Ship Date: 810924
Trans1 Recv Date: 810924
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810924
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NYD093305407
Trans2 EPA ID: Not reported
TSD ID: NYD093305407
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01100
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 025
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1673424
Manifest Status: Completed copy
Trans1 State ID: 52111
Trans2 State ID: Not reported
Generator Ship Date: 810610
Trans1 Recv Date: 810610
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810609
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NYD093305407
Trans2 EPA ID: Not reported
TSD ID: NYD093305407
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 02300
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DT - Dump trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TECHTRONICS ECOLOGICAL CORP (Continued)

1000244308

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

Document ID: NYO1673433
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: JA024
Trans2 State ID: Not reported
Generator Ship Date: 810616
Trans1 Recv Date: 810616
Trans2 Recv Date: Not reported
TSD Site Recv Date: 810618
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD000824334
Trans1 EPA ID: NJD000692343
Trans2 EPA ID: Not reported
TSDf ID: IND084259951
Waste Code: F003 - UNKNOWN
Quantity: 04400
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 080
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 80-81
Manifest Tracking Num: Not reported
Import Ind: Not reported
Export Ind: Not reported
Discr Quantity Ind: Not reported
Discr Type Ind: Not reported
Discr Residue Ind: Not reported
Discr Partial Reject Ind: Not reported
Discr Full Reject Ind: Not reported
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: Not reported

[Click this hyperlink](#) while viewing on your computer to access
565 additional NY_MANIFEST: record(s) in the EDR Site Report.

224
WSW
1/2-1
0.857 mi.
4523 ft.

PEOPLES WORKS
KENT AVE. S. 10TH ST., S. 11TH ST.
BROOKLYN, NY 11211

Manufactured Gas Plants **1008407896**
N/A

Relative:
Lower

Actual:
13 ft.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

225
 NNW
 1/2-1
 0.859 mi.
 4537 ft.

K - WILLIAMSBURG WORKS
KENT AVE / 12TH STREET
BROOKLYN, NY 11211

SHWS S109209078
N/A

Relative:
Lower

SHWS:

Program: HW
 Site Code: 372653
 Classification: A
 Region: 2
 Acres: 4.700
 HW Code: 224055
 Record Add: 10/27/2006 5:50:00 PM
 Record Upd: 8/18/2010 11:56:00 AM
 Updated By: GWCROSS

Actual:
11 ft.

Site Description: Transition from V00704 and C224055. The Williamsburg Works Manufactured Gas Plant (MGP) site is comprised of three parcels of land located on the east bank of the East River in Brooklyn New York in Kings County. The site is located between North 11th and North 12th Streets on the west side of Kent Avenue. A manufactured gas plant operated on the site from at least 1887 to 1916 according to Sanborn Fire Insurance(Sanborn) maps. A 1978 Sanborn map shows the site occupied by a New York City Sanitation Garage, which still occupies the site. The City of NY has identified this site for construction of a proposed waterfront park, which would extend far beyond site boundaries to the north and south. RI work has been delayed by access issues. Demolition of the NYC garage is expected during the late summer of 2008, opening up this portion of the site for investigation. Accessing the other portions (an active petroleum terminal and a large-scale document storage facility) will take more time.

Env Problem: According to the USEPA, a preliminary assessment (PA) was prepared for the site dated September 24, 1986. A copy of the PA was not supplied with the application. The environmental assessment for this site has not yet been completed. The site is the confirmed location of a historic MGP. MGPs have known onsite by products of DNAPL and purifier waste. The materials are made up of BTEX, PAHs, and cyanide. The DNAPL causes contravention of both groundwater and soil SCGs. The site is also adjacent to the East River and several public and private buildings, including residences. DNAPL is known to migrate into surface water bodies, contaminating sediment. The BTEX components are also known to contribute to soil vapor issues. There are already reports of tar seeping into the East River and tar has been found on an adjacent property.

Health Problem: The NYSDOH will evaluate the potential for impacts to public health from exposure to site contaminants once sufficient information from the investigation of the site becomes available for review.

Dump: Not reported
 Structure: Not reported
 Lagoon: Not reported
 Landfill: Not reported
 Pond: Not reported
 Disp Start: Not reported
 Disp Term: Not reported
 Lat/Long: Not reported
 Dell: Not reported
 Record Add: Not reported
 Record Upd: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

K - WILLIAMSBURG WORKS (Continued)

S109209078

Updated By: Not reported
 Own Op: Not reported
 Sub Type: Not reported
 Owner Name: Not reported
 Owner Company: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Country: Not reported
 HW Code: 224055
 Waste Type: COAL TAR
 Waste Quantity: UNKNOWN
 Waste Code: Not reported
 HW Code: 224055
 Waste Type: COAL TAR
 Waste Quantity: UNKNOWN
 Waste Code: Not reported
 Crossref ID: 224028
 Cross Ref Type Code: 02
 Cross Ref Type: HW Site ID
 Record Added Date: 11/20/2009 3:19:00 PM
 Record Updated: 11/20/2009 3:19:00 PM
 Updated By: MOBARRIE

226
 WSW
 1/2-1
 0.901 mi.
 4755 ft.

**BU-NASSAU BRANCH
 KENT AVE AND CROSS, DIVISION
 BROOKLYN, NY 11211**

Manufactured Gas Plants

**1008407884
 N/A**

Relative:
 Lower

Actual:
 13 ft.
 227
 SSW
 1/2-1
 0.909 mi.
 4798 ft.

**SKILLMAN STATION
 SKILLMAN ST. FLUSHING AND BEDFORD AVES., AND PARK ST
 BROOKLYN, NY 11205**

Manufactured Gas Plants

**1008407900
 N/A**

Relative:
 Lower

Actual:
 15 ft.
 228
 SSW
 1/2-1
 0.931 mi.
 4916 ft.

**RUTLEDGE STATION
 RUTLEDGE ST. WYTHE AND KENT AVE AND WALLABOUT AND HEYARD ST
 BROOKLYN, NY 11205**

Manufactured Gas Plants

**1008407898
 N/A**

Relative:
 Lower

Actual:
 14 ft.

MAP FINDINGS

Map ID	Direction	Distance	Elevation	Site	Database(s)	EDR ID Number	EPA ID Number
229	East	1/2-1	0.987 mi. 5210 ft.	SCHOLES ST. STATION SCHOLES ST 7 BOGART STS. MESSEROLE AND MORGAN AVE. BROOKLYN, NY 11206	Manufactured Gas Plants	1008407899	N/A
Relative: Equal							
<hr/>							
Actual: 17 ft. 230	SSW	1/2-1	0.998 mi. 5269 ft.	NASSAU GAS SKILLMAN AVE BROOKLYN, NY 11205	Manufactured Gas Plants	1008407895	N/A
Relative: Higher							
Actual: 24 ft.							

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BROOKLYN	1001224430	MTA NYCT - MYRTLE & WILLOUGHBY AVE	MYRTLE & UNION AVE	11206	FINDS,RCRA-NLR
BROOKLYN	1004761888	NYSDOT CONTRACT D258425	BQE CONNECTOR RAMP TO	11211	FINDS,RCRA-NLR
BROOKLYN	1007206416	CONSOLIDATED EDISON	MH64822-WYTHE AVE / RODNEY S	11201	RCRA-NLR,MANIFEST
BROOKLYN	1007206476	CONSOLIDATED EDISON	MH64803 RODNEY ST		RCRA-NLR,MANIFEST
BROOKLYN	1007208323	CONSOLIDATED EDISON	MH149-UNION AVE / AINSLIE ST		RCRA-NLR,MANIFEST
BROOKLYN	1007208397	CONSOLIDATED EDISON	MH38210-KINGS HWY / W 7TH ST		RCRA-NLR,MANIFEST
BROOKLYN	1009231852	NYNEX	MANHOLE GRAND AVE / GREENEST		MANIFEST
BROOKLYN	1009234540	NYNEX	KINGS HWY / AVE H		MANIFEST
BROOKLYN	1009235652	NYCDEP	S 1ST ST		MANIFEST
BROOKLYN	1009235734	NYCDEP	BTW 2ND / 3RD AVE		MANIFEST
BROOKLYN	1009239377	CONSOLIDATED EDISON	MH208-UNION AVE / JOHNSON AV	11211	MANIFEST
BROOKLYN	1009240955	CONSOLIDATED EDISON	V1245-EASTERN PKWY/GRAND ARMY		MANIFEST
BROOKLYN	1009241382	CONSOLIDATED EDISON	MH5494 7TH AVE / 2ND ST		MANIFEST
BROOKLYN	1009241860	CONSOLIDATED EDISON	V6281-S 2ND ST / KEAP		MANIFEST
BROOKLYN	1009241959	CONSOLIDATED EDISON	MH829-PARK / GRAND		MANIFEST
BROOKLYN	S103938400	BOX 38486	KINGS HIGHWAY/ROCKAWAY PK		SPILLS,HIST SPILLS
BROOKLYN	S106737045	BETW/AVE X &	KINGS HIGHWAY AVE U		SPILLS
BROOKLYN	S107407580	KINGS HIGHWAY MOBIL	KINGS HIGHWAY		SPILLS
BROOKLYN	S109064521	BELL ATLANTIC-NY	E 94 ST/BET CLARKSON AVE KINGS		MANIFEST
BROOKLYN	S109207895	205842; KINGS HWY	KINGS HWY		SPILLS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/31/2010	Source: EPA
Date Data Arrived at EDR: 04/02/2010	Telephone: N/A
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/31/2010	Source: EPA
Date Data Arrived at EDR: 04/02/2010	Telephone: N/A
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/16/2010
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/29/2010
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/31/2010	Source: EPA
Date Data Arrived at EDR: 04/02/2010	Telephone: N/A
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 10	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 01/29/2010	Source: EPA
Date Data Arrived at EDR: 02/09/2010	Telephone: 703-412-9810
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 09/02/2010
Number of Days to Update: 62	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA's Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/23/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/15/2010	Telephone: 703-603-8704
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 07/21/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009	Source: EPA
Date Data Arrived at EDR: 09/02/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/02/2010
Number of Days to Update: 19	Next Scheduled EDR Contact: 12/13/2010
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 03/25/2010
Date Data Arrived at EDR: 03/31/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 57

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 08/16/2010
Next Scheduled EDR Contact: 11/29/2010
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/19/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/19/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/19/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/19/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/20/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/20/2010	Telephone: 703-603-0695
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 09/13/2010
Number of Days to Update: 82	Next Scheduled EDR Contact: 12/27/2010
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/20/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/20/2010	Telephone: 703-603-0695
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 09/13/2010
Number of Days to Update: 82	Next Scheduled EDR Contact: 12/27/2010
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 07/09/2010	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 07/09/2010	Telephone: 202-267-2180
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 07/09/2010
Number of Days to Update: 39	Next Scheduled EDR Contact: 10/18/2010
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9622
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrusion Legacy Site List

"Vapor intrusion" refers to the process by which volatile chemicals move from a subsurface source into the indoor air of overlying or adjacent buildings. The subsurface source can either be contaminated groundwater or contaminated soil which releases vapors into the pore spaces in the soil. Improvements in analytical techniques and knowledge gained from site investigations in New York and other states has led to an increased awareness of soil vapor as a medium of concern and of the potential for exposures from the soil vapor intrusion pathway. Based on this additional information, New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 08/13/2010
Date Data Arrived at EDR: 08/25/2010
Date Made Active in Reports: 09/24/2010
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9814
Last EDR Contact: 08/25/2010
Next Scheduled EDR Contact: 12/06/2010
Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/14/2010
Date Data Arrived at EDR: 07/16/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 25

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 08/24/2010
Date Data Arrived at EDR: 08/25/2010
Date Made Active in Reports: 09/24/2010
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 08/25/2010
Next Scheduled EDR Contact: 12/06/2010
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/19/2010
Date Data Arrived at EDR: 05/21/2010
Date Made Active in Reports: 08/09/2010
Number of Days to Update: 80

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 05/27/2010
Date Data Arrived at EDR: 05/28/2010
Date Made Active in Reports: 08/09/2010
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/04/2010	Source: EPA Region 10
Date Data Arrived at EDR: 05/05/2010	Telephone: 206-553-2857
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/19/2009	Source: EPA Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 08/02/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/03/2010	Source: EPA Region 6
Date Data Arrived at EDR: 05/05/2010	Telephone: 214-665-6597
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/04/2009	Source: EPA Region 7
Date Data Arrived at EDR: 05/04/2010	Telephone: 913-551-7003
Date Made Active in Reports: 07/07/2010	Last EDR Contact: 08/11/2010
Number of Days to Update: 64	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/24/2010	Source: EPA Region 8
Date Data Arrived at EDR: 05/27/2010	Telephone: 303-312-6271
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 74	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: Petroleum Bulk Storage (PBS) Database
Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 06/17/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/18/2010	Telephone: 518-402-9549
Date Made Active in Reports: 08/10/2010	Last EDR Contact: 06/18/2010
Number of Days to Update: 53	Next Scheduled EDR Contact: 10/18/2010
	Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database
Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 10/24/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/23/2006
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 06/17/2010
Date Data Arrived at EDR: 06/18/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 53

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/18/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 06/17/2010
Date Data Arrived at EDR: 06/18/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 53

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/18/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 06/17/2010
Date Data Arrived at EDR: 06/18/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 53

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 06/18/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/03/2010	Source: EPA Region 6
Date Data Arrived at EDR: 05/05/2010	Telephone: 214-665-7591
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/11/2010	Source: EPA Region 5
Date Data Arrived at EDR: 02/11/2010	Telephone: 312-886-6136
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 60	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/19/2010	Source: EPA Region 4
Date Data Arrived at EDR: 05/21/2010	Telephone: 404-562-9424
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 80	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 05/27/2010	Source: EPA Region 9
Date Data Arrived at EDR: 05/28/2010	Telephone: 415-972-3368
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 73	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/24/2010	Source: EPA Region 8
Date Data Arrived at EDR: 05/27/2010	Telephone: 303-312-6137
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 74	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 04/01/2008	Source: EPA Region 7
Date Data Arrived at EDR: 12/30/2008	Telephone: 913-551-7003
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 08/11/2010
Number of Days to Update: 76	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/04/2010	Source: EPA Region 10
Date Data Arrived at EDR: 05/05/2010	Telephone: 206-553-2857
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 08/02/2010
Number of Days to Update: 22	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/19/2009	Source: EPA, Region 1
Date Data Arrived at EDR: 02/19/2009	Telephone: 617-918-1313
Date Made Active in Reports: 03/16/2009	Last EDR Contact: 08/02/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 07/19/2010
Number of Days to Update: 55	Next Scheduled EDR Contact: 11/01/2010
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9553
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9553
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/31/1992	Source: NYC Department of City Planning
Date Data Arrived at EDR: 01/31/2007	Telephone: 212-720-3401
Date Made Active in Reports: 04/19/2007	Last EDR Contact: 09/27/2010
Number of Days to Update: 78	Next Scheduled EDR Contact: 01/10/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9711
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008	Source: EPA, Region 1
Date Data Arrived at EDR: 04/22/2008	Telephone: 617-918-1102
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 07/08/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 10/18/2010
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

State and tribal Brownfields sites

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9622
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Quarterly

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9764
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients--States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 06/24/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/25/2010	Telephone: 202-566-2777
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 06/25/2010
Number of Days to Update: 53	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 09/27/2010
Number of Days to Update: 137	Next Scheduled EDR Contact: 01/10/2011
	Data Release Frequency: Varies

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/15/2006	Telephone: 518-402-8694
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 07/30/2010
Number of Days to Update: 15	Next Scheduled EDR Contact: 11/08/2010
	Data Release Frequency: Annually

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 07/14/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 07/16/2010	Telephone: 518-402-8705
Date Made Active in Reports: 08/10/2010	Last EDR Contact: 07/12/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands
Location of open dumps on Indian land.

Date of Government Version: 12/31/1998	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/03/2007	Telephone: 703-308-8245
Date Made Active in Reports: 01/24/2008	Last EDR Contact: 09/07/2010
Number of Days to Update: 52	Next Scheduled EDR Contact: 11/22/2010
	Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/07/2010	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 06/18/2010	Telephone: 202-307-1000
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 09/17/2010
Number of Days to Update: 60	Next Scheduled EDR Contact: 12/20/2010
	Data Release Frequency: Quarterly

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 08/24/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 08/25/2010	Telephone: 518-402-9622
Date Made Active in Reports: 09/24/2010	Last EDR Contact: 08/25/2010
Number of Days to Update: 30	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007	Source: Drug Enforcement Administration
Date Data Arrived at EDR: 11/19/2008	Telephone: 202-307-1000
Date Made Active in Reports: 03/30/2009	Last EDR Contact: 03/23/2009
Number of Days to Update: 131	Next Scheduled EDR Contact: 06/22/2009
	Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/02/2006	Telephone: 518-402-9549
Date Made Active in Reports: 07/20/2006	Last EDR Contact: 10/23/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 01/22/2007
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 05/06/2010
Date Data Arrived at EDR: 05/11/2010
Date Made Active in Reports: 08/09/2010
Number of Days to Update: 90

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005
Date Data Arrived at EDR: 12/11/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 31

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 09/08/2010
Next Scheduled EDR Contact: 12/06/2010
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 04/06/2010
Date Data Arrived at EDR: 04/07/2010
Date Made Active in Reports: 05/27/2010
Number of Days to Update: 50

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 07/09/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 08/24/2010
Date Data Arrived at EDR: 08/25/2010
Date Made Active in Reports: 09/24/2010
Number of Days to Update: 30

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 08/25/2010
Next Scheduled EDR Contact: 12/06/2010
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 08/19/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/12/2010
Date Data Arrived at EDR: 02/09/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 62

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 08/11/2010
Next Scheduled EDR Contact: 11/22/2010
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 703-692-8801
Last EDR Contact: 07/22/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 09/30/2009
Date Made Active in Reports: 12/01/2009
Number of Days to Update: 62

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 09/14/2010
Next Scheduled EDR Contact: 12/27/2010
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 04/11/2010
Date Data Arrived at EDR: 04/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 28

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 07/08/2010
Next Scheduled EDR Contact: 10/18/2010
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 06/01/2010	Source: EPA
Date Data Arrived at EDR: 06/16/2010	Telephone: 703-416-0223
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 09/15/2010
Number of Days to Update: 62	Next Scheduled EDR Contact: 12/27/2010
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 01/05/2009	Source: Department of Energy
Date Data Arrived at EDR: 05/07/2009	Telephone: 505-845-0011
Date Made Active in Reports: 05/08/2009	Last EDR Contact: 09/01/2010
Number of Days to Update: 1	Next Scheduled EDR Contact: 12/13/2010
	Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 05/07/2010	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 06/09/2010	Telephone: 303-231-5959
Date Made Active in Reports: 08/30/2010	Last EDR Contact: 09/09/2010
Number of Days to Update: 82	Next Scheduled EDR Contact: 12/20/2010
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2008	Source: EPA
Date Data Arrived at EDR: 01/13/2010	Telephone: 202-566-0250
Date Made Active in Reports: 02/18/2010	Last EDR Contact: 09/01/2010
Number of Days to Update: 36	Next Scheduled EDR Contact: 12/13/2010
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2002	Source: EPA
Date Data Arrived at EDR: 04/14/2006	Telephone: 202-260-5521
Date Made Active in Reports: 05/30/2006	Last EDR Contact: 07/07/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/30/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/13/2010
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 08/30/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 12/13/2010
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2008	Source: EPA
Date Data Arrived at EDR: 01/06/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 08/16/2010
Number of Days to Update: 35	Next Scheduled EDR Contact: 11/15/2010
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 04/24/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/29/2010	Telephone: 202-564-5088
Date Made Active in Reports: 05/17/2010	Last EDR Contact: 09/27/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 01/10/2011
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 02/01/2010	Source: EPA
Date Data Arrived at EDR: 04/22/2010	Telephone: 202-566-0500
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 07/30/2010
Number of Days to Update: 109	Next Scheduled EDR Contact: 11/01/2010
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/18/2010	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 04/06/2010	Telephone: 301-415-7169
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 09/13/2010
Number of Days to Update: 51	Next Scheduled EDR Contact: 12/27/2010
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/13/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/14/2010	Telephone: 202-343-9775
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 07/14/2010
Number of Days to Update: 26	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010	Source: EPA
Date Data Arrived at EDR: 04/16/2010	Telephone: (212) 637-3000
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 09/15/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 12/27/2010
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 02/25/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 76

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 08/24/2010
Next Scheduled EDR Contact: 12/06/2010
Data Release Frequency: Biennially

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 07/28/2010
Date Data Arrived at EDR: 08/11/2010
Date Made Active in Reports: 09/24/2010
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 08/11/2010
Next Scheduled EDR Contact: 11/22/2010
Data Release Frequency: Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 03/23/2010
Date Data Arrived at EDR: 03/25/2010
Date Made Active in Reports: 05/06/2010
Number of Days to Update: 42

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 09/20/2010
Next Scheduled EDR Contact: 01/03/2011
Data Release Frequency: Varies

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 07/19/2010
Date Data Arrived at EDR: 07/19/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 22

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 07/19/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 08/06/2010
Date Made Active in Reports: 09/24/2010
Number of Days to Update: 49

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 08/02/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 05/25/2010	Source: New York City Department of City Planning
Date Data Arrived at EDR: 07/06/2010	Telephone: 718-595-6658
Date Made Active in Reports: 08/10/2010	Last EDR Contact: 06/24/2010
Number of Days to Update: 35	Next Scheduled EDR Contact: 10/11/2010
	Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 07/22/2010
Number of Days to Update: 34	Next Scheduled EDR Contact: 11/01/2010
	Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 05/12/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/13/2010	Telephone: 615-532-8599
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 08/23/2010
Number of Days to Update: 96	Next Scheduled EDR Contact: 11/08/2010
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 11/09/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/18/2009	Telephone: N/A
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 09/15/2010
Number of Days to Update: 54	Next Scheduled EDR Contact: 12/27/2010
	Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 07/22/2010
Number of Days to Update: 339	Next Scheduled EDR Contact: 11/01/2010
	Data Release Frequency: N/A

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 07/21/2010
Next Scheduled EDR Contact: 11/01/2010
Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 07/14/2010
Date Data Arrived at EDR: 07/16/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 25

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Varies

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008
Date Data Arrived at EDR: 11/25/2008
Date Made Active in Reports: 12/11/2008
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Varies

FINANCIAL ASSURANCE: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 07/13/2010
Date Data Arrived at EDR: 07/14/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 27

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 07/12/2010
Next Scheduled EDR Contact: 10/25/2010
Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008
Date Data Arrived at EDR: 02/18/2009
Date Made Active in Reports: 05/29/2009
Number of Days to Update: 100

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 08/10/2010
Next Scheduled EDR Contact: 11/15/2010
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 04/22/2010	Source: Cortland County Health Department
Date Data Arrived at EDR: 04/22/2010	Telephone: 607-753-5035
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 08/23/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 11/22/2010
	Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 04/22/2010	Source: Cortland County Health Department
Date Data Arrived at EDR: 04/22/2010	Telephone: 607-753-5035
Date Made Active in Reports: 05/10/2010	Last EDR Contact: 08/23/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 11/22/2010
	Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 07/12/2010
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 04/13/2010	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 06/23/2010	Telephone: 516-572-1000
Date Made Active in Reports: 06/28/2010	Last EDR Contact: 08/09/2010
Number of Days to Update: 5	Next Scheduled EDR Contact: 11/22/2010
	Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 07/12/2010
Number of Days to Update: 13	Next Scheduled EDR Contact: 10/25/2010
	Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 04/13/2010	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 06/23/2010	Telephone: 516-572-1000
Date Made Active in Reports: 06/28/2010	Last EDR Contact: 08/09/2010
Number of Days to Update: 5	Next Scheduled EDR Contact: 11/22/2010
	Data Release Frequency: Varies

ROCKLAND COUNTY:

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 06/25/2010
Date Data Arrived at EDR: 06/25/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 46

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 09/13/2010
Next Scheduled EDR Contact: 12/27/2010
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 06/25/2010
Date Data Arrived at EDR: 06/25/2010
Date Made Active in Reports: 08/10/2010
Number of Days to Update: 46

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 09/13/2010
Next Scheduled EDR Contact: 12/27/2010
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 08/09/2010
Next Scheduled EDR Contact: 11/22/2010
Data Release Frequency: Annually

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 08/09/2010
Next Scheduled EDR Contact: 11/22/2010
Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 08/11/2010
Next Scheduled EDR Contact: 11/22/2010
Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 08/11/2010
Next Scheduled EDR Contact: 11/22/2010
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007	Source: Department of Environmental Protection
Date Data Arrived at EDR: 08/26/2009	Telephone: 860-424-3375
Date Made Active in Reports: 09/11/2009	Last EDR Contact: 08/25/2010
Number of Days to Update: 16	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009	Source: Department of Environmental Protection
Date Data Arrived at EDR: 07/22/2010	Telephone: N/A
Date Made Active in Reports: 08/26/2010	Last EDR Contact: 07/22/2010
Number of Days to Update: 35	Next Scheduled EDR Contact: 11/01/2010
	Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2008	Source: Department of Environmental Protection
Date Data Arrived at EDR: 12/01/2009	Telephone: 717-783-8990
Date Made Active in Reports: 12/14/2009	Last EDR Contact: 08/23/2010
Number of Days to Update: 13	Next Scheduled EDR Contact: 12/06/2010
	Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2009	Source: Department of Environmental Management
Date Data Arrived at EDR: 07/19/2010	Telephone: 401-222-2797
Date Made Active in Reports: 08/26/2010	Last EDR Contact: 08/30/2010
Number of Days to Update: 38	Next Scheduled EDR Contact: 12/13/2010
	Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 03/29/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 05/14/2010	Telephone: 802-241-3443
Date Made Active in Reports: 06/22/2010	Last EDR Contact: 07/26/2010
Number of Days to Update: 39	Next Scheduled EDR Contact: 11/08/2010
	Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009	Source: Department of Natural Resources
Date Data Arrived at EDR: 07/06/2010	Telephone: N/A
Date Made Active in Reports: 07/26/2010	Last EDR Contact: 09/20/2010
Number of Days to Update: 20	Next Scheduled EDR Contact: 01/03/2011
	Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.

Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX B – HEALTH AND SAFETY PLAN

II. EMERGENCY CONTINGENCY PLAN

A. LOCAL EMERGENCY TELEPHONE NUMBERS (provide area code):

Can 911 be used at this site? Yes No If yes, be certain it is activated and enhanced.

Since cellular telephones may not reach a local 911 operator, also supply the following information.

Ambulance	(718) 628-5757	Fire Department	(718) 999-2117
Hospital Emergency Room	(718) 250-8075	Police Department	(718) 963-4168 or 383-3879
Poison Control Center	(212) 764-7667	HazMat Response Unit	(718) 595-4659
(List utility companies as appropriate)	(800) 272-4480		()
	()		()

B. EMERGENCY ROUTES:

Hospital* Name: Brooklyn Hospital Center Phone number: (718) 250-8000

Hospital Address: 121 DeKalb Avenue, Brooklyn, NY 11201

Directions to nearest hospital: Head southeast on Grand Street toward Borinquen Place/Hooper Street; turn right at

Union Avenue, go 0.4 mile; turn right at Heyward Street (at Broadway), go 0.4 mile; after 3 blocks turn left onto Lee

Avenue, go 0.2 mile, then continue on Nostrand Avenue, go 0.6 mile; turn right at DeKalb Avenue, go 1.4 miles

*** Hospital should be notified immediately if an injury occurs which requires medical attention.**

Estimated driving distance: 3.0 miles Estimated driving time: 10 minutes

Does hospital accept chemically contaminated patients? Yes No

INCLUDE HIGHLIGHTED HOSPITAL ROUTE(S) ON SITE MAP AS LAST PAGE OF SITE HEALTH & SAFETY PLAN.

C. SITE RESOURCES:

If no, identify closest available resource with directions.

Water supply available on site: Yes No Bathrooms available on site: Yes No

Telephone available on site: Yes No Electricity available on site: Yes No

Other resources available on site: Yes No If "yes", identify: _____

D. EMERGENCY CONTACTS:

PHONE NUMBER (provide area codes)

		Work	24-hr. Contact
1. Project Manager:	David Greffenius	(914) 495-9929	(914) 522-6344
2. Unit Manager:	Aaron Lapine	(914) 495-9934	(949) 244-4951
3. Health and Safety Sr. Specialists:	Dustin R. Rusch	(800) 477-7411	(920) 251-4029
	Antea Group Operator/Emergency #	(800) 651-3117	
4. Site Contact:	David Greffenius	(914) 495-9929	(914) 522-6344
5. Client Contact:	Meir Babaev	(718) 480-4444	(917) 416-2701
6. Applicable Regulatory Agency:	NYC Office of Environ. Remediation	(212) 788-8841	(212) 442-7126
7. Site Owner:	The Babaev Group	(718) 480-4444	(917) 416-2701

E. PROJECT HEALTH AND SAFETY TEAM:

Team Members (list)	
Project Manager:	<u>David Greffenius</u>
Public Information:	_____
Delta on-site Personnel: (On-site personnel	<u>David Greffenius</u>
Are responsible for Delta site health and safety.)	<u>Mara Grislis, Armand Lucas, Erik Nimlos</u>
Delta Site Safety Officer:	<u>David Greffenius or on-site Antea Group personnel</u>

III. SITE CHARACTERIZATION

A. Summary of Previous Site Investigation(s): Phase I ESA Rpt. (9/28/10), Phase II ESA Rpt. (Sept. 2004), Heating Oil UST Closure Report (2/17/05), Soil Boring Investigation (3/14/08), Tank Excavation Assessment (7/8/08), Update/Monitoring Reports (Sept.-Nov. 2008, 12/21/09, 5/4/09, 6/2/09, 9/30/09), and EFR Update Reports (4/9/10, 6/15/10)

B. Source of Previous Site Investigation Information: Singer Environmental Group, Ltd; Northeast Environmental Solutions, Inc.; and Sovereign Consulting, Inc.

C. General Facility Description:

Gasoline Service Station Refinery Bulk Terminal Other: Former Service Station Site (Shell)
 Description: Active Years has the site been operating: Closed/Abandoned
 Site Activities (operations on-site, products, raw materials used, etc.): Site is currently vacant

Was the site used by previous owners?: Yes No

Describe previous site activity: Commercial stores/residences in 1905; stores and an open-air moving picture screen in 1916; Republic Theatre (built in 1921) from at least 1942 to 1965; and a gasoline station from at least 1978 to 2007

Surface cover on-site includes:

<input checked="" type="checkbox"/> Soil/bare ground	<input type="checkbox"/> Clay caps	<input type="checkbox"/> Plastic cover
<input checked="" type="checkbox"/> Grass	<input checked="" type="checkbox"/> Paving/asphalt	<input type="checkbox"/> Water bodies
<input type="checkbox"/> Woods	<input type="checkbox"/> Swamp	<input type="checkbox"/> Brush/scrub
<input type="checkbox"/> Buildings	<input type="checkbox"/> Unpaved roads	<input type="checkbox"/> Other _____

Approximate site surface area: _____ sq. ft. or 0.41 acres
 Percentage of surface area: paved 10 % bare soil 70 %
 vegetated 20 % under water --- %

Potential for dust generation on-site: High Medium Low
 Any site access restrictions: Yes No Please list: Fence surrounds property
 Fenced/locked Posting (signs) Security guards
 Evidence of public access to the site? Yes No
 If "yes," describe: _____

D. Regulatory Contacts:

Are regulatory agencies involved with the site (Y/N)? Federal? N State? N Local? Y

Name	Agency	Phone (incl. area code)
Breanna Gribble	NYC Office of Environ. Remediation	(212) 442-7126
Dan Cole	NYC Office of Environ. Remediation	(212) 788-8841
		()
		()

IV. WASTE CHARACTERIZATION

A. Waste/Contaminant Type(s)

Characteristic(s):

<input checked="" type="checkbox"/> Liquid	<input checked="" type="checkbox"/> Soil	<input type="checkbox"/> Solid	<input type="checkbox"/> Sludge	<input type="checkbox"/> Gas
<input type="checkbox"/> Corrosive	<input type="checkbox"/> Ignitable	<input type="checkbox"/> Radioactive	<input type="checkbox"/> Explosive	<input type="checkbox"/> Flammable
<input checked="" type="checkbox"/> Volatile	<input type="checkbox"/> Toxic	<input type="checkbox"/> Reactive	<input type="checkbox"/> Unknown	<input type="checkbox"/> Other

B. Major Spills/Releases:

Type	Date	Chemical	Quantity	Impacted Media*
Petroleum	2/21/08	Gasoline (Spill # 07-12272)	Unknown	Soil (Spill closed 7/19/10)
Petroleum	10/10/96	Heating Oil (Spill # 96-08624)	Unknown	Soil (Spill closed 7/11/02)

(*air, surface water, soil, or ground water)

Free Product: Yes No Dissolved: Yes No

Have removal actions occurred? Yes No

If "yes," describe: 25 cubic yards of impacted soil was removed during 2004 heating oil UST closure activities; 517.33 tons of impacted soil was removed during 2008 gasoline UST closure activities; approx. 2,300 gal and 2,400 gal of ground-water was extracted from on-site MWs during enhanced fluid recovery (EFR) events in Jan. and Apr. 2010, respectively

Is there evidence that contaminants present could cause vapor problems in structures on-site?

Yes No If "yes," is building mechanically ventilated? Yes No

Exhaust Ventilation: _____ General Building Ventilation: _____

C. Chemicals/Waste Stored On-site (including petroleum products):

	How Many?	Size?	Chemical?
<input type="checkbox"/> Drums	_____	_____	_____
<input type="checkbox"/> Tanks	_____	_____	_____
<input type="checkbox"/> Vats	_____	_____	_____
<input type="checkbox"/> Surface impoundments	_____	_____	_____
<input type="checkbox"/> Pits/landfills	_____	_____	_____
<input type="checkbox"/> Other	_____	_____	_____

Identify all chemical products Delta will use or store on site:

None - N/A

Material Safety Data Sheets (MSDSs) are **required** for site chemicals. Please indicate where MSDSs can be found for this site:

<input type="checkbox"/> MSDS Log/Binder (In Field)	<input type="checkbox"/> Attached (Additional Info. Optional)
---	---

V. REMEDIATION SYSTEM INFORMATION (complete when applicable)

Has system been installed? Yes No

Describe: _____

Enclosed per codes? Yes No
 Ventilated? Yes No
 If "Yes," Explosion-proof? Yes No
 Blower systems on a timer? Yes No

Have sound level surveys been conducted on site? Yes No

If "Yes," record range of survey results and approximate distance from source:

dB(A)	Source	Distance from Source	Date

Check all energy sources on the remediation site:

Electrical Mechanical Other (describe) _____
 Thermal Hydraulic
 Chemical Pneumatic

NOTE: If there is more than **1 energy source** on site, **written, equipment-specific Lockout/Tagout Procedures are required!**

Written Lockout/Tagout Procedure required? Yes No Where is it located? _____

Potential Hazards (check boxes that apply to the site):

<input type="checkbox"/>	corroded containers	<input type="checkbox"/>	open lagoons	<input type="checkbox"/>	underground tanks	<input type="checkbox"/>	air stack emissions
<input type="checkbox"/>	overhead electric lines	<input type="checkbox"/>	visible leachate	<input type="checkbox"/>	surface tanks	<input type="checkbox"/>	visible on-site releases
<input type="checkbox"/>	visible soil contamination	<input type="checkbox"/>	Odors	<input type="checkbox"/>	observed tanks	<input type="checkbox"/>	visible off-site releases
<input type="checkbox"/>	observed free product	<input type="checkbox"/>	Dust	<input type="checkbox"/>	confined spaces	<input type="checkbox"/>	visible on-site erosion
<input checked="" type="checkbox"/>	underground utilities	<input type="checkbox"/>	open pits	<input type="checkbox"/>	excess debris	<input type="checkbox"/>	on-site surface water contamination
<input type="checkbox"/>	building contamination	<input type="checkbox"/>	no hazards	<input type="checkbox"/>	High Traffic issues	<input type="checkbox"/>	off-site surface water contamination

VII. PERSONAL PROTECTION & MONITORING EQUIPMENT GUIDELINES

A. PERSONAL PROTECTION:

Level of Protection: B C D (with modifications) Modifications: _____

1. All personnel working on Delta sites must wear hardhats, neon traffic safety vests, and safety shoes. Personnel working in the Exclusion Zone must also wear eyeface, and hand PPE appropriate to the task.
2. (e.g. Nitrile, etc) gloves and tyvek/saranex suit should be worn if contact with contaminated water or soil is likely.
3. Hearing protection must be worn if noise levels prevent normal conversation at a distance of three feet.
4. No smoking, eating, or drinking is allowed in the exclusion or contamination reduction zones. **No Smoking anywhere on site.**
5. No Delta personnel shall conduct a confined space entry. In addition, No personnel shall approach any excavation area where there is danger of a wall collapse.
6. Respiratory protection is dependent on conditions listed below Section VII.B.3.

B. SURVEILLANCE EQUIPMENT AND MATERIALS:

1. Calibration: A qualified individual will calibrate before and after field activities the photoionization detector (PID) or flame ionization detector (FID).
2. Frequency: The breathing zone of Delta employees on-site will be monitored every hour (at a minimum) and recorded in the Delta field book. Monitoring should be conducted during tasks that may result in exposure to vapors.
3. Instrumentation

Instrument	Breathing Zone Reading	Action Taken
<u>Photoionization detector (PID)</u> or <u>Flame ionization detector (FID)</u>	Total Org. Vapors Bkgd - 2 ppm 2 - 50 ppm 50 - 500 ppm >500 ppm	Level D. Work may continue. Level D. Collect benzene detector tubes. Level C. Air-purifying respirator with organic vapor canisters. Collect benzene detector tubes. Leave area. Contact Health & Safety Sr. Specialist.
<u>Explosion Meter</u>	< 10% of LEL 10 - 20% of LEL > 20% of LEL	Work may continue. Evaluate inhalation potential. Work may continue. Eliminate all ignition sources, Reduce the concentration & increase monitoring frequency, consider use of ventilation. Work must stop until LEL is Below 10%!
<u>Oxygen Meter</u>	< 19.5% O ₂ 19.5% to 23.5% O ₂ >23.5% O ₂	Leave area. Re-enter only with SCBA. Work may continue. Investigate causes of changes above/below 21%. Work must stop. Ventilate before returning and retest atmosphere. O ₂ -rich atmospheres pose explosion hazards.

Table continued on next page

Instrument	Breathing Zone Reading	Action Taken
Hydrogen Sulfide (H ₂ S) Colorimetric Tubes or Monitors- - Some states with high regional H ₂ S have special, local monitoring requirements.	0-5 ppm 5-10 ppm >10 ppm	Continue working. Requires Level B including supplied air respirator or SCBA. Increase monitoring frequency. Contact Health & Safety Sr. Specialist. Supplied air respirator required due to poor warning properties and toxicity.
<u>Sound Level Meter</u>	< 85 dBA 85 - 90 dBA > 90 dBA	Suggest wearing hearing protection when it is necessary to raise voice to be heard at distance of 3 feet. Hearing protection required. Install warning signs for fixed noise sources. Hearing protection required. Employer must have Hearing Conservation Program.

C. FIRST AID EQUIPMENT AND EMERGENCY PROCEDURES: (compile information on the Incident/Near Miss form located in Appendix B. Call the office ASAP.

1. First Aid Equipment:

Standard first aid kit (sized for number of individuals on-site).
Portable eye wash (appropriate for number of individuals on-site).

2. First Aid Procedures:

Ingestion: Follow instructions from Poison Control Center or the MSDS.
Inhalation: Move victim to fresh air. Seek medical attention if needed.
Dermal Exposure: Remove contaminated clothing. Wash thoroughly with soap and water.

A first aid kit will be provided on-site for use in case of minor injuries. A portable eye wash will also be provided, and if a worker suffers a chemical splash in the eye, the field team will be instructed to flush the eye for 15 minutes and arrange for off-site medical treatment immediately. Workers will also be instructed to thoroughly wash with soap and water any unprotected skin that comes in direct contact with contaminated soil or water.

Workers providing CPR or First Aid should use Universal Precautions to control possible exposure to bloodborne and infectious agents. Report all CPR or First Aid assistance to the Health and Safety Sr. Specialist immediately.

3. Site Emergencies:

In the event of a fire or explosion, evacuate the site immediately and call the appropriate emergency phone numbers listed in Section II.A, page 2.

In case of a spill, try to contain with clean dirt, if feasible, and call the local fire department or hazardous materials response (HAZMAT) unit. Phone numbers are listed in Section II.A, page 2.

Have procedures for remediation system shutdown or emergency procedures been provided to site owner or manager?

Yes No (Applies to sites with remediation systems in place).

VIII. SAFETY STANDARD OPERATING PROCEDURES (Also See Appendix C for Site Safety Checklist)

A. CHEMICAL HAZARDS:

A photoionization detector (PID) or flame ionization detector (FID) will be used to measure the relative concentration of hydrocarbon vapors. Monitoring for exposure to benzene vapors may be done using activated charcoal tubes and vacuum pumps, vapor badges, or benzene colorimetric tubes in the breathing zone when working with heavily contaminated soil or water. Action limits for use of respiratory protective equipment are outlined in Section VI.B above. All respiratory protection equipment shall be NIOSH/MSHA-approved and use shall conform to OSHA 29 CFR 1910.134. A written Respiratory Protection Program detailing selection, use, cleaning, storage, medical monitoring, training and fit testing of respiratory protective equipment is maintained at the Delta office.

In addition to being inhalation hazards, hydrocarbon compounds can also be absorbed through the skin. Skin contact with liquid hydrocarbons or fuel hydrocarbon-bearing soil should be prevented. In situations where sampling would result in direct skin contact with hydrocarbon liquids, saturated soil or contaminated equipment, nitrile gloves will be worn.

Drilling or digging may also liberate pockets of hydrogen sulfide (H₂S). While the characteristic "rotten egg" odor of H₂S is detectable at levels as low as 0.0005 ppm, prolonged detection is unreliable due to its olfactory fatigue properties. In open air on a typical petroleum remediation site, risk from exposure to H₂S is minimal. However, should H₂S be encountered, workers shall be instructed to stop drilling/digging and move to an upwind location until the vapors have dissipated, as measured by H₂S colorimetric detector tubes or other direct-reading instruments. The bore hole or excavation will be immediately backfilled.

A combination explosimeter/oxygen (O₂) meter will be available on-site to monitor the levels of flammable gases, such as petroleum vapors and methane. An explosimeter should also be used by a subcontractor to verify that the atmosphere inside an underground storage tank has been inerted prior to allowing the tank to be removed.

B. PHYSICAL HAZARDS:

1. Mechanical hazards: cuts, abrasions, contusions; slips, trips, falls; being struck or entrapped by moving parts of heavy equipment or falling objects. Such hazards will be minimized by keeping the work area free of equipment and debris that could cause slips, trips or falls and maintaining a safe distance from heavy equipment and moving machinery parts.

2. Electrical hazards: Possible excavation of unanticipated electrical cables and potential contact by heavy equipment with overhead power lines during drilling and excavation. Maintain at least 20 feet clearance from overhead power lines. If unavoidably close to overhead or buried power lines, turn power off and lock out circuit breaker. All equipment will be properly locked/tagged out when required by the Energy Lockout/Tagout Program and Safe Electrical Work Policy and Procedure for Delta Project Work. Avoid standing in water when operating electrical equipment.

3. Traffic hazards: Petroleum site work frequently necessitates working in parking lots, streets or other areas with vehicular traffic. In such instances, the work team will be wearing neon traffic safety vests and will use a combination of traffic cones (each cone/flag configuration must be a minimum of 42-inches in height) and barricades as necessary to prevent contact between workers, pedestrians and motor vehicles. Please refer to the PM approved Site Specific Traffic Plan (sketch) attached in front of the Hospital Route Plan in the back of this SHSP.

4. Open excavations: When scheduling or work conditions necessitate leaving excavations open overnight, security fencing will be erected to restrict access to the site or work zones described in Section II.G, page 3.

C. UTILITIES:

A minimum of 72 working hours prior to excavating, Underground Service Alert or the state equivalent:

Name New York City – Long Island OneCall Phone (800) 272-4480

will be contacted and informed of the scheduled field activities. The underground service locator company will identify which underground utilities (e.g. electrical, gas, sewer, water, telephone, cable TV) are present and will notify their respective owners. The utilities will be located by their owners. **Prior to drilling or direct push, hand or air excavate (120% the width of the hole) and to a depth of at least 5 feet will be performed at all times** to ensure no utilities, lines or tanks are in the way. See Excavation Section. **Look for overhead utilities as well.**

Utility service locator company has been notified? **If applicable attach contact sheet to back of document.**

Date(s)

Confirmation #, if applicable:

D. WORK LIMITATIONS (time of day, weather, heat/cold stress):

In the event of severe weather, such as high winds, heavy rain or snow, tornadoes, electrical storms, or extreme temperatures, the SSO and PM shall determine whether work can continue without compromising site worker health and safety.

In high ambient temperatures (especially with high humidity), **follow heat-stress precautions**. Drink plenty of cool water and/or electrolyte-replacement beverages (e.g., Gatorade). Take frequent breaks out of direct sunlight removing protective clothing. Increase number of breaks if pulse does not return to normal resting pulse during breaks. Alter schedules so work is conducted during early morning or evening. Work shall progress only under conditions of adequate lighting.

Symptoms of heat exhaustion and heat stress include:

- Profuse sweating or complete cessation of sweating;
- Changes in skin color;
- Increased respiration;
- Vision problems, confusion;
- Body temperatures in excess of 100°F; and
- Increased heart rate.

Any member of the work team who exhibits these symptoms should immediately be removed from the area and observed while resting in a shaded area after removal of impervious or restrictive clothing and after consumption of cool water or electrolyte fluid. If symptoms persist, immediate medical attention shall be sought.

In cold temperatures, especially when combined with high wind, follow hypothermia precautions:

- Drink warm liquids and take frequent work breaks in a wind-sheltered area; Monitor co-workers for signs of shivering, in coordination, or confusion and remove workers exhibiting these signs from the work area to a heated warming shelter.
- Dress in removable layers of insulated clothing to prevent sweating and use protective waterproof gear;
- Frostbite (superficial or deep tissue) can occur on any exposed skin at temperatures of 30.2°F or colder.
- If available clothing does not give adequate protection to prevent hypothermia or frostbite (which can occur on any exposed skin), work should be modified or suspended until adequate clothing is available or until conditions improve.

If extreme cold conditions are encountered, follow the ACGIH TLV booklet's "work-warming regime" recommendations, taking an appropriate number of breaks in a heated warming shelter.

E. FIRE AND EXPLOSION HAZARDS:

During the course of underground storage tank removal, drilling, or remediation of petroleum impacted soil or ground water, the potential for fire and explosion of flammable vapors exists. Extreme caution should be taken to monitor for the presence of flammable vapors or conditions that could create flammable conditions. Explosimeters are available for this monitoring and action levels are defined in Section VII.B page 10. Fire extinguishers must be available on all sites with the potential for flammable vapors or electrical fires (i.e., systems, control panels). Use of fire extinguishers by employees trained in their use is limited to employee rescue or extinguishing relatively small, controllable fires. Delta does not expect or require its employees to fight fires.

In the event of a fire or explosion, the following action plan should be followed:

Shut down equipment and shut off all supply lines immediately if this can be done safely.

Evacuate the immediate area. At this point you may not know if a soil vapor fire has started or if a supply line, natural gas line, etc. has been hit. Tank, supply line, or remediation system fires are extremely hazardous and precautions must be taken to evacuate the area immediately.

Call 911 to notify the fire department. Delta employees are not trained fire brigades. Every fire should be treated as an emergency. Even if site personnel extinguish the fire, professional fire departments should evaluate the situation to ensure that the danger is over and that a fire will not reoccur.

Evaluate the situation to identify the source of the flammable vapors and to assess the danger to employees, the public and property. From a safe distance, try to determine if the fire is due to a ruptured supply line, ignited soil vapors or methane, or is electrical. This information should be communicated to the fire department. Small fires from known sources (i.e., engine fires, electrical panel fires, etc.) may be extinguished if the employee can do it without high risk. A soil vapor fire may eventually burn itself out. Soil stockpiles must be placed away from nearby structures and property lines. Extinguishing fires

in fuel vapor-laden soils with clean soil may be possible. **Employees or subcontractors shall not enter an excavation to attempt to extinguish a fire.**

F. NOISE/HEARING PROTECTION:

Workers shall be instructed in the recognition of noise hazards and shall be provided, and trained in the use of, hearing protective devices. Hearing protective devices shall be worn when working around heavy equipment, particularly drill rigs, or when background noise is so high that a worker has to shout to be heard at a distance of 3 feet.

G. LEVELS OF PROTECTION:

Work on typical petroleum remediation sites can usually be performed in Level D protection: hard hat, steel-toed work shoes/boots, cotton coveralls or long-sleeved shirts and long pants, eye protection, hearing protection, and gloves if needed.

If monitoring equipment or site conditions indicate the need to upgrade the level of protection to Level C, air-purifying respirators with organic vapor canisters (or other appropriate cartridges), Tyvek coveralls with hoods, chemical resistant inner and outer gloves, and disposable boot covers will be donned. Upon HSE Senior Specialist approval, dermal protection may be modified.

At no time will a Delta employee conduct work on any site requiring Level A protection. On work sites requiring Level B protection, workers will be provided with additional training and equipment. Health & Safety Sr. Specialist must be on-site at all times while Level B work is being conducted.

H. DECONTAMINATION PROCEDURE:

Level: B. C. D.

Contamination may result from walking through contaminated soils or liquids, splashing liquids during sampling, use of or contact with contaminated equipment, or contact with air contaminants. Due to the volatile nature of petroleum hydrocarbons that may be encountered during drilling, hand-augering and sample collection procedures, the need to decontaminate equipment and vehicles will be minimal. Field team workers will be instructed to observe the following precautions to assure contaminants will not remain in contact with their skin.

- Tools, equipment and personnel will be decontaminated using procedure appropriate for level of personal protection worn.
- All contaminated, disposable clothing will be properly bagged for disposal and left on site. All personnel will be instructed to wash hands, face, neck and forearms at the end of the work shift and to shower at the end of the workday.
- **No eating or drinking will be permitted in the immediate vicinity of heavy equipment and/or drilling and excavating activities. No smoking is permitted on any Delta site at any time.**

Special decontamination requirements: Decon. of drilling/sampling equipment as needed with Alconox soap & water

I. CONFINED SPACES:

If entry into a confined space is necessary, a trained Delta Subcontractor shall be used and a Confined Space Entry Permit must be completed and authorized, and confined space entry procedures followed. Detailed information on Delta's Confined Space Entry procedures can be found in the Delta Health & Safety Manual and contact a Senior HSE Specialist.

Does this site have any permit-required confined spaces? Yes No

J. INVESTIGATION-DERIVED MATERIAL DISPOSAL:

Soil cuttings and well development or sampling water shall be placed in 55-gallon drums on-site. Disposal methods of drummed soil and water will be determined based on laboratory analytical data. Proper disposal is the responsibility of the responsible party.

PETROLEUM CLASS III SHSP--HAZARDOUS PROPERTY INFORMATION (REV. 12-05-00)

Material	Water Solubility ^{A,B}	Specific Gravity ^C	Vapor Density ^D	Flash Point ^E °F	Vapor Pressure mm/Hg ^F	%LEL/ %UEL ^G	LD 50 mg/kg ^H	TLV-TWA PEL ^I	IDLH Level ^J	Recommended Respiratory Protection/Max. Use Concentration/Odor Threshold ^K	Hazard Property ^L	Dermal Toxicity ^M	Acute Exposure Symptoms ^N
Benzene	0.18%	0.877	2.8	12	75 (20 °C)	1.2/7.8	930	0.5 ppm 1 ppm	500 ppm	½OV/1ppm FF/OV/10 ppm 4.68 ppm	BCDGI	CGI	BCDFHIKLM NOQR
Diesel Fuel	Insoluble	0.81-0.90	NA	130	NA	0.6-1.3 6-7.5	None Estab.	100 mg/m ³ (14 ppm)	None Estab.	0.7 ppm	BCD	CI	BCDFHIKLM NP
Ethylbenzene	0.014%	0.867	4.45	70	10 (26 °C)	0.8/6.7	3500	100 ppm 100 ppm	800 ppm	½OV/1000 ppm 140 ppm	BCDI	CFI	ABFHIKLMNP OR
Gasoline	Insoluble	0.72-0.76	3-4	-50	Var.	1.4/7.6	None Estab.	300 ppm	None Estab.	½OV/300 ppm .25 ppm	BCD	CI	BCEFHILMNP P
Kerosene	Insoluble	0.83-1.0	4.5	100- 165	5	0.7/5.0	None Estab.	100 mg/m ³	None Estab.	1 ppm	CD	CI	BCDFHIKLM NP
Lead (elemental)	Insoluble ^B	11.34	NA	NA	NA	NA	Varies by Cmpd.	0.05 mg/m ³ 0.05 mg/m ³	100 mg/m ³	½HEPA/0.05 mg/m ³ FF/HEPA/0.25 mg/m ³	C	ACDFGHOR	
MTBE (methyl tertiary butyl ether)	Moderate	0.74	Unavibi.	-16	245 (25 °C)	1.6/6.4	2.96 g/kg	40 ppm None Estab.	None Estab.	Unavailable	BD	A	BFK
Naphthalene	Insoluble	1.145	4.42	190	.23 (25 °C)	.9/5.9	490	10 ppm 10 ppm	250 ppm	½OV/10 ppm FF/OV/<50 ppm	C	CGI	BKLNQ
Tetraethyl lead	Insoluble ^B	1.653	8.6	199	0.2 mm (20 °C)	1.8/ Unkn	12.3	0.10 mg/m ³ (Skin) 0.075 mg/m ³ (Skin)	40 mg/m ³	Supplied Air Warning Unknown	CG	CFI	N
Tetramethyl lead	Insoluble ^B	1.999	6.5	100	22.5 mm (20 °C)	Unkn/ Unkn	105	0.15 mg/m ³ (Skin) 0.075 mg/m ³ (Skin)	40 mg/m ³	Supplied Air Poor Warning	CG	CFI	N
Toluene	0.05	0.866	3.2	39	21 (20 °C)	1.2/7.7	2000	50 ppm (Skin) 200 ppm	2000 ppm	½OV/200 ppm FF/OV/400 ppm 0.17-40 ppm (300- 400 ppm)-Olfactory Fatigue	BCI	BHE	BEFHIKLMN OPQ
Xylenes	Insoluble	0.868	3.68	63-81	9 mm (20 °C)	1.1/6.6- 7.0	5000	100 ppm 100 ppm	900 ppm	½OV/<100 ppm	BCI	CFI	BEFHIKLMNP

Appendix A

PETROLEUM CLASS III SHSP--HAZARDOUS PROPERTY INFORMATION
Explanations and Footnotes

A	Water solubility expressed as 0.2 g means 0.2 grams per 100 grams of water at 20 °C. <u>Water solubility</u> is expressed in different terms in different references. Many references use the term "insoluble" for materials that will not readily mix with water, such as gasoline. However, most of these materials are water soluble at the part per million or part per billion level. Gasoline, for example, is nearly insoluble and will be found as a discrete layer on top of the ground water. But certain gasoline constituents, such as benzene, toluene, and xylene, will also be found in solution in the ground water at the part per million or part per billion level.																												
B	Solubility of metals depends on the compound in which they are present.																												
C	<u>Specific gravity</u> is the ratio of the density of a substance to the density of a reference substance. For solids and liquids, the reference substance is water; for gases, the reference substance is air. Specific gravity is expressed in units of g/cc (for solids and liquids) or g/l (at 0 °C and 760 mm Hg) for gases.																												
D	<u>Vapor density</u> is the weight/unit volume expressed as grams/cubic centimeter liquids.																												
E	<u>Flash point</u> is the temperature at which a liquid or volatile solid gives off sufficient vapor to form an ignitable mixture with the air. Flash points may be determined by the open cup method or closed cup method. Several chlorinated hydrocarbons exhibit no flash point in the conventional sense, but will burn in the presence of high energy ignition sources or will form explosive mixtures at temperatures above 200 °F.																												
F	<u>Vapor pressure</u> is the pressure at a given temperature of a vapor in equilibrium with its liquid or solid form. It is expressed as mm Hg at 1 atm. Temperatures vary...see chart.																												
G	<u>Lower explosive limit (LEL)</u> and <u>Upper explosive limit (UEL)</u> are the minimum and maximum concentrations of a gas or vapor in air that will support flame. LEL and UEL are expressed as % in air at ambient or room temperature.																												
H	<u>LD₅₀</u> is the quantity of a substance administered by ingestion that is necessary to kill 50% of the test animals exposed to it within a specified time.																												
I	<u>Threshold limit value as a time-weighted average (TLV-TWA)</u> is the concentration for a normal 8-hr workday and 40-hr work week to which nearly all workers may be repeatedly exposed, day after day, without adverse effect. Values reported are the current ACGIH Threshold Limit Value-Time Weighted Average (TLV-TWA) and OSHA Permissible Exposure Limit (PEL). All PELs are based on pre-1989 values, per OSHA's 1993 decision to vacate the 1989 PELs.																												
J	<u>Immediately Dangerous to Life and Health (IDLH)</u> concentrations represent the maximum concentrations from which, in the event of a respirator failure, one could escape within 30 minutes without a respirator and without experiencing any escape-impairing or irreversible health effects.																												
K	<p><u>Recommended Respiratory Protection/Max. Use Concentration</u> is used to show the limits for respirator style and contaminant concentration. The codes in the table refer to the following:</p> <p>½ = Half-face, air-purifying respirator FF = Full-face, air-purifying respirator OV = Organic vapor canisters HEPA = High Efficiency Particulate Air canisters PAPR = Powered Air-purifying Respirator</p> <p>The <u>Odor Threshold</u> is the lowest concentration at which one may detect an odor or experience a warning effect such as taste, eye irritation, etc., which varies with individual susceptibility.</p>																												
L	<p><u>Hazard Property:</u></p> <table border="0"> <tr> <td>A - Corrosive</td> <td>D - Volatile</td> <td>G - Carcinogen</td> </tr> <tr> <td>B - Flammable</td> <td>E - Reactive</td> <td>H - Infectious</td> </tr> <tr> <td>C - Toxic</td> <td>F - Radioactive</td> <td>I - Reproductive Toxin</td> </tr> </table> <p><i>Note: A <u>reproductive toxin</u> is a compound (chemical) that affects the reproductive organs (generally the sperm and eggs, but sometimes the physical structure of the testes or ovaries, too). It can affect the reproductive organs of males, females, or both; it can affect the reproductive organs of an adult or child; it can affect the reproductive organs of a developing fetus with or without affecting the mother.</i></p>			A - Corrosive	D - Volatile	G - Carcinogen	B - Flammable	E - Reactive	H - Infectious	C - Toxic	F - Radioactive	I - Reproductive Toxin																	
A - Corrosive	D - Volatile	G - Carcinogen																											
B - Flammable	E - Reactive	H - Infectious																											
C - Toxic	F - Radioactive	I - Reproductive Toxin																											
M	<p><u>Dermal toxicity</u> data is summarized in the following three categories:</p> <table border="0"> <tr> <td>1. Skin Penetration</td> <td></td> </tr> <tr> <td>A - negligible penetration (solid-polar)</td> <td></td> </tr> <tr> <td>+ B - slight penetration (solid-nonpolar)</td> <td></td> </tr> <tr> <td>++ C - moderate penetration (liquid/solid-nonpolar)</td> <td></td> </tr> <tr> <td>+++ D - high penetration (gas/liquid-nonpolar)</td> <td></td> </tr> <tr> <td>2. Systemic Potency</td> <td></td> </tr> <tr> <td>E - Slightly Toxic (LD50 = 5 - 15 g/kg)</td> <td>Lethal dose for 70 kg adult = 1 pint to 1 quart</td> </tr> <tr> <td>F - Moderately Toxic (LD50 = 0.5 - 5 g/kg)</td> <td>Lethal dose for 70 kg adult = 1 ounce to 1 pint</td> </tr> <tr> <td>G - Extremely toxic (LD50 = 5 - 50 mg/kg)</td> <td>Lethal dose for 70 kg adult = 7 drops to 1 teaspoon</td> </tr> <tr> <td>3. Local Potency</td> <td></td> </tr> <tr> <td>H - slight - reddening of the skin</td> <td></td> </tr> <tr> <td>I - moderate - irritation/inflammation of skin</td> <td></td> </tr> <tr> <td>J - extreme - tissue destruction/necrosis</td> <td></td> </tr> </table>			1. Skin Penetration		A - negligible penetration (solid-polar)		+ B - slight penetration (solid-nonpolar)		++ C - moderate penetration (liquid/solid-nonpolar)		+++ D - high penetration (gas/liquid-nonpolar)		2. Systemic Potency		E - Slightly Toxic (LD50 = 5 - 15 g/kg)	Lethal dose for 70 kg adult = 1 pint to 1 quart	F - Moderately Toxic (LD50 = 0.5 - 5 g/kg)	Lethal dose for 70 kg adult = 1 ounce to 1 pint	G - Extremely toxic (LD50 = 5 - 50 mg/kg)	Lethal dose for 70 kg adult = 7 drops to 1 teaspoon	3. Local Potency		H - slight - reddening of the skin		I - moderate - irritation/inflammation of skin		J - extreme - tissue destruction/necrosis	
1. Skin Penetration																													
A - negligible penetration (solid-polar)																													
+ B - slight penetration (solid-nonpolar)																													
++ C - moderate penetration (liquid/solid-nonpolar)																													
+++ D - high penetration (gas/liquid-nonpolar)																													
2. Systemic Potency																													
E - Slightly Toxic (LD50 = 5 - 15 g/kg)	Lethal dose for 70 kg adult = 1 pint to 1 quart																												
F - Moderately Toxic (LD50 = 0.5 - 5 g/kg)	Lethal dose for 70 kg adult = 1 ounce to 1 pint																												
G - Extremely toxic (LD50 = 5 - 50 mg/kg)	Lethal dose for 70 kg adult = 7 drops to 1 teaspoon																												
3. Local Potency																													
H - slight - reddening of the skin																													
I - moderate - irritation/inflammation of skin																													
J - extreme - tissue destruction/necrosis																													
N	<p><u>Acute Exposure Symptoms</u></p> <table border="0"> <tr> <td>A - abdominal pains</td> <td>G - diarrhea</td> <td>M - respiratory irritation</td> </tr> <tr> <td>B - central nervous system depression</td> <td>H - drowsiness</td> <td>N - skin</td> </tr> <tr> <td>C - comatose</td> <td>I - dyspnea</td> <td>O - tremors</td> </tr> <tr> <td>D - convulsions</td> <td>J - fever</td> <td>P - unconsciousness</td> </tr> <tr> <td>E - confusion</td> <td>K - headache</td> <td>Q - vomiting</td> </tr> <tr> <td>F - dizziness</td> <td>L - nausea</td> <td>R - weakness</td> </tr> </table>			A - abdominal pains	G - diarrhea	M - respiratory irritation	B - central nervous system depression	H - drowsiness	N - skin	C - comatose	I - dyspnea	O - tremors	D - convulsions	J - fever	P - unconsciousness	E - confusion	K - headache	Q - vomiting	F - dizziness	L - nausea	R - weakness								
A - abdominal pains	G - diarrhea	M - respiratory irritation																											
B - central nervous system depression	H - drowsiness	N - skin																											
C - comatose	I - dyspnea	O - tremors																											
D - convulsions	J - fever	P - unconsciousness																											
E - confusion	K - headache	Q - vomiting																											
F - dizziness	L - nausea	R - weakness																											

Appendix B

APPENDIX B

Insert Incident/ Near Miss Report (page 1 of 2)

Incident Investigation Report
Produced at the Request of Counsel



Privileged & Confidential

EMPLOYEE INFORMATION

Name of Primary Person Involved	Category of Employment	Title	Direct Manager	Manager Once Removed
Name of Person Reporting Incident	Category of Employment	Title	Direct Manager	Manager Once Removed
Delta Office Location	Division	Unit	Phone Number	Email

Time Received

PROJECT INFORMATION (if applicable)

Site Number/Project Name	Project Number	Project Address
Contractor Name	Contractor Contact	Client Name
		Client Contact

INCIDENT INFORMATION

Incident Date	Incident Time	Time Started Work	Date Reported	Time Reported	Reported To
Incident Type	Incident Sub-Type				
Incident Location	Incident Country	Incident City & State	Incident County		
Weather Conditions	Lighting Conditions	Primary Operation In Progress			
Witness Name	Witness Phone Number		Witness Type		

Date Received

Short Description

Incident Description

Immediate Actions Taken

Corrective Actions	Responsible Person	Due Date
--------------------	--------------------	----------

Party Making Potential Claim

Estimated Cost Exposure

File Name

Incident Investigation Report
Produced at the Request of Counsel



Privileged & Confidential

FIRST AID / ILLNESS / INJURY INCIDENT DETAILS

Injury Source	Nature of the Injury	Injury Event	Primary Body Part Affected	Injury Outcome
1st Health Care Provider	Name of Physician	Address of Provider	Phone Number	Type of Provider
2nd Health Care Provider	Name of Physician	Address of Provider	Phone Number	Type of Provider
Was First Aid given at the scene?	First Aid provided by?	What kind of First Aid Treatment?		
Was employee Hospitalized overnight?	Any prior injuries or pre-existing conditions?	How was employee transported to the medical provider?	Date Manager was Notified of Event	How Reported
Time Employee Began Work?	Did Employee lose any time from work?	1st Day Away From Work	Has Employee Returned to Work?	Return Status

SPILL / RELEASE / DISCHARGE INCIDENT DETAILS

Spill to:	Material	Agency Notification Required?	Name of Agency	Date Reported
	Quantity	Emergency Response Required?	Address of Agency	

AUTO INCIDENT DETAILS

Vehicle #1	Year	Make & Model	VIN	License Plate	Color
Name of Driver	DOB	DL State of Issue & Number	Home Address of Driver	Phone Number	Email Address
Insured By	Policy #	Estimated Repair Cost	Vehicle Towed?	Any Injuries Sustained?	Any Citations/Fines given?
Vehicle #2	Year	Make & Model	VIN	License Plate	Color
Name of Driver	DOB	DL State of Issue & Number	Home Address of Driver	Phone Number	Email Address
Insured By	Policy #	Estimated Repair Cost	Vehicle Towed?	Any Injuries Sustained?	Any Citations/Fines given?
Police Report Filed?	Date Filed	Jurisdiction	Contact Name & Number	Police Report Number	

PROPERTY / EQUIPMENT LOSS/THEFT INCIDENT DETAILS

Description of Item(s)	Owner	Year/Make/Model	Serial Number/Identifier
Police Report Filed?	Date Filed	Jurisdiction	Contact Name & Number
			Police Report Number

PROPERTY DAMAGE INCIDENT DETAILS

Owner Name	Owner Phone Number	Repair Required?	Repair Status
Business Interrupted?	For how long?	Estimated Repair Cost	To Be Paid By

REPORT REVIEW/APPROVAL

Report Completed By:	Office Location	Title	Date	Time
----------------------	-----------------	-------	------	------

•Return this form via e-mail to the Contracts & Claims Specialist at Delta's Corporate office on behalf of Mark Vargo, Legal Counsel

NOTE: This form is a blank copy for note-taking purposes only; this form should be completed in its electronic form with drop-down response options, etc., and should be submitted electronically.

Appendix C

5 Day Site Safety Checklist

SITE NAME: _____

SITE NUMBER: _____

Check if OK, NA if not applicable

DATE: _____

Pre-mobilization

Updated health and safety plan _____

Emergency phone numbers for utilities included _____

Proper personal protective equipment (PPE) selected & inspected-

Hard hat _____

Safety glasses (with side shields) _____

Hearing protection _____

Safety vest _____

Work gloves _____

Sampling gloves (PM specify type) _____

Protective coveralls (specify, Tyvek, Nomex, etc.) _____

Safety boots _____

Respirator/cartridges (PM identify proper cartridges) _____

Other protective equipment-

Eye wash (check expiration date) _____

Fire extinguisher (visually inspected within last 30 days) _____

First aid kit (inventory and check expiration dates) _____

Safety cones (or flashing traffic light) _____

Underground utility hazards identified and addressed
(provide public utility one-call ticket or job number: _____.)

DATE _____

On-Site Pre-Work

Review site hazards and HASP w/ site workers _____

Review route to hospital _____

Site workers sign HASP acknowledgement page _____

Place HASP and emergency numbers in visible location _____

Designate evacuation signal and meeting place _____

DATE _____

Delineate exclusion zone _____

Check subcontractor PPE-
Hard hat _____

Safety glasses (with side shields) _____

Hearing protection _____

Safety vest _____

Work gloves _____

Sampling gloves _____

Protective coveralls (specify, Tyvek, Nomex, etc.) _____

Safety boots _____

Respirator _____

Subcontractors-
Subcontractor has own HASP or field SOPs on-site (when required) _____

Confirm sub. equipment (e.g., drill rig, ext. cords) is in sound working condition _____

Drilling subcontractor: drill rig kill switch identified, located and tested _____

Overhead hazards identified and addressed _____

On-Site Work

Proper PPE worn by site workers _____

Breathing zone monitoring performed and recorded _____

(Specify any new hazards identified on-site not addressed by site HASP. If new hazard cannot be mitigated by the existing scope-of-work and/or available equipment on-site, stop work and immediately contact the site project manager.)

(Sign and date at the end of the field work.)

Name: _____

Signature: _____

Date: _____


REPORT ALL INCIDENTS AND NEAR MISSES IMMEDIATELY

LEGEND:

--- WATER LINE

--- COMBINED SEWER

⊕ MONITORING WELL LOCATION



SHELL SERVICE STATION #138604
351 SOUTH 1st STREET
BROOKLYN, NY
NYS DEC #07-12272

SITE PLAN



SOVEREIGN CONSULTING INC. | Figure:
1 Harrington Quadrangle, Suite 1006
Métville, NY 11247
Phone: (315) 546-1000 Fax: (315) 546-1000
www.sovereign.com




Address **456 Grand St**
Brooklyn, NY 11211

Notes **Triangle Court Project**
456 Grand Street
Brooklyn, NY





Directions to 121 Dekalb Ave, Brooklyn, NY 11217
3.0 mi – about 10 mins
Directions to BROOKLYN HOSPITAL CENTER



 456 Grand St, Brooklyn, NY 11211

-
1. Head **southeast on Grand St toward Hooper St** go 407 ft
total 407 ft

 -  2. Turn right at **Union Ave**
About 1 min go 0.4 mi
total 0.5 mi

 -  3. Turn right at **Heyward St**
About 2 mins go 0.4 mi
total 0.8 mi

 -  4. Turn left at the 3rd cross street onto **Lee Ave**
About 1 min go 0.2 mi
total 1.0 mi

 5. Continue onto **Nostrand Ave** go 0.6 mi
total 1.6 mi
About 2 mins

 -  6. Turn right at **Dekalb Ave**
Destination will be on the right
About 4 mins go 1.4 mi
total 3.0 mi

 121 Dekalb Ave, Brooklyn, NY 11217

These directions are for planning purposes only. You may find that construction projects, traffic, weather, or other events may cause conditions to differ from the map results, and you should plan your route accordingly. You must obey all signs or notices regarding your route.

Map data ©2011 Google

Directions weren't right? Please find your route on maps.google.com and click "Report a problem" at the bottom left.

APPENDIX C – SOIL BORING LOGS




Project No: V0010RA104
 Logged By: Armand Lucas
 Driller: Longshore Environmental
 Drilling Method: Direct Push
 Sampling Method: 5 foot Sleeve
 Casing Type: PVC
 Slot Size: 0.020
 Gravel Pack: Filter Sand

Client: Babaev Group
 Location: 456 Grand Street, Brooklyn, NY
 Date Drilled: 2/3/11
 Borehole Depth: 15'
 Well Diameter: 1-inch
 Well Depth: 14'
 Screened Interval: 9-14' bgs

BORING/WELL NO.: SB-1/TW-1
 PAGE 1 of 1

Temp. Well Completion	Water Level	Moisture Content	PID Reading (ppm)	Penetration (blows/ft)	Depth (feet)	Sample		Soil Type	LITHOLOGY / DESCRIPTION
						Recovery	Interval		
					1				Surface - Exposed soil (no surface cover) Hand Auger to five feet bgs.
		dry	0.0		2			SP	0-2 ft bgs: Dark grey, medium to coarse grain SAND, dry, numerous bricks and pieces of concrete
		dry	0.5		3			SP	2-4 ft bgs: Same as above with trace gravel.
		dry	0.0		4			ML	4-5 ft bgs: Brown, sandy SILT, trace gravel, dry, numerous bricks and pieces of concrete
		dry	0.5		5			ML	5-7 ft bgs: Same as above
		dry	0.4		6			ML	7-9 ft bgs: Brown, sandy SILT, trace gravel, trace clay, dry
		dry	0.0		7			ML	9-10 ft bgs: Same as above
		dry	0.0		8			ML	10-12 ft bgs: Same above
		Sat.	0.6		9			ML	12-14 ft bgs: Same as above, but saturated
		Sat.	0.4		10				14-15 ft bgs: Same as above
					11				Boring terminated at 15 ft bgs
					12				
					13				
					14				
					15				
					16				
					17				
					18				
					19				
					20				
					21				
					22				






Project No: V0010RA104
 Logged By: Armand Lucas
 Driller: Longshore Environmental
 Drilling Method: Direct Push
 Sampling Method: 5 foot Sleeve
 Casing Type: PVC
 Slot Size: 0.020
 Gravel Pack: Filter Sand

Client: Babaev Group
 Location: 456 Grand Street, Brooklyn, NY
 Date Drilled: 2/3/11
 Borehole Depth: 15'
 Well Diameter: 1-inch
 Well Depth: 14'
 Screened Interval: 9-14' bgs

BORING/WELL NO.: SB-2/TW-2
 PAGE 1 of 1

Temp. Well Completion	Water Level	Moisture Content	PID Reading (ppm)	Penetration (blows/ft)	Depth (feet)	Sample		Soil Type	LITHOLOGY / DESCRIPTION
						Recovery	Interval		
					1				Surface - Exposed soil (no surface cover) Hand Auger to five feet bgs.
		dry	0.1		2			SP	0-2 ft bgs: Dark grey, medium to coarse grain SAND, dry, numerous bricks and pieces of concrete
		dry	0.0		3			SP	2-4 ft bgs: Same as above
		dry	0.1		4			SP	4-5 ft bgs: Same as above, trace silt
		dry	0.1		5				
		dry	0.1		6			ML	5-7 ft bgs: Brown, sandy SILT, trace gravel, dry
		dry	0.5		7				
		dry	0.5		8			ML	8-10 ft bgs: Same as above
					9				
		Sat.	85.5		10				
		Sat.	1476		11			ML	10-12 ft bgs: Same above, but saturated
					12			ML	12-15 ft bgs: Grey, sandy SILT, trace gravel, saturated
					13				
					14				
					15				Boring terminated at 15 ft bgs
					16				
					17				
					18				
					19				
					20				
					21				
					22				






Project No: V0010RA104
 Logged By: Armand Lucas
 Driller: Longshore Environmental
 Drilling Method: Direct Push
 Sampling Method: 5 foot Sleeve
 Casing Type: PVC
 Slot Size: 0.020
 Gravel Pack: Filter Sand

Client: Babaev Group
 Location: 456 Grand Street, Brooklyn, NY
 Date Drilled: 2/3/11
 Borehole Depth: 15'
 Well Diameter: 1-inch
 Well Depth: 14'
 Screened Interval: 9-14' bgs

BORING/WELL NO.: SB-3/TW-3
 PAGE 1 of 1

Temp. Well Completion	Water Level	Moisture Content	PID Reading (ppm)	Penetration (blows/ft)	Depth (feet)	Sample		Soil Type	LITHOLOGY / DESCRIPTION
						Recovery	Interval		
					1				Surface - Exposed soil (no surface cover) Hand Auger to five feet bgs.
		dry	2.0		2			SP	0-2 ft bgs: Dark grey, medium to coarse grain SAND, dry, numerous bricks and pieces of concrete
		dry	0.7		3			SP	2-4 ft bgs: Same as above
		dry	0.5		4			SP	4-5 ft bgs: Same as above
		dry	3.1		6			SM	5-7 ft bgs: Brown, sandy SILT, trace gravel, dry, some bricks and concrete
		dry	1.5		8			ML	7-10 ft bgs: Grey, sandy SILT, trace gravel, dry, some bricks and concrete
		Sat.	0.4		11			SW	10-13 ft bgs: Grey, coarse SAND, trace gravel, saturated, some bricks and concrete
		Sat.	0.9		13			SW	13-15 ft bgs: Brown, coarse SAND, trace gravel, saturated
					15				Boring terminated at 15 ft bgs
					16				
					17				
					18				
					19				
					20				
					21				
					22				



APPENDIX D – SAMPLING LOGS

Soil Vapor Sampling Field Data Sheet



SAMPLE INFORMATION

Site ID: ~~44000~~ Triangle Lot **Sample Time:** 16:28 / 16:28
(i.e. BP 01119)
Site Location: Clam Street, Brooklyn **Sample Date:** 2/3/11
(Staten Island, NY)
Sample ID: VP-1 **Sample Personnel:** Arman Lugo
(VP-1)
Sample Interval: 7-8 to 6.5 **Project Manager:** T. Fisher
(7-8 ft bgs)
Purge Equipment: Air Check Sample Air Pump
(Air Check Sampler air pump)
Tracer Gas: Helium
(i.e. Helium, Isobutylene)
Tracer gas detected before being applied / Tracer gas detected after being applied: N/A
(i.e. Reading before / Reading after)
Volume of Implant and Tubing: 0.1735 Liters
(Liters)
Purge Rate: 0.2 L/min
(Liters per minute - not to exceed 0.2 L/min)
Amount purged: 0.5 Liters
(Liters)
Sample Equipment: Summa Canister 26
(Summa Canister & size (6 L) / Canister ID / Regulator ID)
Sample Start Time: 16:28
Sample Stop Time: 16:58
Summa Canister Pressure - Start / End: 30 mm
Weather: 30° P. Cloudy
Notes: PSD = 2.2 ppm

LABORATORY DATA

Lab Name: LANCASTER
(i.e. Lancaster)
Requested Analysis: VOC via TO-15
(i.e. VOCs via TO-15)
Turn Around Time: STANDARD
(i.e. Standard, 24 hr, etc.)

Soil Vapor Sampling Field Data Sheet



SAMPLE INFORMATION

Site ID: Triangle Court Sample Time: ~~16:37~~ 16:37
(i.e. BP 01119)
 Site Location: Grand St, Brooklyn NY Sample Date: 2/3/11
(Staten Island, NY)
 Sample ID: VP-2 Sample Personnel: Accumulator
(VP-1)
 Sample Interval: 7-8 ft bgs Project Manager: J. Fisher
(7-8 ft bgs)
 Purge Equipment: Arche Sample Air Pump
(Airchek Sampler air pump)
 Tracer Gas: Helium
(i.e. Helium, Isobutylene)
 Tracer gas detected before being applied / Tracer gas detected after being applied: N/A
(i.e. Reading before / Reading after)
 Volume of Implant and Tubing: 0.1735 liters
(Liters)
 Purge Rate: 0.2 liters per minute
(Liters per minute - not to exceed 0.2L/min)
 Amount purged: 0.5 liters
(Liters)
 Sample Equipment: Summa Canister 2L
(Summa Canister & size (6 L) / Canister ID / Regulator ID)
 Sample Start Time: ~~16:37~~ 16:37
 Sample Stop Time: ~~17:07~~ 17:07
 Summa Canister Pressure - Start / End: 30 mm
 Weather: 1. (log) 30°
 Notes: ftD = 64.5

LABORATORY DATA

Lab Name: Lancaster
(i.e. Lancaster)
 Requested Analysis: VOCs via TO-15
(i.e. VOCs via TO-15)
 Turn Around Time: Standard 15
(i.e. Standard, 24 hr, etc.)

Soil Vapor Sampling Field Data Sheet



SAMPLE INFORMATION

Site ID: Triangle Coast Sample Time: 16:45
(i.e. BP 01119)
 Site Location: Arland Street Sample Date: 2/3/11
(Staten Island, NY)
 Sample ID: VP-3 Sample Personnel: A. Lucas
(VP-1)
 Sample Interval: 7-8 ft BGS Project Manager: T. Fisher
(7-8 ft bgs)
 Purge Equipment: Artech sampler air pump.
(Airchek Sampler air pump)
 Tracer Gas: ~~Helium~~ ~ Acetone
(i.e. Helium, Isobutylene)
 Tracer gas detected before being applied / Tracer gas detected after being applied: N/A
(i.e. Reading before / Reading after)
 Volume of Implant and Tubing: 0.1735 Liters
(Liters)
 Purge Rate: 0.2 L/min.
(Liters per minute - not to exceed 0.2L/min)
 Amount purged: .5 Liters
(Liters)
 Sample Equipment: Summa Canister 2L
(Summa Canister & size (6 L) / Canister ID / Regulator ID)
 Sample Start Time: 16:45
 Sample Stop Time: 17:15
 Summa Canister Pressure - Start / End: 30 mm
 Weather: _____
 Notes: PEP = 1.8 ppm

LABORATORY DATA

Lab Name: Lancaster
(i.e. Lancaster)
 Requested Analysis: VOCs via TO-15
(i.e. VOCs via TO-15)
 Turn Around Time: Standard
(i.e. Standard, 24 hr, etc.)

Soil Vapor Sampling Field Data Sheet




SAMPLE INFORMATION

Site ID: Triangle Court Sample Time: 16:50
(i.e. BP 01119)
 Site Location: Grand Street, Babylon Sample Date: 2/3/14
(Staten Island, NY)
 Sample ID: Surface Sample Personnel: A. Lucas
(VP-1)
 Sample Interval: N/A Project Manager: T. Fisher
(7-8 ft bgs)
 Purge Equipment: N/A
(Airchek Sampler air pump)
 Tracer Gas: N/A
(i.e. Helium, Isobutylene)
 Tracer gas detected before being applied / Tracer gas detected after being applied: N/A
(i.e. Reading before / Reading after)
 Volume of Implant and Tubing: N/A
(Liters)
 Purge Rate: 0.2 L/min
(Liters per minute - not to exceed 0.2L/min)
 Amount purged: N/A
(Liters)
 Sample Equipment: Summa
(Summa Canister & size (6 L) / Canister ID / Regulator ID)
 Sample Start Time: 16:50
 Sample Stop Time: 17:20
 Summa Canister Pressure - Start / End: 30 mm
 Weather: 1. Cloudy 30°
 Notes: PEP = Air = 0

LABORATORY DATA

Lab Name: Lancaster
(i.e. Lancaster)
 Requested Analysis: Vals Via TO-15
(i.e. VOCs via TO-15)
 Turn Around Time: _____
(i.e. Standard, 24 hr, etc.)



WELL GAUGING/SAMPLING DATA SHEET

Delta Environmental Consultants, Inc.

Service Station #: _____
 Project Location: Township East
 Delta Job #: _____
 Date of Field Event: 2/3/11

Delta PM: [Signature]
 Personnel On-site: [Signature]
 Equipment Used: [Signature]
 Materials Used: _____

Delta CM: _____
 Weather: Sunny 30's

Casing Diameter Gallons per ft
 1" 0.041
 2" 0.163
 4" 0.653
 6" 1.469

Note: sample wells in order listed on Work Order Request. If product detected, call Delta manager indicated on Work Order Request

Well #	Time	TD (ft)	DTP (ft)	DTW (ft)	Well Diameter (in.)	Well/Case Volume (g.)	Purged Volume (g.)	D.O.	Temp	pH	Conductivity	Comments
FW-1	1045	14	-	~10'	1	0.164	0.5	-	-	-	-	Pore
FW-2	1200	14	-	~10'	1	0.164	0.5	-	-	-	-	H
FW-3	1415	14	-	~10'	1	0.164	0.5	-	-	-	-	

**APPENDIX E – LABORATORY DATA
DELIVERABLES FOR SOIL ANALYTICAL DATA**

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Antea Group
500 Summit Lake Drive
Suite 150
Valhalla NY 10595

February 10, 2011

Project: Triangle Court

Submittal Date: 02/05/2011
Group Number: 1231937
PO Number: TRIANGLE COURT
State of Sample Origin: NY

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
SB-1_0-2ft Grab Soil	6199490
SB-1_10-12ft Grab Soil	6199491
SB-2_0-2ft Grab Soil	6199492
SB-2_8-10ft Grab Soil	6199493
SB-3_0-2ft Grab Soil	6199494
SB-3_5-7ft Grab Soil	6199495
Trip Blank MeOH/NaHSO4	6199496


The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Antea Group
COPY TO

Attn: Tim Fisher

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Susan M. Goshert
Group Leader

Sample Description: **SB-1_0-2ft Grab Soil**
Triangle Court
SB-1

LLI Sample # **SW 6199490**
 LLI Group # **1231937**
 Account # **12416**

Project Name: **Triangle Court**

Collected: 02/03/2011 11:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC1-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	22	7	20	0.85
10950	Benzene	71-43-2	0.8 J	0.5	5	0.85
10950	Bromodichloromethane	75-27-4	< 1	1	5	0.85
10950	Bromoform	75-25-2	< 1	1	5	0.85
10950	Bromomethane	74-83-9	< 2	2	5	0.85
10950	2-Butanone	78-93-3	< 4	4	10	0.85
10950	Carbon Disulfide	75-15-0	< 1	1	5	0.85
10950	Carbon Tetrachloride	56-23-5	< 1	1	5	0.85
10950	Chlorobenzene	108-90-7	< 1	1	5	0.85
10950	Chloroethane	75-00-3	< 2	2	5	0.85
10950	Chloroform	67-66-3	< 1	1	5	0.85
10950	Chloromethane	74-87-3	< 2	2	5	0.85
10950	Dibromochloromethane	124-48-1	< 1	1	5	0.85
10950	1,1-Dichloroethane	75-34-3	< 1	1	5	0.85
10950	1,2-Dichloroethane	107-06-2	< 1	1	5	0.85
10950	1,1-Dichloroethene	75-35-4	< 1	1	5	0.85
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	5	0.85
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	5	0.85
10950	1,2-Dichloropropane	78-87-5	< 1	1	5	0.85
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	0.85
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	0.85
10950	Ethylbenzene	100-41-4	< 1	1	5	0.85
10950	2-Hexanone	591-78-6	< 3	3	10	0.85
10950	4-Methyl-2-pentanone	108-10-1	< 3	3	10	0.85
10950	Methylene Chloride	75-09-2	< 2	2	5	0.85
10950	Styrene	100-42-5	< 1	1	5	0.85
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	0.85
10950	Tetrachloroethene	127-18-4	< 1	1	5	0.85
10950	Toluene	108-88-3	4 J	1	5	0.85
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	5	0.85
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	5	0.85
10950	Trichloroethene	79-01-6	< 1	1	5	0.85
10950	Vinyl Chloride	75-01-4	< 1	1	5	0.85
10950	Xylene (Total)	1330-20-7	5	1	5	0.85
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Acenaphthene	83-32-9	4,400 J	1,000	5,000	5
10462	Acenaphthylene	208-96-8	8,600	1,000	5,000	5
10462	Anthracene	120-12-7	23,000	1,000	5,000	5
10462	Benzo(a)anthracene	56-55-3	54,000	1,000	5,000	5
10462	Benzo(a)pyrene	50-32-8	41,000	1,000	5,000	5
10462	Benzo(b)fluoranthene	205-99-2	51,000	1,000	5,000	5
10462	Benzo(g,h,i)perylene	191-24-2	24,000	1,000	5,000	5
10462	Benzo(k)fluoranthene	207-08-9	25,000	1,000	5,000	5
10462	4-Bromophenyl-phenylether	101-55-3	< 1,000	1,000	5,000	5
10462	Butylbenzylphthalate	85-68-7	< 2,000	2,000	5,000	5
10462	Di-n-butylphthalate	84-74-2	< 2,000	2,000	5,000	5
10462	Carbazole	86-74-8	6,600	1,000	5,000	5
10462	4-Chloro-3-methylphenol	59-50-7	< 2,000	2,000	5,000	5

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_0-2ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199490
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC1-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	4-Chloroaniline	106-47-8	< 2,000	2,000	5,000	5
10462	bis(2-Chloroethoxy)methane	111-91-1	< 1,000	1,000	5,000	5
10462	bis(2-Chloroethyl) ether	111-44-4	< 1,000	1,000	5,000	5
10462	2-Chloronaphthalene	91-58-7	< 1,000	1,000	5,000	5
10462	2-Chlorophenol	95-57-8	< 1,000	1,000	5,000	5
10462	4-Chlorophenyl-phenylether	7005-72-3	< 1,000	1,000	5,000	5
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 1,000	1,000	5,000	5
10462	Chrysene	218-01-9	47,000	47,000	5,000	5
10462	Dibenz(a,h)anthracene	53-70-3	6,900	1,000	5,000	5
10462	Dibenzofuran	132-64-9	6,400	1,000	5,000	5
10462	1,2-Dichlorobenzene	95-50-1	< 1,000	1,000	5,000	5
10462	1,3-Dichlorobenzene	541-73-1	< 1,000	1,000	5,000	5
10462	1,4-Dichlorobenzene	106-46-7	< 1,000	1,000	5,000	5
10462	3,3'-Dichlorobenzidine	91-94-1	< 3,000	3,000	10,000	5
10462	2,4-Dichlorophenol	120-83-2	< 1,000	1,000	5,000	5
10462	Diethylphthalate	84-66-2	< 2,000	2,000	5,000	5
10462	2,4-Dimethylphenol	105-67-9	< 2,000	2,000	5,000	5
10462	Dimethylphthalate	131-11-3	< 2,000	2,000	5,000	5
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 5,000	5,000	15,000	5
10462	2,4-Dinitrophenol	51-28-5	< 10,000	10,000	30,000	5
10462	2,4-Dinitrotoluene	121-14-2	< 2,000	2,000	5,000	5
10462	2,6-Dinitrotoluene	606-20-2	< 1,000	1,000	5,000	5
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 2,000	2,000	10,000	5
10462	Fluoranthene	206-44-0	91,000	1,000	5,000	5
10462	Fluorene	86-73-7	9,300	1,000	5,000	5
10462	Hexachlorobenzene	118-74-1	< 1,000	1,000	5,000	5
10462	Hexachlorobutadiene	87-68-3	< 2,000	2,000	5,000	5
10462	Hexachlorocyclopentadiene	77-47-4	< 5,000	5,000	15,000	5
10462	Hexachloroethane	67-72-1	< 1,000	1,000	5,000	5
10462	Indeno(1,2,3-cd)pyrene	193-39-5	23,000	1,000	5,000	5
10462	Isophorone	78-59-1	< 1,000	1,000	5,000	5
10462	2-Methylnaphthalene	91-57-6	2,400	J 1,000	5,000	5
10462	2-Methylphenol	95-48-7	< 2,000	2,000	5,000	5
10462	4-Methylphenol	106-44-5	< 2,000	2,000	5,000	5
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	3,000	J 1,000	5,000	5
10462	2-Nitroaniline	88-74-4	< 1,000	1,000	5,000	5
10462	3-Nitroaniline	99-09-2	< 2,000	2,000	5,000	5
10462	4-Nitroaniline	100-01-6	< 2,000	2,000	5,000	5
10462	Nitrobenzene	98-95-3	< 1,000	1,000	5,000	5
10462	2-Nitrophenol	88-75-5	< 1,000	1,000	5,000	5
10462	4-Nitrophenol	100-02-7	< 5,000	5,000	15,000	5
10462	N-Nitroso-di-n-propylamine	621-64-7	< 1,000	1,000	5,000	5
10462	N-Nitrosodiphenylamine	86-30-6	< 1,000	1,000	5,000	5
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	< 2,000	2,000	5,000	5

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_0-2ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199490
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC1-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D			ug/kg	ug/kg	ug/kg	
10462	Pentachlorophenol	87-86-5	< 5,000	5,000	15,000	5
10462	Phenanthrene	85-01-8	90,000	1,000	5,000	5
10462	Phenol	108-95-2	< 1,000	1,000	5,000	5
10462	Pyrene	129-00-0	100,000	1,000	5,000	5
10462	1,2,4-Trichlorobenzene	120-82-1	< 1,000	1,000	5,000	5
10462	2,4,5-Trichlorophenol	95-95-4	< 2,000	2,000	5,000	5
10462	2,4,6-Trichlorophenol	88-06-2	< 1,000	1,000	5,000	5

Reporting limits were raised due to interference from the sample matrix.

Pesticides/PCBs SW-846 8081B			ug/kg	ug/kg	ug/kg	
10590	Aldrin	309-00-2	< 4.0	4.0	10	10
10590	Alpha BHC	319-84-6	< 2.0	2.0	10	10
10590	Beta BHC	319-85-7	< 2.3	2.3	10	10
10590	Gamma BHC - Lindane	58-89-9	130	10	50	50
10590	Alpha Chlordane	5103-71-9	< 2.0	2.0	10	10
10590	Gamma Chlordane	5103-74-2	< 2.0	2.0	10	10
10590	p,p-DDD	72-54-8	47	4.0	20	10
10590	p,p-DDE	72-55-9	120	4.0	20	10
10590	p,p-DDT	50-29-3	21	4.0	20	10
10590	Delta BHC	319-86-8	< 3.7	3.7	10	10
10590	Dieldrin	60-57-1	< 4.0	4.0	20	10
10590	Endosulfan I	959-98-8	< 2.6	2.6	10	10
10590	Endosulfan II	33213-65-9	< 4.0	4.0	20	10
10590	Endosulfan Sulfate	1031-07-8	31	4.0	20	10
10590	Endrin	72-20-8	< 4.0	4.0	20	10
10590	Endrin Aldehyde	7421-93-4	5.6 J	4.0	20	10
10590	Endrin Ketone	53494-70-5	< 4.0	4.0	20	10
10590	Heptachlor	76-44-8	19	2.0	10	10
10590	Heptachlor Epoxide	1024-57-3	< 2.0	2.0	10	10
10590	Methoxychlor	72-43-5	< 20	20	100	10
10590	Toxaphene	8001-35-2	< 130	130	400	10

Reporting limits were raised due to interference from the sample matrix.

Pesticides/PCBs SW-846 8082A			ug/kg	ug/kg	ug/kg	
10592	PCB-1016	12674-11-2	< 20	20	100	5
10592	PCB-1221	11104-28-2	< 20	20	100	5
10592	PCB-1232	11141-16-5	< 20	20	100	5
10592	PCB-1242	53469-21-9	< 20	20	100	5
10592	PCB-1248	12672-29-6	< 20	20	100	5
10592	PCB-1254	11097-69-1	< 20	20	100	5
10592	PCB-1260	11096-82-5	< 20	20	100	5

Reporting limits were raised due to interference from the sample matrix.

Metals SW-846 6010C			mg/kg	mg/kg	mg/kg	
01643	Aluminum	7429-90-5	7,870	5.80	46.1	1
06944	Antimony	7440-36-0	< 1.15	1.15	4.61	1
06935	Arsenic	7440-38-2	4.91	1.10	4.61	1
06946	Barium	7440-39-3	546	0.0461	1.15	1
06947	Beryllium	7440-41-7	0.360 J	0.0784	1.15	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_0-2ft Grab Soil
 Triangle Court
 SB-1

LLI Sample # SW 6199490
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC1-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Metals			mg/kg	mg/kg	mg/kg	
	SW-846 6010C					
06949	Cadmium	7440-43-9	1.09 J	0.161	1.15	1
01650	Calcium	7440-70-2	41,900	7.07	46.1	1
06951	Chromium	7440-47-3	19.7	0.680	3.46	1
06952	Cobalt	7440-48-4	5.16	0.219	1.15	1
06953	Copper	7440-50-8	39.9	0.254	2.31	1
01654	Iron	7439-89-6	13,700	5.43	46.1	1
06955	Lead	7439-92-1	138	0.692	3.46	1
01657	Magnesium	7439-95-4	3,240	2.93	23.1	1
06958	Manganese	7439-96-5	223	0.0899	1.15	1
06961	Nickel	7440-02-0	19.2	0.219	2.31	1
01662	Potassium	7440-09-7	1,050	20.8	115	1
06936	Selenium	7782-49-2	< 1.13	1.13	4.61	1
06966	Silver	7440-22-4	0.250 J	0.208	1.15	1
01667	Sodium	7440-23-5	317	43.0	231	1
06925	Thallium	7440-28-0	< 1.67	1.67	6.92	1
06971	Vanadium	7440-62-2	34.4	0.219	1.15	1
06972	Zinc	7440-66-6	427	0.761	4.61	1
SW-846 7471B			mg/kg	mg/kg	mg/kg	
00159	Mercury	7439-97-6	0.532	0.0033	0.231	1
Wet Chemistry			%	%	%	
	SM20 2540 G					
00111	Moisture	n.a.	16.6	0.50	0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.						

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 20:28	Laura M Krieger	0.85
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 11:00	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 11:00	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 11:00	Client Supplied	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/09/2011 05:02	Linda M Hartenstine	5

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_0-2ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199490
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC1-0

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10483	SVOA 8270D Soil Extraction	SW-846 3550C	1	11037SLC026	02/08/2011 03:45	David V Hershey Jr	1
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 09:54	Jamie L Brillhart	10
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 10:08	Jamie L Brillhart	50
10592	PCBs w/Pesticides	SW-846 8082A	1	110390012A	02/09/2011 14:29	Lindsey K Lafferty	5
11132	PCB Soils Update IV Extraction	SW-846 3550C	1	110390012A	02/08/2011 18:00	Sally L Appleyard	1
11131	Pest Soils Update IV Ext	SW-846 3550C	2	110390011A	02/08/2011 17:58	Sally L Appleyard	1
01643	Aluminum	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06944	Antimony	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06935	Arsenic	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06946	Barium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06947	Beryllium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06949	Cadmium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
01650	Calcium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06951	Chromium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06952	Cobalt	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06953	Copper	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
01654	Iron	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06955	Lead	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
01657	Magnesium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06958	Manganese	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06961	Nickel	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
01662	Potassium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06936	Selenium	SW-846 6010C	2	110390637001	02/09/2011 12:46	Eric L Eby	1
06966	Silver	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
01667	Sodium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06925	Thallium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06971	Vanadium	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
06972	Zinc	SW-846 6010C	2	110390637001	02/09/2011 07:09	Joanne M Gates	1
00159	Mercury	SW-846 7471B	2	110390638001	02/09/2011 10:29	Damary Valentin	1
10637	SW SW846 (IV) ICP Digest	SW-846 3050B	1	110390637001	02/08/2011 20:44	Annamaria Stipkovits	1
10638	SW SW846 (IV) Hg Digest	SW-846 7471B	1	110390638001	02/08/2011 23:15	Annamaria Stipkovits	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

Sample Description: SB-1_10-12ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199491
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC110

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	61	7	20	0.88
10950	Benzene	71-43-2	< 0.5	0.5	5	0.88
10950	Bromodichloromethane	75-27-4	< 1	1	5	0.88
10950	Bromoform	75-25-2	< 1	1	5	0.88
10950	Bromomethane	74-83-9	< 2	2	5	0.88
10950	2-Butanone	78-93-3	7 J	4	10	0.88
10950	Carbon Disulfide	75-15-0	< 1	1	5	0.88
10950	Carbon Tetrachloride	56-23-5	< 1	1	5	0.88
10950	Chlorobenzene	108-90-7	< 1	1	5	0.88
10950	Chloroethane	75-00-3	< 2	2	5	0.88
10950	Chloroform	67-66-3	< 1	1	5	0.88
10950	Chloromethane	74-87-3	< 2	2	5	0.88
10950	Dibromochloromethane	124-48-1	< 1	1	5	0.88
10950	1,1-Dichloroethane	75-34-3	< 1	1	5	0.88
10950	1,2-Dichloroethane	107-06-2	< 1	1	5	0.88
10950	1,1-Dichloroethene	75-35-4	< 1	1	5	0.88
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	5	0.88
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	5	0.88
10950	1,2-Dichloropropane	78-87-5	< 1	1	5	0.88
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	0.88
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	0.88
10950	Ethylbenzene	100-41-4	< 1	1	5	0.88
10950	2-Hexanone	591-78-6	< 3	3	10	0.88
10950	4-Methyl-2-pentanone	108-10-1	< 3	3	10	0.88
10950	Methylene Chloride	75-09-2	< 2	2	5	0.88
10950	Styrene	100-42-5	< 1	1	5	0.88
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	0.88
10950	Tetrachloroethene	127-18-4	< 1	1	5	0.88
10950	Toluene	108-88-3	< 1	1	5	0.88
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	5	0.88
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	5	0.88
10950	Trichloroethene	79-01-6	< 1	1	5	0.88
10950	Vinyl Chloride	75-01-4	< 1	1	5	0.88
10950	Xylene (Total)	1330-20-7	< 1	1	5	0.88
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Acenaphthene	83-32-9	< 38	38	190	1
10462	Acenaphthylene	208-96-8	< 38	38	190	1
10462	Anthracene	120-12-7	< 38	38	190	1
10462	Benzo(a)anthracene	56-55-3	< 38	38	190	1
10462	Benzo(a)pyrene	50-32-8	< 38	38	190	1
10462	Benzo(b)fluoranthene	205-99-2	< 38	38	190	1
10462	Benzo(g,h,i)perylene	191-24-2	< 38	38	190	1
10462	Benzo(k)fluoranthene	207-08-9	< 38	38	190	1
10462	4-Bromophenyl-phenylether	101-55-3	< 38	38	190	1
10462	Butylbenzylphthalate	85-68-7	< 75	75	190	1
10462	Di-n-butylphthalate	84-74-2	< 75	75	190	1
10462	Carbazole	86-74-8	< 38	38	190	1
10462	4-Chloro-3-methylphenol	59-50-7	< 75	75	190	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_10-12ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199491
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC110

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	4-Chloroaniline	106-47-8	< 75	75	190	1
10462	bis(2-Chloroethoxy)methane	111-91-1	< 38	38	190	1
10462	bis(2-Chloroethyl)ether	111-44-4	< 38	38	190	1
10462	2-Chloronaphthalene	91-58-7	< 38	38	190	1
10462	2-Chlorophenol	95-57-8	< 38	38	190	1
10462	4-Chlorophenyl-phenylether	7005-72-3	< 38	38	190	1
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 38	38	190	1
10462	Chrysene	218-01-9	< 38	38	190	1
10462	Dibenz(a,h)anthracene	53-70-3	< 38	38	190	1
10462	Dibenzofuran	132-64-9	< 38	38	190	1
10462	1,2-Dichlorobenzene	95-50-1	< 38	38	190	1
10462	1,3-Dichlorobenzene	541-73-1	< 38	38	190	1
10462	1,4-Dichlorobenzene	106-46-7	< 38	38	190	1
10462	3,3'-Dichlorobenzidine	91-94-1	< 110	110	380	1
10462	2,4-Dichlorophenol	120-83-2	< 38	38	190	1
10462	Diethylphthalate	84-66-2	< 75	75	190	1
10462	2,4-Dimethylphenol	105-67-9	< 75	75	190	1
10462	Dimethylphthalate	131-11-3	< 75	75	190	1
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 190	190	570	1
10462	2,4-Dinitrophenol	51-28-5	< 380	380	1,100	1
10462	2,4-Dinitrotoluene	121-14-2	< 75	75	190	1
10462	2,6-Dinitrotoluene	606-20-2	< 38	38	190	1
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 75	75	380	1
10462	Fluoranthene	206-44-0	< 38	38	190	1
10462	Fluorene	86-73-7	< 38	38	190	1
10462	Hexachlorobenzene	118-74-1	< 38	38	190	1
10462	Hexachlorobutadiene	87-68-3	< 75	75	190	1
10462	Hexachlorocyclopentadiene	77-47-4	< 190	190	570	1
10462	Hexachloroethane	67-72-1	< 38	38	190	1
10462	Indeno(1,2,3-cd)pyrene	193-39-5	< 38	38	190	1
10462	Isophorone	78-59-1	< 38	38	190	1
10462	2-Methylnaphthalene	91-57-6	< 38	38	190	1
10462	2-Methylphenol	95-48-7	< 75	75	190	1
10462	4-Methylphenol	106-44-5	< 75	75	190	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	< 38	38	190	1
10462	2-Nitroaniline	88-74-4	< 38	38	190	1
10462	3-Nitroaniline	99-09-2	< 75	75	190	1
10462	4-Nitroaniline	100-01-6	< 75	75	190	1
10462	Nitrobenzene	98-95-3	< 38	38	190	1
10462	2-Nitrophenol	88-75-5	< 38	38	190	1
10462	4-Nitrophenol	100-02-7	< 190	190	570	1
10462	N-Nitroso-di-n-propylamine	621-64-7	< 38	38	190	1
10462	N-Nitrosodiphenylamine	86-30-6	< 38	38	190	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	< 75	75	190	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_10-12ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199491
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC110

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D						
10462	Pentachlorophenol	87-86-5	< 190	190	570	1
10462	Phenanthrene	85-01-8	< 38	38	190	1
10462	Phenol	108-95-2	< 38	38	190	1
10462	Pyrene	129-00-0	< 38	38	190	1
10462	1,2,4-Trichlorobenzene	120-82-1	< 38	38	190	1
10462	2,4,5-Trichlorophenol	95-95-4	< 75	75	190	1
10462	2,4,6-Trichlorophenol	88-06-2	< 38	38	190	1
Pesticides/PCBs SW-846 8081B						
10590	Aldrin	309-00-2	< 0.37	0.37	0.94	1
10590	Alpha BHC	319-84-6	< 0.19	0.19	0.94	1
10590	Beta BHC	319-85-7	< 0.21	0.21	0.94	1
10590	Gamma BHC - Lindane	58-89-9	< 0.19	0.19	0.94	1
10590	Alpha Chlordane	5103-71-9	< 0.19	0.19	0.94	1
10590	Gamma Chlordane	5103-74-2	< 0.19	0.19	0.94	1
10590	p,p-DDD	72-54-8	< 0.37	0.37	1.9	1
10590	p,p-DDE	72-55-9	< 0.37	0.37	1.9	1
10590	p,p-DDT	50-29-3	< 0.37	0.37	1.9	1
10590	Delta BHC	319-86-8	< 0.35	0.35	0.94	1
10590	Dieldrin	60-57-1	< 0.37	0.37	1.9	1
10590	Endosulfan I	959-98-8	< 0.25	0.25	0.94	1
10590	Endosulfan II	33213-65-9	< 0.37	0.37	1.9	1
10590	Endosulfan Sulfate	1031-07-8	< 0.37	0.37	1.9	1
10590	Endrin	72-20-8	< 0.37	0.37	1.9	1
10590	Endrin Aldehyde	7421-93-4	< 0.37	0.37	1.9	1
10590	Endrin Ketone	53494-70-5	< 0.37	0.37	1.9	1
10590	Heptachlor	76-44-8	< 0.19	0.19	0.94	1
10590	Heptachlor Epoxide	1024-57-3	< 0.19	0.19	0.94	1
10590	Methoxychlor	72-43-5	< 1.9	1.9	9.4	1
10590	Toxaphene	8001-35-2	< 12	12	37	1
Pesticides/PCBs SW-846 8082A						
10592	PCB-1016	12674-11-2	< 3.7	3.7	19	1
10592	PCB-1221	11104-28-2	< 3.7	3.7	19	1
10592	PCB-1232	11141-16-5	< 3.7	3.7	19	1
10592	PCB-1242	53469-21-9	< 3.7	3.7	19	1
10592	PCB-1248	12672-29-6	< 3.7	3.7	19	1
10592	PCB-1254	11097-69-1	< 3.7	3.7	19	1
10592	PCB-1260	11096-82-5	< 3.7	3.7	19	1
Metals SW-846 6010C						
01643	Aluminum	7429-90-5	14,200	5.58	44.4	1
06944	Antimony	7440-36-0	< 1.11	1.11	4.44	1
06935	Arsenic	7440-38-2	2.25	J 1.05	4.44	1
06946	Barium	7440-39-3	35.0	0.0444	1.11	1
06947	Beryllium	7440-41-7	0.547	J 0.0754	1.11	1
06949	Cadmium	7440-43-9	0.167	J 0.155	1.11	1
01650	Calcium	7440-70-2	993	6.80	44.4	1
06951	Chromium	7440-47-3	22.2	0.654	3.33	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_10-12ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199491
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC110

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Metals						
		SW-846 6010C	mg/kg	mg/kg	mg/kg	
06952	Cobalt	7440-48-4	10.8	0.211	1.11	1
06953	Copper	7440-50-8	16.9	0.244	2.22	1
01654	Iron	7439-89-6	18,600	5.22	44.4	1
06955	Lead	7439-92-1	8.29	0.665	3.33	1
01657	Magnesium	7439-95-4	2,390	2.82	22.2	1
06958	Manganese	7439-96-5	412	0.0865	1.11	1
06961	Nickel	7440-02-0	15.0	0.211	2.22	1
01662	Potassium	7440-09-7	1,720	20.0	111	1
06936	Selenium	7782-49-2	< 1.09	1.09	4.44	1
06966	Silver	7440-22-4	< 0.200	0.200	1.11	1
01667	Sodium	7440-23-5	139 J	41.4	222	1
06925	Thallium	7440-28-0	< 1.61	1.61	6.65	1
06971	Vanadium	7440-62-2	34.4	0.211	1.11	1
06972	Zinc	7440-66-6	32.4	0.732	4.44	1
SW-846 7471B			mg/kg	mg/kg	mg/kg	
00159	Mercury	7439-97-6	0.0046 J	0.0032	0.222	1
Wet Chemistry						
		SM20 2540 G	%	%	%	
00111	Moisture	n.a.	11.6	0.50	0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.						

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 23:05	Laura M Krieger	0.88
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 11:15	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 11:15	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 11:15	Client Supplied	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/09/2011 06:15	Linda M Hartenstine	1
10483	SVOA 8270D Soil Extraction	SW-846 3550C	1	11037SLC026	02/08/2011 03:45	David V Hershey Jr	1
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 11:16	Jamie L Brillhart	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-1_10-12ft Grab Soil
Triangle Court
SB-1

LLI Sample # SW 6199491
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 11:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC110

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10592	PCBs w/Pesticides	SW-846 8082A	1	110390012A	02/09/2011 14:42	Lindsey K Lafferty	1
11132	PCB Soils Update IV Extraction	SW-846 3550C	1	110390012A	02/08/2011 18:00	Sally L Appleyard	1
11131	Pest Soils Update IV Ext	SW-846 3550C	2	110390011A	02/08/2011 17:58	Sally L Appleyard	1
01643	Aluminum	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06944	Antimony	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06935	Arsenic	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06946	Barium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06947	Beryllium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06949	Cadmium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
01650	Calcium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06951	Chromium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06952	Cobalt	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06953	Copper	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
01654	Iron	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06955	Lead	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
01657	Magnesium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06958	Manganese	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06961	Nickel	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
01662	Potassium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06936	Selenium	SW-846 6010C	2	110390637001	02/09/2011 12:50	Eric L Eby	1
06966	Silver	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
01667	Sodium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06925	Thallium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06971	Vanadium	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
06972	Zinc	SW-846 6010C	2	110390637001	02/09/2011 07:13	Joanne M Gates	1
00159	Mercury	SW-846 7471B	2	110390638001	02/09/2011 10:31	Damary Valentin	1
10637	SW SW846 (IV) ICP Digest	SW-846 3050B	1	110390637001	02/08/2011 20:44	Annamaria Stipkovits	1
10638	SW SW846 (IV) Hg Digest	SW-846 7471B	1	110390638001	02/08/2011 23:15	Annamaria Stipkovits	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

Sample Description: SB-2_0-2ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199492
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	41	9	25	1.08
10950	Benzene	71-43-2	1 J	0.6	6	1.08
10950	Bromodichloromethane	75-27-4	< 1	1	6	1.08
10950	Bromoform	75-25-2	< 1	1	6	1.08
10950	Bromomethane	74-83-9	< 2	2	6	1.08
10950	2-Butanone	78-93-3	< 5	5	12	1.08
10950	Carbon Disulfide	75-15-0	1 J	1	6	1.08
10950	Carbon Tetrachloride	56-23-5	< 1	1	6	1.08
10950	Chlorobenzene	108-90-7	< 1	1	6	1.08
10950	Chloroethane	75-00-3	< 2	2	6	1.08
10950	Chloroform	67-66-3	< 1	1	6	1.08
10950	Chloromethane	74-87-3	< 2	2	6	1.08
10950	Dibromochloromethane	124-48-1	< 1	1	6	1.08
10950	1,1-Dichloroethane	75-34-3	< 1	1	6	1.08
10950	1,2-Dichloroethane	107-06-2	< 1	1	6	1.08
10950	1,1-Dichloroethene	75-35-4	< 1	1	6	1.08
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	6	1.08
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	6	1.08
10950	1,2-Dichloropropane	78-87-5	< 1	1	6	1.08
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	6	1.08
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	6	1.08
10950	Ethylbenzene	100-41-4	< 1	1	6	1.08
10950	2-Hexanone	591-78-6	< 4	4	12	1.08
10950	4-Methyl-2-pentanone	108-10-1	< 4	4	12	1.08
10950	Methylene Chloride	75-09-2	< 2	2	6	1.08
10950	Styrene	100-42-5	< 1	1	6	1.08
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	6	1.08
10950	Tetrachloroethene	127-18-4	10	1	6	1.08
10950	Toluene	108-88-3	1 J	1	6	1.08
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	6	1.08
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	6	1.08
10950	Trichloroethene	79-01-6	< 1	1	6	1.08
10950	Vinyl Chloride	75-01-4	< 1	1	6	1.08
10950	Xylene (Total)	1330-20-7	< 1	1	6	1.08

The GC/MS volatile internal standard peak areas were outside the QC limits. A re-analysis was performed, and the matrix effect was confirmed.

GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Acenaphthene	83-32-9	12,000	960	4,800	5
10462	Acenaphthylene	208-96-8	21,000	960	4,800	5
10462	Anthracene	120-12-7	61,000	960	4,800	5
10462	Benzo(a)anthracene	56-55-3	100,000	9,600	48,000	50
10462	Benzo(a)pyrene	50-32-8	87,000	960	4,800	5
10462	Benzo(b)fluoranthene	205-99-2	110,000	960	4,800	5
10462	Benzo(g,h,i)perylene	191-24-2	52,000	960	4,800	5
10462	Benzo(k)fluoranthene	207-08-9	43,000	960	4,800	5
10462	4-Bromophenyl-phenylether	101-55-3	< 960	960	4,800	5
10462	Butylbenzylphthalate	85-68-7	< 1,900	1,900	4,800	5
10462	Di-n-butylphthalate	84-74-2	< 1,900	1,900	4,800	5

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_0-2ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199492
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Carbazole	86-74-8	17,000	960	4,800	5
10462	4-Chloro-3-methylphenol	59-50-7	< 1,900	1,900	4,800	5
10462	4-Chloroaniline	106-47-8	< 1,900	1,900	4,800	5
10462	bis(2-Chloroethoxy)methane	111-91-1	< 960	960	4,800	5
10462	bis(2-Chloroethyl) ether	111-44-4	< 960	960	4,800	5
10462	2-Chloronaphthalene	91-58-7	< 960	960	4,800	5
10462	2-Chlorophenol	95-57-8	< 960	960	4,800	5
10462	4-Chlorophenyl-phenylether	7005-72-3	< 960	960	4,800	5
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 960	960	4,800	5
10462	Chrysene	218-01-9	99,000	960	4,800	5
10462	Dibenz(a,h)anthracene	53-70-3	15,000	960	4,800	5
10462	Dibenzofuran	132-64-9	16,000	960	4,800	5
10462	1,2-Dichlorobenzene	95-50-1	< 960	960	4,800	5
10462	1,3-Dichlorobenzene	541-73-1	< 960	960	4,800	5
10462	1,4-Dichlorobenzene	106-46-7	< 960	960	4,800	5
10462	3,3'-Dichlorobenzidine	91-94-1	< 2,900	2,900	9,600	5
10462	2,4-Dichlorophenol	120-83-2	< 960	960	4,800	5
10462	Diethylphthalate	84-66-2	< 1,900	1,900	4,800	5
10462	2,4-Dimethylphenol	105-67-9	< 1,900	1,900	4,800	5
10462	Dimethylphthalate	131-11-3	< 1,900	1,900	4,800	5
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 4,800	4,800	14,000	5
10462	2,4-Dinitrophenol	51-28-5	< 9,600	9,600	29,000	5
10462	2,4-Dinitrotoluene	121-14-2	< 1,900	1,900	4,800	5
10462	2,6-Dinitrotoluene	606-20-2	< 960	960	4,800	5
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 1,900	1,900	9,600	5
10462	Fluoranthene	206-44-0	240,000	9,600	48,000	50
10462	Fluorene	86-73-7	21,000	960	4,800	5
10462	Hexachlorobenzene	118-74-1	< 960	960	4,800	5
10462	Hexachlorobutadiene	87-68-3	< 1,900	1,900	4,800	5
10462	Hexachlorocyclopentadiene	77-47-4	< 4,800	4,800	14,000	5
10462	Hexachloroethane	67-72-1	< 960	960	4,800	5
10462	Indeno(1,2,3-cd)pyrene	193-39-5	50,000	960	4,800	5
10462	Isophorone	78-59-1	< 960	960	4,800	5
10462	2-Methylnaphthalene	91-57-6	6,000	960	4,800	5
10462	2-Methylphenol	95-48-7	< 1,900	1,900	4,800	5
10462	4-Methylphenol	106-44-5	< 1,900	1,900	4,800	5
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	10,000	960	4,800	5
10462	2-Nitroaniline	88-74-4	< 960	960	4,800	5
10462	3-Nitroaniline	99-09-2	< 1,900	1,900	4,800	5
10462	4-Nitroaniline	100-01-6	< 1,900	1,900	4,800	5
10462	Nitrobenzene	98-95-3	< 960	960	4,800	5
10462	2-Nitrophenol	88-75-5	< 960	960	4,800	5
10462	4-Nitrophenol	100-02-7	< 4,800	4,800	14,000	5
10462	N-Nitroso-di-n-propylamine	621-64-7	< 960	960	4,800	5
10462	N-Nitrosodiphenylamine	86-30-6	< 960	960	4,800	5

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_0-2ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199492
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	< 1,900	1,900	4,800	5
10462	Pentachlorophenol	87-86-5	< 4,800	4,800	14,000	5
10462	Phenanthrene	85-01-8	220,000	9,600	48,000	50
10462	Phenol	108-95-2	< 960	960	4,800	5
10462	Pyrene	129-00-0	180,000	9,600	48,000	50
10462	1,2,4-Trichlorobenzene	120-82-1	< 960	960	4,800	5
10462	2,4,5-Trichlorophenol	95-95-4	< 1,900	1,900	4,800	5
10462	2,4,6-Trichlorophenol	88-06-2	< 960	960	4,800	5
	Reporting limits were raised due to interference from the sample matrix.					

Pesticides/PCBs	SW-846 8081B	ug/kg	ug/kg	ug/kg		
10590	Aldrin	309-00-2	< 3.8	3.8	9.6	10
10590	Alpha BHC	319-84-6	< 2.0	2.0	9.6	10
10590	Beta BHC	319-85-7	< 2.2	2.2	9.6	10
10590	Gamma BHC - Lindane	58-89-9	230	9.8	48	50
10590	Alpha Chlordane	5103-71-9	2.0	2.0	9.6	10
10590	Gamma Chlordane	5103-74-2	< 2.0	2.0	9.6	10
10590	p,p-DDD	72-54-8	< 27	27	27	10
10590	p,p-DDE	72-55-9	27	3.8	20	10
10590	p,p-DDT	50-29-3	< 18	18	20	10
10590	Delta BHC	319-86-8	< 3.6	3.6	9.6	10
10590	Dieldrin	60-57-1	< 3.8	3.8	20	10
10590	Endosulfan I	959-98-8	< 2.5	2.5	9.6	10
10590	Endosulfan II	33213-65-9	< 7.5	7.5	20	10
10590	Endosulfan Sulfate	1031-07-8	< 28	28	28	10
10590	Endrin	72-20-8	< 3.8	3.8	20	10
10590	Endrin Aldehyde	7421-93-4	< 6.6	6.6	20	10
10590	Endrin Ketone	53494-70-5	< 3.8	3.8	20	10
10590	Heptachlor	76-44-8	25	2.0	9.6	10
10590	Heptachlor Epoxide	1024-57-3	< 2.0	2.0	9.6	10
10590	Methoxychlor	72-43-5	< 20	20	96	10
10590	Toxaphene	8001-35-2	< 130	130	380	10

Due to interfering peaks on the chromatogram from the presence of PCBs, the values reported represent the lowest reporting limits attainable. Despite numerous cleanup methods, our usual reporting limits were not attained. Due to the nature of the sample extract matrix and interference from PCBs, a dilution was used for the analysis.

Pesticides/PCBs	SW-846 8082A	ug/kg	ug/kg	ug/kg		
10592	PCB-1016	12674-11-2	< 19	19	98	5
10592	PCB-1221	11104-28-2	< 19	19	98	5
10592	PCB-1232	11141-16-5	< 19	19	98	5
10592	PCB-1242	53469-21-9	< 19	19	98	5
10592	PCB-1248	12672-29-6	< 19	19	98	5
10592	PCB-1254	11097-69-1	< 19	19	98	5
10592	PCB-1260	11096-82-5	67	19	98	5

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_0-2ft Grab Soil
 Triangle Court
 SB-2

LLI Sample # SW 6199492
 LLI Group # 1231937
 Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Metals						
		SW-846 6010C	mg/kg	mg/kg	mg/kg	
01643	Aluminum	7429-90-5	7,820	5.58	44.4	1
06944	Antimony	7440-36-0	< 1.11	1.11	4.44	1
06935	Arsenic	7440-38-2	4.97	1.05	4.44	1
06946	Barium	7440-39-3	289	0.0444	1.11	1
06947	Beryllium	7440-41-7	0.358 J	0.0755	1.11	1
06949	Cadmium	7440-43-9	0.904 J	0.155	1.11	1
01650	Calcium	7440-70-2	49,600	6.81	44.4	1
06951	Chromium	7440-47-3	15.3	0.655	3.33	1
06952	Cobalt	7440-48-4	4.78	0.211	1.11	1
06953	Copper	7440-50-8	25.0	0.244	2.22	1
01654	Iron	7439-89-6	15,200	5.23	44.4	1
06955	Lead	7439-92-1	211	0.666	3.33	1
01657	Magnesium	7439-95-4	3,460	2.82	22.2	1
06958	Manganese	7439-96-5	220	0.0866	1.11	1
06961	Nickel	7440-02-0	16.9	0.211	2.22	1
01662	Potassium	7440-09-7	1,400	20.0	111	1
06936	Selenium	7782-49-2	< 1.09	1.09	4.44	1
06966	Silver	7440-22-4	0.293 J	0.200	1.11	1
01667	Sodium	7440-23-5	468	41.4	222	1
06925	Thallium	7440-28-0	< 1.61	1.61	6.66	1
06971	Vanadium	7440-62-2	28.1	0.211	1.11	1
06972	Zinc	7440-66-6	430	0.733	4.44	1
SW-846 7471B			mg/kg	mg/kg	mg/kg	
00159	Mercury	7439-97-6	1.38	0.0160	1.12	5

Wet Chemistry		SM20 2540 G	%	%	%	
00111	Moisture	n.a.	13.4	0.50	0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.						

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 21:13	Laura M Krieger	1.08
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 12:15	Client Supplied	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_0-2ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199492
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-0

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 12:15	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 12:15	Client Supplied	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/09/2011 06:40	Linda M Hartenstine	5
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/10/2011 07:51	Linda M Hartenstine	50
10483	SVOA 8270D Soil Extraction	SW-846 3550C	1	11037SLC026	02/08/2011 03:45	David V Hershey Jr	1
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 11:30	Jamie L Brillhart	10
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 11:43	Jamie L Brillhart	50
10592	PCBs w/Pesticides	SW-846 8082A	1	110390012A	02/09/2011 15:21	Lindsey K Lafferty	5
11132	PCB Soils Update IV Extraction	SW-846 3550C	1	110390012A	02/08/2011 18:00	Sally L Appleyard	1
11131	Pest Soils Update IV Ext	SW-846 3550C	2	110390011A	02/08/2011 17:58	Sally L Appleyard	1
01643	Aluminum	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06944	Antimony	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06935	Arsenic	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06946	Barium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06947	Beryllium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06949	Cadmium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
01650	Calcium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06951	Chromium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06952	Cobalt	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06953	Copper	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
01654	Iron	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06955	Lead	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
01657	Magnesium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06958	Manganese	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06961	Nickel	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
01662	Potassium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06936	Selenium	SW-846 6010C	2	110390637001	02/09/2011 13:01	Eric L Eby	1
06966	Silver	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
01667	Sodium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06925	Thallium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06971	Vanadium	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
06972	Zinc	SW-846 6010C	2	110390637001	02/09/2011 07:24	Joanne M Gates	1
00159	Mercury	SW-846 7471B	2	110390638001	02/09/2011 10:44	Damary Valentin	5
10637	SW SW846 (IV) ICP Digest	SW-846 3050B	1	110390637001	02/08/2011 20:44	Annamaria Stipkovits	1
10638	SW SW846 (IV) Hg Digest	SW-846 7471B	1	110390638001	02/08/2011 23:15	Annamaria Stipkovits	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_8-10ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199493
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-8

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	< 8	8	22	0.99
10950	Benzene	71-43-2	< 0.5	0.5	5	0.99
10950	Bromodichloromethane	75-27-4	< 1	1	5	0.99
10950	Bromoform	75-25-2	< 1	1	5	0.99
10950	Bromomethane	74-83-9	< 2	2	5	0.99
10950	2-Butanone	78-93-3	< 4	4	11	0.99
10950	Carbon Disulfide	75-15-0	< 1	1	5	0.99
10950	Carbon Tetrachloride	56-23-5	< 1	1	5	0.99
10950	Chlorobenzene	108-90-7	< 1	1	5	0.99
10950	Chloroethane	75-00-3	< 2	2	5	0.99
10950	Chloroform	67-66-3	< 1	1	5	0.99
10950	Chloromethane	74-87-3	< 2	2	5	0.99
10950	Dibromochloromethane	124-48-1	< 1	1	5	0.99
10950	1,1-Dichloroethane	75-34-3	< 1	1	5	0.99
10950	1,2-Dichloroethane	107-06-2	< 1	1	5	0.99
10950	1,1-Dichloroethene	75-35-4	< 1	1	5	0.99
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	5	0.99
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	5	0.99
10950	1,2-Dichloropropane	78-87-5	< 1	1	5	0.99
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	0.99
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	0.99
10950	Ethylbenzene	100-41-4	< 1	1	5	0.99
10950	2-Hexanone	591-78-6	< 3	3	11	0.99
10950	4-Methyl-2-pentanone	108-10-1	< 3	3	11	0.99
10950	Methylene Chloride	75-09-2	< 2	2	5	0.99
10950	Styrene	100-42-5	< 1	1	5	0.99
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	0.99
10950	Tetrachloroethene	127-18-4	< 1	1	5	0.99
10950	Toluene	108-88-3	< 1	1	5	0.99
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	5	0.99
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	5	0.99
10950	Trichloroethene	79-01-6	< 1	1	5	0.99
10950	Vinyl Chloride	75-01-4	< 1	1	5	0.99
10950	Xylene (Total)	1330-20-7	< 1	1	5	0.99
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Acenaphthene	83-32-9	< 36	36	180	1
10462	Acenaphthylene	208-96-8	< 36	36	180	1
10462	Anthracene	120-12-7	< 36	36	180	1
10462	Benzo(a)anthracene	56-55-3	< 36	36	180	1
10462	Benzo(a)pyrene	50-32-8	< 36	36	180	1
10462	Benzo(b)fluoranthene	205-99-2	< 36	36	180	1
10462	Benzo(g,h,i)perylene	191-24-2	< 36	36	180	1
10462	Benzo(k)fluoranthene	207-08-9	< 36	36	180	1
10462	4-Bromophenyl-phenylether	101-55-3	< 36	36	180	1
10462	Butylbenzylphthalate	85-68-7	< 72	72	180	1
10462	Di-n-butylphthalate	84-74-2	< 72	72	180	1
10462	Carbazole	86-74-8	< 36	36	180	1
10462	4-Chloro-3-methylphenol	59-50-7	< 72	72	180	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_8-10ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199493
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-8

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	4-Chloroaniline	106-47-8	< 72	72	180	1
10462	bis(2-Chloroethoxy)methane	111-91-1	< 36	36	180	1
10462	bis(2-Chloroethyl)ether	111-44-4	< 36	36	180	1
10462	2-Chloronaphthalene	91-58-7	< 36	36	180	1
10462	2-Chlorophenol	95-57-8	< 36	36	180	1
10462	4-Chlorophenyl-phenylether	7005-72-3	< 36	36	180	1
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 36	36	180	1
10462	Chrysene	218-01-9	< 36	36	180	1
10462	Dibenz(a,h)anthracene	53-70-3	< 36	36	180	1
10462	Dibenzofuran	132-64-9	< 36	36	180	1
10462	1,2-Dichlorobenzene	95-50-1	< 36	36	180	1
10462	1,3-Dichlorobenzene	541-73-1	< 36	36	180	1
10462	1,4-Dichlorobenzene	106-46-7	< 36	36	180	1
10462	3,3'-Dichlorobenzidine	91-94-1	< 110	110	360	1
10462	2,4-Dichlorophenol	120-83-2	< 36	36	180	1
10462	Diethylphthalate	84-66-2	< 72	72	180	1
10462	2,4-Dimethylphenol	105-67-9	< 72	72	180	1
10462	Dimethylphthalate	131-11-3	< 72	72	180	1
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 180	180	540	1
10462	2,4-Dinitrophenol	51-28-5	< 360	360	1,100	1
10462	2,4-Dinitrotoluene	121-14-2	< 72	72	180	1
10462	2,6-Dinitrotoluene	606-20-2	< 36	36	180	1
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 72	72	360	1
10462	Fluoranthene	206-44-0	< 36	36	180	1
10462	Fluorene	86-73-7	< 36	36	180	1
10462	Hexachlorobenzene	118-74-1	< 36	36	180	1
10462	Hexachlorobutadiene	87-68-3	< 72	72	180	1
10462	Hexachlorocyclopentadiene	77-47-4	< 180	180	540	1
10462	Hexachloroethane	67-72-1	< 36	36	180	1
10462	Indeno(1,2,3-cd)pyrene	193-39-5	< 36	36	180	1
10462	Isophorone	78-59-1	< 36	36	180	1
10462	2-Methylnaphthalene	91-57-6	< 36	36	180	1
10462	2-Methylphenol	95-48-7	< 72	72	180	1
10462	4-Methylphenol	106-44-5	< 72	72	180	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	< 36	36	180	1
10462	2-Nitroaniline	88-74-4	< 36	36	180	1
10462	3-Nitroaniline	99-09-2	< 72	72	180	1
10462	4-Nitroaniline	100-01-6	< 72	72	180	1
10462	Nitrobenzene	98-95-3	< 36	36	180	1
10462	2-Nitrophenol	88-75-5	< 36	36	180	1
10462	4-Nitrophenol	100-02-7	< 180	180	540	1
10462	N-Nitroso-di-n-propylamine	621-64-7	< 36	36	180	1
10462	N-Nitrosodiphenylamine	86-30-6	< 36	36	180	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	< 72	72	180	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_8-10ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199493
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-8

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D						
10462	Pentachlorophenol	87-86-5	< 180	180	540	1
10462	Phenanthrene	85-01-8	< 36	36	180	1
10462	Phenol	108-95-2	< 36	36	180	1
10462	Pyrene	129-00-0	37 J	36	180	1
10462	1,2,4-Trichlorobenzene	120-82-1	< 36	36	180	1
10462	2,4,5-Trichlorophenol	95-95-4	< 72	72	180	1
10462	2,4,6-Trichlorophenol	88-06-2	< 36	36	180	1
Pesticides/PCBs SW-846 8081B						
10590	Aldrin	309-00-2	< 0.36	0.36	0.90	1
10590	Alpha BHC	319-84-6	< 0.18	0.18	0.90	1
10590	Beta BHC	319-85-7	< 0.21	0.21	0.90	1
10590	Gamma BHC - Lindane	58-89-9	0.36 J	0.18	0.90	1
10590	Alpha Chlordane	5103-71-9	< 0.18	0.18	0.90	1
10590	Gamma Chlordane	5103-74-2	< 0.18	0.18	0.90	1
10590	p,p-DDD	72-54-8	< 0.36	0.36	1.8	1
10590	p,p-DDE	72-55-9	< 0.36	0.36	1.8	1
10590	p,p-DDT	50-29-3	< 0.36	0.36	1.8	1
10590	Delta BHC	319-86-8	< 0.34	0.34	0.90	1
10590	Dieldrin	60-57-1	< 0.36	0.36	1.8	1
10590	Endosulfan I	959-98-8	< 0.24	0.24	0.90	1
10590	Endosulfan II	33213-65-9	< 0.36	0.36	1.8	1
10590	Endosulfan Sulfate	1031-07-8	< 0.36	0.36	1.8	1
10590	Endrin	72-20-8	< 0.36	0.36	1.8	1
10590	Endrin Aldehyde	7421-93-4	< 0.36	0.36	1.8	1
10590	Endrin Ketone	53494-70-5	< 0.36	0.36	1.8	1
10590	Heptachlor	76-44-8	< 0.18	0.18	0.90	1
10590	Heptachlor Epoxide	1024-57-3	< 0.18	0.18	0.90	1
10590	Methoxychlor	72-43-5	< 1.8	1.8	9.0	1
10590	Toxaphene	8001-35-2	< 12	12	36	1
Pesticides/PCBs SW-846 8082A						
10592	PCB-1016	12674-11-2	< 3.6	3.6	18	1
10592	PCB-1221	11104-28-2	< 3.6	3.6	18	1
10592	PCB-1232	11141-16-5	< 3.6	3.6	18	1
10592	PCB-1242	53469-21-9	< 3.6	3.6	18	1
10592	PCB-1248	12672-29-6	< 3.6	3.6	18	1
10592	PCB-1254	11097-69-1	< 3.6	3.6	18	1
10592	PCB-1260	11096-82-5	< 3.6	3.6	18	1
Metals SW-846 6010C						
01643	Aluminum	7429-90-5	6,400	5.30	42.2	1
06944	Antimony	7440-36-0	< 1.05	1.05	4.22	1
06935	Arsenic	7440-38-2	< 1.00	1.00	4.22	1
06946	Barium	7440-39-3	20.3	0.0422	1.05	1
06947	Beryllium	7440-41-7	0.285 J	0.0717	1.05	1
06949	Cadmium	7440-43-9	< 0.148	0.148	1.05	1
01650	Calcium	7440-70-2	531	6.46	42.2	1
06951	Chromium	7440-47-3	12.0	0.622	3.16	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_8-10ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199493
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-8

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Metals						
		SW-846 6010C	mg/kg	mg/kg	mg/kg	
06952	Cobalt	7440-48-4	3.18	0.200	1.05	1
06953	Copper	7440-50-8	6.81	0.232	2.11	1
01654	Iron	7439-89-6	9,350	4.97	42.2	1
06955	Lead	7439-92-1	5.07	0.632	3.16	1
01657	Magnesium	7439-95-4	1,270	2.68	21.1	1
06958	Manganese	7439-96-5	61.2	0.0822	1.05	1
06961	Nickel	7440-02-0	7.35	0.200	2.11	1
01662	Potassium	7440-09-7	1,080	19.0	105	1
06936	Selenium	7782-49-2	< 1.03	1.03	4.22	1
06966	Silver	7440-22-4	< 0.190	0.190	1.05	1
01667	Sodium	7440-23-5	200 J	39.3	211	1
06925	Thallium	7440-28-0	< 1.53	1.53	6.32	1
06971	Vanadium	7440-62-2	19.4	0.200	1.05	1
06972	Zinc	7440-66-6	22.0	0.696	4.22	1
SW-846 7471B			mg/kg	mg/kg	mg/kg	
00159	Mercury	7439-97-6	< 0.0030	0.0030	0.210	1
Wet Chemistry						
		SM20 2540 G	%	%	%	
00111	Moisture	n.a.	7.9	0.50	0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.						

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 21:35	Laura M Krieger	0.99
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 12:45	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 12:45	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 12:45	Client Supplied	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/09/2011 07:11	Linda M Hartenstine	1
10483	SVOA 8270D Soil Extraction	SW-846 3550C	1	11037SLC026	02/08/2011 03:45	David V Hershey Jr	1
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 12:10	Jamie L Brillhart	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-2_8-10ft Grab Soil
Triangle Court
SB-2

LLI Sample # SW 6199493
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC2-8

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10592	PCBs w/Pesticides	SW-846 8082A	1	110390012A	02/09/2011 15:34	Lindsey K Lafferty	1
11132	PCB Soils Update IV Extraction	SW-846 3550C	1	110390012A	02/08/2011 18:00	Sally L Appleyard	1
11131	Pest Soils Update IV Ext	SW-846 3550C	2	110390011A	02/08/2011 17:58	Sally L Appleyard	1
01643	Aluminum	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06944	Antimony	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06935	Arsenic	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06946	Barium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06947	Beryllium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06949	Cadmium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
01650	Calcium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06951	Chromium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06952	Cobalt	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06953	Copper	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
01654	Iron	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06955	Lead	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
01657	Magnesium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06958	Manganese	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06961	Nickel	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
01662	Potassium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06936	Selenium	SW-846 6010C	2	110390637001	02/09/2011 13:05	Eric L Eby	1
06966	Silver	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
01667	Sodium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06925	Thallium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06971	Vanadium	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
06972	Zinc	SW-846 6010C	2	110390637001	02/09/2011 07:28	Joanne M Gates	1
00159	Mercury	SW-846 7471B	2	110390638001	02/09/2011 10:34	Damary Valentin	1
10637	SW SW846 (IV) ICP Digest	SW-846 3050B	1	110390637001	02/08/2011 20:44	Annamaria Stipkovits	1
10638	SW SW846 (IV) Hg Digest	SW-846 7471B	1	110390638001	02/08/2011 23:15	Annamaria Stipkovits	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

Sample Description: SB-3_0-2ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199494
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:30

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	25	8	24	1.01
10950	Benzene	71-43-2	0.9 J	0.6	6	1.01
10950	Bromodichloromethane	75-27-4	< 1	1	6	1.01
10950	Bromoform	75-25-2	< 1	1	6	1.01
10950	Bromomethane	74-83-9	< 2	2	6	1.01
10950	2-Butanone	78-93-3	< 5	5	12	1.01
10950	Carbon Disulfide	75-15-0	2 J	1	6	1.01
10950	Carbon Tetrachloride	56-23-5	< 1	1	6	1.01
10950	Chlorobenzene	108-90-7	< 1	1	6	1.01
10950	Chloroethane	75-00-3	< 2	2	6	1.01
10950	Chloroform	67-66-3	< 1	1	6	1.01
10950	Chloromethane	74-87-3	< 2	2	6	1.01
10950	Dibromochloromethane	124-48-1	< 1	1	6	1.01
10950	1,1-Dichloroethane	75-34-3	< 1	1	6	1.01
10950	1,2-Dichloroethane	107-06-2	< 1	1	6	1.01
10950	1,1-Dichloroethene	75-35-4	< 1	1	6	1.01
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	6	1.01
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	6	1.01
10950	1,2-Dichloropropane	78-87-5	< 1	1	6	1.01
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	6	1.01
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	6	1.01
10950	Ethylbenzene	100-41-4	1 J	1	6	1.01
10950	2-Hexanone	591-78-6	< 4	4	12	1.01
10950	4-Methyl-2-pentanone	108-10-1	< 4	4	12	1.01
10950	Methylene Chloride	75-09-2	< 2	2	6	1.01
10950	Styrene	100-42-5	< 1	1	6	1.01
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	6	1.01
10950	Tetrachloroethene	127-18-4	< 1	1	6	1.01
10950	Toluene	108-88-3	8	1	6	1.01
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	6	1.01
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	6	1.01
10950	Trichloroethene	79-01-6	< 1	1	6	1.01
10950	Vinyl Chloride	75-01-4	< 1	1	6	1.01
10950	Xylene (Total)	1330-20-7	6	1	6	1.01

The GC/MS volatile internal standard peak areas were outside the QC limits. A re-analysis was performed, and the matrix effect was confirmed.

GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg
10462	Acenaphthene	83-32-9	680 J	200	980
10462	Acenaphthylene	208-96-8	1,700	200	980
10462	Anthracene	120-12-7	3,400	200	980
10462	Benzo(a)anthracene	56-55-3	11,000	200	980
10462	Benzo(a)pyrene	50-32-8	9,200	200	980
10462	Benzo(b)fluoranthene	205-99-2	12,000	200	980
10462	Benzo(g,h,i)perylene	191-24-2	6,000	200	980
10462	Benzo(k)fluoranthene	207-08-9	5,200	200	980
10462	4-Bromophenyl-phenylether	101-55-3	< 200	200	980
10462	Butylbenzylphthalate	85-68-7	< 390	390	980
10462	Di-n-butylphthalate	84-74-2	< 390	390	980

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_0-2ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199494
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:30

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Carbazole	86-74-8	1,200	200	980	1
10462	4-Chloro-3-methylphenol	59-50-7	< 390	390	980	1
10462	4-Chloroaniline	106-47-8	< 390	390	980	1
10462	bis(2-Chloroethoxy)methane	111-91-1	< 200	200	980	1
10462	bis(2-Chloroethyl) ether	111-44-4	< 200	200	980	1
10462	2-Chloronaphthalene	91-58-7	< 200	200	980	1
10462	2-Chlorophenol	95-57-8	< 200	200	980	1
10462	4-Chlorophenyl-phenylether	7005-72-3	< 200	200	980	1
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 200	200	980	1
10462	Chrysene	218-01-9	10,000	200	980	1
10462	Dibenz(a,h)anthracene	53-70-3	1,600	200	980	1
10462	Dibenzofuran	132-64-9	580	J 200	980	1
10462	1,2-Dichlorobenzene	95-50-1	< 200	200	980	1
10462	1,3-Dichlorobenzene	541-73-1	< 200	200	980	1
10462	1,4-Dichlorobenzene	106-46-7	< 200	200	980	1
10462	3,3'-Dichlorobenzidine	91-94-1	< 590	590	2,000	1
10462	2,4-Dichlorophenol	120-83-2	< 200	200	980	1
10462	Diethylphthalate	84-66-2	< 390	390	980	1
10462	2,4-Dimethylphenol	105-67-9	< 390	390	980	1
10462	Dimethylphthalate	131-11-3	< 390	390	980	1
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 980	980	2,900	1
10462	2,4-Dinitrophenol	51-28-5	< 2,000	2,000	5,900	1
10462	2,4-Dinitrotoluene	121-14-2	< 390	390	980	1
10462	2,6-Dinitrotoluene	606-20-2	< 200	200	980	1
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 390	390	2,000	1
10462	Fluoranthene	206-44-0	16,000	200	980	1
10462	Fluorene	86-73-7	810	J 200	980	1
10462	Hexachlorobenzene	118-74-1	< 200	200	980	1
10462	Hexachlorobutadiene	87-68-3	< 390	390	980	1
10462	Hexachlorocyclopentadiene	77-47-4	< 980	980	2,900	1
10462	Hexachloroethane	67-72-1	< 200	200	980	1
10462	Indeno(1,2,3-cd)pyrene	193-39-5	5,400	200	980	1
10462	Isophorone	78-59-1	< 200	200	980	1
10462	2-Methylnaphthalene	91-57-6	< 200	200	980	1
10462	2-Methylphenol	95-48-7	< 390	390	980	1
10462	4-Methylphenol	106-44-5	< 390	390	980	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	310	J 200	980	1
10462	2-Nitroaniline	88-74-4	< 200	200	980	1
10462	3-Nitroaniline	99-09-2	< 390	390	980	1
10462	4-Nitroaniline	100-01-6	< 390	390	980	1
10462	Nitrobenzene	98-95-3	< 200	200	980	1
10462	2-Nitrophenol	88-75-5	< 200	200	980	1
10462	4-Nitrophenol	100-02-7	< 980	980	2,900	1
10462	N-Nitroso-di-n-propylamine	621-64-7	< 200	200	980	1
10462	N-Nitrosodiphenylamine	86-30-6	< 200	200	980	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_0-2ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199494
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:30

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	< 390	390	980	1
10462	Pentachlorophenol	87-86-5	< 980	980	2,900	1
10462	Phenanthrene	85-01-8	12,000	200	980	1
10462	Phenol	108-95-2	< 200	200	980	1
10462	Pyrene	129-00-0	21,000	200	980	1
10462	1,2,4-Trichlorobenzene	120-82-1	< 200	200	980	1
10462	2,4,5-Trichlorophenol	95-95-4	< 390	390	980	1
10462	2,4,6-Trichlorophenol	88-06-2	< 200	200	980	1
	Reporting limits were raised due to interference from the sample matrix.					

Pesticides/PCBs		SW-846 8081B	ug/kg	ug/kg	ug/kg	
10590	Aldrin	309-00-2	< 3.9	3.9	9.8	10
10590	Alpha BHC	319-84-6	< 2.0	2.0	9.8	10
10590	Beta BHC	319-85-7	< 2.2	2.2	9.8	10
10590	Gamma BHC - Lindane	58-89-9	56	2.0	9.8	10
10590	Alpha Chlordane	5103-71-9	< 2.0	2.0	9.8	10
10590	Gamma Chlordane	5103-74-2	< 2.0	2.0	9.8	10
10590	p,p-DDD	72-54-8	< 3.9	3.9	20	10
10590	p,p-DDE	72-55-9	11	J 3.9	20	10
10590	p,p-DDT	50-29-3	< 14	14	20	10
10590	Delta BHC	319-86-8	< 3.6	3.6	9.8	10
10590	Dieldrin	60-57-1	< 3.9	3.9	20	10
10590	Endosulfan I	959-98-8	< 2.6	2.6	9.8	10
10590	Endosulfan II	33213-65-9	< 5.9	5.9	20	10
10590	Endosulfan Sulfate	1031-07-8	< 24	24	24	10
10590	Endrin	72-20-8	< 3.9	3.9	20	10
10590	Endrin Aldehyde	7421-93-4	< 6.2	6.2	20	10
10590	Endrin Ketone	53494-70-5	< 3.9	3.9	20	10
10590	Heptachlor	76-44-8	8.7	J 2.0	9.8	10
10590	Heptachlor Epoxide	1024-57-3	< 2.0	2.0	9.8	10
10590	Methoxychlor	72-43-5	< 20	20	98	10
10590	Toxaphene	8001-35-2	< 130	130	390	10

Due to interfering peaks on the chromatogram from the presence of PCBs, the values reported represent the lowest reporting limits attainable. Despite numerous cleanup methods, our usual reporting limits were not attained. Due to the nature of the sample extract matrix and interference from PCBs, a dilution was used for the analysis.

Pesticides/PCBs		SW-846 8082A	ug/kg	ug/kg	ug/kg	
10592	PCB-1016	12674-11-2	< 3.9	3.9	20	1
10592	PCB-1221	11104-28-2	< 3.9	3.9	20	1
10592	PCB-1232	11141-16-5	< 3.9	3.9	20	1
10592	PCB-1242	53469-21-9	< 3.9	3.9	20	1
10592	PCB-1248	12672-29-6	< 3.9	3.9	20	1
10592	PCB-1254	11097-69-1	< 3.9	3.9	20	1
10592	PCB-1260	11096-82-5	13	J 3.9	20	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_0-2ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199494
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:30

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-0

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Metals			mg/kg	mg/kg	mg/kg	
01643	Aluminum	7429-90-5	12,500	29.0	230	5
06944	Antimony	7440-36-0	< 5.76	5.76	23.0	5
06935	Arsenic	7440-38-2	< 5.47	5.47	23.0	5
06946	Barium	7440-39-3	131	0.0461	1.15	1
06947	Beryllium	7440-41-7	0.493 J	0.0783	1.15	1
06949	Cadmium	7440-43-9	< 0.806	0.806	5.76	5
01650	Calcium	7440-70-2	38,200	7.06	46.1	1
06951	Chromium	7440-47-3	21.4	3.40	17.3	5
06952	Cobalt	7440-48-4	4.30 J	1.09	5.76	5
06953	Copper	7440-50-8	16.4	1.27	11.5	5
01654	Iron	7439-89-6	45,400	27.1	230	5
06955	Lead	7439-92-1	89.9	3.46	17.3	5
01657	Magnesium	7439-95-4	4,850	2.93	23.0	1
06958	Manganese	7439-96-5	318	0.0899	1.15	1
06961	Nickel	7440-02-0	12.9	1.09	11.5	5
01662	Potassium	7440-09-7	1,130	104	576	5
06936	Selenium	7782-49-2	< 5.65	5.65	23.0	5
06966	Silver	7440-22-4	< 1.04	1.04	5.76	5
01667	Sodium	7440-23-5	1,430	43.0	230	1
06925	Thallium	7440-28-0	< 8.35	8.35	34.6	5
Reporting limits for ICP metals were raised due to interference from the sample matrix.						
06971	Vanadium	7440-62-2	40.3	1.09	5.76	5
06972	Zinc	7440-66-6	157	3.80	23.0	5

SW-846 7471B			mg/kg	mg/kg	mg/kg	
00159	Mercury	7439-97-6	0.308	0.0032	0.227	1

Wet Chemistry			%	%	%	
SM20 2540 G						
00111	Moisture	n.a.	14.9	0.50	0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.						

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 21:58	Laura M Krieger	1.01

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_0-2ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199494
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:30

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-0

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 14:30	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 14:30	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 14:30	Client Supplied	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/09/2011 07:36	Linda M Hartenstine	1
10483	SVOA 8270D Soil Extraction	SW-846 3550C	1	11037SLC026	02/08/2011 03:45	David V Hershey Jr	1
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 12:24	Jamie L Brillhart	10
10592	PCBs w/Pesticides	SW-846 8082A	1	110390012A	02/09/2011 15:46	Lindsey K Lafferty	1
11132	PCB Soils Update IV Extraction	SW-846 3550C	1	110390012A	02/08/2011 18:00	Sally L Appleyard	1
11131	Pest Soils Update IV Ext	SW-846 3550C	2	110390011A	02/08/2011 17:58	Sally L Appleyard	1
01643	Aluminum	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06944	Antimony	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06935	Arsenic	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06946	Barium	SW-846 6010C	2	110390637001	02/09/2011 07:31	Joanne M Gates	1
06947	Beryllium	SW-846 6010C	2	110390637001	02/09/2011 07:31	Joanne M Gates	1
06949	Cadmium	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
01650	Calcium	SW-846 6010C	2	110390637001	02/09/2011 07:31	Joanne M Gates	1
06951	Chromium	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06952	Cobalt	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06953	Copper	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
01654	Iron	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06955	Lead	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
01657	Magnesium	SW-846 6010C	2	110390637001	02/09/2011 07:31	Joanne M Gates	1
06958	Manganese	SW-846 6010C	2	110390637001	02/09/2011 07:31	Joanne M Gates	1
06961	Nickel	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
01662	Potassium	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06936	Selenium	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06966	Silver	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
01667	Sodium	SW-846 6010C	2	110390637001	02/09/2011 07:31	Joanne M Gates	1
06925	Thallium	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06971	Vanadium	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
06972	Zinc	SW-846 6010C	2	110390637001	02/09/2011 13:13	Eric L Eby	5
00159	Mercury	SW-846 7471B	2	110390638001	02/09/2011 10:35	Damary Valentin	1
10637	SW SW846 (IV) ICP Digest	SW-846 3050B	1	110390637001	02/08/2011 20:44	Annamaria Stipkovits	1
10638	SW SW846 (IV) Hg Digest	SW-846 7471B	1	110390638001	02/08/2011 23:15	Annamaria Stipkovits	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	28	9	24	1.07
10950	Benzene	71-43-2	2 J	0.6	6	1.07
10950	Bromodichloromethane	75-27-4	< 1	1	6	1.07
10950	Bromoform	75-25-2	< 1	1	6	1.07
10950	Bromomethane	74-83-9	< 2	2	6	1.07
10950	2-Butanone	78-93-3	< 5	5	12	1.07
10950	Carbon Disulfide	75-15-0	1 J	1	6	1.07
10950	Carbon Tetrachloride	56-23-5	< 1	1	6	1.07
10950	Chlorobenzene	108-90-7	< 1	1	6	1.07
10950	Chloroethane	75-00-3	< 2	2	6	1.07
10950	Chloroform	67-66-3	1 J	1	6	1.07
10950	Chloromethane	74-87-3	< 2	2	6	1.07
10950	Dibromochloromethane	124-48-1	< 1	1	6	1.07
10950	1,1-Dichloroethane	75-34-3	< 1	1	6	1.07
10950	1,2-Dichloroethane	107-06-2	< 1	1	6	1.07
10950	1,1-Dichloroethene	75-35-4	< 1	1	6	1.07
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	6	1.07
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	6	1.07
10950	1,2-Dichloropropane	78-87-5	< 1	1	6	1.07
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	6	1.07
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	6	1.07
10950	Ethylbenzene	100-41-4	< 1	1	6	1.07
10950	2-Hexanone	591-78-6	< 4	4	12	1.07
10950	4-Methyl-2-pentanone	108-10-1	< 4	4	12	1.07
10950	Methylene Chloride	75-09-2	< 2	2	6	1.07
10950	Styrene	100-42-5	< 1	1	6	1.07
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	6	1.07
10950	Tetrachloroethene	127-18-4	< 1	1	6	1.07
10950	Toluene	108-88-3	2 J	1	6	1.07
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	6	1.07
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	6	1.07
10950	Trichloroethene	79-01-6	< 1	1	6	1.07
10950	Vinyl Chloride	75-01-4	< 1	1	6	1.07
10950	Xylene (Total)	1330-20-7	2 J	1	6	1.07
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Acenaphthene	83-32-9	230	38	190	1
10462	Acenaphthylene	208-96-8	79 J	38	190	1
10462	Anthracene	120-12-7	730	38	190	1
10462	Benzo(a)anthracene	56-55-3	1,100	38	190	1
10462	Benzo(a)pyrene	50-32-8	830	38	190	1
10462	Benzo(b)fluoranthene	205-99-2	920	38	190	1
10462	Benzo(g,h,i)perylene	191-24-2	530	38	190	1
10462	Benzo(k)fluoranthene	207-08-9	520	38	190	1
10462	4-Bromophenyl-phenylether	101-55-3	< 38	38	190	1
10462	Butylbenzylphthalate	85-68-7	6,100	760	1,900	10
10462	Di-n-butylphthalate	84-74-2	< 76	76	190	1
10462	Carbazole	86-74-8	300	38	190	1
10462	4-Chloro-3-methylphenol	59-50-7	< 76	76	190	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	4-Chloroaniline	106-47-8	< 76	76	190	1
10462	bis(2-Chloroethoxy)methane	111-91-1	< 38	38	190	1
10462	bis(2-Chloroethyl) ether	111-44-4	< 38	38	190	1
10462	2-Chloronaphthalene	91-58-7	< 38	38	190	1
10462	2-Chlorophenol	95-57-8	< 38	38	190	1
10462	4-Chlorophenyl-phenylether	7005-72-3	< 38	38	190	1
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 38	38	190	1
10462	Chrysene	218-01-9	1,100	38	190	1
10462	Dibenz(a,h)anthracene	53-70-3	160 J	38	190	1
10462	Dibenzofuran	132-64-9	290	38	190	1
10462	1,2-Dichlorobenzene	95-50-1	< 38	38	190	1
10462	1,3-Dichlorobenzene	541-73-1	< 38	38	190	1
10462	1,4-Dichlorobenzene	106-46-7	< 38	38	190	1
10462	3,3'-Dichlorobenzidine	91-94-1	< 110	110	380	1
10462	2,4-Dichlorophenol	120-83-2	< 38	38	190	1
10462	Diethylphthalate	84-66-2	< 76	76	190	1
10462	2,4-Dimethylphenol	105-67-9	< 76	76	190	1
10462	Dimethylphthalate	131-11-3	< 76	76	190	1
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 190	190	570	1
10462	2,4-Dinitrophenol	51-28-5	< 380	380	1,100	1
10462	2,4-Dinitrotoluene	121-14-2	< 76	76	190	1
10462	2,6-Dinitrotoluene	606-20-2	< 38	38	190	1
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 76	76	380	1
10462	Fluoranthene	206-44-0	2,000	38	190	1
10462	Fluorene	86-73-7	300	38	190	1
10462	Hexachlorobenzene	118-74-1	< 38	38	190	1
10462	Hexachlorobutadiene	87-68-3	< 76	76	190	1
10462	Hexachlorocyclopentadiene	77-47-4	< 190	190	570	1
10462	Hexachloroethane	67-72-1	< 38	38	190	1
10462	Indeno(1,2,3-cd)pyrene	193-39-5	510	38	190	1
10462	Isophorone	78-59-1	< 38	38	190	1
10462	2-Methylnaphthalene	91-57-6	140 J	38	190	1
10462	2-Methylphenol	95-48-7	< 76	76	190	1
10462	4-Methylphenol	106-44-5	< 76	76	190	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	250	38	190	1
10462	2-Nitroaniline	88-74-4	< 38	38	190	1
10462	3-Nitroaniline	99-09-2	< 76	76	190	1
10462	4-Nitroaniline	100-01-6	< 76	76	190	1
10462	Nitrobenzene	98-95-3	< 38	38	190	1
10462	2-Nitrophenol	88-75-5	< 38	38	190	1
10462	4-Nitrophenol	100-02-7	< 190	190	570	1
10462	N-Nitroso-di-n-propylamine	621-64-7	< 38	38	190	1
10462	N-Nitrosodiphenylamine	86-30-6	< 38	38	190	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	480	76	190	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D						
10462	Pentachlorophenol	87-86-5	< 190	190	570	1
10462	Phenanthrene	85-01-8	2,800	38	190	1
10462	Phenol	108-95-2	< 38	38	190	1
10462	Pyrene	129-00-0	2,500	38	190	1
10462	1,2,4-Trichlorobenzene	120-82-1	< 38	38	190	1
10462	2,4,5-Trichlorophenol	95-95-4	< 76	76	190	1
10462	2,4,6-Trichlorophenol	88-06-2	< 38	38	190	1
Pesticides/PCBs SW-846 8081B						
10590	Aldrin	309-00-2	< 1.9	1.9	4.7	5
10590	Alpha BHC	319-84-6	< 0.97	0.97	4.7	5
10590	Beta BHC	319-85-7	< 1.1	1.1	4.7	5
10590	Gamma BHC - Lindane	58-89-9	21	0.97	4.7	5
10590	Alpha Chlordane	5103-71-9	< 0.97	0.97	4.7	5
10590	Gamma Chlordane	5103-74-2	< 0.97	0.97	4.7	5
10590	p,p-DDD	72-54-8	< 1.9	1.9	9.7	5
10590	p,p-DDE	72-55-9	4.3 J	1.9	9.7	5
10590	p,p-DDT	50-29-3	< 1.9	1.9	9.7	5
10590	Delta BHC	319-86-8	< 1.8	1.8	4.7	5
10590	Dieldrin	60-57-1	< 1.9	1.9	9.7	5
10590	Endosulfan I	959-98-8	< 1.3	1.3	4.7	5
10590	Endosulfan II	33213-65-9	< 1.9	1.9	9.7	5
10590	Endosulfan Sulfate	1031-07-8	< 1.9	1.9	9.7	5
10590	Endrin	72-20-8	< 1.9	1.9	9.7	5
10590	Endrin Aldehyde	7421-93-4	< 1.9	1.9	9.7	5
10590	Endrin Ketone	53494-70-5	< 1.9	1.9	9.7	5
10590	Heptachlor	76-44-8	2.6 J	0.97	4.7	5
10590	Heptachlor Epoxide	1024-57-3	< 0.97	0.97	4.7	5
10590	Methoxychlor	72-43-5	< 9.7	9.7	47	5
10590	Toxaphene	8001-35-2	< 63	63	190	5
Reporting limits were raised due to interference from the sample matrix.						
Pesticides/PCBs SW-846 8082A						
10592	PCB-1016	12674-11-2	< 3.8	3.8	19	1
10592	PCB-1221	11104-28-2	< 3.8	3.8	19	1
10592	PCB-1232	11141-16-5	< 3.8	3.8	19	1
10592	PCB-1242	53469-21-9	< 3.8	3.8	19	1
10592	PCB-1248	12672-29-6	< 3.8	3.8	19	1
10592	PCB-1254	11097-69-1	34	3.8	19	1
10592	PCB-1260	11096-82-5	< 3.8	3.8	19	1
Metals SW-846 6010C						
01643	Aluminum	7429-90-5	10,800	5.67	45.1	1
06944	Antimony	7440-36-0	< 1.13	1.13	4.51	1
06935	Arsenic	7440-38-2	4.02 J	1.07	4.51	1
06946	Barium	7440-39-3	58.0	0.0451	1.13	1
06947	Beryllium	7440-41-7	0.385 J	0.0766	1.13	1
06949	Cadmium	7440-43-9	0.282 J	0.158	1.13	1
01650	Calcium	7440-70-2	43,600	6.90	45.1	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Metals			mg/kg	mg/kg	mg/kg	
06951	Chromium	7440-47-3	15.3	0.665	3.38	1
06952	Cobalt	7440-48-4	3.85	0.214	1.13	1
06953	Copper	7440-50-8	11.2	0.248	2.25	1
01654	Iron	7439-89-6	14,100	5.31	45.1	1
06955	Lead	7439-92-1	15.3	0.676	3.38	1
01657	Magnesium	7439-95-4	4,930	2.86	22.5	1
06958	Manganese	7439-96-5	371	0.0879	1.13	1
06961	Nickel	7440-02-0	11.9	0.214	2.25	1
01662	Potassium	7440-09-7	1,220	20.3	113	1
06936	Selenium	7782-49-2	< 1.10	1.10	4.51	1
06966	Silver	7440-22-4	< 0.203	0.203	1.13	1
01667	Sodium	7440-23-5	1,090	42.0	225	1
06925	Thallium	7440-28-0	< 1.63	1.63	6.76	1
06971	Vanadium	7440-62-2	24.4	0.214	1.13	1
06972	Zinc	7440-66-6	35.5	0.743	4.51	1
SW-846 6010C			mg/kg	mg/kg	mg/kg	
00159	Mercury	7439-97-6	0.0120 J	0.0031	0.218	1
SW-846 7471B			mg/kg	mg/kg	mg/kg	
Wet Chemistry			%	%	%	
00111	Moisture	n.a.	12.1	0.50	0.50	1
"Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.						

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 22:21	Laura M Krieger	1.07
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 15:40	Client Supplied	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 15:40	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 15:40	Client Supplied	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/09/2011 08:00	Linda M Hartenstine	1
10462	TCL (3.2) 8270D	SW-846 8270D	1	11037SLC026	02/10/2011 08:16	Linda M Hartenstine	10

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10483	SVOA 8270D Soil Extraction	SW-846 3550C	1	11037SLC026	02/08/2011 03:45	David V Hershey Jr	1
10590	TCL Pesticides 8081B	SW-846 8081B	1	110390011A	02/10/2011 12:51	Jamie L Brillhart	5
10592	PCBs w/Pesticides	SW-846 8082A	1	110390012A	02/09/2011 15:59	Lindsey K Lafferty	1
11132	PCB Soils Update IV Extraction	SW-846 3550C	1	110390012A	02/08/2011 18:00	Sally L Appleyard	1
11131	Pest Soils Update IV Ext	SW-846 3550C	2	110390011A	02/08/2011 17:58	Sally L Appleyard	1
01643	Aluminum	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06944	Antimony	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06935	Arsenic	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06946	Barium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06947	Beryllium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06949	Cadmium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
01650	Calcium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06951	Chromium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06952	Cobalt	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06953	Copper	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
01654	Iron	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06955	Lead	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
01657	Magnesium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06958	Manganese	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06961	Nickel	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
01662	Potassium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06936	Selenium	SW-846 6010C	2	110390637001	02/09/2011 12:21	Eric L Eby	1
06966	Silver	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
01667	Sodium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06925	Thallium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06971	Vanadium	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
06972	Zinc	SW-846 6010C	2	110390637001	02/09/2011 06:44	Joanne M Gates	1
00159	Mercury	SW-846 7471B	2	110390638001	02/09/2011 10:36	Damary Valentin	1
10637	SW SW846 (IV) ICP Digest	SW-846 3050B	1	110390637001	02/08/2011 20:44	Annamaria Stipkovits	1
10638	SW SW846 (IV) Hg Digest	SW-846 7471B	1	110390638001	02/08/2011 23:15	Annamaria Stipkovits	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

**Sample Description: Trip Blank MeOH/NaHSO4
Triangle Court**

**LLI Sample # G5 6199496
LLI Group # 1231937
Account # 12416**

Project Name: Triangle Court

Collected: 02/03/2011

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TCTRB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	< 7	7	20	1
10950	Benzene	71-43-2	< 0.5	0.5	5	1
10950	Bromodichloromethane	75-27-4	< 1	1	5	1
10950	Bromoform	75-25-2	< 1	1	5	1
10950	Bromomethane	74-83-9	< 2	2	5	1
10950	2-Butanone	78-93-3	< 4	4	10	1
10950	Carbon Disulfide	75-15-0	< 1	1	5	1
10950	Carbon Tetrachloride	56-23-5	< 1	1	5	1
10950	Chlorobenzene	108-90-7	< 1	1	5	1
10950	Chloroethane	75-00-3	< 2	2	5	1
10950	Chloroform	67-66-3	< 1	1	5	1
10950	Chloromethane	74-87-3	< 2	2	5	1
10950	Dibromochloromethane	124-48-1	< 1	1	5	1
10950	1,1-Dichloroethane	75-34-3	< 1	1	5	1
10950	1,2-Dichloroethane	107-06-2	< 1	1	5	1
10950	1,1-Dichloroethene	75-35-4	< 1	1	5	1
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	5	1
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	5	1
10950	1,2-Dichloropropane	78-87-5	< 1	1	5	1
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	1
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	1
10950	Ethylbenzene	100-41-4	< 1	1	5	1
10950	2-Hexanone	591-78-6	< 3	3	10	1
10950	4-Methyl-2-pentanone	108-10-1	< 3	3	10	1
10950	Methylene Chloride	75-09-2	< 2	2	5	1
10950	Styrene	100-42-5	< 1	1	5	1
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	1
10950	Tetrachloroethene	127-18-4	< 1	1	5	1
10950	Toluene	108-88-3	< 1	1	5	1
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	5	1
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	5	1
10950	Trichloroethene	79-01-6	< 1	1	5	1
10950	Vinyl Chloride	75-01-4	< 1	1	5	1
10950	Xylene (Total)	1330-20-7	< 1	1	5	1

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10950	TCL (3.2) 8260C	SW-846 8260B	1	X110381AA	02/07/2011 18:33	Laura M Krieger	1
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	1	201103623648	02/03/2011 00:00	Client Supplied	1

*=This limit was used in the evaluation of the final result

Sample Description: Trip Blank MeOH/NaHSO4
Triangle Court

LLI Sample # G5 6199496
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TCTRB

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
02392	GC/MS - Field Preserved NaHSO4	SW-846 5035A	2	201103623648	02/03/2011 00:00	Client Supplied	1
07579	GC/MS-5g Field Preserv.MeOH-NC	SW-846 5035A	1	201103623648	02/03/2011 00:00	Client Supplied	1

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:39 PM

Group Number: 1231937

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: X110381AA									
Sample number(s): 6199490-6199496									
Acetone	< 7	7.	20	ug/kg	122	109	32-209	11	30
Benzene	< 0.5	0.5	5	ug/kg	95	95	80-120	1	30
Bromodichloromethane	< 1	1.	5	ug/kg	90	89	78-120	1	30
Bromoform	< 1	1.	5	ug/kg	90	87	70-120	3	30
Bromomethane	< 2	2.	5	ug/kg	80	78	32-162	2	30
2-Butanone	< 4	4.	10	ug/kg	95	86	46-153	11	30
Carbon Disulfide	< 1	1.	5	ug/kg	97	92	67-122	5	30
Carbon Tetrachloride	< 1	1.	5	ug/kg	92	90	69-122	2	30
Chlorobenzene	< 1	1.	5	ug/kg	96	98	80-120	2	30
Chloroethane	< 2	2.	5	ug/kg	84	81	37-154	4	30
Chloroform	< 1	1.	5	ug/kg	94	93	80-120	1	30
Chloromethane	< 2	2.	5	ug/kg	100	92	54-132	9	30
Dibromochloromethane	< 1	1.	5	ug/kg	91	91	77-120	0	30
1,1-Dichloroethane	< 1	1.	5	ug/kg	91	93	80-120	2	30
1,2-Dichloroethane	< 1	1.	5	ug/kg	94	91	71-129	3	30
1,1-Dichloroethene	< 1	1.	5	ug/kg	95	95	73-123	1	30
cis-1,2-Dichloroethene	< 1	1.	5	ug/kg	98	96	80-120	2	30
trans-1,2-Dichloroethene	< 1	1.	5	ug/kg	96	95	79-120	1	30
1,2-Dichloropropane	< 1	1.	5	ug/kg	95	95	80-120	0	30
cis-1,3-Dichloropropene	< 1	1.	5	ug/kg	89	89	80-120	1	30
trans-1,3-Dichloropropene	< 1	1.	5	ug/kg	89	90	77-120	1	30
Ethylbenzene	< 1	1.	5	ug/kg	98	96	80-120	1	30
2-Hexanone	< 3	3.	10	ug/kg	98	89	45-155	9	30
4-Methyl-2-pentanone	< 3	3.	10	ug/kg	101	93	61-134	9	30
Methylene Chloride	< 2	2.	5	ug/kg	96	93	76-124	3	30
Styrene	< 1	1.	5	ug/kg	91	91	76-120	0	30
1,1,2,2-Tetrachloroethane	< 1	1.	5	ug/kg	100	95	71-123	5	30
Tetrachloroethene	< 1	1.	5	ug/kg	96	97	77-120	1	30
Toluene	< 1	1.	5	ug/kg	97	97	80-120	0	30
1,1,1-Trichloroethane	< 1	1.	5	ug/kg	90	89	71-125	2	30
1,1,2-Trichloroethane	< 1	1.	5	ug/kg	98	96	80-120	3	30
Trichloroethene	< 1	1.	5	ug/kg	96	95	80-120	1	30
Vinyl Chloride	< 1	1.	5	ug/kg	99	95	53-120	4	30
Xylene (Total)	< 1	1.	5	ug/kg	99	99	80-120	0	30
Batch number: 11037SLC026									
Sample number(s): 6199490-6199495									
Acenaphthene	< 33	33.	170	ug/kg	98		76-111		
Acenaphthylene	< 33	33.	170	ug/kg	102		75-122		
Anthracene	< 33	33.	170	ug/kg	99		76-112		
Benzo(a)anthracene	< 33	33.	170	ug/kg	98		73-112		
Benzo(a)pyrene	< 33	33.	170	ug/kg	100		69-122		
Benzo(b)fluoranthene	< 33	33.	170	ug/kg	106		61-127		
Benzo(g,h,i)perylene	< 33	33.	170	ug/kg	98		65-122		
Benzo(k)fluoranthene	< 33	33.	170	ug/kg	102		67-125		
4-Bromophenyl-phenylether	< 33	33.	170	ug/kg	97		79-117		
Butylbenzylphthalate	< 67	67.	170	ug/kg	111		75-115		

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group

Group Number: 1231937

Reported: 02/10/11 at 03:39 PM

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Di-n-butylphthalate	< 67	67.	170	ug/kg	100		79-112		
Carbazole	< 33	33.	170	ug/kg	100		77-113		
4-Chloro-3-methylphenol	< 67	67.	170	ug/kg	105		74-119		
4-Chloroaniline	< 67	67.	170	ug/kg	73		10-110		
bis(2-Chloroethoxy)methane	< 33	33.	170	ug/kg	96		70-118		
bis(2-Chloroethyl) ether	< 33	33.	170	ug/kg	94		70-104		
2-Chloronaphthalene	< 33	33.	170	ug/kg	82		49-128		
2-Chlorophenol	< 33	33.	170	ug/kg	101		72-112		
4-Chlorophenyl-phenylether	< 33	33.	170	ug/kg	98		79-110		
2,2'-oxybis(1-Chloropropane)	< 33	33.	170	ug/kg	96		56-123		
Chrysene	< 33	33.	170	ug/kg	98		76-113		
Dibenz(a,h)anthracene	< 33	33.	170	ug/kg	94		70-128		
Dibenzofuran	< 33	33.	170	ug/kg	100		79-108		
1,2-Dichlorobenzene	< 33	33.	170	ug/kg	91		79-102		
1,3-Dichlorobenzene	< 33	33.	170	ug/kg	90		70-98		
1,4-Dichlorobenzene	< 33	33.	170	ug/kg	90		74-106		
3,3'-Dichlorobenzidine	< 100	100.	330	ug/kg	86		24-101		
2,4-Dichlorophenol	< 33	33.	170	ug/kg	104		75-111		
Diethylphthalate	< 67	67.	170	ug/kg	103		76-111		
2,4-Dimethylphenol	< 67	67.	170	ug/kg	101		72-111		
Dimethylphthalate	< 67	67.	170	ug/kg	99		77-109		
4,6-Dinitro-2-methylphenol	< 170	170.	500	ug/kg	102		53-110		
2,4-Dinitrophenol	< 330	330.	1,000	ug/kg	92		37-120		
2,4-Dinitrotoluene	< 67	67.	170	ug/kg	100		73-115		
2,6-Dinitrotoluene	< 33	33.	170	ug/kg	98		79-115		
bis(2-Ethylhexyl)phthalate	< 67	67.	330	ug/kg	112		75-117		
Fluoranthene	< 33	33.	170	ug/kg	94		78-116		
Fluorene	< 33	33.	170	ug/kg	99		75-116		
Hexachlorobenzene	< 33	33.	170	ug/kg	97		78-116		
Hexachlorobutadiene	< 67	67.	170	ug/kg	95		70-112		
Hexachlorocyclopentadiene	< 170	170.	500	ug/kg	94		46-115		
Hexachloroethane	< 33	33.	170	ug/kg	93		68-105		
Indeno(1,2,3-cd)pyrene	< 33	33.	170	ug/kg	97		64-119		
Isophorone	< 33	33.	170	ug/kg	97		69-110		
2-Methylnaphthalene	< 33	33.	170	ug/kg	91		76-105		
2-Methylphenol	< 67	67.	170	ug/kg	102		66-110		
4-Methylphenol	< 67	67.	170	ug/kg	104		66-117		
Naphthalene	< 33	33.	170	ug/kg	96		73-106		
2-Nitroaniline	< 33	33.	170	ug/kg	101		78-116		
3-Nitroaniline	< 67	67.	170	ug/kg	95		62-109		
4-Nitroaniline	< 67	67.	170	ug/kg	91		49-98		
Nitrobenzene	< 33	33.	170	ug/kg	97		71-104		
2-Nitrophenol	< 33	33.	170	ug/kg	94		81-114		
4-Nitrophenol	< 170	170.	500	ug/kg	120*		56-118		
N-Nitroso-di-n-propylamine	< 33	33.	170	ug/kg	99		63-107		
N-Nitrosodiphenylamine	< 33	33.	170	ug/kg	101		67-141		
Di-n-octylphthalate	< 67	67.	170	ug/kg	111		68-130		
Pentachlorophenol	< 170	170.	500	ug/kg	84		51-117		
Phenanthrene	< 33	33.	170	ug/kg	99		77-113		
Phenol	< 33	33.	170	ug/kg	103		58-112		
Pyrene	< 33	33.	170	ug/kg	108		75-115		
1,2,4-Trichlorobenzene	< 33	33.	170	ug/kg	97		73-108		
2,4,5-Trichlorophenol	< 67	67.	170	ug/kg	101		76-107		
2,4,6-Trichlorophenol	< 33	33.	170	ug/kg	99		78-111		

Batch number: 110390011A

Sample number(s): 6199490-6199495

Aldrin	< 0.33	0.33	0.83	ug/kg	89		44-135
Alpha BHC	< 0.17	0.17	0.83	ug/kg	91		38-130

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group

Group Number: 1231937

Reported: 02/10/11 at 03:39 PM

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Beta BHC	< 0.19	0.19	0.83	ug/kg	92		56-134		
Gamma BHC - Lindane	< 0.17	0.17	0.83	ug/kg	93		46-127		
Alpha Chlordane	< 0.17	0.17	0.83	ug/kg	103		57-132		
Gamma Chlordane	< 0.17	0.17	0.83	ug/kg	93		55-131		
p,p-DDD	< 0.33	0.33	1.7	ug/kg	95		60-137		
p,p-DDE	< 0.33	0.33	1.7	ug/kg	94		59-141		
p,p-DDT	< 0.33	0.33	1.7	ug/kg	89		54-130		
Delta BHC	< 0.31	0.31	0.83	ug/kg	101		55-144		
Dieldrin	< 0.33	0.33	1.7	ug/kg	98		65-129		
Endosulfan I	< 0.22	0.22	0.83	ug/kg	85		45-123		
Endosulfan II	< 0.33	0.33	1.7	ug/kg	92		63-127		
Endosulfan Sulfate	< 0.33	0.33	1.7	ug/kg	94		72-138		
Endrin	< 0.33	0.33	1.7	ug/kg	94		62-129		
Endrin Aldehyde	< 0.33	0.33	1.7	ug/kg	86		55-132		
Endrin Ketone	< 0.33	0.33	1.7	ug/kg	92		69-139		
Heptachlor	< 0.17	0.17	0.83	ug/kg	95		43-124		
Heptachlor Epoxide	< 0.17	0.17	0.83	ug/kg	95		65-131		
Methoxychlor	< 1.7	1.7	8.3	ug/kg	86		59-125		
Toxaphene	< 11	11.	33	ug/kg					
Batch number: 110390012A Sample number (s): 6199490-6199495									
PCB-1016	< 3.3	3.3	17	ug/kg	93		68-116		
PCB-1221	< 3.3	3.3	17	ug/kg					
PCB-1232	< 3.3	3.3	17	ug/kg					
PCB-1242	< 3.3	3.3	17	ug/kg					
PCB-1248	< 3.3	3.3	17	ug/kg					
PCB-1254	< 3.3	3.3	17	ug/kg					
PCB-1260	< 3.3	3.3	17	ug/kg	107		72-120		
Batch number: 110390637001 Sample number (s): 6199490-6199495									
Aluminum	< 5.03	5.03	40.0	mg/kg	96		61-110		
Antimony	< 1.00	1.00	4.00	mg/kg	112		38-150		
Arsenic	< 0.950	0.950	4.00	mg/kg	95		90-110		
Barium	< 0.0400	0.0400	1.00	mg/kg	96		90-117		
Beryllium	< 0.0680	0.0680	1.00	mg/kg	92		87-110		
Cadmium	< 0.140	0.140	1.00	mg/kg	98		90-114		
Calcium	< 6.13	6.13	40.0	mg/kg	96		88-110		
Chromium	< 0.590	0.590	3.00	mg/kg	95		85-110		
Cobalt	< 0.190	0.190	1.00	mg/kg	101		90-114		
Copper	< 0.220	0.220	2.00	mg/kg	101		80-120		
Iron	< 4.71	4.71	40.0	mg/kg	99		61-110		
Lead	< 0.600	0.600	3.00	mg/kg	96		80-120		
Magnesium	< 2.54	2.54	20.0	mg/kg	95		82-110		
Manganese	< 0.0780	0.0780	1.00	mg/kg	96		81-119		
Nickel	< 0.190	0.190	2.00	mg/kg	103		90-114		
Potassium	< 18.0	18.0	100	mg/kg	97		78-110		
Selenium	< 0.980	0.980	4.00	mg/kg	91		57-110		
Silver	< 0.180	0.180	1.00	mg/kg	96		86-111		
Sodium	< 37.3	37.3	200	mg/kg	96		87-110		
Thallium	< 1.45	1.45	6.00	mg/kg	102		90-116		
Vanadium	< 0.190	0.190	1.00	mg/kg	95		79-110		
Zinc	< 0.660	0.660	4.00	mg/kg	94		90-110		
Batch number: 110390638001 Sample number (s): 6199490-6199495									
Mercury	< 0.0028	0.0028	0.197	mg/kg	91		88-123		
Batch number: 11038820001B Sample number (s): 6199490-6199495									
Moisture					100		99-101		

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group

Group Number: 1231937

Reported: 02/10/11 at 03:39 PM

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
----------------------	---------------------	--------------------	------------------	---------------------	-----------------	------------------	------------------------	------------	----------------

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike

Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 11037SLC026 Sample number(s): 6199490-6199495 UNSPK: 6199490									
Acenaphthene	69*	118*	75-115	16	30				
Acenaphthylene	75 (2)	100 (2)	81-110	5	30				
Anthracene	12 (2)	136 (2)	75-115	10	30				
Benzo(a)anthracene	-112 (2)	-40 (2)	65-122	3	30				
Benzo(a)pyrene	-22 (2)	85 (2)	57-126	5	30				
Benzo(b)fluoranthene	-4 (2)	183 (2)	59-125	7	30				
Benzo(g,h,i)perylene	48 (2)	53 (2)	59-127	0	30				
Benzo(k)fluoranthene	-12 (2)	-53 (2)	56-132	3	30				
4-Bromophenyl-phenylether	104	105	67-129	1	30				
Butylbenzylphthalate	134	135*	73-134	1	30				
Di-n-butylphthalate	0*	0*	67-123	0	30				
Carbazole	49*	155*	64-120	25	30				
4-Chloro-3-methylphenol	107	101	76-110	6	30				
4-Chloroaniline	0*	0*	23-95	0	30				
bis(2-Chloroethoxy)methane	98	97	75-104	2	30				
bis(2-Chloroethyl)ether	95	103	60-116	8	30				
2-Chloronaphthalene	92	92	50-141	1	30				
2-Chlorophenol	94	98	73-121	4	30				
4-Chlorophenyl-phenylether	109	97	80-109	12	30				
2,2'-oxybis(1-Chloropropane)	103	102	60-134	1	30				
Chrysene	-79 (2)	230 (2)	62-128	13	30				
Dibenz(a,h)anthracene	83	20*	65-125	16	30				
Dibenzofuran	39*	97	71-112	15	30				
1,2-Dichlorobenzene	93	97	66-108	5	30				
1,3-Dichlorobenzene	94	93	63-109	1	30				
1,4-Dichlorobenzene	99	89	70-100	11	30				
3,3'-Dichlorobenzidine	0*	0*	16-119	0	30				
2,4-Dichlorophenol	94	93	78-117	1	30				
Diethylphthalate	0*	0*	66-118	0	30				
2,4-Dimethylphenol	107	113*	78-110	6	30				
Dimethylphthalate	0*	0*	64-118	0	30				
4,6-Dinitro-2-methylphenol	0*	0*	24-116	0	30				
2,4-Dinitrophenol	0*	0*	20-143	0	30				
2,4-Dinitrotoluene	0*	0*	73-113	0	30				
2,6-Dinitrotoluene	86	89	69-123	3	30				
bis(2-Ethylhexyl)phthalate	148*	159*	63-122	8	30				
Fluoranthene	-187 (2)	-89 (2)	73-112	2	30				
Fluorene	44 (2)	88 (2)	77-111	8	30				
Hexachlorobenzene	112	103	77-114	8	30				
Hexachlorobutadiene	117	101	62-120	15	30				
Hexachlorocyclopentadiene	152	145	10-153	5	30				
Hexachloroethane	94	98	57-109	4	30				
Indeno(1,2,3-cd)pyrene	64 (2)	105 (2)	61-126	3	30				

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:39 PM

Group Number: 1231937

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Isophorone	96	98	73-102	2	30				
2-Methylnaphthalene	68*	105	76-114	18	30				
2-Methylphenol	101	108	75-111	7	30				
4-Methylphenol	120*	130*	71-111	8	30				
Naphthalene	53*	148*	72-116	39*	30				
2-Nitroaniline	95	92	67-125	3	30				
3-Nitroaniline	0*	0*	59-122	0	30				
4-Nitroaniline	0*	0*	52-112	0	30				
Nitrobenzene	110*	111*	72-106	1	30				
2-Nitrophenol	96	90	74-115	7	30				
4-Nitrophenol	0*	0*	54-113	0	30				
N-Nitroso-di-n-propylamine	97	97	60-116	1	30				
N-Nitrosodiphenylamine	128	118	86-145	8	30				
Di-n-octylphthalate	121	122	56-126	1	30				
Pentachlorophenol	0*	0*	28-127	0	30				
Phenanthrene	-319 (2)	52 (2)	65-125	9	30				
Phenol	111	111	58-126	0	30				
Pyrene	-67 (2)	319 (2)	74-126	7	30				
1,2,4-Trichlorobenzene	105	110	72-115	5	30				
2,4,5-Trichlorophenol	0*	0*	78-109	0	30				
2,4,6-Trichlorophenol	101	90	77-115	12	30				
Batch number: 110390011A Sample number(s): 6199490-6199495 UNSPK: 6199490									
Aldrin	0*	0*	16-126	0	50				
Alpha BHC	0*	0*	10-129	0	50				
Beta BHC	0*	0*	14-147	0	50				
Gamma BHC - Lindane	80 (2)	-332 (2)	10-140	13	50				
Alpha Chlordane	62	0*	10-162	200*	50				
Gamma Chlordane	93	57	18-153	48	50				
p,p-DDD	175 (2)	-245 (2)	16-163	75*	50				
p,p-DDE	-8 (2)	-235 (2)	18-161	15	50				
p,p-DDT	-12*	-85*	10-176	33	50				
Delta BHC	100	0*	23-140	200*	50				
Dieldrin	0*	0*	19-154	0	50				
Endosulfan I	0*	0*	16-137	0	50				
Endosulfan II	102	493*	28-154	131*	50				
Endosulfan Sulfate	116	15*	21-160	22	50				
Endrin	0*	0*	11-149	0	50				
Endrin Aldehyde	115	0*	10-148	200*	35				
Endrin Ketone	0*	0*	22-165	0	50				
Heptachlor	36 (2)	80 (2)	13-126	8	50				
Heptachlor Epoxide	67	66	13-157	2	50				
Methoxychlor	0*	0*	32-147	0	50				
Batch number: 110390012A Sample number(s): 6199490-6199495 UNSPK: 6199491									
PCB-1016	89	79	45-130	12	50				
PCB-1260	93	86	39-149	8	50				
Batch number: 110390637001 Sample number(s): 6199490-6199495 UNSPK: 6199495 BKG: 6199495									

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

(1) The result for one or both determinations was less than five times the LOQ.

(2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:39 PM

Group Number: 1231937

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS</u> <u>%REC</u>	<u>MSD</u> <u>%REC</u>	<u>MS/MSD</u> <u>Limits</u>	<u>RPD</u> <u>RPD</u>	<u>RPD</u> <u>MAX</u>	<u>BKG</u> <u>Conc</u>	<u>DUP</u> <u>Conc</u>	<u>DUP</u> <u>RPD</u>	<u>Dup</u> <u>RPD</u> <u>Max</u>
Aluminum	1378 (2)	2485 (2)	90-110	16	20	9,520	10,400	9	20
Antimony	78	78	75-125	0	20	< 0.990	< 0.980	0 (1)	20
Arsenic	102	103	75-125	0	20	3.54 J	3.80 J	7 (1)	20
Barium	99	101	75-125	2	20	51.0	52.4	3	20
Beryllium	98	99	83-111	1	20	0.339 J	0.361 J	6 (1)	20
Cadmium	95	96	75-125	0	20	0.248 J	0.275 J	10 (1)	20
Calcium	-235 (2)	-1245 (2)	75-125	11	20	38,300	35,400	8	20
Chromium	126*	115	75-125	6	20	13.4	14.7	9 (1)	20
Cobalt	96	97	75-122	1	20	3.38	3.82	12 (1)	20
Copper	112	112	75-125	0	20	9.86	10.5	6 (1)	20
Iron	976 (2)	1911 (2)	75-125	7	20	12,400	13,000	4	20
Lead	91	92	75-125	0	20	13.5	13.4	0 (1)	20
Magnesium	54 (2)	-28 (2)	75-125	4	20	4,330	3,670	17	20
Manganese	2 (2)	72 (2)	75-125	10	20	326	279	16	20
Nickel	103	99	75-125	3	20	10.5	12.2	15	20
Potassium	131*	131*	75-125	0	20	1,070	1,090	2	20
Selenium	98	96	75-125	2	20	< 0.970	< 0.961	0 (1)	20
Silver	118	120	75-125	1	20	< 0.178	< 0.176	0 (1)	20
Sodium	131*	177*	75-125	18	20	959	1,150	18 (1)	20
Thallium	96	95	75-125	0	20	< 1.44	< 1.42	0 (1)	20
Vanadium	102	98	75-125	3	20	21.4	20.9	2	20
Zinc	112	102	75-125	6	20	31.2	39.9	24*	20
Batch number: 110390638001	Sample number(s): 6199490-6199495 UNSPK: 6199495 BKG: 6199495								
Mercury	105	98	80-120	5	20	0.0105 J	0.0051 J	70* (1)	20
Batch number: 11038820001B	Sample number(s): 6199490-6199495 BKG: P199393								
Moisture						13.4	14.7	9	15

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: TCL (4.3) 8260

Batch number: X110381AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6199490	95	100	99	83
6199491	101	102	95	96
6199492	97	101	104	79
6199493	100	99	94	93
6199494	97	102	99	85
6199495	98	100	99	93
6199496	100	105	93	97
Blank	102	101	96	98
LCS	100	107	101	98

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:39 PM

Group Number: 1231937

Surrogate Quality Control

LCSD	99	106	102	98
Limits:	71-114	70-109	70-123	70-111

Analysis Name: PAHs Soil 8270D

Batch number: 11037SLC026

	Phenol-d6	2-Fluorophenol	2,4,6-Tribromophenol	Nitrobenzene-d5	2-Fluorobiphenyl	Terphenyl-d14
6199490	79	79	79	78	89	91
6199491	87	86	93	79	81	94
6199492	93	88	81	89	99	100
6199493	94	94	97	87	89	94
6199494	101	99	86	93	102	107
6199495	93	93	84	85	91	94
Blank	88	93	101	87	91	79
LCS	101	103	99	93	93	97
MS	95	97	89	94	99	104
MSD	97	93	87	95	99	103
Limits:	54-116	59-117	43-131	49-120	67-115	43-131

Analysis Name: TCL Pesticides 8081B

Batch number: 110390011A

	Tetrachloro-m-xylene	Decachlorobiphenyl
6199490	42*	204*
6199491	89	116
6199492	12*	161*
6199493	70	90
6199494	78	216*
6199495	76	244*
Blank	85	97
LCS	93	100
MS	64	260*
MSD	59	90
Limits:	55-131	45-150

Analysis Name: PCBs w/Pesticides

Batch number: 110390012A

	Tetrachloro-m-xylene	Decachlorobiphenyl
6199490	53	114
6199491	94	100
6199492	92	478*
6199493	85	91
6199494	64	86
6199495	97	98
Blank	109	109
LCS	108	111
MS	98	101
MSD	93	96
Limits:	53-139	53-133

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Environmental Sample Administration Receipt Documentation Log

Client/Project: Antea Group
 Date of Receipt: 2/5/11
 Time of Receipt: 1100
 Source Code: 50-1
 Unpacker Emp. No.: 1454

Shipping Container Sealed: YES NO

Custody Seal Present * : YES NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	0199051	2.3 ^c	TB	WI	Y	B	
2	↓	1.2 ^c	↓	↓	↓	↓	
3	↓	1.8 ^c	↓	↓	↓	↓	
4	/						
5	/						
6	/						

Number of Trip Blanks received NOT listed on chain of custody: 2

Paperwork Discrepancy/Unpacking Problems:

Sample Administration Internal Chain of Custody			
Name	Date	Time	Reason for Transfer
<i>Jimmy Delal</i>	2/5/11	1155	Unpacking to storage
	2/5/11	1316	Place in Storage or <u>Entry</u>
			Entry
			Entry

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Antea Group
500 Summit Lake Drive
Suite 150
Valhalla NY 10595

February 16, 2011

Project: Triangle Court

Submittal Date: 02/05/2011
Group Number: 1231938
PO Number: TRIANGLE COURT
State of Sample Origin: NYClient Sample Description

SB-3(5-7) Grab Soil

Lancaster Labs (LLI) #

6199497


The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Antea Group
COPY TO

Attn: Tim Fisher

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,

Robert Heisey
Senior Specialist

Sample Description: SB-3(5-7) Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199497
LLI Group # 1231938
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/16/2011 11:15

Suite 150

Valhalla NY 10595

TRIS3

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC Volatiles SW-846 8015B						
01637	TPH-GRO soil C6-C10	n.a.	9.3 J	2.9	15	310.17
Reporting limits were raised due to sample foaming.						
GC Miscellaneous SW-846 8015B						
10941	TPH-DRO soil C10-C28 microwave	n.a.	3,400	120	350	25
Metals SW-846 6010B						
06935	Arsenic	7440-38-2	3.32	1.10	2.32	1
06946	Barium	7440-39-3	120	0.0464	0.579	1
06949	Cadmium	7440-43-9	< 0.162	0.162	0.579	1
06951	Chromium	7440-47-3	12.8	0.684	1.74	1
06953	Copper	7440-50-8	15.2	0.255	1.16	1
06955	Lead	7439-92-1	52.0	0.695	1.74	1
06961	Nickel	7440-02-0	13.8	0.220	1.16	1
06936	Selenium	7782-49-2	< 1.14	1.14	2.32	1
06966	Silver	7440-22-4	< 0.209	0.209	0.579	1
06972	Zinc	7440-66-6	62.7	0.765	2.32	1
SW-846 7471A						
00159	Mercury	7439-97-6	0.0520 J	0.0033	0.116	1
Wet Chemistry SW-846 9012A modified						
01123	Cyanide (Reactivity)	n.a.	< 19.9	19.9	59.7	1
40 CFR 261.21						
00542	Ignitability	n.a.	See Below			1
The sample did not spontaneously ignite when exposed to air or water.						
The sample did not ignite by friction.						
The sample vapors did not ignite when exposed to a flame using a closed cup apparatus.						
SW-846 9034						
01122	Sulfide (Reactivity)	n.a.	< 53.6	53.6	160	1
SW-846 9045C modified						
00394	pH	n.a.	6.89	0.0100	0.0100	1
SW-846 Chapter 7						
00496	Corrosivity	n.a.	See Below			1
The pH of the sample is 6.89 indicating that the sample is not corrosive. A sample is corrosive if it exhibits a pH equal to or less than 2 or equal to or greater than 12.5.						
SW-846 Chapter 7.3						
			see below	see below	see below	

*=This limit was used in the evaluation of the final result

Sample Description: SB-3(5-7) Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199497
LLI Group # 1231938
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/16/2011 11:15

Suite 150

Valhalla NY 10595

TRIS3

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
Wet Chemistry						
	SW-846 Chapter 7.3		see below	see below	see below	
01121	Reactivity Reactivity: This sample was extracted and analyzed by the interim method described in SW-846 Revision 3, December 1996 - Chapter 7.3. The Interim Guidance for Reactive Cyanide and Reactive Sulfide (SW-846 Sections 7.3.3 and 7.3.4 of Chapter 7 - December 1996) identifies a reactive material as generating more than 250 mg/kg of hydrogen cyanide or 500 mg/kg of hydrogen sulfide. This waste is not considered hazardous due to reactivity based on that standard. These results do not reflect total cyanide or total sulfide. On July 14, 2005, EPA published a rule in the Federal Register that removed the Interim Guidance and the method referenced above. At this time there is no specific guidance or a method to be used to evaluate "Reactivity".	n.a.	See Below			1

CAT No.	Analysis Name	Method	%	%	%	Dilution Factor
Wet Chemistry						
	SM20 2540 G					
00111	Moisture "Moisture" represents the loss in weight of the sample after oven drying at 103 - 105 degrees Celsius. The moisture result reported above is on an as-received basis.	n.a.	15.4	0.50	0.50	1

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
01637	TPH-GRO soil C6-C10	SW-846 8015B	1	11038A31A	02/07/2011 16:10	Marie D John	310.17
06647	GC-5g Field Preserved MeOH	SW-846 5035A	1	201103623648	02/03/2011 15:40	Client Supplied	n.a.
10941	TPH-DRO soil C10-C28 microwave	SW-846 8015B	1	110400012A	02/10/2011 08:30	Melissa McDermott	25
10942	Microwave Extraction-DRO soils	SW-846 3546	1	110400012A	02/09/2011 18:30	Sally L Appleyard	1
06935	Arsenic	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06946	Barium	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06949	Cadmium	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06951	Chromium	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06953	Copper	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06955	Lead	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06961	Nickel	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06936	Selenium	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06966	Silver	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
06972	Zinc	SW-846 6010B	1	110385708002	02/08/2011 10:29	Eric L Eby	1
00159	Mercury	SW-846 7471A	1	110385711002	02/08/2011 09:14	Damary Valentin	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3(5-7) Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199497
LLI Group # 1231938
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/16/2011 11:15

Suite 150

Valhalla NY 10595

TRIS3

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05708	SW SW846 ICP Digest	SW-846 3050B	1	110385708002	02/07/2011 20:49	Annamaria Stipkovits	1
05711	SW SW846 Hg Digest	SW-846 7471A modified	1	110385711002	02/07/2011 22:30	Annamaria Stipkovits	1
01123	Cyanide (Reactivity)	SW-846 9012A modified	1	11038104201A	02/07/2011 16:34	Joseph E McKenzie	1
00542	Ignitability	40 CFR 261.21	1	11047054201A	02/16/2011 03:35	Daniel S Smith	1
01122	Sulfide (Reactivity)	SW-846 9034	1	11038112101A	02/07/2011 13:00	Susan E Hibner	1
00394	pH	SW-846 9045C modified	1	11039039401A	02/08/2011 12:45	Michelle L Lalli	1
00496	Corrosivity	SW-846 Chapter 7	1	11039039401A	02/08/2011 12:45	Michelle L Lalli	1
01121	Reactivity	SW-846 Chapter 7.3	1	11038112101A	02/07/2011 13:00	Susan E Hibner	1
00111	Moisture	SM20 2540 G	1	11038820001B	02/07/2011 11:57	William C Schwebel	1

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/16/11 at 11:15 AM

Group Number: 1231938

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: 11038A31A TPH-GRO soil C6-C10	Sample number(s): 6199497 < 0.2	0.2	1.0	mg/kg	77	71	67-119	9	30
Batch number: 110400012A TPH-DRO soil C10-C28 microwave	Sample number(s): 6199497 < 4.0	4.0	12	mg/kg	93		76-117		
Batch number: 110385708002 Arsenic	Sample number(s): 6199497 < 0.950	0.950	2.00	mg/kg	95		90-110		
Barium	< 0.0400	0.0400	0.500	mg/kg	102		90-117		
Cadmium	< 0.140	0.140	0.500	mg/kg	97		90-114		
Chromium	< 0.590	0.590	1.50	mg/kg	95		85-110		
Copper	< 0.220	0.220	1.00	mg/kg	102		80-120		
Lead	< 0.600	0.600	1.50	mg/kg	97		80-120		
Nickel	< 0.190	0.190	1.00	mg/kg	103		90-114		
Selenium	< 0.980	0.980	2.00	mg/kg	96		57-110		
Silver	< 0.180	0.180	0.500	mg/kg	100		86-111		
Zinc	< 0.660	0.660	2.00	mg/kg	94		90-110		
Batch number: 110385711002 Mercury	Sample number(s): 6199497 < 0.0028	0.0028	0.0984	mg/kg	106		88-123		
Batch number: 11038104201A Cyanide (Reactivity)	Sample number(s): 6199497 < 19.9	19.9	59.6	mg/kg	112		76-113		
Batch number: 11038112101A Sulfide (Reactivity)	Sample number(s): 6199497 < 53.6	53.6	160	mg/kg	89		70-102		
Batch number: 11039039401A Corrosivity pH	Sample number(s): 6199497				100		98-103		
					100		99-101		
Batch number: 11038820001B Moisture	Sample number(s): 6199497				100		99-101		

Sample Matrix Quality Control

Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC	MSD %REC	MS/MSD Limits	RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 110400012A TPH-DRO soil C10-C28 microwave	Sample number(s): 6199497 -463		30-159	UNSPK: 6199497		BKG: 6199497 2,800	3,800	30*	20

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/16/11 at 11:15 AM

Group Number: 1231938

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

Analysis Name	MS %REC (2)	MSD %REC (2)	MS/MSD Limits	RPD RPD	RPD MAX	BKG Conc	DUP Conc	DUP RPD	Dup RPD Max
Batch number: 110385708002	Sample number(s): 6199497 UNSPK: P198950 BKG: P198950								
Arsenic	86	97	75-125	4	20	20.8	28.1	30* (1)	20
Barium	131*	166 (2)	75-125	6	20	770	759	1	20
Cadmium	100	70*	75-125	10	20	12.3	11.7	5 (1)	20
Chromium	455 (2)	186 (2)	75-125	33*	20	97.3	115	17	20
Copper	137 (2)	85 (2)	75-125	2	20	527	514	3	20
Lead	-47191 (2)	-41992 (2)	75-125	12	20	13,700	5,660	83*	20
Nickel	77	46*	75-125	10	20	125	122	3	20
Selenium	0*	53*	75-125	200*	20	< 4.80	< 23.8	0 (1)	20
Silver	129*	114	75-125	12	20	1.40 J	1.66 J	17 (1)	20
Zinc	585 (2)	-654 (2)	75-125	21*	20	2,910	3,200	10	20
Batch number: 110385711002	Sample number(s): 6199497 UNSPK: P198950 BKG: P198950								
Mercury	-2435 (2)	-1818 (2)	80-120	19	20	8.69	6.79	25* (1)	20
Batch number: 11038104201A	Sample number(s): 6199497 UNSPK: P196837								
Cyanide (Reactivity)	0	2	0-44	200*	11				
Batch number: 11038112101A	Sample number(s): 6199497 UNSPK: P196837								
Sulfide (Reactivity)	57	69	10-123	20	27				
Batch number: 11039039401A	Sample number(s): 6199497 BKG: P199643								
Corrosivity						3.1	3.1	1	2
pH						3.09	3.07	1	1
Batch number: 11038820001B	Sample number(s): 6199497 BKG: P199393								
Moisture						13.4	14.7	9	15

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: TPH-GRO soil C6-C10
 Batch number: 11038A31A
 Trifluorotoluene-F

6199497	82
Blank	83
LCS	86
LCSD	84

Limits: 61-122

Analysis Name: TPH-DRO soil C10-C28 microwave

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group
Reported: 02/16/11 at 11:15 AM

Group Number: 1231938

Surrogate Quality Control

Batch number: 110400012A
Orthoterphenyl

6199497	78
Blank	100
DUP	98
LCS	105
MS	327*

Limits: 59-129

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Environmental Sample Administration Receipt Documentation Log

Client/Project: Antea Group
 Date of Receipt: 2/5/11
 Time of Receipt: 1100
 Source Code: 50-1
 Unpacker Emp. No.: 1454

Shipping Container Sealed: YES NO

Custody Seal Present * : YES NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	0199051	2.3°	TB	WI	Y	B	
2	↓	1.2°	↓	↓	↓	↓	
3	↓	1.8°	↓	↓	↓	↓	
4	/						
5	/						
6	/						

Number of Trip Blanks received NOT listed on chain of custody: 3

Paperwork Discrepancy/Unpacking Problems:

Sample Administration Internal Chain of Custody			
Name	Date	Time	Reason for Transfer
<i>Jimmy Belal</i>	2/5/11	1155	Unpacking to storage
	2/5/11	1318	Place in Storage or <u>Entry</u>
			Entry
			Entry

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/kg	ug/kg	ug/kg	
10950	Acetone	67-64-1	28	9	24	1.07
10950	Benzene	71-43-2	2 J	0.6	6	1.07
10950	Bromodichloromethane	75-27-4	< 1	1	6	1.07
10950	Bromoform	75-25-2	< 1	1	6	1.07
10950	Bromomethane	74-83-9	< 2	2	6	1.07
10950	2-Butanone	78-93-3	< 5	5	12	1.07
10950	Carbon Disulfide	75-15-0	1 J	1	6	1.07
10950	Carbon Tetrachloride	56-23-5	< 1	1	6	1.07
10950	Chlorobenzene	108-90-7	< 1	1	6	1.07
10950	Chloroethane	75-00-3	< 2	2	6	1.07
10950	Chloroform	67-66-3	1 J	1	6	1.07
10950	Chloromethane	74-87-3	< 2	2	6	1.07
10950	Dibromochloromethane	124-48-1	< 1	1	6	1.07
10950	1,1-Dichloroethane	75-34-3	< 1	1	6	1.07
10950	1,2-Dichloroethane	107-06-2	< 1	1	6	1.07
10950	1,1-Dichloroethene	75-35-4	< 1	1	6	1.07
10950	cis-1,2-Dichloroethene	156-59-2	< 1	1	6	1.07
10950	trans-1,2-Dichloroethene	156-60-5	< 1	1	6	1.07
10950	1,2-Dichloropropane	78-87-5	< 1	1	6	1.07
10950	cis-1,3-Dichloropropene	10061-01-5	< 1	1	6	1.07
10950	trans-1,3-Dichloropropene	10061-02-6	< 1	1	6	1.07
10950	Ethylbenzene	100-41-4	< 1	1	6	1.07
10950	2-Hexanone	591-78-6	< 4	4	12	1.07
10950	4-Methyl-2-pentanone	108-10-1	< 4	4	12	1.07
10950	Methylene Chloride	75-09-2	< 2	2	6	1.07
10950	Styrene	100-42-5	< 1	1	6	1.07
10950	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	6	1.07
10950	Tetrachloroethene	127-18-4	< 1	1	6	1.07
10950	Toluene	108-88-3	2 J	1	6	1.07
10950	1,1,1-Trichloroethane	71-55-6	< 1	1	6	1.07
10950	1,1,2-Trichloroethane	79-00-5	< 1	1	6	1.07
10950	Trichloroethene	79-01-6	< 1	1	6	1.07
10950	Vinyl Chloride	75-01-4	< 1	1	6	1.07
10950	Xylene (Total)	1330-20-7	2 J	1	6	1.07
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	Acenaphthene	83-32-9	230	38	190	1
10462	Acenaphthylene	208-96-8	79 J	38	190	1
10462	Anthracene	120-12-7	730	38	190	1
10462	Benzo(a)anthracene	56-55-3	1,100	38	190	1
10462	Benzo(a)pyrene	50-32-8	830	38	190	1
10462	Benzo(b)fluoranthene	205-99-2	920	38	190	1
10462	Benzo(g,h,i)perylene	191-24-2	530	38	190	1
10462	Benzo(k)fluoranthene	207-08-9	520	38	190	1
10462	4-Bromophenyl-phenylether	101-55-3	< 38	38	190	1
10462	Butylbenzylphthalate	85-68-7	6,100	760	1,900	10
10462	Di-n-butylphthalate	84-74-2	< 76	76	190	1
10462	Carbazole	86-74-8	300	38	190	1
10462	4-Chloro-3-methylphenol	59-50-7	< 76	76	190	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles	SW-846 8270D	ug/kg	ug/kg	ug/kg	
10462	4-Chloroaniline	106-47-8	< 76	76	190	1
10462	bis(2-Chloroethoxy)methane	111-91-1	< 38	38	190	1
10462	bis(2-Chloroethyl) ether	111-44-4	< 38	38	190	1
10462	2-Chloronaphthalene	91-58-7	< 38	38	190	1
10462	2-Chlorophenol	95-57-8	< 38	38	190	1
10462	4-Chlorophenyl-phenylether	7005-72-3	< 38	38	190	1
10462	2,2'-oxybis(1-Chloropropane)	108-60-1	< 38	38	190	1
10462	Chrysene	218-01-9	1,100	38	190	1
10462	Dibenz(a,h)anthracene	53-70-3	160 J	38	190	1
10462	Dibenzofuran	132-64-9	290	38	190	1
10462	1,2-Dichlorobenzene	95-50-1	< 38	38	190	1
10462	1,3-Dichlorobenzene	541-73-1	< 38	38	190	1
10462	1,4-Dichlorobenzene	106-46-7	< 38	38	190	1
10462	3,3'-Dichlorobenzidine	91-94-1	< 110	110	380	1
10462	2,4-Dichlorophenol	120-83-2	< 38	38	190	1
10462	Diethylphthalate	84-66-2	< 76	76	190	1
10462	2,4-Dimethylphenol	105-67-9	< 76	76	190	1
10462	Dimethylphthalate	131-11-3	< 76	76	190	1
10462	4,6-Dinitro-2-methylphenol	534-52-1	< 190	190	570	1
10462	2,4-Dinitrophenol	51-28-5	< 380	380	1,100	1
10462	2,4-Dinitrotoluene	121-14-2	< 76	76	190	1
10462	2,6-Dinitrotoluene	606-20-2	< 38	38	190	1
10462	bis(2-Ethylhexyl)phthalate	117-81-7	< 76	76	380	1
10462	Fluoranthene	206-44-0	2,000	38	190	1
10462	Fluorene	86-73-7	300	38	190	1
10462	Hexachlorobenzene	118-74-1	< 38	38	190	1
10462	Hexachlorobutadiene	87-68-3	< 76	76	190	1
10462	Hexachlorocyclopentadiene	77-47-4	< 190	190	570	1
10462	Hexachloroethane	67-72-1	< 38	38	190	1
10462	Indeno(1,2,3-cd)pyrene	193-39-5	510	38	190	1
10462	Isophorone	78-59-1	< 38	38	190	1
10462	2-Methylnaphthalene	91-57-6	140 J	38	190	1
10462	2-Methylphenol	95-48-7	< 76	76	190	1
10462	4-Methylphenol	106-44-5	< 76	76	190	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10462	Naphthalene	91-20-3	250	38	190	1
10462	2-Nitroaniline	88-74-4	< 38	38	190	1
10462	3-Nitroaniline	99-09-2	< 76	76	190	1
10462	4-Nitroaniline	100-01-6	< 76	76	190	1
10462	Nitrobenzene	98-95-3	< 38	38	190	1
10462	2-Nitrophenol	88-75-5	< 38	38	190	1
10462	4-Nitrophenol	100-02-7	< 190	190	570	1
10462	N-Nitroso-di-n-propylamine	621-64-7	< 38	38	190	1
10462	N-Nitrosodiphenylamine	86-30-6	< 38	38	190	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10462	Di-n-octylphthalate	117-84-0	480	76	190	1

*=This limit was used in the evaluation of the final result

Sample Description: SB-3_5-7ft Grab Soil
Triangle Court
SB-3

LLI Sample # SW 6199495
LLI Group # 1231937
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 15:40

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:39

Suite 150

Valhalla NY 10595

TC3-5

CAT No.	Analysis Name	CAS Number	Dry Result	Dry Method Detection Limit*	Dry Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D						
10462	Pentachlorophenol	87-86-5	< 190	190	570	1
10462	Phenanthrene	85-01-8	2,800	38	190	1
10462	Phenol	108-95-2	< 38	38	190	1
10462	Pyrene	129-00-0	2,500	38	190	1
10462	1,2,4-Trichlorobenzene	120-82-1	< 38	38	190	1
10462	2,4,5-Trichlorophenol	95-95-4	< 76	76	190	1
10462	2,4,6-Trichlorophenol	88-06-2	< 38	38	190	1
Pesticides/PCBs SW-846 8081B						
10590	Aldrin	309-00-2	< 1.9	1.9	4.7	5
10590	Alpha BHC	319-84-6	< 0.97	0.97	4.7	5
10590	Beta BHC	319-85-7	< 1.1	1.1	4.7	5
10590	Gamma BHC - Lindane	58-89-9	21	0.97	4.7	5
10590	Alpha Chlordane	5103-71-9	< 0.97	0.97	4.7	5
10590	Gamma Chlordane	5103-74-2	< 0.97	0.97	4.7	5
10590	p,p-DDD	72-54-8	< 1.9	1.9	9.7	5
10590	p,p-DDE	72-55-9	4.3 J	1.9	9.7	5
10590	p,p-DDT	50-29-3	< 1.9	1.9	9.7	5
10590	Delta BHC	319-86-8	< 1.8	1.8	4.7	5
10590	Dieldrin	60-57-1	< 1.9	1.9	9.7	5
10590	Endosulfan I	959-98-8	< 1.3	1.3	4.7	5
10590	Endosulfan II	33213-65-9	< 1.9	1.9	9.7	5
10590	Endosulfan Sulfate	1031-07-8	< 1.9	1.9	9.7	5
10590	Endrin	72-20-8	< 1.9	1.9	9.7	5
10590	Endrin Aldehyde	7421-93-4	< 1.9	1.9	9.7	5
10590	Endrin Ketone	53494-70-5	< 1.9	1.9	9.7	5
10590	Heptachlor	76-44-8	2.6 J	0.97	4.7	5
10590	Heptachlor Epoxide	1024-57-3	< 0.97	0.97	4.7	5
10590	Methoxychlor	72-43-5	< 9.7	9.7	47	5
10590	Toxaphene	8001-35-2	< 63	63	190	5
Reporting limits were raised due to interference from the sample matrix.						
Pesticides/PCBs SW-846 8082A						
10592	PCB-1016	12674-11-2	< 3.8	3.8	19	1
10592	PCB-1221	11104-28-2	< 3.8	3.8	19	1
10592	PCB-1232	11141-16-5	< 3.8	3.8	19	1
10592	PCB-1242	53469-21-9	< 3.8	3.8	19	1
10592	PCB-1248	12672-29-6	< 3.8	3.8	19	1
10592	PCB-1254	11097-69-1	34	3.8	19	1
10592	PCB-1260	11096-82-5	< 3.8	3.8	19	1
Metals SW-846 6010C						
01643	Aluminum	7429-90-5	10,800	5.67	45.1	1
06944	Antimony	7440-36-0	< 1.13	1.13	4.51	1
06935	Arsenic	7440-38-2	4.02 J	1.07	4.51	1
06946	Barium	7440-39-3	58.0	0.0451	1.13	1
06947	Beryllium	7440-41-7	0.385 J	0.0766	1.13	1
06949	Cadmium	7440-43-9	0.282 J	0.158	1.13	1
01650	Calcium	7440-70-2	43,600	6.90	45.1	1

*=This limit was used in the evaluation of the final result

**APPENDIX F – LABORATORY DATA
DELIVERABLES FOR GROUNDWATER
ANALYTICAL DATA**

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Antea Group
500 Summit Lake Drive
Suite 150
Valhalla NY 10595

February 10, 2011

Project: Triangle Court

Submittal Date: 02/05/2011
Group Number: 1231936
PO Number: TRIANGLE COURT
State of Sample Origin: NY

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
TW-1 Grab Water	6199486
TW-2 Grab Water	6199487
TW-3 Grab Water	6199488
Trip Blank Water	6199489


The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Antea Group
COPY TO

Attn: Tim Fisher

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Susan M. Goshert
Group Leader

Sample Description: TW-1 Grab Water
Triangle Court
TW-1

LLI Sample # WW 6199486
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 10:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10903	Acetone	67-64-1	< 6	6	20	1
10903	Benzene	71-43-2	< 0.5	0.5	5	1
10903	Bromodichloromethane	75-27-4	< 1	1	5	1
10903	Bromoform	75-25-2	< 1	1	5	1
10903	Bromomethane	74-83-9	< 1	1	5	1
10903	2-Butanone	78-93-3	< 3	3	10	1
10903	Carbon Disulfide	75-15-0	< 1	1	5	1
10903	Carbon Tetrachloride	56-23-5	< 1	1	5	1
10903	Chlorobenzene	108-90-7	< 0.8	0.8	5	1
10903	Chloroethane	75-00-3	< 1	1	5	1
10903	Chloroform	67-66-3	< 0.8	0.8	5	1
10903	Chloromethane	74-87-3	< 1	1	5	1
10903	Dibromochloromethane	124-48-1	< 1	1	5	1
10903	1,1-Dichloroethane	75-34-3	< 1	1	5	1
10903	1,2-Dichloroethane	107-06-2	< 1	1	5	1
10903	1,1-Dichloroethene	75-35-4	< 0.8	0.8	5	1
10903	cis-1,2-Dichloroethene	156-59-2	< 0.8	0.8	5	1
10903	trans-1,2-Dichloroethene	156-60-5	< 0.8	0.8	5	1
10903	1,2-Dichloropropane	78-87-5	< 1	1	5	1
10903	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	1
10903	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	1
10903	Ethylbenzene	100-41-4	< 0.8	0.8	5	1
10903	2-Hexanone	591-78-6	< 3	3	10	1
10903	4-Methyl-2-pentanone	108-10-1	< 3	3	10	1
10903	Methylene Chloride	75-09-2	< 2	2	5	1
10903	Styrene	100-42-5	< 1	1	5	1
10903	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	1
10903	Tetrachloroethene	127-18-4	< 0.8	0.8	5	1
10903	Toluene	108-88-3	< 0.7	0.7	5	1
10903	1,1,1-Trichloroethane	71-55-6	< 0.8	0.8	5	1
10903	1,1,2-Trichloroethane	79-00-5	< 0.8	0.8	5	1
10903	Trichloroethene	79-01-6	< 1	1	5	1
10903	Vinyl Chloride	75-01-4	< 1	1	5	1
10903	Xylene (Total)	1330-20-7	< 0.8	0.8	5	1
GC/MS	Semivolatiles	SW-846 8270D	ug/l	ug/l	ug/l	
10461	Acenaphthene	83-32-9	< 5	5	25	1
10461	Acenaphthylene	208-96-8	< 5	5	25	1
10461	Anthracene	120-12-7	< 5	5	25	1
10461	Benzo(a)anthracene	56-55-3	< 5	5	25	1
10461	Benzo(a)pyrene	50-32-8	< 5	5	25	1
10461	Benzo(b)fluoranthene	205-99-2	< 5	5	25	1
10461	Benzo(g,h,i)perylene	191-24-2	< 5	5	25	1
10461	Benzo(k)fluoranthene	207-08-9	< 5	5	25	1
10461	4-Bromophenyl-phenylether	101-55-3	< 5	5	25	1
10461	Butylbenzylphthalate	85-68-7	< 10	10	25	1
10461	Di-n-butylphthalate	84-74-2	< 10	10	25	1
10461	Carbazole	86-74-8	< 5	5	25	1
10461	4-Chloro-3-methylphenol	59-50-7	< 5	5	25	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-1 Grab Water
Triangle Court
TW-1

LLI Sample # WW 6199486
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 10:45

Antea Group

500 Summit Lake Drive

Submitted: 02/05/2011 11:00

Suite 150

Reported: 02/10/2011 15:35

Valhalla NY 10595

TRI01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846 8270D		ug/l	ug/l	ug/l	
10461	4-Chloroaniline	106-47-8	< 5	5	25	1
10461	bis(2-Chloroethoxy)methane	111-91-1	< 5	5	25	1
10461	bis(2-Chloroethyl)ether	111-44-4	< 5	5	25	1
10461	2-Chloronaphthalene	91-58-7	< 10	10	25	1
10461	2-Chlorophenol	95-57-8	< 5	5	25	1
10461	4-Chlorophenyl-phenylether	7005-72-3	< 10	10	25	1
10461	2,2'-oxybis(1-Chloropropane)	108-60-1	< 5	5	25	1
10461	Chrysene	218-01-9	< 5	5	25	1
10461	Dibenz(a,h)anthracene	53-70-3	< 5	5	25	1
10461	Dibenzofuran	132-64-9	< 5	5	25	1
10461	1,2-Dichlorobenzene	95-50-1	< 5	5	25	1
10461	1,3-Dichlorobenzene	541-73-1	< 5	5	25	1
10461	1,4-Dichlorobenzene	106-46-7	< 5	5	25	1
10461	3,3'-Dichlorobenzidine	91-94-1	< 10	10	25	1
10461	2,4-Dichlorophenol	120-83-2	< 5	5	25	1
10461	Diethylphthalate	84-66-2	< 10	10	25	1
10461	2,4-Dimethylphenol	105-67-9	< 15	15	50	1
10461	Dimethylphthalate	131-11-3	< 10	10	25	1
10461	4,6-Dinitro-2-methylphenol	534-52-1	< 25	25	75	1
10461	2,4-Dinitrophenol	51-28-5	< 50	50	150	1
10461	2,4-Dinitrotoluene	121-14-2	< 5	5	25	1
10461	2,6-Dinitrotoluene	606-20-2	< 5	5	25	1
10461	bis(2-Ethylhexyl)phthalate	117-81-7	< 10	10	25	1
10461	Fluoranthene	206-44-0	< 5	5	25	1
10461	Fluorene	86-73-7	< 5	5	25	1
10461	Hexachlorobenzene	118-74-1	< 5	5	25	1
10461	Hexachlorobutadiene	87-68-3	< 5	5	25	1
10461	Hexachlorocyclopentadiene	77-47-4	< 25	25	75	1
10461	Hexachloroethane	67-72-1	< 5	5	25	1
10461	Indeno(1,2,3-cd)pyrene	193-39-5	< 5	5	25	1
10461	Isophorone	78-59-1	< 5	5	25	1
10461	2-Methylnaphthalene	91-57-6	< 5	5	25	1
10461	2-Methylphenol	95-48-7	< 5	5	25	1
10461	4-Methylphenol	106-44-5	< 10	10	25	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10461	Naphthalene	91-20-3	< 5	5	25	1
10461	2-Nitroaniline	88-74-4	< 5	5	25	1
10461	3-Nitroaniline	99-09-2	< 5	5	25	1
10461	4-Nitroaniline	100-01-6	< 5	5	25	1
10461	Nitrobenzene	98-95-3	< 5	5	25	1
10461	2-Nitrophenol	88-75-5	< 5	5	25	1
10461	4-Nitrophenol	100-02-7	< 50	50	150	1
10461	N-Nitroso-di-n-propylamine	621-64-7	< 5	5	25	1
10461	N-Nitrosodiphenylamine	86-30-6	< 10	10	25	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10461	Di-n-octylphthalate	117-84-0	< 10	10	25	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-1 Grab Water
Triangle Court
TW-1

LLI Sample # WW 6199486
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 10:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D			ug/l	ug/l	ug/l	
10461	Pentachlorophenol	87-86-5	< 15	15	75	1
10461	Phenanthrene	85-01-8	< 5	5	25	1
10461	Phenol	108-95-2	< 5	5	25	1
10461	Pyrene	129-00-0	< 5	5	25	1
10461	1,2,4-Trichlorobenzene	120-82-1	< 5	5	25	1
10461	2,4,5-Trichlorophenol	95-95-4	< 5	5	25	1
10461	2,4,6-Trichlorophenol	88-06-2	< 5	5	25	1

Reporting limits were raised due to interference from the sample matrix.

Pesticides/PCBs SW-846 8081B			ug/l	ug/l	ug/l	
10589	Aldrin	309-00-2	< 0.0019	0.0019	0.0095	1
10589	Alpha BHC	319-84-6	< 0.0029	0.0029	0.0095	1
10589	Beta BHC	319-85-7	< 0.0028	0.0028	0.0095	1
10589	Gamma BHC - Lindane	58-89-9	< 0.0019	0.0019	0.0095	1
10589	Alpha Chlordane	5103-71-9	< 0.0019	0.0019	0.0095	1
10589	Gamma Chlordane	5103-74-2	< 0.0038	0.0038	0.0095	1
10589	p,p-DDD	72-54-8	< 0.0048	0.0048	0.019	1
10589	p,p-DDE	72-55-9	< 0.0048	0.0048	0.019	1
10589	p,p-DDT	50-29-3	< 0.0048	0.0048	0.019	1
10589	Delta BHC	319-86-8	< 0.0028	0.0028	0.0095	1
10589	Dieldrin	60-57-1	< 0.0050	0.0050	0.019	1
10589	Endosulfan I	959-98-8	< 0.0041	0.0041	0.0095	1
10589	Endosulfan II	33213-65-9	< 0.014	0.014	0.019	1
10589	Endosulfan Sulfate	1031-07-8	< 0.0051	0.0051	0.019	1
10589	Endrin	72-20-8	< 0.0052	0.0052	0.019	1
10589	Endrin Aldehyde	7421-93-4	< 0.019	0.019	0.095	1
10589	Endrin Ketone	53494-70-5	< 0.0048	0.0048	0.019	1
10589	Heptachlor	76-44-8	< 0.0019	0.0019	0.0095	1
10589	Heptachlor Epoxide	1024-57-3	< 0.0022	0.0022	0.0095	1
10589	Methoxychlor	72-43-5	< 0.029	0.029	0.095	1
10589	Toxaphene	8001-35-2	< 0.95	0.95	2.9	1

Reporting limits were raised due to interference from the sample matrix.

Pesticides/PCBs SW-846 8082A			ug/l	ug/l	ug/l	
10591	PCB-1016	12674-11-2	< 0.095	0.095	0.48	1
10591	PCB-1221	11104-28-2	< 0.095	0.095	0.48	1
10591	PCB-1232	11141-16-5	< 0.095	0.095	0.48	1
10591	PCB-1242	53469-21-9	< 0.095	0.095	0.48	1
10591	PCB-1248	12672-29-6	< 0.095	0.095	0.48	1
10591	PCB-1254	11097-69-1	< 0.095	0.095	0.48	1
10591	PCB-1260	11096-82-5	< 0.095	0.095	0.48	1

Metals SW-846 6010C			mg/l	mg/l	mg/l	
01743	Aluminum	7429-90-5	10.6	0.0834	0.400	1
07044	Antimony	7440-36-0	< 0.0100	0.0100	0.0400	1
07035	Arsenic	7440-38-2	< 0.0098	0.0098	0.0400	1
07046	Barium	7440-39-3	0.0645	0.00060	0.0100	1
07047	Beryllium	7440-41-7	< 0.0014	0.0014	0.0100	1
07049	Cadmium	7440-43-9	< 0.0020	0.0020	0.0100	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-1 Grab Water
Triangle Court
TW-1

LLI Sample # WW 6199486
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 10:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
Metals			mg/l	mg/l	mg/l	
01750	Calcium	7440-70-2	142	0.0702	0.400	1
07051	Chromium	7440-47-3	0.0189 J	0.0034	0.0300	1
07052	Cobalt	7440-48-4	0.0085 J	0.0023	0.0100	1
07053	Copper	7440-50-8	0.0050 J	0.0027	0.0200	1
01754	Iron	7439-89-6	11.7	0.0522	0.400	1
07055	Lead	7439-92-1	< 0.0069	0.0069	0.0300	1
01757	Magnesium	7439-95-4	15.0	0.0172	0.200	1
07058	Manganese	7439-96-5	0.961	0.00084	0.0100	1
07061	Nickel	7440-02-0	0.0118 J	0.0030	0.0200	1
01762	Potassium	7440-09-7	24.7	0.239	1.00	1
07036	Selenium	7782-49-2	< 0.0089	0.0089	0.0400	1
07066	Silver	7440-22-4	< 0.0023	0.0023	0.0100	1
01767	Sodium	7440-23-5	185	2.17	10.0	5
07022	Thallium	7440-28-0	< 0.0140	0.0140	0.0600	1
07071	Vanadium	7440-62-2	0.0312	0.0025	0.0100	1
07072	Zinc	7440-66-6	0.0280 J	0.0081	0.0400	1
SW-846 6010C			mg/l	mg/l	mg/l	
00259	Mercury	7439-97-6	< 0.000050	0.000050	0.00020	1
SW-846 7470A			mg/l	mg/l	mg/l	

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10903	TCL (3.2) by 8260 Water	SW-846 8260B	1	L110382AA	02/08/2011 01:23	Frank A Valla, Jr	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	L110382AA	02/08/2011 01:23	Frank A Valla, Jr	1
10461	TCL 3.2 8270D	SW-846 8270D	1	11039WAB026	02/10/2011 08:40	Linda M Hartenstine	1
11010	8270D BNA Extraction	SW-846 3510C	1	11039WAB026	02/08/2011 22:20	Elaine F Stoltzfus	1
10589	TCL Pesticides	SW-846 8081B	1	110390004A	02/09/2011 22:47	Jamie L Brillhart	1
10591	PCB's w/Pesticides	SW-846 8082A	1	110390005A	02/09/2011 16:51	Lindsey K Lafferty	1
11121	PCB Waters Update IV Ext	SW-846 3510C	1	110390005A	02/08/2011 13:30	Olivia I Santiago	1
11120	Pesticide Waters Update IV Ext	SW-846 3510C	1	110390004A	02/08/2011 13:30	Olivia I Santiago	1
01743	Aluminum	SW-846 6010C	2	110390635001	02/09/2011 21:41	John W Yanzuk II	1
07044	Antimony	SW-846 6010C	2	110390635001	02/09/2011 17:23	John P Hook	1
07035	Arsenic	SW-846 6010C	2	110390635001	02/09/2011 17:23	John P Hook	1
07046	Barium	SW-846 6010C	2	110390635001	02/09/2011 17:23	John P Hook	1
07047	Beryllium	SW-846 6010C	2	110390635001	02/09/2011 17:23	John P Hook	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-1 Grab Water
 Triangle Court
 TW-1

LLI Sample # WW 6199486
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 10:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI01

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time		Analyst	Dilution Factor
07049	Cadmium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
01750	Calcium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07051	Chromium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07052	Cobalt	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07053	Copper	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
01754	Iron	SW-846 6010C	1	110390635001	02/09/2011	21:41	John W Yanzuk II	1
07055	Lead	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
01757	Magnesium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07058	Manganese	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07061	Nickel	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
01762	Potassium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07036	Selenium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07066	Silver	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
01767	Sodium	SW-846 6010C	1	110390635001	02/09/2011	22:01	John W Yanzuk II	5
07022	Thallium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07071	Vanadium	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
07072	Zinc	SW-846 6010C	2	110390635001	02/09/2011	17:23	John P Hook	1
00259	Mercury	SW-846 7470A	1	110385713003	02/07/2011	19:00	Nelli S Markaryan	1
10635	WW SW846(IV) ICP Dig (tot rec)	SW-846 3005A	1	110390635001	02/09/2011	08:50	Denise K Connors	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	110385713003	02/07/2011	14:45	Nelli S Markaryan	1

Sample Description: TW-2 Grab Water
Triangle Court
TW-2

LLI Sample # WW 6199487
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10903	Acetone	67-64-1	63	12	40	2
10903	Benzene	71-43-2	< 1	1	10	2
10903	Bromodichloromethane	75-27-4	< 2	2	10	2
10903	Bromoform	75-25-2	< 2	2	10	2
10903	Bromomethane	74-83-9	< 2	2	10	2
10903	2-Butanone	78-93-3	23	6	20	2
10903	Carbon Disulfide	75-15-0	< 2	2	10	2
10903	Carbon Tetrachloride	56-23-5	< 2	2	10	2
10903	Chlorobenzene	108-90-7	< 2	2	10	2
10903	Chloroethane	75-00-3	3	2	10	2
10903	Chloroform	67-66-3	14	2	10	2
10903	Chloromethane	74-87-3	< 2	2	10	2
10903	Dibromochloromethane	124-48-1	< 2	2	10	2
10903	1,1-Dichloroethane	75-34-3	< 2	2	10	2
10903	1,2-Dichloroethane	107-06-2	< 2	2	10	2
10903	1,1-Dichloroethene	75-35-4	< 2	2	10	2
10903	cis-1,2-Dichloroethene	156-59-2	< 2	2	10	2
10903	trans-1,2-Dichloroethene	156-60-5	< 2	2	10	2
10903	1,2-Dichloropropane	78-87-5	< 2	2	10	2
10903	cis-1,3-Dichloropropene	10061-01-5	< 2	2	10	2
10903	trans-1,3-Dichloropropene	10061-02-6	< 2	2	10	2
10903	Ethylbenzene	100-41-4	120	2	10	2
10903	2-Hexanone	591-78-6	< 6	6	20	2
10903	4-Methyl-2-pentanone	108-10-1	< 6	6	20	2
10903	Methylene Chloride	75-09-2	< 4	4	10	2
10903	Styrene	100-42-5	< 2	2	10	2
10903	1,1,2,2-Tetrachloroethane	79-34-5	< 2	2	10	2
10903	Tetrachloroethene	127-18-4	< 2	2	10	2
10903	Toluene	108-88-3	< 1	1	10	2
10903	1,1,1-Trichloroethane	71-55-6	< 2	2	10	2
10903	1,1,2-Trichloroethane	79-00-5	< 2	2	10	2
10903	Trichloroethene	79-01-6	< 2	2	10	2
10903	Vinyl Chloride	75-01-4	< 2	2	10	2
10903	Xylene (Total)	1330-20-7	190	2	10	2

Reporting limits were raised due to interference from the sample matrix.

GC/MS	Semivolatiles	SW-846 8270D	ug/l	ug/l	ug/l	
10461	Acenaphthene	83-32-9	< 1	1	5	1
10461	Acenaphthylene	208-96-8	< 1	1	5	1
10461	Anthracene	120-12-7	< 1	1	5	1
10461	Benzo(a)anthracene	56-55-3	< 1	1	5	1
10461	Benzo(a)pyrene	50-32-8	< 1	1	5	1
10461	Benzo(b)fluoranthene	205-99-2	< 1	1	5	1
10461	Benzo(g,h,i)perylene	191-24-2	< 1	1	5	1
10461	Benzo(k)fluoranthene	207-08-9	< 1	1	5	1
10461	4-Bromophenyl-phenylether	101-55-3	< 1	1	5	1
10461	Butylbenzylphthalate	85-68-7	< 2	2	5	1
10461	Di-n-butylphthalate	84-74-2	< 2	2	5	1
10461	Carbazole	86-74-8	< 1	1	5	1
10461	4-Chloro-3-methylphenol	59-50-7	< 1	1	5	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-2 Grab Water
Triangle Court
TW-2

LLI Sample # WW 6199487
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846 8270D		ug/l	ug/l	ug/l	
10461	4-Chloroaniline	106-47-8	< 1	1	5	1
10461	bis(2-Chloroethoxy)methane	111-91-1	< 1	1	5	1
10461	bis(2-Chloroethyl)ether	111-44-4	< 1	1	5	1
10461	2-Chloronaphthalene	91-58-7	< 2	2	5	1
10461	2-Chlorophenol	95-57-8	< 1	1	5	1
10461	4-Chlorophenyl-phenylether	7005-72-3	< 2	2	5	1
10461	2,2'-oxybis(1-Chloropropane)	108-60-1	< 1	1	5	1
10461	Chrysene	218-01-9	< 1	1	5	1
10461	Dibenz(a,h)anthracene	53-70-3	< 1	1	5	1
10461	Dibenzofuran	132-64-9	< 1	1	5	1
10461	1,2-Dichlorobenzene	95-50-1	< 1	1	5	1
10461	1,3-Dichlorobenzene	541-73-1	< 1	1	5	1
10461	1,4-Dichlorobenzene	106-46-7	< 1	1	5	1
10461	3,3'-Dichlorobenzidine	91-94-1	< 2	2	5	1
10461	2,4-Dichlorophenol	120-83-2	< 1	1	5	1
10461	Diethylphthalate	84-66-2	< 2	2	5	1
10461	2,4-Dimethylphenol	105-67-9	< 3	3	10	1
10461	Dimethylphthalate	131-11-3	< 2	2	5	1
10461	4,6-Dinitro-2-methylphenol	534-52-1	< 5	5	14	1
10461	2,4-Dinitrophenol	51-28-5	< 10	10	29	1
10461	2,4-Dinitrotoluene	121-14-2	< 1	1	5	1
10461	2,6-Dinitrotoluene	606-20-2	< 1	1	5	1
10461	bis(2-Ethylhexyl)phthalate	117-81-7	< 2	2	5	1
10461	Fluoranthene	206-44-0	< 1	1	5	1
10461	Fluorene	86-73-7	< 1	1	5	1
10461	Hexachlorobenzene	118-74-1	< 1	1	5	1
10461	Hexachlorobutadiene	87-68-3	< 1	1	5	1
10461	Hexachlorocyclopentadiene	77-47-4	< 5	5	14	1
10461	Hexachloroethane	67-72-1	< 1	1	5	1
10461	Indeno(1,2,3-cd)pyrene	193-39-5	< 1	1	5	1
10461	Isophorone	78-59-1	< 1	1	5	1
10461	2-Methylnaphthalene	91-57-6	82	1	5	1
10461	2-Methylphenol	95-48-7	< 1	1	5	1
10461	4-Methylphenol	106-44-5	< 2	2	5	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10461	Naphthalene	91-20-3	160	5	25	1
10461	2-Nitroaniline	88-74-4	< 1	1	5	1
10461	3-Nitroaniline	99-09-2	< 1	1	5	1
10461	4-Nitroaniline	100-01-6	< 1	1	5	1
10461	Nitrobenzene	98-95-3	< 1	1	5	1
10461	2-Nitrophenol	88-75-5	< 1	1	5	1
10461	4-Nitrophenol	100-02-7	< 10	10	29	1
10461	N-Nitroso-di-n-propylamine	621-64-7	< 1	1	5	1
10461	N-Nitrosodiphenylamine	86-30-6	< 2	2	5	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10461	Di-n-octylphthalate	117-84-0	< 2	2	5	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-2 Grab Water
Triangle Court
TW-2

LLI Sample # WW 6199487
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D						
10461	Pentachlorophenol	87-86-5	< 3	3	14	1
10461	Phenanthrene	85-01-8	< 1	1	5	1
10461	Phenol	108-95-2	< 1	1	5	1
10461	Pyrene	129-00-0	< 1	1	5	1
10461	1,2,4-Trichlorobenzene	120-82-1	< 1	1	5	1
10461	2,4,5-Trichlorophenol	95-95-4	< 1	1	5	1
10461	2,4,6-Trichlorophenol	88-06-2	< 1	1	5	1
Pesticides/PCBs SW-846 8081B						
10589	Aldrin	309-00-2	< 0.0019	0.0019	0.0095	1
10589	Alpha BHC	319-84-6	< 0.0028	0.0028	0.0095	1
10589	Beta BHC	319-85-7	< 0.0027	0.0027	0.0095	1
10589	Gamma BHC - Lindane	58-89-9	< 0.0019	0.0019	0.0095	1
10589	Alpha Chlordane	5103-71-9	< 0.0019	0.0019	0.0095	1
10589	Gamma Chlordane	5103-74-2	< 0.0023	0.0023	0.0095	1
10589	p,p-DDD	72-54-8	< 0.0047	0.0047	0.019	1
10589	p,p-DDE	72-55-9	< 0.0047	0.0047	0.019	1
10589	p,p-DDT	50-29-3	< 0.0047	0.0047	0.019	1
10589	Delta BHC	319-86-8	< 0.0027	0.0027	0.0095	1
10589	Dieldrin	60-57-1	< 0.0050	0.0050	0.019	1
10589	Endosulfan I	959-98-8	< 0.0041	0.0041	0.0095	1
10589	Endosulfan II	33213-65-9	< 0.014	0.014	0.019	1
10589	Endosulfan Sulfate	1031-07-8	< 0.0051	0.0051	0.019	1
10589	Endrin	72-20-8	< 0.0052	0.0052	0.019	1
10589	Endrin Aldehyde	7421-93-4	< 0.019	0.019	0.095	1
10589	Endrin Ketone	53494-70-5	< 0.0047	0.0047	0.019	1
10589	Heptachlor	76-44-8	< 0.0019	0.0019	0.0095	1
10589	Heptachlor Epoxide	1024-57-3	< 0.0022	0.0022	0.0095	1
10589	Methoxychlor	72-43-5	< 0.028	0.028	0.095	1
10589	Toxaphene	8001-35-2	< 0.95	0.95	2.8	1
Pesticides/PCBs SW-846 8082A						
10591	PCB-1016	12674-11-2	< 0.095	0.095	0.47	1
10591	PCB-1221	11104-28-2	< 0.095	0.095	0.47	1
10591	PCB-1232	11141-16-5	< 0.095	0.095	0.47	1
10591	PCB-1242	53469-21-9	< 0.095	0.095	0.47	1
10591	PCB-1248	12672-29-6	< 0.095	0.095	0.47	1
10591	PCB-1254	11097-69-1	< 0.095	0.095	0.47	1
10591	PCB-1260	11096-82-5	< 0.095	0.095	0.47	1
Metals SW-846 6010C						
01743	Aluminum	7429-90-5	5.88	0.0834	0.400	1
07044	Antimony	7440-36-0	< 0.0100	0.0100	0.0400	1
07035	Arsenic	7440-38-2	< 0.0098	0.0098	0.0400	1
07046	Barium	7440-39-3	0.0741	0.00060	0.0100	1
07047	Beryllium	7440-41-7	< 0.0014	0.0014	0.0100	1
07049	Cadmium	7440-43-9	0.0024 J	0.0020	0.0100	1
01750	Calcium	7440-70-2	63.7	0.0702	0.400	1
07051	Chromium	7440-47-3	0.0152 J	0.0034	0.0300	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-2 Grab Water
 Triangle Court
 TW-2

LLI Sample # WW 6199487
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
Metals						
	SW-846 6010C		mg/l	mg/l	mg/l	
07052	Cobalt	7440-48-4	0.0089 J	0.0023	0.0100	1
07053	Copper	7440-50-8	0.0064 J	0.0027	0.0200	1
01754	Iron	7439-89-6	60.8	0.0522	0.400	1
07055	Lead	7439-92-1	0.0144 J	0.0069	0.0300	1
01757	Magnesium	7439-95-4	9.54	0.0172	0.200	1
07058	Manganese	7439-96-5	0.493	0.00084	0.0100	1
07061	Nickel	7440-02-0	0.0062 J	0.0030	0.0200	1
01762	Potassium	7440-09-7	4.25	0.239	1.00	1
07036	Selenium	7782-49-2	< 0.0089	0.0089	0.0400	1
07066	Silver	7440-22-4	< 0.0023	0.0023	0.0100	1
01767	Sodium	7440-23-5	26.7	0.433	2.00	1
07022	Thallium	7440-28-0	< 0.0140	0.0140	0.0600	1
07071	Vanadium	7440-62-2	0.0182	0.0025	0.0100	1
07072	Zinc	7440-66-6	0.0319 J	0.0081	0.0400	1
	SW-846 7470A		mg/l	mg/l	mg/l	
00259	Mercury	7439-97-6	< 0.000050	0.000050	0.00020	1

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10903	TCL (3.2) by 8260 Water	SW-846 8260B	1	L110382AA	02/08/2011 02:07	Frank A Valla, Jr	2
01163	GC/MS VOA Water Prep	SW-846 5030B	1	L110382AA	02/08/2011 02:07	Frank A Valla, Jr	2
10461	TCL 3.2 8270D	SW-846 8270D	1	11039WAB026	02/10/2011 09:05	Linda M Hartenstine	1
10461	TCL 3.2 8270D	SW-846 8270D	1	11039WAB026	02/10/2011 13:04	Matthew S Woods	1
11010	8270D BNA Extraction	SW-846 3510C	1	11039WAB026	02/08/2011 22:20	Elaine F Stoltzfus	1
10589	TCL Pesticides	SW-846 8081B	1	110390004A	02/09/2011 23:16	Jamie L Brillhart	1
10591	PCB's w/Pesticides	SW-846 8082A	1	110390005A	02/09/2011 17:04	Lindsey K Lafferty	1
11121	PCB Waters Update IV Ext	SW-846 3510C	1	110390005A	02/08/2011 13:30	Olivia I Santiago	1
11120	Pesticide Waters Update IV Ext	SW-846 3510C	1	110390004A	02/08/2011 13:30	Olivia I Santiago	1
01743	Aluminum	SW-846 6010C	2	110390635001	02/09/2011 22:27	John W Yanzuk II	1
07044	Antimony	SW-846 6010C	2	110390635001	02/09/2011 17:44	John P Hook	1
07035	Arsenic	SW-846 6010C	2	110390635001	02/09/2011 17:44	John P Hook	1
07046	Barium	SW-846 6010C	2	110390635001	02/09/2011 17:44	John P Hook	1
07047	Beryllium	SW-846 6010C	2	110390635001	02/09/2011 17:44	John P Hook	1
07049	Cadmium	SW-846 6010C	2	110390635001	02/09/2011 17:44	John P Hook	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-2 Grab Water
Triangle Court
TW-2

LLI Sample # WW 6199487
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 12:00

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI02

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time		Analyst	Dilution Factor
01750	Calcium	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07051	Chromium	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07052	Cobalt	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07053	Copper	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
01754	Iron	SW-846 6010C	1	110390635001	02/09/2011	22:27	John W Yanzuk II	1
07055	Lead	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
01757	Magnesium	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07058	Manganese	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07061	Nickel	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
01762	Potassium	SW-846 6010C	1	110390635001	02/09/2011	17:44	John P Hook	1
07036	Selenium	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07066	Silver	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
01767	Sodium	SW-846 6010C	1	110390635001	02/09/2011	17:44	John P Hook	1
07022	Thallium	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07071	Vanadium	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
07072	Zinc	SW-846 6010C	2	110390635001	02/09/2011	17:44	John P Hook	1
00259	Mercury	SW-846 7470A	1	110385713003	02/07/2011	19:01	Nelli S Markaryan	1
10635	WW SW846(IV) ICP Dig (tot rec)	SW-846 3005A	1	110390635001	02/09/2011	08:50	Denise K Connors	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	110385713003	02/07/2011	14:45	Nelli S Markaryan	1

Sample Description: TW-3 Grab Water
Triangle Court
TW-3

LLI Sample # WW 6199488
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10903	Acetone	67-64-1	< 6	6	20	1
10903	Benzene	71-43-2	< 0.5	0.5	5	1
10903	Bromodichloromethane	75-27-4	< 1	1	5	1
10903	Bromoform	75-25-2	< 1	1	5	1
10903	Bromomethane	74-83-9	< 1	1	5	1
10903	2-Butanone	78-93-3	< 3	3	10	1
10903	Carbon Disulfide	75-15-0	< 1	1	5	1
10903	Carbon Tetrachloride	56-23-5	< 1	1	5	1
10903	Chlorobenzene	108-90-7	< 0.8	0.8	5	1
10903	Chloroethane	75-00-3	< 1	1	5	1
10903	Chloroform	67-66-3	22	0.8	5	1
10903	Chloromethane	74-87-3	< 1	1	5	1
10903	Dibromochloromethane	124-48-1	< 1	1	5	1
10903	1,1-Dichloroethane	75-34-3	< 1	1	5	1
10903	1,2-Dichloroethane	107-06-2	< 1	1	5	1
10903	1,1-Dichloroethene	75-35-4	< 0.8	0.8	5	1
10903	cis-1,2-Dichloroethene	156-59-2	< 0.8	0.8	5	1
10903	trans-1,2-Dichloroethene	156-60-5	< 0.8	0.8	5	1
10903	1,2-Dichloropropane	78-87-5	< 1	1	5	1
10903	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	1
10903	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	1
10903	Ethylbenzene	100-41-4	< 0.8	0.8	5	1
10903	2-Hexanone	591-78-6	< 3	3	10	1
10903	4-Methyl-2-pentanone	108-10-1	< 3	3	10	1
10903	Methylene Chloride	75-09-2	< 2	2	5	1
10903	Styrene	100-42-5	< 1	1	5	1
10903	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	1
10903	Tetrachloroethene	127-18-4	< 0.8	0.8	5	1
10903	Toluene	108-88-3	< 0.7	0.7	5	1
10903	1,1,1-Trichloroethane	71-55-6	< 0.8	0.8	5	1
10903	1,1,2-Trichloroethane	79-00-5	< 0.8	0.8	5	1
10903	Trichloroethene	79-01-6	< 1	1	5	1
10903	Vinyl Chloride	75-01-4	< 1	1	5	1
10903	Xylene (Total)	1330-20-7	< 0.8	0.8	5	1
GC/MS	Semivolatiles	SW-846 8270D	ug/l	ug/l	ug/l	
10461	Acenaphthene	83-32-9	< 1	1	5	1
10461	Acenaphthylene	208-96-8	< 1	1	5	1
10461	Anthracene	120-12-7	< 1	1	5	1
10461	Benzo(a)anthracene	56-55-3	< 1	1	5	1
10461	Benzo(a)pyrene	50-32-8	< 1	1	5	1
10461	Benzo(b)fluoranthene	205-99-2	< 1	1	5	1
10461	Benzo(g,h,i)perylene	191-24-2	< 1	1	5	1
10461	Benzo(k)fluoranthene	207-08-9	< 1	1	5	1
10461	4-Bromophenyl-phenylether	101-55-3	< 1	1	5	1
10461	Butylbenzylphthalate	85-68-7	< 2	2	5	1
10461	Di-n-butylphthalate	84-74-2	< 2	2	5	1
10461	Carbazole	86-74-8	< 1	1	5	1
10461	4-Chloro-3-methylphenol	59-50-7	< 1	1	5	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-3 Grab Water
Triangle Court
TW-3

LLI Sample # WW 6199488
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846 8270D		ug/l	ug/l	ug/l	
10461	4-Chloroaniline	106-47-8	< 1	1	5	1
10461	bis(2-Chloroethoxy)methane	111-91-1	< 1	1	5	1
10461	bis(2-Chloroethyl)ether	111-44-4	< 1	1	5	1
10461	2-Chloronaphthalene	91-58-7	< 2	2	5	1
10461	2-Chlorophenol	95-57-8	< 1	1	5	1
10461	4-Chlorophenyl-phenylether	7005-72-3	< 2	2	5	1
10461	2,2'-oxybis(1-Chloropropane)	108-60-1	< 1	1	5	1
10461	Chrysene	218-01-9	< 1	1	5	1
10461	Dibenz(a,h)anthracene	53-70-3	< 1	1	5	1
10461	Dibenzofuran	132-64-9	< 1	1	5	1
10461	1,2-Dichlorobenzene	95-50-1	< 1	1	5	1
10461	1,3-Dichlorobenzene	541-73-1	< 1	1	5	1
10461	1,4-Dichlorobenzene	106-46-7	< 1	1	5	1
10461	3,3'-Dichlorobenzidine	91-94-1	< 2	2	5	1
10461	2,4-Dichlorophenol	120-83-2	< 1	1	5	1
10461	Diethylphthalate	84-66-2	< 2	2	5	1
10461	2,4-Dimethylphenol	105-67-9	< 3	3	10	1
10461	Dimethylphthalate	131-11-3	< 2	2	5	1
10461	4,6-Dinitro-2-methylphenol	534-52-1	< 5	5	14	1
10461	2,4-Dinitrophenol	51-28-5	< 10	10	29	1
10461	2,4-Dinitrotoluene	121-14-2	< 1	1	5	1
10461	2,6-Dinitrotoluene	606-20-2	< 1	1	5	1
10461	bis(2-Ethylhexyl)phthalate	117-81-7	< 2	2	5	1
10461	Fluoranthene	206-44-0	< 1	1	5	1
10461	Fluorene	86-73-7	< 1	1	5	1
10461	Hexachlorobenzene	118-74-1	< 1	1	5	1
10461	Hexachlorobutadiene	87-68-3	< 1	1	5	1
10461	Hexachlorocyclopentadiene	77-47-4	< 5	5	14	1
10461	Hexachloroethane	67-72-1	< 1	1	5	1
10461	Indeno(1,2,3-cd)pyrene	193-39-5	< 1	1	5	1
10461	Isophorone	78-59-1	< 1	1	5	1
10461	2-Methylnaphthalene	91-57-6	< 1	1	5	1
10461	2-Methylphenol	95-48-7	< 1	1	5	1
10461	4-Methylphenol	106-44-5	< 2	2	5	1
	3-Methylphenol and 4-methylphenol cannot be resolved under the chromatographic conditions used for sample analysis. The result reported for 4-methylphenol represents the combined total of both compounds.					
10461	Naphthalene	91-20-3	< 1	1	5	1
10461	2-Nitroaniline	88-74-4	< 1	1	5	1
10461	3-Nitroaniline	99-09-2	< 1	1	5	1
10461	4-Nitroaniline	100-01-6	< 1	1	5	1
10461	Nitrobenzene	98-95-3	< 1	1	5	1
10461	2-Nitrophenol	88-75-5	< 1	1	5	1
10461	4-Nitrophenol	100-02-7	< 10	10	29	1
10461	N-Nitroso-di-n-propylamine	621-64-7	< 1	1	5	1
10461	N-Nitrosodiphenylamine	86-30-6	< 2	2	5	1
	N-nitrosodiphenylamine decomposes in the GC inlet forming diphenylamine. The result reported for N-nitrosodiphenylamine represents the combined total of both compounds.					
10461	Di-n-octylphthalate	117-84-0	< 2	2	5	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-3 Grab Water
Triangle Court
TW-3

LLI Sample # WW 6199488
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS Semivolatiles SW-846 8270D						
10461	Pentachlorophenol	87-86-5	< 3	3	14	1
10461	Phenanthrene	85-01-8	< 1	1	5	1
10461	Phenol	108-95-2	< 1	1	5	1
10461	Pyrene	129-00-0	< 1	1	5	1
10461	1,2,4-Trichlorobenzene	120-82-1	< 1	1	5	1
10461	2,4,5-Trichlorophenol	95-95-4	< 1	1	5	1
10461	2,4,6-Trichlorophenol	88-06-2	< 1	1	5	1
Pesticides/PCBs SW-846 8081B						
10589	Aldrin	309-00-2	< 0.0019	0.0019	0.0095	1
10589	Alpha BHC	319-84-6	< 0.0029	0.0029	0.0095	1
10589	Beta BHC	319-85-7	< 0.0028	0.0028	0.0095	1
10589	Gamma BHC - Lindane	58-89-9	0.0022 J	0.0019	0.0095	1
10589	Alpha Chlordane	5103-71-9	< 0.0019	0.0019	0.0095	1
10589	Gamma Chlordane	5103-74-2	< 0.0023	0.0023	0.0095	1
10589	p,p-DDD	72-54-8	0.027	0.0048	0.019	1
10589	p,p-DDE	72-55-9	0.0078 J	0.0048	0.019	1
10589	p,p-DDT	50-29-3	< 0.0048	0.0048	0.019	1
10589	Delta BHC	319-86-8	< 0.0028	0.0028	0.0095	1
10589	Dieldrin	60-57-1	< 0.0050	0.0050	0.019	1
10589	Endosulfan I	959-98-8	< 0.0041	0.0041	0.0095	1
10589	Endosulfan II	33213-65-9	< 0.014	0.014	0.019	1
10589	Endosulfan Sulfate	1031-07-8	< 0.0051	0.0051	0.019	1
10589	Endrin	72-20-8	< 0.0052	0.0052	0.019	1
10589	Endrin Aldehyde	7421-93-4	< 0.019	0.019	0.095	1
10589	Endrin Ketone	53494-70-5	< 0.0048	0.0048	0.019	1
10589	Heptachlor	76-44-8	< 0.0019	0.0019	0.0095	1
10589	Heptachlor Epoxide	1024-57-3	< 0.0022	0.0022	0.0095	1
10589	Methoxychlor	72-43-5	< 0.029	0.029	0.095	1
10589	Toxaphene	8001-35-2	< 0.95	0.95	2.9	1
Pesticides/PCBs SW-846 8082A						
10591	PCB-1016	12674-11-2	< 0.095	0.095	0.48	1
10591	PCB-1221	11104-28-2	< 0.095	0.095	0.48	1
10591	PCB-1232	11141-16-5	< 0.095	0.095	0.48	1
10591	PCB-1242	53469-21-9	< 0.095	0.095	0.48	1
10591	PCB-1248	12672-29-6	< 0.095	0.095	0.48	1
10591	PCB-1254	11097-69-1	< 0.095	0.095	0.48	1
10591	PCB-1260	11096-82-5	< 0.095	0.095	0.48	1
Metals SW-846 6010C						
01743	Aluminum	7429-90-5	26.4	0.0834	0.400	1
07044	Antimony	7440-36-0	< 0.0100	0.0100	0.0400	1
07035	Arsenic	7440-38-2	0.0126 J	0.0098	0.0400	1
07046	Barium	7440-39-3	0.235	0.00060	0.0100	1
07047	Beryllium	7440-41-7	< 0.0014	0.0014	0.0100	1
07049	Cadmium	7440-43-9	< 0.0020	0.0020	0.0100	1
01750	Calcium	7440-70-2	20.0	0.0702	0.400	1
07051	Chromium	7440-47-3	0.0481	0.0034	0.0300	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-3 Grab Water
 Triangle Court
 TW-3

LLI Sample # WW 6199488
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
Metals						
		SW-846 6010C	mg/l	mg/l	mg/l	
07052	Cobalt	7440-48-4	0.0159	0.0023	0.0100	1
07053	Copper	7440-50-8	0.0646	0.0027	0.0200	1
01754	Iron	7439-89-6	35.8	0.0522	0.400	1
07055	Lead	7439-92-1	0.148	0.0069	0.0300	1
01757	Magnesium	7439-95-4	5.63	0.0172	0.200	1
07058	Manganese	7439-96-5	0.333	0.00084	0.0100	1
07061	Nickel	7440-02-0	0.0363	0.0030	0.0200	1
01762	Potassium	7440-09-7	4.25	0.239	1.00	1
07036	Selenium	7782-49-2	< 0.0089	0.0089	0.0400	1
07066	Silver	7440-22-4	< 0.0023	0.0023	0.0100	1
01767	Sodium	7440-23-5	8.72	0.433	2.00	1
07022	Thallium	7440-28-0	< 0.0140	0.0140	0.0600	1
07071	Vanadium	7440-62-2	0.0592	0.0025	0.0100	1
07072	Zinc	7440-66-6	0.182	0.0081	0.0400	1
		SW-846 7470A	mg/l	mg/l	mg/l	
00259	Mercury	7439-97-6	< 0.000050	0.000050	0.00020	1

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10903	TCL (3.2) by 8260 Water	SW-846 8260B	1	L110382AA	02/08/2011 01:45	Frank A Valla, Jr	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	L110382AA	02/08/2011 01:45	Frank A Valla, Jr	1
10461	TCL 3.2 8270D	SW-846 8270D	1	11039WAB026	02/10/2011 09:30	Linda M Hartenstine	1
11010	8270D BNA Extraction	SW-846 3510C	1	11039WAB026	02/08/2011 22:20	Elaine F Stoltzfus	1
10589	TCL Pesticides	SW-846 8081B	1	110390004A	02/09/2011 23:45	Jamie L Brillhart	1
10591	PCB's w/Pesticides	SW-846 8082A	1	110390005A	02/09/2011 17:17	Lindsey K Lafferty	1
11121	PCB Waters Update IV Ext	SW-846 3510C	1	110390005A	02/08/2011 13:30	Olivia I Santiago	1
11120	Pesticide Waters Update IV Ext	SW-846 3510C	1	110390004A	02/08/2011 13:30	Olivia I Santiago	1
01743	Aluminum	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1
07044	Antimony	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1
07035	Arsenic	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1
07046	Barium	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1
07047	Beryllium	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1
07049	Cadmium	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1
01750	Calcium	SW-846 6010C	2	110390635001	02/09/2011 17:47	John P Hook	1

*=This limit was used in the evaluation of the final result

Sample Description: TW-3 Grab Water
 Triangle Court
 TW-3

LLI Sample # WW 6199488
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 14:15

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRI03

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time		Analyst	Dilution Factor
07051	Chromium	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07052	Cobalt	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07053	Copper	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
01754	Iron	SW-846 6010C	1	110390635001	02/09/2011	22:31	John W Yanzuk II	1
07055	Lead	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
01757	Magnesium	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07058	Manganese	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07061	Nickel	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
01762	Potassium	SW-846 6010C	1	110390635001	02/09/2011	17:47	John P Hook	1
07036	Selenium	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07066	Silver	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
01767	Sodium	SW-846 6010C	1	110390635001	02/09/2011	17:47	John P Hook	1
07022	Thallium	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07071	Vanadium	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
07072	Zinc	SW-846 6010C	2	110390635001	02/09/2011	17:47	John P Hook	1
00259	Mercury	SW-846 7470A	1	110385713003	02/07/2011	19:02	Nelli S Markaryan	1
10635	WW SW846(IV) ICP Dig (tot rec)	SW-846 3005A	1	110390635001	02/09/2011	08:50	Denise K Connors	1
05713	WW SW846 Hg Digest	SW-846 7470A	1	110385713003	02/07/2011	14:45	Nelli S Markaryan	1

Sample Description: Trip Blank Water
Triangle Court

LLI Sample # WW 6199489
LLI Group # 1231936
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/10/2011 15:35

Suite 150

Valhalla NY 10595

TRITB

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Volatiles	SW-846 8260B	ug/l	ug/l	ug/l	
10903	Acetone	67-64-1	< 6	6	20	1
10903	Benzene	71-43-2	< 0.5	0.5	5	1
10903	Bromodichloromethane	75-27-4	< 1	1	5	1
10903	Bromoform	75-25-2	< 1	1	5	1
10903	Bromomethane	74-83-9	< 1	1	5	1
10903	2-Butanone	78-93-3	< 3	3	10	1
10903	Carbon Disulfide	75-15-0	< 1	1	5	1
10903	Carbon Tetrachloride	56-23-5	< 1	1	5	1
10903	Chlorobenzene	108-90-7	< 0.8	0.8	5	1
10903	Chloroethane	75-00-3	< 1	1	5	1
10903	Chloroform	67-66-3	< 0.8	0.8	5	1
10903	Chloromethane	74-87-3	< 1	1	5	1
10903	Dibromochloromethane	124-48-1	< 1	1	5	1
10903	1,1-Dichloroethane	75-34-3	< 1	1	5	1
10903	1,2-Dichloroethane	107-06-2	< 1	1	5	1
10903	1,1-Dichloroethene	75-35-4	< 0.8	0.8	5	1
10903	cis-1,2-Dichloroethene	156-59-2	< 0.8	0.8	5	1
10903	trans-1,2-Dichloroethene	156-60-5	< 0.8	0.8	5	1
10903	1,2-Dichloropropane	78-87-5	< 1	1	5	1
10903	cis-1,3-Dichloropropene	10061-01-5	< 1	1	5	1
10903	trans-1,3-Dichloropropene	10061-02-6	< 1	1	5	1
10903	Ethylbenzene	100-41-4	< 0.8	0.8	5	1
10903	2-Hexanone	591-78-6	< 3	3	10	1
10903	4-Methyl-2-pentanone	108-10-1	< 3	3	10	1
10903	Methylene Chloride	75-09-2	< 2	2	5	1
10903	Styrene	100-42-5	< 1	1	5	1
10903	1,1,2,2-Tetrachloroethane	79-34-5	< 1	1	5	1
10903	Tetrachloroethene	127-18-4	< 0.8	0.8	5	1
10903	Toluene	108-88-3	< 0.7	0.7	5	1
10903	1,1,1-Trichloroethane	71-55-6	< 0.8	0.8	5	1
10903	1,1,2-Trichloroethane	79-00-5	< 0.8	0.8	5	1
10903	Trichloroethene	79-01-6	< 1	1	5	1
10903	Vinyl Chloride	75-01-4	< 1	1	5	1
10903	Xylene (Total)	1330-20-7	< 0.8	0.8	5	1

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
10903	TCL (3.2) by 8260 Water	SW-846 8260B	1	L110382AA	02/07/2011 23:13	Frank A Valla, Jr	1
01163	GC/MS VOA Water Prep	SW-846 5030B	1	L110382AA	02/07/2011 23:13	Frank A Valla, Jr	1

*=This limit was used in the evaluation of the final result

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:35 PM

Group Number: 1231936

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: L110382AA									
Sample number(s): 6199486-6199489									
Acetone	< 6	6.	20	ug/l	86	79	49-234	8	30
Benzene	< 0.5	0.5	5	ug/l	102	99	79-120	2	30
Bromodichloromethane	< 1	1.	5	ug/l	97	93	80-120	4	30
Bromoform	< 1	1.	5	ug/l	92	92	61-120	0	30
Bromomethane	< 1	1.	5	ug/l	56	54	44-120	3	30
2-Butanone	< 3	3.	10	ug/l	90	86	66-151	4	30
Carbon Disulfide	< 1	1.	5	ug/l	103	103	62-120	0	30
Carbon Tetrachloride	< 1	1.	5	ug/l	99	99	75-123	0	30
Chlorobenzene	< 0.8	0.8	5	ug/l	99	102	80-120	2	30
Chloroethane	< 1	1.	5	ug/l	57	56	49-129	1	30
Chloroform	< 0.8	0.8	5	ug/l	97	97	77-122	1	30
Chloromethane	< 1	1.	5	ug/l	92	94	60-129	2	30
Dibromochloromethane	< 1	1.	5	ug/l	94	96	80-120	1	30
1,1-Dichloroethane	< 1	1.	5	ug/l	100	98	79-120	2	30
1,2-Dichloroethane	< 1	1.	5	ug/l	98	95	70-130	3	30
1,1-Dichloroethene	< 0.8	0.8	5	ug/l	106	103	74-123	3	30
cis-1,2-Dichloroethene	< 0.8	0.8	5	ug/l	101	100	80-120	0	30
trans-1,2-Dichloroethene	< 0.8	0.8	5	ug/l	102	100	80-120	3	30
1,2-Dichloropropane	< 1	1.	5	ug/l	98	98	78-120	0	30
cis-1,3-Dichloropropene	< 1	1.	5	ug/l	95	94	80-120	2	30
trans-1,3-Dichloropropene	< 1	1.	5	ug/l	93	94	79-120	1	30
Ethylbenzene	< 0.8	0.8	5	ug/l	103	100	79-120	3	30
2-Hexanone	< 3	3.	10	ug/l	90	91	65-136	1	30
4-Methyl-2-pentanone	< 3	3.	10	ug/l	96	94	70-121	3	30
Methylene Chloride	< 2	2.	5	ug/l	100	99	80-120	1	30
Styrene	< 1	1.	5	ug/l	103	104	80-120	1	30
1,1,2,2-Tetrachloroethane	< 1	1.	5	ug/l	98	94	71-120	4	30
Tetrachloroethene	< 0.8	0.8	5	ug/l	104	105	80-121	1	30
Toluene	< 0.7	0.7	5	ug/l	100	102	79-120	2	30
1,1,1-Trichloroethane	< 0.8	0.8	5	ug/l	100	100	75-127	0	30
1,1,2-Trichloroethane	< 0.8	0.8	5	ug/l	97	99	80-120	2	30
Trichloroethene	< 1	1.	5	ug/l	98	97	80-120	2	30
Vinyl Chloride	< 1	1.	5	ug/l	97	96	65-125	1	30
Xylene (Total)	< 0.8	0.8	5	ug/l	108	106	80-120	2	30
Batch number: 11039WAB026									
Sample number(s): 6199486-6199488									
Acenaphthene	< 1	1.	5	ug/l	98	98	82-110	1	30
Acenaphthylene	< 1	1.	5	ug/l	101	101	80-122	0	30
Anthracene	< 1	1.	5	ug/l	99	100	81-111	1	30
Benzo(a)anthracene	< 1	1.	5	ug/l	94	95	80-110	1	30
Benzo(a)pyrene	< 1	1.	5	ug/l	101	101	74-120	0	30
Benzo(b)fluoranthene	< 1	1.	5	ug/l	100	102	66-125	2	30
Benzo(g,h,i)perylene	< 1	1.	5	ug/l	101	101	71-125	0	30
Benzo(k)fluoranthene	< 1	1.	5	ug/l	103	104	72-122	1	30
4-Bromophenyl-phenylether	< 1	1.	5	ug/l	94	98	82-117	4	30
Butylbenzylphthalate	< 2	2.	5	ug/l	101	103	77-115	2	30

*- Outside of specification

** - This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group

Group Number: 1231936

Reported: 02/10/11 at 03:35 PM

Analysis Name	Blank Result	Blank MDL**	Blank LOQ	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Di-n-butylphthalate	< 2	2.	5	ug/l	98	99	85-115	1	30
Carbazole	< 1	1.	5	ug/l	98	100	81-114	2	30
4-Chloro-3-methylphenol	< 1	1.	5	ug/l	96	98	70-123	2	30
4-Chloroaniline	< 1	1.	5	ug/l	65	66	42-124	2	30
bis(2-Chloroethoxy)methane	< 1	1.	5	ug/l	97	98	74-124	1	30
bis(2-Chloroethyl) ether	< 1	1.	5	ug/l	95	92	77-108	3	30
2-Chloronaphthalene	< 2	2.	5	ug/l	81	83	54-132	2	30
2-Chlorophenol	< 1	1.	5	ug/l	96	92	77-108	4	30
4-Chlorophenyl-phenylether	< 2	2.	5	ug/l	97	100	82-111	3	30
2,2'-oxybis(1-Chloropropane)	< 1	1.	5	ug/l	91	88	74-135	4	30
Chrysene	< 1	1.	5	ug/l	94	96	82-112	2	30
Dibenz(a,h)anthracene	< 1	1.	5	ug/l	101	101	74-131	0	30
Dibenzofuran	< 1	1.	5	ug/l	99	97	83-108	1	30
1,2-Dichlorobenzene	< 1	1.	5	ug/l	86	85	55-118	1	30
1,3-Dichlorobenzene	< 1	1.	5	ug/l	88	87	50-119	1	30
1,4-Dichlorobenzene	< 1	1.	5	ug/l	88	85	53-119	3	30
3,3'-Dichlorobenzidine	< 2	2.	5	ug/l	76	77	49-111	1	30
2,4-Dichlorophenol	< 1	1.	5	ug/l	97	97	80-109	1	30
Diethylphthalate	< 2	2.	5	ug/l	93	93	75-119	0	30
2,4-Dimethylphenol	< 3	3.	10	ug/l	98	98	72-110	1	30
Dimethylphthalate	< 2	2.	5	ug/l	81	89	39-126	9	30
4,6-Dinitro-2-methylphenol	< 5	5.	15	ug/l	99	102	78-119	3	30
2,4-Dinitrophenol	< 10	10.	30	ug/l	93	93	52-131	0	30
2,4-Dinitrotoluene	< 1	1.	5	ug/l	94	101	81-115	7	30
2,6-Dinitrotoluene	< 1	1.	5	ug/l	96	98	85-115	2	30
bis(2-Ethylhexyl)phthalate	< 2	2.	5	ug/l	96	99	78-117	3	30
Fluoranthene	< 1	1.	5	ug/l	97	101	86-116	4	30
Fluorene	< 1	1.	5	ug/l	100	101	82-113	1	30
Hexachlorobenzene	< 1	1.	5	ug/l	100	102	81-118	2	30
Hexachlorobutadiene	< 1	1.	5	ug/l	89	93	57-124	4	30
Hexachlorocyclopentadiene	< 5	5.	15	ug/l	85	80	36-118	6	30
Hexachloroethane	< 1	1.	5	ug/l	85	85	52-113	0	30
Indeno(1,2,3-cd)pyrene	< 1	1.	5	ug/l	100	101	69-121	1	30
Isophorone	< 1	1.	5	ug/l	96	99	74-117	3	30
2-Methylnaphthalene	< 1	1.	5	ug/l	91	92	78-107	2	30
2-Methylphenol	< 1	1.	5	ug/l	84	80	64-101	6	30
4-Methylphenol	< 2	2.	5	ug/l	81	76	61-103	6	30
Naphthalene	< 1	1.	5	ug/l	93	97	77-107	4	30
2-Nitroaniline	< 1	1.	5	ug/l	93	97	83-116	3	30
3-Nitroaniline	< 1	1.	5	ug/l	89	88	74-113	1	30
4-Nitroaniline	< 1	1.	5	ug/l	92	92	59-100	1	30
Nitrobenzene	< 1	1.	5	ug/l	97	98	75-109	1	30
2-Nitrophenol	< 1	1.	5	ug/l	96	102	86-120	6	30
4-Nitrophenol	< 10	10.	30	ug/l	49	40	16-78	19	30
N-Nitroso-di-n-propylamine	< 1	1.	5	ug/l	93	92	69-110	2	30
N-Nitrosodiphenylamine	< 2	2.	5	ug/l	98	98	67-136	1	30
Di-n-octylphthalate	< 2	2.	5	ug/l	102	104	68-128	3	30
Pentachlorophenol	< 3	3.	15	ug/l	94	93	53-110	1	30
Phenanthrene	< 1	1.	5	ug/l	98	98	83-112	1	30
Phenol	< 1	1.	5	ug/l	45	39	21-67	14	30
Pyrene	< 1	1.	5	ug/l	97	100	80-115	3	30
1,2,4-Trichlorobenzene	< 1	1.	5	ug/l	94	98	71-112	4	30
2,4,5-Trichlorophenol	< 1	1.	5	ug/l	98	97	79-107	1	30
2,4,6-Trichlorophenol	< 1	1.	5	ug/l	93	96	81-113	2	30

Batch number: 110390004A

Sample number(s): 6199486-6199488

Aldrin	< 0.0020	0.0020	0.010	ug/l	111	95	54-159	16	30
Alpha BHC	< 0.0030	0.0030	0.010	ug/l	97	97	59-146	0	30

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group

Group Number: 1231936

Reported: 02/10/11 at 03:35 PM

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL**</u>	<u>Blank LOQ</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Beta BHC	< 0.0029	0.0029	0.010	ug/l	95	97	73-147	2	30
Gamma BHC - Lindane	< 0.0020	0.0020	0.010	ug/l	91	92	68-128	1	30
Alpha Chlordane	< 0.0020	0.0020	0.010	ug/l	121	111	78-144	9	30
Gamma Chlordane	0.012	0.0024	0.010	ug/l	112	102	50-164	10	30
p,p-DDD	< 0.0050	0.0050	0.020	ug/l	100	95	71-139	5	30
p,p-DDE	< 0.0050	0.0050	0.020	ug/l	111	95	66-130	15	30
p,p-DDT	< 0.0050	0.0050	0.020	ug/l	105	95	53-126	10	30
Delta BHC	< 0.0029	0.0029	0.010	ug/l	96	98	76-148	2	30
Dieldrin	< 0.0053	0.0053	0.020	ug/l	115	110	76-132	4	30
Endosulfan I	< 0.0043	0.0043	0.010	ug/l	95	92	68-128	3	30
Endosulfan II	< 0.015	0.015	0.020	ug/l	105	105	59-144	0	30
Endosulfan Sulfate	< 0.0054	0.0054	0.020	ug/l	90	90	71-142	0	30
Endrin	< 0.0055	0.0055	0.020	ug/l	105	100	52-132	5	30
Endrin Aldehyde	< 0.020	0.020	0.10	ug/l	90	90	68-139	0	20
Endrin Ketone	< 0.0050	0.0050	0.020	ug/l	90	90	69-146	0	30
Heptachlor	< 0.0020	0.0020	0.010	ug/l	102	96	57-126	6	30
Heptachlor Epoxide	< 0.0023	0.0023	0.010	ug/l	100	100	73-156	0	30
Methoxychlor	< 0.030	0.030	0.10	ug/l	110	100	52-133	10	30
Toxaphene	< 1.0	1.0	3.0	ug/l					
Batch number: 110390005A Sample number(s): 6199486-6199488									
PCB-1016	< 0.10	0.10	0.50	ug/l	88	90	68-119	2	30
PCB-1221	< 0.10	0.10	0.50	ug/l					
PCB-1232	< 0.10	0.10	0.50	ug/l					
PCB-1242	< 0.10	0.10	0.50	ug/l					
PCB-1248	< 0.10	0.10	0.50	ug/l					
PCB-1254	< 0.10	0.10	0.50	ug/l					
PCB-1260	< 0.10	0.10	0.50	ug/l	84	86	68-121	2	30
Batch number: 110385713003 Sample number(s): 6199486-6199488									
Mercury	< 0.000050	0.00005	0.00020	mg/l	101		80-120		
Batch number: 110390635001 Sample number(s): 6199486-6199488									
Aluminum	< 0.0834	0.0834	0.400	mg/l	99		90-112		
Antimony	< 0.0100	0.0100	0.0400	mg/l	100		88-111		
Arsenic	< 0.0098	0.0098	0.0400	mg/l	95		89-115		
Barium	< 0.00060	0.00060	0.0100	mg/l	105		90-110		
Beryllium	< 0.0014	0.0014	0.0100	mg/l	99		90-112		
Cadmium	< 0.0020	0.0020	0.0100	mg/l	102		90-112		
Calcium	0.0844 J	0.0702	0.400	mg/l	102		90-112		
Chromium	< 0.0034	0.0034	0.0300	mg/l	99		90-110		
Cobalt	< 0.0023	0.0023	0.0100	mg/l	103		90-110		
Copper	< 0.0027	0.0027	0.0200	mg/l	104		90-112		
Iron	< 0.0522	0.0522	0.400	mg/l	99		90-112		
Lead	< 0.0069	0.0069	0.0300	mg/l	103		88-110		
Magnesium	< 0.0172	0.0172	0.200	mg/l	99		89-110		
Manganese	< 0.00084	0.00084	0.0100	mg/l	104		90-110		
Nickel	< 0.0030	0.0030	0.0200	mg/l	103		90-111		
Potassium	< 0.239	0.239	1.00	mg/l	99		85-115		
Selenium	< 0.0089	0.0089	0.0400	mg/l	99		80-120		
Silver	< 0.0023	0.0023	0.0100	mg/l	96		83-120		
Sodium	< 0.433	0.433	2.00	mg/l	100		87-114		
Thallium	< 0.0140	0.0140	0.0600	mg/l	104		85-113		
Vanadium	< 0.0025	0.0025	0.0100	mg/l	101		90-110		
Zinc	< 0.0081	0.0081	0.0400	mg/l	98		90-111		

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:35 PM

Group Number: 1231936

Sample Matrix Quality Control

 Unspiked (UNSPK) = the sample used in conjunction with the matrix spike
 Background (BKG) = the sample used in conjunction with the duplicate

<u>Analysis Name</u>	<u>MS %REC</u>	<u>MSD %REC</u>	<u>MS/MSD Limits</u>	<u>RPD</u>	<u>RPD MAX</u>	<u>BKG Conc</u>	<u>DUP Conc</u>	<u>DUP RPD</u>	<u>Dup RPD Max</u>
Batch number: 110385713003 Mercury	98	95	80-120	3	20	< 0.000050	< 0.000050	0 (1)	20
Batch number: 110390635001	Sample number(s): 6199486-6199488 UNSPK: 6199486 BKG: 6199486								
Aluminum	295 (2)	347 (2)	75-125	6	20	10.6	10.8	3	20
Antimony	101	96	87-122	4	20	< 0.0100	< 0.0100	0 (1)	20
Arsenic	103	98	75-125	5	20	< 0.0098	< 0.0098	0 (1)	20
Barium	101	100	78-118	1	20	0.0645	0.0607	6	20
Beryllium	103	100	87-114	2	20	< 0.0014	< 0.0014	0 (1)	20
Cadmium	100	95	83-116	5	20	< 0.0020	< 0.0020	0 (1)	20
Calcium	122 (2)	-41 (2)	75-125	5	20	142	144	1	20
Chromium	100	97	81-120	2	20	0.0189 J	0.0197 J	4 (1)	20
Cobalt	99	94	87-112	5	20	0.0085 J	0.0090 J	5 (1)	20
Copper	103	102	86-122	1	20	0.0050 J	0.0059 J	15 (1)	20
Iron	65 (2)	135 (2)	75-125	5	20	11.7	12.2	4	20
Lead	98	95	75-125	3	20	< 0.0069	< 0.0069	0 (1)	20
Magnesium	108 (2)	68 (2)	75-125	5	20	15.0	15.3	2	20
Manganese	106	103	75-125	1	20	0.961	0.991	3	20
Nickel	99	93	86-115	5	20	0.0118 J	0.0124 J	5 (1)	20
Potassium	113	97	83-123	5	20	24.7	25.1	2	20
Selenium	100	98	75-125	2	20	< 0.0089	< 0.0089	0 (1)	20
Silver	96	98	75-125	2	20	< 0.0023	< 0.0023	0 (1)	20
Sodium	319 (2)	278 (2)	75-125	2	20	185	202	9	20
Thallium	93	89	83-116	5	20	< 0.0140	< 0.0140	0 (1)	20
Vanadium	103	101	90-111	1	20	0.0312	0.0325	4 (1)	20
Zinc	99	94	85-117	5	20	0.0280 J	0.0299 J	7 (1)	20

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

 Analysis Name: PPL + Xylene (total) by 8260
 Batch number: L110382AA

	Dibromofluoromethane	1,2-Dichloroethane-d4	Toluene-d8	4-Bromofluorobenzene
6199486	98	100	101	101
6199487	98	100	98	98
6199488	100	103	97	98
6199489	97	102	94	98
Blank	101	100	102	103
LCS	100	102	99	101
LCSD	99	99	101	98
Limits:	80-116	77-113	80-113	78-113

Analysis Name: TCL 3.2 8270D

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/10/11 at 03:35 PM

Group Number: 1231936

Surrogate Quality Control

Batch number: 11039WAB026

	Phenol-d6	2-Fluorophenol	2,4,6-Tribromophenol	Nitrobenzene-d5	2-Fluorobiphenyl	Terphenyl-d14
6199486	18	27	73	85	88	72
6199487	29	45	88	90	87	70
6199488	26	37	72	82	90	72
Blank	30	50	92	85	89	83
LCS	41	62	88	90	93	87
LCSD	36	56	89	92	92	87
Limits:	10-74	10-98	34-145	52-120	63-114	34-118

Analysis Name: TCL Pesticides

Batch number: 110390004A

	Tetrachloro-m-xylene	Decachlorobiphenyl
6199486	97	89
6199487	85	89
6199488	79	72
Blank	101	119
LCS	110	81
LCSD	100	110
Limits:	41-132	40-144

Analysis Name: PCB's w/Pesticides

Batch number: 110390005A

	Tetrachloro-m-xylene	Decachlorobiphenyl
6199486	104	76
6199487	90	72
6199488	87	68
Blank	99	86
LCS	104	79
LCSD	98	86
Limits:	55-132	36-153

*- Outside of specification

**-This limit was used in the evaluation of the final result for the blank

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Analysis Request / Environmental Services Chain of Custody



For Lancaster Laboratories use only

Acct. # 12416 Group# 1031936 Sample # 6199486-89 **COC # 255329**

Please print. Instructions on reverse side correspond with circled numbers.

1 Client: Antea Group Acct. #: _____
 Project Name#: Triangle Court PWSID #: _____
 Project Manager: Jim Wislocki P.O.#: _____
 Sampler: _____ Quote #: New Park
 Name of state where samples were collected: _____

2

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Other	Total # of Containers	Matrix	5 Analyses Requested	6
TW-1	2/3/2011	10:45	X			X		9	<input checked="" type="checkbox"/> Soil <input type="checkbox"/> NPDES <input type="checkbox"/> Polable <input type="checkbox"/> Check if Applicable	TCL lists for VOCs, SVOCs & Pesticides per T. Fisher. jmp 2/7/11	Preservation Codes H=HCl T=Thiosulfate N=HNO ₃ B=NaOH S=H ₂ SO ₄ O=Other
TW-2	2/3/2011	12:00	X			X		9	<input checked="" type="checkbox"/> Soil <input type="checkbox"/> NPDES <input type="checkbox"/> Polable <input type="checkbox"/> Check if Applicable		
TW-3	2/3/2011	14:15	X			X		9	<input checked="" type="checkbox"/> Soil <input type="checkbox"/> NPDES <input type="checkbox"/> Polable <input type="checkbox"/> Check if Applicable		
TRP Blank			X			X		2	<input checked="" type="checkbox"/> Soil <input type="checkbox"/> NPDES <input type="checkbox"/> Polable <input type="checkbox"/> Check if Applicable		

3 (Temperature of samples upon receipt (if requested))

4 Preservation Codes

5 Analyses Requested

6 Relinquished by: _____ Date: _____ Time: _____
 Relinquished by: James Leas Date: 2/9/11 Time: 12:00
 Relinquished by: _____ Date: _____ Time: _____
 Relinquished by: _____ Date: _____ Time: _____
 Relinquished by: _____ Date: _____ Time: _____

7 Turnaround Time Requested (TAT) (please circle): Normal Rush
 (Rush TAT is subject to Lancaster Laboratories approval and surcharge.) 3-Days
 Date results are needed: _____
 Rush results requested by (please circle): _____ Phone _____ Fax _____ E-mail _____
 Phone #: _____ Fax #: _____
 E-mail address: _____

8 Data Package Options (please circle if required)

Type I (validation/NJ Reg)	TX TRRP-13	SDG Complete?
Type II (Tier II)	MA MCP	Yes No
Type III (Reduced NJ)	Site-specific QC (MS/MSD/Dup)?	Yes No
Type IV (CLP SOW)	Internal COC Required?	Yes / No
Type VI (Raw Data Only)		

9

Environmental Sample Administration Receipt Documentation Log

Client/Project: Antea Group
 Date of Receipt: 2/5/11
 Time of Receipt: 1100
 Source Code: 50-1
 Unpacker Emp. No.: 1454

Shipping Container Sealed: YES NO

Custody Seal Present * : YES NO

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled Not Chilled

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1	0129251	2.3°C	TB	WI	Y	B	
2	↓	1.7°C	↓	↓	↓	↓	
3	↓	1.8°C	↓	↓	↓	↓	
4	/						
5	/						
6	/						

Number of Trip Blanks received NOT listed on chain of custody: 3

Paperwork Discrepancy/Unpacking Problems:

Sample Administration Internal Chain of Custody			
Name	Date	Time	Reason for Transfer
<i>Jimmy Delal</i>	2/5/11	1155	Unpacking to storage
	2/5/11	1312	Place in Storage or <u>Entry</u>
			Entry
			Entry

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

**APPENDIX G – LABORATORY DATA
DELIVERABLES FOR SOIL VAPOR
ANALYTICAL DATA**

ANALYTICAL RESULTS

Prepared by:

Lancaster Laboratories
2425 New Holland Pike
Lancaster, PA 17605-2425

Prepared for:

Antea Group
500 Summit Lake Drive
Suite 150
Valhalla NY 10595

February 11, 2011

Project: Triangle Court

Submittal Date: 02/05/2011
Group Number: 1231939
PO Number: TRIANGLE COURT
State of Sample Origin: NY

<u>Client Sample Description</u>	<u>Lancaster Labs (LLI) #</u>
VP-1 Summa Can #197 Grab Air	6199498
VP-2 Summa Can #097 Grab Air	6199499
VP-3 Summa Can #1027 Grab Air	6199500
Surface Summa Can #015 Grab Air	6199501

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC Antea Group
COPY TO

Attn: Tim Fisher

Questions? Contact your Client Services Representative
Jill M Parker at (717) 656-2300 Ext. 1241

Respectfully Submitted,



Matthew E. Barton
Senior Specialist

Sample Description: VP-1 Summa Can #197 Grab Air
 Triangle Court
 VP-1

LLI Sample # AQ 6199498
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:28

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air		EPA TO-15	ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	21	0.50	50	1.2	1
05298	Acetonitrile	75-05-8	< 0.50	0.50	< 0.84	0.84	1
05298	Acrolein	107-02-8	< 0.50	0.50	< 1.1	1.1	1
05298	Acrylonitrile	107-13-1	< 0.50	0.50	< 1.1	1.1	1
05298	Benzene	71-43-2	2.5	0.20	8.1	0.64	1
05298	Bromobenzene	108-86-1	< 0.20	0.20	< 1.3	1.3	1
05298	Bromodichloromethane	75-27-4	< 0.20	0.20	< 1.3	1.3	1
05298	Bromoform	75-25-2	< 0.20	0.20	< 2.1	2.1	1
05298	Bromomethane	74-83-9	< 0.20	0.20	< 0.78	0.78	1
05298	1,3-Butadiene	106-99-0	< 0.50	0.50	< 1.1	1.1	1
05298	2-Butanone	78-93-3	5.2	0.50	15	1.5	1
05298	tert-Butyl Alcohol	75-65-0	0.72 J	0.20	2.2 J	0.61	1
05298	Carbon Disulfide	75-15-0	0.72 J	0.20	2.2 J	0.62	1
05298	Carbon Tetrachloride	56-23-5	< 0.20	0.20	< 1.3	1.3	1
05298	Chlorobenzene	108-90-7	< 0.20	0.20	< 0.92	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.27 J	0.20	0.96 J	0.71	1
05298	Chloroethane	75-00-3	< 0.20	0.20	< 0.53	0.53	1
05298	Chloroform	67-66-3	1.7	0.20	8.2	0.98	1
05298	Chloromethane	74-87-3	< 0.20	0.20	< 0.41	0.41	1
05298	3-Chloropropene	107-05-1	< 0.20	0.20	< 0.63	0.63	1
05298	Cumene	98-82-8	0.35 J	0.20	1.7 J	0.98	1
05298	Dibromochloromethane	124-48-1	< 0.20	0.20	< 1.7	1.7	1
05298	1,2-Dibromoethane	106-93-4	< 0.20	0.20	< 1.5	1.5	1
05298	Dibromomethane	74-95-3	< 0.20	0.20	< 1.4	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	< 0.20	0.20	< 1.2	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	< 0.20	0.20	< 1.2	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	< 0.20	0.20	< 1.2	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.68 J	0.20	3.4 J	0.99	1
05298	1,1-Dichloroethane	75-34-3	< 0.20	0.20	< 0.81	0.81	1
05298	1,2-Dichloroethane	107-06-2	< 0.20	0.20	< 0.81	0.81	1
05298	1,1-Dichloroethene	75-35-4	< 0.20	0.20	< 0.79	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	< 0.20	0.20	< 0.79	0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	< 0.20	0.20	< 0.79	0.79	1
05298	Dichlorofluoromethane	75-43-4	< 0.20	0.20	< 0.84	0.84	1
05298	1,2-Dichloropropane	78-87-5	< 0.20	0.20	< 0.92	0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	< 0.20	0.20	< 0.91	0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	< 0.20	0.20	< 0.91	0.91	1
05298	1,4-Dioxane	123-91-1	< 0.20	0.20	< 0.72	0.72	1
05298	Ethyl Acetate	141-78-6	< 0.20	0.20	< 0.72	0.72	1
05298	Ethyl Acrylate	140-88-5	< 0.20	0.20	< 0.82	0.82	1
05298	Ethyl Methacrylate	97-63-2	< 0.20	0.20	< 0.93	0.93	1
05298	Ethylbenzene	100-41-4	7.2	0.20	31	0.87	1
05298	4-Ethyltoluene	622-96-8	1.5	0.20	7.4	0.98	1
05298	Freon 113	76-13-1	< 0.50	0.50	< 3.8	3.8	1
05298	Freon 114	76-14-2	< 0.20	0.20	< 1.4	1.4	1
05298	Heptane	142-82-5	1.5	0.20	6.0	0.82	1
05298	Hexachlorobutadiene	87-68-3	< 0.50	0.50	< 5.3	5.3	1
05298	Hexachloroethane	67-72-1	< 0.20	0.20	< 1.9	1.9	1
05298	Hexane	110-54-3	3.0	0.20	11	0.70	1
05298	2-Hexanone	591-78-6	< 0.50	0.50	< 2.0	2.0	1
05298	Isooctane	540-84-1	1.1	0.20	5.2	0.93	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: VP-1 Summa Can #197 Grab Air
Triangle Court
VP-1

LLI Sample # AQ 6199498
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:28

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air		EPA TO-15	ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Methyl Acrylate	96-33-3	< 0.20	0.20	< 0.70	0.70	1
05298	Methyl Iodide	74-88-4	< 0.20	0.20	< 1.2	1.2	1
05298	Methyl Methacrylate	80-62-6	< 0.20	0.20	< 0.82	0.82	1
05298	Alpha Methyl Styrene	98-83-9	< 0.20	0.20	< 0.97	0.97	1
05298	Methyl t-Butyl Ether	1634-04-4	< 0.20	0.20	< 0.72	0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	< 0.50	0.50	< 2.0	2.0	1
05298	Methylene Chloride	75-09-2	0.35 J	0.20	1.2 J	0.69	1
05298	Octane	111-65-9	1.1	0.20	5.1	0.93	1
05298	Pentane	109-66-0	7.7	0.20	23	0.59	1
05298	Propene	115-07-1	140	2.0	240	3.4	10
05298	Styrene	100-42-5	< 0.20	0.20	< 0.85	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	< 0.20	0.20	< 1.4	1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	< 0.20	0.20	< 1.4	1.4	1
05298	Tetrachloroethene	127-18-4	0.68 J	0.20	4.6 J	1.4	1
05298	Toluene	108-88-3	24	0.20	92	0.75	1
05298	1,2,4-Trichlorobenzene	120-82-1	< 0.50	0.50	< 3.7	3.7	1
05298	1,1,1-Trichloroethane	71-55-6	0.50 J	0.20	2.7 J	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	< 0.20	0.20	< 1.1	1.1	1
05298	Trichloroethene	79-01-6	< 0.20	0.20	< 1.1	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.40 J	0.20	2.2 J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	< 0.20	0.20	< 1.2	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	4.6	0.20	22	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	1.3	0.20	6.5	0.98	1
05298	Vinyl Acetate	108-05-4	< 0.50	0.50	< 1.8	1.8	1
05298	Vinyl Chloride	75-01-4	< 0.20	0.20	< 0.51	0.51	1
05298	m/p-Xylene	179601-23-1	17	2.0	75	8.7	10
05298	o-Xylene	95-47-6	8.1	0.20	35	0.87	1

MDL = Method Detection Limit

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1103930BB	02/08/2011 23:30	Michael A Ziegler	10
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1103930BB	02/09/2011 11:08	Michael A Ziegler	1

Sample Description: VP-2 Summa Can #097 Grab Air
 Triangle Court
 VP-2

LLI Sample # AQ 6199499
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:37

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air		EPA TO-15	ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	540	50	1,300	120	100
05298	Acetonitrile	75-05-8	150	J 50	250	J 84	100
05298	Acrolein	107-02-8	< 50	50	< 110	110	100
05298	Acrylonitrile	107-13-1	< 50	50	< 110	110	100
05298	Benzene	71-43-2	< 20	20	< 64	64	100
05298	Bromobenzene	108-86-1	< 20	20	< 130	130	100
05298	Bromodichloromethane	75-27-4	< 20	20	< 130	130	100
05298	Bromoform	75-25-2	< 20	20	< 210	210	100
05298	Bromomethane	74-83-9	< 20	20	< 78	78	100
05298	1,3-Butadiene	106-99-0	< 50	50	< 110	110	100
05298	2-Butanone	78-93-3	< 50	50	< 150	150	100
05298	tert-Butyl Alcohol	75-65-0	< 20	20	< 61	61	100
05298	Carbon Disulfide	75-15-0	170	20	540	62	100
05298	Carbon Tetrachloride	56-23-5	< 20	20	< 130	130	100
05298	Chlorobenzene	108-90-7	< 20	20	< 92	92	100
05298	Chlorodifluoromethane	75-45-6	< 20	20	< 71	71	100
05298	Chloroethane	75-00-3	< 20	20	< 53	53	100
05298	Chloroform	67-66-3	< 20	20	< 98	98	100
05298	Chloromethane	74-87-3	< 20	20	< 41	41	100
05298	3-Chloropropene	107-05-1	< 20	20	< 63	63	100
05298	Cumene	98-82-8	< 20	20	< 98	98	100
05298	Dibromochloromethane	124-48-1	< 20	20	< 170	170	100
05298	1,2-Dibromoethane	106-93-4	< 20	20	< 150	150	100
05298	Dibromomethane	74-95-3	< 20	20	< 140	140	100
05298	1,2-Dichlorobenzene	95-50-1	< 20	20	< 120	120	100
05298	1,3-Dichlorobenzene	541-73-1	< 20	20	< 120	120	100
05298	1,4-Dichlorobenzene	106-46-7	< 20	20	< 120	120	100
05298	Dichlorodifluoromethane	75-71-8	< 20	20	< 99	99	100
05298	1,1-Dichloroethane	75-34-3	< 20	20	< 81	81	100
05298	1,2-Dichloroethane	107-06-2	< 20	20	< 81	81	100
05298	1,1-Dichloroethene	75-35-4	< 20	20	< 79	79	100
05298	cis-1,2-Dichloroethene	156-59-2	< 20	20	< 79	79	100
05298	trans-1,2-Dichloroethene	156-60-5	< 20	20	< 79	79	100
05298	Dichlorofluoromethane	75-43-4	< 20	20	< 84	84	100
05298	1,2-Dichloropropane	78-87-5	< 20	20	< 92	92	100
05298	cis-1,3-Dichloropropene	10061-01-5	< 20	20	< 91	91	100
05298	trans-1,3-Dichloropropene	10061-02-6	< 20	20	< 91	91	100
05298	1,4-Dioxane	123-91-1	< 20	20	< 72	72	100
05298	Ethyl Acetate	141-78-6	< 20	20	< 72	72	100
05298	Ethyl Acrylate	140-88-5	< 20	20	< 82	82	100
05298	Ethyl Methacrylate	97-63-2	< 20	20	< 93	93	100
05298	Ethylbenzene	100-41-4	< 20	20	< 87	87	100
05298	4-Ethyltoluene	622-96-8	< 20	20	< 98	98	100
05298	Freon 113	76-13-1	< 50	50	< 380	380	100
05298	Freon 114	76-14-2	< 20	20	< 140	140	100
05298	Heptane	142-82-5	210	20	880	82	100
05298	Hexachlorobutadiene	87-68-3	< 50	50	< 530	530	100
05298	Hexachloroethane	67-72-1	< 20	20	< 190	190	100
05298	Hexane	110-54-3	630	20	2,200	70	100
05298	2-Hexanone	591-78-6	< 50	50	< 200	200	100
05298	Isooctane	540-84-1	2,400	200	11,000	930	1000

Sample Description: VP-2 Summa Can #097 Grab Air
 Triangle Court
 VP-2

LLI Sample # AQ 6199499
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:37

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air		EPA TO-15	ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Methyl Acrylate	96-33-3	< 20	20	< 70	70	100
05298	Methyl Iodide	74-88-4	< 20	20	< 120	120	100
05298	Methyl Methacrylate	80-62-6	410	20	1,700	82	100
05298	Alpha Methyl Styrene	98-83-9	< 20	20	< 97	97	100
05298	Methyl t-Butyl Ether	1634-04-4	< 20	20	< 72	72	100
05298	4-Methyl-2-Pentanone	108-10-1	< 50	50	< 200	200	100
05298	Methylene Chloride	75-09-2	240	20	840	69	100
05298	Octane	111-65-9	51	J 20	240	J 93	100
05298	Pentane	109-66-0	390	20	1,200	59	100
05298	Propene	115-07-1	< 20	20	< 34	34	100
05298	Styrene	100-42-5	22	J 20	96	J 85	100
05298	1,1,1,2-Tetrachloroethane	630-20-6	< 20	20	< 140	140	100
05298	1,1,2,2-Tetrachloroethane	79-34-5	< 20	20	< 140	140	100
05298	Tetrachloroethene	127-18-4	< 20	20	< 140	140	100
05298	Toluene	108-88-3	20	J 20	77	J 75	100
05298	1,2,4-Trichlorobenzene	120-82-1	< 50	50	< 370	370	100
05298	1,1,1-Trichloroethane	71-55-6	< 20	20	< 110	110	100
05298	1,1,2-Trichloroethane	79-00-5	< 20	20	< 110	110	100
05298	Trichloroethene	79-01-6	< 20	20	< 110	110	100
05298	Trichlorofluoromethane	75-69-4	< 20	20	< 110	110	100
05298	1,2,3-Trichloropropane	96-18-4	< 20	20	< 120	120	100
05298	1,2,4-Trimethylbenzene	95-63-6	< 20	20	< 98	98	100
05298	1,3,5-Trimethylbenzene	108-67-8	< 20	20	< 98	98	100
05298	Vinyl Acetate	108-05-4	< 50	50	< 180	180	100
05298	Vinyl Chloride	75-01-4	< 20	20	< 51	51	100
05298	m/p-Xylene	179601-23-1	< 20	20	< 87	87	100
05298	o-Xylene	95-47-6	< 20	20	< 87	87	100

MDL = Method Detection Limit

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1103930BB	02/09/2011 00:14	Michael A Ziegler	100
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1103930BB	02/09/2011 11:51	Michael A Ziegler	1000

Sample Description: VP-3 Summa Can #1027 Grab Air
 Triangle Court
 VP-3

LLI Sample # AQ 6199500
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air		EPA TO-15	ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Acetone	67-64-1	20 J	5.0	47 J	12	10
05298	Acetonitrile	75-05-8	< 5.0	5.0	< 8.4	8.4	10
05298	Acrolein	107-02-8	< 5.0	5.0	< 11	11	10
05298	Acrylonitrile	107-13-1	< 5.0	5.0	< 11	11	10
05298	Benzene	71-43-2	< 2.0	2.0	< 6.4	6.4	10
05298	Bromobenzene	108-86-1	< 2.0	2.0	< 13	13	10
05298	Bromodichloromethane	75-27-4	< 2.0	2.0	< 13	13	10
05298	Bromoform	75-25-2	< 2.0	2.0	< 21	21	10
05298	Bromomethane	74-83-9	< 2.0	2.0	< 7.8	7.8	10
05298	1,3-Butadiene	106-99-0	< 5.0	5.0	< 11	11	10
05298	2-Butanone	78-93-3	< 5.0	5.0	< 15	15	10
05298	tert-Butyl Alcohol	75-65-0	< 2.0	2.0	< 6.1	6.1	10
05298	Carbon Disulfide	75-15-0	< 2.0	2.0	< 6.2	6.2	10
05298	Carbon Tetrachloride	56-23-5	< 2.0	2.0	< 13	13	10
05298	Chlorobenzene	108-90-7	< 2.0	2.0	< 9.2	9.2	10
05298	Chlorodifluoromethane	75-45-6	< 2.0	2.0	< 7.1	7.1	10
05298	Chloroethane	75-00-3	< 2.0	2.0	< 5.3	5.3	10
05298	Chloroform	67-66-3	12	2.0	58	9.8	10
05298	Chloromethane	74-87-3	< 2.0	2.0	< 4.1	4.1	10
05298	3-Chloropropene	107-05-1	< 2.0	2.0	< 6.3	6.3	10
05298	Cumene	98-82-8	< 2.0	2.0	< 9.8	9.8	10
05298	Dibromochloromethane	124-48-1	< 2.0	2.0	< 17	17	10
05298	1,2-Dibromoethane	106-93-4	< 2.0	2.0	< 15	15	10
05298	Dibromomethane	74-95-3	< 2.0	2.0	< 14	14	10
05298	1,2-Dichlorobenzene	95-50-1	< 2.0	2.0	< 12	12	10
05298	1,3-Dichlorobenzene	541-73-1	< 2.0	2.0	< 12	12	10
05298	1,4-Dichlorobenzene	106-46-7	< 2.0	2.0	< 12	12	10
05298	Dichlorodifluoromethane	75-71-8	< 2.0	2.0	< 9.9	9.9	10
05298	1,1-Dichloroethane	75-34-3	< 2.0	2.0	< 8.1	8.1	10
05298	1,2-Dichloroethane	107-06-2	< 2.0	2.0	< 8.1	8.1	10
05298	1,1-Dichloroethene	75-35-4	< 2.0	2.0	< 7.9	7.9	10
05298	cis-1,2-Dichloroethene	156-59-2	< 2.0	2.0	< 7.9	7.9	10
05298	trans-1,2-Dichloroethene	156-60-5	< 2.0	2.0	< 7.9	7.9	10
05298	Dichlorofluoromethane	75-43-4	< 2.0	2.0	< 8.4	8.4	10
05298	1,2-Dichloropropane	78-87-5	< 2.0	2.0	< 9.2	9.2	10
05298	cis-1,3-Dichloropropene	10061-01-5	< 2.0	2.0	< 9.1	9.1	10
05298	trans-1,3-Dichloropropene	10061-02-6	< 2.0	2.0	< 9.1	9.1	10
05298	1,4-Dioxane	123-91-1	< 2.0	2.0	< 7.2	7.2	10
05298	Ethyl Acetate	141-78-6	< 2.0	2.0	< 7.2	7.2	10
05298	Ethyl Acrylate	140-88-5	< 2.0	2.0	< 8.2	8.2	10
05298	Ethyl Methacrylate	97-63-2	< 2.0	2.0	< 9.3	9.3	10
05298	Ethylbenzene	100-41-4	5.3 J	2.0	23 J	8.7	10
05298	4-Ethyltoluene	622-96-8	< 2.0	2.0	< 9.8	9.8	10
05298	Freon 113	76-13-1	< 5.0	5.0	< 38	38	10
05298	Freon 114	76-14-2	< 2.0	2.0	< 14	14	10
05298	Heptane	142-82-5	44	2.0	180	8.2	10
05298	Hexachlorobutadiene	87-68-3	< 5.0	5.0	< 53	53	10
05298	Hexachloroethane	67-72-1	< 2.0	2.0	< 19	19	10
05298	Hexane	110-54-3	79	2.0	280	7.0	10
05298	2-Hexanone	591-78-6	< 5.0	5.0	< 20	20	10
05298	Isooctane	540-84-1	28	2.0	130	9.3	10

Sample Description: VP-3 Summa Can #1027 Grab Air
 Triangle Court
 VP-3

LLI Sample # AQ 6199500
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:45

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air		EPA TO-15	ppb(v)	ppb(v)	ug/m3	ug/m3	
05298	Methyl Acrylate	96-33-3	< 2.0	2.0	< 7.0	7.0	10
05298	Methyl Iodide	74-88-4	< 2.0	2.0	< 12	12	10
05298	Methyl Methacrylate	80-62-6	< 2.0	2.0	< 8.2	8.2	10
05298	Alpha Methyl Styrene	98-83-9	< 2.0	2.0	< 9.7	9.7	10
05298	Methyl t-Butyl Ether	1634-04-4	< 2.0	2.0	< 7.2	7.2	10
05298	4-Methyl-2-Pentanone	108-10-1	< 5.0	5.0	< 20	20	10
05298	Methylene Chloride	75-09-2	< 2.0	2.0	< 6.9	6.9	10
05298	Octane	111-65-9	43	2.0	200	9.3	10
05298	Pentane	109-66-0	130	2.0	390	5.9	10
05298	Propene	115-07-1	130	2.0	220	3.4	10
05298	Styrene	100-42-5	< 2.0	2.0	< 8.5	8.5	10
05298	1,1,1,2-Tetrachloroethane	630-20-6	< 2.0	2.0	< 14	14	10
05298	1,1,2,2-Tetrachloroethane	79-34-5	< 2.0	2.0	< 14	14	10
05298	Tetrachloroethene	127-18-4	< 2.0	2.0	< 14	14	10
05298	Toluene	108-88-3	11	2.0	40	7.5	10
05298	1,2,4-Trichlorobenzene	120-82-1	< 5.0	5.0	< 37	37	10
05298	1,1,1-Trichloroethane	71-55-6	< 2.0	2.0	< 11	11	10
05298	1,1,2-Trichloroethane	79-00-5	< 2.0	2.0	< 11	11	10
05298	Trichloroethene	79-01-6	< 2.0	2.0	< 11	11	10
05298	Trichlorofluoromethane	75-69-4	< 2.0	2.0	< 11	11	10
05298	1,2,3-Trichloropropane	96-18-4	< 2.0	2.0	< 12	12	10
05298	1,2,4-Trimethylbenzene	95-63-6	2.4	J	12	J	9.8
05298	1,3,5-Trimethylbenzene	108-67-8	< 2.0	2.0	< 9.8	9.8	10
05298	Vinyl Acetate	108-05-4	< 5.0	5.0	< 18	18	10
05298	Vinyl Chloride	75-01-4	< 2.0	2.0	< 5.1	5.1	10
05298	m/p-Xylene	179601-23-1	19	2.0	84	8.7	10
05298	o-Xylene	95-47-6	5.6	J	24	J	8.7

Reporting limits were raised due to interference from the sample matrix.

MDL = Method Detection Limit

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1103930BB	02/09/2011 00:57	Michael A Ziegler	10

Sample Description: Surface Summa Can #015 Grab Air
Triangle Court
Surface

LLI Sample # AQ 6199501
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:50

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air			ppb(v)		ug/m3		
EPA TO-15			ppb(v)		ug/m3		
05298	Acetone	67-64-1	6.4	0.50	15	1.2	1
05298	Acetonitrile	75-05-8	2.6	0.50	4.4	0.84	1
05298	Acrolein	107-02-8	< 0.50	0.50	< 1.1	1.1	1
05298	Acrylonitrile	107-13-1	< 0.50	0.50	< 1.1	1.1	1
05298	Benzene	71-43-2	0.54 J	0.20	1.7 J	0.64	1
05298	Bromobenzene	108-86-1	< 0.20	0.20	< 1.3	1.3	1
05298	Bromodichloromethane	75-27-4	< 0.20	0.20	< 1.3	1.3	1
05298	Bromoform	75-25-2	< 0.20	0.20	< 2.1	2.1	1
05298	Bromomethane	74-83-9	< 0.20	0.20	< 0.78	0.78	1
05298	1,3-Butadiene	106-99-0	< 0.50	0.50	< 1.1	1.1	1
05298	2-Butanone	78-93-3	2.3	0.50	6.9	1.5	1
05298	tert-Butyl Alcohol	75-65-0	< 0.20	0.20	< 0.61	0.61	1
05298	Carbon Disulfide	75-15-0	< 0.20	0.20	< 0.62	0.62	1
05298	Carbon Tetrachloride	56-23-5	< 0.20	0.20	< 1.3	1.3	1
05298	Chlorobenzene	108-90-7	< 0.20	0.20	< 0.92	0.92	1
05298	Chlorodifluoromethane	75-45-6	0.31 J	0.20	1.1 J	0.71	1
05298	Chloroethane	75-00-3	< 0.20	0.20	< 0.53	0.53	1
05298	Chloroform	67-66-3	< 0.20	0.20	< 0.98	0.98	1
05298	Chloromethane	74-87-3	0.76 J	0.20	1.6 J	0.41	1
05298	3-Chloropropene	107-05-1	< 0.20	0.20	< 0.63	0.63	1
05298	Cumene	98-82-8	< 0.20	0.20	< 0.98	0.98	1
05298	Dibromochloromethane	124-48-1	< 0.20	0.20	< 1.7	1.7	1
05298	1,2-Dibromoethane	106-93-4	< 0.20	0.20	< 1.5	1.5	1
05298	Dibromomethane	74-95-3	< 0.20	0.20	< 1.4	1.4	1
05298	1,2-Dichlorobenzene	95-50-1	< 0.20	0.20	< 1.2	1.2	1
05298	1,3-Dichlorobenzene	541-73-1	< 0.20	0.20	< 1.2	1.2	1
05298	1,4-Dichlorobenzene	106-46-7	< 0.20	0.20	< 1.2	1.2	1
05298	Dichlorodifluoromethane	75-71-8	0.69 J	0.20	3.4 J	0.99	1
05298	1,1-Dichloroethane	75-34-3	< 0.20	0.20	< 0.81	0.81	1
05298	1,2-Dichloroethane	107-06-2	< 0.20	0.20	< 0.81	0.81	1
05298	1,1-Dichloroethene	75-35-4	< 0.20	0.20	< 0.79	0.79	1
05298	cis-1,2-Dichloroethene	156-59-2	< 0.20	0.20	< 0.79	0.79	1
05298	trans-1,2-Dichloroethene	156-60-5	< 0.20	0.20	< 0.79	0.79	1
05298	Dichlorofluoromethane	75-43-4	< 0.20	0.20	< 0.84	0.84	1
05298	1,2-Dichloropropane	78-87-5	< 0.20	0.20	< 0.92	0.92	1
05298	cis-1,3-Dichloropropene	10061-01-5	< 0.20	0.20	< 0.91	0.91	1
05298	trans-1,3-Dichloropropene	10061-02-6	< 0.20	0.20	< 0.91	0.91	1
05298	1,4-Dioxane	123-91-1	< 0.20	0.20	< 0.72	0.72	1
05298	Ethyl Acetate	141-78-6	< 0.20	0.20	< 0.72	0.72	1
05298	Ethyl Acrylate	140-88-5	< 0.20	0.20	< 0.82	0.82	1
05298	Ethyl Methacrylate	97-63-2	< 0.20	0.20	< 0.93	0.93	1
05298	Ethylbenzene	100-41-4	< 0.20	0.20	< 0.87	0.87	1
05298	4-Ethyltoluene	622-96-8	< 0.20	0.20	< 0.98	0.98	1
05298	Freon 113	76-13-1	< 0.50	0.50	< 3.8	3.8	1
05298	Freon 114	76-14-2	< 0.20	0.20	< 1.4	1.4	1
05298	Heptane	142-82-5	< 0.20	0.20	< 0.82	0.82	1
05298	Hexachlorobutadiene	87-68-3	< 0.50	0.50	< 5.3	5.3	1
05298	Hexachloroethane	67-72-1	< 0.20	0.20	< 1.9	1.9	1
05298	Hexane	110-54-3	0.32 J	0.20	1.1 J	0.70	1
05298	2-Hexanone	591-78-6	< 0.50	0.50	< 2.0	2.0	1
05298	Isooctane	540-84-1	< 0.20	0.20	< 0.93	0.93	1



Analysis Report

2425 New Holland Pike, PO Box 12425, Lancaster, PA 17605-2425 • 717-656-2300 Fax: 717-656-2681 • www.lancasterlabs.com

Sample Description: Surface Summa Can #015 Grab Air
Triangle Court
Surface

LLI Sample # AQ 6199501
LLI Group # 1231939
Account # 12416

Project Name: Triangle Court

Collected: 02/03/2011 16:50

Antea Group

Submitted: 02/05/2011 11:00

500 Summit Lake Drive

Reported: 02/11/2011 09:39

Suite 150

Valhalla NY 10595

CAT No.	Analysis Name	CAS Number	As Received Final Result	MDL	As Received Final Result	MDL	DF
Volatiles in Air			ppb(v)	ppb(v)	ug/m3	ug/m3	
EPA TO-15							
05298	Methyl Acrylate	96-33-3	< 0.20	0.20	< 0.70	0.70	1
05298	Methyl Iodide	74-88-4	< 0.20	0.20	< 1.2	1.2	1
05298	Methyl Methacrylate	80-62-6	< 0.20	0.20	< 0.82	0.82	1
05298	Alpha Methyl Styrene	98-83-9	< 0.20	0.20	< 0.97	0.97	1
05298	Methyl t-Butyl Ether	1634-04-4	< 0.20	0.20	< 0.72	0.72	1
05298	4-Methyl-2-Pentanone	108-10-1	< 0.50	0.50	< 2.0	2.0	1
05298	Methylene Chloride	75-09-2	0.29 J	0.20	1.0 J	0.69	1
05298	Octane	111-65-9	< 0.20	0.20	< 0.93	0.93	1
05298	Pentane	109-66-0	0.63 J	0.20	1.9 J	0.59	1
05298	Propene	115-07-1	0.94 J	0.20	1.6 J	0.34	1
05298	Styrene	100-42-5	< 0.20	0.20	< 0.85	0.85	1
05298	1,1,1,2-Tetrachloroethane	630-20-6	< 0.20	0.20	< 1.4	1.4	1
05298	1,1,2,2-Tetrachloroethane	79-34-5	< 0.20	0.20	< 1.4	1.4	1
05298	Tetrachloroethene	127-18-4	< 0.20	0.20	< 1.4	1.4	1
05298	Toluene	108-88-3	0.67 J	0.20	2.5 J	0.75	1
05298	1,2,4-Trichlorobenzene	120-82-1	< 0.50	0.50	< 3.7	3.7	1
05298	1,1,1-Trichloroethane	71-55-6	< 0.20	0.20	< 1.1	1.1	1
05298	1,1,2-Trichloroethane	79-00-5	< 0.20	0.20	< 1.1	1.1	1
05298	Trichloroethene	79-01-6	< 0.20	0.20	< 1.1	1.1	1
05298	Trichlorofluoromethane	75-69-4	0.32 J	0.20	1.8 J	1.1	1
05298	1,2,3-Trichloropropane	96-18-4	< 0.20	0.20	< 1.2	1.2	1
05298	1,2,4-Trimethylbenzene	95-63-6	< 0.20	0.20	< 0.98	0.98	1
05298	1,3,5-Trimethylbenzene	108-67-8	< 0.20	0.20	< 0.98	0.98	1
05298	Vinyl Acetate	108-05-4	< 0.50	0.50	< 1.8	1.8	1
05298	Vinyl Chloride	75-01-4	< 0.20	0.20	< 0.51	0.51	1
05298	m/p-Xylene	179601-23-1	0.31 J	0.20	1.3 J	0.87	1
05298	o-Xylene	95-47-6	< 0.20	0.20	< 0.87	0.87	1

MDL = Method Detection Limit

General Sample Comments

State of New York Certification No. 10670

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

Laboratory Sample Analysis Record

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
05298	TO 15 VOA Ext. List	EPA TO-15	1	C1103930BB	02/09/2011 10:24	Michael A Ziegler	1

Quality Control Summary

 Client Name: Antea Group
 Reported: 02/11/11 at 09:39 AM

Group Number: 1231939

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Laboratory Compliance Quality Control

Analysis Name	Blank Result	Blank MDL	Report Units	LCS %REC	LCSD %REC	LCS/LCSD Limits	RPD	RPD Max
Batch number: C1103930BB	Sample number(s) : 6199498-6199501							
Acetone	< 0.50	0.50	ppb (v)	110	117	56-144	6	25
Acetonitrile	< 0.50	0.50	ppb (v)					
Acrolein	< 0.50	0.50	ppb (v)	107	117	70-130	10	25
Acrylonitrile	< 0.50	0.50	ppb (v)					
Benzene	< 0.20	0.20	ppb (v)	104	110	70-130	6	25
Bromobenzene	< 0.20	0.20	ppb (v)					
Bromodichloromethane	< 0.20	0.20	ppb (v)	126	130	73-132	3	25
Bromoform	< 0.20	0.20	ppb (v)	120	126	65-135	5	25
Bromomethane	< 0.20	0.20	ppb (v)	108	114	70-130	6	25
1,3-Butadiene	< 0.50	0.50	ppb (v)	102	106	65-138	5	25
2-Butanone	< 0.50	0.50	ppb (v)	104	111	63-135	6	25
tert-Butyl Alcohol	< 0.20	0.20	ppb (v)					
Carbon Disulfide	< 0.20	0.20	ppb (v)	89	94	59-112	5	25
Carbon Tetrachloride	< 0.20	0.20	ppb (v)	118	120	70-130	2	25
Chlorobenzene	< 0.20	0.20	ppb (v)	102	106	70-130	4	25
Chlorodifluoromethane	< 0.20	0.20	ppb (v)					
Chloroethane	< 0.20	0.20	ppb (v)	102	109	71-137	7	25
Chloroform	< 0.20	0.20	ppb (v)	120	123	70-130	3	25
Chloromethane	< 0.20	0.20	ppb (v)	95	100	59-135	5	25
3-Chloropropene	< 0.20	0.20	ppb (v)					
Cumene	< 0.20	0.20	ppb (v)					
Dibromochloromethane	< 0.20	0.20	ppb (v)	112	117	70-128	5	25
1,2-Dibromoethane	< 0.20	0.20	ppb (v)	108	114	71-129	6	25
Dibromomethane	< 0.20	0.20	ppb (v)					
1,2-Dichlorobenzene	< 0.20	0.20	ppb (v)	115	120	42-149	5	25
1,3-Dichlorobenzene	< 0.20	0.20	ppb (v)	109	114	47-141	4	25
1,4-Dichlorobenzene	< 0.20	0.20	ppb (v)	111	116	43-143	4	25
Dichlorodifluoromethane	< 0.20	0.20	ppb (v)	118	121	75-141	2	25
1,1-Dichloroethane	< 0.20	0.20	ppb (v)	112	117	65-127	5	25
1,2-Dichloroethane	< 0.20	0.20	ppb (v)	124	129	70-130	4	25
1,1-Dichloroethene	< 0.20	0.20	ppb (v)	99	104	62-118	5	25
cis-1,2-Dichloroethene	< 0.20	0.20	ppb (v)	98	106	63-125	8	25
trans-1,2-Dichloroethene	< 0.20	0.20	ppb (v)	100	106	63-119	5	25
Dichlorofluoromethane	< 0.20	0.20	ppb (v)					
1,2-Dichloropropane	< 0.20	0.20	ppb (v)	97	103	70-130	6	25
cis-1,3-Dichloropropene	< 0.20	0.20	ppb (v)	115	121	66-127	5	25
trans-1,3-Dichloropropene	< 0.20	0.20	ppb (v)	105	113	64-126	7	25
1,4-Dioxane	< 0.20	0.20	ppb (v)	139	161	10-200	15	25
Ethyl Acetate	< 0.20	0.20	ppb (v)	105	115	55-161	9	25
Ethyl Acrylate	< 0.20	0.20	ppb (v)					
Ethyl Methacrylate	< 0.20	0.20	ppb (v)					
Ethylbenzene	< 0.20	0.20	ppb (v)	110	117	70-130	6	25
4-Ethyltoluene	< 0.20	0.20	ppb (v)	117	122	56-138	5	25
Freon 113	< 0.50	0.50	ppb (v)	102	105	66-120	3	25
Freon 114	< 0.20	0.20	ppb (v)	99	103	64-141	3	25
Heptane	< 0.20	0.20	ppb (v)	102	109	62-124	7	25

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.

Quality Control Summary

Client Name: Antea Group

Group Number: 1231939

Reported: 02/11/11 at 09:39 AM

<u>Analysis Name</u>	<u>Blank Result</u>	<u>Blank MDL</u>	<u>Report Units</u>	<u>LCS %REC</u>	<u>LCSD %REC</u>	<u>LCS/LCSD Limits</u>	<u>RPD</u>	<u>RPD Max</u>
Hexachlorobutadiene	< 0.50	0.50	ppb (v)	106	113	28-158	6	25
Hexachloroethane	< 0.20	0.20	ppb (v)					
Hexane	< 0.20	0.20	ppb (v)	94	101	59-123	7	25
2-Hexanone	< 0.50	0.50	ppb (v)	116	123	44-184	6	25
Isooctane	< 0.20	0.20	ppb (v)					
Methyl Acrylate	< 0.20	0.20	ppb (v)					
Methyl Iodide	< 0.20	0.20	ppb (v)					
Methyl Methacrylate	< 0.20	0.20	ppb (v)	119	127	70-137	6	25
Alpha Methyl Styrene	< 0.20	0.20	ppb (v)					
Methyl t-Butyl Ether	< 0.20	0.20	ppb (v)	107	114	62-125	6	25
4-Methyl-2-Pentanone	< 0.50	0.50	ppb (v)	119	124	62-151	4	25
Methylene Chloride	< 0.20	0.20	ppb (v)	96	101	70-130	5	25
Octane	< 0.20	0.20	ppb (v)					
Pentane	< 0.20	0.20	ppb (v)					
Propene	< 0.20	0.20	ppb (v)	77	84	49-113	9	25
Styrene	< 0.20	0.20	ppb (v)	118	124	65-136	5	25
1,1,1,2-Tetrachloroethane	< 0.20	0.20	ppb (v)					
1,1,2,2-Tetrachloroethane	< 0.20	0.20	ppb (v)	108	113	49-148	4	25
Tetrachloroethene	< 0.20	0.20	ppb (v)	99	106	70-130	7	25
Toluene	< 0.20	0.20	ppb (v)	106	112	70-130	5	25
1,2,4-Trichlorobenzene	< 0.50	0.50	ppb (v)	110	118	10-183	7	25
1,1,1-Trichloroethane	< 0.20	0.20	ppb (v)	119	123	70-130	3	25
1,1,2-Trichloroethane	< 0.20	0.20	ppb (v)	99	105	64-129	5	25
Trichloroethene	< 0.20	0.20	ppb (v)	104	110	70-130	5	25
Trichlorofluoromethane	< 0.20	0.20	ppb (v)	124	128	70-130	3	25
1,2,3-Trichloropropane	< 0.20	0.20	ppb (v)					
1,2,4-Trimethylbenzene	< 0.20	0.20	ppb (v)	119	125	52-142	4	25
1,3,5-Trimethylbenzene	< 0.20	0.20	ppb (v)	126	132	59-144	4	25
Vinyl Acetate	< 0.50	0.50	ppb (v)	123	134	12-154	9	25
Vinyl Chloride	< 0.20	0.20	ppb (v)	103	111	70-130	8	25
m/p-Xylene	< 0.20	0.20	ppb (v)	124	130	70-130	4	25
o-Xylene	< 0.20	0.20	ppb (v)	121	127	70-130	5	25

*- Outside of specification

- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



Analysis Request / Environmental Services Chain of Custody

For Lancaster Laboratories use only

Acct. # 124110 Group # 1231939 Sample # 6199498-501

COC # 241362

Please print. Instructions on reverse side correspond with circled numbers.

1 Client: Anter Group Acct. #: _____
 Project Name: Triangle Const PWSID #: _____
 Project Manager: Lisa Krisher P.O. #: _____
 Sampler: _____ Quote #: Paw Park
 Name of state where samples were collected: _____

2

Sample Identification	Date Collected	Time Collected	Grab	Composite	Soil	Water	Other	Total # of Containers	Matrix	Analyses Requested	Remarks	Temperature of samples (upon receipt if requested)
VP-1	2/3/11	16:28	X				X	1	AP	5	VOCs etc TO-5	6
VP-2	2/3/11	16:37	X				X	1	AP			
VP-3	2/3/11	16:45	X				X	1	AP			
Surface	2/2/11	16:50	X				X	1	AP			

3

4 Matrix: Potable Check # NPDES Applicable Other: AP

5 Analyses Requested: 5

6 Preservation Codes: H=HCl, T=Thiosulfate, N=HNO₃, B=NaOH, S=H₂SO₄, O=Other

7 Turnaround Time Requested (TAT) (please circle): Normal Rush
 (Rush TAT is subject to Lancaster Laboratories approval and surcharge.) 3-Day
 Date results are needed: _____
 Rush results requested by (please circle): Phone Fax E-mail
 Phone #: _____ Fax #: _____
 E-mail address: _____

8 Data Package Options (please circle if required)
 Type I (validation/NJ Reg) TX TRRP-13 SDG Complete? Yes No
 Type II (Tier II) MA MCP CT RCP
 Type III (Reduced NJ) Site-specific QC (MS/MSD/Dup)? Yes No
 Type IV (CLP SOW) (If yes, indicate QC sample and submit replicate volume.)
 Type VI (Raw Data Only) Internal COC Required? Yes / No _____

9

Relinquished by:	Date	Time	Received by:	Date	Time
<u>Armedes</u>	2/3/11	12:00			

For Lab Use Only
 FSC: _____
 SCR#: _____

Environmental Sample Administration Receipt Documentation Log

Client/Project: Antea
 Date of Receipt: 2/5/14
 Time of Receipt: 1100
 Source Code: 50-1
 Unpacker Emp. No.: 1454

Shipping Container Sealed: ~~YES~~ NO

Custody Seal Present * : YES ~~NO~~

* Custody seal was intact unless otherwise noted in the discrepancy section

Package: Chilled ~~Not Chilled~~

Temperature of Shipping Containers							
Cooler #	Thermometer ID	Temperature (°C)	Temp Bottle (TB) or Surface Temp (ST)	Wet Ice (WI) or Dry Ice (DI) or Ice Packs (IP)	Ice Present? Y/N	Loose (L) Bagged Ice (B) or NA	Comments
1							
2							
3							
4							
5							
6							

Number of Trip Blanks received NOT listed on chain of custody: 0

Paperwork Discrepancy/Unpacking Problems:

Rec. 4 flow controllers

Sample Administration Internal Chain of Custody			
Name	Date	Time	Reason for Transfer
<i>[Signature]</i>	2/5/14	1155	Unpacking
<i>[Signature]</i>	2/5/14	1324	Place in Storage or Entry
			Entry
			Entry

Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
C	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
ug	microgram(s)	mg	milligram(s)
ml	milliliter(s)	l	liter(s)
m3	cubic meter(s)	ul	microliter(s)
<	less than - The number following the sign is the <u>limit of quantitation</u> , the smallest amount of analyte which can be reliably determined using this specific test.		
>	greater than		
J	estimated value – The result is \geq the Method Detection Limit (MDL) and $<$ the Limit of Quantitation (LOQ).		
ppm	parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter of gas per liter of gas.		
ppb	parts per billion		
Dry weight basis	Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.		

U.S. EPA CLP Data Qualifiers:

Organic Qualifiers	Inorganic Qualifiers
A TIC is a possible aldol-condensation product	B Value is $<$ CRDL, but \geq IDL
B Analyte was also detected in the blank	E Estimated due to interference
C Pesticide result confirmed by GC/MS	M Duplicate injection precision not met
D Compound quantitated on a diluted sample	N Spike sample not within control limits
E Concentration exceeds the calibration range of the instrument	S Method of standard additions (MSA) used for calculation
N Presumptive evidence of a compound (TICs only)	U Compound was not detected
P Concentration difference between primary and confirmation columns $>$ 25%	W Post digestion spike out of control limits
U Compound was not detected	* Duplicate analysis not within control limits
X,Y,Z Defined in case narrative	+ Correlation coefficient for MSA $<$ 0.995

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.


Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL LANCASTER LABORATORIES BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF LANCASTER LABORATORIES AND (B) WHETHER LANCASTER LABORATORIES HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Lancaster Laboratories which includes any conditions that vary from the Standard Terms and Conditions, and Lancaster hereby objects to any conflicting terms contained in any acceptance or order submitted by client.

APPENDIX H – HISTORIC GROUND WATER FLOW MAP

LEGEND:

- WATER LINE
- - - COMBINED SEWER
- ⊕ MONITORING WELL LOCATION
- ⊖ DESTROYED MONITORING WELL
- GROUNDWATER CONTOUR LINE (ft)
- - - INFERRED GROUNDWATER CONTOUR LINE (FEET)
- ← GROUNDWATER FLOW DIRECTION
- NG NOT GAUGED



GROUNDWATER CONTOUR MAP
MAY 4, 2010

SHELL SERVICE STATION #138604
351 SOUTH 1st STREET
BROOKLYN, NY
NYS DEC #07-12272

SOVEREIGN CONSULTING INC. Figure:
1855 New Highway - Suite C
Farmingdale, NY 11747
Phone: (631)753-8380 Fax: (631)753-8385
www.svc.com