

260 WEST 26TH STREET
NEW YORK, NEW YORK

Remedial Investigation Report

NYC BCP Site Number: 11BCP011M
E-Designation Site Number: 11EHAZ246M

Prepared for:

Chelsea W26 LLC
37 West 65th Street
New York, NY 10023-6610

Prepared by:

CA RICH Consultants, Inc.
17 Dupont Street
Plainview, NY 11803-1614
(516) 576-8844

April 2011

REMEDIAL INVESTIGATION REPORT

TABLE OF CONTENTS

LIST OF ACRONYMS	6
CERTIFICATION.....	7
EXECUTIVE SUMMARY	8
REMEDIAL INVESTIGATION REPORT	15
1.0 SITE BACKGROUND.....	15
1.1 SITE LOCATION AND CURRENT USAGE	15
1.2 PROPOSED REDEVELOPMENT PLAN	16
1.3 DESCRIPTION OF SURROUNDING PROPERTY	17
2.0 SITE HISTORY	18
2.1 PAST USES AND OWNERSHIP	18
2.2 PREVIOUS INVESTIGATIONS	19
2.3 AREAS OF CONCERN	21
3.0 PROJECT MANAGEMENT	22
3.1 PROJECT ORGANIZATION	22
3.2 HEALTH AND SAFETY	22
3.3 MATERIALS MANAGEMENT	22
4.0 REMEDIAL INVESTIGATION ACTIVITIES	23
4.1 GEOPHYSICAL INVESTIGATION	24
4.2 BORINGS AND MONITORING WELLS.....	25
4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS.....	26
5.0 ENVIRONMENTAL EVALUATION.....	31
5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS.....	31
5.2 SOIL CHEMISTRY	32
5.3 GROUNDWATER CHEMISTRY	33
5.3 SOIL VAPOR CHEMISTRY	33

5.4	PRIOR ACTIVITY	34
5.5	IMPEDIMENTS TO REMEDIAL ACTION	34
6.0	CONCLUSIONS AND RECOMMENDATIONS.....	35
7.0	REFERENCES.....	36

FIGURES

1. Property Location Map
2. Site Plan
3. Area of Geophysical Survey
4. Sampling Plan
5. Soil Sample Concentrations Above Part 375 Unrestricted Use for Shallow Depths
6. Soil Sample Concentrations Above Part 375 Unrestricted Use for Deep Depths
7. Groundwater Sample Concentrations Above NYSDEC TOGS

TABLES

1. Analytical Results for Volatile Organic Compounds in Soil Samples
2. Analytical Results for Semi-Volatile Organic Compounds in Soil Samples
3. Analytical Results for Pesticides in Soil Samples
4. Analytical Results for PCBs in Soil Samples
5. Analytical Results for Metals in Soil Samples
6. Analytical Results for Volatile Organic Compounds Detected in Soil Vapor Samples
7. Analytical Results for Volatile Organic Compounds Detected in Groundwater Samples
8. Analytical Results for Semi-Volatile Organic Compounds in Groundwater Samples
9. Analytical Results for Pesticides in Groundwater Samples
10. Analytical Results for PCBs in Groundwater Samples
11. Analytical Results for Metals in Groundwater Samples

APPENDICES

- A. Proposed Redevelopment Plans
- B. Phase I ESA (electronic file)
- C. Laboratory Analytical Results for Soil and Groundwater Samples (electronic file)
- D. Soil Boring Logs and Well Construction Diagrams
- E. Soil Vapor Logs
- F. Laboratory Analytical Results for Soil Vapor Samples (electronic file)

LIST OF ACRONYMS

Acronym	Definition
AOC	Area of Concern
CAMP	Community Air Monitoring Plan
COC	Contaminant of Concern
CPP	Citizen Participation Plan
CSM	Conceptual Site Model
DER-10	Department of Environmental Conservation Technical Guide 10
ESA	Environmental Site Assessment
FID	Flame Ionization Detector
GPS	Global Positioning System
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
IRM	Interim Remedial Measure
NYC BCP	New York City Brownfield Cleanup Program
NYC DOHMH	New York City Department of Health and Mental Hygiene
NYCDOF	New York City Department of Finance
NYC OER	New York City Office of Environmental Remediation
NYS DOH ELAP	New York State Department of Health Environmental Laboratory Accreditation Program
OSHA	Occupational Safety and Health Administration
PID	Photoionization Detector
QEP	Qualified Environmental Professional
RI	Remedial Investigation
RIR	Remedial Investigation Report
SCO	Soil Cleanup Objective
SPEED	Searchable Property Environmental Electronic Database
SVOC	Semi-volatile Organic Compounds
USGS	United States Geological Survey
VOCs	Volatile Organic Compounds

CERTIFICATION

I, Richard J. Izzo, CPG am a Qualified Environmental Professional, as defined in proposed RCNY § 43-1402(ar). I have primary direct responsibility for implementation of the Remedial Investigation for the 260 West 26th Street Site, (NYC BCP Site No. 11CBCP011M). I am responsible for the content of this Remedial Investigation Report (RIR), have reviewed its contents and certify that this RIR is accurate to the best of my knowledge and contains all available environmental information and data regarding the property.



<u>Richard J. Izzo, CPG</u>	<u>4/13/11</u>	<u></u>
Qualified Environmental Professional	Date	Signature

EXECUTIVE SUMMARY

The Remedial Investigation Report (RIR) provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy pursuant to RCNY§ 43-1407(f). The remedial investigation (RI) described in this document is consistent with applicable guidance.

Site Location and Current Usage

The Site is located at 260 West 26th Street in the Chelsea section of New York, New York and is identified as Block: 775; Lots: 4, 69, 77, 78, 79, and 80 on the New York City Tax Map. Figure 1 shows the Site location. The Site area is 26,000 square feet and is bounded by West 26th Street to the north, residential and commercial buildings to the south, a four-story veterinary practice to the east, and Eighth Avenue to the west. A map of the Site boundary is shown in Figure 2. Currently, the Site contains a two-story building and an automotive parking lot with aboveground hydraulic car lifts. A video store and art gallery is located on the first floor of the building. The tenant space located on the second floor of the structure is currently vacant. The two-story building is slated for demolition in preparation for Site redevelopment.

Summary of Proposed Redevelopment Plan

The proposed future use of the Site is 204 residential units with a mix of studios as well as one and two bedroom apartments. 41 of the 204 units will be rented by lottery to residents earning 40% and 60% of the area median income. The remaining units will be rented at market rate. There will also be approximately 17,000 square feet of retail as well as 600 square feet of community facility. Layout of the proposed Site development is presented as Appendix A. The current zoning designation is C6-2A. The proposed use is consistent with existing zoning for the property.

The two-story building that currently exists is slated for demolition in preparation for the proposed new building. The new building will cover the entire Site. Excavation for the building's foundation will extend Site wide from grade down to and partially into bedrock. As part of redevelopment activities, it is currently estimated that 6,200 cubic yards of soil will be excavated.

The new structure will be 12 stories tall with setbacks allowing for penthouses and roof terraces in addition to balconies for indoor/outdoor living. The apartment square footages will range between 550 square foot studios to 1,000 square foot two bedrooms.

The building will be a LEED-certified building and will include many green features including a monitored boiler, low-flow fixtures, energy-saving appliances, as well as energy efficient and LED lighting. The basement will consist of mechanical and storage rooms, a parking garage, and commercial storage rooms. The second floor of the building will host an array of amenities including a possible play room, gym, media or recreation room. Laundry facilities and an outdoor play area for children will also be located on the second floor.

Construction period is expected to be 24 months with the final six months set aside for marketing and rent-up to minimize the vacancy period in the first year.

Summary of Past Uses of Site and Areas of Concern

Review of the Sanborn Maps showed that the Site was first developed with five 3-story structures and a theater in 1890. By 1976 the Site contained five 3-story stores and dwellings, a two-story store, and a parking area. In 1988, the Site contained two 3-story commercial and residential structures, one 3-story store, one 2-story store and a parking area. By 2003, the Site contained three 3-story commercial and residential buildings, a two-story store, and a parking area.

A search of the New York City Department of Finance (NYCDOF) ACRIS database was also conducted for the Site. Copies of records are included in the Phase I Environmental Site Assessment (ESA) that was conducted in March 2011 (Ref. 1).

Based on the results of the Phase I and Remedial Investigation, the AOCs identified for this Site include:

1. Urban Fill

In all areas of the Site that were tested, the soil displayed characteristics of historic fill. Elevated levels of several Semi-Volatile Organic Compounds (SVOCs) commonly referred to as Poly Aromatic Hydrocarbons (PAHs) and metals were detected throughout the Site at varying depths.

2. Suspect USTs

A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot during the Phase I ESA. An additional fill port was identified near the hydraulic lifts on the western portion of the Site during the RI Site inspection. In addition, the September 2005 Phase I identified two 275-gallon abandoned ASTs at the Site and the NYCDOB database identified the presence of an oil boiler on Lot 78. Although no records indicating the proper removal of these tanks were provided as the buildings have since been demolished, the geophysical survey did not confirm the presence or absence of any anomalies indicative of suspect USTs, ASTs, or leaching structures beneath the surface of the Site.

3. Unrecorded Historic Spills

During the Phase I inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt-surface of the parking lot. As elevated levels of several SVOCs were detected throughout the Site at shallow depths, it is

possible that some of the detections in the area of the lifts may be related to these minor spills in addition to urban fill.

An electronic copy of the Phase 1 ESA is presented in Appendix A. The areas of concern are presented on Figures 3, 5 and 6.

Summary of the Work Performed under the Remedial Investigation

The RI consisted of the following scope of work:

1. A Site inspection was conducted to identify AOCs.
2. A geophysical survey was performed across the Site to determine the location of potentially buried USTs or other subsurface features including, but not limited to, the potential presence of buried structures, foundations, utilities, or drywells, etc.
3. Twelve small-diameter soil borings were advanced using a Geoprobe direct-push device. The borings were drilled to bedrock which varied from eight feet to 20 feet across the Site. A shallow soil sample was collected from 0 to 2 feet and from the deepest soils above bedrock or the soils exhibiting the highest Photo-Ionization Detector (PID) reading.
4. All soil samples were analyzed for Volatile Organic Compounds (VOCs) via EPA Method 8260, SVOCs via EPA Method 8270, Pesticides via EPA Method 8081, PCBs via EPA Method 8082, and TAL Metals.
5. Two temporary soil vapor points were installed five feet below grade using the Geoprobe. Each soil vapor point was constructed of a stainless steel screen connected to ¼-inch steel tubing. The annular space around the vapor point was filled with #2 Morie sand and capped at grade with a bentonite seal. The vapor point was then sampled in

accordance with the New York State Department of Health (NYSDOH) Guidance for Evaluating Soil Vapor Intrusion in the State of New York dated October 2006 (Ref. 3). The soil vapor sample was analyzed for VOCs using USEPA Method TO-15.

6. Groundwater was encountered at approximately 21 feet below grade.
7. Two groundwater samples were obtained from temporary well points installed using the Sonic method of drilling. The samples were analyzed for VOCs using USEPA Method 8260, SVOCs using EPA Method 8270, pesticides via EPA Method 8081, PCBs via EPA Method 8082, and dissolved total metals using EPA Method 6000/7000 series.

Summary of Environmental Findings

1. Elevation of the property ranges from 23 to 25 feet (Manhattan Highway Datum).
2. Groundwater was encountered at 21 feet below grade. Regional groundwater flows in a westerly direction.
3. Depth to bedrock ranges from eight to 20 feet at the Site.
4. The stratigraphy of the Site, from the surface down, consists of urban fill followed by unconsolidated Cretaceous age deposits composed of interbedded layers of silt, sand, and gravel.
5. Soil/fill samples collected during the RI contained the metals arsenic, copper, lead, mercury, and zinc at levels above NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (Track 1 SCOs). Most exceedences of Track 1 occur in the shallow fill samples. Relatively few samples that exceed Track 1 also exceed NYSDEC Part 375 Track 2 Restricted Residential SCOs. VOCs are not identified above Track 1 or Track 2 Restricted Residential SCOs. Low levels of one PCB aroclor and various pesticides were

also identified at levels above NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives. No soil/fill samples exceeded the Track 2 Restricted Residential SCOs for PCBs. Several SVOCs exceeded Track 1 SCOs. These include benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, and indeno (1,2,3-cd)pyrene. The SVOC compounds identified and the concentrations observed are typical for historical fill found commonly in urban areas elsewhere in NYC. These metals and SVOC findings are attributed to historic fill material disposed on the property and are not considered indicative of any disposal, release or spill.

6. Groundwater samples collected during the RI showed a slight exceedence of NYSDEC Technical and Operational Guidance Series (TOGS) groundwater standards or guidance values (Ref. 5) for the VOC toluene and the SVOC chrysene. No PCBs or pesticides exceeded TOGS. The dissolved metals magnesium, selenium, and sodium were detected slightly above TOGS.
7. Soil vapor samples collected during the RI contained low level VOCs. Most of the soil vapor detections are below two ug/m³ and there were no valid findings above five ug/m³. The compounds detected in soil vapor are mostly derivatives of BTEX. Some of the VOCs identified in the soil vapor are also found in onsite soils but at very low concentrations, generally estimated values below one ug/kg. These compounds are also predominantly BTEX derivatives that are most commonly derived from automotive fuel sources. The soil vapor detections are attributed, to onsite car parking operations and offsite sources. The area is predominantly paved and encapsulated and vapors from offsite sources will have a tendency to migrate laterally prior to discharge to the atmosphere.
8. A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot and an additional fill port was identified near the hydraulic lifts on the western portion of the Site.

9. The geophysical investigation did not confirm the absence or presence of USTs associated with the fill ports and vent pipes or any anomalies indicative of suspect USTs or leaching structures beneath the surface of the Site.

REMEDIAL INVESTIGATION REPORT

1.0 SITE BACKGROUND

Chelsea W26 LLC has enrolled in the New York City Brownfield Cleanup Program (NYC BCP) to investigate and remediate a 26,000 square-foot property (Site) located at 260 West 26th Street in the Chelsea section of New York, New York. Residential and commercial use is proposed for the Site. The Remedial Investigation (RI) was performed in February and March 2011. This RIR summarizes the nature and extent of contamination and provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy that is protective of human health and the environment consistent with the use of the property pursuant to RCNY§ 43-1407(f).

1.1 SITE LOCATION AND CURRENT USAGE

The Site is located at 260 West 26th Street in the Chelsea section of New York, New York and is identified as Block: 775; Lots: 4, 69, 77, 78, 79, and 80 on the New York City Tax Map. Figure 1 shows the Site location. The Site area is 26,000-square feet and is bounded by West 26th Street to the north, residential and commercial buildings to the south, a four-story veterinary practice to the east, and Eighth Avenue to the west. A map of the Site boundary is shown in Figure 2. Currently, the Site contains a two-story building and an automotive parking lot with aboveground hydraulic car lifts. A video store and art gallery is located on the first floor of the building. The tenant space located on the second floor of the structure is currently vacant. The two-story building is slated for demolition in preparation for Site redevelopment.

Proposed Redevelopment Plan

The proposed future use of the Site is 204 residential units with a mix of studios as well as one and two bedroom apartments. 41 of the 204 units will be rented by lottery to residents earning 40% and 60% of the area median income. The remaining units will be rented at market rate. There will also be approximately 17,000 square feet of retail as well as 600 square feet of community facility. Layout of the proposed Site development is presented as Appendix A. The current zoning designation is C6-2A. The proposed use is consistent with existing zoning for the property.

The two-story building that currently exists is slated for demolition in preparation for the proposed new building. The new building will cover the entire Site. Excavation for the building's foundation will extend Site wide from grade down to and partially into bedrock. As part of redevelopment activities, it is currently estimated that 6,200 cubic yards of soil will be excavated.

The new structure will be 12 stories tall with setbacks allowing for penthouses and roof terraces in addition to balconies for indoor/outdoor living. The apartment square footages will range between 550 square foot studios to 1,000 square foot two bedrooms.

The building will be a LEED-certified building and will include many green features including a monitored boiler, low-flow fixtures, energy-saving appliances, as well as energy-efficient and LED lighting. The basement will consist of mechanical and storage rooms, a parking garage, and commercial storage rooms. The second floor of the building will host an array of amenities including a possible play room, gym, media or recreation room. Laundry facilities and an outdoor play area for children will also be located on the second floor.

Construction period is expected to be 24 months with the final six months set aside for marketing and rent-up to minimize vacancy period in the first year.

DESCRIPTION OF SURROUNDING PROPERTY

The Site is located in a developed area consisting of a mixed-use of residential and commercial buildings. West 26th Street is located to the north of the Site. Residential and commercial buildings are located to the south of the Site. Eighth Avenue is located to the west of the Site. A four-story commercial building is located to the east of the Site.

There are no surface bodies of water onsite or within approximately ½ - mile from the Site. There are no Federal Wetlands mapped within ½ -mile of the Site. The Site is not located within a FEMA 100 or 500 Year Flood Zone. Public water is supplied to the Site and there is no on-site use of the shallow water beneath the Site. Figure 2 shows the surrounding land usage.

2.0 SITE HISTORY

2.1 PAST USES AND OWNERSHIP

Review of the Sanborn Maps showed that the Site was first developed with five 3-story structures and a theater in 1890. By 1976 the Site contained five 3-story stores and dwellings, a two-story store, and a parking area. In 1988, the Site contained two 3-story commercial and residential structures, one 3-story store, one 2-story store and a parking area. By 2003, the Site contained three 3-story commercial and residential buildings, a two-story store, and a parking area.

A search of the New York City Department of Finance (NYCDOF) ACRIS database was also conducted for the Site. Copies of records are included in the Phase I Environmental Site Assessment (ESA) that was conducted in March 2011 (Ref. 1). The following is a summary of the ownership history of each lot.

- Block: 775; Lot: 4 Title was transferred from Eighth Ave Realty Corp to Eighth Ave Realty Corp on July 14, 1988; from Eight Ave Realty Corp to Eighth Ave Realty Associates on December 2, 1988; from Eighth Ave Realty Associates to 8-26 Realty Corp on September 27, 1995; from Marylyn Lieberman to 306 8th Avenue Realty Corp on May 5, 2003; and, from 306 8th Avenue Realty Corp to 26-10 Corp on August 20, 2007.
- Block: 775; Lot: 69 Title was transferred from 8-26 Realty Corp. to Eighth Avenue Realty Associates on September 27, 1995.
- Block: 775; Lot: 77 Title was transferred from Theodore Tcusalas to T.T Lease holding Corp on October 26, 1988; from Theodore Tcusalas to 262-264 W 26th MGT on July 25, 2002; and, from 262-264 W 26th MGT to 262 West 26th Street, LLC on October 25, 2005.
- Block: 775; Lot: 78 Title was transferred from Theodore Tcusalas to T.T Lease holding Corp on October 26, 1988; from Theodore Tcusalas to 262-264 W 26th MGT on July 25, 2002; and, from 262-264 W 26th MGT to 262 West 26th Street, LLC on October 25, 2005.

Block: 775; Lot: 79 Title was transferred from 26th and Eighth Avenue, LLC to 320-8th Avenue Corp. on October 25, 2005.

Block: 775; Lot: 80 Title was transferred from Eighth Ave Realty Corp to Eighth Ave Realty Corp on July 14, 1988; from Eighth Ave Realty Associates to Eighth Ave Realty Corp on December 2, 1988; from Eighth Ave Realty Associates to Eighth Ave Realty Corp on October 26, 1990; and, from 8-26 Realty Corp to Eighth Avenue Realty Associates on September 27, 1995.

2.2 PREVIOUS INVESTIGATIONS

A Phase I ESA was conducted by Merritt Engineering Consultants PC in September 2005 (Ref 2). The September 2005 Phase I ESA identified the following Recognized Environmental Condition (REC):

252 West 26th Street is documented as an “E” designated lot by the NYC Department of Buildings. According to a NYCDOB memorandum (12/23/03), “E” designated lots are amendments to the New York City Zoning Maps that may include environmental designations of certain lots that have physical or historical evidence of uses related to hazardous materials. Zoning Resolution 11-15 provides that the Department of Buildings may not issue a building permit for work on a tax lot labeled “e”, until the Department of Buildings is provided with a report from the Department of Environmental Protection stating that the environmental requirements for the lot have been met.

Additionally, the Phase I ESA indicated the presence of two 275-gallon abandoned aboveground storage tanks (ASTs).

A second Phase I ESA was conducted by CA RICH Consultants, Inc (CA RICH) in March 2011 (Ref. 1). The March 2011 Phase I ESA identified the following RECs:

- REC-1 At the time of the inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt surface of the parking lot. Therefore, it is recommended that a subsurface investigation be performed in the parking lot to determine if the presence of the lifts has negatively impacted the subject Property.

- REC-2 A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot. As no records indicating the proper removal of this suspect tank were provided, it is recommended that a geophysical investigation including Ground Penetrating Radar be conducted to determine if a UST is present.

- REC-3 According to the NYCDOB database, one of the six lots comprising the subject Property, Block: 775; Lot: 69 is “E” designated for hazardous materials. Therefore, if the Property is to be redeveloped, it is recommended that a subsurface investigation be performed on this lot in accordance with New York City Office of Environmental Remediation’s (NYCOER’s) requirements.

- REC-4 According to the previous Phase I performed, two 275-gallon abandoned ASTs were identified at the Property. In addition, the NYCDOB database identified the presence of an oil boiler on Lot 78. The oil boiler noted in the database may be related to the AST identified in the Phase I ESA conducted by Merritt Engineering in 2005. As no records indicating the proper removal of these tanks were provided and the buildings have since been demolished, it is recommended that a geophysical investigation including GPR be conducted on these lots to determine whether the ASTs remain.

2.3 AREAS OF CONCERN

Based on the results of the Phase I and Remedial Investigation, the AOCs identified for this site include:

1. Urban Fill

In all areas of the Site that were tested, the soil displayed characteristics of historic fill. Elevated levels of several SVOCs commonly referred to as PAHs and metals were detected throughout the Site at varying depths.

2. Suspect USTs

A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot during the Phase I ESA. In addition, the September 2005 Phase I identified two 275-gallon abandoned ASTs at the Site and the NYCDOB database identified the presence of an oil boiler on Lot 78. Although no records indicating the proper removal of these tanks were provided as the buildings have since been demolished, the geophysical survey did not confirm the presence or absence of any anomalies indicative of suspect USTs, ASTs, or leaching structures beneath the surface of the Site.

3. Unrecorded Historic Spills

During CA RICH's Phase I inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt-surface of the parking lot. As elevated levels of several SVOCs were detected throughout the Site at shallow depths, it is possible that some of the detections in the area of the lifts may be related to these minor spills in addition to urban fill.

The Phase I ESA is presented in Appendix B. The areas of concern are shown on Figures 3, 5 and 6.

3.0 PROJECT MANAGEMENT

3.1 PROJECT ORGANIZATION

The Qualified Environmental Professional (QEP) responsible for preparation of this RIR is Richard J. Izzo, CPG. The scientist that performed the field work for this RI was Jessica Proscia. Deborah Shapiro served as the project manager.

3.2 HEALTH AND SAFETY

All work described in this RIR was performed in full compliance with applicable laws and regulations, including Site and OSHA worker safety requirements and HAZWOPER requirements.

3.3 MATERIALS MANAGEMENT

All material encountered during the RI was managed in accordance with applicable laws and regulations.

4.0 REMEDIAL INVESTIGATION ACTIVITIES

The RI consisted of the following scope of work:

1. A Site inspection was conducted to identify AOCs.
2. A geophysical survey was performed across the Site to determine the location of potentially buried USTs or other subsurface features including, but not limited to, the potential presence of buried structures, foundations, utilities, or drywells, etc.
3. Twelve small-diameter soil borings were advanced using a Geoprobe direct push device. Prior to the commencement of drilling, the One Call Center was notified to perform utility markouts. The borings were drilled to bedrock which varied in depth from eight feet to 20 feet across the Site. A shallow soil sample was collected from 0 to 2 feet and from the deepest soils above bedrock or the soils exhibiting the highest Photo-Ionization Detector (PID) reading.
4. All soil samples were analyzed for VOCs via EPA Method 8260, SVOCs via EPA Method 8270, Pesticides via EPA Method 8081, PCBs via EPA Method 8082, and TAL Metals.
5. Two temporary soil vapor points were installed five feet below grade using the Geoprobe. Each soil vapor point was constructed of a stainless steel screen connected to ¼-inch steel tubing. The annular space around the vapor point was filled with #2 Morie sand and capped at grade with a bentonite seal. The vapor point was then sampled in accordance with the NYSDOH Guidance for Evaluating Soil Vapor Intrusion in the State of New York dated October 2006 (Ref. 3). The soil vapor sample was analyzed for VOCs using USEPA Method TO-15.
6. Groundwater was encountered at approximately 21 feet below grade.

7. Two groundwater samples were obtained from temporary well points installed using the Sonic method of drilling. The samples were analyzed for VOCs using USEPA Method 8260, SVOCs using EPA Method 8270, pesticides via EPA Method 8081, PCBs via EPA Method 8082, and dissolved total metals using EPA Method 6000/7000 series.

4.1 GEOPHYSICAL INVESTIGATION

A geophysical survey utilizing ground-penetrating radar (GPR) was conducted on February 10, 2011 across the Site to determine the location of potentially buried USTs or other subsurface features including, but not limited to, the potential presence of buried structures, foundations, utilities, or drywells, etc. In addition, to determine if a UST associated with the fill port and vent pipe identified along the building was present, a radio frequency was attached to the vent pipe. The GPR could not be performed in the two-story building and in portions of the parking lot where the hydraulic lifts or snow and ice were present.

The GPR utilizes antennas capable of providing useful and relevant data in a suburban environment which penetrates the subsurface sufficiently to characterize suspect metal objects and/or other prominent subsurface structures. Two antennas of significantly different frequencies (i.e. 250 MHz and 1,000 MHz) with a digital control unit were utilized in this effort.

The GPR survey did not confirm the presence or absence of any anomalies indicative of suspect USTs or leaching structures beneath the surface of the Site. Figure 3 shows the area where the GPR survey was performed.

4.2 BORINGS AND MONITORING WELLS

On February 17 and 18, 2011, 12 soil borings were advanced using a Geoprobe direct-push system. The soil borings (SB-1 through SB-12) were advanced from the surface down to bedrock, which varied across the Site from eight to 20 feet below grade. Jessica Proscia of CA RICH was present on-site to oversee all of the soil boring activities. In addition, the soil from the borings were logged and characterized; and the samples produced from the borings were screened continuously with a PID.

Overall, the subsurface soil materials generally consisted of urban fill, silt, sand, and some red clay. Two soil samples were collected from each location. A shallow soil sample was collected from 0 to 2 feet in all borings. Soils were screened during drilling, including use of a PID, to enable biased sample collection in potentially contaminated zones. No PID readings were noted in any of the soil borings and thus no biased samples were collected. Consequently, the deepest sample above bedrock was also collected in all borings. All soil samples were placed in an ice-filled cooler and submitted to American Analytical Laboratories (a State-certified laboratory) of Farmingdale, NY for analysis. The constituents specified for analyses were VOCs via EPA Method 8260, SVOCs via EPA Method 8270, pesticides via EPA Method 8081, PCBs via EPA Method 8082, and the TAL list of Metals.

On March 31, 2011, two temporary well points, MW-1 and MW-2, were installed using the Sonic method of drilling to 24 feet below grade as groundwater was encountered at 21 feet below grade. Soils were logged continuously from the sample cores. At MW-1, bedrock was encountered at 20 feet below grade. At MW-2, bedrock was encountered at seven feet below grade. Each temporary well was constructed of one-inch diameter schedule 40 PVC casing and one-inch diameter 0.020-inch slotted (20 slot) pipe screen flush-threaded onto the PVC casing.

No petroleum product was present in any of the well points. Prior to sampling, at least three times the volume of water was removed from each well point using new polyethylene tubing and a submersible pump. The submersible pump was decontaminated between sample collections by passing a laboratory grade detergent through the pump, followed by a fresh water scrub and a fresh water rinse. Gloves worn for sample handling were discarded between each sampling point.

After purging was complete, a sample of the groundwater was then collected directly from the pump discharge into laboratory-issued containers by CA RICH personnel. All groundwater samples were packaged into laboratory-issued containers, placed in a cooler on ice and hand delivered to the laboratory the same day. The samples were submitted to American Analytical Laboratory of Farmingdale, New York (an ELAP certified laboratory) and were analyzed for VOCs using USEPA Method 8260, SVOCs using EPA Method 8270, pesticides via EPA Method 8081, PCBs via EPA Method 8082, and dissolved total metals using EPA Method 6000/7000 series.

The soil laboratory analytical results were then compared to their applicable NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (Ref. 4), and are summarized on Tables 1 through 5. The groundwater laboratory analytical results were compared to their applicable NYSDEC TOGS standards or guidance values. The soil borings and well points are depicted on the attached Sampling Plan (Figure 4). Figures 5 and 6 represent the soil sample concentrations above Part 375 unrestricted use for shallow and deep depths. Figure 7 illustrates the groundwater concentrations above NYSDEC TOGS. A copy of the laboratory report for the soil and groundwater samples is included as Appendix C. Boring logs and well construction details are attached as Appendix D.

4.3 SAMPLE COLLECTION AND CHEMICAL ANALYSIS

Sampling performed as part of the field investigation was conducted for all Areas of Concern and also considered other means for bias of sampling based on professional judgment, area

history, discolored soil, stressed vegetation, drainage patterns, field instrument measurements, odor, or other field indicators. All media including soil, groundwater and soil vapor have been sampled and evaluated in the RIR. Discrete (grab) samples have been used for final delineation of the nature and extent of contamination and to determine the impact of contaminants on public health and the environment. The sampling performed and presented in this RIR provides sufficient basis for evaluation of remedial action alternatives, establishment of a qualitative human health exposure assessment, and selection of a final remedy.

Soil Sampling

A shallow soil sample was collected from 0 to 2 feet in all 12 soil borings. Additionally, the deepest sample above bedrock was collected in all borings. Each sample was placed in sterilized laboratory-supplied containers. The sampled earth materials were settled and capped to ensure that little or no headspace was present within the sample. The samples were stored on ice in an air-tight cooler to preserve the samples at approximately 4+/-2° Celsius prior to and during shipment. All samples were uniquely identified, and all information associated with the samples were recorded utilizing standard chain-of-custody sampling protocols. The samples were submitted to American Analytical Laboratories (a State-certified laboratory) of Farmingdale, NY for analysis. The constituents specified for analyses were VOCs via EPA Method 8260, SVOCs via EPA Method 8270, pesticides via EPA Method 8081, PCBs via EPA Method 8082, and the TAL list of Metals.

All on-site sampling equipment was decontaminated between each use in the following manner: laboratory grade detergent and fresh water wash using a scrub brush, followed by two fresh water rinses and a final air dry. Gloves worn for sample handling were discarded between sample collections. A CA RICH scientist oversaw all soil boring activities; logged (characterized) the shallow fill lithology, and screened the earth materials (fill) samples with a (PID). Soil/fill samples obtained below the water table were not screened with a PID due to moisture interferences.

Twenty-four soil samples were collected for chemical analysis during this RI. Data on soil sample collection for chemical analyses, including dates of collection and sample depths, are reported in Tables 1-5 and is summarized on Figures 5 and 6. Figure 4 shows the location of samples collected in this investigation. Laboratories and analytical methods are shown below.

Groundwater Sampling

Two groundwater samples were collected for chemical analysis during this RI. Prior to sampling, at least three times the volume of water was removed from each well point using new polyethylene tubing and a submersible pump. The submersible pump was decontaminated between sample collections by passing a laboratory grade detergent through the pump, followed by a fresh water scrub and a fresh water rinse. Gloves worn for sample handling were discarded between each sampling point.

After purging was complete, a sample of the groundwater was then collected directly from the pump discharge into laboratory-issued containers by CA RICH personnel. All groundwater samples were packaged into laboratory-issued containers, placed in a cooler on ice and hand delivered to the laboratory the same day. The samples were submitted to American Analytical Laboratory of Farmingdale, New York (an ELAP certified laboratory) and were analyzed for VOCs using USEPA Method 8260, SVOCs using EPA Method 8270, pesticides via EPA Method 8081, PCBs via EPA Method 8082, and dissolved total metals using EPA Method 6000/7000 series.

Groundwater sample collection data is reported in Tables 7 through 11. Sampling logs with information on purging and sampling of groundwater monitor wells is included in Appendix D. Figure 4 shows the location of groundwater samples. Laboratories and analytical methods are shown below.

Soil Vapor Sampling

Two temporary soil vapor points were installed in accordance with the NYSDOH “Guidance for Evaluating Soil Vapor Intrusion in the State of New York” dated October 2006 (Ref. 3). The soil vapor points were installed by drilling a 2 ¼-inch hole to five feet below grade using a GeoprobeTM drilling system. Once the bottom depth was reached, a vapor point comprised of a two-inch long stainless steel screen connected to ¼-inch stainless steel tubing was advanced into the hole. The tubing was then connected with a sample fitting to allow for the collection of soil gas. The annular space around the stainless steel screen was packed with coarse sand to six-inches below grade, creating a sampling zone. A bentonite seal was then placed above the sampling zone.

Prior to sampling, three volumes of soil vapor were purged from the soil vapor point using an air sampling pump set to a rate of approximately 0.2 liters per minute. A bucket was then placed over the sample assembly and helium gas was used to enrich the atmosphere around the sample location in combination with real-time air monitoring (for helium) to verify that ambient air was not infiltrating the sampling assembly during purging and sampling.

Once it was confirmed that ambient air was not being drawn into the assembly, the soil vapor was screened for the presence of VOCs using a PID. There were no PID detections during screening. After field screening was completed, the stainless steel tubing was connected to the SUMMA canister and a soil vapor sample was collected. The SUMMA canister regulator was set to restrict the sample collection to not exceed 0.2 liters per minute over a two-hour time period. Upon completion of sample collection, the canister was disconnected and sent to York Laboratories of Stratford, CT for analysis of VOCs via EPA method TO-15. Soil vapor sampling locations are shown in Figure 4. Soil vapor sample collection data are reported in Table 6. Soil vapor sampling logs are included in Appendix E. Methodologies used for soil vapor assessment conform to the *NYS DOH Final Guidance on Soil Vapor Intrusion, October 2006*. The soil vapor results are attached as Appendix F.

Chemical Analysis

Chemical analytical work presented in this RIR has been performed in the following manner:

Factor	Description
Quality Assurance Officer	The chemical analytical quality assurance is directed by Deborah Shapiro
Chemical Analytical Laboratory	Chemical analytical laboratories used in the RI are NYS ELAP certified and were American Analytical Laboratories of Farmingdale, NY and York Laboratories of Stratford, CT
Chemical Analytical Methods	<p>Soil analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010C (rev. 2007); • VOCs by EPA Method 8260C (rev. 2006); • SVOCs by EPA Method 8270D (rev. 2007); • Pesticides by EPA Method 8081B (rev. 2000); • PCBs by EPA Method 8082A (rev. 2000); <p>Groundwater analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010C (rev. 2007); • VOCs by EPA Method 8260C (rev. 2006); • SVOCs by EPA Method 8270D (rev. 2007); • Pesticides by EPA Method 8081B (rev. 2000); • PCBs by EPA Method 8082A (rev. 2000); <p>Soil vapor analytical methods:</p> <ul style="list-style-type: none"> • VOCs by TO-15 VOC parameters.

Results of Chemical Analyses

Laboratory data for soil, groundwater and soil vapor are summarized in Table 1 through 11. Laboratory data deliverables for all samples evaluated in this RIR are provided in digital form in Appendix C and F.

5.0 ENVIRONMENTAL EVALUATION

5.1 GEOLOGICAL AND HYDROGEOLOGICAL CONDITIONS

Stratigraphy

According to maps and reports published by the United States Geological Survey (USGS), the Site is underlain by unconsolidated deposits composed of interbedded layers of silt, sand, and gravel at an elevation of approximately 27 feet above mean sea level. These deposits are in turn, underlain by crystalline bedrock of the Manhattan Formation. The Manhattan Formation is composed of pelitic schists and amphibolite. Depth to bedrock ranges from eight to 20 feet below ground surface (bgs) at the Site. Boring logs are attached as Appendix D.

Hydrogeology

Elevation of the property ranges from 23 to 25 feet (Manhattan Highway Datum). The Site is relatively flat and has no natural or artificial surface water bodies or impoundments. Water from rain events runs off into storm drains located in the street. Groundwater was encountered at 21 feet below grade. Regional groundwater flow is westerly.

5.2 SOIL CHEMISTRY

The laboratory analytical results were compared to their applicable NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (Ref. 4), and are summarized on Tables 1 through 5. The results indicated the following:

Soil/fill samples collected during the RI contained the metals arsenic, copper, lead, mercury, and zinc at levels above NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (Track 1 SCOs). Most exceedences of Track 1 occur in the shallow fill samples. Relatively few samples that exceed Track 1 also exceed NYSDEC Part 375 Track 2 Restricted Residential SCOs. VOCs are not identified above Track 1 or Track 2 Restricted Residential SCOs. Low levels of one PCB aroclor and various pesticides were also identified at levels above NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives. No soil/fill samples exceeded the Track 2 Restricted Residential SCOs for PCBs. Several SVOCs exceeded Track 1 SCOs. These include benzo(a)anthracene, benzo(a)pyrene, benzo(b)flouranthene, benzo(k)flouranthene, chrysene, dibenzo(a,h)anthracene, and indeno (1,2,3-cd)pyrene. The SVOC compounds identified and the concentrations observed are typical for historical fill found commonly in urban areas elsewhere in NYC. These metals and SVOC findings are attributed to historic fill material disposed on the property and are not considered indicative of any disposal, release or spill.

Data collected during the RI are sufficient to delineate the vertical and horizontal distribution of contaminants in soil/fill at the Site. A summary table of data for chemical analyses performed on soil samples is included in Tables 1 through 5. Figures 5 and 6 show the location and posts the values for soil/fill that exceed the 6NYCRR Part 375-6.8 Track 1 Soil Cleanup Objectives.

5.3 GROUNDWATER CHEMISTRY

Groundwater samples collected during the RI showed a slight exceedence of NYSDEC TOGS groundwater standards or guidance values for the VOC toluene and the SVOC chrysene. No PCBs or pesticides exceeded TOGS. The dissolved metals magnesium, selenium, and sodium were detected slightly above TOGS.

Data collected during the RI is sufficient to delineate the distribution of contaminants in groundwater at the Site. A summary table of data for chemical analyses performed on groundwater samples is included in Tables 7 through 11. Exceedence of applicable groundwater standards are shown.

Figure 7 shows the location and posts the values for groundwater that exceed the New York State 6NYCRR Part 703.5 Class GA groundwater standards.

5.4 SOIL VAPOR CHEMISTRY

Although there are no standards for soil vapor, low levels of VOCs were detected in the soil vapor point samples. Data collected during the RI are sufficient to delineate the distribution of contaminants in soil vapor at the Site. A summary table of data for chemical analyses performed on soil vapor samples is included in Table 6.

Soil vapor samples collected during the RI contained low level VOCs. Most of the soil vapor detections are below two ug/m^3 and there were no valid findings above five ug/m^3 . The compounds detected in soil vapor are mostly derivatives of BTEX. Some of the VOCs identified in the soil vapor are also found in onsite soils but at very low concentrations, generally estimated values below one ug/kg . These compounds are also predominantly BTEX derivatives that are most commonly derived from automotive fuel sources. The soil vapor detections are attributed, to onsite car parking operations and offsite sources. The area is predominantly paved and

encapsulated and vapors from offsite sources will have a tendency to migrate laterally prior to discharge to the atmosphere.

5.5 PRIOR ACTIVITY

Based on an evaluation of the data and information from the RIR, disposal of significant amounts of hazardous waste is not suspected at this site.

5.6 IMPEDIMENTS TO REMEDIAL ACTION

There are no known impediments to remedial action at this Site.

6.0 CONCLUSIONS AND RECOMMENDATIONS

The RI was performed in accordance with customary practice and generally accepted protocols within the environmental consulting industry. At the time of this study, and based upon the limitations inherent to the kind of information that can be generated by the specific data that were acquired, the following conclusions and recommendations are provided:

- A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot and an additional fill port was identified near the hydraulic lifts on the western portion of the Site.
- A geophysical survey was performed across the Site to determine the location of potentially buried USTs or other subsurface features. The GPR survey did not confirm the presence or absence of any anomalies indicative of suspect USTs or leaching structures beneath the surface of the Site.
- The subsurface soils at the Site were investigated at 12 separate locations resulting in the chemical analysis of a total of 24 soil samples from beneath the Site. The lithology observed during the soil testing indicates that the Site is underlain by urban fill, silt, sand, and some red clay.
- Soil/fill samples collected during the RI contained the metals arsenic, copper, lead, mercury, and zinc at levels above NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (Track 1 SCOs). Most exceedences of Track 1 occur in the shallow fill samples. Relatively few samples that exceed Track 1 also exceed NYSDEC Part 375 Track 2 Restricted Residential SCOs. VOCs are not identified above Track 1 or Track 2 Restricted Residential SCOs. Low levels of one PCB aroclor and various pesticides were also identified at levels above NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives. No soil/fill samples exceeded the Track 2 Restricted Residential SCOs for PCBs. Several SVOCs exceeded Track 1 SCOs. These include benzo(a)anthracene,

benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, and indeno (1,2,3-cd)pyrene. The SVOC compounds identified and the concentrations observed are typical for historical fill found commonly in urban areas elsewhere in NYC. These metals and SVOC findings are attributed to historic fill material disposed on the property and are not considered indicative of any disposal, release or spill.

- Bedrock at the Site was encountered between eight and 20 feet below grade. Groundwater at the Site was encountered at 21 feet below grade.
- Groundwater samples collected during the RI showed a slight exceedence of NYSDEC TOGS groundwater standards or guidance values for the VOC toluene and the SVOC chrysene. No PCBs or pesticides exceeded TOGS. The dissolved metals magnesium, selenium, and sodium were detected slightly above TOGS.
- Two soil vapor samples were collected. Soil vapor samples collected contained low level VOCs. Most of the soil vapor detections are below two ug/m³ and there were no valid findings above five ug/m³. The compounds detected in soil vapor are mostly derivatives of BTEX. Some of the VOCs identified in the soil vapor are also found in onsite soils but at very low concentrations, generally estimated values below one ug/kg. These compounds are also predominantly BTEX derivatives that are most commonly derived from automotive fuel sources. The soil vapor findings detections are attributed, to onsite car parking operations and to offsite sources. The area is predominantly paved and encapsulated and vapors from offsite sources will have a tendency to migrate laterally prior to discharge to the atmosphere. Therefore, CA RICH recommends installing a vapor barrier or waterproofing membrane underneath the proposed new building's foundation.
- The proposed Site redevelopment will involve the excavation and off-site removal of on-site underlain materials. Therefore, it is recommended that any material that is to be


disturbed or excavated be properly handled and disposed of at an approved waste disposal facility.

- Based upon the RI results and the proposed redevelopment plans for the Site, CA RICH recommends that a site-specific Remedial Action Work Plan (RAWP) and Construction Health and Safety Plan (CHASP) be prepared. The RAWP/CHASP should address the excavation and off-site disposal of on-site underlain materials for foundation purposes, and include provisions for installation of a vapor barrier and/or waterproofing membrane. As the redevelopment plans include a sub-surface ventilated parking garage, a sub-slab depressurization system is not recommended at this time.

7.0 REFERENCES

- 1) CA RICH Consultants, Inc. March 2011. Phase I Environmental Site Assessment, 260 West 26th Street, New York, New York
- 2) Merritt Engineering Consultants PC. September 2005. Phase I Environmental Site Assessment.
- 3) New York State Department of Health. October 2006. "Guidance for Evaluating Soil Vapor Intrusion in the State of New York"
- 4) New York State Department of Environmental Conservation. Dec. 14, 2006. 6 NYCRR Part 375 Environmental Remediation Programs, Soil Cleanup Objectives & Cleanup Levels.
- 5) NYSDEC. October 22, 1993. Technical and Operational Guidance Series (1.1.1) Ambient Water Quality Standards and Guidance Values.

FIGURES



Property

APPROX. SCALE (ft.)



0 1,200 2,400 N



Adapted from USGS 1995 Brooklyn Quadrangle Map.

CA RICH CONSULTANTS, INC.

*Certified Ground Water and Environmental Specialists
17 Dupont Street, Plainview, NY 11803*

TITLE:

PROPERTY LOCATION MAP

DATE:

2/25/11

SCALE:

AS SHOWN

FIGURE:

1

**260 West 26th Street
Manhattan, New York**

DRAWN BY:
JEP

APPR. BY:
DS

DRAWING:



Property Boundary

WEST 26TH STREET

Vent Pipe

Fill Port

Attendant Booth

Asphalt Parking Area

Four Story Veterinary Practice

Fill Port

8TH AVENUE

Site Building

Two Story Building

Yard

Three Story Building


One Story Building


Three Story Building

Five Story Building w/Basement

WEST 25TH STREET

LEGEND

 Above-ground Hydraulic Lifts




CA RICH CONSULTANTS, INC.

Environmental Specialists Since 1982
17 Dupont Street, Plainview, New York 11803

TITLE: SITE PLAN		DATE: 3/23/2011
FIGURE: 2		SCALE: As Shown
DRAWING NO: 2011-M7E	260 West 26th Street Manhattan, New York	DRAWN BY: J.T.C. APPR BY: S.T.M.

WEST 26TH STREET




Vent Pipe


Fill Port

Extent of Subsurface Line

LEGEND

 Area Surveyed By GPR

8TH AVENUE



Hydraulic Lifts

Asphalt Parking Area

Attendant Booth


Hydraulic Lifts

Fill Port

Site Building

Property Boundary

WEST 25TH STREET



CA RICH CONSULTANTS, INC.			
Environmental Specialists Since 1982 17 Dupont Street, Plainview, New York 11803			
TITLE:		DATE:	
AREA OF GEOPHYSICAL SURVEY		3/23/2011	
SCALE:		SCALE:	
As Shown		As Shown	
FIGURE:	DRAWN BY:	APPR. BY:	
3	J.T.C.	S.T.M.	
DRAWING NO:	260 West 26th Street		
2011-M7A	Manhattan, New York		

WEST 26TH STREET

Vent Pipe




SB-7 SB-8 SB-9 SB-10 SB-11 SB-12


Fill Port

LEGEND

- Soil Boring
- ▲ Soil Vapor Point

 Above-ground Hydraulic Lifts

8TH AVENUE



Asphalt Parking Area

SV-1

Fill Port

SB-5


Attendant Booth



SB-3

SB-2


SB-1



SB-6

SV-2


SB-4



Site Building

Property Boundary

WEST 25TH STREET



CA RICH CONSULTANTS, INC.

Environmental Specialists Since 1982
17 Dupont Street, Plainview, New York 11803

TITLE: SAMPLING PLAN		DATE: 3/23/2011
FIGURE: 4		SCALE: As Shown
DRAWING NO: 2011-M7B	260 West 26th Street Manhattan, New York	DRAWN BY: J.T.C.
		APPR. BY: S.T.M.



SB-8 (0-2')	
SVOCS	
Benzo(a)anthracene	1,200 ppb
Benzo(b)fluoranthene	1,600 ppb
Benzo(k)fluoranthene	1,800 ppb
Chrysene	1,200 ppb
Indeno(1,2,3-c,d)pyrene	590 ppb
Pesticides	
4,4'-DDT	8.7 ppb
Chlordane	2,400 ppb
Dieldrin	26 ppb
Heptachlor	110 ppb

SB-9 (0-2')	
SVOCS	
Benzo(a)anthracene	1,100 ppb
Benzo(b)fluoranthene	1,800 ppb
Benzo(k)fluoranthene	1,900 ppb
Chrysene	1,300 ppb
Indeno(1,2,3-c,d)pyrene	640 ppb
Pesticides	
4,4'-DDE	4.4 ppb
4,4'-DDT	11 ppb
Dieldrin	9.5 ppb
Metals	
Barium	354 ppm
Copper	73.6 ppm
Lead	191 ppm
Mercury	0.448 ppm
Zinc	641 ppm


SB-10 (0-2')	
SVOCS	
Benzo(a)anthracene	1,300 ppb
Benzo(a)pyrene	1,300 ppb
Benzo(b)fluoranthene	1,200 ppb
Benzo(k)fluoranthene	1,300 ppb
Chrysene	1,300 ppb
Indeno(1,2,3-c,d)pyrene	790 ppb
Metals	
Lead	188 ppm
Mercury	0.333 ppm
Zinc	146 ppm

SB-12 (0-2')	
SVOCS	
Benzo(b)fluoranthene	1,600 ppb
Benzo(k)fluoranthene	1,600 ppb
Chrysene	1,200 ppb
Indeno(1,2,3-c,d)pyrene	520 ppb
Pesticides	
4,4'-DDE	8.3 ppb
Metals	
Copper	193 ppm
Lead	86 ppm
Mercury	0.379 ppm
Zinc	138 ppm

SB-7 (0-2')	
Pesticides	
4,4'-DDT	11 ppb
Chlordane	1,500 ppb
Dieldrin	6.3 ppb
Heptachlor	51 ppb


SB-6 (0-2')	
SVOCS	
Benzo(a)anthracene	1,600 ppb
Benzo(a)pyrene	1,400 ppb
Benzo(b)fluoranthene	2,700 ppb
Benzo(k)fluoranthene	2,900 ppb
Chrysene	1,900 ppb
Dibenzo(a,h)anthracene	350 ppb
Indeno(1,2,3-c,d)pyrene	960 ppb
Pesticides	
4,4'-DDT	19 ppb
Metals	
Lead	169 ppm
Mercury	0.523 ppm

WEST 26TH STREET



LEGEND

- Soil boring
- ▨ Above-ground Hydraulic Lifts



8TH AVENUE

WEST 25TH STREET

CA RICH CONSULTANTS, INC.
 Environmental Specialists Since 1982
 17 Dupont Street, Plainview, New York 11803

TITLE: SOIL SAMPLE CONCENTRATIONS ABOVE PART 375 UNRESTRICTED USE FOR SHALLOW DEPTHS		DATE: 3/23/2011
FIGURE: 5		SCALE: As Shown
DRAWING NO.: 2011-M7C	260 West 26th Street Manhattan, New York	DRAWN BY: J.T.C.
		APPR. BY: E.A.W.



WEST 26TH STREET

MW-2	
<u>VOCs</u>	
Toluene	16 ppb
<u>Metals</u>	
Magnesium	43.9 ppm
Selenium	0.046 ppm
Sodium	48.2 ppm

Vent Pipe


MW-2

Fill Port

Asphalt Parking Area

Attendant Booth

LEGEND

 Above-ground Hydraulic Lifts

 Monitoring Well

Fill Port

MW-1

Site Building

Property Boundary


MW-1	
<u>SVOCs</u>	
Chrysene	0.53 J ppb
<u>Metals</u>	
Magnesium	107 ppm
Sodium	42.6 ppm

8TH AVENUE

WEST 25TH STREET

Notes:

1. Although Methylene Chloride was detected above NYSDEC TOGS, it is a common laboratory contaminant and therefore was not included.
2. J = Estimated Value



CA RICH CONSULTANTS, INC.

Environmental Specialists Since 1982
17 Dupont Street, Plainview, New York 11803

<u>TITLE:</u> Groundwater Concentrations Above NYSDEC TOGS		<u>DATE:</u> 4/14/2011
<u>FIGURE:</u> 7		<u>SCALE:</u> As Shown
<u>DRAWING NO:</u> 2011-M9	260 West 26th Street Manhattan, New York	<u>DRAWN BY:</u> J.T.C.
		<u>APPR BY:</u> S.T.M.

SB-9 (6-8')			
SVOCS		Pesticides	
Benzo(a)anthracene	7,400 ppb	4,4'-DDD	14 ppb
Benzo(a)pyrene	7,400 ppb	4,4'-DDE	39 ppb
Benzo(b)fluoranthene	7,300 ppb	4,4'-DDT	57 ppb
Benzo(k)fluoranthene	7,700 ppb		
Chrysene	9,000 ppb		
Dibenzo(a,h)anthracene	1,600 ppb		
Indeno(1,2,3-c,d)pyrene	4,500 ppb		

SB-12 (7-9')	
Metals	
Lead	63.6 ppm
Mercury	0.219 ppm


SB-6 (12-14')	
SVOCS	
Benzo(k)fluoranthene	890 ppb
Pesticides	
4,4'-DDT	3.7 ppb
Metals	
Lead	74.7 ppm
Mercury	0.336 ppm

WEST 26TH STREET

Vent Pipe

LEGEND

- Soil Boring
- ▨ Above-ground Hydraulic Lifts



Property Boundary

Asphalt Parking Area

Attendant Booth

Site Building


8TH AVENUE

WEST 25TH STREET

SB-4 (16-18')	
Metals	
Lead	331 ppm
Mercury	1.81 ppm
Zinc	190 ppm

SB-2 (6-8')	
Pesticides	
Dieldrin	6.3 ppb
Endrin	26 ppb
Metals	
Lead	528 ppm
Mercury	0.558 ppm
Zinc	273 ppm
PCBs	
Aroclor 1260	180 ppb

SB-5 (12-14')	
Pesticides	
4,4'-DDD	6.3 ppb
4,4'-DDT	13 ppb
Metals	
Lead	547 ppm
Mercury	0.705 ppm
Zinc	153 ppm



CA RICH CONSULTANTS, INC.
 Environmental Specialists Since 1982
 17 Dupont Street, Plainview, New York 11803

TITLE: SOIL SAMPLE CONCENTRATIONS ABOVE PART 375 UNRESTRICTED USE FOR DEEP DEPTHS	DATE: 3/23/2011
FIGURE: 6	SCALE: As Shown
DRAWING NO.: 2011-M7D	DRAWN BY: J.T.C.
260 West 26th Street Manhattan, New York	APPR. BY: E.A.W.

TABLES

TABLE 1
Analytical Results for Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID Sample Depth Matrix Date Sampled	SB-1 0'-2' Soil 2/17/2011		SB-1 10'-12' Soil 2/17/2011		SB-2 0'-2' Soil 2/17/2011		SB-2 6'-8' Soil 2/17/2011		SB-3 0'-2' Soil 2/17/2011		SB-3 6'-8' Soil 2/17/2011		SB-4 0'-2' Soil 2/17/2011		SB-4 16'-18' Soil 2/17/2011		SB-5 0'-2' Soil 2/17/2011		SB-5 12'-14' Soil 2/17/2011		SB-6 0'-2' Soil 2/17/2011		SB-6 12'-14' Soil 2/17/2011		*Part 375 SCOs Unrestricted Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	
Volatile Organics																										
1,1,1,2-Tetrachloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,1,1-Trichloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	680	
1,1,2,2-Tetrachloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,1,2-Trichloro-1,2,2-trifluoroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,1,2-Trichloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,1-Dichloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	270	
1,1-Dichloroethene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	330	
1,1-Dichloropropene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2,3-Trichlorobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2,3-Trichloropropane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2,4,5-Tetramethylbenzene	0.53	J	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2,4-Trichlorobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2,4-Trimethylbenzene	0.56	J	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	0.45	J	0.39	J	0.34	J	3600	
1,2-Dibromo-3-chloropropane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2-Dibromoethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,2-Dichlorobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	1100	
1,2-Dichloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	20	
1,2-Dichloropropane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,3,5-Trimethylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	8400	
1,3-Dichlorobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	2400	
1,3-dichloropropane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
1,4-Dichlorobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	1800	
1,4-Dioxane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	100	
2,2-Dichloropropane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
2-Butanone	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	120	
2-Chloroethyl vinyl ether	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
2-Chlorotoluene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
2-Hexanone	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
2-Propanol	56	U	54	U	60	U	57	U	57	U	58	U	52	U	59	U	59	U	59	U	56	U	57	U	NA	
4-Chlorotoluene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
4-Isopropyltoluene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
4-Methyl-2-pentanone	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Acetone	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	50	
Acrolein	28	U	27	U	30	U	11	U	29	U	29	U	26	U	30	U	29	U	30	U	28	U	28	U	NA	
Acrylonitrile	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Benzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	60	
Bromobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Bromochloromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Bromodichloromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Bromoform	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Bromomethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Carbon disulfide	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA	
Carbon tetrachloride	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	760	

Notes:
All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.
ND=Indicates the compound was analyzed for but not detected.
NA=Not Applicable
J=Analyte detected below quantitation limits
NVG=No value given
U=compound was analyzed for but not detected.
B=analyte was detected in associated method blank.
Bold indicates a detection.
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;
Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 1
Analytical Results for Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID Sample Depth Matrix Date Sampled	SB-1 0'-2' Soil 2/17/2011		SB-1 10'-12' Soil 2/17/2011		SB-2 0'-2' Soil 2/17/2011		SB-2 6'-8' Soil 2/17/2011		SB-3 0'-2' Soil 2/17/2011		SB-3 6'-8' Soil 2/17/2011		SB-4 0'-2' Soil 2/17/2011		SB-4 16'-18' Soil 2/17/2011		SB-5 0'-2' Soil 2/17/2011		SB-5 12'-14' Soil 2/17/2011		SB-6 0'-2' Soil 2/17/2011		SB-6 12'-14' Soil 2/17/2011	*Part 375 SCOs Unrestricted Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg	
Volatile Organics																									
Chlorobenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	1100
Chlorodifluoromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Chloroethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Chloroform	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	370
Chloromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
cis-1,2-Dichloroethene	1.4	J	5.4	U	0.89	J	5.7	U	0.43	J	5.8	U	5.2	U	5.9	U	5.9	U	1.1	J	1.4	J	2.1	J	250
cis-1,3-Dichloropropene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Dibromochloromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Dibromomethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Dichlorodifluoromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Diisopropyl ether	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Ethanol	28	U	27	U	30	U	11	U	29	U	29	U	26	U	30	U	29	U	30	U	28	U	28	U	NA
Ethyl acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Ethylbenzene	0.46	J	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	0.35	J	5.7	U	1000
Freon-114	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Hexachlorobutadiene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Isopropyl acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Isopropylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
m,p-Xylene	1.7	J	11	U	1.1	J	11	U	0.85	J	12	U	10	U	12	U	0.79	J	1.1	J	1.1	J	0.81	J	260
Methyl Acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Methyl tert-butyl ether	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	930
Methylene chloride	9.1	B	5.7	B	7.7	B	7.2	B	6.2	B	6.1	B	4.9	J	6.5	B	6.9	B	8.6	B	8.5	B	12	B	50
n-Amyl acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Naphthalene	1.4	J	5.4	U	6	U	5.7	U	0.51	J	5.8	U	5.2	U	2.8	J	5.9	U	4.3	J	0.55	J	0.72	J	12000
n-Butyl acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
n-Butylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	12000
n-Propyl acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
n-Propylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	3900
o-Xylene	0.93	J	0.34	J	0.59	J	5.7	U	0.53	J	0.37	J	5.2	U	0.4	J	0.6	J	0.72	J	0.64	J	0.54	J	260
p-Diethylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
p-Ethyltoluene	0.51	J	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	0.4	J	0.36	J	5.7	U	NA
sec-Butylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	11000
Styrene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
t-Butyl alcohol	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
tert-Butylbenzene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	5900
Tetrachloroethene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	1.1	J	1300
Toluene	1.3	J	5.4	U	0.84	J	5.7	U	0.64	J	5.8	U	5.2	U	5.9	U	0.53	J	0.77	J	1.2	J	1.4	J	700
trans-1,2-Dichloroethene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	190
trans-1,3-Dichloropropene	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Trichloroethene	1.8	J	5.4	U	1.3	J	5.7	U	0.73	J	5.8	U	5.2	U	5.9	U	0.68	J	1.1	J	1.6	J	1.9	J	470
Trichlorofluoromethane	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Vinyl acetate	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	NA
Vinyl chloride	5.6	U	5.4	U	6	U	5.7	U	5.7	U	5.8	U	5.2	U	5.9	U	5.9	U	5.9	U	5.6	U	5.7	U	20

Notes:
All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.
ND=Indicates the compound was analyzed for but not detected.
NA=Not Applicable
J=Analyte detected below quantitation limits
NVG=No value given
U=compound was analyzed for but not detected.
B=analyte was detected in associated method blank.
Bold indicates a detection.
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;
Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 1
Analytical Results for Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID Sample Depth Matrix Date Sampled	SB-7 0'-2' Soil 2/18/2011		SB-7 18'-20' Soil 2/18/2011		SB-8 0'-2' Soil 2/18/2011		SB-8 18'-20' Soil 2/18/2011		SB-9 0'-2' Soil 2/18/2011		SB-9 6'-8' Soil 2/18/2011		SB-10 0'-2' Soil 2/18/2011		SB-10 7'-9' Soil 2/18/2011		SB-11 0'-2' Soil 2/18/2011		SB-11 12'-14' Soil 2/18/2011		SB-12 0'-2' Soil 2/18/2011		SB-12 7'-9' Soil 2/18/2011		*Part 375 SCOs Unrestricted Use
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg
Volatile Organics																									
1,1,1,2-Tetrachloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,1,1-Trichloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	680
1,1,1,2-Tetrachloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,1,2-Trichloro-1,2,2-trifluoroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,1,2-Trichloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,1-Dichloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	270
1,1-Dichloroethene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	330
1,1-Dichloropropene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,2,3-Trichlorobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,2,3-Trichloropropane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,2,4,5-Tetramethylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	1.1	J	5.8	U	5.4	U	5.3	U	5.5	U	33		0.99	J	NA
1,2,4-Trichlorobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,2,4-Trimethylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	0.65	J	5.8	U	5.4	U	5.3	U	5.5	U	17		5.5	U	3600
1,2-Dibromo-3-chloropropane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,2-Dibromoethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,2-Dichlorobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	1100
1,2-Dichloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	20
1,2-Dichloropropane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,3,5-Trimethylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	7.7		5.5	U	8400
1,3-Dichlorobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	2400
1,3-dichloropropane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
1,4-Dichlorobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	1800
1,4-Dioxane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	100
2,2-Dichloropropane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
2-Butanone	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	120
2-Chloroethyl vinyl ether	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
2-Chlorotoluene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
2-Hexanone	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
2-Propanol	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
4-Chlorotoluene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
4-Isopropyltoluene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	4	J	5.5	U	NA
4-Methyl-2-pentanone	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Acetone	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	50
Acrolein	11	U	11	U	11	U	11	U	12	U	12	U	12	U	11	U	11	U	11	U	11	U	11	U	NA
Acrylonitrile	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Benzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	60
Bromobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Bromochloromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Bromodichloromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Bromoform	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Bromomethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Carbon disulfide	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Carbon tetrachloride	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	760

Notes:
All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.
ND=Indicates the compound was analyzed for but not detected.
NA=Not Applicable
J=Analyte detected below quantitation limits
NVG=No value given
U=compound was analyzed for but not detected.
B=analyte was detected in associated method blank.
Bold indicates a detection.
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;
Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 1
Analytical Results for Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID Sample Depth Matrix Date Sampled	SB-7 0'-2' Soil 2/18/2011		SB-7 18'-20' Soil 2/18/2011		SB-8 0'-2' Soil 2/18/2011		SB-8 18'-20' Soil 2/18/2011		SB-9 0'-2' Soil 2/18/2011		SB-9 6'-8' Soil 2/18/2011		SB-10 0'-2' Soil 2/18/2011		SB-10 7'-9' Soil 2/18/2011		SB-11 0'-2' Soil 2/18/2011		SB-11 12'-14' Soil 2/18/2011		SB-12 0'-2' Soil 2/18/2011		SB-12 7'-9' Soil 2/18/2011	*Part 375 SCOs Unrestricted Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg	
Volatile Organics																									
Chlorobenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	1100
Chlorodifluoromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Chloroethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Chloroform	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	370
Chloromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
cis-1,2-Dichloroethene	5.4	U	5.4	U	5.4	U	5.4	U	0.65	J	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	250
cis-1,3-Dichloropropene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Dibromochloromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Dibromomethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Dichlorodifluoromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Diisopropyl ether	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Ethanol	11	U	11	U	11	U	11	U	12	U	12	U	12	U	11	U	11	U	11	U	11	U	11	U	NA
Ethyl acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Ethylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	0.99	J	5.5	U	1000
Freon-114	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Hexachlorobutadiene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Isopropyl acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Isopropylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
m,p-Xylene	11	U	11	U	11	U	11	U	12	U	12	U	12	U	11	U	11	U	11	U	3.2	J	11	U	260
Methyl Acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Methyl tert-butyl ether	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	930
Methylene chloride	7.7	B	7.3	B	7.8	B	7.6	B	10	B	9.5	B	8.4	B	6.7	B	10	B	7.7	B	9.5	B	10	B	50
n-Amyl acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Naphthalene	5.4	U	5.4	U	0.91	J	5.4	U	5.8	U	24	J	3.4	J	5.4	U	5.3	U	5.5	U	15	J	1.9	J	12000
n-Butyl acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
n-Butylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	2.5	J	5.5	U	12000
n-Propyl acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
n-Propylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	1.3	J	5.5	U	3900
o-Xylene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	0.62	J	5.8	U	5.4	U	5.3	U	5.5	U	2.3	J	5.5	U	260
p-Diethylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	17		5.5	U	NA
p-Ethyltoluene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	8.1		5.5	U	NA
sec-Butylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	1	J	5.5	U	11000
Styrene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
t-Butyl alcohol	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
tert-Butylbenzene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	5900
Tetrachloroethene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	0.91	J	5.5	U	1300
Toluene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	700
trans-1,2-Dichloroethene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	190
trans-1,3-Dichloropropene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Trichloroethene	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	470
Trichlorofluoromethane	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Vinyl acetate	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	NA
Vinyl chloride	5.4	U	5.4	U	5.4	U	5.4	U	5.8	U	5.8	U	5.8	U	5.4	U	5.3	U	5.5	U	5.7	U	5.5	U	20

Notes:
All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.
ND=Indicates the compound was analyzed for but not detected.
NA=Not Applicable
J=Analyte detected below quantitation limits
NVG=No value given
U=compound was analyzed for but not detected.
B=analyte was detected in associated method blank.
Bold indicates a detection.
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;
Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 2
Analytical Results for Semi Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-1		SB-1		SB-2		SB-2		SB-3		SB-3		SB-4		SB-4		SB-5		SB-5		SB-6		SB-6	*Part 375	
Sample Depth	0'-2'		10'-12'		0'-2'		6'-8'		0'-2'		6'-8'		0'-2'		16'-18'		0'-2'		12'-14'		0'-2'		12'-14'	Unrestricted	
Matrix	Soil		Soil		Soil		Soil		Soil	Use															
Date Sampled	2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg															
Semi Volatile Organics																									
1,2,4-Trichlorobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
1,2-Dichlorobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	1,100
1,3-Dichlorobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	2,400
1,4-Dichlorobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	1,800
2,4,5-Trichlorophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2,4,6-Trichlorophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2,4-Dichlorophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2,4-Dimethylphenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2,4-Dinitrophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2,4-Dinitrotoluene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2,6-Dinitrotoluene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2-Chloronaphthalene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2-Chlorophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2-Methylnaphthalene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	46	J	110	J	290	U	290	U	41	J	NA
2-Methylphenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	330
2-Nitroaniline	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
2-Nitrophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
3,3'-Dichlorobenzidine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
3+4-Methylphenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	330
3-Nitroaniline	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4,6-Dinitro-2-methylphenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4-Bromophenyl phenyl ether	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4-Chloro-3-methylphenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4-Chloroaniline	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4-Chlorophenyl phenyl ether	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4-Nitroaniline	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
4-Nitrophenol	280	U	270	U	300	U	290	U	290	U	290	U	69	J	300	U	290	U	290	U	290	U	290	U	NA
Acenaphthene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	49	J	140	J	290	U	49	J	130	J	20,000
Acenaphthylene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	32	J	82	J	290	U	240	J	290	U	100,000
Acetophenone	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Aniline	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Anthracene	160	J	270	U	170	J	98	J	290	U	290	U	260	U	1100		3000		100	J	410		1200		100,000
Atrazine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Azobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Benzaldehyde	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Benzidine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Benzo(a)anthracene	81	J	270	U	170	J	90	J	290	U	290	U	140	J	440		1300		44	J	1600		480		1,000
Benzo(a)pyrene	69	J	270	U	150	J	95	J	290	U	290	U	170	J	370		1100		46	J	1400		520		1,000
Benzo(b)fluoranthene	66	J	270	U	200	J	130	J	290	U	290	U	300		640		1800		74	J	2700		850		1,000
Benzo(g,h,i)perylene	280	U	270	U	98	J	290	U	290	U	290	U	150	J	230	J	980		410		1400		440		100,000
Benzo(k)fluoranthene	140	J	270	U	320		190	J	290	U	290	U	340		700		2000		79	J	2900		890		800
Benzoic acid	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Benzyl alcohol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Biphenyl	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA

Notes:
 All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.
 NA=Not Applicable
 J=Analyte detected below quantitation limits
 U=compound was analyzed for but not detected.
 B=analyte was detected in associated method blank.
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

TABLE 2
Analytical Results for Semi Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-1		SB-1		SB-2		SB-2		SB-3		SB-3		SB-4		SB-4		SB-5		SB-5		SB-6		SB-6	*Part 375	
Sample Depth	0'-2'		10'-12'		0'-2'		6'-8'		0'-2'		6'-8'		0'-2'		16'-18'		0'-2'		12'-14'		0'-2'		12'-14'	SCOs	
Matrix	Soil		Soil		Soil		Soil		Soil	Unrestricted															
Date Sampled	2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011	Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg															
Semi Volatile Organics																									
Bis(2-chloroethoxy)methane	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Bis(2-chloroethyl)ether	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Bis(2-chloroisopropyl)ether	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Bis(2-ethylhexyl)phthalate	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Butyl benzyl phthalate	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Caprolactam	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Carbazole	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Chrysene	85	J	270	U	190	J	100	J	290	U	290	U	190	J	450		1200		46	J	1900		480		1,000
Dibenzo(a,h)anthracene	280	U	270	U	300	U	290	U	290	U	290	U	29	J	96	J	200	J	62	J	350		90	J	330
Dibenzofuran	280	U	270	U	300	U	290	U	290	U	290	U	260	U	89	J	240	J	290	U	160	J	84	J	7,000
Diethyl phthalate	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Dimethyl phthalate	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Di-n-butyl phthalate	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Di-n-octyl phthalate	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Fluoranthene	160	J	270	U	210	J	120	J	290	U	290	U	360		1200		3200		98	J	4300		1200		100,000
Fluorene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	98	J	210	J	290	U	240	J	110	J	30,000
Hexachlorobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	330
Hexachlorobutadiene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Hexachlorocyclopentadiene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Hexachloroethane	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Indeno(1,2,3-c,d)pyrene	29	J	270	U	75	J	290	U	290	U	290	U	120	J	220	J	660		71	J	960		340		500
Isophorone	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Naphthalene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	100	J	210	J	290	U	290	U	53	J	12,000
Nitrobenzene	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
N-Nitrosodimethylamine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
N-Nitrosodi-n-propylamine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
N-Nitrosodiphenylamine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA
Parathion	280	U	270	U	300	U	290	U	290	U	140	J	260	U	300	U	290	U	290	U	290	U	290	U	NA
Pentachlorophenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	800
Phenanthrene	160	J	270	U	170	J	100	J	290	U	290	U	180	J	1100		3000		100	J	3300		1200		100,000
Phenol	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	330
Pyrene	210	J	270	U	410		170	J	290	U	290	U	340		1000		2800		94	J	3600		1300		100,000
Pyridine	280	U	270	U	300	U	290	U	290	U	290	U	260	U	300	U	290	U	290	U	290	U	290	U	NA

Notes:
All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion. *6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;
NA=Not Applicable
J=Analyte detected below quantitation limits
U=compound was analyzed for but not detected.
B=analyte was detected in associated method blank.
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

TABLE 2
Analytical Results for Semi Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-7		SB-7		SB-8		SB-8		SB-9		SB-9		SB-10		SB-10		SB-11		SB-11		SB-12		SB-12	*Part 375	
Sample Depth	0'-2'		18'-20'		0'-2'		18'-20'		0'-2'		6'-8'		0'-2'		7'-9'		0'-2'		12'-14'		0'-2'		7'-9'	SCO's	
Matrix	Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil	Unrestricted	
Date Sampled	2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011	Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg	
Semi Volatile Organics																									
1,2,4-Trichlorobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
1,2-Dichlorobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	1,100
1,3-Dichlorobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	2,400
1,4-Dichlorobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	1,800
2,4,5-Trichlorophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2,4,6-Trichlorophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2,4-Dichlorophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2,4-Dimethylphenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2,4-Dinitrophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2,4-Dinitrotoluene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2,6-Dinitrotoluene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2-Chloronaphthalene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2-Chlorophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2-Methylnaphthalene	270	U	280	U	38	J	270	U	120	J	1900		33	J	270	U	270	U	270	U	89	J	45	J	NA
2-Methylphenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	330
2-Nitroaniline	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
2-Nitrophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
3,3'-Dichlorobenzidine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
3+4-Methylphenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	330
3-Nitroaniline	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4,6-Dinitro-2-methylphenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4-Bromophenyl phenyl ether	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4-Chloro-3-methylphenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4-Chloroaniline	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4-Chlorophenyl phenyl ether	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4-Nitroaniline	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
4-Nitrophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Acenaphthene	28	J	280	U	150	J	270	U	240	J	2600		78	J	270	U	270	U	270	U	110	J	270	U	20,000
Acenaphthylene	270	U	280	U	29	J	270	U	44	J	200	J	150	J	270	U	270	U	270	U	110	J	270	U	100,000
Acetophenone	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Aniline	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Anthracene	320	U	280	U	390	U	270	U	2400	U	6300		1900	U	120	J	270	U	270	U	2300		93	J	100,000
Atrazine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Azobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Benzaldehyde	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Benzdine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Benzo(a)anthracene	210	J	280	U	1200		270	U	1100		7400		1300		110	J	270	U	270	U	940		48	J	1,000
Benzo(a)pyrene	190	J	280	U	960		270	U	1000		7400		1300		130	J	270	U	270	U	950		53	J	1,000
Benzo(b)fluoranthene	340		280	U	1600		270	U	1800		7300		1200		130	J	270	U	270	U	1600		43	J	1,000
Benzo(g,h,i)perylene	160	J	280	U	600		270	U	700		4000		870		100	J	270	U	270	U	600		37	J	100,000
Benzo(k)fluoranthene	350		280	U	1800		270	U	1900		7700		1300		140	J	270	U	270	U	1600		46	J	800
Benzoic acid	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Benzyl alcohol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Biphenyl	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA

Notes:
 All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.
 NA=Not Applicable
 J=Analyte detected below quantitation limits
 U=compound was analyzed for but not detected.
 B=analyte was detected in associated method blank.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

TABLE 2
Analytical Results for Semi Volatile Organic Compounds in Soil Samples
260 West 26th Street, New York, NY

Sample ID Sample Depth Matrix Date Sampled	SB-7 0'-2' Soil 2/18/2011		SB-7 18'-20' Soil 2/18/2011		SB-8 0'-2' Soil 2/18/2011		SB-8 18'-20' Soil 2/18/2011		SB-9 0'-2' Soil 2/18/2011		SB-9 6'-8' Soil 2/18/2011		SB-10 0'-2' Soil 2/18/2011		SB-10 7'-9' Soil 2/18/2011		SB-11 0'-2' Soil 2/18/2011		SB-11 12'-14' Soil 2/18/2011		SB-12 0'-2' Soil 2/18/2011		SB-12 7'-9' Soil 2/18/2011	*Part 375 SCOs Unrestricted Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg	
Semi Volatile Organics																									
Bis(2-chloroethoxy)methane	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Bis(2-chloroethyl)ether	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Bis(2-chloroisopropyl)ether	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Bis(2-ethylhexyl)phthalate	270	U	280	U	270	U	270	U	1800	U	550	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Butyl benzyl phthalate	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Caprolactam	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Carbazole	270	U	280	U	160	J	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Chrysene	210	J	280	U	1200		270	U	1300		9000		1300		140	J	270	U	270	U	1200		61	J	1,000
Dibenzo(a,h)anthracene	31	J	280	U	150	J	270	U	170	J	1600		200	J	42	J	270	U	270	U	150	J	270	U	330
Dibenzofuran	270	U	280	U	97	J	270	U	170	J	2700		78	J	270	U	270	U	270	U	110	J	270	U	7,000
Diethyl phthalate	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Dimethyl phthalate	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Di-n-butyl phthalate	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Di-n-octyl phthalate	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Fluoranthene	460	U	280	U	2400	U	270	U	2600	U	21000	U	2800	U	250	J	270	U	270	U	2600	U	110	J	100,000
Fluorene	270	U	280	U	170	J	270	U	220	J	3200	U	100	J	270	U	270	U	270	U	150	J	270	U	30,000
Hexachlorobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	330
Hexachlorobutadiene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Hexachlorocyclopentadiene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Hexachloroethane	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Indeno(1,2,3-c,d)pyrene	120	J	280	U	590		270	U	640		4500		790		92	J	270	U	270	U	520		36	J	500
Isophorone	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Naphthalene	270	U	280	U	54	J	270	U	190	J	3700	U	40	J	270	U	270	U	270	U	140	J	270	U	12,000
Nitrobenzene	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
N-Nitrosodimethylamine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
N-Nitrosodi-n-propylamine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
N-Nitrosodiphenylamine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Parathion	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA
Pentachlorophenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	800
Phenanthrene	320	U	280	U	2000	U	270	U	2500	U	28000	U	1900	U	130	J	270	U	270	U	2300	U	99	J	100,000
Phenol	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	330
Pyrene	440	U	280	U	2400	U	270	U	2500	U	27000	U	2300	U	220	J	270	U	270	U	2400	U	110	J	100,000
Pyridine	270	U	280	U	270	U	270	U	280	U	290	U	290	U	270	U	270	U	270	U	290	U	270	U	NA

Notes:

All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

NA=Not Applicable

J=Analyte detected below quantitation limits

U=compound was analyzed for but not detected.

B=analyte was detected in associated method blank.

Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

TABLE 3
Analytical Results for Pesticides in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-1		SB-1		SB-2		SB-2		SB-3		SB-3		SB-4		SB-4		SB-5		SB-5		SB-6		SB-6	*Part 375	
Sample Depth	0'-2'		10'-12'		0'-2'		6'-8'		0'-2'		6'-8'		0'-2'		16'-18'		0'-2'		12'-14'		0'-2'		12'-14'	SCOs	
Matrix	Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil	Unrestricted	
Date Sampled	2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011	Use	
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	ug/Kg	
Pesticides																									
4,4'-DDD	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	6.3	U	2.3	U	1	J	3.3
4,4'-DDE	2.2	U	2	U	3.5	U	2.2	U	2.1	U	2.3	U	2.7	U	2.2	U	2.2	U	2.3	U	2.3	U	3.1	U	3.3
4,4'-DDT	2.2	U	2	U	15	U	2.2	U	2.1	U	2.3	U	7.5	U	2.6	U	6.8	U	13	U	19	U	3.7	U	3.3
Aldrin	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.3	U	2.2	U	2.3	U	2.3	U	1.5	J	5
alpha-BHC	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	20
beta-BHC	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	36
Chlordane	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	94
Chlorobenzilate	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	NA
DBCP	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	NA
delta-BHC	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	40
Dieldrin	2.2	U	2	U	2.2	U	6.3	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	5
Endosulfan I	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	2400
Endosulfan II	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	2400
Endosulfan sulfate	2.2	U	2	U	2.5	P	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	2400
Endrin	2.2	U	2	U	2.2	U	26	C	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	0.82	J	14
Endrin aldehyde	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	NA
Endrin ketone	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	1	J	NA
gamma-BHC	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	100
Heptachlor	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.1	J	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	42
Heptachlor epoxide	2.2	U	0.78	J	2.2	U	3.5	J	1.8	J	0.83	J	2.1	U	2.3	U	0.95	J	2.3	U	2.3	U	2.3	U	NA
Hexachlorobenzene	0.99	J	0.83	J	0.81	J	1.8	J	1.5	J	1.4	J	2.2	U	2.2	U	2.5	U	2.2	J	2.3	U	2.3	U	330
Hexachlorocyclopentadiene	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	NA
Methoxychlor	2.2	U	2	U	2.2	U	2.2	U	2.1	U	2.3	U	2.1	U	2.2	U	2.2	U	2.3	U	2.3	U	2.3	U	NA
Toxaphene	44	U	40	U	43	U	44	U	43	U	45	U	42	U	44	U	43	U	45	U	46	U	45	U	NA

Notes:

All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.

P= >40% difference for detected concentration.

NA=Not Applicable

U=compound was analyzed for but not detected.

C=calibration %RSD/%D exceeded for non-CCC analytes.

J=Analyte detected below quantitation limits

Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 3
Analytical Results for Pesticides in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-7		SB-7		SB-8		SB-8		SB-9		SB-9		SB-10		SB-10		SB-11		SB-11		SB-12		SB-12		*Part 375
Sample Depth	0'-2'		18'-20'		0'-2'		18'-20'		0'-2'		6'-8'		0'-2'		7'-9'		0'-2'		12'-14'		0'-2'		7'-9'		SCOs
Matrix	Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Unrestricted
Date Sampled	2/18/2011		#####		2/18/2011		2/18/2011		#####		2/18/2011		2/18/2011		2/18/2011		#####		2/18/2011		#####		2/18/2011		Use
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg
Pesticides																									
4,4'-DDD	2.1	U	2.2	U	2	U	2.1	U	2.1	U	14	U	2.2	U	2.1	U	2	U	2.1	U	8.3	P	2.1	U	3.3
4,4'-DDE	2.1	U	2.2	U	2	U	2.1	U	4.4	P	39	P	2.2	U	2.1	U	2	U	2.1	U	1.6	J	2.1	U	3.3
4,4'-DDT	11		2.2	U	8.7		2.1	U	11		57		2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	3.3
Aldrin	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	5
alpha-BHC	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	20
beta-BHC	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	36
Chlordane	1500		2.2	U	2400		2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	94
Chlorobenzilate	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	NA
DBCP	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	NA
delta-BHC	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	40
Dieldrin	6.3		2.2	U	26		2.1	U	9.5		2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	5
Endosulfan I	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	2400
Endosulfan II	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	2400
Endosulfan sulfate	2.1	U	2.2	U	2	U	2.1	U	1.6	J	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	2400
Endrin	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	14
Endrin aldehyde	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	NA
Endrin ketone	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	NA
gamma-BHC	2.1	U	2.2	U	2	J	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	100
Heptachlor	51		2.2	U	110		2.1	U	2.3		33	P	2.2	U	2.1	U	1.3	J	2.1	U	2.3	U	2.1	U	42
Heptachlor epoxide	2.1	U	2.2	U	2	U	2.1	U	9.5		69	P	2.2	U	2.1	U	2		1.4	J	5.2	P	2.1	U	NA
Hexachlorobenzene	2.1	U	2.2	U	2	U	2.1	U	3		2.7		2.2	U	0.87	J	0.83	J	2.5	U	0.84	J	1.4	J	330
Hexachlorocyclopentadiene	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	NA
Methoxychlor	2.1	U	2.2	U	2	U	2.1	U	2.1	U	2.2	U	2.2	U	2.1	U	2	U	2.1	U	2.3	U	2.1	U	NA
Toxaphene	43	U	43	U	40	U	41	U	42	U	43	U	44	U	42	U	40	U	42	U	45	U	41	U	NA

Notes:

All concentrations are reported in micrograms per kilogram (ug/kg) or parts per billion.

P= >40% difference for detected concentration.

NA=Not Applicable

U=compound was analyzed for but not detected.

C=calibration %RSD/%D exceeded for non-CCC analytes.

J=Analyte detected below quantitation limits

Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 4
Analytical Results for PCBs in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-1		SB-1		SB-2		SB-2		SB-3		SB-3		SB-4		SB-4		SB-5		SB-5		SB-6		SB-6		*Part 375 SCOs Unrestricted Use	
Sample Depth	0'-2'		10'-12'		0'-2'		6'-8'		0'-2'		6'-8'		0'-2'		16'-18'		0'-2'		12'-14'		0'-2'		12'-14'			
Matrix	Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil			
Date Sampled	2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011			
Units	ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg		ug/Kg	
PCBs																										
Aroclor 1016	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1221	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1232	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1242	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1248	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1254	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1260	89	U	80	U	20	J	180	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1262	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	
Aroclor 1268	89	U	80	U	87	U	88	U	86	U	90	U	84	U	88	U	87	U	91	U	91	U	91	U	100	

Notes:

All concentrations are reported in micrograms per kilogram (µg/kg) or parts per billion.

U=compound was analyzed for but not detected.

NA=Not Applicable

J=Analyte detected below quantitation limits

Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 4
Analytical Results for PCBs in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-7		SB-7		SB-8		SB-8		SB-9		SB-9		SB-10		SB-10		SB-11		SB-11		SB-12		SB-12		*Part 375 SCOs Unrestricted Use
Sample Depth	0'-2'		18'-20'		0'-2'		18'-20'		0'-2'		6'-8'		0'-2'		7'-9'		0'-2'		12'-14'		0'-2'		7'-9'		
Matrix	Soil																								
Date Sampled	2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		
Units	<u>ug/Kg</u>		<u>ug/Kg</u>																						
PCBs																									
Aroclor 1016	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1221	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1232	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1242	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1248	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1254	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1260	86	U	89	U	87	U	88	U	27	J	92	U	92	U	88	U	87	U	87	U	31	J	88	U	100
Aroclor 1262	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100
Aroclor 1268	86	U	89	U	87	U	88	U	92	U	92	U	92	U	88	U	87	U	87	U	94	U	88	U	100

Notes:

All concentrations are reported in micrograms per kilogram ($\mu\text{g}/\text{kg}$) or parts per billion.

U=compound was analyzed for but not detected.

NA=Not Applicable

J=Analyte detected below quantitation limits

Bold indicates a detection.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

TABLE 5
Analytical Results for Metals in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-1		SB-1		SB-2		SB-2		SB-3		SB-3		SB-4		SB-4		SB-5		SB-5		SB-6		SB-6	*Part 375	
Sample Depth	0'-2'		10'-12'		0'-2'		6'-8'		0'-2'		6'-8'		0'-2'		16'-18'		0'-2'		12'-14'		0'-2'		12'-14'	SCOs	
Matrix	Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil	Unrestricted	
Date Sampled	2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011		2/17/2011	Use	
Units	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	mg/Kg	
Metals																									
Aluminum	5,600		3,890		3,910		9,440		10,400		11,400		9,510		11,700		4,280		4,950		4,340		5,140		NA
Antimony	0.293	J	0.542	U	0.578	U	0.535	U	0.533	U	0.543	U	0.492	U	0.589	U	0.551	U	0.582	U	0.536	U	0.559	U	NA
Arsenic	4.03		0.953		17.7		5.52		1.51		1.5		1.02		3.44		3.74		4.91		3.88		3.07		13
Barium	114		55.4		109		212		35.9		35.2		64.3		166		236		258		152		125		350
Beryllium	0.45	U	0.433	U	0.462	U	0.428	U	0.426	U	0.434	U	0.393	U	0.471	U	0.441	U	0.466	U	0.429	U	0.448	U	7.2
Cadmium	0.99		0.433	U	0.277	J	0.535		0.426	U	0.434	U	0.393	U	0.471	U	0.242	J	0.466	U	0.171	J	0.448	U	2.5
Calcium	1,220		3,450		27,300		6,550		771		620		7,620		6,270		36,800		29,100		28,000		41,400		NA
Chromium	12.2		14.9		10.5		18.8		13.1		16.9		13.4		21.2		9.45		10.9		7.33		12.3		30
Cobalt	0.495		0.433	U	0.116	J	0.428	U	0.426	U	0.434	U	0.393	U	1.79		0.441	U	0.466	U	0.429	U	0.448	U	NA
Copper	88.9		10.7		26.2		28.3		9.18		8.23		24.1		38.7		8.61		13.7		38.8		25.9		50
Iron	11,800		10,000		9,710		16,800		12,200		11,700		15,800		19,700		6,520		15,700		14,600		18,700		NA
Lead	387		6.41		511		528		15.3		8.94		19.5		331		221		547		169		74.7		63
Magnesium	1,960		2,940		5,350		3,470		1,870		1,970		3,730		4,930		1,480		3,820		1,890		3,690		NA
Manganese	237		230		237		164		96		146		90.4		306		143		283		209		281		1,600
Mercury	0.91		0.0108	U	0.524		0.558		0.0367		0.0132		0.075		1.81		0.13		0.705		0.523		0.336		0.18
Nickel	11.5		21.7		9.03		15.4		9.78		11.9		14.4		19.7		6.17		7.27		6.97		12.8		30
Potassium	1,040		2,050		1,960		2,690		724		1,010		3,780		5,440		1,150		1,300		969		3,640		NA
Selenium	0.518	J	0.542	U	0.647		0.535	U	0.533	U	0.543	U	0.492	U	0.589	U	0.551	U	0.582	U	0.536	U	0.559	U	3.9
Silver	0.225	J	0.433	U	0.277	J	0.171	J	0.426	U	0.434	U	0.393	U	0.118	J	0.441	U	0.466	U	0.129	J	0.448	U	2
Sodium	142		121		288		219		306		295		132		239		419		486		546		201		NA
Thallium	2.41		4.35		2.75		4.92		3		2.93		6.88		10.8		2.03		2.14		1.26		6.56		NA
Vanadium	17.4		18		23.3		28.7		19		19.5		17.9		31.9		13.7		18.2		10.8		22		NA
Zinc	289		21.6		97.5		273		24.3		25.1		57.6		190		134		153		108		83.2		109

Notes:
 All concentrations are reported in milligrams per kilogram (mg/kg) or parts per million.
 ND=Indicates the compound was analyzed for but not detected.
 NA=Not Applicable
 J=Analyte detected below quantitation limits
 NVG=No value given
Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;
 Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

1 of 2

TABLE 5
Analytical Results for Metals in Soil Samples
260 West 26th Street, New York, NY

Sample ID	SB-7		SB-7		SB-8		SB-8		SB-9		SB-9		SB-10		SB-10		SB-11		SB-11		SB-12		SB-12		*Part 375 SCOs Unrestricted Use
Sample Depth	0'-2'		18'-20'		0'-2'		18'-20'		0'-2'		6'-8'		0'-2'		7'-9'		0'-2'		12'-14'		0'-2'		7'-9'		
Matrix	Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		Soil		
Date Sampled	2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		2/18/2011		
Units	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg
Metals																									
Aluminum	3690		3880		3320		2840		2510		3610		3300		3190		3340		2890		3110		5460		NA
Antimony	0.235	J	0.551	U	0.524	U	0.516	U	0.364	J	0.576	U	0.553	U	0.532	U	0.539	U	0.481	U	0.54	U	0.53	U	NA
Arsenic	1.28		1.01		1.53		0.701		10.6		3.34		4.14		1.94		0.927		0.596		3.46		2.99		13
Barium	31.3		60.6		52.7		56		354		75.6		261		90.2		65.1		50.3		227		91.9		350
Beryllium	0.428	U	0.441	U	0.419	U	0.412	U	0.428	U	0.461	U	0.443	U	0.425	U	0.431	U	0.385	U	0.432	U	0.424	U	7.2
Cadmium	0.428	U	0.441	U	0.419	U	0.412	U	1.88		0.138	J	0.177	J	0.425	U	0.431	U	0.385	U	0.432	U	0.424	U	2.5
Calcium	1940		3520		7500		2960		32700		17300		33500		13800		4250		3670		9270		4370		NA
Chromium	9.29		17		8.74		11		9.37		10.3		7.83		12.5		13.4		10.5		9.94		14.8		30
Cobalt	0.492		0.683		0.419		0.557		0.342	J	0.392	J	0.31	J	0.425	J	0.647		0.385	U	0.432	U	0.127	J	NA
Copper	15		6.04		12.9		6.72		73.6		13.1		8.76		13.2		9.07		8.14		193		41.7		50
Iron	8780		9590		7570		7790		12100		7710		8100		9370		10400		10300		11300		13500		NA
Lead	22.1		6.19		36.6		5.4		191		58.2		188		62.1		16.2		4.66		86		63.6		63
Magnesium	1970		2820		2010		2390		11100		3570		1880		2040		2380		2220		3650		3360		NA
Manganese	167		205		163		130		160		129		193		151		276		245		207		279		1,600
Mercury	0.0398		0.0103	U	0.0665		0.0106	U	0.448		0.112		0.333		0.133		0.00496	J	0.00939	U	0.379		0.219		0.18
Nickel	8.73		25.2		7.92		17.3		8.49		10.9		9.45		19.9		20		14.1		9.38		12.5		30
Potassium	831		1960		734		1510		767		1150		1250		1540		1920		1730		1180		2650		NA
Selenium	0.535	U	0.551	U	0.23	J	0.516	U	2.33		0.576	U	0.243	J	0.532	U	0.539	U	0.481	U	0.54	U	0.53	U	3.9
Silver	0.428	U	0.441	U	0.419	U	0.412	U	0.749		0.461	U	0.443	U	0.425	U	0.431	U	0.385	U	0.432	U	0.424	U	2
Sodium	64.6		193		87.1		101		340		229		324		190		136		102		199		152		NA
Thallium	1.86		4.1		1.47		2.76		1.11		1.89		1.55		2.47		3.1		2.89		1.62		6.04		NA
Vanadium	11.9		14.7		16.5		11.8		11.4		50.5		13.1		15.3		14.6		13.7		14.9		23.2		NA
Zinc	34.7		18		47.3		15.8		641		83.7		146		74.1		23.9		15.8		138		70.5		109

Notes:

All concentrations are reported in milligrams per kilogram (mg/kg) or parts per million.

ND=Indicates the compound was analyzed for but not detected.

NA=Not Applicable

J=Analyte detected below quantitation limits

NVG=No value given

Bold and boxed indicates that value is above 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives.

*6 NYCRR Part 375; Subparts 375-1 to 375-4 & 375-6;

Table 375-6.8(a): Unrestricted Use Soil Cleanup Objectives

Table 6**Analytical Results of Volatile Organic Compounds Detected In Soil Vapor Samples
260 West 26th Street
New York, New York**

Sample ID Matrix Date Sampled	SV-1 Soil Vapor 2/18/2011	SV-2 Soil Vapor 2/18/2011
Volatile Organic Compounds via EPA Method TO-15		
Units	<u>ug/m³</u>	<u>ug/m³</u>
Acetone	ND	12 B
Benzene	1.2	0.79 J
Carbon Disulfide	0.46 J	ND
Chloroform	1.5	ND
Ethyl Benzene	1.1	1.2
p-Ethyltoluene	ND	0.34 J
4-Heptane	0.42 J	ND
4-Hexane	0.64 J	ND
Isopropanol	0.90 J	1.8
Methylene chloride	1.8 B	1.9 B
1,2,4-Trimethylbenzene	1.4	1.4
2-Butanone	3.5	2.4
Tetrachloroethylene	2.6	0.57 J
Tetrahydrofuran	2.2	2.2
Toluene	4.7	4.7
Trichloroethylene	0.86	ND
m,p-Xylene	3.9	3.8
o-Xylene	1.5	1.4

Notes:All concentrations are shown in ug/m³-micrograms per cubic meter

All samples collected over 2 hour period

J - Indicates an estimated value

B - Compound detected in associated Laboratory Method Blank

ND - Not detected at or above reporting limits

Table 7
Analytical Results of Volatile Organic Compounds In Groundwater Samples
260 West 26th Street, New York, NY

Sample ID Matrix Date Sampled	GW-1 Groundwater 3/31/2011	GW-2 Groundwater 3/31/2011	NYSDEC TOGS*
VOCs via EPA Method 8260			
Units	ug/l	ug/l	ug/l
1,1,1,2-Tetrachloroethane	ND	ND	5
1,1,1-Trichloroethane	ND	ND	5
1,1,2-Tetrachloroethane	ND	ND	5
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	ND	5
1,1,2-Trichloroethane	ND	ND	1
1,1-Dichloroethane	ND	ND	5
1,1-Dichloroethene	ND	ND	5
1,1-Dichloropropene	ND	ND	1
1,2,3-Trichlorobenzene	ND	ND	5
1,2,3-Trichloropropane	ND	ND	5
1,2,4,5-Tetramethylbenzene	ND	ND	5
1,2,4-Trichlorobenzene	ND	ND	5
1,2,4-Trimethylbenzene	ND	ND	5
1,2-Dibromo-3-chloropropane	ND	ND	5
1,2-Dibromoethane	ND	ND	NVG
1,2-Dichlorobenzene	ND	ND	3
1,2-Dichloroethane	ND	ND	0.6
1,2-Dichloropropane	ND	ND	5
1,3,5-Trimethylbenzene	ND	ND	5
1,3-Dichlorobenzene	ND	ND	3
1,3-dichloropropane	ND	ND	5
1,4-Dichlorobenzene	ND	ND	3
1,4-Dioxane	ND	ND	NVG
2,2-Dichloropropane	ND	ND	5
2-Butanone	ND	ND	NVG
2-Chloroethyl vinyl ether	ND	ND	NVG
2-Chlorotoluene	ND	ND	NVG
2-Hexanone	ND	ND	NVG
2-Propanol	ND	ND	NVG
4-Chlorotoluene	ND	ND	NVG
4-Isopropyltoluene	ND	ND	5
4-Methyl-2-pentanone	ND	ND	NVG
Acetone	ND	ND	50
Acrolein	ND	ND	NVG
Acrylonitrile	ND	ND	NVG
Benzene	ND	ND	1
Bromobenzene	ND	ND	5
Bromochloromethane	ND	ND	5
Bromodichloromethane	ND	ND	50
Bromoform	ND	ND	50
Bromomethane	ND	ND	5
Carbon disulfide	ND	ND	NVG
Carbon tetrachloride	ND	ND	5
Chlorobenzene	ND	ND	5
Chlorodifluoromethane	ND	ND	NVG
Chloroethane	ND	ND	5
Chloroform	ND	ND	7
Chloromethane	ND	ND	NVG
cis-1,2-Dichloroethene	ND	ND	5
cis-1,3-Dichloropropene	ND	ND	0.4
Dibromochloromethane	ND	ND	50
Dibromomethane	ND	ND	5
Dichlorodifluoromethane	ND	ND	NVG
Diisopropyl ether	ND	ND	NVG
Ethanol	ND	ND	NVG
Ethyl acetate	ND	ND	NVG
Ethylbenzene	ND	ND	5
Freon-114	ND	ND	NVG
Hexachlorobutadiene	ND	ND	0.5
Isopropyl acetate	ND	ND	NVG
Isopropylbenzene	ND	ND	5
m,p-Xylene	ND	ND	5
Methyl Acetate	ND	ND	NVG
Methyl tert-butyl ether	ND	ND	10
Methylene chloride	6.3 B	7.8 B	5
n-Amyl acetate	ND	ND	NVG
Naphthalene	ND	ND	10
n-Butyl acetate	ND	ND	NVG
n-Butylbenzene	ND	ND	5
n-Propyl acetate	ND	ND	NVG
n-Propylbenzene	ND	ND	5
o-Xylene	ND	ND	5
p-Diethylbenzene	ND	ND	NVG
p-Ethyltoluene	ND	ND	NVG
sec-Butylbenzene	ND	ND	5
Styrene	ND	ND	5
t-Butyl alcohol	ND	ND	NVG
tert-Butylbenzene	ND	ND	5
Tetrachloroethene	ND	ND	5
Toluene	1	16	5
trans-1,2-Dichloroethene	ND	ND	5
trans-1,3-Dichloropropene	ND	ND	NVG
Trichloroethene	ND	ND	5
Trichlorofluoromethane	ND	ND	5
Vinyl acetate	ND	ND	NVG
Vinyl chloride	ND	ND	2

Notes:
All concentrations are reported in micrograms per liter (ug/L) or parts per billion.
B - Indicates analyte was detected in the associated method blank.
NVG - No Value Given
ND - Not detected at or above reporting limits
Detections are bolded
Bold and boxed indicates exceedance of groundwater standards or guidance values

**NYSDEC Technical and Operational Guidance Series (1.1.1)
Ambient Water Quality Standards and Guidance Values
and Groundwater Effluent Limitations, June 1998*

Table 8
Analytical Results of Semi Volatile Organic Compounds In Groundwater Samples
260 West 26th Street, New York, NY

Sample ID Matrix Date Sampled	GW-1 Groundwater 3/31/2011	GW-2 Groundwater 3/31/2011	NYSDEC TOGS**
SVOCs via EPA Method 8270			
	Units		
	ug/l	ug/l	ug/l
1,2,4-Trichlorobenzene	ND	ND	5
1,2-Dichlorobenzene	ND	ND	3
1,3-Dichlorobenzene	ND	ND	3
1,4-Dichlorobenzene	ND	ND	3
2,4,5-Trichlorophenol	ND	ND	NVG
2,4,6-Trichlorophenol	ND	ND	NVG
2,4-Dichlorophenol	ND	ND	5
2,4-Dimethylphenol	ND	ND	50
2,4-Dinitrophenol	ND	ND	10
2,4-Dinitrotoluene	ND	ND	5
2,6-Dinitrotoluene	ND	ND	5
2-Chloronaphthalene	ND	ND	10
2-Chlorophenol	ND	ND	NVG
2-Methylnaphthalene	3.7 J	1.7 J	NVG
2-Methylphenol	ND	ND	NVG
2-Nitroaniline	ND	ND	5
2-Nitrophenol	ND	ND	NVG
3,3'-Dichlorobenzidine	ND	ND	5
3+4-Methylphenol	ND	ND	1
3-Nitroaniline	ND	ND	5
4,6-Dinitro-2-methylphenol	ND	ND	NVG
4-Bromophenyl phenyl ether	ND	ND	NVG
4-Chloro-3-methylphenol	ND	ND	NVG
4-Chloroaniline	ND	ND	NVG
4-Chlorophenyl phenyl ether	ND	ND	NVG
4-Nitroaniline	ND	ND	5
4-Nitrophenol	ND	ND	NVG
Acenaphthene	6.3	2.5 J	20
Acenaphthylene	ND	ND	NVG
Acetophenone	ND	ND	NVG
Aniline	ND	ND	NVG
Anthracene	1.8 J	1.1 J	50
Atrazine	ND	ND	NVG
Azobenzene	ND	ND	NVG
Benzaldehyde	ND	ND	NVG
Benzidine	ND	ND	NVG
Benzo(a)anthracene	ND	ND	0.002
Benzo(a)pyrene	ND	ND	NVG
Benzo(b)fluoranthene	ND	ND	0.002
Benzo(g,h,i)perylene	ND	ND	NVG
Benzo(k)fluoranthene	ND	ND	0.002
Benzoic acid	ND	ND	NVG
Benzyl alcohol	ND	ND	NVG
Biphenyl	ND	ND	NVG
Bis(2-chloroethoxy)methane	ND	ND	NVG
Bis(2-chloroethyl)ether	ND	ND	NVG
Bis(2-chloroisopropyl)ether	ND	ND	NVG
Bis(2-ethylhexyl)phthalate	ND	ND	5
Butyl benzyl phthalate	ND	ND	50
Caprolactam	ND	ND	NVG
Carbazole	ND	ND	NVG
Chrysene	0.53 J	ND	0.002
Dibenzo(a,h)anthracene	ND	ND	NVG
Dibenzofuran	1.5 J	0.57 J	NVG
Diethyl phthalate	ND	ND	NVG
Dimethyl phthalate	ND	ND	NVG
Di-n-butyl phthalate	ND	ND	50
Di-n-octyl phthalate	ND	ND	50
Fluoranthene	1.5 J	1.2 J	50
Fluorene	1.2 J	ND	50
Hexachlorobenzene	ND	ND	0.04
Hexachlorobutadiene	ND	ND	0.5
Hexachlorocyclopentadiene	ND	ND	5
Hexachloroethane	ND	ND	5
Indeno(1,2,3-c,d)pyrene	ND	ND	0.002
Isophorone	ND	ND	50
Naphthalene	1.6 J	0.98 J	10
Nitrobenzene	ND	ND	0.4
N-Nitrosodimethylamine	ND	ND	NVG
N-Nitrosodi-n-propylamine	ND	ND	NVG
N-Nitrosodiphenylamine	ND	ND	50
Parathion	ND	ND	NVG
Pentachlorophenol	ND	ND	NVG
Phenanthrene	1.8 J	1.1 J	50
Phenol	ND	ND	NVG
Pyrene	1.5 J	1.2 J	50
Pyridine	ND	ND	50

Notes:

All concentrations are reported in micrograms per liter (ug/L) or parts per billion.

J - Indicates an estimated value

NVG - No Value Given

ND - Not detected at or above reporting limits

**NYSDEC Technical and Operational Guidance Series (1.1.1)
Ambient Water Quality Standards and Guidance Values
and Groundwater Effluent Limitations; June 1998

Detections are bolded

Bold and boxed indicates exceedance of groundwater standards or guidance values

Table 9
Analytical Results of Pesticides In Groundwater Samples
260 West 26th Street, New York, NY

Sample ID Matrix Date Sampled	GW-1 Groundwater 3/31/2011	GW-2 Groundwater 3/31/2011	NYSDEC TOGS*
Pesticides via EPA Method			
Units	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>
4,4'-DDD	ND	ND	0.3
4,4'-DDE	ND	ND	0.2
4,4'-DDT	0.018 J	0.0025 JP	0.2
Aldrin	ND	ND	NVG
alpha-BHC	ND	ND	0.01
beta-BHC	ND	ND	0.04
Chlordane	ND	ND	0.05
Chlorobenzilate	ND	ND	NVG
DBCP	ND	ND	NVG
delta-BHC	ND	ND	0.04
Dieldrin	ND	ND	0.004
Endosulfan I	ND	ND	NVG
Endosulfan II	ND	ND	NVG
Endosulfan sulfate	ND	ND	NVG
Endrin	ND	ND	NVG
Endrin aldehyde	ND	ND	5
Endrin ketone	ND	ND	NVG
gamma-BHC	ND	ND	0.05
Heptachlor	ND	ND	NVG
Heptachlor epoxide	ND	ND	NVG
Hexachlorobenzene	ND	ND	NVG
Hexachlorocyclopentadiene	ND	ND	NVG
Methoxychlor	ND	ND	NVG
Toxaphene	ND	ND	NVG

Notes:

NVG - No Value Given

J - Indicates an estimated value

NVG - No Value Given

ND - Not detected at or above reporting limits

P - > 40% difference for detected concentration between the two gas chromatography columns.

All concentrations are reported in micrograms per liter (ug/L) or parts per billion.

Detections are bolded

Bold and boxed indicates exceedance of groundwater standards or guidance values

**NYSDEC Technical and Operational Guidance Series (1.1.1)
Ambient Water Quality Standards and Guidance Values
and Groundwater Effluent Limitations; June 1998*

Table 10
Analytical Results of PCBs In Groundwater Samples
260 West 26th Street, New York, NY

Sample ID Matrix Date Sampled	GW-1 Groundwater 3/31/2011	GW-2 Groundwater 3/31/2011	NYSDEC TOGS**
PCBs via EPA Method 8082			
Units	<u>ug/l</u>	<u>ug/l</u>	<u>ug/l</u>
Aroclor 1016	ND	ND	0.09 *
Aroclor 1221	ND	ND	0.09 *
Aroclor 1232	ND	ND	0.09 *
Aroclor 1242	ND	ND	0.09 *
Aroclor 1248	ND	ND	0.09 *
Aroclor 1254	ND	ND	0.09 *
Aroclor 1260	ND	ND	0.09 *
Aroclor 1262	ND	ND	0.09 *
Aroclor 1268	ND	ND	0.09 *

Notes:

All concentrations are reported in micrograms per liter (ug/L) or parts per billion.

**standard is for sum of Aroclors*

ND - Not detected at or above reporting limits

***NYSDEC Technical and Operational Guidance Series (1.1.1)*

*Ambient Water Quality Standards and Guidance Values
and Groundwater Effluent Limitations; June 1998*

Detections are bolded

Bold and boxed indicates exceedance of groundwater standards or guidance values

Table 11
Analytical Results of Metals in Groundwater Samples
260 West 26th Street, New York, NY

Sample ID Matrix Date Sampled	GW-1 Groundwater 3/31/2011	GW-2 Groundwater 3/31/2011	NYSDEC TOGS*
Total Metals			
Units	<u>mg/L</u>	<u>mg/L</u>	<u>mg/L</u>
Aluminum	8.87	44	NVG
Antimony	ND	ND	0.003
Arsenic	0.032	0.05	0.025
Barium	2.2	4.11	1
Beryllium	ND	ND	0.003
Cadmium	ND	ND	0.005
Calcium	244	413	NVG
Chromium	0.061	0.257	0.05
Cobalt	ND	ND	NVG
Copper	0.397	0.914	0.2
Iron	32.4	68.7	0.3
Lead	2.49	4.61	0.025
Magnesium	102	52.5	35
Manganese	0.768	1.84	0.3
Mercury	0.0252	0.0306	0.0007
Nickel	0.029	0.094	0.1
Potassium	53.9	66.3	NVG
Selenium	ND	0.039	0.01
Silver	ND	ND	0.05
Sodium	42.1	47.4	20
Thallium	ND	ND	0.0005
Vanadium	0.023	0.056	NVG
Zinc	2.25	3.24	2
Dissolved Metals			
Units	<u>mg/L</u>	<u>mg/L</u>	<u>mg/L</u>
Aluminum	0.029	0.047	NVG
Antimony	ND	ND	0.003
Arsenic	ND	ND	0.025
Barium	0.36	0.495	1
Beryllium	ND	ND	0.003
Cadmium	ND	ND	0.005
Calcium	230	381	NVG
Chromium	ND	ND	0.05
Cobalt	ND	ND	NVG
Copper	ND	ND	0.2
Iron	0.095	0.074	0.3
Lead	0.008 J	ND	0.025
Magnesium	107	43.9	35
Manganese	0.298	0.091	0.3
Mercury	ND	ND	0.0007
Nickel	ND	ND	0.1
Potassium	56.8	50	NVG
Selenium	ND	0.046	0.01
Silver	ND	ND	0.05
Sodium	42.6	48.2	20
Thallium	ND	ND	0.0005
Vanadium	ND	ND	NVG
Zinc	0.013 J	0.047	2

Notes:

ND - Not detected at or above reporting limits

NVG - No Value Given

Detections are bolded

All concentrations are reported in milligrams per liter (mg/L) or parts per million.


Bold & boxed indicates exceedance of groundwater standards or guidance values

**NYSDEC Technical and Operational Guidance Series (1.1.1)
Ambient Water Quality Standards and Guidance Values
and Groundwater Effluent Limitations; June 1998*

APPENDIX A

Proposed Redevelopment Plans

NOT FOR CONSTRUCTION




**260 WEST 26TH STREET
 NEW YORK, NY
 BLOCK: 775
 LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
 ARTIMUS
 STRUCTURAL ENGINEER
 ENGINEERING GROUP
 MECHANICAL ENGINEER
 RODKIN CARDINALE ENGINEERS P.C.
 OWNER
 110 MANHATTAN EQUITIES LLC
 ISSUE
 FEB 28 2011
 SCALE
 1/8"=1'-0"
 KEY PLAN

PROJECT
 260 WEST 26TH STREET
 DRAWING
 ROOF PLAN

SEAL AND SIGNATURE _____ DATE: 02.18.11
 PROJECT NO: 1574.00
 DRAWING BY: JD
 CHK BY:
 DWG NO:
A-107.00
 CADD FILE NO: _____ OF _____

NOT FOR CONSTRUCTION



**260 WEST 26TH STREET
 NEW YORK, NY
 BLOCK: 775
 LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
 ARTIMUS
 STRUCTURAL ENGINEER
 ENGINEERING GROUP
 MECHANICAL ENGINEER
 RODKIN CARDINALE ENGINEERS P.C.
 OWNER
 110 MANHATTAN EQUITIES LLC
 ISSUE
 FEB 28 2011
 SCALE
 1/8"=1'-0"
 KEY PLAN

PROJECT
 260 WEST 26TH STREET
 DRAWING
 12TH FLOOR PLAN


SEAL AND SIGNATURE _____ DATE: 02.18.11
 PROJECT NO.: 1574.00
 DRAWING BY: JD
 CHK BY: _____
 DWG NO.: _____
A-106.00
 CADD FILE NO.: _____ OF _____

**260 WEST 26TH STREET
NEW YORK, NY
BLOCK: 775
LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
ARTIMUS
STRUCTURAL ENGINEER
ENGINEERING GROUP
MECHANICAL ENGINEER
RODKIN CARDINALE ENGINEERS P.C.
OWNER
110 MANHATTAN EQUITIES LLC
ISSUE
FEB 28 2011
SCALE
1/8"=1'-0"
KEY PLAN

PROJECT
260 WEST 26TH STREET
DRAWING
9TH - 11TH FLOOR PLAN


SEAL AND SIGNATURE _____ DATE: 02.18.11
PROJECT NO.: 1574.00
DRAWING BY: JD
CHK BY: _____
DWG NO.: _____
A-105.00
CADD FILE NO.: _____ OF _____



A 9TH - 11TH FLOOR PLAN

1/8"=1'-0"





A 3RD - 8TH FLOOR PLAN

1/8"=1'-0"



**260 WEST 26TH STREET
NEW YORK, NY
BLOCK: 775
LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
ARTIMUS
STRUCTURAL ENGINEER
ENGINEERING GROUP
MECHANICAL ENGINEER
RODWIN CARDINALE ENGINEERS P.C.
OWNER
110 MANHATTAN EQUITIES LLC
ISSUE
FEB 28 2011
SCALE
1/8"=1'-0"
KEY PLAN

PROJECT
260 WEST 26TH STREET
DRAWING
3RD - 8TH FLOOR PLAN


SEAL AND SIGNATURE _____ DATE: 02.18.11
PROJECT NO.: 1574.00
DRAWING BY: JD
CHK BY: _____
DWG NO.: _____
A-104.00
CADD FILE NO.: _____ OF _____

**260 WEST 26TH STREET
NEW YORK, NY
BLOCK: 775
LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
ARTIMUS
STRUCTURAL ENGINEER
ENGINEERING GROUP
MECHANICAL ENGINEER
RODKIN CARDINALE ENGINEERS P.C.
OWNER
110 MANHATTAN EQUITIES LLC
ISSUE
FEB 28 2011
SCALE
1/8"=1'-0"
KEY PLAN

PROJECT
260 WEST 26TH STREET
DRAWING
2ND FLOOR PLAN

SEAL AND SIGNATURE _____ DATE: 02.18.11
PROJECT NO.: 1574.00
DRAWING BY: JD
CHK BY: _____
DWG NO.: _____
A-103.00
CADD FILE NO.: _____ OF _____




A 2ND FLOOR PLAN

1/8"=1'-0"



WEST 26TH STREET



8TH AVENUE

A 1ST FLOOR PLAN

1/8"=1'-0"




260 WEST 26TH STREET
NEW YORK, NY
BLOCK: 775
LOT: 4, 69, 77, 78, 79, 80

DEVELOPER
ARTIMUS
STRUCTURAL ENGINEER
ENGINEERING GROUP
MECHANICAL ENGINEER
RODKIN CARDINALE ENGINEERS P.C.
OWNER
110 MANHATTAN EQUITIES LLC
ISSUE
FEB 28 2011
SCALE
1/8"=1'-0"
KEY PLAN

PROJECT
260 WEST 26TH STREET
DRAWING
1ST FLOOR PLAN

SEAL AND SIGNATURE _____ DATE: 02.18.11
PROJECT NO.: 1574.00
DRAWING BY: JD
CHK BY: _____
DWG NO.: _____
A-102.00
CADD FILE NO.: _____ OF _____




**260 WEST 26TH STREET
NEW YORK, NY**
**BLOCK: 775
LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
ARTIMUS
STRUCTURAL ENGINEER
ENGINEERING GROUP
MECHANICAL ENGINEER
RODKIN CARDINALE ENGINEERS P.C.
OWNER
110 MANHATTAN EQUITIES LLC
ISSUE
FEB 28 2011
SCALE
1/8"=1'-0"
KEY PLAN

PROJECT
260 WEST 26TH STREET
DRAWING
CELLAR PLAN

SEAL AND SIGNATURE _____ DATE: 02.18.11
PROJECT NO: 1574.00
DRAWING BY: JD
CHK BY: _____
DWG NO:
A-101.00
CADD FILE NO: _____ OF _____



- NOTES
1. ELEVATION OF SLAB ELEVATION - 14'-7" UNLESS OTHERWISE NOTED THIS IS ON PLAN
 2. MINIMUM BOTTOM OF FOOTING ELEVATION SHOWN THIS IS ON PLAN
 3. SLAB SLIPS ON GRADE AS INDICATED ON ARCHITECTURAL DRAWINGS
 4. MECHANICAL EQUIPMENT PAD-SIZE AND LOCATION WITH MECHANICAL DRAWINGS
 5. COLUMN REINFORCING FOR ALL COLUMNS MARKED THIS (1) SHALL BE EXTEND TO TOP OF THE FOOTING

FOOTING SCHEDULE				
FOOTING MARK	SIZE	DEPTH	REINFORCING EACH WAY	REMARKS
F3	3'-0" X 3'-0"	1'-4"	4-#6	-
F3.1	3'-10" X 2'-4"	1'-4"	4-#6	-
F4	4'-0" X 4'-0"	1'-4"	4-#6	-

GFSS
 PARTNERS
 19 W. 21ST STREET
 NEW YORK, N.Y. 10011
 212.352.3099
 ©GFSS Partners, LLP 2011

**260 WEST 26TH STREET
 NEW YORK, NY**

**BLOCK: 775
 LOT: 4, 69, 77, 78, 79, 80**

DEVELOPER
 ARTIMUS

STRUCTURAL ENGINEER
 ENGINEERING GROUP

MECHANICAL ENGINEER
 RODKIN CARDINALE ENGINEERS P.C.

OWNER
 ARTIMUS

ISSUE
 DOWNGRADING 03.28.2011

SCALE

KEY PLAN

PROJECT
 260 WEST 26TH STREET

DRAWING
 FOUNDATION/CELLAR
 FRAMING PLAN

DATE: 03.28.2011
 PROJECT NO.: 127490
 DRAWING BY: JD
 CHECK BY:
 DWG NO.:
 COORDINATOR: 5/8/28

FO-100.00

APPENDIX B

Phase I ESA (electronic file)



**Phase I
Environmental Site Assessment**

**260 West 26th Street
New York, NY 10001-6702**

March 2011

Prepared For:

**Chelsea W26 LLC
37 West 65th Street
New York, NY 10023-6610**

Prepared by:

**CA Rich Consultants, Inc.
17 Dupont Street
Plainview, NY 11803-1614**



March 4, 2011

Chelsea W26 LLC
37 West 65th Street, 2nd Floor
New York, NY 10023-6610

Attn: Evan Kashanian

Re: Phase I Environmental Site Assessment
260 West 26th Street
New York, NY 10001-6702
Block: 775; Lots: 4, 80, 79, 78, 77, and 69

Dear Mr. Kashanian:

The following report summarizes a Phase I Environmental Site Assessment (ESA) for the above-referenced location, performed by CA RICH Consultants, Inc. of Plainview, NY. This Phase I ESA was completed in substantive conformance with the scope and limitations of ASTM Practice E 1527-2005, which sets forth nationally-accepted Phase I guidance criteria.

If you have any questions pertaining to this report, please feel free to contact the undersigned. We thank you for the opportunity to provide you with our professional environmental services.

Sincerely,

CA RICH CONSULTANTS, INC.

A handwritten signature in black ink that reads 'Jessica Proscia'.

Jessica Proscia
Project Environmental Scientist

Reviewed by:

A handwritten signature in black ink that reads 'Deborah Shapiro'.

Deborah Shapiro
Project Manager

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
Executive Summary	1
1.0 INTRODUCTION	2
1.1 Purpose	
1.2 Detailed Scope of Services	
1.3 Significant Assumptions	
1.4 Limitations and Exceptions	
1.5 User Reliance	
2.0 PROPERTY DESCRIPTION	4
2.1 Location and Legal Description	
2.2 Description of Property	
2.3 Description of Surrounding Area	
2.4 Current Uses of the Property	
2.5 Current Uses of Adjoining Properties	
2.6 Site Geology & Hydrogeology	
3.0 USER-PROVIDED INFORMATION	5
3.1 Title Records	
3.2 Environmental Liens	
3.3 Specialized Knowledge	
3.4 Commonly Known or Reasonably Ascertainable Information	
3.5 Valuation Reduction for Environmental Issues	
3.6 Owner, Property Manager, and Occupant Information	
3.7 Reason for Performing Phase I	
4.0 SITE RECONNAISSANCE	6
4.1 General	
4.2 Methodology and Limiting Conditions	
4.3 Interview Information	
4.4 Exterior Observations	
4.5 Interior Observations	
4.6 Storage Tanks	
4.7 Toxic / Hazardous Materials	
4.8 Proximity to Environmentally Hazardous and/or Sensitive Areas	
5.0 HISTORICAL LAND USE PRACTICES	8
5.1 Aerial Photography	
5.2 Topography	
5.3 Sanborn Fire Insurance Mapping	
5.4 Local Directory	
6.0 ENVIRONMENTAL RECORDS REVIEW	10
6.1 Federal	
6.2 State and Tribal	
6.3 Local	

<u>Section</u>	<u>Page</u>
7.0 ADDITIONAL SERVICES	19
7.1 Asbestos	
7.2 Radon Gas	
7.3 Lead Based Paint	
8.0 FINDINGS AND PROFESSIONAL OPINION	20
9.0 CONCLUSIONS	21
10.0 DECLARATIONS OF ENVIRONMENTAL PROFESSIONAL(S)	22
11.0 REFERENCES	24

FIGURE

1. Property Location Map

APPENDICES

- A. Site Photography
- B. Environmental Database
- C. Supplemental Information (Historical Maps, Aerial Photographs, FOIL Information)
- D. Local Directory
- E. Qualifications of Environmental Professionals

EXECUTIVE SUMMARY

CA RICH CONSULTANTS, INC. ("CA RICH") of Plainview, New York has completed this Phase I Environmental Site Assessment (ESA) of the property located at 260 West 26th Street in New York, New York (Block: 775; Lots 4, 80, 79, 78, 77, and 69) (hereinafter referred to as the "Property" or "Site"). CA RICH performed this Phase I ESA in substantive conformance with the suggested informational requirements, scope and limitations of the American Society for Testing & Materials (ASTM) prevailing Standard Practice E 1527-05 for environmental site assessments. Any exceptions to, or deletions from, these practices are described in Section 1.4 of this Report.

The Property consists of one building and a parking lot. The building is a two-story walk up with a video store and art gallery located on the first floor. The tenant space located on the second floor of the structure is currently vacant. The remaining portion of the Property contains an active outdoor parking lot with multiple hydraulic lifts for vehicles and a small booth for parking attendants.

The information and findings presented herein are based upon the data acquired during the Property visit, and through pertinent information obtained from regulatory agencies, responsible persons knowledgeable about the Property, and other historical information sources. Based upon the information reviewed for this Phase I ESA, we have identified the following "Recognized Environmental Conditions" (RECs) in connection with the subject Property:

REC-1 At the time of the inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt- surface of the parking lot. Therefore, it is recommended that a subsurface investigation be performed in the parking garage to determine if the presence of the lifts has negatively impacted the subject Property.

REC-2 A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot. As no records indicating the proper removal of this suspect tank were provided, it is recommended that a geophysical investigation including Ground Penetrating Radar be conducted to determine if an UST is present.

REC-3 According to the NYCDOB database, one of the six lots comprising the subject Property, Block: 775; Lots: 69 is "E" designated for hazardous materials. Therefore, if the Property is to be redeveloped, it is recommended that a subsurface investigation be performed on this lot in accordance with NYCOER's requirements.

REC-4 According to the previous Phase I performed, two 275-gallon abandoned ASTs were identified at the Property. In addition, the NYCDOB database identified the presence of an oil boiler on Lot 78. The oil boiler noted in the database may be related to the AST identified in the Phase I ESA conducted by Merritt Engineering in 2005. As no records indicating the proper removal of these tanks were provided and the buildings have since been demolished, it is recommended that a geophysical investigation including GPR be conducted on these lots to determine whether the ASTs remain.

Other Issues:

OI-1 There are 26 active NYCDOB violations associated with the subject Property. While NYCDOB violations are not considered *Recognized Environmental Conditions*, it is recommended that the violations be addressed with NYCDOB.

OI-2 Based on the age of the structure, asbestos is likely present in some of the building materials especially in the lower layers of the tar roofing materials and vinyl-floor tiles. As the building is slated for demolition, it is recommended that an ACM survey be performed

and appropriate measures be taken to protect the health and safety of building occupants or workers during activities that may disturb the ACM.

OI-3 Based on the age of the buildings, it is possible that lead may be present in covered layers of paint on the walls. As the building is slated for demolition, it is recommended that a lead based paint survey be performed and appropriate measures be taken to protect the health and safety of building occupants or workers during activities that may disturb the paint.

OI-4 As the User of this Report plans to redevelop the Property into a residential building, the excavation and removal of on-site soils for foundation purposes will be required. If the results of the recommended Phase II Investigation indicate that the Property contains soil or fill materials that exceed NYSDEC standards or guidance values for contaminants, it is recommended that any material that is to be disturbed or excavated be properly handled and disposed of based upon the results of a waste characterization analysis and in accordance with applicable regulations.

1.0 INTRODUCTION

1.1 Purpose

The purpose of this Phase I ESA is to identify ASTM-defined Recognized Environmental Conditions associated with the subject Property. This assessment was conducted in substantive conformance with ASTMs "*Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process*" E 1527-05.

This Standard is designed to constitute "*all appropriate inquiry into the previous ownership and uses of the property consistent with good commercial or customary practice*" as defined in CERCLA 42 USC 9601 (35) (B). Consequently, this assessment investigates the historical land use and present-day condition of the Property in accordance with accepted standards prevailing within the lending industry and the environmental assessment profession. The term *recognized environmental conditions* does not include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment and that generally would not be the subject of an enforcement action if brought to the attention of appropriate regulatory agencies.

1.2 Detailed Scope of Services

The following general activities were performed by CA RICH as part of this Phase I ESA:

- Visual and physical inspection of representative reasonably accessible exterior areas of the Property by an experienced CA RICH Environmental Professional (EP), whom also satisfies the educational and experience qualification requirements stipulated under the Federal EPA's companion "AAI" Rule, effective November 1, 2006. The review included a review of building practices at adjacent properties;
- Investigation of historical land use practices including review of available Local Directory publications, USGS topographic maps, aerial photographs, and historical Sanborn® Maps, discussions with knowledgeable parties associated with the Property and other readily available records or reports (i.e. prior Phase 1's);
- Review and inquiry of relevant Federal, State, and Local database records pertaining to the subject Property and properties located within approximate minimum search distances for the purposes of identifying potential sources of any migrating hazardous substances or petroleum products; and,

- Review of the Property's proximity to ecologically sensitive areas or media (i.e. parks, rivers, underlying ground water, etc.) using records and maps published by the Federal United States Geological Survey (USGS) along with neighborhood reconnaissance.

1.3 Significant Assumptions

For the purpose of performing this Phase I ESA, CA RICH assumes that information provided to us by the Client, database search companies, historical records, interviews, etc. is accurate. Our findings and conclusions regarding the potential environmental impact of nearby, off-site buildings or adjoining property facilities upon the subject Property are based upon readily available information from review of the environmental databases and observable conditions at the time of inspection by the EP. Any further, more detailed review or interpretation of a specific file or record is beyond the standard Phase I scope of work approved at this time.

Further, the Environmental Professional investigator(s) cannot be held responsible for either innocent or intentional misrepresentations, inaccurate statements, claims made, or information furnished to CA RICH regarding the environmental integrity of this Property.

1.4 Limitations and Exceptions

CA RICH performed this Phase I ESA of the subject Property in accordance with good commercial and customary practice and generally accepted protocols within the consulting industry as set forth in ASTM E1527-05. An environmental lien search was not included as part of this Phase I Report. CA RICH has included review of some non-ASTM issues for this assessment including asbestos, polychlorinated biphenyl's (PCBs), and radon gas; otherwise there have been no intentional deviations or deletions from this practice in the performance of this assessment. The assessment included a visual (observable) inspection of representative areas of the Property, the examination of readily ascertainable and practically reviewable public records concerning the current and prior use of the Property, recorded environmental conditions, and further discussions with responsible and knowledgeable parties associated with the Property.

The findings, conclusions and professional opinion set forth in this environmental report are based upon the limited information available to CA RICH during this assessment period. If new information becomes available concerning the Property or the future property and its environs relative to existing or future intended land use after the date of this report, the findings and conclusions contained herein may be subject to modification. While this assessment was performed in accordance with good commercial and customary practice and generally accepted protocols within the environmental consulting industry, CA RICH cannot guarantee that the Property is completely free of hazardous substances or other materials or conditions that could subject the Owner(s) to potential liabilities. The presence or absence of any such condition may only be revealed or confirmed through the sample collection and analysis of any stored or suspect residual liquids, gels, or solid waste materials, chemicals, miscellaneous hazards, residues, biologicals, odors, soot, refuse, building materials, underlying fill, fluids, or soils, soil vapors, ground water, and/or surface water etc.

Subsurface conditions were not field-investigated and were outside the scope of this Phase I ESA and therefore, may differ from the conditions implied by records review and/or surficial observations. Building contamination, waste emplacement, lead-based paint, asbestos, fill, and soil or groundwater contamination would be disclosed to CA RICH only by surficial indications, interviews, or available regulatory records. In the absence of such information, these possible conditions may only be revealed through further specific media testing or sampling and testing methodologies all of which are beyond the scope of this 'Phase I' assessment, with exceptions as reported herein.

Because there are limitations to the amount of time and resources expended at this level of an initial Phase I Assessment, CA RICH cannot guarantee that all existing and pertinent Property information was reviewed. There may remain data gaps and/or additional relevant information not discovered through the standard level of all appropriate inquiry employed at this time. However, we do acknowledge that to the best of our belief, the readily ascertainable information we have supplied is true, complete and correct, and that facts or figures that may have an adverse effect upon the validity of the findings and professional opinion provided herein have not purposely been omitted.

CA RICH has no interest other than professional in this Environmental Site Assessment and neither its performance, nor compensation for same, is contingent upon the findings and/or opinion or recommendation(s), if any, represented herein. Any litigation matters that may pertain to the Property are not discussed and this Report is not a legal opinion.

1.5 User Reliance

This Report is intended for the sole use of Chelsea W26 LLC. It may not be used or relied upon by any other party, or third party, without the written consent of CA RICH. The scope of services performed in execution of this evaluation may not be appropriate to satisfy the needs of other users, future occupants, future prospective purchasers, and/or altered land usage, or altered future land usage, and the use or re-use of this document or the findings, professional opinion, or aforementioned recommendations provided herein is at the risk of said user.

2.0 PROPERTY DESCRIPTION

2.1 Location and Legal Description

The subject Property is located at 260 West 26th Street in New York, New York (Block: 775; Lots 4, 80, 79, 78, 77, and 69). A Site Location Map is presented in Figure 1.

2.2 Description of Property

The Property consists of one building and a parking lot. The building is a two-story walk up with a video store and art gallery located on the first floor. The tenant space located on the second floor of the structure is currently vacant. The remaining portion of the Property contains an active outdoor parking lot with multiple hydraulic lifts for vehicles and a small booth for parking attendants.

The two-story building is currently heated by natural gas. The building is serviced with public sewers and municipal water.

2.3 Description of Surrounding Area

The Property is located in a developed area consisting of a mixed-use of residential and commercial buildings.

2.4 Current Uses of the Property

The Property consists of one building and a parking lot. The building is a two-story walk up with a video store and art gallery located on the first floor. The tenant space located on the second floor of the structure is currently vacant. The remaining portion of the Property contains an active outdoor parking lot with multiple hydraulic lifts for vehicles and a small booth for parking attendants.

2.5 Current Uses of Adjoining Properties

Adjoining properties include the following:

- North: Five-story residential and commercial buildings
- South: Four-story residential and commercial building
- East: Four-story veterinary practice
- West: 19-story residential building

2.6 Site Geology & Hydrogeology

According to maps and reports published by the United States Geological Survey (USGS) (Ref. 1), the Property is underlain by unconsolidated Cretaceous age deposits composed of interbedded layers of silt, sand, and gravel at an elevation of approximately 27 feet above mean sea level. These deposits are in turn, underlain by crystalline bedrock of the Manhattan Formation. The Manhattan Formation is composed of pelitic schists and amphibolite.

No site-specific hydrogeological information is available concerning groundwater depth and flow direction. The actual soil type, depth to groundwater and flow direction can only be obtained through a site-specific hydrogeological study including the physical installation of soil borings and wells, which is beyond the scope of this Phase I ESA.

The Property is relatively flat and has no natural or artificial surface water bodies or impoundments. Water from rain events runs off into street storm drains.

3.0 USER-PROVIDED INFORMATION

ASTM E 1527-05 defines the "User" as: "*the party seeking to use practice E 1527-05 to complete an environmental site assessment of the property*". The user is responsible for providing certain information (if available) to qualify for one of the Landowner Liability Protections offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001. Failure to provide this information could result in a determination that "*all appropriate inquiry*" is not complete.

3.1 Title Records

Title records were not provided by the User. This is considered a data gap. However, this data gap is not considered to have a significant impact on the findings of this assessment.

3.2 Environmental Liens

An environmental lien search was not provided by the User. This is considered a data gap. However, this data gap is not considered to have a significant impact on the findings of this assessment.

3.3 Specialized Knowledge

The User did not provide CA RICH with specialized knowledge of the Property.

3.4 Commonly Known or Reasonably Ascertainable Information

The User did provide CA RICH with commonly known or reasonably ascertainable information about the subject Property. Prior to the Site investigation for this Phase I, the user provided historical reports for the Property. The reports included the following:

- 1) Phase I Environmental Site Assessment; Merritt Engineering Consultants PC; September 2005 (Ref 2).

The September 2005 Phase I ESA identified the following Recognized Environmental Condition (REC):

252 West 26th Street is documented as an “E” designated lot by the NYC Department of Buildings. According to a NYCDOB memorandum (12/23/03), “E” designated lots are amendments to the New York City Zoning Maps that may include environmental designations of certain lots that have physical or historical evidence of uses related to hazardous materials. Zoning Resolution 11-15 provides that the Department of Buildings may not issue a building permit for work on a tax lot labeled “e”, until the Department of Buildings is provided with a report from the Department of Environmental Protection stating that the environmental requirements for the lot have been met.

Additionally, the Phase I ESA indicated the presence of two 275-gallon abandoned aboveground storage tanks (ASTs) during their inspection. This is considered a REC and will be further explained in Section 8.0 of this Report.

3.5 Valuation Reduction for Environmental Issues

A valuation reduction for environmental issues was not provided by the User and is not included as part of this Phase I ESA. According to ASTM E1527-2005 this is considered a data gap; however, this data gap is not considered to have a significant impact on the findings of this assessment.

3.6 Owner, Property Manager, and Occupant Information

Access to the Property was provided by Evan Kashanian of Artimus Construction. Mr. Kashanian informed CA RICH that the existing two-story structure located on the subject Property is slated for demolition as part of the proposed redevelopment plan.

3.7 Reason for Performing Phase I

The purpose of performing this Phase I ESA is to satisfy the environmental due diligence requirements for the acquisition of the Property by the User in anticipation of its redevelopment into residential use.

4.0 SITE RECONNAISSANCE

4.1 General

The Property consists of one building and a parking lot. The building is a two-story walk up residential building with a video store and art gallery located on the first floor. The tenant space located on the second floor of the structure is currently vacant. The remaining portion of the Property contains an active outdoor parking lot with multiple hydraulic lifts for vehicles and a small booth for parking attendants.

The two-story building is currently heated by natural gas. The building is serviced with public sewers and municipal water.

Selected photographs illustrating our Site inspection observations are included in Appendix A.

4.2 Methodology and Limiting Conditions

The inspection on February 10, 2011 began with walking the perimeter of the Property. The inspection of the exterior and interior of the building followed, which included the store, residence and fine art gallery. Lastly, a walkthrough inspection of the active parking lot was conducted.

4.3 Interview Information

Jessica Proscia and Deborah Shapiro, Environmental Professionals, of CA RICH conducted the inspection and obtained information regarding the Property. Access to the Property was provided by Evan Kashanian of Artimus Construction. Mr. Kashanian informed CA RICH that the subject Property used to contain several other structures which were demolished over a year ago.

4.4 Exterior Observations

The exterior of the two-story building is constructed of brick. The building contains two entrances, both of which are accessed via Eighth Avenue. One entrance provides access to the video store and fine art gallery on the first floor and the other entrance provides access to the second floor and roof. The roof of the building was observed to be in good condition.

An asphalt-paved active parking lot with a small booth for the parking attendants is located adjacent to the building. The parking lot is accessed via West 26th Street and Eighth Avenue. The parking area contains several hydraulic lifts used to store vehicles for a short period of time. During the time of the inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt-surface of the parking lot. In addition, a fill port and vent pipe were observed in the northeastern portion of the parking lot.

The Property is surrounded by a concrete paved sidewalk to the north along Eighth Avenue and to the west along West 26th Street. Buildings abut the Property to the east and south.

4.5 Interior Observations

The interior of the two-story building contains a video store located on the first floor and a fine art gallery located in a loft space above the video store. Numerous cleaners and a slop sink were observed in the rear of the video store. Natural gas and electric meters were identified in the first floor closet space. Numerous paints were identified in the fine art gallery. A vacant tenant space was observed on the second floor. A hot water heater and boiler were identified within the tenant space on the second floor.

The walls of the building were observed to be painted sheet rock. The ceilings contained lowered acoustic tiles on the first floor and painted decorative sheetrock on the second. At the time of the inspection, water staining was observed on the lowered acoustic tiles. The floors consisted of concrete or vinyl tile with some small areas of carpeting.

4.6 Storage Tanks

Storage tanks, both aboveground and underground, are often used for storing fuel, waste oils, solvents, and other waste and/or potentially hazardous materials. The principal concern from storage tanks is leakage of contents due to corrosion of the tank or associated lines. The leakage may result in migration of the stored material onto the subject and/or neighboring properties via soil migration or underlying shallow groundwater flow. In general, soil and groundwater contaminated by leaks from on-site storage tanks may constitute an environmental or health hazard.

A fill port and vent pipe indicative of the presence of an underground storage tank was observed in the northeastern portion of the active parking lot. This is considered a REC and will be further explained in Section 8.0 of this Report.

4.7 Toxic / Hazardous Materials

No toxic or hazardous materials were being stored at the Property at the time of our inspection.

4.8 Proximity to Environmentally Hazardous and/or Sensitive Areas

The Property is situated within a commercial and residentially developed area of Manhattan, New York. The computerized database records (Appendix B) report approximately 631 sites in the categories of government reported sites located in proximity to the Property in accordance with ASTM E 1527-05 minimum search distances. Any locatable sites have been mapped on the radius search maps included in Appendix B and are discussed in further detail in Section 6.0 of this Report.

There are no surface bodies of water onsite or within approximately ½ - mile from the Property. There are no Federal Wetlands mapped within ½ -mile of the Property. The Property is not located within a FEMA 100 or 500 Year Flood Zone. Public water is supplied to the Property and there is no on-site use of the shallow water beneath the Property.

5.0 HISTORICAL LAND USE PRACTICES

In order to further determine the past land use and the Property’s developed use, available historical aerial photographs, historical topographic maps, Sanborn® maps, and Local Directory records were reviewed.

5.1 Aerial Photography

The following table summarizes the findings of our review of historical aerial photographs.

Year	Description and Comments
1943	The subject Property contains multiple structures; however due to the quality of this aerial photos the detail is too limited to determine the exact number of structures.
1953	The subject Property and surrounding areas appear similar to 1943.
1966	The subject Property and surrounding areas appear similar to 1953.
1975	The subject Property contains multiple structures; however due to the quality of the photo, the detail is too limited to determine the exact number of structures. It is clear that there are buildings located on the northwestern and southwestern portion of the Site and a parking area located between.
1984	The subject Property and surrounding area appears similar to 1975.
1995	The aerial photo is not legible.
2006	The subject Property and surrounding area appears similar to 1984.

Review of historical aerial photographs revealed that the Property was developed with structures in 1943. The 1975 photograph clearly shows structures located on the north and southwestern portion of the Property with an undeveloped portion in the center. The 2006 photograph shows relatively little change since 1975. Copies of the aerial photographs reviewed for this Report are attached as Appendix C.

5.2 Topography

Topographic map coverage of the Property exists for the years 1900, 1947, 1956, 1967, 1979 and 1995. The following table summarizes the findings of the topographic map review.

Year	Description and Comments
1900	The subject Property is located in an area that is denoted as densely populated.
1947	The subject Property location can be identified and is located in an area that is denoted as densely populated. The areas surrounding the Property are developed with roads and structures.
1956	The subject Property appears similar to 1947.
1967	The subject Property appears similar to 1956.
1979	The subject Property appears similar to 1967.
1995	The subject Property appears similar to 1979.

Review of the historical topographic maps indicated that the Property has been located in a developed, densely populated area of Manhattan since 1900. A copy of each topographic map is attached to this report as Appendix C.

5.3 Sanborn Fire Insurance Mapping

Microfilm collections of fire insurance maps available through the Library of Congress, University Publications of America, and various public local sources were searched for local area coverage. Sanborn Maps are detailed maps that show the lot configuration and improvements and may contain information regarding historical ownership; land use, and hazardous or regulated materials storage.

The following table summarizes the findings of the Sanborn Map review.

Year	Description and Comments
1890, 1899	The subject Property contains five 3-story structures located on the northern portion of the Property; a theater is identified on the southern portion of the Property. The surrounding area is developed with 3-story structures.
1911, 1930, 1950	The subject Property contains five 3-story structures with basements that are now identified as stores and dwellings located on the northern portion of the Property; a theater is identified on the southern portion of the Property. The surrounding area is developed with stores and dwellings.
1976, 1979, 1980, 1982, 1985, 1987	The subject Property contains five 3-story stores and dwellings with basements located on the northern portion of the Property; a two-story store is located on the southwestern portion; and a parking area is located in between. The surrounding area is developed with stores and dwellings.
1988, 1991-1996, 2001, 2002	The subject Property contains two 3-story commercial and residential structures with basements, and one 3-story store with a basement located on the northern portion of the Property; a two-story store is located on the southwestern portion; and, a parking area is located in between. The surrounding area is developed with stores and dwellings.
2003-2005	The subject Property contains three 3-story commercial and residential structures with basements; a two-story store is located on the southwest portion; and, a parking area is located in between. The surrounding area is developed with stores and dwellings.

Review of the Sanborn Maps showed that the Property is first developed with five 3-story structures and a theater in 1890. By 1976 the subject Property contains five 3-story stores and dwellings, a two-story store and a parking area. In 1988, the subject Property now contains two 3-story commercial and residential structures, one 3-story store, one 2-story store and parking area. By 2003, the Property only contains three 3-story commercial and residential buildings, a two-story store, and parking area. A copy of the Sanborn Maps is attached to this report as Appendix C.

5.4 Local Directory

CA RICH conducted a review of available Local Directory records for the address 260 West 26th Street for the years 1920 through 2006. According to the database, in 1927, True Art Dress Co occupied the Property; in 1950, Price Leo MD occupied the Property; in 1993, Apple Belts & Novelties Inc occupied the Property. In 2006, the address is occupied by Intercontinental Tag & Label.

The other lots that comprise the Property were listed in the database as neighboring Properties. According to the database, the Property was occupied by various stores and residences from 1920 to 2006. A copy of the City Directory Abstract is attached as Appendix D.

6.0 ENVIRONMENTAL RECORDS REVIEW

This Section discusses database records maintained by Federal, State and local environmental agencies for the Property and for sites located within an approximate minimum search distance. Available information was compiled from computerized database sources of regulatory agency records. The purpose of this database records review is to help assess the likelihood of problems from migrating hazardous substances or petroleum products. The minimum search distances are specified within ASTM Practice E 1527-05.

The database searches were conducted by EDR at the request of CA RICH on February 4, 2011 (Inquiry Number: 2983980). The existence of an actual toxic hazard at a specific site can be concluded only when government authorities make that determination or when that conclusion is fully documented by the findings of an appropriate site investigation undertaken by licensed professionals.

The resulting database information is briefly summarized below. Complete copies of the database report and radius maps are included in Appendix B. Additional site-specific information was requested elsewhere by CA RICH under the provisions of the Freedom of Information Law (FOIL).

6.1 Federal

The number of ASTM federally listed database sites identified in proximity to the Property is tabulated below. The search categories and database review findings are discussed in greater detail below the summary table.

Federal ASTM Database Search Category	Approx. Minimum Search Distance	Subject Property	Total Sites Plotted
EPA National Priority List Sites (NPL)	1.0 mile	Not identified	1
EPA DELISTED NPL	1.0 mile	Not identified	0
EPA CERCLIS Sites	0.50 mile	Not identified	0
EPA CERCLIS-NFRAP	0.50 mile	Not identified	3
CORRACTS	1.0 mile	Not identified	0
RCRIS-TSD	0.50 mile	Not identified	0
RCRIS Lg. Quan. Gen.	0.250 mile	Not identified	0
RCRIS Sm. Quan. Gen.	0.250 mile	Not Identified	7
RCRA-CESQG	0.250 mile	Not Identified	4
ERNS	TP	Not identified	0
FINDS	TP	Not identified	0
CONSENT	1.0 mile	Not identified	0
ROD	1.0 mile	Not identified	1
US ENG CONTROLS	0.50 mile	Not identified	0
US INST ENG CONTROL	0.50 mile	Not identified	0

◆ EPA Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS), National Priorities List (NPL)

The CERCLIS list is a compilation by the USEPA of sites that the USEPA has investigated or is currently investigating for a release or threatened release of hazardous substances pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA), commonly known as the Superfund Act.

Once sites are designated on the CERCLIS list, the USEPA uses its Hazard Ranking System to determine potential risks to human health and the environment. Those CERCLIS sites that present the greatest risk are placed on the National Priority List (NPL), which qualifies the sites to receive remedial funding.

The subject Property was not identified as a CERCLIS or NPL site. However, there is one NPL site reported within the minimum search distance from the Property. This site is identified as Hudson River PCBs. Due to the subject Property’s upgradient location to the Hudson River the presence of the NPL site is not expected to have a negative impact on the subject Property.

◆ **Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS), No Further Remedial Action Planned (NFRAP)**

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was quickly removed without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund action or NPL consideration. EPA has removed approximately 25,000 NFRAP sites to lift the unintended barriers to the redevelopment of these properties and has archived them as historical records so EPA does not needlessly repeat these investigations in the future. This policy change is part of the EPA's Brownfields Redevelopment Program to help cities; states, private investors and affected citizens promote economic redevelopment of unproductive urban sites.

The subject Property is not identified as a CERCLIS-NFRAP site. There are three CERCLIS-NFRAP sites reported within the minimum search distance from the Property. These sites are identified as The Federal Building, Manhattan General Mail Facility, and HBSA Ind Visucraft. Since no further action is planned, the presence of these sites is not expected to have a negative impact on the Property.

◆ **Delisted National Priority List (Delisted NPL)**

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425. (e), sites may be deleted from the NPL where no further response is appropriate.

The subject Property does not appear as a Delisted NPL site and there are no Delisted NPL sites located within the approximate search radius from the Property.

◆ **Corrective Action Activity (CORRACTS)**

CORRACTS is a list of handlers with RCRA Corrective Action Activity. It reports which nationally defined corrective action core events have occurred for every handler that has had a corrective action activity.

The subject Property is not identified as a CORRACTS site and there are no CORRACTS sites located within the approximate search radius from the Property.

◆ **Resource Conservation and Recovery Act (RCRA) (RCRIS-TSD)
Large and Small Quantity Generators (LQG/SQG)
Conditionally Exempt Small Quantity Generators (CESQGs)**

RCRA was enacted to regulate facilities that generate, store, transport, or dispose of hazardous waste. These facilities must file notification forms with the EPA, which maintain the records in the RCRA Information System (RCRIS) Notifiers database. Inclusion on the RCRIS list does not signify contamination or mishandling of hazardous materials by hazardous waste Notifiers. RCRIS-listed sites are not indicative of an environmental concern unless an actual hazard is known to exist. The database includes selective information on sites which generate, transport, store, treat, and/or dispose of hazardous waste as defined by RCRA. Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

The subject Property is not listed as a LQG/SQG. There are no LQG sites listed within the approximate search radius from the Property. There are seven SQG sites listed within the approximate search radius from the Property. This site is listed as Fashion Institute of

Technology, Bergs Fur Inc, Neighborhood Cleaners Association, Penn House Cleaners, MTA NYCT, Tanaseybert LLC, and One Hour Martinizing. None of these properties contain violations, and therefore, are not expected to have a negative impact on the subject Property.

The subject Property is not listed as a RCRA-CESQG. There are four RCRA-CESQG sites listed within the approximate search radius from the Property. These sites are identified as Con Edison, North American Typography, 23 French Cleaners, and Con Edison, in which both cleaners do not generate more than 100kg of chemical wastes per month. According to the database, none of these properties contain violations and therefore, are not expected to have a negative impact on the subject Property.

◆ **Emergency Response Notification System (ERNS)**

The Emergency Response Notification System (ERNS) is a national database used to collect information on reported releases of oil and hazardous substances. Pursuant to the ASTM Practice E 1527-05, the ERNS database is searched only for the subject Property.

The subject Property is not identified in the U.S. EPA ERNS database.

◆ **Facility Index System/Facility Identification Initiative Program Summary Report (FINDS)**

The Facility Index System (FINDS) contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

The subject Property is not identified in the U.S. EPA FINDS database.

◆ **Records of Decision (ROD)**

ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid cleanup.

No RODs are documented for the subject Property. There is one ROD site located within the approximate search radius from the Property. This site is identified as Hudson River PCBs. Due to the subject Property's upgradient location to the Hudson River the presence of the ROD site is not expected to have a negative impact on the subject Property.

◆ **EPA CERCLIS Consent Order**

A signed Order on Consent signifies major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites.

There have been no Federal Consent Orders signed with respect to the subject Property. There are no documented Federal Consent Orders reported within the approximate search radius from the Property.

◆ **US Engineering (ENG) Controls**

The US Engineering Controls Site List is a listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment

methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

There are no documented Engineering Controls listed for the subject Property.

◆ **US Institutional (INST) Controls**

The US Institutional Controls List is a listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

There are no documented Institutional Controls listed for the subject Property.

6.2 State and Tribal

The numbers of state-listed database sites identified in proximity to the Property are tabulated below. The search categories and database review findings are discussed in greater detail below the summary table.

State ASTM Database Search Category	Approx. Minimum Search Distance	Subject Property	Total Sites Plotted
NYS Inactive Hazardous Waste Sites (SHWS)	1.0 mile	Not identified	0
NYS Solid Waste Disposal Sites or Landfills (SWF/LF)	0.50 mile	Not identified	0
NY Vapor Reopened	1.0 mile	Not identified	0
NYS Leaking Underground Storage Tanks (LTANKS)	0.50 mile	Not identified	113
NYS HIST LTANKS	0.500 miles	Not identified	79
NYS Registered Storage Tank (UST)	0.250 mile	Not identified	48
NYS Chemical Bulk Storage Facilities (CBS UST)	0.250 mile	Not identified	0
NYS Major Oil Storage Facilities (MOSF UST)	0.50 mile	Not identified	0
NYS Hazardous Substance Waste Disposal Sites (HSWDS)	0.50 mile	Not identified	1
NYS Registered Storage Tank (AST)	0.250 mile	Not Identified	114
NYS Chemical Bulk Storage Facilities (CBS AST)	0.250 mile	Not identified	0
NYS Major Oil Storage Facilities (MOSF AST)	0.50 mile	Not identified	0
NY Spills (NY SPILLS)	0.125 mile	Not Identified	33
NY Hist SPILLS	0.125 mile	Not identified	21
ENG Controls	0.50 mile	Not identified	0
INST Control	0.50 mile	Not identified	0

◆ **New York State Inactive Hazardous Waste Sites (SHWS)**

NYSDEC publishes an annual directory of Inactive Hazardous Waste Disposal Sites currently being investigated or requiring investigation. Sites are assigned a Classification number from 1 to 5. Class 1 sites are believed to be an imminent danger to the public health or environment and Class 5 sites have been properly closed and require no further action.

The subject Property does not appear as a NYS-Inactive Hazardous Waste Site. There are no documented NYS-Inactive Hazardous Waste Sites reported within the approximate search radius from the Property.

◆ **New York State Landfills**

State landfill records typically contain an inventory of solid waste disposal facilities or landfills. These may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

The subject Property is not identified as a solid waste disposal facility or landfill. There are no solid waste handling facility located within the search radius of the Property.

◆ **New York State LUST Sites (LTANKS), Historical (HIST LTANKS), Spills (SPILLS), and Hist SPILLS**

The Leaking Storage Tank Incident Reports contain an inventory of reported leaking storage tank reported from 4/1/86 through the most recent update. Causes of the incidents include tank test failures, tank failures and tank overfills or releases determined during the removal of USTs that have leaked.

The subject Property is not identified on the LTANKS, HIST LTANKS, NY SPILLS, and NY HIST SPILLS lists.

There are 113 LTANKS, 79 HIST LTANKS, 33 Spills, and 21 Historical Spills identified within the approximate search radius from the Property. These LTANKS and SPILLS sites identified have been closed out to the satisfaction of the New York State Department of Environmental Conservation.

◆ **New York State Registered Storage Tank List (UST/AST)**

New York State requires the registration of all bulk petroleum storage tank facilities with a combined storage capacity that is greater than 1,100 gallons and less than 400,000 gallons.

The subject Property is not identified on the UST/AST lists. There are approximately 48 UST and 114 AST sites located within the approximate search radius of the subject Property. The existence of these sites is not expected to have a direct negative impact on the subject Property.

◆ **New York State Chemical Bulk Storage Facilities (CBS UST/AST)**

New York State requires the registration of all facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185-gallons or greater, and/or in underground tanks of any size. The presence of Chemical Bulk Storage facilities does not indicate an area of environmental concern unless the tanks have leaked product into the subsurface.

The subject Property is not identified as a CBS UST/AST site. There are no documented CBS UST/AST sites reported within the approximate search radius from the Property

◆ **New York State Major Oil Storage Facilities (MOSF UST/AST)**

These are facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

The subject Property is not identified on the MOSF UST/AST list. There are no documented MOSF UST/AST sites reported within the approximate search radius from the Property.

◆ **New York State Hazardous Substance Waste Disposal Sites (HSWDS)**

The Hazardous Substance Waste Disposal Site Inventory includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites which the U.S. EPA Preliminary Assessment reports or Site Investigation reports were prepared.

The subject Property is not identified as a HSWDS site. There is one documented HSWDS sites reported within the approximate search radius from the Property. This site is listed as Federal Building Site. This property does not contain violations and therefore, is not expected to have a negative impact on the subject Property.

◆ **Engineering (ENG) Controls**

The Engineering Controls Site List is a listing of sites with engineering controls in place.

No Engineering Controls are listed for the subject Property. There are no documented Engineering Controls reported within the approximate search radius from the Property.

◆ **Institutional (INST) Controls**

The Institutional Controls List is a listing of sites with institutional controls in place.

No Institutional Controls are listed for the subject Property. There are no documented Institutional Controls reported within the approximate search radius from the Property.

◆ **Orphan Sites**

The Federal and State database records search also revealed the presence of 20 sites that were not mapped. These sites are listed in the Executive Summary on page 28 of Appendix C. Based on the limited information reviewed for this report, there is no indication that these Orphan Sites represent a significant environmental liability to the subject Property.

6.3 Local

New York State Department of Environmental Conservation (NYSDEC)

CA RICH requested a site-specific search via the Freedom of Information Law (FOIL) of the NYSDEC records for information regarding bulk storage tanks, violations, spills, leaks, inspections, and solid waste. The FOIL request was submitted on February 16, 2011. As of the date of this report, CA RICH has not received a response from the NYSDEC. A copy of the FOIL request is included in Appendix E.

New York City Department of Health (NYCDOH)

CA RICH requested a site-specific search via the Freedom of Information Law (FOIL) of the New York City Department of Health (NYCDOH) records for information regarding bulk storage tanks, violations, spills, leaks, inspections, and solid waste. As of the date of this report CA RICH has not received a response from the Department. A copy of the FOIL request is included in Appendix E.

New York City Department of Environmental Protection (NYCDEP)

CA RICH requested a site-specific search via the Freedom of Information Law (FOIL) of the New York City Department of Environmental Protection (NYCDEP) records for information regarding bulk storage tanks, violations, spills, leaks, inspections, and solid waste. As of the date of this report CA RICH has not received a response from the Department. A copy of the FOIL request is included in Appendix E.

New York City Department of Buildings (NYCDOB)

CA RICH conducted a search of the New York City Department of Buildings (NYCDOB) building information search database for:

Block: 775; Lot: 4

No certificates of occupancy (CO) were listed in the database for this address. No open violations were listed for the Property. Numerous actions, including plumbing repair, sprinklers, and building alterations were listed in the database.

Block: 775; Lot: 69

The database search lists this lot as a garage/gas station (G6). Three COs were listed in the database for this lot. The CO dated October 1937 lists the lot as containing a three-story commercial building. The COs dated December 1954 and January 1960 list the lot as containing a one-story garage.

There are two active open NYCDOB violations listed for this lot. Numerous actions, including demolition, building alterations, and plumbing repair were listed in the database. Additionally, this lot is listed as little "E" restricted for HAZMAT. The presence of a little "E" restriction is considered a REC and will be further discussed in Section 8.0 of this report.

Block: 775; Lot: 77

The database search lists this lot as a garage/gas station (G6). No COs were listed in the database for this address.

There are three active open NYCDOB violations listed for this lot pertaining to the boiler. Numerous actions, including building alterations, and plumbing repair were also listed in the database.

Block: 775; Lot: 78

The database search lists this lot as a garage/gas station (G6). One CO is listed in the database for this address. The December 1973 CO lists the lot as a three-story residential building.

There are nine active open NYCDOB violations listed for this lot pertaining to the boiler. Numerous actions, including building alterations, oil boiler, and electric sign were listed in the database. The oil boiler noted in the database may be related to the AST identified in the Phase I ESA conducted by Merritt Engineering in 2005. The presence or potential presence of a tank is considered a REC and will be further discussed in Section 8.0 of the report.

Block: 775; Lot: 79

The database search lists this lot as a garage/gas station (G6). No COs were listed in the database for this address.

There are four active open NYCDOB violations listed for the Property pertaining to the boiler and failure to maintain an exterior wall. Numerous actions, including building alterations, and plumbing repair were listed in the database.

Block: 775; Lot: 80

The database search lists this lot as a garage/gas station (G6). No COs were listed in the database for this address.

There are eight active open NYCDOB violations listed for the Property. Numerous actions, including building alterations, elevator, electric sign, and plumbing repair were listed in the database. Copies of the NYCDOB records are attached in Appendix E.

New York City Department of Finance (NYCDOF)

CA RICH conducted a search of the New York City Department of Finance (NYCDOF) ACRIS database for the subject Property.

Block: 775; Lot: 4

According to the database, title was transferred from Eighth Ave Realty Corp to Eighth Ave Realty Corp on July 14, 1988; from Eight Ave Realty Corp to Eighth Ave Realty Associates on December 2, 1988; from Eighth Ave Realty Associates to 8-26 Realty Corp on September 27, 1995; from Marylyn Lieberman to 306 8th Avenue Realty Corp on May 5, 2003; and, from 306 8th Avenue Realty Corp to 26-10 Corp on August 20, 2007. Copies of records are included in Appendix E.

Block: 775; Lot: 69

According to the database, title was transferred from 8-26 Realty Corp. to Eighth Avenue Realty Associates on September 27, 1995. Copies of records are included in Appendix E.

Block: 775; Lot: 77

According to the database, title was transferred from Theodore Tcusalas to T.T Lease holding Corp on October 26, 1988; from Theodore Tcusalas to 262-264 W 26th MGT on July 25, 2002; and, from 262-264 W 26th MGT to 262 West 26th Street, LLC on October 25, 2005. Copies of records are included in Appendix E.

Block: 775; Lot: 78

According to the database, title was transferred from Theodore Tcusalas to T.T Lease holding Corp on October 26, 1988; from Theodore Tcusalas to 262-264 W 26th MGT on July 25, 2002; and, from 262-264 W 26th MGT to 262 West 26th Street, LLC on October 25, 2005. Copies of records are included in Appendix E.

Block: 775; Lot: 79

According to the database, title was transferred from 26th and Eighth Avenue, LLC to 320-8th Avenue Corp. on October 25, 2005. Copies of records are included in Appendix E.

Block: 775; Lot: 80

According to the database, title was transferred from Eighth Ave Realty Corp to Eighth Ave Realty Corp on July 14, 1988; from Eighth Ave Realty Associates to Eighth Ave Realty Corp on December 2, 1988; from Eighth Ave Realty Associates to Eighth Ave Realty Corp on October 26, 1990; and, from 8-26 Realty Corp to Eighth Avenue Realty Associates on September 27, 1995. Copies of records are included in Appendix E.

7.0 ADDITIONAL SERVICES

7.1 Asbestos

Until the late 1970s, asbestos was used in, but not limited to, insulating materials, fire proofing, roofing, flooring, and decorative building materials. The U.S. EPA defines asbestos material as any material containing greater than 1-% asbestos by weight. Asbestos-containing materials (ACM), in a form which can crumble or be reduced to powder under hand pressure (friable), can release asbestos fibers which are proven to be carcinogenic and cause respiratory illness. The presence of asbestos in a building does not mean that the health of building occupants is necessarily endangered. As long as ACM remains in good condition and is not disturbed, exposure to asbestos fibers is unlikely.

Based on the age of the building, asbestos is likely present in some of the building materials especially in the lower layers of the tar roofing materials and pipe insulation. This is not considered a REC. However, since the building is slated to be demolished, an asbestos survey should be conducted prior to demolition.

7.2 Radon Gas

Radon is a naturally occurring, invisible, odorless, carcinogenic gas that is generated by the decay of radioactive elements found in certain crystalline rock types or derivatives thereof. Inhalation of radon gas represents the principal exposure pathway. In outdoor air, radon is diluted to such low concentrations that it does not pose a health hazard. However, once inside an enclosed space such as basements, pipe chases, drains and foundation crawl spaces, radon gas may accumulate to dangerous concentrations. The New York State Department of Health and the United States Environmental Protection Agency use 4 pCi/L as a recommended action level for the lowest primary living area of the home. Confirmation of the presence or absence of radon gas is possible through testing.

Our review of geologic maps prepared by the United States Geological Survey and the findings of an EPA Residential Radon Survey (Appendix C, page A-45) indicated the Property is located in Zone 3, which indicates that the average indoor living area levels of radon are below the action level of 4 pCi/L. Therefore, the potential for naturally occurring radon gas contamination at the Property is unlikely.

7.4 Lead-Based Paint

Research has shown that, when ingested, lead can cause permanent neurological problems and brain damage. Federal regulations were promulgated in 1978 that ban the sale of paint containing more than 0.06 percent lead by weight. Consequently, any paint known to contain lead in excess of 0.06 percent is considered to be lead-based.

Based on the age of the building, it is possible that lead may be present in covered layers of paint on the walls. As the building is slated for demolition, a lead-based paint survey and/or abatement should be conducted prior to demolition.

8.0 FINDINGS AND PROFESSIONAL OPINION

The information and findings presented herein are based upon the data acquired during the Property visit, and through pertinent information obtained from regulatory agencies, responsible persons knowledgeable about the Property, and other historical information sources. The subject Property is located at 260 West 26th Street in Manhattan, New York (Block: 775; Lots 4, 80, 79, 78, 77, and 69). The Property is located in a long established commercial and residential area of Manhattan, New York.

- *At the time of the inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt- surface of the parking lot.*

This finding is considered a *Recognized Environmental Condition*. Therefore, it is recommended that a subsurface investigation be performed at the Site to determine if the leaking lifts have negatively impacted the subject Property.

- *A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot.*

The presence or possible presence of storage tanks is considered a *Recognized Environmental Condition*. As no records indicating the proper removal of any tanks were provided, it is recommended that a geophysical investigation including Ground Penetrating Radar be conducted to determine if an UST is present.

- *According to the NYCDOB database, one of the six lots comprising the subject Property, Block: 775; Lot: 69 is "E" designated for hazardous materials.*

An "E" designation for hazardous materials is considered a *Recognized Environmental Condition* as it is an indication of the presence or potential presence of subsurface contamination. Therefore, if the Property is to be redeveloped, it is recommended that a subsurface investigation be performed in accordance with New York City Office of Environmental Remediation's (NYCOER) requirements.

- *According to the previous Phase I performed, two 275-gallon abandoned ASTs were identified at the Property.*

As no records indicating the proper abandonment or removal of these tanks were provided and the building has since been demolished, it is recommended that a geophysical investigation including Ground Penetrating Radar be conducted to determine if the ASTs are present.

- *There are 26 active NYCDOB violations associated with the subject Property.*

While NYCDOB violations are not considered *Recognized Environmental Conditions*, it is recommended that the violations be addressed with NYCDOB.

- *There are nine active open NYCDOB violations listed for this lot pertaining to the boiler. Numerous actions, including building alterations, oil boiler, and electric sign were listed in the database.*

The oil boiler noted in the database may be related to the AST identified in the Phase I ESA conducted by Merritt Engineering in 2005. The presence or potential presence of a tank is considered a REC and will be further discussed in Section 8.0 of the report.

- *Based on the age of the structures, asbestos is likely present in some of the building materials especially in the lower layers of the tar roofing materials.*

There does not appear to be a significant health or environmental hazard related to any potential presence of ACM at this time and therefore, this finding is not considered a *Recognized Environmental Condition*. However, as the building is slated for demolition, it is recommended that an ACM survey be performed and appropriate measures be taken to protect the health and safety of building occupants or workers during activities that may disturb the ACM.

- *Based on the age of the buildings, it is possible that lead may be present in covered layers of paint.*

There does not appear to be a significant health or environmental hazard related to any potential presence of lead based paint at this time and therefore, this finding is not considered a *Recognized Environmental Condition*. As the building is slated for redevelopment, it is recommended that a lead based paint survey be performed and appropriate measures be taken to protect the health and safety of building occupants or workers during activities that may disturb the paint.

9.0 CONCLUSIONS

We have performed this Phase I Environmental Site Assessment in substantive conformance with the scope and limitations of ASTM Practice E 1527-05. The Limited Phase II Investigation has been conducted in accordance with good and customary practices acceptable to the environmental consulting industry. Based upon the information reviewed for this Phase I ESA and Limited Phase II Investigation, we have identified the following “Recognized Environmental Conditions” (RECs) in connection with the subject Property:

- REC-1** At the time of the inspection, small amounts of hydraulic oil and grease were observed to be leaking from several of the hydraulic lifts onto the asphalt- surface of the parking lot. Therefore, it is recommended that a subsurface investigation be performed in the parking garage to determine if the presence of the lifts has negatively impacted the subject Property.
- REC-2** A fuel oil fill port and vent pipe were observed in the northeastern portion of the parking lot. As no records indicating the proper removal of this suspect tank were provided, it is recommended that a geophysical investigation including Ground Penetrating Radar be conducted to determine if an UST is present.
- REC-3** According to the NYCDOB database, one of the six lots comprising the subject Property, Block: 775; Lots: 69 is “E” designated for hazardous materials. Therefore, if the Property is to be redeveloped, it is recommended that a subsurface investigation be performed on this lot in accordance with NYCOER’s requirements.
- REC-4** According to the previous Phase I performed, two 275-gallon abandoned ASTs were identified at the Property. In addition, the NYCDOB database identified the presence of an oil boiler on Lot 78. The oil boiler noted in the database may be related to the AST identified in the Phase I ESA conducted by Merritt Engineering in 2005. As no records

indicating the proper removal of these tanks were provided and the buildings have since been demolished, it is recommended that a geophysical investigation including GPR be conducted on these lots to determine whether the ASTs remain.

Other Issues:


- OI-1** There are 26 active NYCDOB violations associated with the subject Property. While NYCDOB violations are not considered *Recognized Environmental Conditions*, it is recommended that the violations be addressed with NYCDOB.
- OI-2** Based on the age of the structure, asbestos is likely present in some of the building materials especially in the lower layers of the tar roofing materials and vinyl-floor tiles. As the building is slated for demolition, it is recommended that an ACM survey be performed and appropriate measures be taken to protect the health and safety of building occupants or workers during activities that may disturb the ACM.
- OI-3** Based on the age of the buildings, it is possible that lead may be present in covered layers of paint on the walls. As the building is slated for demolition, it is recommended that a lead based paint survey be performed and appropriate measures be taken to protect the health and safety of building occupants or workers during activities that may disturb the paint.
- OI-4** As the User of this Report plans to redevelop the Property into a residential building, the excavation and removal of on-site soils for foundation purposes will be required. If the results of the recommended Phase II Investigation indicate that the Property contains soil or fill materials that exceed NYSDEC standards or guidance values for contaminants, it is recommended that any material that is to be disturbed or excavated be properly handled and disposed of based upon the results of a waste characterization analysis and in accordance with applicable regulations.

10.0 DECLARATIONS OF ENVIRONMENTAL PROFESSIONALS

We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312.

We have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.

CA RICH CONSULTANTS, INC.



Jessica Proscia
Environmental Professional
Project Environmental Scientist

Reviewed By:




Deborah Shapiro
Environmental Professional
Project Manager

11.0 REFERENCES

- 1) USGS, 1998, Water Table and Potentiometric-Surface Altitudes of the Upper Glacial, Magothy, and Lloyd Aquifers on Long Island, New York, in March-April, 1997 with a Summary of Hydrogeologic Conditions.
- 2) Phase I Environmental Site Assessment; Merritt Engineering Consultants PC; September 2005

FIGURE



Property

APPROX. SCALE (ft.)



N

Adapted from USGS 1995 Brooklyn Quadrangle Map.


CA RICH CONSULTANTS, INC.

*Certified Ground Water and Environmental Specialists
17 Dupont Street, Plainview, NY 11803*


TITLE:		DATE:
PROPERTY LOCATION MAP		2/25/11
FIGURE: 1		SCALE:
DRAWING:		AS SHOWN
260 West 26th Street Manhattan, New York		DRAWN BY:
		JEP
		APPR. BY:
		DS

APPENDIX A


Selected Site Photographs




View of parking lot.



View of parking lot.




View of two-story building.



Oil leaking from hydraulic lift.




Slop sink located in building.



View of studio at the art gallery.



Water staining on ceiling tiles.



View of Property roof.




View of vent pipe located in parking lot.




View of fill port located in parking lot.



View of first floor commercial space.




Second floor vacant tenant space.




Hot water heater located on second floor.



View of electric and gas meters for building.



View of art gallery.



View of video store.


APPENDIX B

Environmental Database

260 West 26th Street
260 West 26th Street
New York, NY 10001

Inquiry Number: 2983980.2s
February 04, 2011

The EDR Radius Map™ Report with GeoCheck®



440 Wheelers Farms Road
Milford, CT 06461
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	7
Orphan Summary	1307
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	A-46

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

260 WEST 26TH STREET
NEW YORK, NY 10001

COORDINATES

Latitude (North): 40.746700 - 40° 44' 48.1"
Longitude (West): 73.996000 - 73° 59' 45.6"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 584763.3
UTM Y (Meters): 4510912.5
Elevation: 27 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40073-F8 BROOKLYN, NY
Most Recent Revision: 1995

North Map: 40073-G8 CENTRAL PARK, NY
Most Recent Revision: 1995

West Map: 40074-F1 JERSEY CITY, NJ
Most Recent Revision: 1981

Northwest Map: 40074-G1 WEEHAWKEN, NJ
Most Recent Revision: 1995

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 2006, 2008
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was not listed in any of the databases searched by EDR.

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

CERCLIS..... Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY..... Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal RCRA generators list

RCRA-LQG..... RCRA - Large Quantity Generators

Federal institutional controls / engineering controls registries

US ENG CONTROLS..... Engineering Controls Sites List
US INST CONTROL..... Sites with Institutional Controls

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent CERCLIS

SHWS..... Inactive Hazardous Waste Disposal Sites in New York State
VAPOR REOPENED..... Vapor Intrusion Legacy Site List

State and tribal landfill and/or solid waste disposal site lists

SWF/LF..... Facility Register

State and tribal leaking storage tank lists

INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

EXECUTIVE SUMMARY

State and tribal registered storage tank lists

CBS UST.....	Chemical Bulk Storage Database
MOSF UST.....	Major Oil Storage Facilities Database
CBS AST.....	Chemical Bulk Storage Database
MOSF AST.....	Major Oil Storage Facilities Database
CBS.....	Chemical Bulk Storage Site Listing
MOSF.....	Major Oil Storage Facility Site Listing
INDIAN UST.....	Underground Storage Tanks on Indian Land
FEMA UST.....	Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

ENG CONTROLS.....	Registry of Engineering Controls
INST CONTROL.....	Registry of Institutional Controls
RES DECL.....	Restrictive Declarations Listing

State and tribal voluntary cleanup sites

VCP.....	Voluntary Cleanup Agreements
INDIAN VCP.....	Voluntary Cleanup Priority Listing

State and tribal Brownfields sites

ERP.....	Environmental Restoration Program Listing
BROWNFIELDS.....	Brownfields Site List

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS.....	A Listing of Brownfields Sites
---------------------	--------------------------------

Local Lists of Landfill / Solid Waste Disposal Sites

ODI.....	Open Dump Inventory
DEBRIS REGION 9.....	Torres Martinez Reservation Illegal Dump Site Locations
SWTIRE.....	Registered Waste Tire Storage & Facility List
SWRCY.....	Registered Recycling Facility List
INDIAN ODI.....	Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL.....	Clandestine Drug Labs
DEL SHWS.....	Delisted Registry Sites
US HIST CDL.....	National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

HIST AST.....	Historical Petroleum Bulk Storage Database
---------------	--

Local Land Records

LIENS 2.....	CERCLA Lien Information
--------------	-------------------------

EXECUTIVE SUMMARY

LUCIS..... Land Use Control Information System

Records of Emergency Release Reports

HMIRS..... Hazardous Materials Information Reporting System

Other Ascertainable Records

DOT OPS..... Incident and Accident Data
DOD..... Department of Defense Sites
FUDS..... Formerly Used Defense Sites
UMTRA..... Uranium Mill Tailings Sites
MINES..... Mines Master Index File
TRIS..... Toxic Chemical Release Inventory System
TSCA..... Toxic Substances Control Act
FTTS..... FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS..... FIFRA/TSCA Tracking System Administrative Case Listing
SSTS..... Section 7 Tracking Systems
ICIS..... Integrated Compliance Information System
PADS..... PCB Activity Database System
MLTS..... Material Licensing Tracking System
RADINFO..... Radiation Information Database
FINDS..... Facility Index System/Facility Registry System
RAATS..... RCRA Administrative Action Tracking System
NPDES..... State Pollutant Discharge Elimination System
AIRS..... Air Emissions Data
INDIAN RESERV..... Indian Reservations
SCRD DRYCLEANERS..... State Coalition for Remediation of Drycleaners Listing
COAL ASH EPA..... Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER..... PCB Transformer Registration Database
COAL ASH DOE..... Steam-Electric Plan Operation Data
FINANCIAL ASSURANCE..... Financial Assurance Information Listing
COAL ASH..... Coal Ash Disposal Site Listing

EDR PROPRIETARY RECORDS

EDR Proprietary Records

EDR Historical Auto Stations.. EDR Proprietary Historic Gas Stations
EDR Historical Cleaners..... EDR Proprietary Historic Dry Cleaners

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property. Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 12/31/2010 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBs	NO STREET APPLICABLE	W 1/2 - 1 (0.759 mi.)	0	7

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 06/23/2009 has revealed that there are 3 CERC-NFRAP sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FEDERAL BUILDING THE	252 7TH AVE	SSE 1/8 - 1/4 (0.127 mi.)	V116	412
MANHATTAN GENERAL MAIL FACILIT	WEST 29TH & 9TH AVE	NNW 1/4 - 1/2 (0.279 mi.)	373	1116
H B S A IND VISUCRAFT	205 5TH AVE	ESE 1/4 - 1/2 (0.469 mi.)	426	1249

Federal RCRA generators list

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are 7 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FASHION INSTITUTE OF TECHNOLOG	227 W 27TH ST	ENE 0 - 1/8 (0.076 mi.)	I44	130
BERGS FUR INC	224 W 29TH ST 7TH FLOOR	NE 1/8 - 1/4 (0.158 mi.)	AC143	480
NEIGHBORHOOD CLEANERS ASSOC	252 W 29TH ST	ENE 1/8 - 1/4 (0.166 mi.)	AF157	516
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PENN HOUSE CLEANERS	339 8TH AVE	NNW 0 - 1/8 (0.084 mi.)	K53	176

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MTA NYCT - 23RD STREET STATION TANASEYBERT LLC	23RD ST & 8TH AVE 263 9TH AVE	SW 1/8 - 1/4 (0.162 mi.) WNW 1/8 - 1/4 (0.238 mi.)	AE150 BI329	500 969
ONE HOUR MARTINIZING	232 9TH AVE	W 1/8 - 1/4 (0.250 mi.)	BQ362	1075

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/17/2010 has revealed that there are 4 RCRA-CESQG sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON NORTH AMERICAN TYPOGRAPHY 23 FRENCH CLEANERS	220 W 27TH ST 207 W 25TH ST 169 W 23RD ST	E 0 - 1/8 (0.082 mi.) SSE 0 - 1/8 (0.100 mi.) SSE 1/8 - 1/4 (0.216 mi.)	I52 M69 AZ270	175 236 817

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON	W 25TH ST & 8TH AVE	W 0 - 1/8 (0.081 mi.)	J48	167

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 11/23/2010 has revealed that there are 113 LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAG REALITY Date Closed: 5/20/2004	250 WEST 26TH ST	ESE 0 - 1/8 (0.017 mi.)	A4	31
226 WEST 26TH STREET Date Closed: 11/16/1995 Date Closed: 11/16/1995	226 WEST 26TH STREET	ESE 0 - 1/8 (0.058 mi.)	B24	74
OLD GAS STATION Date Closed: 10/24/2002	276 7TH AVE	ESE 0 - 1/8 (0.104 mi.)	P80	306
232 W. 29TH ST. Date Closed: 10/24/1994	232 W. 29TH STREET	NE 1/8 - 1/4 (0.151 mi.)	AC138	465
330 7TH AVENUE Date Closed: 6/26/1995	330 7TH AVENUE	ENE 1/8 - 1/4 (0.159 mi.)	Y148	494
COMMERCIAL BUILDING Date Closed: 4/2/2004	153 WEST 27TH STREET	ESE 1/8 - 1/4 (0.191 mi.)	AJ193	619
JUSTIN PROPERTIES Date Closed: 3/4/2003	153 W 27TH ST	ESE 1/8 - 1/4 (0.191 mi.)	AJ194	621

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Date Closed: 4/8/2004	142 WEST 26TH ST	ESE 1/8 - 1/4 (0.200 mi.)	AQ224	692
400 8TH AVE Date Closed: 11/23/1994	400 8TH AVE	N 1/8 - 1/4 (0.204 mi.)	AR241	736
APARTMENT BUILDING Date Closed: 11/22/1996	347 WEST 29TH ST	NNW 1/8 - 1/4 (0.207 mi.)	AU248	758
10TH AVE. W 27/W 28 ST. G Date Closed: 2/5/1987	10TH AVE. W27/W28 ST.	N 1/8 - 1/4 (0.208 mi.)	AR249	761
AMOCO Date Closed: 8/27/1999	436 TENTH AVE	NNE 1/8 - 1/4 (0.211 mi.)	AR257	782
303 10 AVE. MANHATTAN/UNK Date Closed: 12/5/1986	303 10 AVE.	NNE 1/8 - 1/4 (0.211 mi.)	AR258	784
AMOCO Date Closed: 5/3/2002	436 TENTH AVE	NNE 1/8 - 1/4 (0.211 mi.)	AR259	786
135 WEST 26TH STREET Date Closed: 11/17/2000	135 WEST 26TH ST	ESE 1/8 - 1/4 (0.215 mi.)	AQ268	812
APARTMENT BUILDING Date Closed: 4/22/2005	148 WEST 24TH STREET	SE 1/8 - 1/4 (0.216 mi.)	AY274	840
304 W 30TH ST Date Closed: 12/21/1991	304 W 30TH ST	N 1/8 - 1/4 (0.217 mi.)	BB279	851
131 WEST 26TH STREET Date Closed: 2/11/1999	131 WEST 26TH STREET	ESE 1/8 - 1/4 (0.222 mi.)	AQ289	873
Not reported Date Closed: 1/31/2002	142 WEST 24TH ST	SE 1/8 - 1/4 (0.223 mi.)	AY291	879
APRT BUILDING -TTF Date Closed: 10/25/2005	315-325 WEST 30TH STREE	N 1/8 - 1/4 (0.228 mi.)	BB301	903
127-131 WEST 25TH STREET Date Closed: 2/7/1995	127-131 WEST 25TH STREE	SE 1/8 - 1/4 (0.231 mi.)	BE306	913
APARTMENT Date Closed: 4/28/2006	115 WEST 27TH STREET	ESE 1/4 - 1/2 (0.251 mi.)	BO364	1085
UPSCALE DEVELOPMENT Date Closed: 12/31/1997	349 WEST 30TH ST 1ST FL	N 1/4 - 1/2 (0.254 mi.)	365	1087
115 WEST 27TH ST Date Closed: 10/20/1998	115 WEST 27TH ST	ESE 1/4 - 1/2 (0.255 mi.)	BO366	1089
115 W 27TH ST CO Date Closed: 5/30/2006	115 W 27TH ST	ESE 1/4 - 1/2 (0.255 mi.)	BO367	1092
160 W. 22ND STREET Date Closed: 1/2/2001	160 W 22ND STREET	SSE 1/4 - 1/2 (0.263 mi.)	369	1099
MANH EAST SUITE HOTEL Date Closed: 4/25/1989	371 7TH AVENUE	ENE 1/4 - 1/2 (0.264 mi.)	370	1103
734-754 AVE OF AMERICAS Date Closed: 12/31/2001	750 6TH AVE	SE 1/4 - 1/2 (0.279 mi.)	372	1113
BUSINESS Date Closed: 5/7/2004	119 W 23RD ST	SSE 1/4 - 1/2 (0.285 mi.)	374	1117
TRAPER'S INCORPORATED Date Closed: 10/7/1992	135 WEST 30TH STREET	ENE 1/4 - 1/2 (0.293 mi.)	BR376	1123

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FISHKIN HOME Date Closed: 3/15/2006	130 WEST 30TH STREET	ENE 1/4 - 1/2 (0.295 mi.)	BR377	1126
ANN SERVICE CORP Date Closed: 2/4/2003	161 W 21ST ST	S 1/4 - 1/2 (0.302 mi.)	378	1128
CONSTRUCTION SITE Date Closed: 5/27/2003	56-74 W 23RD ST	SSE 1/4 - 1/2 (0.332 mi.)	380	1134
Not reported Date Closed: 4/5/2006	120 WEST 31ST ST	ENE 1/4 - 1/2 (0.340 mi.)	381	1137
COMMERCIAL BLDG Date Closed: 11/29/2002	55 W 26TH ST	ESE 1/4 - 1/2 (0.346 mi.)	384	1143
STORE Date Closed: 8/4/2000	48 WEST 27TH STREET	ESE 1/4 - 1/2 (0.348 mi.)	BT385	1146
EXXONMOBIL Date Closed: 7/11/2003	153-169 SEVENTH AVE	SSW 1/4 - 1/2 (0.356 mi.)	BU387	1151
MOBIL STATION #17Q53 Date Closed: 9/24/2002	153-169 SEVENTH AVE	SSW 1/4 - 1/2 (0.356 mi.)	BU388	1153
153 7TH AVE Date Closed: 12/7/1992	153 7TH AVE	SSW 1/4 - 1/2 (0.357 mi.)	BU389	1156
OFFICE BUILDING Date Closed: 8/10/2006	45 WEST 27TH STREET	ESE 1/4 - 1/2 (0.367 mi.)	BT393	1165
COMMERCIAL LOCATION Date Closed: 8/21/2008	875 6TH AV	ENE 1/4 - 1/2 (0.368 mi.)	394	1167
50 W 23RD ST Date Closed: 1/5/2000	50 W 23RD ST	SE 1/4 - 1/2 (0.373 mi.)	395	1171
ACE ATLAS Date Closed: 3/22/2007	48 WEST 25TH STREET	SE 1/4 - 1/2 (0.374 mi.)	BW397	1176
Not reported Date Closed: 12/3/2002	28 WEST 27TH ST	ESE 1/4 - 1/2 (0.377 mi.)	BX398	1179
28-28 WEST 28TH ST Date Closed: 9/30/1992	28-28 WEST 28TH STREET	ESE 1/4 - 1/2 (0.383 mi.)	BY399	1180
28-28 WEST 28TH ST Date Closed: 9/30/1992	28-28 WEST 28TH STREET	ESE 1/4 - 1/2 (0.383 mi.)	BY400	1183
CHELSEA HOUSES Not reported Date Closed: 3/20/2000	41 WEST 25TH ST 49/51 W. 24TH ST	SE 1/4 - 1/2 (0.384 mi.) SE 1/4 - 1/2 (0.385 mi.)	BW401 402	1185 1189
1204 BROADWAY MANHATTAN LLC Date Closed: 12/1/2008	1204 BROADWAY	E 1/4 - 1/2 (0.392 mi.)	BZ403	1191
1200 BROADWAY Date Closed: 9/3/1997	1200 BROADWAY	E 1/4 - 1/2 (0.393 mi.)	BZ404	1196
1170 BROADWAY Date Closed: 5/11/2005	1170 BROADWAY	ESE 1/4 - 1/2 (0.393 mi.)	BY405	1201
Not reported Date Closed: 1/18/1999	12 W 27TH ST	ESE 1/4 - 1/2 (0.396 mi.)	BX407	1204
30TH ST & BROADWAY/MANH Date Closed: 12/20/1990	30TH ST & BROADWAY	E 1/4 - 1/2 (0.396 mi.)	408	1207
200 WEST 18TH ST/MANH Date Closed: 3/6/2003	200 WEST 18TH STREET	SSW 1/4 - 1/2 (0.401 mi.)	CA412	1218

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
APARTMENT BUILDING Date Closed: 9/10/2004	1141 BROADWAY	ESE 1/4 - 1/2 (0.411 mi.)	413	1221
BASEMENT OF Date Closed: 11/14/2005	333 WEST 34TH ST	NNE 1/4 - 1/2 (0.415 mi.)	414	1222
ST MICHEAL'S SCHOOL Date Closed: 9/11/2006	425 WEST 33RD STREET	N 1/4 - 1/2 (0.442 mi.)	CD420	1237
425 WEST 33RD ST Date Closed: 10/11/1996	425 WEST 33RD ST	N 1/4 - 1/2 (0.442 mi.)	CD421	1238
237 WEST 35TH ST Date Closed: 2/11/1999	237 WEST 35TH ST	NE 1/4 - 1/2 (0.450 mi.)	422	1241
APRT Date Closed: 3/26/2007	505 8TH AVE	NNE 1/4 - 1/2 (0.465 mi.)	425	1248
APARTMENT Date Closed: 6/23/2005	11 WEST 30TH STREET	E 1/4 - 1/2 (0.474 mi.)	428	1254
OFFICE BUILDING Date Closed: 8/15/2005	245 5TH AVE	ESE 1/4 - 1/2 (0.475 mi.)	430	1257
APARTMENT BLDG.- TTF Date Closed: 11/2/2005	135 W. 17TH ST.	S 1/4 - 1/2 (0.483 mi.)	434	1267
PRIVATE RESIDENCE Date Closed: 11/29/2005	261 5TH AVE	ESE 1/4 - 1/2 (0.486 mi.)	CG435	1268
261 5TH AVE //ALSO SEE 0409184 Date Closed: 12/13/2004	261 5TH AVE	ESE 1/4 - 1/2 (0.487 mi.)	CG436	1270
NYPD MIDTOWN SOUTH Date Closed: 1/10/2005	357 WEST 35TH ST	N 1/4 - 1/2 (0.488 mi.)	CH437	1271
357 W 35TH ST/NYPD Date Closed: 12/1/1991	357 W 35TH ST	N 1/4 - 1/2 (0.488 mi.)	CH438	1274
201 WEST 16TH ST CORP. Date Closed: 12/22/2005	201 WEST 16TH ST	SSW 1/4 - 1/2 (0.492 mi.)	441	1281
APARTMENT BUILDING Date Closed: 3/22/2001	261 WEST 36TH STREET	NNE 1/4 - 1/2 (0.497 mi.)	444	1291
RETAIL BUSINESS Date Closed: 11/19/2004	36 WEST 20TH STREET	SSE 1/4 - 1/2 (0.497 mi.)	445	1293
240 WEST 36TH ST./COMMERC Date Closed: 10/7/1987	240 WEST 36TH ST.	NNE 1/4 - 1/2 (0.498 mi.)	446	1295
Lower Elevation				
Not reported Date Closed: 7/18/2001	304 8TH AVE	W 0 - 1/8 (0.076 mi.)	J45	160
POWER HOUSE Date Closed: 9/16/2005	315 W 25TH ST	W 0 - 1/8 (0.103 mi.)	Q72	256
MUTUAL REDEVELOPMENT HSNG Date Closed: 3/6/2003	315 W 25 ST	W 0 - 1/8 (0.103 mi.)	Q73	259
255 W. 23RD ST Date Closed: 6/20/2003	255 W. 23RD ST	SSW 1/8 - 1/4 (0.147 mi.)	AA128	440
255 WEST 23RD ST Date Closed: 6/21/2007	255 WEST 23RD ST	SSW 1/8 - 1/4 (0.149 mi.)	AA132	449

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
APT. BUILDING Date Closed: 10/11/2007	312 WEST 23RD ST	WSW 1/8 - 1/4 (0.170 mi.)	AE164	541
PUBLIC SCHOOL #33 Date Closed: 12/31/1997	281 9TH AVENUE	NW 1/8 - 1/4 (0.240 mi.)	BK333	990
PS 33 Date Closed: 3/3/2003	281 9TH AVE	NW 1/8 - 1/4 (0.240 mi.)	BK334	992
400 WEST 25TH STREET Date Closed: 11/17/1993	400 WEST 25TH STREET	WNW 1/8 - 1/4 (0.247 mi.)	356	1057
303 9TH AV/DEPT OF HEALTH Date Closed: 3/5/2003	303 9TH AVENUE	NW 1/4 - 1/2 (0.257 mi.)	368	1097
ELLIOTT HOUSES Date Closed: 2/6/2006 Date Closed: 2/6/2006	426 WEST 27TH ST	NW 1/4 - 1/2 (0.272 mi.)	371	1105
UNKNOWN APARTMNT BUILDING Date Closed: 9/15/1997	204 8 AV	SW 1/4 - 1/2 (0.285 mi.)	375	1121
APARTMENT Date Closed: 7/20/2006	214 WEST 20TH STREET	SSW 1/4 - 1/2 (0.306 mi.)	379	1133
Not reported Date Closed: 3/26/2003	264 W. 19TH ST	SSW 1/4 - 1/2 (0.342 mi.)	BS382	1139
Not reported Date Closed: 7/29/2003	251 W. 19TH ST	SSW 1/4 - 1/2 (0.342 mi.)	BS383	1141
HELIPORT W 30TH ST/MANH 415 W. 21ST STREET Date Closed: 12/14/1994	HELIPORT/WEST 30TH STRE 415 W. 21ST STREET	NNW 1/4 - 1/2 (0.350 mi.) WSW 1/4 - 1/2 (0.366 mi.)	386 BV390	1148 1159
DR. SERSINI Date Closed: 12/2/1994	415 WEST 21ST STREET	WSW 1/4 - 1/2 (0.366 mi.)	BV391	1161
MINICK HOME Date Closed: 3/10/2006	440 WEST 22ND STREET	W 1/4 - 1/2 (0.366 mi.)	392	1164
166-35 9TH AVE/ Date Closed: 9/30/1992	166-35 9TH AVENUE	WSW 1/4 - 1/2 (0.373 mi.)	396	1174
APRT Date Closed: 4/13/2010	213 WEST 18TH STREET	SSW 1/4 - 1/2 (0.395 mi.)	CA406	1202
308 WEST 18TH ST Date Closed: 12/8/1995	308 WEST 18TH ST	SW 1/4 - 1/2 (0.396 mi.)	CB409	1209
VERIZON Date Closed: 7/8/2003	210 W. 18TH ST	SSW 1/4 - 1/2 (0.397 mi.)	CA410	1212
310 WEST 18TH STREET Date Closed: 2/9/2000	310 WEST 18TH STREET	SW 1/4 - 1/2 (0.397 mi.)	CB411	1213
GETTY GAS STATION Date Closed: 7/29/1994	239 10 AV	WNW 1/4 - 1/2 (0.419 mi.)	CC415	1224
239 10TH AVE/MANH/GETTY Date Closed: 7/16/1992	239 10TH AVENUE	WNW 1/4 - 1/2 (0.419 mi.)	CC416	1227
239 10TH AVENUE/GETTY Date Closed: 7/29/1994	239 10TH AVENUE	WNW 1/4 - 1/2 (0.419 mi.)	CC417	1229
DEL. SPILL /W.28ST.&10AV Date Closed: 12/4/1986	W.26ST&10 AVE.	WNW 1/4 - 1/2 (0.428 mi.)	418	1232
CENTRAL IRON Date Closed: 12/15/2003	505 WEST 27TH STREET	NW 1/4 - 1/2 (0.433 mi.)	419	1234

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
193 10TH AVE Date Closed: 1/19/1993	193 10TH AVE	W 1/4 - 1/2 (0.464 mi.)	423	1244
STUART DEAN COMPANY Date Closed: 5/31/2006	366 10TH AV	NNW 1/4 - 1/2 (0.464 mi.)	424	1246
PARKING LOT OF Date Closed: 12/7/1998	515 WEST 28TH ST	NW 1/4 - 1/2 (0.472 mi.)	427	1251
VACANT LOT Date Closed: 3/16/2005	511 WEST 24TH STREET	WNW 1/4 - 1/2 (0.474 mi.)	429	1255
Not reported Date Closed: 4/1/1998	240 WEST 16TH AT	SSW 1/4 - 1/2 (0.482 mi.)	CF432	1262
Not reported Date Closed: 12/7/1998	240 WEST 16TH ST	SSW 1/4 - 1/2 (0.482 mi.)	CF433	1264
COMMERICAL PROPERTY MENDEN LEASING Date Closed: 2/22/2001	537-545 WEST 27TH STREE 523 W 23RD ST	NW 1/4 - 1/2 (0.489 mi.) WNW 1/4 - 1/2 (0.491 mi.)	CE439 CI440	1276 1278
524 WEST 29TH ST/MANH Date Closed: 3/4/2003	524 WEST 29TH STREET	NW 1/4 - 1/2 (0.495 mi.)	442	1283
Not reported Date Closed: 6/8/2007	537 -541 W. 24TH ST	WNW 1/4 - 1/2 (0.495 mi.)	CI443	1286
TANKFAILED MENDON LEASING Date Closed: 12/3/1986	527 W. 23 ST.	WNW 1/4 - 1/2 (0.499 mi.)	CI447	1297
MENDON LEASING CORP Date Closed: 5/27/2004	527 WEST 23RD STREET	WNW 1/4 - 1/2 (0.499 mi.)	CI448	1300
EDISON PARKING GARAGE Date Closed: 5/27/2004	527 WEST 23RD ST	WNW 1/4 - 1/2 (0.499 mi.)	CI449	1303

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 79 HIST LTANKS sites within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAG REALITY Date Closed: / /	250 WEST 26TH ST	ESE 0 - 1/8 (0.017 mi.)	A4	31
226 WEST 26TH STREET Date Closed: 11/16/95 Date Closed: / /	226 WEST 26TH STREET	ESE 0 - 1/8 (0.058 mi.)	B24	74
OLD GAS STATION Date Closed: / /	276 7TH AVE	ESE 0 - 1/8 (0.104 mi.)	P80	306
232 W. 29TH ST. Date Closed: 10/24/94	232 W. 29TH STREET	NE 1/8 - 1/4 (0.151 mi.)	AC138	465
330 7TH AVENUE Date Closed: 06/26/95	330 7TH AVENUE	ENE 1/8 - 1/4 (0.159 mi.)	Y148	494

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
JUSTIN PROPERTIES Date Closed: / /	153 W 27TH ST	ESE 1/8 - 1/4 (0.191 mi.)	AJ194	621
400 8TH AVE Date Closed: 11/23/94	400 8TH AVE	N 1/8 - 1/4 (0.204 mi.)	AR241	736
APARTMENT BUILDING Date Closed: / /	347 WEST 29TH ST	NNW 1/8 - 1/4 (0.207 mi.)	AU248	758
10TH AVE. W 27/W 28 ST. G Date Closed: 02/05/87	10TH AVE. W27/W28 ST.	N 1/8 - 1/4 (0.208 mi.)	AR249	761
436 TENTH AVENUE Date Closed: / /	436 TENTH AVENUE	NNE 1/8 - 1/4 (0.211 mi.)	AR256	781
303 10 AVE. MANHATTAN/UNK Date Closed: 12/05/86	303 10 AVE.	NNE 1/8 - 1/4 (0.211 mi.)	AR258	784
135 WEST 26TH STREET Date Closed: 11/17/00	135 WEST 26TH ST	ESE 1/8 - 1/4 (0.215 mi.)	AQ268	812
304 W 30TH ST Date Closed: 12/21/91	304 W 30TH ST	N 1/8 - 1/4 (0.217 mi.)	BB279	851
131 WEST 26TH STREET Date Closed: 02/11/99	131 WEST 26TH STREET	ESE 1/8 - 1/4 (0.222 mi.)	AQ289	873
127-131 WEST 25TH STREET Date Closed: 02/07/95	127-131 WEST 25TH STREE	SE 1/8 - 1/4 (0.231 mi.)	BE306	913
UPSCALE DEVELOPMENT Date Closed: 12/31/97	349 WEST 30TH ST 1ST FL	N 1/4 - 1/2 (0.254 mi.)	365	1087
115 WEST 27TH ST Date Closed: 10/20/98	115 WEST 27TH ST	ESE 1/4 - 1/2 (0.255 mi.)	BO366	1089
115 W 27TH ST CO Date Closed: / /	115 W 27TH ST	ESE 1/4 - 1/2 (0.255 mi.)	BO367	1092
160 W. 22ND STREET Date Closed: 01/02/01	160 W 22ND STREET	SSE 1/4 - 1/2 (0.263 mi.)	369	1099
MANH EAST SUITE HOTEL Date Closed: 04/25/89	371 7TH AVENUE	ENE 1/4 - 1/2 (0.264 mi.)	370	1103
734-754 AVE OF AMERICAS Date Closed: 12/31/01	750 6TH AVE	SE 1/4 - 1/2 (0.279 mi.)	372	1113
BUSINESS Date Closed: / /	119 W 23RD ST	SSE 1/4 - 1/2 (0.285 mi.)	374	1117
TRAPER'S INCORPORATED Date Closed: 10/07/92	135 WEST 30TH STREET	ENE 1/4 - 1/2 (0.293 mi.)	BR376	1123
ANN SERVICE CORP Date Closed: / /	161 W 21ST ST	S 1/4 - 1/2 (0.302 mi.)	378	1128
CONSTRUCTION SITE Date Closed: / /	56-74 W 23RD ST	SSE 1/4 - 1/2 (0.332 mi.)	380	1134
Not reported Date Closed: / /	120 WEST 31ST ST	ENE 1/4 - 1/2 (0.340 mi.)	381	1137
COMMERCIAL BLDG Date Closed: / /	55 W 26TH ST	ESE 1/4 - 1/2 (0.346 mi.)	384	1143
STORE Date Closed: 08/04/00	48 WEST 27TH STREET	ESE 1/4 - 1/2 (0.348 mi.)	BT385	1146

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MOBIL STATION #17Q53 Date Closed: / /	153-169 SEVENTH AVE	SSW 1/4 - 1/2 (0.356 mi.)	BU388	1153
153 7TH AVE Date Closed: 12/07/92	153 7TH AVE	SSW 1/4 - 1/2 (0.357 mi.)	BU389	1156
COMMERCIAL LOCATION Date Closed: / /	875 6TH AV	ENE 1/4 - 1/2 (0.368 mi.)	394	1167
50 W 23RD ST Date Closed: 01/05/00	50 W 23RD ST	SE 1/4 - 1/2 (0.373 mi.)	395	1171
28-28 WEST 28TH ST Date Closed: 09/30/92	28-28 WEST 28TH STREET	ESE 1/4 - 1/2 (0.383 mi.)	BY399	1180
28-28 WEST 28TH ST Date Closed: 09/30/92	28-28 WEST 28TH STREET	ESE 1/4 - 1/2 (0.383 mi.)	BY400	1183
CHELSEA HOUSES Date Closed: / /	41 WEST 25TH ST	SE 1/4 - 1/2 (0.384 mi.)	BW401	1185
Not reported Date Closed: 03/20/00	49/51 W. 24TH ST	SE 1/4 - 1/2 (0.385 mi.)	402	1189
1200 BROADWAY Date Closed: 09/03/97	1200 BROADWAY	E 1/4 - 1/2 (0.393 mi.)	BZ404	1196
Not reported Date Closed: 01/18/99	12 W 27TH ST	ESE 1/4 - 1/2 (0.396 mi.)	BX407	1204
30TH ST & BROADWAY/MANH Date Closed: 12/20/90	30TH ST & BROADWAY	E 1/4 - 1/2 (0.396 mi.)	408	1207
200 WEST 18TH ST/MANH Date Closed: / /	200 WEST 18TH STREET	SSW 1/4 - 1/2 (0.401 mi.)	CA412	1218
425 WEST 33RD ST Date Closed: 10/11/96	425 WEST 33RD ST	N 1/4 - 1/2 (0.442 mi.)	CD421	1238
237 WEST 35TH ST Date Closed: 02/11/99	237 WEST 35TH ST	NE 1/4 - 1/2 (0.450 mi.)	422	1241
NYPD MIDTOWN SOUTH Date Closed: / /	357 WEST 35TH ST	N 1/4 - 1/2 (0.488 mi.)	CH437	1271
357 W 35TH ST/NYPD Date Closed: 12/01/91	357 W 35TH ST	N 1/4 - 1/2 (0.488 mi.)	CH438	1274
201 WEST 16TH ST CORP. Date Closed: / /	201 WEST 16TH ST	SSW 1/4 - 1/2 (0.492 mi.)	441	1281
APARTMENT BUILDING Date Closed: 03/22/01	261 WEST 36TH STREET	NNE 1/4 - 1/2 (0.497 mi.)	444	1291
240 WEST 36TH ST./COMMERC Date Closed: 10/07/87	240 WEST 36TH ST.	NNE 1/4 - 1/2 (0.498 mi.)	446	1295
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
Not reported Date Closed: 07/18/01	304 8TH AVE	W 0 - 1/8 (0.076 mi.)	J45	160
POWER HOUSE Date Closed: / /	315 W 25TH ST	W 0 - 1/8 (0.103 mi.)	Q72	256
MUTUAL REDEVELOPMENT HSNG Date Closed: / /	315 W 25 ST	W 0 - 1/8 (0.103 mi.)	Q73	259

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PUBLIC SCHOOL #33 Date Closed: 12/31/97	281 9TH AVENUE	NW 1/8 - 1/4 (0.240 mi.)	BK333	990
PS 33 Date Closed: / /	281 9TH AVE	NW 1/8 - 1/4 (0.240 mi.)	BK334	992
400 WEST 25TH STREET Date Closed: 11/17/93	400 WEST 25TH STREET	WNW 1/8 - 1/4 (0.247 mi.)	356	1057
303 9TH AV/DEPT OF HEALTH Date Closed: / /	303 9TH AVENUE	NW 1/4 - 1/2 (0.257 mi.)	368	1097
ELLIOTT HOUSES Date Closed: / / Date Closed: / /	426 WEST 27TH ST	NW 1/4 - 1/2 (0.272 mi.)	371	1105
UNKNOWN APARTMNT BUILDING Date Closed: 09/15/97	204 8 AV	SW 1/4 - 1/2 (0.285 mi.)	375	1121
Not reported Date Closed: / /	251 W. 19TH ST	SSW 1/4 - 1/2 (0.342 mi.)	BS383	1141
HELIPORT W 30TH ST/MANH Date Closed: / /	HELIPORT/WEST 30TH STRE	NNW 1/4 - 1/2 (0.350 mi.)	386	1148
415 W. 21ST STREET Date Closed: 12/14/94	415 W. 21ST STREET	WSW 1/4 - 1/2 (0.366 mi.)	BV390	1159
DR. SERSINI Date Closed: 12/02/94	415 WEST 21ST STREET	WSW 1/4 - 1/2 (0.366 mi.)	BV391	1161
166-35 9TH AVE/ Date Closed: 09/30/92	166-35 9TH AVENUE	WSW 1/4 - 1/2 (0.373 mi.)	396	1174
308 WEST 18TH ST Date Closed: 12/08/95	308 WEST 18TH ST	SW 1/4 - 1/2 (0.396 mi.)	CB409	1209
310 WEST 18TH STREET Date Closed: 02/09/00	310 WEST 18TH STREET	SW 1/4 - 1/2 (0.397 mi.)	CB411	1213
GETTY GAS STATION Date Closed: 07/29/94	239 10 AV	WNW 1/4 - 1/2 (0.419 mi.)	CC415	1224
239 10TH AVE/MANH/GETTY Date Closed: 07/16/92	239 10TH AVENUE	WNW 1/4 - 1/2 (0.419 mi.)	CC416	1227
239 10TH AVENUE/GETTY Date Closed: 07/29/94	239 10TH AVENUE	WNW 1/4 - 1/2 (0.419 mi.)	CC417	1229
DEL. SPILL /W.28ST.&10AV Date Closed: 12/04/86	W.26ST&10 AVE.	WNW 1/4 - 1/2 (0.428 mi.)	418	1232
CENTRAL IRON Date Closed: / /	505 WEST 27TH STREET	NW 1/4 - 1/2 (0.433 mi.)	419	1234
193 10TH AVE Date Closed: 01/19/93	193 10TH AVE	W 1/4 - 1/2 (0.464 mi.)	423	1244
PARKING LOT OF Date Closed: / /	515 WEST 28TH ST	NW 1/4 - 1/2 (0.472 mi.)	427	1251
530 WEST 27TH ST/MANH Date Closed: / /	530 WEST 27TH STREET	NW 1/4 - 1/2 (0.478 mi.)	CE431	1258
Not reported Date Closed: 04/01/98	240 WEST 16TH AT	SSW 1/4 - 1/2 (0.482 mi.)	CF432	1262
Not reported Date Closed: / /	240 WEST 16TH ST	SSW 1/4 - 1/2 (0.482 mi.)	CF433	1264

EXECUTIVE SUMMARY

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
MENDEN LEASING Date Closed: 02/22/01	523 W 23RD ST	WNW 1/4 - 1/2 (0.491 mi.)	CI440	1278
524 WEST 29TH ST/MANH Date Closed: / /	524 WEST 29TH STREET	NW 1/4 - 1/2 (0.495 mi.)	442	1283
Not reported Date Closed: / /	537 -541 W. 24TH ST	WNW 1/4 - 1/2 (0.495 mi.)	CI443	1286
TANKFAILED MENDON LEASING Date Closed: 12/03/86	527 W. 23 ST.	WNW 1/4 - 1/2 (0.499 mi.)	CI447	1297
MENDON LEASING CORP Date Closed: / /	527 WEST 23RD STREET	WNW 1/4 - 1/2 (0.499 mi.)	CI448	1300
EDISON PARKING GARAGE Date Closed: / /	527 WEST 23RD ST	WNW 1/4 - 1/2 (0.499 mi.)	CI449	1303

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 10/05/2010 has revealed that there are 48 UST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WEST 25TH STREET OWNERS, INC.	254 WEST 25TH STREET #6	SSW 0 - 1/8 (0.049 mi.)	C12	50
226 WEST 26TH ST LLC	226 WEST 26TH STREET	ESE 0 - 1/8 (0.055 mi.)	B19	65
228-237 CORP.	276 7TH AVENUE	ESE 0 - 1/8 (0.102 mi.)	P70	244
FUR PARKING CORP	242 WEST 28TH STREET	NE 0 - 1/8 (0.103 mi.)	R74	262
ARADCO LTD.	207 W 25TH ST	SE 0 - 1/8 (0.105 mi.)	M84	317
305 7TH AVENUE	305 7TH AVENUE	E 0 - 1/8 (0.122 mi.)	O107	387
307 7TH AVE	307 7TH AVE	E 1/8 - 1/4 (0.125 mi.)	W113	404
315 SEVENTH AVE CONDOMINIUM	315 SEVENTH AVENUE	ENE 1/8 - 1/4 (0.139 mi.)	W121	427
249 WEST 29TH OWNERS CORP.	249 WEST 29TH STREET	NE 1/8 - 1/4 (0.150 mi.)	AB133	451
330 7TH AVENUE	330 7TH AVENUE	ENE 1/8 - 1/4 (0.158 mi.)	Y144	483
159 WEST 25TH STREET LLC	159 WEST 25TH STREET	SE 1/8 - 1/4 (0.180 mi.)	AI179	581
152 WEST 25TH STREET	152 WEST 25TH STREET	SE 1/8 - 1/4 (0.190 mi.)	AI188	602
153 WEST 27TH STREET	153 WEST 27TH STREET	ESE 1/8 - 1/4 (0.190 mi.)	AJ191	616
151 WEST 25TH STREET	151 WEST 25TH STREET	SE 1/8 - 1/4 (0.192 mi.)	AI197	635
350 7TH AVENUE BUILDING	350 7TH AVENUE	ENE 1/8 - 1/4 (0.195 mi.)	AL201	643
259 WEST 30TH ST	259 WEST 30TH ST	NNE 1/8 - 1/4 (0.198 mi.)	AN206	651
BRADLEY ACQUISTION LLC	242 WEST 30TH ST	NE 1/8 - 1/4 (0.199 mi.)	AN212	665
CASPARON BELEGGINGEN N.V.	147 WEST 25TH STREET	SE 1/8 - 1/4 (0.199 mi.)	AO213	667
CHELSEA DESIGN CENTER	146-150 WEST 25TH STREE	SE 1/8 - 1/4 (0.199 mi.)	AO219	680
142 WEST 26TH STREET	142 WEST 26TH STREET	ESE 1/8 - 1/4 (0.200 mi.)	AQ225	694
243 REALTY GROUP	243 WEST 30TH ST	NE 1/8 - 1/4 (0.200 mi.)	AN231	708
AM PROPERTY HOLDING CORP.	352 7TH AVE	ENE 1/8 - 1/4 (0.202 mi.)	AL235	718
M B HAMPTONS LLC	224 WEST 30TH STREET	NE 1/8 - 1/4 (0.206 mi.)	AT246	751
150 W 28TH ST	150 W 28TH ST	E 1/8 - 1/4 (0.211 mi.)	AV252	769
ZIK REALTY CORP.	404 8TH AVENUE	N 1/8 - 1/4 (0.214 mi.)	AR267	809
146-48 WEST 28TH STREET	146-48 WEST 28TH STREET	E 1/8 - 1/4 (0.217 mi.)	AV276	842
135 WEST 27TH STREET	135 WEST 27TH STREET	ESE 1/8 - 1/4 (0.219 mi.)	BC281	857

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
145 WEST 28TH STREET	145 WEST 28TH STREET	E 1/8 - 1/4 (0.220 mi.)	AV284	862
133 WEST 25TH STREET	133 WEST 25TH STREET	SE 1/8 - 1/4 (0.221 mi.)	AO287	867
127 WEST 26TH STREET	127 WEST 26TH STREET	ESE 1/8 - 1/4 (0.226 mi.)	BF299	898
136 LOFT CORP	136 WEST 24TH ST	SE 1/8 - 1/4 (0.231 mi.)	AY308	919
CHELSEA TOWN LLC	320 WEST 30TH STREET	N 1/8 - 1/4 (0.233 mi.)	BG313	929
MAXAM PROPERTIES LLC/ D2 PROPE	135 WEST 28TH STREET	E 1/8 - 1/4 (0.235 mi.)	315	933
133 W 24TH ST CORP	133 WEST 24TH STREET	SE 1/8 - 1/4 (0.236 mi.)	AY316	937
327 W 30TH ST	327 W 30TH ST	N 1/8 - 1/4 (0.237 mi.)	BG319	945
ALLOFUS TENANTS, INC.	130 WEST 24TH STREET	SE 1/8 - 1/4 (0.240 mi.)	BJ332	988
CENTRAL PARKING SYSTEM OF NEW	254 WEST 31ST STREET	NNE 1/8 - 1/4 (0.242 mi.)	BL344	1020
THIRTY ONE COMPANY	254 WEST 31ST STREET	NNE 1/8 - 1/4 (0.242 mi.)	BL345	1029
148 W 23RD ST	148 W 23RD ST	SSE 1/8 - 1/4 (0.242 mi.)	BM346	1031
146 WEST 29TH STREET	146 WEST 29TH STREET	E 1/8 - 1/4 (0.242 mi.)	BN349	1040
119 W 25TH ST	119 W 25TH ST	SE 1/8 - 1/4 (0.243 mi.)	BE351	1044
143 W 29TH	143 WEST 29TH STREET	E 1/8 - 1/4 (0.249 mi.)	BN360	1071
Lower Elevation	Address	Direction / Distance	Map ID	Page
MUTUAL REDEVELOPMENT HOUSES, I	315 WEST 25TH STREET	W 0 - 1/8 (0.103 mi.)	Q75	270
CHELSEA GARDENS OWNERS CORP.	255 WEST 23RD STREET	SSW 1/8 - 1/4 (0.147 mi.)	AA127	438
2324 REALTY CO	225 W 23RD ST	S 1/8 - 1/4 (0.159 mi.)	AD147	490
300 WEST 23RD STREET OWNERS CO	300 WEST 23RD STREET	SW 1/8 - 1/4 (0.164 mi.)	AE152	505
BROADMOOR APTS	315 WEST 23RD STREET	WSW 1/8 - 1/4 (0.169 mi.)	AE162	536
PUBLIC SCHOOL 33 - MANHATTAN (281 NINTH AVENUE	NW 1/8 - 1/4 (0.240 mi.)	BK336	999

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 10/05/2010 has revealed that there are 114 AST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HAG REALTY LLC	250 WEST 26TH ST.	ESE 0 - 1/8 (0.016 mi.)	A2	26
CHELSEA PARTNERS	251 WEST 26TH STREET	ESE 0 - 1/8 (0.016 mi.)	A3	28
CHELSEA PARTNERS I, LLC	247-249 WEST 26 ST.	ESE 0 - 1/8 (0.023 mi.)	A5	33
CAPITOL BUILDING LOFT CORP	236 W 26TH ST	ESE 0 - 1/8 (0.039 mi.)	B6	36
RODMAN II	264-266 WEST 25TH STREE	SW 0 - 1/8 (0.048 mi.)	C10	44
27TH STREET APARTMENTS CORP	250 W 27 ST	NE 0 - 1/8 (0.052 mi.)	D15	54
ABE HARUVI C/O EJAM HOLDING CO	245 WEST 25TH ST	S 0 - 1/8 (0.055 mi.)	E17	60
236 WEST 27TH STREET	236 WEST 27TH STREET	ENE 0 - 1/8 (0.063 mi.)	D31	91
CHELSEA TELEVISION STUDIOS/ALL	221 WEST 26TH STREET	ESE 0 - 1/8 (0.065 mi.)	F34	99
CHELSEA 25 LLC	231 WEST 25TH ST	SSE 0 - 1/8 (0.067 mi.)	E39	118
225-25 HOUSING CORP.	225 WEST 25TH STREET	SSE 0 - 1/8 (0.075 mi.)	H42	124
201 W 25 L.L.C./CHELSEA WEST 2	200 WEST 26TH STREET	ESE 0 - 1/8 (0.097 mi.)	P63	215
238 WEST 24TH STREET	238 WEST 24 TH ST.	S 0 - 1/8 (0.104 mi.)	N78	303
ARRADCO LTD.	207 W 25TH ST	SE 0 - 1/8 (0.105 mi.)	M85	319
291 7TH AVENUE CONDOMINIUM	291 SEVENTH AVENUE	ESE 0 - 1/8 (0.107 mi.)	88	329
275 7TH AVENUE	275 7TH AVENUE	SE 0 - 1/8 (0.107 mi.)	T90	333
24TH STREET HOLDING COMPANY	228-232 WEST 24 ST (230	S 0 - 1/8 (0.110 mi.)	U94	349
S.N.Y. INC.	229 WEST 28TH STREET	ENE 0 - 1/8 (0.114 mi.)	R96	361
THE CHELSEA MERCANTILE	252 SEVENTH AVENUE	SSE 1/8 - 1/4 (0.127 mi.)	V114	408
238-240 7TH AVENUE CORP.	200 WEST 24TH STREET	SSE 1/8 - 1/4 (0.138 mi.)	X119	423
F M RING ASSOCIATES, INC	245- 7TH AVE	SSE 1/8 - 1/4 (0.141 mi.)	X122	429
177 W 26TH REALTY CORP	177 WEST 26TH ST	ESE 1/8 - 1/4 (0.144 mi.)	Z126	434

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
245 WEST 29TH ST	245 WEST 29TH ST	NE 1/8 - 1/4 (0.151 mi.)	AB136	460
J.R. BUILDING ASSOCIATES	231 WEST 29TH STREET	NE 1/8 - 1/4 (0.157 mi.)	AC140	476
KEW MANAGEMENT CORP	227 WEST 29TH STREET	NE 1/8 - 1/4 (0.159 mi.)	AC145	485
165 W 26TH ST ASSOC	165 W 26TH ST	ESE 1/8 - 1/4 (0.164 mi.)	Z151	501
210 WEST 29TH STREET	210 W 29TH ST	ENE 1/8 - 1/4 (0.168 mi.)	AF158	529
333 SEVENTH AVENUE	333 7TH AVE.	ENE 1/8 - 1/4 (0.168 mi.)	159	531
MUHLBERG BRANCH LIBRARY	209 WEST 23RD STREET	S 1/8 - 1/4 (0.170 mi.)	AG166	545
NELCO SEWING MACHINE SALES	164 WEST 25TH ST	SE 1/8 - 1/4 (0.170 mi.)	AI169	551
YUNG BROTHERS REAL ESTATE CO I	206 WEST 29TH STREET	ENE 1/8 - 1/4 (0.171 mi.)	AF170	554
JSB REALTY CO	208 WEST 23RD ST	S 1/8 - 1/4 (0.172 mi.)	AG171	556
158 WEST 27TH ST	158 WEST 27TH ST	ESE 1/8 - 1/4 (0.183 mi.)	AJ182	588
WEST END ESTATES LLC	154 WEST 27TH STREET	ESE 1/8 - 1/4 (0.187 mi.)	AJ184	593
151 WEST 26TH ST.	151 WEST 26TH STREET	ESE 1/8 - 1/4 (0.187 mi.)	AH185	595
150 WEST 26 STREET	150 WEST 26TH STREET	ESE 1/8 - 1/4 (0.187 mi.)	AH186	598
345 7TH AVE	345 7TH AVE	ENE 1/8 - 1/4 (0.190 mi.)	AL190	612
SY GABER	333 W 29 ST	N 1/8 - 1/4 (0.193 mi.)	AK200	639
251 WEST 30TH-JUSTIN TOWER LTD	251 WEST 30TH STREET	NE 1/8 - 1/4 (0.199 mi.)	AN215	672
247 ASSOCIATES	247 W 30 ST	NE 1/8 - 1/4 (0.200 mi.)	AN221	684
243 REALTY GROUP	243 WEST 30TH ST	NE 1/8 - 1/4 (0.200 mi.)	AN229	701
144 WEST 27TH ST	144 WEST 27TH ST	ESE 1/8 - 1/4 (0.202 mi.)	AJ238	727
145 W 27	145 W 27TH ST	ESE 1/8 - 1/4 (0.203 mi.)	AJ240	733
WEST 27TH LOFT CORP	143 WEST 27TH ST	ESE 1/8 - 1/4 (0.206 mi.)	AJ245	747
224 WEST 30TH ST	224 WEST 30TH STREET	NE 1/8 - 1/4 (0.206 mi.)	AT247	753
347 CORP	347 W. 29TH ST.	NNW 1/8 - 1/4 (0.209 mi.)	AU250	763
214 WEST 30TH STREET INC.	214 WEST 30TH STREET	NE 1/8 - 1/4 (0.210 mi.)	AT251	765
150 W 28TH ST	150 W 28TH ST	E 1/8 - 1/4 (0.211 mi.)	AV253	771
GROFF STUDIOS CORP	151 W 28TH ST	E 1/8 - 1/4 (0.212 mi.)	AV260	788
TAMKAT BUILDING CORP.	138 WEST 25TH STREET	SE 1/8 - 1/4 (0.212 mi.)	AO261	791
HARRY SPITZER	355 7TH AVENUE	ENE 1/8 - 1/4 (0.213 mi.)	AW262	793
134 W 26TH ST	134 W 26TH ST	ESE 1/8 - 1/4 (0.213 mi.)	AQ263	795
135 W W 26TH ST	135 WEST 26TH STREET	ESE 1/8 - 1/4 (0.213 mi.)	AQ264	798
MIRANDA REALTY ASSOCIATES	208 WEST 30TH STREET	NE 1/8 - 1/4 (0.214 mi.)	AW266	805
WEST GRAMERCY ASSOCIATES	147 WEST 24TH STREET	SE 1/8 - 1/4 (0.215 mi.)	AY269	815
148 W 24TH ST TENANTS CORP	148 W 24TH ST	SE 1/8 - 1/4 (0.216 mi.)	AY272	828
KENT REALTY CORP	134-136 W 25TH ST	SE 1/8 - 1/4 (0.218 mi.)	AO280	854
FM RING ASSOC., INC.	142 W 24TH ST	SE 1/8 - 1/4 (0.222 mi.)	AY290	875
361-363 7TH AVENUE	361-363 SEVENTH AVENUE	ENE 1/8 - 1/4 (0.224 mi.)	AW293	882
308 W 30 ST	308 WEST 30TH STREET	N 1/8 - 1/4 (0.225 mi.)	BB294	885
130 W 25TH ST	130 WEST 25TH STREET	SE 1/8 - 1/4 (0.225 mi.)	BE295	887
141 W 28TH ST	141 WEST 28TH ST	E 1/8 - 1/4 (0.226 mi.)	AV297	894
158-160 WEST 29TH STREET	158-160 WEST 29TH STREE	ENE 1/8 - 1/4 (0.227 mi.)	BD300	901
WEST 27TH STREET REALTY, INC.	129 W 27TH ST	ESE 1/8 - 1/4 (0.228 mi.)	BC302	904
PR 30 LLC	317-325 WEST 30TH STREE	N 1/8 - 1/4 (0.229 mi.)	BB303	907
FLOWER 28, LLC	139 WEST 28TH STREET	E 1/8 - 1/4 (0.229 mi.)	AV304	910
28TH STREET PROPERTIES LLC	136 WEST 28 STREET	E 1/8 - 1/4 (0.232 mi.)	AV309	921
122 WEST 26TH ST	122 WEST 26TH ST	ESE 1/8 - 1/4 (0.233 mi.)	BF310	921
F M RING ASSOC, INC	155 W 23 ST	SSE 1/8 - 1/4 (0.233 mi.)	AZ311	924
203 7TH AVENUE	203 7TH AVENUE	S 1/8 - 1/4 (0.237 mi.)	BH321	948
370 7TH AVENUE ASSOCIATES LLC	370 7TH AVE	NE 1/8 - 1/4 (0.237 mi.)	322	952
122 WEST 27TH ST.	122 WEST 27TH ST	ESE 1/8 - 1/4 (0.238 mi.)	BC323	956
BRICK FARMS COOPERATIVE LTD	131 W 24TH ST	SE 1/8 - 1/4 (0.239 mi.)	BJ330	983
SIXTH AVENUE WEST ASSOCIATES	121 WEST 27TH STREET	ESE 1/8 - 1/4 (0.241 mi.)	BC341	1012
THE FRENCH APARTMENTS	330 WEST 30TH STREET	N 1/8 - 1/4 (0.241 mi.)	BG342	1015
201 7 AVENUE	201 SEVENTH AVENUE	S 1/8 - 1/4 (0.242 mi.)	BH343	1018
148 W 23RD ST	148 W 23RD ST	SSE 1/8 - 1/4 (0.242 mi.)	BM347	1033
118 WEST 27TH STREET	118 WEST 27TH STREET	ESE 1/8 - 1/4 (0.244 mi.)	BO352	1047

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
127 WEST 24TH ST. 114 W 26 ST	127 WEST 24TH ST. 114 W 26 ST	SE 1/8 - 1/4 (0.245 mi.) ESE 1/8 - 1/4 (0.246 mi.)	BJ353 BF354	1049 1052

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
322-8TH AVE	322 EIGHTH AVENUE	WNW 0 - 1/8 (0.066 mi.)	G38	114
BLUE 8 REALTY, LLC	336 8TH AVENUE	NNW 0 - 1/8 (0.079 mi.)	K47	165
THE JEANNE D'ARC HOME	253 WEST 24TH ST	SSW 0 - 1/8 (0.096 mi.)	N59	205
CHELSEA GARDENS	250 WEST 24TH ST	SSW 0 - 1/8 (0.098 mi.)	N67	224
MUTUAL REDEVELOPMENT HOUSES, I	315 WEST 25TH STREET	W 0 - 1/8 (0.103 mi.)	Q76	280
ST COLUMBA SCHOOL	331 W 25 ST	W 1/8 - 1/4 (0.128 mi.)	118	420
255 WEST 23RD STREET	255 WEST 23RD STREET	SSW 1/8 - 1/4 (0.147 mi.)	AA129	442
23RD ST LOFT CORPORATION	241 WEST 23RD ST	SSW 1/8 - 1/4 (0.151 mi.)	AA134	455
CHELSEA HOTEL	222 WEST 23RD STREET	S 1/8 - 1/4 (0.161 mi.)	AD149	497
300 WEST 23RD STREET OWNERS CO	300 WEST 23RD STREET	SW 1/8 - 1/4 (0.164 mi.)	AE153	507
HOTEL CHELSEA, NEW YORK	216 WEST 23RD STREET	S 1/8 - 1/4 (0.165 mi.)	AD156	513
LOUIS PHILIPPE CONDOMINIUM	312 WEST 23RD STREET	WSW 1/8 - 1/4 (0.170 mi.)	AE163	539
350 WEST 23RD, LLC	350 WEST 23RD STREET	WSW 1/8 - 1/4 (0.196 mi.)	203	647
261 WEST 22 ST. OWNERS CORP.	261 WEST 22ND STREET	SSW 1/8 - 1/4 (0.200 mi.)	AP220	682
255 WEST 22ND STREET	255 WEST 22ND STREET	SSW 1/8 - 1/4 (0.200 mi.)	AP222	687
262 WEST 22ND ST/MANH	262 WEST 22ND ST	SSW 1/8 - 1/4 (0.201 mi.)	AP232	710
WEST 22ND STREET ASSOCIATES	258 WEST 22ND STREET	SSW 1/8 - 1/4 (0.202 mi.)	AP233	714
264 WEST 22ND ST	264 WEST 22ND ST	SSW 1/8 - 1/4 (0.202 mi.)	AP236	720
250 EQUITIES CORP	250 WEST 22ND ST	SSW 1/8 - 1/4 (0.202 mi.)	AP237	724
246 WEST 22ND ST	246 WEST 22ND ST	SSW 1/8 - 1/4 (0.203 mi.)	AP239	729
244 WEST 22ND STREET	244 WEST 22ND ST	SSW 1/8 - 1/4 (0.203 mi.)	AS242	741
233-53 WEST 22ND ST	233-53 WEST 22ND ST	SSW 1/8 - 1/4 (0.205 mi.)	AS243	743
301 WEST 22ND ST	301 WEST 22ND ST	SW 1/8 - 1/4 (0.211 mi.)	AM255	778
218 WEST 22ND ST	218 W 22ND ST	S 1/8 - 1/4 (0.213 mi.)	AX265	802
212 W 22 ST BLDG	212 W 22 ST	S 1/8 - 1/4 (0.217 mi.)	AX277	844
ALLERTON HOTEL	302 WEST 22ND ST	SW 1/8 - 1/4 (0.217 mi.)	BA278	848
GERMAN EV LUTHERAN CHURCH OF S	315 WEST 22ND ST	WSW 1/8 - 1/4 (0.225 mi.)	BA296	890
224 EIGHTH AVE CORP	224 8TH AVENUE	SW 1/8 - 1/4 (0.237 mi.)	318	941
263 9TH AVENUE REALTY	263 9TH AVENUE	WNW 1/8 - 1/4 (0.238 mi.)	BI327	966
PUBLIC SCHOOL 33 - MANHATTAN (281 NINTH AVENUE	NW 1/8 - 1/4 (0.240 mi.)	BK336	999
400 WEST 25TH STREET	400 WEST 25TH STREET	WNW 1/8 - 1/4 (0.247 mi.)	356	1057
261 WEST 21ST STREET	261 WEST 21ST STREET	SSW 1/8 - 1/4 (0.248 mi.)	BP357	1063
261 WEST 21ST ST	261 WEST 21ST ST	SSW 1/8 - 1/4 (0.248 mi.)	BP358	1066
CHELSEA 21ST STREET CORP.	264/266/268 WEST 21ST S	SSW 1/8 - 1/4 (0.249 mi.)	BP361	1073

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Registered Storage Tanks

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 49 HIST UST sites within approximately 0.25 miles of the target property.

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
WEST 25TH STREET OWNERS, INC.	254 WEST 25TH STREET #6	SSW 0 - 1/8 (0.049 mi.)	C13	52
DINO & SONS REALTY COMPANY	226 WEST 26TH STREET	ESE 0 - 1/8 (0.055 mi.)	B20	67
CHELSEA REALTY ASSOC	231 WEST 25TH ST	SSE 0 - 1/8 (0.067 mi.)	E40	120
228-237 CORP.	276 7TH AVENUE	ESE 0 - 1/8 (0.102 mi.)	P70	244
FUR PARKING CORP	242 WEST 28TH STREET	NE 0 - 1/8 (0.103 mi.)	R74	262
ARRADCO LTD.	207 W 25TH ST	SE 0 - 1/8 (0.105 mi.)	M85	319
305 7TH AVENUE	305 7TH AVENUE	E 0 - 1/8 (0.122 mi.)	O109	397
307 7TH AVE	307 7TH AVE	E 1/8 - 1/4 (0.125 mi.)	W113	404
315 SEVENTH AVE CONDOMINIUM	315 SEVENTH AVE	ENE 1/8 - 1/4 (0.139 mi.)	W120	425
249 WEST 29TH OWNERS CORP.	249 WEST 29TH STREET	NE 1/8 - 1/4 (0.150 mi.)	AB133	451
330 7TH AVENUE	330 7TH AVENUE	ENE 1/8 - 1/4 (0.159 mi.)	Y148	494
152 WEST 25TH STREET	152 WEST 25TH STREET	SE 1/8 - 1/4 (0.190 mi.)	AI188	602
153 WEST 27TH STREET	153 WEST 27TH STREET	ESE 1/8 - 1/4 (0.190 mi.)	AJ192	618
151 WEST 25TH STREET	151 WEST 25TH STREET	SE 1/8 - 1/4 (0.192 mi.)	AI198	637
350 7TH AVE	350 7TH AVE	ENE 1/8 - 1/4 (0.195 mi.)	AL202	645
242 WEST 30TH ST	242 WEST 30TH ST	NE 1/8 - 1/4 (0.199 mi.)	AN210	662
CASPARON BELEGGINGEN N.V.	147 WEST 25TH STREET	SE 1/8 - 1/4 (0.199 mi.)	AO213	667
CHELSEA DESIGN CENTER	146-150 W 25TH STREET	SE 1/8 - 1/4 (0.199 mi.)	AO218	678
142 WEST 26TH STREET	142 WEST 26TH STREET	ESE 1/8 - 1/4 (0.200 mi.)	AQ223	691
243 REALTY GROUP	243 WEST 30TH ST	NE 1/8 - 1/4 (0.200 mi.)	AN229	701
AM PROPERTY HOLDING CORP.	352 7TH AVE	ENE 1/8 - 1/4 (0.202 mi.)	AL234	717
224 WEST 30TH ST	224 WEST 30TH STREET	NE 1/8 - 1/4 (0.206 mi.)	AT247	753
150 W 28TH ST	150 W 28TH ST	E 1/8 - 1/4 (0.211 mi.)	AV253	771
ZIK REALTY CORP.	404 8TH AVENUE	N 1/8 - 1/4 (0.214 mi.)	AR267	809
146-48 WEST 28TH STREET	146-48 WEST 28TH STREET	E 1/8 - 1/4 (0.217 mi.)	AV275	841
135 WEST 27TH STREET	135 WEST 27TH STREET	ESE 1/8 - 1/4 (0.219 mi.)	BC283	861
133 WEST 25TH STREET	133 WEST 25TH STREET	SE 1/8 - 1/4 (0.221 mi.)	AO286	865
145 WEST 28TH STREET	145 WEST 28TH STREET	E 1/8 - 1/4 (0.221 mi.)	AV288	869
127 WEST 26TH STREET	127 WEST 26TH STREET	ESE 1/8 - 1/4 (0.226 mi.)	BF298	897
127-131 WEST 25TH STREET	127-131 WEST 25TH STREE	SE 1/8 - 1/4 (0.231 mi.)	BE306	913
136 LOFT CORP	136 WEST 24TH ST	SE 1/8 - 1/4 (0.231 mi.)	AY307	917
320 W 30TH ST	320 W 30TH ST	N 1/8 - 1/4 (0.233 mi.)	BG312	928
127 W 25TH ST	127 W 25TH ST	SE 1/8 - 1/4 (0.234 mi.)	BE314	931
MAXAM PROPERTIES LLC/ D2 PROPE	135 WEST 28TH STREET	E 1/8 - 1/4 (0.235 mi.)	315	933
133 W 24TH ST CORP	133 WEST 24TH STREET	SE 1/8 - 1/4 (0.236 mi.)	AY317	939
327 W 30TH ST	327 W 30TH ST	N 1/8 - 1/4 (0.237 mi.)	BG320	947
ALLOFUS TENANTS, INC.	130 WEST 24TH STREET	SE 1/8 - 1/4 (0.240 mi.)	BJ331	986
CENTRAL PARKING SYSTEM OF NEW	254 WEST 31ST STREET	NNE 1/8 - 1/4 (0.242 mi.)	BL344	1020
148 W 23RD ST	148 W 23RD ST	SSE 1/8 - 1/4 (0.242 mi.)	BM347	1033
146 WEST 29TH STREET	146 WEST 29TH STREET	E 1/8 - 1/4 (0.242 mi.)	BN350	1043
119 W 25TH ST	119 W 25TH ST	SE 1/8 - 1/4 (0.243 mi.)	BE351	1044
143 W 29TH	143 W 29 ST	E 1/8 - 1/4 (0.249 mi.)	BN359	1069
Lower Elevation	Address	Direction / Distance	Map ID	Page
MUTUAL REDEVELOPMENT HOUSES, I	315 WEST 25TH STREET	W 0 - 1/8 (0.103 mi.)	Q76	280
255 WEST 23RD STREET	255 WEST 23RD STREET	SSW 1/8 - 1/4 (0.147 mi.)	AA129	442
2324 REALTY CO	225 W 23RD ST	S 1/8 - 1/4 (0.159 mi.)	AD147	490
300 W23 ST CONDOMINIUM ASSOC.	300 WEST 23RD STREET	SW 1/8 - 1/4 (0.164 mi.)	AE154	509
BROADMOOR APTS	315 WEST 23RD STREET	WSW 1/8 - 1/4 (0.169 mi.)	AE162	536
224 EIGHTH AVE CORP	224 8TH AVENUE	SW 1/8 - 1/4 (0.237 mi.)	318	941
PS 33	281 9TH AVE	NW 1/8 - 1/4 (0.240 mi.)	BK334	992

EXECUTIVE SUMMARY

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 11/23/2010 has revealed that there are 33 NY Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONSTRUCTION SITE Date Closed: 5/3/2005	237 WEST 26TH STREET	ESE 0 - 1/8 (0.039 mi.)	B8	41
264 WEST 25TH ST Date Closed: 1/20/1998	264 WEST 25TH ST	SW 0 - 1/8 (0.048 mi.)	C11	47
Not reported Date Closed: 1/6/1999	250 WEST 27TH ST	NE 0 - 1/8 (0.053 mi.)	D16	57
CON ED Date Closed: 6/17/2003	245 WEST 27TH STREET	ENE 0 - 1/8 (0.057 mi.)	D21	68
STREET Date Closed: 11/12/1997	226 W. 26TH ST	ESE 0 - 1/8 (0.058 mi.)	B23	72
226 WEST 26TH STREET Date Closed: 6/4/2004	226 WEST 26TH STREET	ESE 0 - 1/8 (0.058 mi.)	B25	80
CONSTRUCTION SITE Date Closed: 3/4/2003	226 WEST 26TH STREET	ESE 0 - 1/8 (0.058 mi.)	B26	81
40 GAL LOOSE OIL IN VS #4242 W Date Closed: 2/16/2007	227 WEST 26 STREET	ESE 0 - 1/8 (0.058 mi.)	B27	83
FT HAMILTON ARMY BASE Date Closed: 2/15/1995	7TH AV/FT HAMILTON ARMY	ESE 0 - 1/8 (0.062 mi.)	B28	85
7TH AVE BET 46 & 47TH AVE Date Closed: 5/31/1996	7TH AVE BET 46 & 47TH A	ESE 0 - 1/8 (0.062 mi.)	B29	87
COMMERCIAL BUILDING Date Closed: 4/10/2006	236 W. 27TH ST.	ENE 0 - 1/8 (0.065 mi.)	D35	101
VAULT 1124 Date Closed: 10/20/2004	230 WEST 25TH ST	SSE 0 - 1/8 (0.070 mi.)	H41	121
MANHOLE # 7175 Date Closed: 1/19/2005	342 8TH AVE.	NNW 0 - 1/8 (0.087 mi.)	K55	189
212 W 27TH ST Date Closed: 3/25/1992	212 W 27TH ST	E 0 - 1/8 (0.097 mi.)	O60	208
HESS TRUCK Date Closed: 2/5/2007	200 WEST 26TH STREET	ESE 0 - 1/8 (0.097 mi.)	P61	211
CONTRUCTION SITE Date Closed: 4/3/2000	200 W 26TH STREET	ESE 0 - 1/8 (0.097 mi.)	P62	212
CON ED Date Closed: 6/5/1998	WEST 28TH STREET YARD	N 0 - 1/8 (0.104 mi.)	S81	308
Not reported Date Closed: 6/19/2003	241-243 W 28TH ST	NE 0 - 1/8 (0.105 mi.)	R82	311
WESTSIDE SERVICE CTR VAULT 0019 Date Closed: 2/3/2004	281 WEST 28TH STREET 207 W 27TH ST	N 0 - 1/8 (0.105 mi.) E 0 - 1/8 (0.106 mi.)	S83 O87	313 326

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
UNION SANITORIUM Date Closed: 7/7/1999	275 7TH AVE	SE 0 - 1/8 (0.108 mi.)	T92	344
VAULT 5751 Date Closed: 1/29/2004	200 WEST 25TH ST	SE 0 - 1/8 (0.115 mi.)	M98	367
WEST 25TH ST & 7TH AVE Date Closed: 1/2/1998	WEST 25TH ST & 7TH AVE	SE 0 - 1/8 (0.115 mi.)	M99	370
RESIDENCE Date Closed: 6/22/1999	WEST 25TH & 7TH AVE	SE 0 - 1/8 (0.115 mi.)	M101	374
NEAR CATCH BASIN AT Date Closed: 4/21/2000	W 27TH ST BET 6 & 7TH A	E 0 - 1/8 (0.115 mi.)	O102	376
FASHION INSTITUTE Date Closed: 7/28/2008	27TH STREET & 7TH AVE	E 0 - 1/8 (0.115 mi.)	O103	379
301 SEVENTH AVENUE Date Closed: 11/3/1989	301 SEVENTH AVE	E 0 - 1/8 (0.116 mi.)	O104	380
APARTMENT VS 4420 Date Closed: 4/9/2004	220 WEST 24TH STREET 28TH ST/8TH AV	S 0 - 1/8 (0.118 mi.) N 0 - 1/8 (0.119 mi.)	U105 106	383 384

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
UNKNOWN Date Closed: 1/2/2008	322 8TH AVE	WNW 0 - 1/8 (0.066 mi.)	G36	103
Not reported Date Closed: 7/17/2001	304 8TH AV	W 0 - 1/8 (0.076 mi.)	J46	163
MANHOLE 32161 Date Closed: 4/17/2006	25 STREET & 8 AVENUE	W 0 - 1/8 (0.081 mi.)	J50	171
RESIDENTIAL BUILDING Date Closed: 3/7/2007	250 WEST 24TH STREET	SSW 0 - 1/8 (0.098 mi.)	N66	222

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 21 NY Hist Spills sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
264 WEST 25TH ST	264 WEST 25TH ST	SW 0 - 1/8 (0.048 mi.)	C11	47
Not reported	250 WEST 27TH ST	NE 0 - 1/8 (0.053 mi.)	D16	57
STREET	226 W. 26TH ST	ESE 0 - 1/8 (0.058 mi.)	B23	72
CONSTRUCTION SITE	226 WEST 26TH STREET	ESE 0 - 1/8 (0.058 mi.)	B26	81
FT HAMILTON ARMY BASE	7TH AV/FT HAMILTON ARMY	ESE 0 - 1/8 (0.062 mi.)	B28	85
7TH AVE BET 46 & 47TH AVE	7TH AVE BET 46 & 47TH A	ESE 0 - 1/8 (0.062 mi.)	B29	87
VAULT 1124	230 WEST 25TH ST	SSE 0 - 1/8 (0.070 mi.)	H41	121
212 W 27TH ST	212 W 27TH ST	E 0 - 1/8 (0.097 mi.)	O60	208
CONSTRUCTION SITE	200 W 26TH STREET	ESE 0 - 1/8 (0.097 mi.)	P62	212

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>CON ED</i>	<i>WEST 28TH STREET YARD</i>	<i>N 0 - 1/8 (0.104 mi.)</i>	<i>S81</i>	<i>308</i>
<i>Not reported</i>	<i>241-243 W 28TH ST</i>	<i>NE 0 - 1/8 (0.105 mi.)</i>	<i>R82</i>	<i>311</i>
<i>WESTSIDE SERVICE CTR</i>	<i>281 WEST 28TH STREET</i>	<i>N 0 - 1/8 (0.105 mi.)</i>	<i>S83</i>	<i>313</i>
<i>VAULT 0019</i>	<i>207 W 27TH ST</i>	<i>E 0 - 1/8 (0.106 mi.)</i>	<i>O87</i>	<i>326</i>
<i>UNION SANITORIUM</i>	<i>275 7TH AVE</i>	<i>SE 0 - 1/8 (0.108 mi.)</i>	<i>T92</i>	<i>344</i>
<i>VAULT 5751</i>	<i>200 WEST 25TH ST</i>	<i>SE 0 - 1/8 (0.115 mi.)</i>	<i>M98</i>	<i>367</i>
<i>WEST 25TH ST & 7TH AVE</i>	<i>WEST 25TH ST & 7TH AVE</i>	<i>SE 0 - 1/8 (0.115 mi.)</i>	<i>M99</i>	<i>370</i>
<i>RESIDENCE</i>	<i>WEST 25TH & 7TH AVE</i>	<i>SE 0 - 1/8 (0.115 mi.)</i>	<i>M101</i>	<i>374</i>
<i>NEAR CATCH BASIN AT</i>	<i>W 27TH ST BET 6 & 7TH A</i>	<i>E 0 - 1/8 (0.115 mi.)</i>	<i>O102</i>	<i>376</i>
<i>301 SEVENTH AVENUE</i>	<i>301 SEVENTH AVE</i>	<i>E 0 - 1/8 (0.116 mi.)</i>	<i>O104</i>	<i>380</i>
<i>VS 4420</i>	<i>28TH ST/8TH AV</i>	<i>N 0 - 1/8 (0.119 mi.)</i>	<i>106</i>	<i>384</i>
<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>Not reported</i>	<i>304 8TH AV</i>	<i>W 0 - 1/8 (0.076 mi.)</i>	<i>J46</i>	<i>163</i>

Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 02/17/2010 has revealed that there are 62 RCRA-NonGen sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
<i>CON EDISON - VS 1798</i>	<i>245 W. 27TH ST.</i>	<i>NE 0 - 1/8 (0.058 mi.)</i>	<i>D22</i>	<i>70</i>
<i>CON EDISON AT FASHION INSTITUT</i>	<i>227 W 27TH ST</i>	<i>ENE 0 - 1/8 (0.076 mi.)</i>	<i>I43</i>	<i>126</i>
<i>GARIB STEVEN</i>	<i>200 W 26TH ST</i>	<i>ESE 0 - 1/8 (0.097 mi.)</i>	<i>P65</i>	<i>220</i>
<i>D & B REPRODUCTIONS-207 W 25TH</i>	<i>207 WEST 25TH ST</i>	<i>SSE 0 - 1/8 (0.100 mi.)</i>	<i>M68</i>	<i>228</i>
<i>V0019</i>	<i>207 W 27 STREET</i>	<i>E 0 - 1/8 (0.102 mi.)</i>	<i>O71</i>	<i>255</i>
<i>FUR PARKING</i>	<i>241-43 W 28TH ST</i>	<i>NE 0 - 1/8 (0.106 mi.)</i>	<i>R86</i>	<i>324</i>
<i>HAROLD FREEMAN JEWELRY MFG CO</i>	<i>275 SEVENTH AVE - 8TH F</i>	<i>SE 0 - 1/8 (0.107 mi.)</i>	<i>T89</i>	<i>331</i>
<i>NEW YORK LABEL & BOX CORP</i>	<i>275 7TH AVE</i>	<i>SE 0 - 1/8 (0.107 mi.)</i>	<i>T91</i>	<i>337</i>
<i>CON ED - V 1321</i>	<i>200 W 25 ST</i>	<i>SE 0 - 1/8 (0.109 mi.)</i>	<i>M93</i>	<i>347</i>
<i>NYC BD OF ED - FASHION INDUSTR</i>	<i>225 W 24TH ST</i>	<i>S 0 - 1/8 (0.112 mi.)</i>	<i>U95</i>	<i>352</i>
<i>KWIK INTL COLOR LTD</i>	<i>229 W 28TH ST 8TH & 9TH</i>	<i>ENE 0 - 1/8 (0.114 mi.)</i>	<i>R97</i>	<i>364</i>
<i>EVERWED OF NEW YORK</i>	<i>305 7TH AVE</i>	<i>E 0 - 1/8 (0.122 mi.)</i>	<i>O108</i>	<i>389</i>
<i>M & Z BENCH</i>	<i>307 7TH AVE 604</i>	<i>E 1/8 - 1/4 (0.125 mi.)</i>	<i>W112</i>	<i>402</i>
<i>FEDERAL BUILDING THE</i>	<i>252 7TH AVE</i>	<i>SSE 1/8 - 1/4 (0.127 mi.)</i>	<i>V116</i>	<i>412</i>
<i>CON EDISON - MH M44532</i>	<i>W 28TH ST & 7TH AV</i>	<i>ENE 1/8 - 1/4 (0.143 mi.)</i>	<i>Y124</i>	<i>431</i>
<i>NEW YORK SCHOOL OF DRY CLEANI</i>	<i>252 W 29TH ST</i>	<i>NE 1/8 - 1/4 (0.147 mi.)</i>	<i>AB130</i>	<i>447</i>
<i>TRANEL</i>	<i>245 W 29TH ST 12 FLOOR</i>	<i>NE 1/8 - 1/4 (0.151 mi.)</i>	<i>AB135</i>	<i>457</i>
<i>S O METALS REFINING CO</i>	<i>245 W 29TH ST - 5TH FLO</i>	<i>NE 1/8 - 1/4 (0.151 mi.)</i>	<i>AB137</i>	<i>463</i>
<i>SUPREME SPECIALTY CLEANING COR</i>	<i>231 W 29TH ST - 4TH FLO</i>	<i>NE 1/8 - 1/4 (0.157 mi.)</i>	<i>AC139</i>	<i>467</i>
<i>V5289</i>	<i>231 W 29TH STREET</i>	<i>NE 1/8 - 1/4 (0.157 mi.)</i>	<i>AC141</i>	<i>478</i>
<i>Y & K</i>	<i>227 W 29TH ST</i>	<i>NE 1/8 - 1/4 (0.159 mi.)</i>	<i>AC146</i>	<i>489</i>
<i>H C L CORP</i>	<i>214 W 29TH ST</i>	<i>NE 1/8 - 1/4 (0.165 mi.)</i>	<i>AF155</i>	<i>511</i>
<i>CENTRAL FUR SERVICING CO</i>	<i>208 W 29TH ST</i>	<i>ENE 1/8 - 1/4 (0.169 mi.)</i>	<i>AF160</i>	<i>533</i>
<i>NYC PUBLIC LIBRARY - MUHLENBER</i>	<i>209 W 23RD ST</i>	<i>S 1/8 - 1/4 (0.170 mi.)</i>	<i>AG165</i>	<i>543</i>
<i>CON ED - V 2870</i>	<i>160 W 26TH ST</i>	<i>ESE 1/8 - 1/4 (0.171 mi.)</i>	<i>AH168</i>	<i>548</i>

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - VAULT 6081 AMBIENT LABS	208 WEST 23 ST 159 W 25TH ST	S 1/8 - 1/4 (0.172 mi.) SE 1/8 - 1/4 (0.180 mi.)	AG172 AI180	560 583
CON EDISON - VAULT 8453 CON ED - V 6409	325 W 29 ST 152 W 25 ST	N 1/8 - 1/4 (0.185 mi.) SE 1/8 - 1/4 (0.190 mi.)	AK183 AI187	591 600
SUPREME LEATHER & SUEDE	345 7TH AVE	ENE 1/8 - 1/4 (0.190 mi.)	AL189	606
A ALLAND INC	259 W 30TH ST 7TH FLOOR	NNE 1/8 - 1/4 (0.198 mi.)	AN205	649
W & W JEWELERS INCORPORATED	259 WEST 30TH STREET SU	NNE 1/8 - 1/4 (0.198 mi.)	AN207	653
BENKAY JEWELRY COMPANY	259 WEST 30TH STREET 10	NNE 1/8 - 1/4 (0.198 mi.)	AN208	657
PEOPLES WATCH REPAIR COMPANY	259 WEST 30TH STREET	NNE 1/8 - 1/4 (0.198 mi.)	AN209	660
M D L CONTRACTING INC	242 W 30TH ST	NE 1/8 - 1/4 (0.199 mi.)	AN211	663
WEST 25130 REALTY ASSOC	251 W 30TH ST	NE 1/8 - 1/4 (0.199 mi.)	AN214	671
COMMODITY LABS INCORPORATED	251 WEST 30TH STREET	NE 1/8 - 1/4 (0.199 mi.)	AN216	675
HENRY LANDIS INC	251 W 30TH ST	NE 1/8 - 1/4 (0.199 mi.)	AN217	677
SO ACCURATE GROUP SO METALS INC	236 W 30TH ST FLOOR 2 & 236 W 30TH ST - 4TH FLO	NE 1/8 - 1/4 (0.200 mi.) NE 1/8 - 1/4 (0.200 mi.)	AN226 AN227	696 697
LO-WELL JEWELRY CORP THE	236 W 30TH ST	NE 1/8 - 1/4 (0.200 mi.)	AN228	699
ADWAR CASTING CO LTD	243 W 30TH ST	NE 1/8 - 1/4 (0.200 mi.)	AN230	706
KALROY CONTRACTORS INC	150 W 28TH ST ROOM 1604	E 1/8 - 1/4 (0.211 mi.)	AV254	776
CIRCLE JEWELRY PRODUCTS CO	148 W 24TH ST	SE 1/8 - 1/4 (0.216 mi.)	AY273	831
CON EDISON - VS 3530	129 EAST 26TH STREET	ESE 1/8 - 1/4 (0.223 mi.)	AQ292	880
SPAR KNITWEAR INC	127 W 25TH ST	SE 1/8 - 1/4 (0.231 mi.)	BE305	912
370 7TH AVENUE ASSOCIATES LLC	370 7TH AVE	NE 1/8 - 1/4 (0.237 mi.)	322	952
DEMPSEY & CARROLL	122 W 27TH ST	ESE 1/8 - 1/4 (0.238 mi.)	BC324	960
AMBASSADOR ARTS INC	122 W 27TH ST 8TH FL	ESE 1/8 - 1/4 (0.238 mi.)	BC325	962
IMPACT PRESENTATIONS INC	121 W 27TH ST STE 602	ESE 1/8 - 1/4 (0.241 mi.)	BC337	1004
INDUSTRIAL FUR DYEING INC	121 W 27TH ST	ESE 1/8 - 1/4 (0.241 mi.)	BC338	1007
6TH AVENUE WEST ASSOC	121 W 27TH ST - BASEMEN	ESE 1/8 - 1/4 (0.241 mi.)	BC339	1008
CAPPIELLO KING ASSOCIATES INC	148 W 23RD ST STE 1B	SSE 1/8 - 1/4 (0.242 mi.)	BM348	1038
Lower Elevation	Address	Direction / Distance	Map ID	Page
M G I OF NEW YORK	322 EIGHTH AVE	WNW 0 - 1/8 (0.066 mi.)	G37	104
292 AVE CLEANER CORP	292 8TH AVE	WSW 0 - 1/8 (0.091 mi.)	L57	192
ROYAL CHOICE FRENCH CLEANERS	320 W 23RD ST	WSW 1/8 - 1/4 (0.174 mi.)	AE176	568
EARTH CLEANER	250 8TH AVE	SW 1/8 - 1/4 (0.177 mi.)	AE178	579
PETERS DRY CLEANERS	244 8TH. AVE	SW 1/8 - 1/4 (0.191 mi.)	AM195	623
NISHI CLEANERS V9203	244 8TH AVE 233 W 22ND STREET	SW 1/8 - 1/4 (0.191 mi.) SSW 1/8 - 1/4 (0.205 mi.)	AM196 AS244	634 745
CREATIVE LITHOGRAHPY INC	263 9TH AVE	WNW 1/8 - 1/4 (0.238 mi.)	BI328	968
NYC BD OF ED PUBLIC SCHOOL 33	281 9TH AVE	NW 1/8 - 1/4 (0.240 mi.)	BK335	997

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, and dated 10/01/2010 has revealed that there is 1 CONSENT site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBs	NO STREET APPLICABLE	W 1/2 - 1 (0.759 mi.)	0	7

EXECUTIVE SUMMARY

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 06/01/2010 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE	W 1/2 - 1 (0.759 mi.)	0	7

HSWDS: The List includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The latest version of the study is frozen in time. The sites on the study will not automatically be made superfund sites, rather each site will be further evaluated for listing in the registry. So overtime they will be added to the registry or not.

A review of the HSWDS list, as provided by EDR, and dated 01/01/2003 has revealed that there is 1 HSWDS site within approximately 0.5 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
FEDERAL BUILDING SITE	252 7TH AVE	SSE 1/8 - 1/4 (0.127 mi.)	V115	410

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 10/28/2010 has revealed that there are 73 MANIFEST sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CONED	233 E 26TH ST	ESE 0 - 1/8 (0.045 mi.)	B9	42
CONSOLIDATED EDISON	250 W 25TH ST MH4678	S 0 - 1/8 (0.051 mi.)	C14	53
CON EDISON - VS 1798	245 W. 27TH ST.	NE 0 - 1/8 (0.058 mi.)	D22	70
CONED	220 E 26TH ST	ESE 0 - 1/8 (0.065 mi.)	F32	95
CON EDISON AT FASHION INSTITUT	227 W 27TH ST	ENE 0 - 1/8 (0.076 mi.)	I43	126
FASHION INSTITUTE OF TECHNOLOG	227 W 27TH ST	ENE 0 - 1/8 (0.076 mi.)	I44	130
CONSOLIDATED EDISON	220 W 27 ST	E 0 - 1/8 (0.082 mi.)	I51	172
NYCDEP	210 EAST 25TH STREET	SSE 0 - 1/8 (0.095 mi.)	M58	203
D & B REPRODUCTIONS-207 W 25TH	207 WEST 25TH ST	SSE 0 - 1/8 (0.100 mi.)	M68	228
NORTH AMERICAN TYPOGRAPHY	207 W 25TH ST	SSE 0 - 1/8 (0.100 mi.)	M69	236
V0019	207 W 27 STREET	E 0 - 1/8 (0.102 mi.)	O71	255
CONSOLIDATED EDISON	7TH AVE & W 26TH ST MH5	ESE 0 - 1/8 (0.104 mi.)	P77	301
CONSOLIDATED EDISON	240 EAST 28TH ST	NE 0 - 1/8 (0.104 mi.)	R79	305
FUR PARKING	241-43 W 28TH ST	NE 0 - 1/8 (0.106 mi.)	R86	324
HAROLD FREEMAN JEWELRY MFG CO	275 SEVENTH AVE - 8TH F	SE 0 - 1/8 (0.107 mi.)	T89	331
NEW YORK LABEL & BOX CORP	275 7TH AVE	SE 0 - 1/8 (0.107 mi.)	T91	337
CON ED - V 1321	200 W 25 ST	SE 0 - 1/8 (0.109 mi.)	M93	347
NYC BD OF ED - FASHION INDUSTR	225 W 24TH ST	S 0 - 1/8 (0.112 mi.)	U95	352
KWIK INTL COLOR LTD	229 W 28TH ST 8TH & 9TH	ENE 0 - 1/8 (0.114 mi.)	R97	364
EVERWED OF NEW YORK	305 7TH AVE	E 0 - 1/8 (0.122 mi.)	O108	389
M & Z BENCH	307 7TH AVE 604	E 1/8 - 1/4 (0.125 mi.)	W112	402
FEDERAL BUILDING THE	252 7TH AVE	SSE 1/8 - 1/4 (0.127 mi.)	V116	412
252 SEVENTH LLC	252 SEVENTH AVE	SSE 1/8 - 1/4 (0.127 mi.)	V117	419

EXECUTIVE SUMMARY

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
BELL ATLANTIC NY	W 24TH ST & 7TH AVE MAN	SSE 1/8 - 1/4 (0.142 mi.)	X123	431
CON EDISON - MH M44532	W 28TH ST & 7TH AV	ENE 1/8 - 1/4 (0.143 mi.)	Y124	431
CONSOLIDATED EDISON	W 28 ST & 7 AVE V5843	ENE 1/8 - 1/4 (0.144 mi.)	Y125	434
TRANEL	245 W 29TH ST 12 FLOOR	NE 1/8 - 1/4 (0.151 mi.)	AB135	457
SUPREME SPECIALTY CLEANING COR	231 W 29TH ST - 4TH FLO	NE 1/8 - 1/4 (0.157 mi.)	AC139	467
V5289	231 W 29TH STREET	NE 1/8 - 1/4 (0.157 mi.)	AC141	478
BERGS FUR INC	224 W 29TH ST 7TH FLOOR	NE 1/8 - 1/4 (0.158 mi.)	AC143	480
H C L CORP	214 W 29TH ST	NE 1/8 - 1/4 (0.165 mi.)	AF155	511
NEIGHBORHOOD CLEANERS ASSOC	252 W 29TH ST	ENE 1/8 - 1/4 (0.166 mi.)	AF157	516
CONSOLIDATED EDISON	208 W 29TH ST	ENE 1/8 - 1/4 (0.169 mi.)	AF161	535
NYC PUBLIC LIBRARY - MUHLENBER	209 W 23RD ST	S 1/8 - 1/4 (0.170 mi.)	AG165	543
CON ED - V 2870	160 W 26TH ST	ESE 1/8 - 1/4 (0.171 mi.)	AH168	548
CONSOLIDATED EDISON	V6081-208 W 23RD ST	S 1/8 - 1/4 (0.172 mi.)	AD173	562
CONSLIDATED EDISON	V6081-F/O 208 W 23RD ST	S 1/8 - 1/4 (0.172 mi.)	AD174	563
CONSOLIDATED EDISON	208 14 W 23RD ST V6081	S 1/8 - 1/4 (0.172 mi.)	AD175	564
AMBIENT LABS	159 W 25TH ST	SE 1/8 - 1/4 (0.180 mi.)	AI180	583
CONSOLIDATED EDISON	23RD ST & 7TH AVE	S 1/8 - 1/4 (0.181 mi.)	AG181	587
CON ED - V 6409	152 W 25 ST	SE 1/8 - 1/4 (0.190 mi.)	AI187	600
SUPREME LEATHER & SUEDE	345 7TH AVE	ENE 1/8 - 1/4 (0.190 mi.)	AL189	606
CONSOLIDATED EDISON	162 W 24 ST VS9776	SSE 1/8 - 1/4 (0.193 mi.)	199	639
BELL ATLANTIC-NY	246 W 30TH ST (MANHOLE)	NE 1/8 - 1/4 (0.198 mi.)	AN204	649
W & W JEWELERS INCORPORATED	259 WEST 30TH STREET SU	NNE 1/8 - 1/4 (0.198 mi.)	AN207	653
BENKAY JEWELRY COMPANY	259 WEST 30TH STREET 10	NNE 1/8 - 1/4 (0.198 mi.)	AN208	657
M D L CONTRACTING INC	242 W 30TH ST	NE 1/8 - 1/4 (0.199 mi.)	AN211	663
LO-WELL JEWELRY CORP THE	236 W 30TH ST	NE 1/8 - 1/4 (0.200 mi.)	AN228	699
23 FRENCH CLEANERS	169 W 23RD ST	SSE 1/8 - 1/4 (0.216 mi.)	AZ270	817
CIRCLE JEWELRY PRODUCTS CO	148 W 24TH ST	SE 1/8 - 1/4 (0.216 mi.)	AY273	831
TART OPTICAL ENTERPRISES	135 WEST 27TH ST	ESE 1/8 - 1/4 (0.219 mi.)	BC282	859
NEW YORK CITY DEP	165 W 29TH ST	ENE 1/8 - 1/4 (0.221 mi.)	BD285	864
CON EDISON - VS 3530	129 EAST 26TH STREET	ESE 1/8 - 1/4 (0.223 mi.)	AQ292	880
370 7TH AVENUE ASSOCIATES LLC	370 7TH AVE	NE 1/8 - 1/4 (0.237 mi.)	322	952
DEMPSEY & CARROLL	122 W 27TH ST	ESE 1/8 - 1/4 (0.238 mi.)	BC324	960
AMBASSADOR ARTS INC	122 W 27TH ST 8TH FL	ESE 1/8 - 1/4 (0.238 mi.)	BC325	962
AMBASSADOR ART	122 W 27TH STREET	ESE 1/8 - 1/4 (0.238 mi.)	BC326	964
IMPACT PRESENTATIONS INC	121 W 27TH ST STE 602	ESE 1/8 - 1/4 (0.241 mi.)	BC337	1004
6TH AVENUE WEST ASSOC	121 W 27TH ST - BASEMEN	ESE 1/8 - 1/4 (0.241 mi.)	BC339	1008
CONSOLIDATED EDISON	V3793-121 W 27TH ST	ESE 1/8 - 1/4 (0.241 mi.)	BC340	1012
CAPPIELLO KING ASSOCIATES INC	148 W 23RD ST STE 1B	SSE 1/8 - 1/4 (0.242 mi.)	BM348	1038
AMTRAK NEW YORK CITY PENN STAT	242 W 31ST ST	NNE 1/8 - 1/4 (0.246 mi.)	355	1055
Lower Elevation	Address	Direction / Distance	Map ID	Page
M G I OF NEW YORK	322 EIGHTH AVE	WNW 0 - 1/8 (0.066 mi.)	G37	104
CONSOLIDATED EDISON	WEST 25TH ST & 8TH AVE	W 0 - 1/8 (0.081 mi.)	J49	168
PENN HOUSE CLEANERS	339 8TH AVE	NNW 0 - 1/8 (0.084 mi.)	K53	176
292 AVE CLEANER CORP	292 8TH AVE	WSW 0 - 1/8 (0.091 mi.)	L57	192
NYNEX	FRONT OF 357 W 25TH ST	WNW 1/8 - 1/4 (0.170 mi.)	167	547
ROYAL CHOICE FRENCH CLEANERS	320 W 23RD ST	WSW 1/8 - 1/4 (0.174 mi.)	AE176	568
PETERS DRY CLEANERS	244 8TH. AVE	SW 1/8 - 1/4 (0.191 mi.)	AM195	623
V9203	233 W 22ND STREET	SSW 1/8 - 1/4 (0.205 mi.)	AS244	745
TANASEYBERT LLC	263 9TH AVE	WNW 1/8 - 1/4 (0.238 mi.)	BI329	969
NYC BD OF ED PUBLIC SCHOOL 33	281 9TH AVE	NW 1/8 - 1/4 (0.240 mi.)	BK335	997
OXFORD/CLIFF'S 1 HR DRY CLEANE	232 9TH AVE.	W 1/8 - 1/4 (0.250 mi.)	BQ363	1077

EXECUTIVE SUMMARY

DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the DRYCLEANERS list, as provided by EDR, and dated 12/21/2010 has revealed that there are 8 DRYCLEANERS sites within approximately 0.25 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
NY SCHOOL OF DRYCLEANING	252 W 29TH STREET	NE 1/8 - 1/4 (0.147 mi.)	AB131	449
ALFA DRY CLEANERS	226 W 29TH ST	NE 1/8 - 1/4 (0.157 mi.)	AC142	480
23RD FRECH DRY CLEANERS	169 W. 23RD STREET	SSE 1/8 - 1/4 (0.216 mi.)	AZ271	827

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
PENN HOUSE CLEANERS	339 EIGHTH AVE.	NNW 0 - 1/8 (0.084 mi.)	K54	188
M & N CLEANERS	292 8TH AVENUE #1	WSW 0 - 1/8 (0.091 mi.)	L56	191
ROYAL CHICE FRENCH/LUIS PHILLI	320 WEST 23RD STREET	WSW 1/8 - 1/4 (0.174 mi.)	AE177	579
EARTH CLEANER	250 8TH AVE	SW 1/8 - 1/4 (0.177 mi.)	AE178	579
OXFORD/CLIFF'S 1 HR DRY CLEANER	232 9TH AVE.	W 1/8 - 1/4 (0.250 mi.)	BQ363	1077

E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the E DESIGNATION list, as provided by EDR, and dated 10/13/2010 has revealed that there are 8 E DESIGNATION sites within approximately 0.125 miles of the target property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
LOT 69,TAXBLOCK 775	252 WEST 26 STREET	ESE 0 - 1/8 (0.013 mi.)	A1	25
LOT 60,TAXBLOCK 775	236 WEST 26 STREET	ESE 0 - 1/8 (0.039 mi.)	B7	39
LOT 58,TAXBLOCK 775	226 WEST 26 STREET	ESE 0 - 1/8 (0.055 mi.)	B18	63
LOT 59,TAXBLOCK 776	236 WEST 27 STREET	ENE 0 - 1/8 (0.063 mi.)	D30	90
LOT 46,TAXBLOCK 775	220 WEST 26 STREET	ESE 0 - 1/8 (0.065 mi.)	F33	96
LOT 44,TAXBLOCK 775	200 WEST 26 STREET	ESE 0 - 1/8 (0.097 mi.)	P64	217
LOT 77,TAXBLOCK 800	261 7 AVENUE	SSE 0 - 1/8 (0.122 mi.)	V110	399
LOT 78,TAXBLOCK 800	259 7 AVENUE	SSE 0 - 1/8 (0.124 mi.)	V111	400

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the Manufactured Gas Plants list, as provided by EDR, has revealed that there are 4 Manufactured Gas Plants sites within approximately 1 mile of the target property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - WEST 18TH ST. GAS	WEST 16TH - WEST 20TH S	W 1/2 - 1 (0.560 mi.)	450	1305

EXECUTIVE SUMMARY


<u>Lower Elevation</u>	<u>Address</u>	<u>Direction / Distance</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - 19TH ST. WORKS MG	11TH AVE BETWEEN W 19TH	W 1/2 - 1 (0.618 mi.)	451	1305
19TH STREET DEVELOPMENT SITE	80 11TH AVENUE	W 1/2 - 1 (0.639 mi.)	452	1306
CON EDISON - WEST 42ND ST. GAS	WEST 41ST - WEST 42ND S	N 1/2 - 1 (0.965 mi.)	453	1306

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 20 records.

<u>Site Name</u>	<u>Database(s)</u>
VERIZON NEW YORK INC	FINDS,MANIFEST
CONSOLIDATED EDISON	MANIFEST
VERIZON NEW YORK INC. MANHOLE	MANIFEST
BELL ATLANTIC NY	MANIFEST
BELL ATLANTIC NY	MANIFEST
CONSOLIDATED EDISON	MANIFEST
AMTRAK - PENN STATION	FINDS,RCRA-NLR,MANIFEST
NYC DOS WEST 30TH STREET RECYCLING	LF
SUNOCO STATION (CAVANT)	UST NCFM
NYS DOT BIN 1077069	RCRA-LQG
VERIZON NEW YORK INC	RCRA-NLR
NYC DEP TUNNEL 1 DIST CHAMBER	FINDS,RCRA-NLR
BELL ATLANTIC-NY	RCRA-NLR
INTERSTATE I 295 WEST BOUND	ERNS
PIERS 35-40 WEST SIDE HWY AND	ERNS
WEST SIDE HWY	ERNS
W59TH ST AND WEST SIDE HWY	ERNS
59TH GENERATION STATION	SPILLS
IDEAL DRY CLEANERS (FORMER)/THE SH	VCP
SUNOCO STATION (CAVANT)	HIST UST

OVERVIEW MAP - 2983980.2s



- ★ Target Property
- ▲ Sites at elevations higher than or equal to the target property
- ◆ Sites at elevations lower than the target property
- ▲ Manufactured Gas Plants
- National Priority List Sites
- Dept. Defense Sites


- Indian Reservations BIA
- County Boundary
- Power transmission lines
- Oil & Gas pipelines
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 260 West 26th Street
 ADDRESS: 260 West 26th Street
 New York NY 10001
 LAT/LONG: 40.7467 / 73.9960

CLIENT: CA Rich Consultants, Inc.
 CONTACT: Jessica Proscia
 INQUIRY #: 2983980.2s
 DATE: February 04, 2011 3:30 pm

DETAIL MAP - 2983980.2s



MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL		1.000	0	0	0	1	NR	1
Proposed NPL		1.000	0	0	0	0	NR	0
NPL LIENS		TP	NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS		0.500	0	0	0	NR	NR	0
FEDERAL FACILITY		1.000	0	0	0	0	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP		0.500	0	1	2	NR	NR	3
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS		1.000	0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF		0.500	0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG		0.250	0	0	NR	NR	NR	0
RCRA-SQG		0.250	2	5	NR	NR	NR	7
RCRA-CESQG		0.250	3	1	NR	NR	NR	4
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS		0.500	0	0	0	NR	NR	0
US INST CONTROL		0.500	0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS		TP	NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
SHWS		1.000	0	0	0	0	NR	0
VAPOR REOPENED		1.000	0	0	0	0	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
SWF/LF		0.500	0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
LTANKS		0.500	6	24	83	NR	NR	113
HIST LTANKS		0.500	6	15	58	NR	NR	79
INDIAN LUST		0.500	0	0	0	NR	NR	0
<i>State and tribal registered storage tank lists</i>								
UST		0.250	7	41	NR	NR	NR	48

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CBS UST		0.250	0	0	NR	NR	NR	0
MOSF UST		0.500	0	0	0	NR	NR	0
AST		0.250	23	91	NR	NR	NR	114
CBS AST		0.250	0	0	NR	NR	NR	0
MOSF AST		0.500	0	0	0	NR	NR	0
CBS		0.250	0	0	NR	NR	NR	0
MOSF		0.500	0	0	0	NR	NR	0
INDIAN UST		0.250	0	0	NR	NR	NR	0
FEMA UST		0.250	0	0	NR	NR	NR	0
<i>State and tribal institutional control / engineering control registries</i>								
ENG CONTROLS		0.500	0	0	0	NR	NR	0
INST CONTROL		0.500	0	0	0	NR	NR	0
RES DECL		0.125	0	NR	NR	NR	NR	0
<i>State and tribal voluntary cleanup sites</i>								
VCP		0.500	0	0	0	NR	NR	0
INDIAN VCP		0.500	0	0	0	NR	NR	0
<i>State and tribal Brownfields sites</i>								
ERP		0.500	0	0	0	NR	NR	0
BROWNFIELDS		0.500	0	0	0	NR	NR	0
<u>ADDITIONAL ENVIRONMENTAL RECORDS</u>								
<i>Local Brownfield lists</i>								
US BROWNFIELDS		0.500	0	0	0	NR	NR	0
<i>Local Lists of Landfill / Solid Waste Disposal Sites</i>								
ODI		0.500	0	0	0	NR	NR	0
DEBRIS REGION 9		0.500	0	0	0	NR	NR	0
SWTIRE		0.500	0	0	0	NR	NR	0
SWRCY		0.500	0	0	0	NR	NR	0
INDIAN ODI		0.500	0	0	0	NR	NR	0
<i>Local Lists of Hazardous waste / Contaminated Sites</i>								
US CDL	TP		NR	NR	NR	NR	NR	0
DEL SHWS	1.000		0	0	0	0	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
<i>Local Lists of Registered Storage Tanks</i>								
HIST UST		0.250	8	41	NR	NR	NR	49
HIST AST	TP		NR	NR	NR	NR	NR	0
<i>Local Land Records</i>								
LIENS 2	TP		NR	NR	NR	NR	NR	0
LUCIS	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Records of Emergency Release Reports								
HMIRS		TP	NR	NR	NR	NR	NR	0
NY Spills		0.125	33	NR	NR	NR	NR	33
NY Hist Spills		0.125	21	NR	NR	NR	NR	21
Other Ascertainable Records								
RCRA-NonGen		0.250	14	48	NR	NR	NR	62
DOT OPS		TP	NR	NR	NR	NR	NR	0
DOD		1.000	0	0	0	0	NR	0
FUDS		1.000	0	0	0	0	NR	0
CONSENT		1.000	0	0	0	1	NR	1
ROD		1.000	0	0	0	1	NR	1
UMTRA		0.500	0	0	0	NR	NR	0
MINES		0.250	0	0	NR	NR	NR	0
TRIS		TP	NR	NR	NR	NR	NR	0
TSCA		TP	NR	NR	NR	NR	NR	0
FTTS		TP	NR	NR	NR	NR	NR	0
HIST FTTS		TP	NR	NR	NR	NR	NR	0
SSTS		TP	NR	NR	NR	NR	NR	0
ICIS		TP	NR	NR	NR	NR	NR	0
PADS		TP	NR	NR	NR	NR	NR	0
MLTS		TP	NR	NR	NR	NR	NR	0
RADINFO		TP	NR	NR	NR	NR	NR	0
FINDS		TP	NR	NR	NR	NR	NR	0
RAATS		TP	NR	NR	NR	NR	NR	0
HSWDS		0.500	0	1	0	NR	NR	1
MANIFEST		0.250	25	49	NR	NR	NR	74
DRYCLEANERS		0.250	2	6	NR	NR	NR	8
NPDES		TP	NR	NR	NR	NR	NR	0
AIRS		TP	NR	NR	NR	NR	NR	0
E DESIGNATION		0.125	8	NR	NR	NR	NR	8
INDIAN RESERV		1.000	0	0	0	0	NR	0
SCRD DRYCLEANERS		0.500	0	0	0	NR	NR	0
COAL ASH EPA		0.500	0	0	0	NR	NR	0
PCB TRANSFORMER		TP	NR	NR	NR	NR	NR	0
COAL ASH DOE		TP	NR	NR	NR	NR	NR	0
FINANCIAL ASSURANCE		TP	NR	NR	NR	NR	NR	0
COAL ASH		0.500	0	0	0	NR	NR	0
<u>EDR PROPRIETARY RECORDS</u>								
EDR Proprietary Records								
Manufactured Gas Plants		1.000	0	0	0	4	NR	4
EDR Historical Auto Stations		0.250	0	0	NR	NR	NR	0
EDR Historical Cleaners		0.250	0	0	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

**NPL
Region
West
1/2-1
4010 ft.**

**HUDSON RIVER PCBS
NO STREET APPLICABLE
HUDSON RIVER, NY 12801**

**NPL 1000384273
CERCLIS NYD980763841
RCRA-LQG
US ENG CONTROLS
US INST CONTROL
CONSENT
ROD
FINDS
HIST LTANKS
NY Spills**

NPL:

EPA ID: NYD980763841
EPA Region: 02
Federal: N
Final Date: 9/21/1984

Category Details:

NPL Status: Currently on the Final NPL
Category Description: Depth To Aquifer-<= 10 Feet
Category Value: 0

NPL Status: Currently on the Final NPL
Category Description: Distance To Nearest Population-> 0 And <= 1/4 Mile
Category Value: 10

Site Details:

Site Name: HUDSON RIVER PCBS
Site Status: Final
Site Zip: 12801
Site City: HUDSON RIVER
Site State: NY
Federal Site: No
Site County: WASHINGTON
EPA Region: 02
Date Proposed: 09/08/83
Date Deleted: Not reported
Date Finalized: 09/21/84

Substance Details:

NPL Status: Currently on the Final NPL
Substance ID: Not reported
Substance: Not reported
CAS #: Not reported
Pathway: Not reported
Scoring: Not reported

NPL Status: Currently on the Final NPL
Substance ID: A046
Substance: POLYCHLORINATED BIPHENYLS
CAS #: 1336-36-3
Pathway: AIR PATHWAY
Scoring: 4

NPL Status: Currently on the Final NPL
Substance ID: A046
Substance: POLYCHLORINATED BIPHENYLS
CAS #: 1336-36-3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Pathway: SURFACE WATER PATHWAY
Scoring: 4

Summary Details:

Conditions at listing September 1983): The Hudson River PCBs Site is a 40-mile stretch of the Hudson River between Mechanicville and Fort Edward, New York. General Electric Co. discharged an estimated 1.1 million pounds of PCBs into this stretch of river. The State has identified 40 hot spots, defined as sediments contaminated with greater than 50 parts per million (ppm) of PCBs. Also included in the site are five remnant areas, which are river sediments exposed when the level of the river was lowered due to removal of the Fort Edward Dam. The State has taken initial measures to stabilize the remnant areas from erosion. In September 1980, Congress passed an amendment to the Clean Water Act (CWA) that included the Hudson River PCB Reclamation Demonstration Project. Under this legislation, the EPA Administrator could authorize a 75 percent grant, not to exceed 20 million. EPA issued a final Environmental Impact Statement in October 1982 evaluating various dredging alternatives for a demonstration project. EPA has prepared a feasibility study to evaluate alternative remedial actions under CERCLA. The Administrator has determined that CERCLA funds may be used for remedial action at the remnant areas and for evaluating the effectiveness of the water supply system at Waterford, New York. Status June 1984): EPA has completed a draft feasibility study identifying alternatives for remedial action. A search for parties potentially responsible for wastes associated with the site has been completed, and EPA has sent letters to two potentially responsible parties notifying them of possible legal action under CERCLA.

Site Status Details:

NPL Status: Final
Proposed Date: 09/08/1983
Final Date: 09/21/1984
Deleted Date: Not reported

Narratives Details:

NPL Name: HUDSON RIVER PCBS
City: HUDSON RIVER
State: NY

CERCLIS:

Site ID: 0202229
Federal Facility: Not a Federal Facility
NPL Status: Currently on the Final NPL
Non NPL Status: Not reported

CERCLIS Site Contact Name(s):

Contact Name: BENNY CONETTA
Contact Tel: (212) 637-3030
Contact Title: Remedial Project Manager (RPM)

CERCLIS Site Alias Name(s):

Alias Name: HUDSON RIVER PCBS
Alias Address: Not reported
WARREN, NY
Alias Name: HUDSON RIVER PCBS

MAP FINDINGS

HUDSON RIVER PCBS (Continued)

1000384273

Alias Address: NO STREET APPLICABLE
 NO CITY APPLICABLE, NY 12801

Alias Name: HUDSON RIVER PCBS

Alias Address: NO STREET APPLICABLE
 HUDSON RIVER, NY 12801

Site Description: The Hudson River PCBs Site includes a nearly 200 river-mile stretch of the Hudson River in eastern New York State from the Village of Hudson Falls to the Battery in New York City. The Hudson River has been designated an American Heritage River because of its important role in American history and culture. This federal Superfund Record of Decision (ROD) addresses the risks to people and ecological receptors associated with polychlorinated biphenyls (PCBs) in the in-place sediments of the Upper Hudson River. The Site is divided into the Upper Hudson River which is the length of river between Hudson Falls and the Federal Dam at Troy, New York and the Lower Hudson River which is the length of river between Federal Dam at Troy and the Battery. For purposes of this project, EPA further divided the Upper Hudson River area into three main sections known as River Section 1, River Section 2, and River Section 3. The Site also includes five Remnant Deposits, which are areas of PCB-contaminated sediment that became exposed after the river water level dropped following removal of the Fort Edward Dam in 1973. The Upper Hudson River portion of the Site extends from the Fenimore Bridge in Hudson Falls to the Federal Dam at Troy, a distance of just over 43 river miles. The Lower Hudson River extends from the Federal Dam to the southern tip of Manhattan at the Battery in New York City. The Mid-Hudson River, which is primarily a subset of the Lower Hudson River, extends from the Federal Dam at Troy to just south of Poughkeepsie. The predominant sources of PCB contamination to the Upper Hudson River were two capacitor manufacturing plants owned and operated by GE. The plants are located adjacent to or near the Hudson River in the Village of Hudson Falls and the Town of Fort Edward. Over a 30-year period, the plants discharged a substantial amount of PCBs into the river. At the GE Hudson Falls plant, leakage of non-aqueous phase PCB-bearing oils through bedrock to the river continues to be a source of PCB contamination. Regarding the former outfall to the Hudson River from the GE Fort Edward plant, New York State Department of Environmental Conservation (NYSDEC) issued a Record of Decision in January 2000 that calls for the excavation of PCB-contaminated soil and sediment in this area of the Upper Hudson River shoreline in order to eliminate this source of PCBs to the river. EPA's analysis assumes a significantly reduced PCB loading to the river from these sources once the State's plans for remediation are implemented. PCBs, the chemicals of concern addressed in this decision document, have been classified by EPA as probable human carcinogens. They are also linked to other serious non-cancer adverse health effects based on observations in animals and emerging evidence in humans. Once discharged from the GE plants, the PCBs adhered to river sediment and accumulated downstream as they settled in impounded pools and other depositional areas. Historic fish and sediment data indicated PCBs were accumulating downstream of the old Fort Edward Dam as well as accumulating behind the dam. The removal of the dam in 1973 resulted in a remobilization and downstream distribution of PCBs that had accumulated behind the dam. Historically, the highest PCB sediment concentrations have been detected in the cohesive sediments within the Upper Hudson River. River scouring/ erosion and other mechanisms have mobilized PCB-contaminated sediments from the extensive cohesive deposits, redepositing them farther downstream all the way to the Battery. The preponderance of data indicates that burial of contaminated sediment by cleaner materials is not universally or uniformly occurring. Data also indicate that contaminated sediments in River Sections 1, 2 and 3 continue to serve as the major source of PCBs to the water column and the fish within the Upper Hudson River. During an approximate 30-year period ending in 1977,

HUDSON RIVER PCBs (Continued)

1000384273

PCBs were used in capacitor manufacturing operations Hudson Falls and Fort Edward, New York facilities. PCB oils were discharged both directly and indirectly from these plants into the Hudson River. This included both non-permitted and permitted discharges. Even after permits were received in 1975, permit exceedances occurred. Estimates of the total quantity of PCBs discharged directly from the two plants into the river from the 1940s to 1977 are as high as 1,330,000 pounds (about 605,000 kg). Many of the PCBs discharged to the river adhered to sediments and accumulated with the sediments as they settled in the impounded pool behind the Fort Edward Dam, as well as other depositional areas farther downstream. Because of its deteriorating condition, the Fort Edward Dam was removed in 1973. Five areas of PCB-contaminated sediments were exposed due to the lowering of the river water level when the Fort Edward Dam was removed. These five areas are known as the Remnant Deposits. During subsequent floods, PCB-contaminated sediments from the Fort Edward Dam area were scoured and transported downstream. EPA notified the company that had the two plants of the remedy selected in the 1984 ROD and offered the company the opportunity to implement the selected remedy with respect to the Remnant Deposits and the Waterford drinking water supply evaluation. The company declined EPA's offer. NYSDEC, with funding provided by EPA, conducted the evaluation at the Waterford Water Works. In addition, NYSDEC prepared a design for the in-place containment of the Remnant Deposits. This design was completed in 1988. In March 1989, the company offered to assume responsibility for the implementation of the in-place containment remedy for the Remnant Deposits. EPA issued a September 27, 1989 Administrative Order on Consent to the company which required the company to prepare a remedial design report for the construction of access roads to the Remnant Deposits and to submit a design for the in-place containment of the Remnant Deposits incorporating the NYSDEC-prepared design, plus any EPA-approved refinements to that design. EPA also issued a September 27, 1989 Administrative Order to the company requiring the company to construct and maintain the access roads to the Remnant Deposits. The company constructed the in-place containment of the Remnant Deposits under a 1990 Consent Decree with EPA. EPA will evaluate the need for further remedial action for the Remnant Deposits after completion of a 5-year review of the Remnant Deposit containment remedy, performed pursuant to CERCLA §121(c). The company's manufacturing plants in Hudson Falls and Fort Edward are listed under the New York State Inactive Hazardous Waste Disposal Sites Remedial program. The company currently is conducting remedial activities near the Hudson Falls and Fort Edward plants pursuant to Orders on Consent with NYSDEC. The company has thus far declined to implement the January 2000 NYSDEC Record of Decision for the Fort Edward plant Outfall 004. The NYSDEC is conducting the remedial design for that ROD. As one of America's great rivers, the Hudson has played and will continue to play a major role in the history, culture, and economy of the area. The Hudson has been designated an American Heritage River because of its important role in American history and culture. Current and reasonably-anticipated future land use and surface water use are described below. Current land use includes a variety of residential, commercial and industrial activities. Use of the river and lands surrounding the river are projected to remain the same. At this time, no changes in future land use are known, nor are any new uses expected. The Site passes through 14 different counties as the river flows to its final discharge point in New York Harbor. Four counties (Albany, Washington, Rensselaer, and Saratoga) lie adjacent to the more highly contaminated portions (areas of proposed active remediation in River Sections 1, 2 and 3) of the Upper Hudson River between Troy (Federal Dam) and Hudson Falls. Within these four counties, forests and farmlands surround urban centers and historic villages. There are apple orchards and dairy farms, parks, nature preserves and gardens. In addition to the GE Hudson Falls and Fort Edward plants, the area is home to technology

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBs (Continued)

1000384273

companies, oil service companies and food companies. Saratoga and Washington Counties have experienced population growth between 1990 and 1999 of 10.2 percent and 1.4 percent, respectively, while Rensselaer and Albany Counties have experienced population declines of 1.9 percent and 0.3 percent, respectively. Total population of these four counties, according to July 1999 estimates by the US Department of Commerce Bureau of the Census, is just under 700,000. Warren County, in which the City of Glens Falls is located, has a population of just over 60,000 and is just to the northwest of the Hudson River PCBs Site. A Record of Decision (ROD) addressing operable unit 1 (OU 01) was completed in September 1984. A Record of Decision addressing OU 2 was completed in February 2002.

CERCLIS Assessment History:

Action: DISCOVERY
Date Started: Not reported
Date Completed: 07/01/83
Priority Level: Not reported

Action: SITE INSPECTION
Date Started: 08/01/83
Date Completed: 09/01/83
Priority Level: Higher priority for further assessment

Action: PRELIMINARY ASSESSMENT
Date Started: Not reported
Date Completed: 09/01/83
Priority Level: Low priority for further assessment

Action: PROPOSAL TO NATIONAL PRIORITIES LIST
Date Started: Not reported
Date Completed: 09/08/83
Priority Level: Not reported

Action: NATIONAL PRIORITIES LIST RESPONSIBLE PARTY SEARCH
Date Started: Not reported
Date Completed: 11/15/83
Priority Level: Not reported

Action: FINAL LISTING ON NATIONAL PRIORITIES LIST
Date Started: Not reported
Date Completed: 09/21/84
Priority Level: Not reported

Action: COMBINED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
Date Started: 03/30/84
Date Completed: 09/25/84
Priority Level: Not reported

Action: RECORD OF DECISION
Date Started: Not reported
Date Completed: 09/25/84
Priority Level: Not reported

Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started: 10/27/83
Date Completed: 09/28/84
Priority Level: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Action:	ADMINISTRATIVE/VOLUNTARY COST RECOVERY
Date Started:	Not reported
Date Completed:	05/04/88
Priority Level:	Not reported
Action:	REMEDIAL DESIGN
Date Started:	02/02/89
Date Completed:	06/05/89
Priority Level:	Not reported
Action:	REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started:	06/09/89
Date Completed:	09/27/89
Priority Level:	Not reported
Action:	REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started:	06/09/89
Date Completed:	09/27/89
Priority Level:	Not reported
Action:	ADMINISTRATIVE ORDER ON CONSENT
Date Started:	Not reported
Date Completed:	09/27/89
Priority Level:	Not reported
Action:	UNILATERAL ADMIN ORDER
Date Started:	Not reported
Date Completed:	09/27/89
Priority Level:	Not reported
Action:	REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started:	03/03/89
Date Completed:	04/06/90
Priority Level:	Not reported
Action:	REMEDIAL DESIGN
Date Started:	09/28/84
Date Completed:	05/18/90
Priority Level:	Not reported
Action:	Lodged By DOJ
Date Started:	Not reported
Date Completed:	05/18/90
Priority Level:	Not reported
Action:	CONSENT DECREE
Date Started:	04/06/90
Date Completed:	07/21/90
Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	04/17/90
Date Completed:	08/21/90
Priority Level:	Stabilized
Action:	POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
Date Started:	09/27/89

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Date Completed:	09/28/90
Priority Level:	Not reported
Action:	REMEDIAL INVESTIGATION/FEASIBILITY STUDY NEGOTIATIONS
Date Started:	03/12/90
Date Completed:	10/04/90
Priority Level:	Not reported
Action:	POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
Date Started:	05/18/89
Date Completed:	01/07/91
Priority Level:	Not reported
Action:	POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION
Date Started:	10/13/89
Date Completed:	09/29/92
Priority Level:	Not reported
Action:	POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION
Date Started:	09/28/90
Date Completed:	09/29/92
Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	11/19/92
Date Completed:	12/01/92
Priority Level:	Stabilized
Action:	COMFORT/STATUS LETTER
Date Started:	Not reported
Date Completed:	11/02/98
Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	10/14/98
Date Completed:	01/07/99
Priority Level:	Not reported
Action:	REMOVAL ASSESSMENT
Date Started:	06/03/98
Date Completed:	06/24/99
Priority Level:	Not reported
Action:	Public Notice Published
Date Started:	Not reported
Date Completed:	03/28/00
Priority Level:	Not reported
Action:	REMOVAL
Date Started:	10/06/99
Date Completed:	09/14/01
Priority Level:	Stabilized
Action:	COMBINED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
Date Started:	07/25/90
Date Completed:	02/01/02
Priority Level:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Action:	RECORD OF DECISION
Date Started:	Not reported
Date Completed:	02/01/02
Priority Level:	Final Remedy Selected at Site
Action:	Special Notice Issued
Date Started:	Not reported
Date Completed:	02/04/02
Priority Level:	Not reported
Action:	Special Notice Issued
Date Started:	Not reported
Date Completed:	02/04/02
Priority Level:	Not reported
Action:	Special Notice Issued
Date Started:	Not reported
Date Completed:	02/04/02
Priority Level:	Not reported
Action:	REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started:	02/04/02
Date Completed:	07/23/02
Priority Level:	Not reported
Action:	ADMINISTRATIVE ORDER ON CONSENT
Date Started:	Not reported
Date Completed:	07/23/02
Priority Level:	Not reported
Action:	REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started:	07/23/02
Date Completed:	08/13/03
Priority Level:	Not reported
Action:	ADMINISTRATIVE ORDER ON CONSENT
Date Started:	Not reported
Date Completed:	08/13/03
Priority Level:	Not reported
Action:	EXPANDED SITE INSPECTION/REMEDIAL INVESTIGATION
Date Started:	Not reported
Date Completed:	08/31/05
Priority Level:	Referred to Removal, no further Rmdl Asmt
Action:	REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
Date Started:	02/04/02
Date Completed:	09/06/05
Priority Level:	Not reported
Action:	TECHNICAL ASSISTANCE GRANT
Date Started:	09/29/95
Date Completed:	09/20/05
Priority Level:	Not reported
Action:	Lodged By DOJ
Date Started:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Date Completed: 10/06/05
Priority Level: Not reported

Action: COMMUNITY INVOLVEMENT
Date Started: 03/25/02
Date Completed: 11/02/06
Priority Level: Not reported

Action: CONSENT DECREE
Date Started: 09/06/05
Date Completed: 11/02/06
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER
Date Started: Not reported
Date Completed: 03/29/07
Priority Level: Not reported

Action: STATE SUPPORT AGENCY COOPERATIVE AGREEMENT
Date Started: 02/22/91
Date Completed: 04/03/07
Priority Level: Not reported

Action: REMOVAL NEGOTIATIONS
Date Started: Not reported
Date Completed: 07/11/07
Priority Level: Not reported

Action: ADMINISTRATIVE ORDER ON CONSENT
Date Started: Not reported
Date Completed: 07/11/07
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY EMERGENCY REMOVAL
Date Started: 08/24/07
Date Completed: 08/27/07
Priority Level: Cleaned up

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
Date Started: 08/14/03
Date Completed: 01/25/08
Priority Level: Not reported

Action: SECTION 104(E) REF LITIGATION
Date Started: 09/27/07
Date Completed: 07/28/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER
Date Started: Not reported
Date Completed: 09/05/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER
Date Started: Not reported
Date Completed: 09/05/08
Priority Level: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBs (Continued)

1000384273

Action: REMEDIAL INVESTIGATION/FEASIBILITY STUDY NEGOTIATIONS
Date Started: 02/04/02
Date Completed: 09/08/08
Priority Level: Not reported

Action: ADMINISTRATIVE ORDER ON CONSENT
Date Started: Not reported
Date Completed: 09/08/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER
Date Started: Not reported
Date Completed: 09/11/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER
Date Started: Not reported
Date Completed: 10/14/08
Priority Level: Not reported

Action: UNILATERAL ADMIN ORDER
Date Started: Not reported
Date Completed: 02/03/09
Priority Level: Not reported

Action: REMEDIAL ACTION
Date Started: 05/09/08
Date Completed: 11/24/09
Priority Level: Final RA Report

Action: REMEDIAL ACTION
Date Started: 12/04/08
Date Completed: 12/23/09
Priority Level: Final RA Report

Action: TECHNICAL ASSISTANCE
Date Started: 09/30/97
Date Completed: Not reported
Priority Level: Not reported

Action: REMEDIAL DESIGN
Date Started: 02/15/02
Date Completed: Not reported
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
Date Started: 07/23/02
Date Completed: Not reported
Priority Level: Not reported

Action: TECHNICAL ASSISTANCE
Date Started: 07/08/03
Date Completed: Not reported
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
Date Started: 08/14/03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Date Completed: Not reported
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION
Date Started: 09/06/05
Date Completed: Not reported
Priority Level: Not reported

Action: REMEDIAL ACTION
Date Started: 01/19/07
Date Completed: Not reported
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMOVAL
Date Started: 09/11/07
Date Completed: Not reported
Priority Level: Stabilized

Action: REAL PROPERTY ACQUISITION
Date Started: 02/15/08
Date Completed: Not reported
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL INVESTIGATION/FEASIBILITY STUDY
Date Started: 09/08/08
Date Completed: Not reported
Priority Level: Not reported

RCRA-LQG:

Date form received by agency: 08/29/2008
Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERFUND USEPA
Facility address: 446 LOCK 8 WAY
(27 BRADLEY ST,FORT EDWARD,NY)
HUDSON FALLS, NY 12839
EPA ID: NYD980763841
Mailing address: BROADWAY, BLDG 40
FORT EDWARD, NY 12828
Contact: ROBERT GIBSON
Contact address: BROADWAY, BLDG 40
FORT EDWARD, NY 12828
Contact country: US
Contact telephone: (518) 746-5253
Contact email: BOB.GIBSON@GE.COM
EPA Region: 02
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBs (Continued)

1000384273

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CANADIAN PACIFIC RAILROAD
Owner/operator address: 9TH AVE SW GULF CANADA SQ
CALGARY, AB T2P4Z
Owner/operator country: CA
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/02/2007
Owner/Op end date: Not reported

Owner/operator name: USEPA
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 06/04/2008
Owner/Op end date: Not reported

Owner/operator name: WCC LLC
Owner/operator address: WILLOW GLEN
MECHANICVILLE, NY 12188
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 04/02/2007
Owner/Op end date: Not reported

Owner/operator name: GENERAL ELECTRIC CO
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 04/02/2007
Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Consumer Electronics
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Oil-Based Finishes
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Any Universal Waste
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 01/01/2007
Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Not a generator, verified

Date form received by agency: 01/01/2006
Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Facility name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERF
Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
Classification: Large Quantity Generator

Violation Status: No violations found

US ENG CONTROLS:

EPA ID: NYD980763841
Site ID: 0202229

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Name: HUDSON RIVER PCBS
Address: NO STREET APPLICABLE
HUDSON RIVER, NY 12801
EPA Region: 02
County: WASHINGTON
Event Code: Not reported
Actual Date: Not reported

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/84
Planned Complet. date: 09/30/84
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: Containment, (N.O.S.)

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/84
Planned Complet. date: 09/30/84
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: No Action

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/84
Planned Complet. date: 09/30/84
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: Revegetation

Action ID: 001
Action Name: RECORD OF DECISION
Action Completion date: 09/25/84
Planned Complet. date: 09/30/84
Operable Unit: 01
Contaminated Media : Sediment
Engineering Control: Slope Stabilization

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/02
Planned Complet. date: 12/30/01
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Dewatering

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/02
Planned Complet. date: 12/30/01
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Disposal

Action ID: 002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Action Name: RECORD OF DECISION
Action Completion date: 02/01/02
Planned Complet. date: 12/30/01
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Excavation

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/02
Planned Complet. date: 12/30/01
Operable Unit: 02
Contaminated Media : Sediment
Engineering Control: Solidification/ Stabilization

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/02
Planned Complet. date: 12/30/01
Operable Unit: 02
Contaminated Media : Surface Water
Engineering Control: Monitoring

Action ID: 002
Action Name: RECORD OF DECISION
Action Completion date: 02/01/02
Planned Complet. date: 12/30/01
Operable Unit: 02
Contaminated Media : Surface Water
Engineering Control: Natural Attenuation

US INST CONTROL:

EPA ID: NYD980763841
Site ID: 0202229
Name: HUDSON RIVER PCBS
Action Name: RECORD OF DECISION
Address: NO STREET APPLICABLE
HUDSON RIVER, NY 12801
EPA Region: 02
County: WASHINGTON
Event Code: Not reported
Inst. Control: Fishing Advisory
Actual Date: Not reported
Complet. Date: 02/01/02
Operable Unit: 02
Contaminated Media : Surface Water

CONSENT:

EPA ID: NYD980763841
Site ID: 0284
Case Title: U.S.V. GENERAL ELECTRIC COMPANY (HUDSON RIVER) (EPA-SUPERFUND)
Court Num: 05-1270
District: New York, North
Entered Date: 11/02/06
Full-text of the consent decree for this site issued by the United

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

States District Court is available from EDR. Contact your EDR Account Executive.

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

FINDS:

Registry ID: 110009302879

Environmental Interest/Information System

CERCLIS (Comprehensive Environmental Response, Compensation, and Liability Information System) is the Superfund database that is used to support management in all phases of the Superfund program. The system contains information on all aspects of hazardous waste sites, including an inventory of sites, planned and actual site activities, and financial information.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

HIST LTANKS:

Region of Spill: 4
Spill Number: 8704920
Spill Date: 09/13/1987
Spill Time: 18:30
Spill Cause: Tank Failure
Resource Affectd: Surface Water
Water Affected: HUDSON RIVER \$
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 02/18/88
Cleanup Ceased: 10/15/87
Cleanup Meets Standard: True
Investigator: MCDONALD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Reported to Department Date: 09/13/87
Reported to Department Time: 18:45
SWIS: 19
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: WANTON ISLAND INC.
Spiller Address: PO BOX 119
Spiller City,St,Zip: WEST CAMP, NY 12490
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (914) 246-2750
Facility Extention: Not reported
Spill Notifier: Citizen
PBS Number: Not reported
Last Inspection: 09/13/87
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/22/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/12/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 500
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 200
Unkonwn Quantity Recovered: False
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 02/18/88: COMPANY HIRED DOMERMUTH AFTER MCDONALD INITIATED CLEANUP.
Spill Cause: 275 GAL TANK LEAKING INTO CEMENTON RIVER AT EDGE OF HUDSON. MCDONALD WILL INVESTIGATE

NY Spills:

Site ID: 237813
Facility Addr2: Not reported
Facility ID: 0308107
Spill Number: 0308107
Facility Type: ER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

SWIS: 6000
Investigator: rxamato
Referred To: Not reported
Spill Date: 10/31/2003
Reported to Dept: 10/31/2003
CID: 297
Spill Cause: Abandoned Drums
Water Affected: HUDSON RIVER
Spill Source: Unknown
Spill Notifier: Federal Government
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/31/2003
Remediation Phase: 0
Date Entered In Computer: 10/31/2003
Spill Record Last Update: 11/6/2003
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller Company: 001
Contact Name: PETTY OFFICER HAWKINS
Contact Phone: (718) 354-4121
DEC Region: 3
DER Facility ID: 278391
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SMITH" 10/31/03: MEG hired by USCG to remove test and dispose. Container did not leak.

Remarks: CALL TO NRC REPORTING A 55 GALLON DRUM OF UNKNOWN PETROLEUM FLOATING - USCG IS REPOSNDING TO THE SITE

Material:
Site ID: 237813
Operable Unit ID: 874400
Operable Unit: 01
Material ID: 501630
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 55
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

A1
ESE
< 1/8
0.013 mi.
67 ft.

LOT 69,TAXBLOCK 775
252 WEST 26 STREET
MANHATTAN, NY 10001

E DESIGNATION S108078587
N/A

Site 1 of 5 in cluster A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 69
 E-No: E-92
Actual: Effective Date: 9/9/1999
 Satisfaction Date: Not reported
 Ceqr Number: 99DCP030M
 Ulurp Number: 990453 ZMM
 Zoning Map No: 8b, 8d, 12c
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 104
 Census Tract: 91
 Census Block: 3000
 School District: 02
 City Council District: 03
 Fire Company: E001
 Health Area: 15
 Police Precinct: 010
 Zone District 1: C6-2A
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-2A
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G6
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 8-26 REALTY CORP
 Lot Area: 000011405
 Total Building Floor Area: 0000000000
 Commercial Floor Area: 0000000000
 Office Floor Area: 0000000000
 Retail Floor Area: 0000000000
 Garage Floor Area: 0000000000
 Storage Floor Area: 0000000000
 Factory Floor Area: 0000000000
 Other Floor Area: 0000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 000.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 69,TAXBLOCK 775 (Continued)

S108078587

Residential Units: 00000
Non and Residential Units: 00000
Lot Frontage: 0115.50
Lot Depth: 0098.75
Building Frontage: 0000.00
Building Depth: 0000.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000630000
Total Assessed Value: 00000630000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 0000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0000.00
Maximum Allowable Far: 6.02
Borough Code: 1
Borough Tax Block And Lot: 1007750069
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985187
Y Coordinate: 0211326
Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

A2 **HAG REALTY LLC**
ESE **250 WEST 26TH ST.**
< 1/8 **NEW YORK, NY 10001**
0.016 mi.
84 ft. **Site 2 of 5 in cluster A**

AST **U004047037**
N/A

Relative: **Higher**
Actual: **28 ft.**
AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-605977
Program Type: PBS
UTM X: 584783.73785999999
UTM Y: 4511108.2321699997
Expiration Date: N/A

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAG REALTY LLC (Continued)

U004047037

Affiliation Records:

Site Id: 27842
Affiliation Type: Emergency Contact
Company Name: HAG REALTY LLC
Contact Type: Not reported
Contact Name: FRED SPINDLER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-9369
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27842
Affiliation Type: On-Site Operator
Company Name: HAG REALTY LLC
Contact Type: Not reported
Contact Name: GARY SPINDLER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-9404
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27842
Affiliation Type: Owner
Company Name: HAG REALTY LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 250 WEST. 26TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 929-9369
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27842
Affiliation Type: Mail Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAG REALTY LLC (Continued)

U004047037

Company Name: HAG REALTY LLC
Contact Type: Not reported
Contact Name: GARY SPINDLER
Address1: 250 WEST 26TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 929-9369
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 01
Tank Id: 60802
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 6/1/2001
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

A3
ESE
< 1/8
0.016 mi.
87 ft.

CHELSEA PARTNERS
251 WEST 26TH STREET
NEW YORK, NY 10001
Site 3 of 5 in cluster A

AST A100183117
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606493
Program Type: PBS

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA PARTNERS (Continued)

A100183117

UTM X: 584788.33736
UTM Y: 4511119.497980005
Expiration Date: 2006/07/25

Affiliation Records:

Site Id: 28354
Affiliation Type: Mail Contact
Company Name: CHELSEA PARTNERS
Contact Type: Not reported
Contact Name: STEVEN APUZZI
Address1: P.O. BOX 22
Address2: OLD CHELSEA STA.
City: NEW YORK
State: NY
Zip Code: 10113
Country Code: 001
Phone: (212) 929-7361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28354
Affiliation Type: On-Site Operator
Company Name: CHELSEA PARTNERS
Contact Type: Not reported
Contact Name: STEVEN APUZZI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-7361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28354
Affiliation Type: Emergency Contact
Company Name: CHELSEA PARTNERS
Contact Type: Not reported
Contact Name: STEVEN APUZZI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-7361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA PARTNERS (Continued)

A100183117

Site Id: 28354
Affiliation Type: Owner
Company Name: CHELSEA PARTNERS
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 22 - OLD CHELSEA STA.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10113
Country Code: 001
Phone: (212) 929-7361
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 61505
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

EDR ID Number
 EPA ID Number

A4
ESE
< 1/8
0.017 mi.
88 ft.

HAG REALITY
250 WEST 26TH ST
MANHATTAN, NY

Site 4 of 5 in cluster A

LTANKS **S103824384**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
28 ft.

Site ID: 65132
 Spill No: 9813015
 Spill Date: 1/22/1999
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 5/20/2004
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: CESAWYER
 Referred To: Not reported
 Reported to Dept: 1/22/1999
 CID: 382
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/22/1999
 Spill Record Last Update: 5/20/2004
 Spiller Name: GARY SPINDLER
 Spiller Company: HAG REALITY
 Spiller Address: 250 WEST 26TH ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: GARY SPINDLER
 Spiller Phone: (212) 233-0924
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 62614
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 3/11/03 - SAMUEL- File available in active unassigned spill files. 10/16/03 1231 Hrs - Sawyer - Received a fax from the management company a Gary Spindler of Park It Management but it only included an estimate to do the work. 11/25/03 - Sawyer - Called Gary again and ask for the manifest for disposal or some other receipt or ticket to show that the work was done. 4/14/03 - Sawyer - Talked to Ray at PTC and he said they were there only to pump out and clean the tank, but I know from O'Dowd notes that they also did initial cleanu up of the tank room. Also talked to a Danny at DC Environmental about work done at the address. 5/20/04 - Sawyer - Danny at Don Carlo forwarded the documentation on the removal of one 3000 gallon fuel oil AST. No further Action. Closed.

Remarks: PROBLEM WITH THE TANKS VALVES. COMPANY WILL BE CLEANING UP.

Material:

Site ID: 65132
 Operable Unit ID: 1073450

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAG REALITY (Continued)

S103824384

Operable Unit: 01
Material ID: 313287
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 200
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9813015
Spill Date: 01/22/1999
Spill Time: 15:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/22/99
Reported to Department Time: 15:23
SWIS: 62
Spiller Contact: GARY SPINDLER
Spiller Phone: (212) 233-0924
Spiller Extention: Not reported
Spiller Name: HAG REALITY
Spiller Address: 250 WEST 26TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAG REALITY (Continued)

S103824384

Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: GARY SPINDLER
Facility Phone: (212) 233-0924
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/22/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/24/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 200
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: PROBLEM WITH THE TANKS VALVES. COMPANY WILL BE CLEANING UP.

**A5
ESE
< 1/8
0.023 mi.
121 ft.**

**CHELSEA PARTNERS I, LLC
247-249 WEST 26 ST.
NEW YORK, NY 10001
Site 5 of 5 in cluster A**

**AST A100139082
N/A**

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604029
Program Type: PBS
UTM X: 584785.49511999998
UTM Y: 4511137.9783399999
Expiration Date: 2013/10/01

**Actual:
28 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA PARTNERS I, LLC (Continued)

A100139082

Affiliation Records:

Site Id:	25917
Affiliation Type:	On-Site Operator
Company Name:	CHELSEA PARTNERS, L.P.
Contact Type:	Not reported
Contact Name:	DOMINIC KUKAJ
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 931-1700
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	3/26/2009
Site Id:	25917
Affiliation Type:	Emergency Contact
Company Name:	CHELSEA PARTNERS, LP.
Contact Type:	Not reported
Contact Name:	ALBA FUEL CORP
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(718) 931-1700
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	3/26/2009
Site Id:	25917
Affiliation Type:	Owner
Company Name:	CHELSEA PARTNERS I, LLC
Contact Type:	PROPERTY MANAGER
Contact Name:	SHIRLEY NUNEZ
Address1:	381 PARK AVENUE SOUTH SUITE 1420
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10016
Country Code:	001
Phone:	(212) 684-7079
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	4/24/2009
Site Id:	25917
Affiliation Type:	Mail Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA PARTNERS I, LLC (Continued)

A100139082

Company Name: ROWDY MANAGEMENT
Contact Type: Not reported
Contact Name: SHIRLEY NUNEZ
Address1: 381 PARK AVENUE SOUTH SUITE 1420
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 684-7079
Phone Ext: 16
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/24/2009

Equipment Records:

J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
E00 - Piping Secondary Containment - None
I00 - Overfill - None
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
F00 - Pipe External Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 01
Tank Id: 56430
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1987
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 4/24/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

B6 **CAPITOL BUILDING LOFT CORP**
ESE **236 W 26TH ST**
< 1/8 **NEW YORK, NY 10001**
0.039 mi.
205 ft. **Site 1 of 14 in cluster B**

AST **U003391191**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-334987
Program Type: PBS
UTM X: 584851.56461
UTM Y: 4511100.5432700003
Expiration Date: 2012/10/02

Actual:
29 ft.

Affiliation Records:
Site Id: 15955
Affiliation Type: On-Site Operator
Company Name: CAPITOL BUILDING LOFT CORP
Contact Type: Not reported
Contact Name: FRANK VERTUCCIO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 924-9201
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15955
Affiliation Type: Emergency Contact
Company Name: CAPITOL BUILDING LOFT CORP
Contact Type: Not reported
Contact Name: LERRY EMMANUEL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 421-0072
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/25/2009

Site Id: 15955
Affiliation Type: Owner
Company Name: CAPITOL BUILDING LOFT CORP
Contact Type: MGR
Contact Name: TRACEY JACKSON
Address1: 236 W 26TH ST
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPITOL BUILDING LOFT CORP (Continued)

U003391191

City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 924-9201
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/25/2009

Site Id: 15955
Affiliation Type: Mail Contact
Company Name: CAPITOL BUILDING LOFT CORP
Contact Type: Not reported
Contact Name: STEVE HEVIA
Address1: C/O RUDD REALTY MGT CORP
Address2: 641 LEXINGTON AVE
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 319-5000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/25/2009

Equipment Records:

A00 - Tank Internal Protection - None
H99 - Tank Leak Detection - Other
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 20925
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/20/1926
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPITOL BUILDING LOFT CORP (Continued)

U003391191

Modified By: MSBAPTIS
Last Modified: 6/25/2009

HIST AST:

PBS Number: 2-334987
SWIS Code: 6201
Operator: FRANK VERTUCCIO
Facility Phone: (212) 924-9201
Facility Addr2: 236 W 26TH ST
Facility Type: OTHER
Emergency: ALLEN GOLDSCHHEIN
Emergency Tel: (212) 421-0072
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CAPITOL BUILDING LOFT CORP
Owner Address: 236 W 26TH ST
Owner City,St,Zip: NEW YORK, NY 10010
Federal ID: Not reported
Owner Tel: (212) 924-9201
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ALLEN GOLDSCHHEIN
Mailing Name: CAPITOL BUILDING LOFT CORP
Mailing Address: 236 W 26TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 421-0072
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/07/1998
Expiration: 10/02/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 7500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CAPITOL BUILDING LOFT CORP (Continued)

U003391191

Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 9
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

B7
ESE
< 1/8
0.039 mi.
205 ft.

LOT 60,TAXBLOCK 775
236 WEST 26 STREET
MANHATTAN, NY 10001

E DESIGNATION S108078580
N/A

Site 2 of 14 in cluster B

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 60
 E-No: E-92
Actual: Effective Date: 9/9/1999
 Satisfaction Date: Not reported
 Ceqr Number: 99DCP030M
 Ulurp Number: 990453 ZMM
 Zoning Map No: 8b, 8d, 12c
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 104
 Census Tract: 91
 Census Block: 3000
 School District: 02
 City Council District: 03
 Fire Company: E001
 Health Area: 15
 Police Precinct: 010
 Zone District 1: C6-2A
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-2A
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: L1
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: CAPITAL BUILDG LOFTCO

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 60,TAXBLOCK 775 (Continued)

S108078580

Lot Area: 000008359
Total Building Floor Area: 0000086280
Commercial Floor Area: 0000086280
Office Floor Area: 0000078780
Retail Floor Area: 0000007500
Garage Floor Area: 0000000000
Storage Floor Area: 0000000000
Factory Floor Area: 0000000000
Other Floor Area: 0000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 012.00
Residential Units: 00000
Non and Residential Units: 00043
Lot Frontage: 0084.58
Lot Depth: 0098.75
Building Frontage: 0084.58
Building Depth: 0088.75
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000540000
Total Assessed Value: 00002430000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1925
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0010.32
Maximum Allowable Far: 6.02
Borough Code: 1
Borough Tax Block And Lot: 1007750060
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985354
Y Coordinate: 0211240
Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

B8
ESE
< 1/8
0.039 mi.
205 ft.

CONSTRUCTION SITE
237 WEST 26TH STREET
NEW YORK, NY

NY Spills **S106967630**
N/A

Site 3 of 14 in cluster B

Relative:
Higher

NY Spills:

Actual:
29 ft.

Site ID: 344532
Facility Addr2: Not reported
Facility ID: 0501333
Spill Number: 0501333
Facility Type: ER
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Spill Date: 5/3/2005
Reported to Dept: 5/3/2005
CID: 444
Spill Cause: Other
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Citizen
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: No spill occurred. No DEC Response. No corrective action required.
Spill Closed Dt: 5/3/2005
Remediation Phase: 0
Date Entered In Computer: 5/3/2005
Spill Record Last Update: 5/3/2005
Spiller Name: Not reported
Spiller Company: CONSTRUCTION SITE
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 291221
DEC Memo: 5/3/05////Tipple responded, there was no spill, two old 275 gal. #2 FO tanks had been emptied and cleaned by Tanks-A-Lot, the owner of the property sent an E-Mail to describe the situation as follows: Ms. Tipple: I am the owner of 237 West 26th St. NY, NY. I am told that you visited my property today looking for an "oil spill." There is of course no oil spill, the building runs on natural gas, the environmental report done last month shows no tanks on the property. The buried tubes in the backyard are a water based lift abandoned in the 60's. The complaint originated from the adjacent Coop who is harassing us daily with fraudulent complaints in order to delay us from covering their lot line windows before they are able to sell their units. So far DoB has been there twice and EPA twice, and thats in two weeks! I can be reached at 212-366-1385 for cell 646-339-1385. James Croak

Remarks:

THEY ARE DEMOLISHING AN OLD BUILDING AT THIS SITE AND ALSO REMOVING OLD OIL TANKS AND IT IS LEAKING ALL OVER: CALLER BELIEVES THAT DEC SHOULD CHECK OUT SITUATION:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSTRUCTION SITE (Continued)

S106967630

Material:
Site ID: 344532
Operable Unit ID: 1103172
Operable Unit: 01
Material ID: 583378
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**B9
ESE
< 1/8
0.045 mi.
240 ft.**

**CONED
233 E 26TH ST
NEW YORK, NY 10001
Site 4 of 14 in cluster B**

**MANIFEST S109825021
N/A**

**Relative:
Higher**

NY MANIFEST:
EPA ID: NYP004176947
Country: USA
Mailing Name: CONED
Mailing Contact: CONED
Mailing Address: 4 IRVING ST
Mailing Address 2: ROOM 818
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: Not reported

**Actual:
29 ft.**

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-30
Trans1 Recv Date: 2009-06-30
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-30

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONED (Continued)

S109825021

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176947
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 250.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001083984GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-06-30
Trans1 Recv Date: 2009-06-30
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-06-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004176947
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 250.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001083984GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONED (Continued)

S109825021

Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

**C10
SW
< 1/8
0.048 mi.
254 ft.**

**RODMAN II
264-266 WEST 25TH STREET
NEW YORK, NY 10001**

**AST U003396199
HIST AST N/A**

Site 1 of 5 in cluster C

**Relative:
Equal**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-601518
Program Type: PBS
UTM X: 584703.86710000003
UTM Y: 4511084.5592900002
Expiration Date: 2008/06/17

**Actual:
27 ft.**

Affiliation Records:

Site Id: 23480
Affiliation Type: Owner
Company Name: RODMAN II % GOLDIN MANAGEMENT INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 25 EIGHTH AVE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11217
Country Code: 001
Phone: (718) 230-2600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23480
Affiliation Type: Mail Contact
Company Name: GOLDIN MANAGEMENT, INC.
Contact Type: Not reported
Contact Name: MARTIN GOLDIN
Address1: 25 EIGHTH AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11217
Country Code: 001
Phone: (718) 386-2600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RODMAN II (Continued)

U003396199

Site Id: 23480
Affiliation Type: On-Site Operator
Company Name: RODMAN II
Contact Type: Not reported
Contact Name: CHRIS TYTKO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 723-2075
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23480
Affiliation Type: Emergency Contact
Company Name: RODMAN II % GOLDIN MANAGEMENT INC
Contact Type: Not reported
Contact Name: DMITRIY BASKIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 230-2600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B05 - Tank External Protection - Jacketed
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle
G03 - Tank Secondary Containment - Vault (w/o access)
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None

Tank Info:

Tank Number: 001
Tank Id: 46625
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1978

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RODMAN II (Continued)

U003396199

Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-601518
SWIS Code: 6201
Operator: JACK BARRON
Facility Phone: (212) 463-9124
Facility Addr2: 264-266 WEST 25TH STREET
Facility Type: APARTMENT BUILDING
Emergency: MICHAEL WALDMAN
Emergency Tel: (212) 924-9308
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MAWASH REALTY C/O MILAN/QUATRONE MANAGEMENT
Owner Address: 502 LA GUARDIA PL
Owner City,St,Zip: NEW YORK, NY 10012
Federal ID: Not reported
Owner Tel: (212) 598-4888
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: CAROL QUATRONE
Mailing Name: FULTON PLUMBING & HEATING
Mailing Address: 430 JEFFERSON STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11237
Mailing Telephone: (718) 386-1800
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/05/2001
Expiration: 06/17/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

RODMAN II (Continued)

U003396199

Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: 19781201
 Capacity (Gal): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 5
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: 18
 Leak Detection: 0
 Overfill Protection: 6
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

C11
SW
 < 1/8
 0.048 mi.
 254 ft.

264 WEST 25TH ST
264 WEST 25TH ST
NEW YORK, NY
 Site 2 of 5 in cluster C

NY Spills **S102962073**
NY Hist Spills **N/A**

Relative:
Equal

NY Spills:
 Site ID: 130870
 Facility Addr2: Not reported
 Facility ID: 9711661
 Spill Number: 9711661
 Facility Type: ER
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Spill Date: 1/17/1998
 Reported to Dept: 1/17/1998
 CID: 211
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 1/20/1998
 Remediation Phase: 0
 Date Entered In Computer: 1/17/1998

Actual:
 27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

264 WEST 25TH ST (Continued)

S102962073

Spill Record Last Update: 11/18/2003
Spiller Name: JOHN GOODWIN
Spiller Company: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY ST
Spiller City,St,Zip: ASTORIA, NY 11105-
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 112767
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"TIBBE" CLEANED BY OIL CO.
Remarks: CALLER IS NOT SURE AS OF YET WHAT CAUSED PRODUCT TO SPILL - CLEAN UP
CREW IS ENROUTE

Material:

Site ID: 130870
Operable Unit ID: 1054434
Operable Unit: 01
Material ID: 326308
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: 10
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9711661
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 01/17/1998 09:15
Reported to Dept Date/Time: 01/17/98 09:34
SWIS: 62
Spiller Name: MYSTIC TRANSPORTATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

264 WEST 25TH ST (Continued)

S102962073

Spiller Contact: JOHN GOODWIN
Spiller Phone: (718) 932-9075
Spiller Address: 1901 STEINWAY ST
Spiller City,St,Zip: ASTORIA, NY 11105-
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/20/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 01/17/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 01/20/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 10
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: CLEANED BY OIL CO.
Remark: CALLER IS NOT SURE AS OF YET WHAT CAUSED PRODUCT TO SPILL - CLEAN UP CREW IS ENROUTE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

C12
SSW
< 1/8
0.049 mi.
257 ft.

WEST 25TH STREET OWNERS, INC.
254 WEST 25TH STREET #6E
NEW YORK, NY 10001
Site 3 of 5 in cluster C

UST U004081916
N/A

Relative:
Equal

UST:

Facility Id: 2-602114
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2015/03/02
UTM X: 584770.2225499995
UTM Y: 4511051.31862

Actual:
27 ft.

Affiliation Records:

Site Id: 24073
Affiliation Type: Mail Contact
Company Name: WEST 25TH STREET OWNERS, INC.
Contact Type: Not reported
Contact Name: DIRECTOR OF SYSTEMS
Address1: 254 WEST 25TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 727-3716
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24073
Affiliation Type: On-Site Operator
Company Name: WEST 25TH STREET OWNERS, INC.
Contact Type: Not reported
Contact Name: VACANT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 279-9509
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/16/2010

Site Id: 24073
Affiliation Type: Emergency Contact
Company Name: WEST 25TH STREET OWNERS, INC.
Contact Type: Not reported
Contact Name: JAMES MARTIN
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 25TH STREET OWNERS, INC. (Continued)

U004081916

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 279-9509
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/16/2010

Site Id: 24073
Affiliation Type: Owner
Company Name: WEST 25TH STREET OWNERS, INC.
Contact Type: PRES
Contact Name: JAMES MARTIN
Address1: 254 WEST 25TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 727-3716
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 2/16/2010

Equipment Records:

H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
I05 - Overfill - Vent Whistle
D10 - Pipe Type - Copper
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Tank Info:

Site ID: 24073

Tank Number: 01
Tank ID: 49199
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1980
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

WEST 25TH STREET OWNERS, INC. (Continued)

U004081916

Register: True
 Modified By: MSBAPTIS
 Last Modified: 2/16/2010

C13
SSW
 < 1/8
 0.049 mi.
 257 ft.

WEST 25TH STREET OWNERS, INC.
254 WEST 25TH STREET #6E
NEW YORK, NY 10001

HIST UST **U003128259**
N/A

Site 4 of 5 in cluster C

Relative:
Equal

HIST UST:

Actual:
27 ft.

PBS Number: 2-602114
 SPDES Number: Not reported
 Emergency Contact: MIGUEL TORRES
 Emergency Telephone: (212) 727-2614
 Operator: MIGUEL TORRES
 Operator Telephone: (212) 727-2614
 Owner Name: WEST 25TH STREET OWNERS, INC.
 Owner Address: 254 WEST 25TH STREET
 Owner City,St,Zip: NEW YORK, NY 10001
 Owner Telephone: (212) 727-3716
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: WEST 25TH STREET OWNERS, INC.
 Mailing Address: 254 WEST 25TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: DIRECTOR OF SYSTEMS
 Mailing Telephone: (212) 727-3716
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 07/21/2000
 Expiration Date: 03/02/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 4000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 25TH STREET OWNERS, INC. (Continued)

U003128259

Tank Id: 01
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Aboveground
Pipe Type: FIBERGLASS COATED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

C14
South
< 1/8
0.051 mi.
267 ft.

CONSOLIDATED EDISON
250 W 25TH ST MH4678
NEW YORK, NY 10021
Site 5 of 5 in cluster C

MANIFEST S108933198
N/A

Relative:
Equal

NY MANIFEST:
EPA ID: NYP004143079
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
27 ft.

Document ID: NYE1286865
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 06/23/2006
Trans1 Recv Date: 06/23/2006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/26/2006
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004143079

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108933198

Trans1 EPA ID: 12446JT
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00100
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 06

**D15
NE
< 1/8
0.052 mi.
276 ft.**

**27TH STREET APARTMENTS CORP
250 W 27 ST
NY, NY 10001**

**AST U003387913
HIST AST N/A**

Site 1 of 7 in cluster D

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-314498
Program Type: PBS
UTM X: 584856.61869000003
UTM Y: 4511190.0828099996
Expiration Date: 2012/07/10

**Actual:
28 ft.**

Affiliation Records:

Site Id: 14338
Affiliation Type: Mail Contact
Company Name: 27TH STREET APARTMENTS CORPORATION
Contact Type: Not reported
Contact Name: SUPER FACILITY MANAGER
Address1: 250 WEST 27TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 645-4211
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14338
Affiliation Type: On-Site Operator
Company Name: 27TH STREET APARTMENTS CORP
Contact Type: Not reported
Contact Name: JIMMY PANARELLA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

27TH STREET APARTMENTS CORP (Continued)

U003387913

Phone: (212) 645-4211
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14338
Affiliation Type: Owner
Company Name: 27TH STREET APARTMENTS CORP
Contact Type: AGENT
Contact Name: ROLAND SNYDERS
Address1: 250 W 27 ST
Address2: Not reported
City: NY
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 633-6500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/24/2007

Site Id: 14338
Affiliation Type: Emergency Contact
Company Name: 27TH STREET APARTMENTS CORP
Contact Type: Not reported
Contact Name: GERARD J. PICASO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 807-6969
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 12798

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

27TH STREET APARTMENTS CORP (Continued)

U003387913

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/29/1979
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 5/24/2007

HIST AST:

PBS Number: 2-314498
SWIS Code: 6201
Operator: JIMMY PANARELLA
Facility Phone: (212) 645-4211
Facility Addr2: 250 W 27 ST
Facility Type: APARTMENT BUILDING
Emergency: GERARD J. PICASO
Emergency Tel: (212) 807-6969
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 27TH STREET APARTMENTS CORP
Owner Address: 250 W 27 ST
Owner City,St,Zip: NY, NY 10001
Federal ID: Not reported
Owner Tel: (212) 633-6500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SUPER FACILITY MANAGER
Mailing Name: 27TH STREET APARTMENTS CORPORATION
Mailing Address: 250 WEST 27TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 645-4211
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 07/27/1999
Expiration: 07/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

27TH STREET APARTMENTS CORP (Continued)

U003387913

Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

D16
NE
< 1/8
0.053 mi.
282 ft.

250 WEST 27TH ST
MANHATTAN, NY
Site 2 of 7 in cluster D

NY Spills S104648313
NY Hist Spills N/A

Relative:
Higher

NY Spills:
 Site ID: 158085
 Facility Addr2: Not reported
 Facility ID: 9811569
 Spill Number: 9811569
 Facility Type: ER
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Spill Date: 12/15/1998
 Reported to Dept: 12/15/1998
 CID: 198
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648313

UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/6/1999
Remediation Phase: 0
Date Entered In Computer: 12/15/1998
Spill Record Last Update: 2/9/1999
Spiller Name: ROCKY VENUTO
Spiller Company: T AND S TRUCKING
Spiller Address: 53 2ND AVE
Spiller City,St,Zip: BROOKLYN, NY 11215-
Spiller Company: 001
Contact Name: ROCKY VENUTO
Contact Phone: (718) 499-2900
DEC Region: 2
DER Facility ID: 133646
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"SANGESLAND" THE PEOPLE IN THE BUILDING CLEANED UP THE SPILL.
Remarks: BROKEN FILL PIPE TO TANK - WHILE FILLING TANK PRODUCT LEAKED INTO A
CONFINED PIT THAT HAS NO OPENINGS, SO SPILL CONTAINED INTO PIT.
PRODUCT BEING CLEANED OUT AT THIS TIME.

Material:

Site ID: 158085
Operable Unit ID: 1072450
Operable Unit: 01
Material ID: 311859
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6
Units: Gallons
Recovered: 6
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9811569
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648313

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/15/1998 08:50
Reported to Dept Date/Time: 12/15/98 09:27
SWIS: 62
Spiller Name: T AND S TRUCKING
Spiller Contact: ROCKY VENUTO
Spiller Phone: (718) 499-2900
Spiller Contact: ROCKY VENUTO
Spiller Phone: (718) 499-2900
Spiller Address: 53 2ND AVE
Spiller City,St,Zip: BROOKLYN, NY 11215-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/06/99
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/15/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/09/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 6
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 6
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: THE PEOPLE IN THE BUILDING CLEANED UP THE SPILL.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648313

Remark: BROKEN FILL PIPE TO TANK - WHILE FILLING TANK PRODUCT LEAKED INTO A CONFINED PIT THAT HAS NO OPENINGS, SO SPILL CONTAINED INTO PIT. PRODUCT BEING CLEANED OUT AT THIS TIME.

E17
South
< 1/8
0.055 mi.
291 ft.

ABE HARUVI C/O EJAM HOLDING CO.
245 WEST 25TH ST
NEW YORK, NY 10001
Site 1 of 3 in cluster E

AST U003386886
HIST AST N/A

Relative:
Higher

AST:

Actual:
28 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-195049
Program Type: PBS
UTM X: 584798.43415999995
UTM Y: 4511050.5312900003
Expiration Date: 2012/07/07

Affiliation Records:

Site Id: 6283
Affiliation Type: Owner
Company Name: ABE HARUVI C/O EJAM HOLDING COMPANY
Contact Type: PARTNER
Contact Name: ARTHUR HARUVI
Address1: 114 E. 71ST ST. EAST SUITE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 769-4253
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/10/2007

Site Id: 6283
Affiliation Type: On-Site Operator
Company Name: ABE HARUVI C/O EJAM HOLDING CO.
Contact Type: Not reported
Contact Name: FRANK ANDRADES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 321-0696
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/10/2007

Site Id: 6283

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ABE HARUVI C/O EJAM HOLDING CO. (Continued)

U003386886

Affiliation Type: Emergency Contact
Company Name: ABE HARUVI C/O EJAM HOLDING COMPANY
Contact Type: Not reported
Contact Name: FRANK ANDRADES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 321-0696
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/10/2007

Site Id: 6283
Affiliation Type: Mail Contact
Company Name: EJAM HOLDING COMPANY
Contact Type: Not reported
Contact Name: ABE HARUVI
Address1: 114 E. 71 ST.
Address2: EAST SUITE
City: NEW YORK
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 769-4253
Phone Ext: Not reported
Email: AHARUVI@YAHOO.COM
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 10/10/2007

Equipment Records:

J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 10854
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/10/1947

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ABE HARUVI C/O EJAM HOLDING CO. (Continued)

U003386886

Capacity Gallons: 4600
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kakyar
Last Modified: 10/10/2007

HIST AST:

PBS Number: 2-195049
SWIS Code: 6201
Operator: FRANK ANDRADES
Facility Phone: (212) 675-7188
Facility Addr2: 245 WEST 25TH ST
Facility Type: APARTMENT BUILDING
Emergency: FRANK ANDRADES
Emergency Tel: (212) 675-7188
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ABE HARUVI C/O EJAM HOLDING COMPANY
Owner Address: 22 WEST 75TH ST.
Owner City,St,Zip: NEW YORK, NY 10023
Federal ID: Not reported
Owner Tel: (212) 769-4253
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ABE HARUVI
Mailing Name: EJAM HOLDING COMPANY
Mailing Address: 22 WEST 75TH ST.
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10023
Mailing Telephone: (212) 769-4253
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/16/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ABE HARUVI C/O EJAM HOLDING CO. (Continued)

U003386886

Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4600
 Product Stored: NOS 5 OR 6 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

B18
ESE
< 1/8
0.055 mi.
292 ft.

LOT 58,TAXBLOCK 775
226 WEST 26 STREET
MANHATTAN, NY 10001

E DESIGNATION S108078576
N/A

Site 5 of 14 in cluster B

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 58
 E-No: E-92
Actual: Effective Date: 9/9/1999
 Satisfaction Date: Not reported
 Ceqr Number: 99DCP030M
 Ulurp Number: 990453 ZMM
 Zoning Map No: 8b, 8d, 12c
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 104
 Census Tract: 91
 Census Block: 3000
 School District: 02
 City Council District: 03
 Fire Company: E001
 Health Area: 15
 Police Precinct: 010
 Zone District 1: C6-2A
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-2A
 All Components2: Not reported

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 58,TAXBLOCK 775 (Continued)

S108078576

Split Boundary Indicator: N
Building Class: O9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: 226 WEST 26TH STREET,
Lot Area: 000011113
Total Building Floor Area: 00000103873
Commercial Floor Area: 00000103873
Office Floor Area: 00000103873
Retail Floor Area: 00000000000
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00002
Number of Floors: 010.00
Residential Units: 00000
Non and Residential Units: 00001
Lot Frontage: 0112.50
Lot Depth: 0098.75
Building Frontage: 0090.75
Building Depth: 0088.75
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00001291500
Total Assessed Value: 00005175000
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1928
Year Built Code: Not reported
Year Altered1: 1983
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0009.35
Maximum Allowable Far: 6.02
Borough Code: 1
Borough Tax Block And Lot: 1007750058
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985439
Y Coordinate: 0211194
Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 58,TAXBLOCK 775 (Continued)

S108078576

Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

B19
ESE
 < 1/8
 0.055 mi.
 292 ft.

226 WEST 26TH ST LLC
226 WEST 26TH STREET
NEW YORK, NY 10001
Site 6 of 14 in cluster B

UST U004078336
N/A

Relative:
Higher

UST:
 Facility Id: 2-606021
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2013/01/03
 UTM X: 584839.80900999997
 UTM Y: 4511078.2319400003

Actual:
30 ft.

Affiliation Records:
 Site Id: 27886
 Affiliation Type: On-Site Operator
 Company Name: 226 WEST 26TH ST LLC
 Contact Type: Not reported
 Contact Name: PEDRO GALARRAGA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 229-1525
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 5/17/2006

Site Id: 27886
 Affiliation Type: Emergency Contact
 Company Name: 226 WEST 26TH ST LLC
 Contact Type: Not reported
 Contact Name: PEDRO GALARRAGA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (718) 671-1296
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 5/17/2006

Site Id: 27886
 Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

226 WEST 26TH ST LLC (Continued)

U004078336

Company Name: 226 WEST 26TH ST LLC
Contact Type: BUILDING MANAGER
Contact Name: DINA TAMMARO
Address1: 430 MASPETH AVE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-3000
Phone Ext: Not reported
Email: DTAMMARO@EMPIRETRANSITMIX.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 5/17/2006

Site Id: 27886
Affiliation Type: Mail Contact
Company Name: 226 WEST 26TH ST LLC
Contact Type: BUILDING MANAGER
Contact Name: DINA TAMMARO
Address1: 430 MASPETH AVE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 384-3000
Phone Ext: Not reported
Email: DTAMMARO@EMPIRETRANSITMIX.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 5/17/2006

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
C02 - Pipe Location - Underground/On-ground
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 27886

Tank Number: 001
Tank ID: 60849
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/20/1927
Capacity Gallons: 3000
Tightness Test Method: NN

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

226 WEST 26TH ST LLC (Continued)

U004078336

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Tank Location: 6
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 11/21/2007

**B20
 ESE
 < 1/8
 0.055 mi.
 292 ft.**

**DINO & SONS REALTY COMPANY
 226 WEST 26TH STREET
 NEW YORK, NY 10001
 Site 7 of 14 in cluster B**

**HIST UST U003790852
 N/A**

**Relative:
 Higher**

HIST UST:

**Actual:
 30 ft.**

PBS Number: 2-606021
 SPDES Number: Not reported
 Emergency Contact: PEDRO GALARRAGA
 Emergency Telephone: (718) 671-1296
 Operator: PEDRO GALARRAGA
 Operator Telephone: (212) 229-1525
 Owner Name: DINO & SONS REALTY COMPANY
 Owner Address: 1590 TROY AVENUE
 Owner City,St,Zip: BROOKLYN, NY 11234
 Owner Telephone: (718) 252-0126
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: BUILDING MANAGER
 Mailing Address: DINO & SONS REALTY COMPANY
 Mailing Address 2: 1590 TROY AVENUE
 Mailing City,St,Zip: BROOKLYN, NY 11234
 Mailing Contact: HOMERO FERRONATO
 Mailing Telephone: (718) 252-0126
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/22/2001
 Expiration Date: 06/18/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 3000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

DINO & SONS REALTY COMPANY (Continued)

U003790852

Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Underground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

D21
ENE
 < 1/8
 0.057 mi.
 303 ft.

CON ED
245 WEST 27TH STREET
MANHATTAN, NY

NY Spills S106013823
N/A

Site 3 of 7 in cluster D

Relative:
Higher

NY Spills:
 Site ID: 81614
 Facility Addr2: Not reported
 Facility ID: 0301343
 Spill Number: 0301343
 Facility Type: ER
 SWIS: 3101
 Investigator: KMFOLEY
 Referred To: Not reported
 Spill Date: 5/7/2003
 Reported to Dept: 5/7/2003
 CID: 418
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S106013823

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/17/2003

Remediation Phase: 0

Date Entered In Computer: 5/7/2003

Spill Record Last Update: 10/14/2004

Spiller Name: SEAN MCKEEVER

Spiller Company: CON EDISON

Spiller Address: 128 WEST END AVENUE

Spiller City,St,Zip: MANHATTAN, NY

Spiller Company: 001

Contact Name: SEAN MCKEEVER

Contact Phone: (212) 580-6763

DEC Region: 2

DER Facility ID: 75481

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "FOLEY" Con Ed e2mis #148255: 05/07/03 09:50 hrs T Lynch of Manhattan I&A reported to N Muldoon that at 09:20 hrs while doing a rebadge in V 1798 located at 245 W 27 St. discovered approx 2 gallons of transformer oil mixed with dirt on the floor of the vault. The source of the spill is possible bottom leak of the unit as unit is below min. There is no water in the vault. Feeder is 13M57. There is an oil minder in the vault and pump has been disconnected. Spill tag # 38581 was installed. Account # H3282 is being used. Two samples were taken one for PCB and one for OIL ID on a priority " E" basis. At this time he is awaiting supervisor for chain of custody form. Initial cleanup action taken by placing pads and hanging spill tag. Cleanup pending removal of transformer. 05/07/03 10:45 hrs UPDATE T Lynch reports that the unit capacity is 285 gallons. J Gnull will take a measurement to determine amount of oil in unit. An over 50 tanker was ordered and is on its way to drain unit. UPDATE 05/07/03 13:30 hrs S Mahoney of ERT reported to N Muldoon #18723 that after checking the unit it was discovered approx 100 gallons of oil was missing from the unit. Update: 05/07/03 @ 20:50 hrs Lab Sequence Number: 03-03759-001 Analysis indicates the presence of a substance similar to a dielectric fluid. Update: May 07,2003 @ 21:35 hrs Transformer Lab Sequence Number: 03-03758-001 TOTAL PCB 31 ppm Lab Sequence Number: 03-03758-002 Soil grab TOTAL PCB 6 ppm 5/8/2003 @ 16:32 Upon speaking to Dave Duke # 88158 of ERT @ 16:25, after further investigation, this spill can be down-graded to have lost only the original amount of two(2) gallons of Transformer oil. UPDATE 05/09/03 12:05 hrs E Hulser # 39723 Operating Supervisor Manhattan Cable Dept reported to N Muldoon #18723 that the cleanup was 100% complete at 11:30 hrs. The structure was double washed with slix and all liquid and solids were removed by the vactor truck and the unit was removed. Spill tag # 38581 was also removed.

Remarks: no to the five questions, spill in in vault #1798. Cleanup will be completed as soon as the transformer is replaced

Material:

Site ID: 81614

Operable Unit ID: 869361

Operable Unit: 01

Material ID: 505837

Material Code: 0541A

Material Name: DIELECTRIC FLUID

Case No.: Not reported

Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S106013823

Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

D22
NE
< 1/8
0.058 mi.
305 ft.

CON EDISON - VS 1798
245 W. 27TH ST.
NEW YORK, NY 10001
Site 4 of 7 in cluster D

RCRA-NonGen 1008195627
MANIFEST NYP004110771

Relative:
Higher

Actual:
29 ft.

RCRA-NonGen:
Date form received by agency: 02/27/2004
Facility name: CON EDISON - VS 1798
Facility address: 245 W. 27TH ST.
NEW YORK, NY 10001
EPA ID: NYP004110771
Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: ANTHONY DRUMMINGS
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/07/2003
Owner/Op end date: Not reported
Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 1798 (Continued)

1008195627

Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 05/07/2003
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/26/2004
Facility name: CON EDISON - VS 1798
Classification: Not a generator, verified

Date form received by agency: 02/25/2004
Facility name: CON EDISON - VS 1798
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004110771
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0641259
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 05/07/2003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 1798 (Continued)

1008195627

Trans1 Recv Date: 05/07/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/08/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004110771
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 46107JM
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 01155
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03

B23
ESE
< 1/8
0.058 mi.
308 ft.

STREET
226 W. 26TH ST
MANHATTEN, NY

NY Spills S104503898
NY Hist Spills N/A

Site 8 of 14 in cluster B

Relative:
Higher

NY Spills:

Actual:
30 ft.

Site ID: 204891
Facility Addr2: Not reported
Facility ID: 9709329
Spill Number: 9709329
Facility Type: ER
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Spill Date: 11/11/1997
Reported to Dept: 11/11/1997
CID: 370
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/12/1997
Remediation Phase: 0
Date Entered In Computer: 11/11/1997
Spill Record Last Update: 12/9/1997
Spiller Name: CALLER
Spiller Company: EMPIRE STATE FUEL OIL CO
Spiller Address: 1640 MCDONALD AVENUE
Spiller City,St,Zip: BROOKLYN, NY 11230-
Spiller Company: 001
Contact Name: ABOVE CALLER
Contact Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STREET (Continued)

S104503898

DEC Region: 2
DER Facility ID: 125971
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" SMALL AMOUNT OF OIL. CLEANED BY OIL COMPANY.
Remarks: 2 inch hose reel malfunction spill to pavement spill contained cleanup crew enrou

Material:
Site ID: 204891
Operable Unit ID: 1052400
Operable Unit: 01
Material ID: 327682
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9709329
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/11/1997 10:45
Reported to Dept Date/Time: 11/11/97 11:06
SWIS: 62
Spiller Name: EMPIRE STATE FUEL OIL CO
Spiller Contact: CALLER
Spiller Phone: (718) 627-5100
Spiller Contact: ABOVE CALLER
Spiller Address: 1640 MCDONALD AVENUE
Spiller City,St,Zip: BROOKLYN, NY 11230-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STREET (Continued)

S104503898

Spill Source: 07
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/12/97
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/11/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/09/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: SMALL AMOUNT OF OIL. CLEANED BY OIL COMPANY.
Remark: 2 inch hose reel malfunction spill to pavement spill contained cleanup crew
enrout

B24
ESE
< 1/8
0.058 mi.
308 ft.

226 WEST 26TH STREET
226 WEST 26TH STREET
MANHATTAN, NY
Site 9 of 14 in cluster B

LTANKS **S102673064**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
Site ID: 147988
Spill No: 9510264
Spill Date: 11/16/1995
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

226 WEST 26TH STREET (Continued)

S102673064

Spill Closed Dt: 11/16/1995
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 11/16/1995
CID: 216
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/16/1995
Spill Record Last Update: 4/15/2003
Spiller Name: ANTHONY PUMA
Spiller Company: EMPIRE STATE FUEL OIL
Spiller Address: 1640 MCDONALD AVE
Spiller City,St,Zip: BROOKLYN, NY 11230-
Spiller County: 001
Spiller Contact: UNKNOWN
Spiller Phone: (718) 252-0126
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 125971
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks: OIL COMPANY WENT TO WRONG LOCATION AND CAUSED A SPILL IN WHICH THEY HAVE CLEANED UP NO NEED FOR DEC TO CALL USED SPEEDY DRY AND PADS UPDATED FORM BY #198

Material:

Site ID: 147988
Operable Unit ID: 1020805
Operable Unit: 01
Material ID: 566954
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 4
Units: Gallons
Recovered: 4
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

226 WEST 26TH STREET (Continued)

S102673064

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Site ID: 147989
Spill No: 9510269
Spill Date: 11/16/1995
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/16/1995
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 11/16/1995
CID: 216
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/16/1995
Spill Record Last Update: 4/15/2003
Spiller Name: MR PUMA
Spiller Company: EMPIRE STATE FUEL CO
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN, ZZ
Spiller County: 001
Spiller Contact: EMPIRE STATE
Spiller Phone: (718) 627-5100
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 125971
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks: THIS SPILL WAS ALREADY CALLED IN 9510264 NOTE QUITE A CHANGE IN WHAT THE SPILLER REPORTED THIS AGENCY REPORTING REQ A SECOND SPILL NUMBER TO COVER THE CHANGE .

Material:
Site ID: 147989
Operable Unit ID: 1024741
Operable Unit: 01
Material ID: 361196
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 150
Units: Gallons
Recovered: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

226 WEST 26TH STREET (Continued)

S102673064

Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9510269
Spill Date: 11/16/1995
Spill Time: 09:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/16/95
Reported to Department Time: 09:09
SWIS: 62
Spiller Contact: EMPIRE STATE
Spiller Phone: (718) 627-5100
Spiller Extention: Not reported
Spiller Name: EMPIRE STATE FUEL CO
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN
Spiller Cleanup Date: / /
Facility Contact: MR PUMA
Facility Phone: (718) 627-5100
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

226 WEST 26TH STREET (Continued)

S102673064

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/16/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/24/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 150
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: THIS SPILL WAS ALREADY CALLED IN 9510264 NOTE QUITE A CHANGE IN WHAT THE SPILLER REPORTED THIS AGENCY REPORTING REQ A SECOND SPILL NUMBER TO COVER THE CHANGE .

Region of Spill: 2
Spill Number: 9510264
Spill Date: 11/16/1995
Spill Time: 06:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/16/95
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

226 WEST 26TH STREET (Continued)

S102673064

Reported to Department Date: 11/16/95
Reported to Department Time: 07:25
SWIS: 62
Spiller Contact: UNKNOWN
Spiller Phone: (718) 252-0126
Spiller Extention: Not reported
Spiller Name: EMPIRE STATE FUEL OIL
Spiller Address: 1640 MCDONALD AVE
Spiller City,St,Zip: BROOKLYN, NY 11230-
Spiller Cleanup Date: / /
Facility Contact: ANTHONY PUMA
Facility Phone: (718) 627-5100
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/16/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/27/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 4
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 4
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: CLEANED BY RP.
Spill Cause: OIL COMPANY WENT TO WRONG LOCATION AND CAUSED A SPILL IN WHICH THEY HAVE
CLEANED UP NO NEED FOR DEC TO CALL USED SPEEDY DRY AND PADS UPDATED FORM BY 198

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

B25
ESE
< 1/8
0.058 mi.
308 ft.

226 WEST 26TH STREET
226 WEST 26TH STREET
MANHATTAN, NY
Site 10 of 14 in cluster B

NY Spills **S106012245**
N/A

Relative:
Higher

NY Spills:

Actual:
30 ft.

Site ID: 147987
 Facility Addr2: Not reported
 Facility ID: 0212338
 Spill Number: 0212338
 Facility Type: ER
 SWIS: 3101
 Investigator: MXTIPPLE
 Referred To: Not reported
 Spill Date: 3/15/2003
 Reported to Dept: 3/15/2003
 CID: 204
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 6/4/2004
 Remediation Phase: 0
 Date Entered In Computer: 3/15/2003
 Spill Record Last Update: 6/4/2004
 Spiller Name: PAUL SANO
 Spiller Company: K C TRANSPORTERS
 Spiller Address: 734 FRANKLIN AVE #131
 Spiller City,St,Zip: GARDEN CITY, NY 11530-001
 Spiller Company: 001
 Contact Name: PAUL SANO
 Contact Phone: (516) 322-3820
 DEC Region: 2
 DER Facility ID: 125971
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" 3/15/03 #4 OIL SPRAYED THROUGH CRACKED VENT LINE ONTO SIDEWALK AND INTO AUDIO/VIDEO STUDIO IN BASEMENT, CLEANUP BEGAN BY KC PAUL SANO EASTMAN PICKED UP DEBRIS FROM SPILL SITE FOR DISPOSAL. 7/14/03 REQUEST FOR SPILL CLOSURE WITH NO DOCUMENTATION FROM MICHELE PERTESIS CRAWFORD BODINE COMPANY/ TIPPLE LEFT A MESSAGE ON MS. PERTESIS'S MACHINE INDICATING DISPOSAL MANIFESTS/ PROPER DOCUMENTATION WAS NECESSARY TO CLOSE THE SPILL. 6/4/04 tipple updating// spoke to impacted party, cleanup satisfactory//eastmond removed and disposed of contaminated debris.//nfa
 Remarks: CRACKED FILL LINE
 Material:
 Site ID: 147987
 Operable Unit ID: 865795
 Operable Unit: 01
 Material ID: 560105
 Material Code: 0002

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

226 WEST 26TH STREET (Continued)

S106012245

Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

**B26
 ESE
 < 1/8
 0.058 mi.
 308 ft.**

**CONSTRUCTION SITE
 226 WEST 26TH STREET
 MANHATTAN, NY
 Site 11 of 14 in cluster B**

**NY Spills S104510183
 NY Hist Spills N/A**

**Relative:
 Higher**

NY Spills:
 Site ID: 288508
 Facility Addr2: Not reported
 Facility ID: 9913311
 Spill Number: 9913311
 Facility Type: ER
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Spill Date: 2/23/2000
 Reported to Dept: 2/24/2000
 CID: 257
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 3/4/2003
 Remediation Phase: 0
 Date Entered In Computer: 2/24/2000
 Spill Record Last Update: 3/4/2003
 Spiller Name: Not reported
 Spiller Company: UNKNOWN

**Actual:
 30 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSTRUCTION SITE (Continued)

S104510183

Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: INSP RASMUSSEN
Contact Phone: (212) 442-1885
DEC Region: 2
DER Facility ID: 125971
DEC Memo: Not reported
Remarks: product is seeping out of the ground

Material:

Site ID: 288508
Operable Unit ID: 1087842
Operable Unit: 01
Material ID: 295170
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9913311
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/23/2000 15:40
Reported to Dept Date/Time: 02/24/00 10:08
SWIS: 62
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Contact: INSP RASMUSSEN
Spiller Phone: (212) 442-1885
Spiller Address: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSTRUCTION SITE (Continued)

S104510183

Spiller City,St,Zip: Not reported
 Spill Cause: Unknown
 Reported to Dept: On Land
 Water Affected: Not reported
 Spill Source: 12
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Cleanup Ceased: / /
 Cleanup Meets Std: False
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Spiller Cleanup Dt: / /
 Enforcement Date: / /
 Invstgn Complete: / /
 UST Involvement: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: / /
 Corrective Action Plan Submitted: / /
 Date Region Sent Summary to Central Office: / /
 Date Spill Entered In Computer Data File: 02/24/00
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 02/24/00
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: Not reported
 Remark: product is seeping out of the ground

B27
ESE
< 1/8
0.058 mi.
308 ft.

40 GAL LOOSE OIL IN VS #4242 WITH XFMR
227 WEST 26 STREET
MANHATTAN, NY
Site 12 of 14 in cluster B

NY Spills S108465428
N/A

Relative:
Higher

NY Spills:
 Site ID: 376291
 Facility Addr2: Not reported
 Facility ID: 0611617
 Spill Number: 0611617

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

40 GAL LOOSE OIL IN VS #4242 WITH XFMR (Continued)

S108465428

Facility Type: ER
SWIS: 3101
Investigator: GDBREEN
Referred To: Not reported
Spill Date: 1/19/2007
Reported to Dept: 1/19/2007
CID: 444
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/16/2007
Remediation Phase: 0
Date Entered In Computer: 1/19/2007
Spill Record Last Update: 2/16/2007
Spiller Name: ERTS
Spiller Company: CON EDISON VS #4242
Spiller Address: 227 WEST 26TH STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller Company: 001
Contact Name: ERTS
Contact Phone: (212) 580-8383
DEC Region: 2
DER Facility ID: 325879
DEC Memo: 02/16/07 - See e-docs for Con Ed report detailing cleanup and closure. 204120. see eDocs
Remarks: ON 60 GALLONS OF WATER- CLEAN UP PENDING REMOVAL OF TRANSFORMER: NO TO 5 : CONED # 204120

Material:

Site ID: 376291
Operable Unit ID: 1133877
Operable Unit: 01
Material ID: 2123706
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 40
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

40 GAL LOOSE OIL IN VS #4242 WITH XFMR (Continued)

S108465428

Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**B28
ESE
< 1/8
0.062 mi.
326 ft.**

**FT HAMILTON ARMY BASE
7TH AV/FT HAMILTON ARMY
NEW YORK CITY, NY**

**NY Spills S102142359
NY Hist Spills N/A**

Site 13 of 14 in cluster B

**Relative:
Higher**

NY Spills:

Site ID: 139051
Facility Addr2: Not reported
Facility ID: 8806643
Spill Number: 8806643
Facility Type: ER
SWIS: 2401
Investigator: MANDALA
Referred To: Not reported
Spill Date: 11/8/1988
Reported to Dept: 11/8/1988
CID: Not reported
Spill Cause: Deliberate
Water Affected: HUDSON RIVER-NARROWS
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Citizen
Cleanup Ceased: 2/15/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/15/1995

Remediation Phase: 0

Date Entered In Computer: 11/18/1988

Spill Record Last Update: 1/15/2003

Spiller Name: Not reported

Spiller Company: FT HAMILTON ARMY BASE

Spiller Address: 7TH AVENUE

Spiller City,St,Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: Not reported

Contact Phone: Not reported

DEC Region: 2

DER Facility ID: 118847

DEC Memo: Not reported

Remarks: SEWAGE FROM HOLDING TANK FOR ENTIRE BASE GOING INTO HUDSON.

Material:

Site ID: 139051

Operable Unit ID: 921820

Operable Unit: 01

Material ID: 454981

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FT HAMILTON ARMY BASE (Continued)

S102142359

Material Code: 0062A
Material Name: RAW SEWAGE
Case No.: Not reported
Material FA: Other
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 8806643
Investigator: MANDALA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/08/1988 15:00
Reported to Dept Date/Time: 11/08/88 20:19
SWIS: 61
Spiller Name: FT HAMILTON ARMY BASE
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: 7TH AVENUE
Spiller City,St,Zip: BROOKLYN, NY
Spill Cause: Deliberate
Reported to Dept: Surface Water
Water Affected: HUDSON RIVER-NARROWS
Spill Source: 02
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 02/15/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Possible release with minimal potential for fire or hazard or Known

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FT HAMILTON ARMY BASE (Continued)

S102142359

release with no damage. DEC Response. Willing Responsible Party.
Corrective action taken.

Spill Closed Dt: 02/15/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/18/88
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/16/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Hazardous Material
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: RAW SEWAGE
Class Type: RAW SEWAGE
Times Material Entry In File: 1993
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: SEWAGE FROM HOLDING TANK FOR ENTIRE BASE GOING INTO HUDSON.

B29
ESE
< 1/8
0.062 mi.
326 ft.

7TH AVE BET 46 & 47TH AVE
7TH AVE BET 46 & 47TH AVE
NEW YORK, NY

NY Spills S102239984
NY Hist Spills N/A

Site 14 of 14 in cluster B

Relative:
Higher

NY Spills:
Site ID: 170835
Facility Addr2: Not reported
Facility ID: 9602173
Spill Number: 9602173
Facility Type: ER
SWIS: 3101
Investigator: KATZ
Referred To: Not reported
Spill Date: 5/15/1996
Reported to Dept: 5/15/1996
CID: 349
Spill Cause: Traffic Accident
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

7TH AVE BET 46 & 47TH AVE (Continued)

S102239984

UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/31/1996
Remediation Phase: 0
Date Entered In Computer: 5/15/1996
Spill Record Last Update: 5/31/1996
Spiller Name: MR DEVOTI
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 143764
DEC Memo: Not reported
Remarks: ACCIDENT INVOLVING CON ED VEHICLE - CONCRETE ONLY CLEANED UP

Material:

Site ID: 170835
Operable Unit ID: 1029673
Operable Unit: 01
Material ID: 351973
Material Code: 0043A
Material Name: ANTIFREEZE
Case No.: Not reported
Material FA: Other
Quantity: 1
Units: Gallons
Recovered: Yes
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9602173
Investigator: KATZ
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

7TH AVE BET 46 & 47TH AVE (Continued)

S102239984

Spill Date/Time: 05/15/1996 11:00
Reported to Dept Date/Time: 05/15/96 11:43
SWIS: 62
Spiller Name: CON ED
Spiller Contact: MR DEVOTI
Spiller Phone: (212) 580-6763
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003-
Spill Cause: Traffic Accident
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 07
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/31/96
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/15/96
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/31/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Hazardous Material
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 1
Unkonwn Quantity Recovered: False
Material: ANTIFREEZE
Class Type: ANTIFREEZE
Times Material Entry In File: 0
CAS Number: Not reported
Last Date: Not reported
DEC Remarks: Not reported
Remark: ACCIDENT INVOLVING CON ED VEHICLE - CONCRETE ONLY CLEANED UP

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D30
ENE
< 1/8
0.063 mi.
335 ft.

LOT 59,TAXBLOCK 776
236 WEST 27 STREET
MANHATTAN, NY 10001

E DESIGNATION **S108078578**
N/A

Site 5 of 7 in cluster D

Relative:
Higher

E DESIGNATION:

Actual:
29 ft.

Tax Lot(s):	59
E-No:	E-92
Effective Date:	9/9/1999
Satisfaction Date:	Not reported
Ceqr Number:	99DCP030M
Ulurp Number:	990453 ZMM
Zoning Map No:	8b, 8d, 12c
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	105
Census Tract:	95
Census Block:	2003
School District:	02
City Council District:	03
Fire Company:	E001
Health Area:	15
Police Precinct:	010
Zone District 1:	C6-2A
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C6-2A
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	L1
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	TRAVEL INC
Lot Area:	000007266
Total Building Floor Area:	00000094331
Commercial Floor Area:	00000094331
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000094331
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	015.00
Residential Units:	00000
Non and Residential Units:	00052
Lot Frontage:	0074.58
Lot Depth:	0098.75
Building Frontage:	0075.00
Building Depth:	0098.00
Proximity Code:	3
Irregular Lot Code:	N
Lot Type:	5

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 59,TAXBLOCK 776 (Continued)

S108078578

Basement Type Grade: 5
Land Assessed Value: 00000567000
Total Assessed Value: 00003190500
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1929
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0012.98
Maximum Allowable Far: 6.02
Borough Code: 1
Borough Tax Block And Lot: 1007760059
Condominium Number: 00000
Census Tract 2: 0095
X Coordinate: 0985427
Y Coordinate: 0211491
Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

D31
ENE
< 1/8
0.063 mi.
335 ft.

236 WEST 27TH STREET
236 WEST 27TH STREET
NEW YORK, NY 10001
Site 6 of 7 in cluster D

AST U003393539
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-149357
Program Type: PBS
UTM X: 584889.83415000001
UTM Y: 4511172.58923
Expiration Date: 2013/02/03

Actual:
29 ft.

Affiliation Records:
Site Id: 4503
Affiliation Type: Owner
Company Name: TRANEL INC % WILLIAMS REAL EST.
Contact Type: MGR
Contact Name: WALTER THOMASSEN
Address1: 380 MADISON AVENUE
Address2: Not reported
City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

236 WEST 27TH STREET (Continued)

U003393539

State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3721
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/6/2007

Site Id: 4503
Affiliation Type: On-Site Operator
Company Name: 236 WEST 27TH STREET
Contact Type: Not reported
Contact Name: MARCIAL ORTIZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-5610
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4503
Affiliation Type: Mail Contact
Company Name: TRANEL INC.
Contact Type: Not reported
Contact Name: WALTER THOMASSEN
Address1: % WILLIAMS REAL ESTATE
Address2: 380 MADISON AVENUE
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3721
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4503
Affiliation Type: Emergency Contact
Company Name: TRANEL INC % WILLIAMS REAL EST.
Contact Type: Not reported
Contact Name: MARCIAL ORTIZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

236 WEST 27TH STREET (Continued)

U003393539

Phone: (212) 675-5610
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 30533
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/15/1963
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 12/6/2007

HIST AST:

PBS Number: 2-149357
SWIS Code: 6201
Operator: MARCIAL ORTIZ
Facility Phone: (212) 675-5610
Facility Addr2: 236 WEST 27TH STREET
Facility Type: Not reported
Emergency: MARCIAL ORTIZ
Emergency Tel: (212) 675-5610
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: TRANEL INC % WILLIAMS REAL EST.
Owner Address: 380 MADISON AVENUE
Owner City,St,Zip: NEW YORK, NY 10017
Federal ID: Not reported
Owner Tel: (212) 716-3721
Owner Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

236 WEST 27TH STREET (Continued)

U003393539

Owner Subtype: Not reported
Mailing Contact: FRAN GOLDIN
Mailing Name: TRANEL INC % WILLIAMS REAL EST.
Mailing Address: 380 MADISON AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10017
Mailing Telephone: (212) 716-3721
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 01/16/1998
Expiration: 02/03/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 7500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
 EPA ID Number

F32 **CONED**
ESE **220 E 26TH ST**
< 1/8 **NEW YORK, NY 10001**
0.065 mi.
342 ft. **Site 1 of 3 in cluster F**

MANIFEST **S109825009**
N/A

Relative:
Higher

NY MANIFEST:
 EPA ID: NYP004176954
 Country: USA
 Mailing Name: CONED
 Mailing Contact: CONED
 Mailing Address: 4 IRVING ST
 Mailing Address 2: ROOM 818
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: Not reported

Actual:
30 ft.

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-06-30
 Trans1 Recv Date: 2009-06-30
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-06-30
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004176954
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 9000.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 001083662GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

Document ID: Not reported
 Manifest Status: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONED (Continued)

S109825009

Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-06-30
 Trans1 Recv Date: 2009-06-30
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-06-30
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004176954
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 9000.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 001083662GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

F33
ESE
 < 1/8
 0.065 mi.
 342 ft.

LOT 46,TAXBLOCK 775
220 WEST 26 STREET
MANHATTAN, NY 10001
Site 2 of 3 in cluster F

E DESIGNATION S108078562
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 46
 E-No: E-92
 Effective Date: 9/9/1999
 Satisfaction Date: Not reported
 Ceqr Number: 99DCP030M
 Ulurp Number: 990453 ZMM
 Zoning Map No: 8b, 8d, 12c
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 104
 Census Tract: 91
 Census Block: 3000
 School District: 02
 City Council District: 03
 Fire Company: E001
 Health Area: 15
 Police Precinct: 010
 Zone District 1: C6-2A

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 775 (Continued)

S108078562

Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C6-2A
All Components2: Not reported
Split Boundary Indicator: N
Building Class: D6
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CHELSEA WEST 26
Lot Area: 000017700
Total Building Floor Area: 00000136477
Commercial Floor Area: 00000026542
Office Floor Area: 00000001336
Retail Floor Area: 00000011630
Garage Floor Area: 00000013576
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 011.00
Residential Units: 00125
Non and Residential Units: 00129
Lot Frontage: 0179.25
Lot Depth: 0098.75
Building Frontage: 0179.00
Building Depth: 0098.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00002061000
Total Assessed Value: 00011160000
Land Exempt Value: 00001341000
Total Exempt Value: 00010440000
Year Built: 2000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0007.71
Maximum Allowable Far: 6.02
Borough Code: 1
Borough Tax Block And Lot: 1007750046
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985562
Y Coordinate: 0211119
Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 775 (Continued)

S108078562

Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

Tax Lot(s): 46
E-No: E-92
Effective Date: 9/9/1999
Satisfaction Date: Not reported
Ceqr Number: 99DCP030M
Ulurp Number: 990453 ZMM
Zoning Map No: 8b, 8d, 12c
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 104
Census Tract: 91
Census Block: 3000
School District: 02
City Council District: 03
Fire Company: E001
Health Area: 15
Police Precinct: 010
Zone District 1: C6-2A
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C6-2A
All Components2: Not reported
Split Boundary Indicator: N
Building Class: D6
Land Use Category: 04
Number of Easements: 0
Owner, Type of Code: P
Owner Name: CHELSEA WEST 26
Lot Area: 000017700
Total Building Floor Area: 00000136477
Commercial Floor Area: 00000026542
Office Floor Area: 00000001336
Retail Floor Area: 00000011630
Garage Floor Area: 00000013576
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 011.00
Residential Units: 00125
Non and Residential Units: 00129
Lot Frontage: 0179.25
Lot Depth: 0098.75

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 46,TAXBLOCK 775 (Continued)

S108078562

Building Frontage: 0179.00
Building Depth: 0098.00
Proximity Code: 0
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00002061000
Total Assessed Value: 00011160000
Land Exempt Value: 00001341000
Total Exempt Value: 00010440000
Year Built: 2000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0007.71
Maximum Allowable Far: 6.02
Borough Code: 1
Borough Tax Block And Lot: 1007750046
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985562
Y Coordinate: 0211119
Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**F34
ESE
< 1/8
0.065 mi.
344 ft.**

**CHELSEA TELEVISION STUDIOS/ALL MOBILE VIDEO
221 WEST 26TH STREET
NEW YORK, NY 10001
Site 3 of 3 in cluster F**

**AST A100178352
N/A**

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606154
Program Type: PBS
UTM X: 584858.42628999997
UTM Y: 4511081.99780999996
Expiration Date: 2011/07/02

**Actual:
30 ft.**

Affiliation Records:
Site Id: 28018
Affiliation Type: Mail Contact
Company Name: ALL MOBILE VIDEO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA TELEVISION STUDIOS/ALL MOBILE VIDEO (Continued)

A100178352

Contact Type: Not reported
Contact Name: AL GALLUCCI
Address1: 221 WEST 26TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 727-1234
Phone Ext: Not reported
Email: AGALLUCCI@AMVCHELSEA.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/19/2006

Site Id: 28018
Affiliation Type: Emergency Contact
Company Name: 221 WEST 26TH STREET CORP.
Contact Type: Not reported
Contact Name: AL GALLUCCI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (570) 421-8318
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/19/2006

Site Id: 28018
Affiliation Type: On-Site Operator
Company Name: CHELSEA TELEVISION STUDIOS/ALL MOBILE VIDEO
Contact Type: Not reported
Contact Name: AL GALLUCCI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-1234
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/19/2006

Site Id: 28018
Affiliation Type: Owner
Company Name: 221 WEST 26TH STREET CORP.
Contact Type: BUILDING MANAGER
Contact Name: AL GALLUCCI
Address1: 221 WEST 26TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA TELEVISION STUDIOS/ALL MOBILE VIDEO (Continued)

A100178352

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 727-1234
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/19/2006

Equipment Records:

C01 - Pipe Location - Aboveground
I01 - Overfill - Float Vent Valve
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 61017
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

D35
ENE
< 1/8
0.065 mi.
344 ft.

COMMERCIAL BUILDING
236 W. 27TH ST.
MANHATTAN, NY

Site 7 of 7 in cluster D

NY Spills S107787114
N/A

Relative:
Higher

NY Spills:
Site ID: 362173
Facility Addr2: Not reported
Facility ID: 0600216
Spill Number: 0600216
Facility Type: ER
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S107787114

Spill Date: 4/6/2006
Reported to Dept: 4/6/2006
CID: 406
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/10/2006
Remediation Phase: 0
Date Entered In Computer: 4/6/2006
Spill Record Last Update: 4/10/2006
Spiller Name: WALTER THOMASON
Spiller Company: COMMERCIAL BUILDING
Spiller Address: 236 W. 27TH ST.
Spiller City,St,Zip: MANHATTAN, NY
Spiller Company: 001
Contact Name: WALTER THOMASON
Contact Phone: (917) 923-7234
DEC Region: 2
DER Facility ID: 312411
DEC Memo: Sangesland spoke to Joe Ostrowski at PTC. He said the spill was minor
and the repairs were made. OK to close out
Remarks: Fill line has a leak in it. Petroleum Tank Cleaners is on route for
clean up.

Material:

Site ID: 362173
Operable Unit ID: 1120275
Operable Unit: 01
Material ID: 2109772
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

COMMERCIAL BUILDING (Continued)

S107787114

Test Method: Not reported

G36
WNW
 < 1/8
 0.066 mi.
 351 ft.

UNKNOWN
322 8TH AVE
NEW YORK, NY
 Site 1 of 3 in cluster G

NY Spills S108981647
N/A

Relative:
Lower

NY Spills:
 Site ID: 391639
 Facility Addr2: Not reported
 Facility ID: 0710370
 Spill Number: 0710370
 Facility Type: ER
 SWIS: 3101
 Investigator: hrpatel
 Referred To: Not reported
 Spill Date: 12/30/2007
 Reported to Dept: 12/30/2007
 CID: 71
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Police Department
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Not reported
 Spill Closed Dt: 1/2/2008
 Remediation Phase: 0
 Date Entered In Computer: 12/30/2007
 Spill Record Last Update: 1/2/2008
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: NY - 999
 Contact Name: PATRICK KENNEALLY
 Contact Phone: (646) 610-6680
 DEC Region: 2
 DER Facility ID: 341239
 DEC Memo: 01/02/08-Hiralkumar Patel. spoke to Brian at NYPD at given number, but no record of acid canisters and nobody works there with name reported on spill report. insufficient information. case closed.

Actual:
25 ft.

Remarks: 12 CANISTERS OF AN UNKNOWN ACID ON STREET. WEAITING CALL BACK FROM DEC ON HOW TO PROCEED. SWITHIN CONFINES OF 10TH PRECINCT.

Material:
 Site ID: 391639
 Operable Unit ID: 1148683
 Operable Unit: 01
 Material ID: 2139176
 Material Code: 0064A
 Material Name: UNKNOWN MATERIAL
 Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNKNOWN (Continued)

S108981647

Material FA: Other
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**G37
WNW
< 1/8
0.066 mi.
351 ft.**

**M G I OF NEW YORK
322 EIGHTH AVE
NEW YORK CITY, NY 10001**

**RCRA-NonGen 1000833512
FINDS NYD987026028
MANIFEST**

Site 2 of 3 in cluster G

**Relative:
Lower**

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: M G I OF NEW YORK
Facility address: 322 EIGHTH AVE
NEW YORK, NY 10001
EPA ID: NYD987026028
Mailing address: EIGHTH AVE
NEW YORK, NY 10001
Contact: MICHAEL HERMAN
Contact address: EIGHTH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 243-2570
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
25 ft.**

Owner/Operator Summary:

Owner/operator name: OUTPUT TECHNOLOGIES SUITE 301
Owner/operator address: 8 S MORRIS ST
DOVER, NJ 07801
Owner/operator country: US
Owner/operator telephone: (201) 989-0900
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: OUTPUT TECHNOLOGIES SUITE 301
Owner/operator address: 8 S MORRIS ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

DOVER, NJ 07801
Owner/operator country: US
Owner/operator telephone: (201) 989-0900
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: M G I OF NEW YORK
Classification: Not a generator, verified

Date form received by agency: 01/04/1993
Facility name: M G I OF NEW YORK
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009482915

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD987026028
Country: USA
Mailing Name: OTI/MGI
Mailing Contact: JOSEPH OLIVETTI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Mailing Address: 322 8TH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-243-2570

Document ID: NYG0122166
Manifest Status: Completed copy
Trans1 State ID: PW6590
Trans2 State ID: Not reported
Generator Ship Date: 970305
Trans1 Recv Date: 970305
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970305
Part A Recv Date: Not reported
Part B Recv Date: 970326
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYR000025767
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: NYG0919854
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: PW6590
Trans2 State ID: Not reported
Generator Ship Date: 970805
Trans1 Recv Date: 970805
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970806
Part A Recv Date: Not reported
Part B Recv Date: 970902
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYR000025767
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Document ID: NYG0813591
Manifest Status: Completed copy
Trans1 State ID: PW6590
Trans2 State ID: Not reported
Generator Ship Date: 971028
Trans1 Recv Date: 971028
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971028
Part A Recv Date: Not reported
Part B Recv Date: 971120
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYR000025767
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 97

Document ID: NYB5529249
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 930826
Trans1 Recv Date: 930826
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930826
Part A Recv Date: 931013
Part B Recv Date: 930928
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NYB5385987
Manifest Status: Completed copy
Trans1 State ID: GE9561
Trans2 State ID: Not reported
Generator Ship Date: 930608
Trans1 Recv Date: 930608
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930608
Part A Recv Date: 930621

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Part B Recv Date: 930622
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NYB5287059
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 930929
Trans1 Recv Date: 930929
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930929
Part A Recv Date: 931108
Part B Recv Date: 931021
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NYB5240565
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 931123
Trans1 Recv Date: 931123
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931123
Part A Recv Date: 931208
Part B Recv Date: 931214
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NYB1213641
Manifest Status: Completed copy
Trans1 State ID: GE9561
Trans2 State ID: Not reported
Generator Ship Date: 931222
Trans1 Recv Date: 931222
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931222
Part A Recv Date: 931230
Part B Recv Date: 940107
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NYB5091795
Manifest Status: Completed copy
Trans1 State ID: GE9561
Trans2 State ID: Not reported
Generator Ship Date: 940621
Trans1 Recv Date: 940621
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940621
Part A Recv Date: 940629
Part B Recv Date: 940706
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB1223091
Manifest Status: Completed copy
Trans1 State ID: XC2643

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Trans2 State ID: Not reported
Generator Ship Date: 940405
Trans1 Recv Date: 940405
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940405
Part A Recv Date: 940413
Part B Recv Date: 940419
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB5093487
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 940512
Trans1 Recv Date: 940512
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940512
Part A Recv Date: 940519
Part B Recv Date: 940525
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB4341681
Manifest Status: Completed copy
Trans1 State ID: GE9561
Trans2 State ID: Not reported
Generator Ship Date: 940304
Trans1 Recv Date: 940304
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940304
Part A Recv Date: 940314
Part B Recv Date: 940317
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Trans2 EPA ID: Not reported
TSDF ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB6577659
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 941117
Trans1 Recv Date: 941117
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941117
Part A Recv Date: Not reported
Part B Recv Date: 941208
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSDF ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB6574311
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 941017
Trans1 Recv Date: 941017
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941017
Part A Recv Date: Not reported
Part B Recv Date: 941103
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSDF ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Year: 94

Document ID: NYB6596703
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 940920
Trans1 Recv Date: 940920
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940920
Part A Recv Date: Not reported
Part B Recv Date: 941005
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB6591969
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 950516
Trans1 Recv Date: 950516
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950517
Part A Recv Date: Not reported
Part B Recv Date: 950713
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00155
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 95

Document ID: NYB6595083
Manifest Status: Completed copy
Trans1 State ID: GE9561
Trans2 State ID: Not reported
Generator Ship Date: 940818
Trans1 Recv Date: 940818

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Trans2 Recv Date: Not reported
TSD Site Recv Date: 940818
Part A Recv Date: 940829
Part B Recv Date: 940901
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB6746211
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 950118
Trans1 Recv Date: 950118
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950118
Part A Recv Date: Not reported
Part B Recv Date: 950206
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 95

Document ID: NYB7375689
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 951115
Trans1 Recv Date: 951115
Trans2 Recv Date: Not reported
TSD Site Recv Date: 951115
Part A Recv Date: Not reported
Part B Recv Date: 951212
Generator EPA ID: NYD987026028
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

M G I OF NEW YORK (Continued)

1000833512

Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NYB7790472
 Manifest Status: Completed copy
 Trans1 State ID: GE9561
 Trans2 State ID: Not reported
 Generator Ship Date: 950815
 Trans1 Recv Date: 950815
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 950815
 Part A Recv Date: Not reported
 Part B Recv Date: 950906
 Generator EPA ID: NYD987026028
 Trans1 EPA ID: NYD981182769
 Trans2 EPA ID: Not reported
 TSDF ID: NYD981182769
 Waste Code: D011 - SILVER 5.0 MG/L TCLP
 Quantity: 00165
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

[Click this hyperlink](#) while viewing on your computer to access
 9 additional NY_MANIFEST: record(s) in the EDR Site Report.

G38
WNW
< 1/8
0.066 mi.
351 ft.

322-8TH AVE
322 EIGHTH AVENUE
NEW YORK, NY 10001
Site 3 of 3 in cluster G

AST U003388813
HIST AST N/A

Relative:
Lower

Actual:
25 ft.

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-281247
 Program Type: PBS
 UTM X: 584709.41032999998
 UTM Y: 4511193.0608400004
 Expiration Date: 2012/06/11

 Affiliation Records:
 Site Id: 12323
 Affiliation Type: Owner
 Company Name: 322 PARTNERS, LLC
 Contact Type: PROPERTY MANAGER
 Contact Name: Not reported
 Address1: 322 EIGHTH AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322-8TH AVE (Continued)

U003388813

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 354-2500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/7/2008

Site Id: 12323
Affiliation Type: Mail Contact
Company Name: NEWMARK & CO. REAL ESTATE, AGENT
Contact Type: Not reported
Contact Name: Not reported
Address1: 322 PARTNERS, LLC
Address2: 125 PARK AVENUE
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 354-2500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12323
Affiliation Type: On-Site Operator
Company Name: 322-8TH AVE
Contact Type: Not reported
Contact Name: NEWMARK & CO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 645-9288
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12323
Affiliation Type: Emergency Contact
Company Name: 322 PARTNERS, LLC
Contact Type: Not reported
Contact Name: BRUNO CAPONIGRO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322-8TH AVE (Continued)

U003388813

Zip Code: Not reported
Country Code: 001
Phone: (718) 383-0804
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 14684
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1980
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 7/7/2008

HIST AST:

PBS Number: 2-281247
SWIS Code: 6201
Operator: NEWMARK & CO
Facility Phone: (212) 255-6969
Facility Addr2: 322 8TH AVENUE
Facility Type: OTHER
Emergency: JOHN F. FINNIGAN
Emergency Tel: (201) 664-8632
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: JEFF GURAL
Owner Address: 1501 BROADWAY
Owner City,St,Zip: NEW YORK, NY 10036
Federal ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322-8TH AVE (Continued)

U003388813

Owner Tel: (222) 354-2500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: JOHN F. FINNIGAN
Mailing Name: JEFF GURAL
Mailing Address: 1501 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10036
Mailing Telephone: (222) 354-2500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/11/1997
Expiration: 08/24/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 7500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

E39
SSE
 < 1/8
 0.067 mi.
 355 ft.

CHELSEA 25 LLC
231 WEST 25TH ST
NEW YORK, NY 10001

AST **A100293531**
N/A

Site 2 of 3 in cluster E

Relative:
Higher

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-239259
 Program Type: PBS
 UTM X: 584831.64500000002
 UTM Y: 4511033.48147
 Expiration Date: 2013/09/02

Actual:
29 ft.

Affiliation Records:

Site Id: 9004
 Affiliation Type: Owner
 Company Name: CHELSEA 25 LLC
 Contact Type: MANAGING AGENT
 Contact Name: MICHAEL RAHAV
 Address1: 205 WEST 15TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 924-7991
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 1/11/2005

Site Id: 9004
 Affiliation Type: Emergency Contact
 Company Name: CHELSEA 25 LLC
 Contact Type: Not reported
 Contact Name: CHELSEA 25, LLC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 924-7991
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 1/11/2005

Site Id: 9004
 Affiliation Type: On-Site Operator
 Company Name: CHELSEA 25 LLC
 Contact Type: Not reported
 Contact Name: CHELSEA 25 LLC
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA 25 LLC (Continued)

A100293531

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 924-7991
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/11/2005

Site Id: 9004
Affiliation Type: Mail Contact
Company Name: CHELSEA 25 LLC
Contact Type: MANAGING AGENT
Contact Name: MICHAEL RAHAV
Address1: 205 WEST 15TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 924-7991
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/11/2005

Equipment Records:

B00 - Tank External Protection - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 10147
Tank Location: 4
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/21/1962
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CHELSEA 25 LLC (Continued)

A100293531

Modified By: dxliving
 Last Modified: 7/7/2008

**E40
 SSE
 < 1/8
 0.067 mi.
 355 ft.**

**CHELSEA REALTY ASSOC
 231 WEST 25TH ST
 NEW YORK, NY 10001**

**HIST UST U001833864
 N/A**

Site 3 of 3 in cluster E

**Relative:
 Higher**

HIST UST:

**Actual:
 29 ft.**

PBS Number: 2-239259
 SPDES Number: Not reported
 Emergency Contact: CHELSEA 25, LLC
 Emergency Telephone: (212) 924-7991
 Operator: GEORGE CASTELLON
 Operator Telephone: (212) 989-0194
 Owner Name: CHELSEA 25 LLC
 Owner Address: 205 WEST 15TH STREET
 Owner City,St,Zip: NEW YORK, NY 10011
 Owner Telephone: (212) 924-7991
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: CHELSEA 25, LLC
 Mailing Address: 205 WEST 15TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10011
 Mailing Contact: MICHAEL RAHAV
 Mailing Telephone: (212) 924-7991
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 231 WEST 25TH ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 09/04/1998
 Expiration Date: 09/02/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CHELSEA REALTY ASSOC (Continued)

U001833864

Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 5000
 Product Stored: NOS 5 OR 6 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

H41
SSE
 < 1/8
 0.070 mi.
 370 ft.

VAULT 1124
230 WEST 25TH ST
MANHATTAN, NY
 Site 1 of 2 in cluster H

NY Spills **S104505912**
NY Hist Spills **N/A**

Relative:
Higher

NY Spills:

Site ID: 152875
 Facility Addr2: Not reported
 Facility ID: 9808783
 Spill Number: 9808783
 Facility Type: ER
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 10/15/1998
 Reported to Dept: 10/15/1998
 CID: 312
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/20/2004
 Remediation Phase: 0
 Date Entered In Computer: 10/15/1998
 Spill Record Last Update: 10/20/2004

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 1124 (Continued)

S104505912

Spiller Name: Not reported
Spiller Company: con ed
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 129769
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ENGELHARDT" ~~~~~ e2mis 120525 10/15/98 05:30 J.MCNEIL(OS I&A) REPORTS M.REITER(I&A) FOUND SPILL OF APPROX 1 GALLON OF TRANSFORMER OIL LEAKING FROM A PHASE BUSHING ON TRANSFORMER IN V1124 LOCATED AT 230 W 25 ST. SPILL IS RUNNING DOWN THE SIDE OF THE TRANSFORMER BUT HAS NOT REACHED THE FLOOR AT THIS TIME. SPILL IS CONTAINED. THERE WAS NO ENTRY TO ANY SEWERS OR WATERWAYS. SPILL WAS FOUND AT 05:00 HRS AND REPORTED TO MCHUGH IN THE CONTROL CENTER AT 05:30 HRS ON 10/15/98. THE STRUCTURE DOES CONTAIN A DRAIN, BUT THE SPILL DID NOT REACH THE DRAIN. THE DRAIN AT THIS TIME HAS BEEN CLOGGED AND SURROUNDED WITH PIGS. THE STRUCTURE DOES HAVE SOME CRACKS, BUT THE SPILL HAS NOT REACH THE CRACKS. A SAMPLE WAS TAKEN AND SPILL TAG #00848 WAS INSTALLED. THE FEEDER HAS BEEN REQUESTED OFF TO DENERGIZE THE EQUIPMENT. THE SPILL WAS FOUND DURING PRE-INSPECTION OF UPCOMING RETROFILL JOBS. 10/16/98 18:47 RECEIVED RESULTS AT 18:16 LAB SEQUENCE # 98-11141 AROCLOR - 1260 PCB - 74 PPM 10/17/98 08:15 feeder control reports feeder is live-end capped in manhole. 10/17/98 08:40 EPA number: NYP004019576 assigned by ERT. 10/17/98 08:45 Over 50 PPM foul oil truck ordered from Astoria for 10/18/98 at 7AM. 10/18/98 11:30 R. Browne (I&A OS) reports transformer drained by Astoria tanker and disconnect complete. Double washed contaminated area (with slix) in accordance with GEI's. One barrel of solid waste removed and transported to W. 28 St. PCB area. No contamination to floor, sewers, or waterways. Only contamination was as originally found - to side of transformer around and under bushing. Final cleanup complete at 11:30hrs. Oil notification tag #00848 was removed upon cleanup. Update: A new transformer was installed 6/15/1999.
Remarks: SPILL IN UNDERGROUND VAULT - ON SIDES OF TRANSFORMER ONLY - UNIT TO BE CHANGED OUT W/IN 48 HOURS - CASE #120525

Material:
Site ID: 152875
Operable Unit ID: 1069972
Operable Unit: 01
Material ID: 316268
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 1124 (Continued)

S104505912

Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9808783
Investigator: ENGELHARDT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/15/1998 05:00
Reported to Dept Date/Time: 10/15/98 05:51
SWIS: 62
Spiller Name: CON ED
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 10/15/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 10/19/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 1124 (Continued)

S104505912

Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926

DEC Remarks: Not reported

Remark: SPILL IN UNDERGROUND VAULT - ON SIDES OF TRANSFORMER ONLY - UNIT TO BE CHANGED OUT W/IN 48 HOURS - CASE 120525

H42
SSE
< 1/8
0.075 mi.
394 ft.

225-25 HOUSING CORP.
225 WEST 25TH STREET
NEW YORK, NY 10001

AST A100178384
N/A

Site 2 of 2 in cluster H

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606196
Program Type: PBS
UTM X: 584813.49176
UTM Y: 4511016.8687500004
Expiration Date: 2011/07/05

Actual:
29 ft.

Affiliation Records:

Site Id: 28060
Affiliation Type: On-Site Operator
Company Name: 225-25 HOUSING CORP.
Contact Type: Not reported
Contact Name: NICK KROAMI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 662-7437
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/15/2007

Site Id: 28060
Affiliation Type: Mail Contact
Company Name: DAVID EISENSTEIN REAL ESTATE
Contact Type: Not reported
Contact Name: MARK EISENSTEIN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225-25 HOUSING CORP. (Continued)

A100178384

Address1: 244 WEST 54TH STREET #702
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 582-9080
Phone Ext: Not reported
Email: EISENSTEIN@VERIZON.NET
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/15/2007

Site Id: 28060
Affiliation Type: Owner
Company Name: 225-25 HOUSING CORP.
Contact Type: MANAGING AGENT
Contact Name: MARK EISENSTEIN
Address1: 244 WEST 54TH STREET #702
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 582-9080
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/15/2007

Site Id: 28060
Affiliation Type: Emergency Contact
Company Name: 225-25 HOUSING CORP.
Contact Type: Not reported
Contact Name: DAVID LISENSTEIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 582-9080
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/15/2007

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
J00 - Dispenser - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
I00 - Overfill - None
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

225-25 HOUSING CORP. (Continued)

A100178384

C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 61092
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/9/1939
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 8/15/2007

143
ENE
< 1/8
0.076 mi.
401 ft.

CON EDISON AT FASHION INSTITUTE OF TECH
227 W 27TH ST
NEW YORK, NY 10001

RCRA-NonGen 1001818153
FINDS NYR000076406
MANIFEST

Site 1 of 4 in cluster I

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: CON EDISON AT FASHION INSTITUTE OF TECH
Facility address: 227 W 27TH ST
NEW YORK, NY 10001
EPA ID: NYR000076406
Mailing address: 1ST AVE ROOM 807
NEW YORK, NY 10017
Contact: Not reported
Contact address: 1ST AVE ROOM 807
NEW YORK, NY 10017
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
30 ft.

Owner/Operator Summary:

Owner/operator name: FASHION INSTITUTE OF TECH
Owner/operator address: 227 W 27TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 217-7669
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FASHION INSTITUTE OF TECH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON AT FASHION INSTITUTE OF TECH (Continued)

1001818153

Owner/operator address: 227 W 27TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 217-7669
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: CON EDISON AT FASHION INSTITUTE OF TECH
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Facility name: CON EDISON AT FASHION INSTITUTE OF TECH
Site name: FASHION INSTITUTE OF TECH
Classification: Large Quantity Generator

Date form received by agency: 03/17/2000
Facility name: CON EDISON AT FASHION INSTITUTE OF TECH
Classification: Not a generator, verified

Date form received by agency: 09/10/1999
Facility name: CON EDISON AT FASHION INSTITUTE OF TECH
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004556249

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON AT FASHION INSTITUTE OF TECH (Continued)

1001818153

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000076406
Country: USA
Mailing Name: FASHION INSTITUTE OF TECHNOLOGY
Mailing Contact: JAMES ANDERSON
Mailing Address: 227 N 27TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-274-3339

Document ID: NYG3031083
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 07/12/2001
Trans1 Recv Date: 07/12/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/16/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076406
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: PD1010NY
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00050
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01

Document ID: NYE0407466
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/20/1999
Trans1 Recv Date: 10/20/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/21/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076406
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 80680AE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON AT FASHION INSTITUTE OF TECH (Continued)

1001818153

Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00200
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00010
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00035
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 99

Document ID: NYG1003311
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 10/15/1999
Trans1 Recv Date: 10/15/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/19/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076406
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: NYPD1010
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99

Document ID: NYG1003329
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON AT FASHION INSTITUTE OF TECH (Continued)

1001818153

Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 10/15/1999
Trans1 Recv Date: 10/15/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/19/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000076406
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: NYPD1010
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00024
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00015
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 99

I44
ENE
< 1/8
0.076 mi.
401 ft.

FASHION INSTITUTE OF TECHNOLOGY
227 W 27TH ST
NEW YORK, NY 10001
Site 2 of 4 in cluster I

RCRA-SQG 1001818230
MANIFEST NYR000077446
MANIFEST

Relative:
Higher

RCRA-SQG:

Actual:
30 ft.

Date form received by agency: 01/01/2007
Facility name: FASHION INSTITUTE OF TECHNOLOGY
Facility address: 227 W 27TH ST
NEW YORK, NY 10001
EPA ID: NYR000077446
Mailing address: W 27TH ST
NEW YORK, NY 10001
Contact: PHILIP GAMA JR
Contact address: W 27TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 217-7634
Contact email: Not reported
EPA Region: 02
Land type: Municipal
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Owner/Operator Summary:

Owner/operator name: SUNY FASHION INSTITUTE OF TECHNOLOGY
Owner/operator address: 227 W 27TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 217-7634
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: SUNY FASHION INSTITUTE OF TECHNOLOGY
Owner/operator address: 227 W 27TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 217-7634
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: FASHION INSTITUTE OF TECHNOLOGY
Classification: Small Quantity Generator

Date form received by agency: 10/13/1999
Facility name: FASHION INSTITUTE OF TECHNOLOGY
Classification: Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: SR - 371.1(f);374-3.2(e)&(g)
Area of violation: Listing - General
Date violation determined: 07/30/2001
Date achieved compliance: 05/20/2002
Violation lead agency: State

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/07/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 371.1(f);374-3.2(e)&(g)
Area of violation: Listing - General
Date violation determined: 07/30/2001
Date achieved compliance: 05/20/2002
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/12/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:
Evaluation date: 07/30/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Listing - General
Date achieved compliance: 05/20/2002
Evaluation lead agency: State

NY MANIFEST:
EPA ID: NYR000077446
Country: USA
Mailing Name: FASHION INSTITUTE OF TECHNOLOGY
Mailing Contact: PHUL GAMA
Mailing Address: 227 W 27TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-217-8242

Document ID: NYG1872531
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 02/15/2001
Trans1 Recv Date: 02/15/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/16/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: NYD077444263

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Trans2 EPA ID: Not reported
TSDF ID: NYPD1010
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-06-12
Trans1 Recv Date: 2008-06-12
Trans2 Recv Date: 2008-06-12
TSD Site Recv Date: 2008-06-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000266297VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-06-12
Trans1 Recv Date: 2008-06-12
Trans2 Recv Date: 2008-06-12
TSD Site Recv Date: 2008-06-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 20.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000266297VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 2008-03-03
Trans1 Recv Date: 2008-03-03
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2008-03-03
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002454544
Waste Code: Not reported
Quantity: 396.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 2.0
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000884142JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H061

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-06-12
Trans1 Recv Date: 2008-06-12
Trans2 Recv Date: 2008-06-12
TSD Site Recv Date: 2008-06-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 400.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000266297VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-06-12
Trans1 Recv Date: 2008-06-12
Trans2 Recv Date: 2008-06-12
TSD Site Recv Date: 2008-06-12

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 450.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000266297VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-06-12
Trans1 Recv Date: 2008-06-12
Trans2 Recv Date: 2008-06-12
TSD Site Recv Date: 2008-06-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 1500.0
Units: P - Pounds
Number of Containers: 5.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000266297VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2008-06-12
Trans1 Recv Date: 2008-06-12
Trans2 Recv Date: 2008-06-12
TSD Site Recv Date: 2008-06-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 20.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000266297VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 2010-05-12
Trans1 Recv Date: 2010-05-12
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-05-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Waste Code: Not reported
Quantity: 400.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000344148VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-07-30
Trans1 Recv Date: 2010-07-30
Trans2 Recv Date: 2010-07-30
TSD Site Recv Date: 2010-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 28.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000400144VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-07-30
Trans1 Recv Date: 2010-07-30
Trans2 Recv Date: 2010-07-30
TSD Site Recv Date: 2010-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 200.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000400144VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-07-30
Trans1 Recv Date: 2010-07-30
Trans2 Recv Date: 2010-07-30
TSD Site Recv Date: 2010-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 10.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Year: 2010
Manifest Tracking Num: 000400144VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 2010-05-12
Trans1 Recv Date: 2010-05-12
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-05-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 10.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0

Year: 2010
Manifest Tracking Num: 000344148VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-01-27
Trans1 Recv Date: 2010-01-27

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Trans2 Recv Date: 2010-01-27
TSD Site Recv Date: 2010-01-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 25.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000462158VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-07-30
Trans1 Recv Date: 2010-07-30
Trans2 Recv Date: 2010-07-30
TSD Site Recv Date: 2010-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 400.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000400144VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 2010-01-18
Trans1 Recv Date: 2010-01-18
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-01-18
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 300.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000347939VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-01-27
Trans1 Recv Date: 2010-01-27
Trans2 Recv Date: 2010-01-27
TSD Site Recv Date: 2010-01-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 10.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000462158VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: Not reported
Generator Ship Date: 2010-05-12
Trans1 Recv Date: 2010-05-12
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-05-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NJD980536593
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000344148VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-07-30
Trans1 Recv Date: 2010-07-30
Trans2 Recv Date: 2010-07-30
TSD Site Recv Date: 2010-07-30
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 4.0
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000400144VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Trans2 State ID: NJD080631369
Generator Ship Date: 2010-01-27
Trans1 Recv Date: 2010-01-27
Trans2 Recv Date: 2010-01-27
TSD Site Recv Date: 2010-01-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000077446
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD980536593
Waste Code: Not reported
Quantity: 5.0
Units: P - Pounds
Number of Containers: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 000462158VES
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

[Click this hyperlink](#) while viewing on your computer to access
250 additional NY_MANIFEST: record(s) in the EDR Site Report.

NJ MANIFEST:

Manifest Code: NJA5264388
EPA ID: NYR000077446
Date Shipped: 20050829
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 050829
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 050829
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 12050521
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): Not reported
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Manifest Code: 000212440VES
EPA ID: NYR000077446
Date Shipped: 06/05/09
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 06/05/09
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 06/08/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: F003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 75
Unit: P
Hand Code: H141

Waste Code: U002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 250
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 21
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 3
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Unit: P
Hand Code: H141

Manifest Code: 000111789VES
EPA ID: NYR000077446
Date Shipped: 8/14/200
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 8/14/2
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 8/14/2
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 5
Unit: P
Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 10
Unit: P
Hand Code: H14

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 200
Unit: P
Hand Code: H14

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 30
Unit: P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 150
Unit: P
Hand Code: H14

Waste Code: F003
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 90
Unit: P
Hand Code: H14

Manifest Code: 000347585VES
EPA ID: NYR000077446
Date Shipped: 09/30/09
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 09/30/09
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 09/30/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 20
Unit: P
Hand Code: H141

Waste Code: D009
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 1
Unit: P
Hand Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Waste Code: D003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 4
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 5
Unit: P
Hand Code: H141

Waste Code: U123
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 6
Unit: P
Hand Code: H141

Waste Code: D003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 30
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 2
Unit: P
Hand Code: H141

Waste Code: D003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 1
Unit: P
Hand Code: H141

Waste Code: U002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 80
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 10
Unit: P
Hand Code: H141

Waste Code: U012
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 40
Unit: P
Hand Code: H141

Manifest Code: 000266297VES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

EPA ID: NYR000077446
Date Shipped: 6/12/2008
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 6/12/2008
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 6/12/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 160
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 1500
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 400
Unit: P
Hand Code: H141

Waste Code: F003
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 450
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 20
Unit: P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Hand Code: H141

Manifest Code: 000017744VES
EPA ID: NYR000077446
Date Shipped: 5/1/2007
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 5/1/20
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 5/1/20
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 240
Unit: P
Hand Code: H14

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 75
Unit: P
Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 750
Unit: P
Hand Code: H14

Waste Code: F003
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 150
Unit: P
Hand Code: H14

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 10
Unit: P
Hand Code: H14

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 40
Unit: P
Hand Code: H14

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 20
Unit: P
Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 10
Unit: P
Hand Code: H14

Manifest Code: 000347859VES
EPA ID: NYR000077446
Date Shipped: 12/08/09
TSDF EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/08/09
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 12/08/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Manifest Year: 2009 New Jersey Manifest Data
Quantity: 5
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 120
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 200
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 30
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 640
Unit: P
Hand Code: H141

Waste Code: U121
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 50
Unit: P
Hand Code: H141

Waste Code: U002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 500
Unit: P
Hand Code: H141

Waste Code: F003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 250
Unit: P
Hand Code: H141

Manifest Code: 000016633VES
EPA ID: NYR000077446
Date Shipped: 1/29/200
TSD EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 1/29/2
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 1/29/2
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 40
Unit: P
Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 50
Unit: P
Hand Code: H14

Waste Code: F003
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 400
Unit: P
Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 20
Unit: P
Hand Code: H14

Waste Code: D002
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 480
Unit: P
Hand Code: H14

Waste Code: D001
Manifest Year: 2007 New Jersey Manifest Data
Quantity: 300
Unit: P
Hand Code: H14

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Manifest Code: 000884142JJK
EPA ID: NYR000077446
Date Shipped: 3/3/2008
TSDf EPA ID: NJD002454544
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 3/3/2008
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 3/3/2008
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2008 New Jersey Manifest Data
Quantity: 396
Unit: G
Hand Code: H061

Manifest Code: 000181193VES
EPA ID: NYR000077446
Date Shipped: 01/09/09
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 01/09/09
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDF Received Waste: 01/16/09
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 34
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 8
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 128
Unit: P
Hand Code: H141

Waste Code: F003
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 200
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 60
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 24
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 98
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 440
Unit: P

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 80
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 90
Unit: P
Hand Code: H141

Waste Code: D002
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 36
Unit: P
Hand Code: H141

Waste Code: D001
Manifest Year: 2009 New Jersey Manifest Data
Quantity: 150
Unit: P
Hand Code: H141

Manifest Code: NJA5320991
EPA ID: NYR000077446
Date Shipped: 20060612
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 060612
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 060612
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 07240622
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5320975
EPA ID: NYR000077446
Date Shipped: 20060616
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 060616
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 060616
Tranporter 1 Decal: Not reported
Tranporter 2 Decal: Not reported
Data Entry Number: 08030621
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: NJA5320687
EPA ID: NYR000077446
Date Shipped: 20060602
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 060602
Date Trans2 Transported Waste: 000000
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 060603
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: 07200625
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No
Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

Manifest Code: 000161313VES
EPA ID: NYR000077446
Date Shipped: 12/4/200
TSDf EPA ID: NJD980536593
Transporter EPA ID: NJD080631369
Transporter 2 EPA ID: Not reported
Transporter 3 EPA ID: Not reported
Transporter 4 EPA ID: Not reported
Transporter 5 EPA ID: Not reported
Transporter 6 EPA ID: Not reported
Transporter 7 EPA ID: Not reported
Transporter 8 EPA ID: Not reported
Transporter 10 EPA ID: Not reported
Date Trans1 Transported Waste: 12/4/2
Date Trans2 Transported Waste: Not reported
Date Trans3 Transported Waste: Not reported
Date Trans4 Transported Waste: Not reported
Date Trans5 Transported Waste: Not reported
Date Trans6 Transported Waste: Not reported
Date Trans7 Transported Waste: Not reported
Date Trans8 Transported Waste: Not reported
Date Trans9 Transported Waste: Not reported
Date Trans10 Transported Waste: Not reported
Date TSDf Received Waste: 12/4/2
Transporter 1 Decal: Not reported
Transporter 2 Decal: Not reported
Data Entry Number: Not reported
Reference Manifest Number: Not reported
Was Load Rejected (Y/N): No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FASHION INSTITUTE OF TECHNOLOGY (Continued)

1001818230

Reason Load Was Rejected: Not reported
Waste Code: Not reported
Manifest Year: Not reported
Quantity: Not reported
Unit: Not reported
Hand Code: Not reported

J45
West
< 1/8
0.076 mi.
400 ft.

304 8TH AVE
MANHATTAN, NY
Site 1 of 5 in cluster J

LTANKS **S105135007**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:
Site ID: 310569
Spill No: 0104060
Spill Date: 7/17/2001
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
24 ft.

Spill Closed Dt: 7/18/2001
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: TJDEMEO
Referred To: Not reported
Reported to Dept: 7/17/2001
CID: 382
Water Affected: Not reported
Spill Notifier: Fire Department
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/17/2001
Spill Record Last Update: 8/1/2001
Spiller Name: UNKNOWN
Spiller Company: Not reported
Spiller Address: 304 8TH AVE
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: UNKNWON
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 250692
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" Hole in tank caused spill onto basement floor. No sumps or drains impacted. NYFD responded stopped leak and contained spill. Owner is Athena (718)271 8452. Remainder of oil cleaned from basement floor using absorbents. Owner reports problem not due to hole in tank but a failed suction line. Repairs completed.

Remarks: spill from hole in tank onto basement floor. fd on scene attempting to plug hole but still leaking

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105135007

Material:

Site ID: 310569
Operable Unit ID: 840682
Operable Unit: 01
Material ID: 532567
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0104060
Spill Date: 07/17/2001
Spill Time: 11:10
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/18/01
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/17/01
Reported to Department Time: 11:21
SWIS: 62
Spiller Contact: UNKNWON
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105135007

Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 304 8TH AVE
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: UNKNOWN
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Fire Department
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/17/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/01/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: Hole in tank caused spill onto basement floor. No sumps or drains impacted. NYFD responded stopped leak and contained spill. Owner is Athena 718)271 8452. Remainder of oil cleaned from basement floor using absorbents. Owner reports problem not due to hole in tank but a failed suction line. Repairs completed.
Spill Cause: spill from hole in tank onto basement floor. fd on scene attempting to plug hole but still leaking

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

J46
West
< 1/8
0.076 mi.
400 ft.

304 8TH AV
MANHATTAN, NY

Site 2 of 5 in cluster J

NY Spills **S105140204**
NY Hist Spills **N/A**

Relative:
Lower

NY Spills:

Actual:
24 ft.

Site ID: 318789
 Facility Addr2: Not reported
 Facility ID: 0104073
 Spill Number: 0104073
 Facility Type: ER
 SWIS: 3101
 Investigator: TJDMEEO
 Referred To: Not reported
 Spill Date: 7/17/2001
 Reported to Dept: 7/17/2001
 CID: 270
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/17/2001
 Remediation Phase: 0
 Date Entered In Computer: 7/17/2001
 Spill Record Last Update: 8/1/2001
 Spiller Name: CALLER
 Spiller Company: ATHINA STROGHILAS
 Spiller Address: 304 8TH AV
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Region: 2
 DER Facility ID: 256968
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" see spill #0104060
 Remarks: lien broke on tank. clean up in progress

Material:

Site ID: 318789
 Operable Unit ID: 842592
 Operable Unit: 01
 Material ID: 532579
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 60
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105140204

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0104073
Investigator: DEMEO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/17/2001 12:10
Reported to Dept Date/Time: 07/17/01 12:52
SWIS: 62
Spiller Name: ATHINA STROGHILAS
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Address: 304 8TH AV
Spiller City,St,Zip: MANHATTAN, NY
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 09
Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/17/01
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/17/01
Date Spill Entered In Computer Data File: Not reported
Update Date: 08/01/01
Is Updated: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105140204

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 60
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: see spill 0104060
Remark: lien broke on tank. clean up in progress

K47
NNW
< 1/8
0.079 mi.
418 ft.

BLUE 8 REALTY, LLC
336 8TH AVENUE
NEW YORK, NY 10001
Site 1 of 4 in cluster K

AST A100177793
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-306541
Program Type: PBS
UTM X: 584735.70308999997
UTM Y: 4511241.8770199995
Expiration Date: 2011/04/12

Actual:
26 ft.

Affiliation Records:

Site Id: 14052
Affiliation Type: Owner
Company Name: BLUE 8 REALTY, LLC
Contact Type: AGENT
Contact Name: JONATHAN RUHL
Address1: P.O. BOX 3582
Address2: Not reported
City: NEW HYDE PARK
State: NY
Zip Code: 11040
Country Code: 001
Phone: (718) 597-0808
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/7/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLUE 8 REALTY, LLC (Continued)

A100177793

Site Id: 14052
Affiliation Type: Mail Contact
Company Name: BLUE 8 REALTY, LLC
Contact Type: Not reported
Contact Name: J. RUHL
Address1: P.O. BOX 1847
Address2: Not reported
City: PARAMUS
State: NJ
Zip Code: 07653
Country Code: 001
Phone: (201) 363-1448
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/7/2006

Site Id: 14052
Affiliation Type: Emergency Contact
Company Name: BLUE 8 REALTY, LLC
Contact Type: Not reported
Contact Name: J. RUHL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (201) 363-1448
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/7/2006

Site Id: 14052
Affiliation Type: On-Site Operator
Company Name: BLUE 8 REALTY, LLC
Contact Type: Not reported
Contact Name: KEMAL CARI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-4202
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
A00 - Tank Internal Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BLUE 8 REALTY, LLC (Continued)

A100177793

G03 - Tank Secondary Containment - Vault (w/o access)
H99 - Tank Leak Detection - Other
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 16491
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

**J48
West
< 1/8
0.081 mi.
427 ft.**

**CON EDISON
W 25TH ST & 8TH AVE
NEW YORK, NY 10001
Site 3 of 5 in cluster J**

**RCRA-CESQG 1012185647
NYP004164802**

**Relative:
Lower**

RCRA-CESQG:

Date form received by agency: 03/26/2009
Facility name: CON EDISON
Facility address: W 25TH ST & 8TH AVE
NEW YORK, NY 10001
EPA ID: NYP004164802
Mailing address: 4 IRVING PL, RM 828
NEW YORK, NY 10003
Contact: MICHAEL BETO
Contact address: Not reported
Not reported
Contact country: Not reported
Contact telephone: (917) 337-5519
Contact email: Not reported
EPA Region: 02
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

**Actual:
24 ft.**

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CON EDISON (Continued)

1012185647

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
 Mixed waste (haz. and radioactive): Unknown
 Recycler of hazardous waste: Unknown
 Transporter of hazardous waste: Unknown
 Treater, storer or disposer of HW: Unknown
 Underground injection activity: Unknown
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: Unknown
 Used oil processor: Unknown
 User oil refiner: Unknown
 Used oil fuel marketer to burner: Unknown
 Used oil Specification marketer: Unknown
 Used oil transfer facility: Unknown
 Used oil transporter: Unknown
 Off-site waste receiver: Commercial status unknown

Violation Status: No violations found

J49
West
< 1/8
0.081 mi.
427 ft.

CONSOLIDATED EDISON
WEST 25TH ST & 8TH AVE
NEW YORK, NY 10020

MANIFEST S109584421
N/A

Site 4 of 5 in cluster J

Relative:
Lower

NY MANIFEST:
 EPA ID: NYP004164802
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: CONSOLIDATED EDISON
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Actual:
24 ft.

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-03-26
 Trans1 Recv Date: 2009-03-26
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-03-27
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584421

Generator EPA ID: NYP004164802
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001029499JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-26
Trans1 Recv Date: 2009-03-26
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164802
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001029499JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584421

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-26
Trans1 Recv Date: 2009-03-26
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164802
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001029499JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-26
Trans1 Recv Date: 2009-03-26
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164802
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1000.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584421

Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001029499JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

J50
West
< 1/8
0.081 mi.
427 ft.

MANHOLE 32161
25 STREET & 8 AVENUE
MANHATTAN, NY

NY Spills S107658454
N/A

Site 5 of 5 in cluster J

Relative:
Lower

NY Spills:

Actual:
24 ft.

Site ID: 361968
Facility Addr2: Not reported
Facility ID: 0600046
Spill Number: 0600046
Facility Type: ER
SWIS: 3101
Investigator: GDBREEN
Referred To: Not reported
Spill Date: 3/31/2006
Reported to Dept: 4/3/2006
CID: 444
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/17/2006
Remediation Phase: 0
Date Entered In Computer: 4/3/2006
Spill Record Last Update: 6/12/2006
Spiller Name: ERT DESK
Spiller Company: CON EDISON MH 32161
Spiller Address: 25TH & 8TH AVE
Spiller City,St,Zip: MANHATTAN, NY
Spiller Company: 999
Contact Name: ERT DESK'

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE 32161 (Continued)

S107658454

Contact Phone: (212) 580-8383
DEC Region: 2
DER Facility ID: 312220
DEC Memo: 04/17/06 - See e-docs for Con Ed report detailing cleanup and closure. 04/17/06 - See e-docs for Con Ed report detailing cleanup and closure. 163610. see eDocs.
Remarks: COMING OFF CLOCK DUE TO CANT GET CLEANED UP IN TIME: NO TO 5 QUESTIONS. 163610.

Material:
Site ID: 361968
Operable Unit ID: 1120081
Operable Unit: 01
Material ID: 2109565
Material Code: 0020B
Material Name: CABLE OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

I51
East
< 1/8
0.082 mi.
433 ft.

CONSOLIDATED EDISON
220 W 27 ST
NEW YORK, NY 10020

MANIFEST S109584042
N/A

Site 3 of 4 in cluster I

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004164661
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLYN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584042

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-25
Trans1 Recv Date: 2009-03-25
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-25
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164661
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 150.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 09
Manifest Tracking Num: 001028025JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-25
Trans1 Recv Date: 2009-03-25
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-25
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164661
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 150.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584042

Year: 09
Manifest Tracking Num: 001028025JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-25
Trans1 Recv Date: 2009-03-25
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2009-03-25
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004164661
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 150.0
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0

Year: 09
Manifest Tracking Num: 001028025JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2009-03-25
Trans1 Recv Date: 2009-03-25

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

S109584042

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-03-25
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004164661
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 150.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 09
 Manifest Tracking Num: 001028025JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

152
East
< 1/8
0.082 mi.
433 ft.

CON EDISON
220 W 27TH ST
NEW YORK, NY 10001

RCRA-CESQG 1012185633
NYP004164661

Site 4 of 4 in cluster I

Relative:
Higher

RCRA-CESQG:
 Date form received by agency: 03/25/2009
 Facility name: CON EDISON
 Facility address: 220 W 27TH ST
 NEW YORK, NY 10001
 EPA ID: NYP004164661
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: HERMAN BAKER
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (718) 267-3853
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON (Continued)

1012185633

of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: Unknown
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Violation Status: No violations found

**K53
NNW
< 1/8
0.084 mi.
441 ft.**

**PENN HOUSE CLEANERS
339 8TH AVE
NEW YORK, NY 10001**

**RCRA-SQG 1000305206
MANIFEST NYD101125805**

Site 2 of 4 in cluster K

**Relative:
Lower**

RCRA-SQG:

Date form received by agency: 01/01/2007
Facility name: PENN HOUSE CLEANERS
Facility address: 339 8TH AVE
NEW YORK, NY 10001
EPA ID: NYD101125805
Mailing address: 8TH AVE
NEW YORK, NY 10001
Contact: Not reported
Contact address: 8TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02

**Actual:
26 ft.**

Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Owner/Operator Summary:

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: PENN HOUSE CLEANERS
Classification: Small Quantity Generator

Date form received by agency: 07/14/1999
Facility name: PENN HOUSE CLEANERS
Classification: Small Quantity Generator

Date form received by agency: 05/06/1985
Facility name: PENN HOUSE CLEANERS
Classification: Large Quantity Generator

Violation Status: No violations found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Evaluation Action Summary:

Evaluation date: 08/12/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

NY MANIFEST:

EPA ID: NYD101125805
Country: USA
Mailing Name: PENN HOUSE CLEANERS
Mailing Contact: PENN HOUSE CLEANERS
Mailing Address: 339 8TH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-242-1095

Document ID: NJA0177534
Manifest Status: Completed copy
Trans1 State ID: NJSWAS581
Trans2 State ID: Not reported
Generator Ship Date: 860211
Trans1 Recv Date: 860211
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860212
Part A Recv Date: 860226
Part B Recv Date: 860220
Generator EPA ID: NYD101125805
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00266
Units: P - Pounds
Number of Containers: 004
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: MNA5043454
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 861117
Trans1 Recv Date: 861117
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870117
Part A Recv Date: 870218
Part B Recv Date: 870213
Generator EPA ID: NYD101125805

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00280
Units: P - Pounds
Number of Containers: 004
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: MNA5045337
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870210
Trans1 Recv Date: 870210
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870210
Part A Recv Date: 870317
Part B Recv Date: 870313
Generator EPA ID: NYD101125805
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00200
Units: P - Pounds
Number of Containers: 004
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0255024
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870123
Trans1 Recv Date: 870123
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870123
Part A Recv Date: 870204
Part B Recv Date: 870213
Generator EPA ID: NYD101125805
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Specific Gravity: 100
Year: 87

Document ID: NJA1376676
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS886
Trans2 State ID: Not reported
Generator Ship Date: 920131
Trans1 Recv Date: 920131
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920131
Part A Recv Date: 920207
Part B Recv Date: 920317
Generator EPA ID: NYD101125805
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00280
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-06-09
Trans1 Recv Date: 2010-06-09
Trans2 Recv Date: 2010-06-10
TSD Site Recv Date: 2010-06-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CDX107000000
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006657319JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-04-16
Trans1 Recv Date: 2010-04-16
Trans2 Recv Date: 2010-04-23
TSD Site Recv Date: 2010-04-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662886JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-03-24
Trans1 Recv Date: 2010-03-24
Trans2 Recv Date: 2010-03-26
TSD Site Recv Date: 2010-03-27
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662735JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-01-19
Trans1 Recv Date: 2010-01-19
Trans2 Recv Date: 2010-01-21
TSD Site Recv Date: 2010-01-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 240.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662512JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-04-16
Trans1 Recv Date: 2010-04-16
Trans2 Recv Date: 2010-04-23
TSD Site Recv Date: 2010-04-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662886JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-05-10
Trans1 Recv Date: 2010-05-10
Trans2 Recv Date: 2010-05-14
TSD Site Recv Date: 2010-05-14
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 160.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Year: 2010
Manifest Tracking Num: 006657114JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: NJA2580609
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970331
Trans1 Recv Date: 970331
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970331
Part A Recv Date: 970409
Part B Recv Date: 970418
Generator EPA ID: NYD101125805
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00300
Units: P - Pounds
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYC6366971
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 03/22/2001
Trans1 Recv Date: 03/22/2001
Trans2 Recv Date: 04/02/2001
TSD Site Recv Date: 04/03/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC6471573
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 05/11/2001
Trans1 Recv Date: 05/11/2001
Trans2 Recv Date: 05/21/2001
TSD Site Recv Date: 05/22/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC6347575
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 01/23/2001
Trans1 Recv Date: 01/23/2001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Trans2 Recv Date: 01/25/2001
TSD Site Recv Date: 02/01/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC6465587
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 07/31/2001
Trans1 Recv Date: 07/31/2001
Trans2 Recv Date: 08/06/2001
TSD Site Recv Date: 08/07/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC5780226
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 01/24/2001
Trans1 Recv Date: 01/24/2001
Trans2 Recv Date: 01/25/2001
TSD Site Recv Date: 02/01/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Quantity: 00110
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC5164817
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 03/27/2001
Trans1 Recv Date: 03/27/2001
Trans2 Recv Date: 04/02/2001
TSD Site Recv Date: 04/03/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00300
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC5164885
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 06/21/2001
Trans1 Recv Date: 06/21/2001
Trans2 Recv Date: 07/02/2001
TSD Site Recv Date: 07/02/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD101125805
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: NJDEPE086
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00300
Units: P - Pounds

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

PENN HOUSE CLEANERS (Continued)

1000305206

Number of Containers: 005
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00140
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 01

Document ID: NYC6597123
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: MOD095038998
 Generator Ship Date: 11/15/2001
 Trans1 Recv Date: 11/15/2001
 Trans2 Recv Date: 11/28/2001
 TSD Site Recv Date: 11/29/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD101125805
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSDF ID: 08690
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 01

[Click this hyperlink](#) while viewing on your computer to access
 170 additional NY_MANIFEST: record(s) in the EDR Site Report.

**K54
 NNW
 < 1/8
 0.084 mi.
 441 ft.**

**PENN HOUSE CLEANERS
 339 EIGHTH AVE.
 NEW YORK, NY 10001
 Site 3 of 4 in cluster K**

**DRYCLEANERS S109527321
 N/A**

**Relative:
 Lower**

DRYCLEANERS:
 Facility ID: 2-6205-01094
 Owner: Not reported
 Phone Number: Not reported
 Region: 2
 Registration Effective Date: 5/8/2003 10:55:29:473
 Inspection Date: 07MAY29
 Drop Shop: Not reported
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: PERC DRY CLEANER

**Actual:
 26 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

K55
NNW
< 1/8
0.087 mi.
458 ft.

MANHOLE # 7175
342 8TH AVE.
NEW YORK, NY
Site 4 of 4 in cluster K

NY Spills **S106699552**
N/A

Relative:
Equal

NY Spills:

Actual:
27 ft.

Site ID: 125087
Facility Addr2: Not reported
Facility ID: 0406982
Spill Number: 0406982
Facility Type: ER
SWIS: 3101
Investigator: GDBREEN
Referred To: Not reported
Spill Date: 9/23/2004
Reported to Dept: 9/23/2004
CID: 408
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/19/2005
Remediation Phase: 0
Date Entered In Computer: 9/23/2004
Spill Record Last Update: 1/19/2005
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 001
Contact Name: ERT DESK
Contact Phone: (212) 580-8383
DEC Region: 2
DER Facility ID: 108238
DEC Memo: e2mis no 155515 Employee found 1 qt. of dielectric fluid. Fluid has been contained. Trouble started with dielectric fluid leak from cable splice. Drip rate is 1 drip per min. Sewer/water not verified. No injuries related to spill. Source of spill; Leaking joint. Cause of spill unknown. Spilled on concrete. Sewer connection not verified. Concrete sump; Yes. No sump pump running. Lab Sequence Number: 04-07634-001 - Analysis indicates the presence of a cable oil. Lab Sequence Number: 04-07633-001 - TOTAL PCB 1605 ppm Update : The leaking feeder in M7175, at this time has still not been ID. There has been at least one feeder taken out of service so far, but the correct feeder has not yet been found. The cleanup is still pending the proper feeder to be ID, the feeder to be deenergized and the D-Fault to be repaired so that M7175 will be safe to do the cleanup. Update 10-18-04 @ 12:48 As per b-ticket # me0415413, the leaking joint has been cut out and the ends are now sealed. The cleanup is to be scheduled for 23:00 tonight. Update 10-19-04 @ 12:45 S Falkowski #56406 reports that the cleanup is complete as of 12:45. 3 bags of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE # 7175 (Continued)

S106699552

ppe and debris generated from the cleanup. 250 gallons of oil and water mixed removed by tanker. Cleanup crew and supervisor are listed in the event involved person screen. Double washed with slix. Tag #38853 to remain in place pending wipe samples. D. Romano, UG West Planner, reported at 10:45 hrs. on 10/28/04 that when the Chemist went into the manhole to take the wipe samples he discovered some leaking cable ends and could not take the wipe samples. A discussion ensued between the Environmental Desk and Mr. Romano as to the plan of action. A decision was made to have the underground crew make the necessary repairs and perform a "dry" cleanup. For the cleanup the area affected would be double washed with a cleaning solution and wiped up with absorbent pads. Also absorbent granules could be used to absorb any oil and then picked up and disposed of as solid waste. Once the repairs are made and the manhole is cleaned, the Chemist will return to take the required samples. The plan is for the Chemist to return after lunch on 10/28/04. Update: 10/29/04 Ned S Mekhaiel O.S U.G reports that additional dry clean up was done. He reports that in process of chem. lab taking wipe samples, more cable oil was dripping from cable ends to concrete floor @ 10:25 hrs. A dry clean up was done and was complete @ 14:00 hrs In process one barrel of ppe and oil pads and absorbent used. Floor was dry washed twice with slix, and oil pads. Yellow tag 38853 remains in manhole pending wipe samples at this time. Clean up complete @ 14:00 hrs. Update: 11/1/04 @ 11:52 hrs. Lab Sequence Number: 04-08948-001 Test Point PCB Analysis (ug/100 cm²) Result 1 < 1.0, 2 < 1.0, 3 < 1.0, 4 < 1.0, 5 = 1, 6 < 1.0, 7 < 1.0, 8 < 1.0 9 < 1.0, 10 = 9, 11 = 5, 12 = 19 Failed, 13 = 1, 14 = 1, 15 = 4 16 = 4, 17 = 4, 18 = 5, 19 = 1, 20 < 1.0, 21 < 1.0 Note: Test point #12 failed and does not meet the criteria of 10 ug/100 cm² . This test point will have to be re-cleaned. 11-02-04 On 11-03-04 at 07:00. Test point #12 will be re-cleaned. Chemist will arrive on location at 11:00 to do a wipe sample. 11/3/04 10:57 N. Mekhaiel # 18114 Underground/ cleanup supervisor called to report that the spot cleanup was completed at 10:30. Lab Sequence Number: 04-09130-001 (TEST POINT NO.12) TOTAL PCB 13 ug/100cm² Nov 10, 2004 @ 15:05 Supv. Mekhaiel #18114 completed clean-up for M7175 -test point #12. 1-barrel of solids were removed. Test point #12 was spot cleaned w/slix. Lab Sequence Number: 04-09648-001 (TEST POINT NO.12 - FLOOR OF MANHOLE) TOTAL PCB 3 ug/100cm² Update: 11/22/04 @ 09:24 hrs. Based on the lab analysis of test point #12 ----> 3 ug/100 cm² the manhole has now met the criteria of < 10 ug/100 cm² for all test points and has passed. The Environmental spill tag can now be pulled.

Remarks: ONE QUART OF MATERIAL AND CLEAN UP IS PENDING DEENERGIZING A FEEDER. THE CAUSE IS DUE TO A DEFECTIVE CABLE. NO TO THE FIVE QUESTIONS. CON ED. REF # 155515. IS LEAKING NOW AT ONE DROP PER MINUTE.

Material:
Site ID: 125087
Operable Unit ID: 890304
Operable Unit: 01
Material ID: 484820
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Not reported
Recovered: No
Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHOLE # 7175 (Continued)

S106699552

Oxygenate: False
Site ID: 125087
Operable Unit ID: 890304
Operable Unit: 01
Material ID: 484821
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

L56 **M & N CLEANERS**
WSW **292 8TH AVENUE #1**
< 1/8 **NEW YORK, NY 10001**
0.091 mi.
481 ft. **Site 1 of 2 in cluster L**

DRYCLEANERS **S110247182**
N/A

Relative: **DRYCLEANERS:**
Lower Facility ID: 2-6205-00302
Owner: Not reported
Actual: Phone Number: Not reported
23 ft. Region: 2
Registration Effective Date: 10/19/2000 15:48:49:806
Inspection Date: 06MAR13
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: WATER
Current Business: WET CLEANING

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

L57
WSW
< 1/8
0.091 mi.
481 ft.

292 AVE CLEANER CORP
292 8TH AVE
NEW YORK, NY 10001

Site 2 of 2 in cluster L

RCRA-NonGen
FINDS
MANIFEST
1004756630
NYD981081904

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: 292 AVE CLEANER CORP
Facility address: 292 8TH AVE
NEW YORK, NY 10001

Actual:
23 ft.

EPA ID: NYD981081904
Mailing address: 8TH AVE
NEW YORK, NY 10001
Contact: MYOUNG PARK
Contact address: 8TH AVE
NEW YORK, NY 10001

Contact country: US
Contact telephone: (212) 675-8966
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ARLENE ROSS
Owner/operator address: BOX 659
CENTRAL VALLEY, NY 10912
Owner/operator country: US
Owner/operator telephone: (914) 928-9100
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ARLENE ROSS
Owner/operator address: BOX 659
CENTRAL VALLEY, NY 10912
Owner/operator country: US
Owner/operator telephone: (914) 928-9100
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: 292 AVE CLEANER CORP
Classification: Not a generator, verified

Date form received by agency: 08/30/1996
Facility name: 292 AVE CLEANER CORP
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 04/07/1995
Facility name: 292 AVE CLEANER CORP
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002362942

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD981081904
Country: USA
Mailing Name: M & N CLEANERS
Mailing Contact: M & N CLEANERS
Mailing Address: 292 EIGHT AVENUE
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-675-8966

Document ID: MNA5055302
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870420
Trans1 Recv Date: 870420
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870420
Part A Recv Date: 870427
Part B Recv Date: 870429
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0162108
Manifest Status: Completed copy
Trans1 State ID: NJSWAS284
Trans2 State ID: Not reported
Generator Ship Date: 860116
Trans1 Recv Date: 860116
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860116
Part A Recv Date: 860210
Part B Recv Date: 860127
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: MNA5043084

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870210
Trans1 Recv Date: 870210
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870210
Part A Recv Date: 870317
Part B Recv Date: 870318
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00160
Units: P - Pounds
Number of Containers: 002
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0349726
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870924
Trans1 Recv Date: 870924
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870924
Part A Recv Date: 871006
Part B Recv Date: 871005
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0319662
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Trans2 State ID: Not reported
Generator Ship Date: 870804
Trans1 Recv Date: 870804
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870804
Part A Recv Date: 870810
Part B Recv Date: 870812
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA1433995
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920427
Trans1 Recv Date: 920427
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920427
Part A Recv Date: Not reported
Part B Recv Date: 920608
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1632116
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921207
Trans1 Recv Date: 921207
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921207
Part A Recv Date: 930113
Part B Recv Date: 921223
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NYB8527941
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970220
Trans1 Recv Date: 970220
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970221
Part A Recv Date: 970313
Part B Recv Date: 970304
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYG0073764
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970617
Trans1 Recv Date: 970617
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970620
Part A Recv Date: 970716
Part B Recv Date: 970714
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Waste Code: Not reported
Quantity: 00120
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYB8529417
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970321
Trans1 Recv Date: 970321
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970324
Part A Recv Date: 970403
Part B Recv Date: 970402
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSDF ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYB8526348
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970114
Trans1 Recv Date: 970114
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970122
Part A Recv Date: 970219
Part B Recv Date: 970203
Generator EPA ID: NYD981081904
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSDF ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Document ID: NJA0301077
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870529
Trans1 Recv Date: 870529
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870529
Part A Recv Date: 870603
Part B Recv Date: 870617
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0338117
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870626
Trans1 Recv Date: 870626
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870626
Part A Recv Date: 870630
Part B Recv Date: 870722
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0337971
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870819
Trans1 Recv Date: 870819
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870819
Part A Recv Date: 870909

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Part B Recv Date: 870902
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NYA6895091
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 871205
Trans1 Recv Date: 871205
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871205
Part A Recv Date: 871221
Part B Recv Date: 871222
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA1436669
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920727
Trans1 Recv Date: 920727
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920727
Part A Recv Date: 920824
Part B Recv Date: 920805
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1425721
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921021
Trans1 Recv Date: 921021
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921021
Part A Recv Date: 921118
Part B Recv Date: 921105
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00160
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1372485
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921106
Trans1 Recv Date: 921106
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921106
Part A Recv Date: 921123
Part B Recv Date: 921127
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

292 AVE CLEANER CORP (Continued)

1004756630

Specific Gravity: 100
Year: 92

Document ID: NYA8703922
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880226
Trans1 Recv Date: 880226
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880226
Part A Recv Date: 880307
Part B Recv Date: 880309
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NYA8813283
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880322
Trans1 Recv Date: 880322
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880322
Part A Recv Date: 880405
Part B Recv Date: 880404
Generator EPA ID: NYD981081904
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

[Click this hyperlink](#) while viewing on your computer to access
86 additional NY_MANIFEST: record(s) in the EDR Site Report.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

M58
SSE
< 1/8
0.095 mi.
500 ft.

NYCDEP
210 EAST 25TH STREET
NEW YORK, NY 10001

MANIFEST **S109064981**
N/A

Site 1 of 10 in cluster M

Relative:
Higher

NY MANIFEST:

Actual:
30 ft.

EPA ID: NYP003663903
Country: USA
Mailing Name: NYCDEP
Mailing Contact: NYCDEP
Mailing Address: 96-05 HORACE HARDING EXPRESSWAY
Mailing Address 2: Not reported
Mailing City: CORONA
Mailing State: NY
Mailing Zip: 11368
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 646-584-7078

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049278296
Trans2 State ID: Not reported
Generator Ship Date: 2008-04-02
Trans1 Recv Date: 2008-04-02
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2008-04-10
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP003663903
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX480000000
Waste Code: Not reported
Quantity: 125.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 004182910JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYCDEP (Continued)

S109064981

Trans1 State ID: NYD049278296
Trans2 State ID: Not reported
Generator Ship Date: 2008-04-02
Trans1 Recv Date: 2008-04-02
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2008-04-10
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP003663903
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX480000000
Waste Code: Not reported
Quantity: 125.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 004182910JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049278296
Trans2 State ID: Not reported
Generator Ship Date: 2008-04-02
Trans1 Recv Date: 2008-04-02
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2008-04-10
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP003663903
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX480000000
Waste Code: Not reported
Quantity: 125.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 004182910JJK

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NYCDEP (Continued)

S109064981

Import Ind: N
 Export Ind: Y
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

N59
SSW
< 1/8
0.096 mi.
507 ft.

THE JEANNE D'ARC HOME
253 WEST 24TH ST
NEW YORK, NY 10011

AST **U003384521**
HIST AST **N/A**

Site 1 of 4 in cluster N

Relative:
Lower

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-089273
 Program Type: PBS
 UTM X: 584744.53488000005
 UTM Y: 4510993.8497599997
 Expiration Date: 2012/03/24

Actual:
26 ft.

Affiliation Records:

Site Id: 2102
 Affiliation Type: Owner
 Company Name: THE JEANNE DARC HOME INC
 Contact Type: ADMINISTRATOR
 Contact Name: SR MARLENE RUST
 Address1: 253 WEST 24TH ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 989-5952
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 12/6/2006

Site Id: 2102
 Affiliation Type: Emergency Contact
 Company Name: THE JEANNE DARC HOME INC
 Contact Type: Not reported
 Contact Name: MR JACK BARROW
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE JEANNE D'ARC HOME (Continued)

U003384521

Phone: (212) 203-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 12/6/2006

Site Id: 2102
Affiliation Type: On-Site Operator
Company Name: THE JEANNE DARC HOME
Contact Type: Not reported
Contact Name: SR MARLENE RUST
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-5952
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 12/6/2006

Site Id: 2102
Affiliation Type: Mail Contact
Company Name: THE JEANNE DARC HOME INC
Contact Type: Not reported
Contact Name: ADMINISTRATOR
Address1: 253 WEST 24TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 989-5952
Phone Ext: Not reported
Email: JEANNEDARC_JEANNE@YAHOO.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 12/6/2006

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
B05 - Tank External Protection - Jacketed
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
K00 - Spill Prevention - None
E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
J03 - Dispenser - Gravity
F00 - Pipe External Protection - None
D10 - Pipe Type - Copper
L02 - Piping Leak Detection - Interstitial - Manual Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE JEANNE D'ARC HOME (Continued)

U003384521

Tank Info:

Tank Number: 001
Tank Id: 3903
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/23/1951
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 12/6/2006

HIST AST:

PBS Number: 2-089273
SWIS Code: 6201
Operator: SR ROSE ANN MENKE
Facility Phone: (212) 989-5952
Facility Addr2: 253 WEST 24TH ST
Facility Type: APARTMENT BUILDING
Emergency: MR FRED BARRON
Emergency Tel: (212) 243-2737
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: THE JEANNE D'ARC HOME INC
Owner Address: 253 WEST 24TH ST
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 989-5952
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ADMINISTRATOR
Mailing Name: THE JEANNE D'ARC HOME INC
Mailing Address: 253 WEST 24TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Telephone: (212) 989-5952
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/14/2001
Expiration: 03/24/2007
Renew Flag: False
Renew Date: 20011113
Total Capacity: 2000
FAMT: True

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

THE JEANNE D'ARC HOME (Continued)

U003384521

Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

 Tank ID: 001
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 5
 Pipe Location: Aboveground
 Pipe Type: FIBERGLASS COATED STEEL
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

O60
East
< 1/8
0.097 mi.
513 ft.

212 W 27TH ST
212 W 27TH ST
NYC, NY
Site 1 of 9 in cluster O

NY Spills S102671856
NY Hist Spills N/A

Relative:
Higher

NY Spills:
 Site ID: 130314
 Facility Addr2: Not reported
 Facility ID: 9113056
 Spill Number: 9113056
 Facility Type: ER
 SWIS: 3101
 Investigator: O'DOWD
 Referred To: Not reported
 Spill Date: 3/25/1992
 Reported to Dept: 3/25/1992
 CID: Not reported
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212 W 27TH ST (Continued)

S102671856

Spill Notifier: Local Agency
Cleanup Ceased: 3/25/1992
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 3/25/1992
Remediation Phase: 0
Date Entered In Computer: 3/31/1992
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 112293
DEC Memo: Not reported
Remarks: NYCDEP ON SCENE & IWCS ENROUTE. NYCDFD FOUND NO SPILL.

Material:

Site ID: 130314
Operable Unit ID: 963815
Operable Unit: 01
Material ID: 414592
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9113056
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212 W 27TH ST (Continued)

S102671856

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/25/1992 12:30
Reported to Dept Date/Time: 03/25/92 12:52
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: 03/25/92
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 03/25/92
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/31/92
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Remark: NYCDEP ON SCENE IWCS ENROUTE. NYCDF FOUND NO SPILL.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

P61
ESE
< 1/8
0.097 mi.
514 ft.

HESS TRUCK
200 WEST 26TH STREET
NEW YORK, NY

NY Spills **S108465717**
N/A

Site 1 of 8 in cluster P

Relative:
Higher

NY Spills:

Actual:
31 ft.

Site ID: 376816
Facility Addr2: Not reported
Facility ID: 0612043
Spill Number: 0612043
Facility Type: ER
SWIS: 3101
Investigator: rmpiper
Referred To: Not reported
Spill Date: 2/1/2007
Reported to Dept: 2/1/2007
CID: 444
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 2/5/2007
Remediation Phase: 0
Date Entered In Computer: 2/1/2007
Spill Record Last Update: 2/5/2007
Spiller Name: RAY SOJKA
Spiller Company: HESS TRUCK
Spiller Address: 200 WEST 26TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller Company: 001
Contact Name: RAY SOJKA
Contact Phone: (732) 750-6872
DEC Region: 2
DER Facility ID: 326392
DEC Memo: DEC Piper psoke w. Ray at Hess. PTC has been hjired to perform cleanup. Folow up w . PTC. 2/1/07- DECP iper psoke w. Joe O at PTC.

Remarks:

FITTING PIPE SPILLED OUT AND IS CONTAINED AND IN PROCESS OF CLEANING UP

Material:

Site ID: 376816
Operable Unit ID: 1134378
Operable Unit: 01
Material ID: 2124232
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 7
Units: Gallons
Recovered: No
Resource Affected: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HESS TRUCK (Continued)

S108465717

Oxygenate: False

Tank Test:

Site ID: Not reported

Spill Tank Test: Not reported

Tank Number: Not reported

Tank Size: Not reported

Test Method: Not reported

Leak Rate: Not reported

Gross Fail: Not reported

Modified By: Not reported

Last Modified: Not reported

Test Method: Not reported

P62
ESE
< 1/8
0.097 mi.
514 ft.

CONSTRUCTION SITE
200 W 26TH STREET
NEW YORK, NY

Site 2 of 8 in cluster P

NY Spills S104510535
NY Hist Spills N/A

Relative:
Higher

NY Spills:

Site ID: 241250

Facility Addr2: Not reported

Facility ID: 9930022

Spill Number: 9930022

Facility Type: ER

SWIS: 3101

Investigator: SIGONA

Referred To: Not reported

Spill Date: 3/6/2000

Reported to Dept: 3/6/2000

CID: Not reported

Spill Cause: Missing Code in Old Data - Must be fixed

Water Affected: Not reported

Spill Source: Missing Code in Old Data - Must be fixed

Spill Notifier: Missing Code in Old Data - Must be fixed

Cleanup Ceased: Not reported

Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/3/2000

Remediation Phase: 0

Date Entered In Computer: 3/6/2000

Spill Record Last Update: 4/3/2000

Spiller Name: Not reported

Spiller Company: ROCK ROSE CONSTRUCTION

Spiller Address: 200 W 26TH STREET

Spiller City,St,Zip: NEW YORK, NY

Spiller Company: 001

Contact Name: Not reported

Contact Phone: (212) 697-4422

DEC Region: 2

DER Facility ID: 198363

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONTRUCTION SITE (Continued)

S104510535

DEC Memo: Not reported
Remarks: Not reported

Material:

Site ID: 241250
Operable Unit ID: 1089914
Operable Unit: 01
Material ID: 557766
Material Code: 0063A
Material Name: UNKNOWN HAZARDOUS MATERIAL
Case No.: Not reported
Material FA: Hazardous Material
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 241250
Operable Unit ID: 1089914
Operable Unit: 01
Material ID: 557765
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9930022
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/06/2000 09:00
Reported to Dept Date/Time: 03/06/00 08:00
SWIS: 62

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONTRUCTION SITE (Continued)

S104510535

Spiller Name: ROCK ROSE CONSTRUCTION
Spiller Contact: Not reported
Spiller Phone: (212) 697-4422
Spiller Phone: (212) 697-4422
Spiller Address: 200 W 26TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spill Cause: Not reported
Reported to Dept: Not reported
Water Affected: Not reported
Spill Source: Not reported
Spill Notifier: Not reported
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/03/00
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 03/06/00
Date Spill Entered In Computer Data File: 09:16
Update Date: 04/03/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Nonpetroleum/Nonhazardous
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: UNKNOWN HAZARDOUS MATERIAL
Class Type: UNKNOWN HAZARDOUS MATERIAL
Times Material Entry In File: 2093
CAS Number: Not reported
Last Date: 19940728
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONTRUCTION SITE (Continued)

S104510535

Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Unknown what occurred at this site. No investigation was initiated by DEC.
Remark: Not reported

P63
ESE
< 1/8
0.097 mi.
514 ft.

201 W 25 L.L.C./CHELSEA WEST 26 L.L.C.
200 WEST 26TH STREET
NEW YORK, NY 10001

AST A100194152
N/A

Site 3 of 8 in cluster P

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607111
Program Type: PBS
UTM X: 584900.63769999996
UTM Y: 4511045.7331400001
Expiration Date: 2011/10/24

Actual:
31 ft.

Affiliation Records:

Site Id: 28965
Affiliation Type: On-Site Operator
Company Name: 201 W 25 L.L.C./CHELSEA WEST 26 L.L.C.
Contact Type: Not reported
Contact Name: ROCKROSE DEVELOPMENT CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 706-1109
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28965
Affiliation Type: Emergency Contact
Company Name: ROCKROSE DEVELOPMENT CORP.
Contact Type: Not reported
Contact Name: THEODORE PAOLINI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 295-8195
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/10/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

201 W 25 L.L.C./CHELSEA WEST 26 L.L.C. (Continued)

A100194152

Site Id: 28965
Affiliation Type: Owner
Company Name: ROCKROSE DEVELOPMENT CORP.
Contact Type: PROPERTY MGR
Contact Name: GUSTAVO RUSCONI
Address1: 290 PARK AVE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 375--1155
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/10/2006

Site Id: 28965
Affiliation Type: Mail Contact
Company Name: ROCKROSE DEVELOPMENT CORP.
Contact Type: Not reported
Contact Name: GUSTAVO RUSCONI
Address1: 290 PARK AVE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 375-1155
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 10/10/2006

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
J00 - Dispenser - None
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 62334
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

201 W 25 L.L.C./CHELSEA WEST 26 L.L.C. (Continued)

A100194152

Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

**P64
 ESE
 < 1/8
 0.097 mi.
 514 ft.**

**LOT 44,TAXBLOCK 775
 200 WEST 26 STREET
 MANHATTAN, NY 10001
 Site 4 of 8 in cluster P**

**E DESIGNATION S108078561
 N/A**

**Relative:
 Higher**

E DESIGNATION:
 Tax Lot(s): 44
 E-No: E-92
 Effective Date: 9/9/1999
 Satisfaction Date: Not reported
 Ceqr Number: 99DCP030M
 Ulurp Number: 990453 ZMM
 Zoning Map No: 8b, 8d, 12c
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 104
 Census Tract: 91
 Census Block: 3000
 School District: 02
 City Council District: 03
 Fire Company: E001
 Health Area: 15
 Police Precinct: 010
 Zone District 1: C6-3X
 Zone District 2: C6-2A
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-3X
 All Components2: C6-2A
 Split Boundary Indicator: Y
 Building Class: D8
 Land Use Category: 03
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 201 WEST 25 L.L.C.
 Lot Area: 000012994
 Total Building Floor Area: 00000264000
 Commercial Floor Area: 00000056405
 Office Floor Area: 00000000000
 Retail Floor Area: 00000032405
 Garage Floor Area: 00000024000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001

**Actual:
 31 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 775 (Continued)

S108078561

Number of Floors:	017.00
Residential Units:	00231
Non and Residential Units:	00234
Lot Frontage:	0108.33
Lot Depth:	0123.33
Building Frontage:	0108.00
Building Depth:	0123.00
Proximity Code:	0
Irregular Lot Code:	Y
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00002515500
Total Assessed Value:	00022005000
Land Exempt Value:	00001246050
Total Exempt Value:	00020735550
Year Built:	2000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0020.32
Maximum Allowable Far:	9.00
Borough Code:	1
Borough Tax Block And Lot:	1007750044
Condominium Number:	00000
Census Tract 2:	0091
X Coordinate:	0985663
Y Coordinate:	0210932
Zoning Map:	08D
Sanborn Map:	105S010
Tax Map:	10304
E Designation No:	E-92
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	44
E-No:	E-92
Effective Date:	9/9/1999
Satisfaction Date:	Not reported
Ceqr Number:	99DCP030M
Ulurp Number:	990453 ZMM
Zoning Map No:	8b, 8d, 12c
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	104
Census Tract:	91
Census Block:	3000
School District:	02
City Council District:	03

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 775 (Continued)

S108078561

Fire Company: E001
Health Area: 15
Police Precinct: 010
Zone District 1: C6-3X
Zone District 2: C6-2A
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C6-3X
All Components2: C6-2A
Split Boundary Indicator: Y
Building Class: D8
Land Use Category: 03
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 201 WEST 25 L.L.C.
Lot Area: 000012994
Total Building Floor Area: 00000264000
Commercial Floor Area: 00000056405
Office Floor Area: 00000000000
Retail Floor Area: 00000032405
Garage Floor Area: 00000024000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 017.00
Residential Units: 00231
Non and Residential Units: 00234
Lot Frontage: 0108.33
Lot Depth: 0123.33
Building Frontage: 0108.00
Building Depth: 0123.00
Proximity Code: 0
Irregular Lot Code: Y
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00002515500
Total Assessed Value: 00022005000
Land Exempt Value: 00001246050
Total Exempt Value: 00020735550
Year Built: 2000
Year Built Code: Not reported
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported
Landmark Name: Not reported
Built Floor Area Ratio-Far: 0020.32
Maximum Allowable Far: 9.00
Borough Code: 1
Borough Tax Block And Lot: 1007750044
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985663
Y Coordinate: 0210932

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 44,TAXBLOCK 775 (Continued)

S108078561

Zoning Map: 08D
Sanborn Map: 105S010
Tax Map: 10304
E Designation No: E-92
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

P65
ESE
< 1/8
0.097 mi.
514 ft.

GARIB STEVEN
200 W 26TH ST
NEW YORK, NY 10001

RCRA-NonGen **1012186732**
NYR000165944

Site 5 of 8 in cluster P

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 07/01/2009
Facility name: GARIB STEVEN
Facility address: 200 W 26TH ST
NEW YORK, NY 10001
EPA ID: NYR000165944
Mailing address: W 26TH ST
NEW YORK, NY 10001
Contact: STEVEN GARIB
Contact address: W 26TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 337-0843
Contact email: STEVENGARIB11@YAHOO.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
31 ft.

Owner/Operator Summary:

Owner/operator name: STEVEN GARIB
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/01/2009
Owner/Op end date: Not reported

Owner/operator name: STEVEN GARIB
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/01/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GARIB STEVEN (Continued)

1012186732

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: Yes
Off-site waste receiver: Commercial status unknown

Universal Waste Summary:

Waste type: Consumer Electronics
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Oil-Based Finishes
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Any Universal Waste
Accumulated waste on-site: No
Generated waste on-site: No

Waste type: Batteries
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Lamps
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Pesticides
Accumulated waste on-site: No
Generated waste on-site: Not reported

Waste type: Thermostats
Accumulated waste on-site: No
Generated waste on-site: Not reported

Violation Status: No violations found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

N66
SSW
< 1/8
0.098 mi.
520 ft.

RESIDENTIAL BUILDING
250 WEST 24TH STREET
NEW YORK, NY

NY Spills **S108466534**
N/A

Site 2 of 4 in cluster N

Relative:
Lower

NY Spills:

Actual:
26 ft.

Site ID: 378140
Facility Addr2: Not reported
Facility ID: 0613152
Spill Number: 0613152
Facility Type: ER
SWIS: 3101
Investigator: rvketani
Referred To: Not reported
Spill Date: 3/7/2007
Reported to Dept: 3/7/2007
CID: 444
Spill Cause: Other
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/7/2007
Remediation Phase: 0
Date Entered In Computer: 3/7/2007
Spill Record Last Update: 3/5/2009
Spiller Name: JILL GUERRA
Spiller Company: RESIDENTIAL BUILDING
Spiller Address: 250 WEST 24TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller Company: 001
Contact Name: JILL GUERRA
Contact Phone: (631) 851-1600
DEC Region: 2
DER Facility ID: 327679
DEC Memo: 3/7/07 - Sharif spoke with Jill Guerra(GCI),She told me that they have done some borings at the site and found slight svoc contamination,no vocs.She'll fax the report to DEC case manager Raphael Ketani. 3/7/07 - Raphael Ketani. The site is called Chelsea Towers and had a 5,000 gal. #6 fuel oil tank. This tank was closed and removed. The PBS case is #2-234028. I received the FAX with the results for the 3 soil samples. Ms. Guerra said that each sample came from a crawl space under the basement. I asked Ms. Guerra whether any of the soil samples showed discoloration. She said none looked discolored. There were no VOC hits for any sample. SB-3 had several SVOC hits, but none were above the TAGM limits. SB-4 had 11 SVOC hits with chrysene and benzo(a)pyrene exceeding the limits. However, these 2 analytes were only 2 and 3 times their respective limits. Based upon the analytical results, I am closing the spill case. 3/13/07 - Raphael Ketani. Ms. Guerra sent me a Phase II Subsurface Investigation report dated 3/2/07. The report had a narrative, a diagram of the sampling sites, pictures of the crawl itself, and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL BUILDING (Continued)

S108466534

analytical results and radon testing results. According to the report's narrative, the radon levels were below the EPA standard. 2/26/09 - Raphael Ketani. Bill Candiloros, board member of the Chelsea Gardens co-op, called to find out what the TAGM limits mean. He said that the co-op is planning to build apartments in the basement and he added that they have all of the DOB permits to do so. However, some of the residents are fighting the plan by saying that there is still toxic contamination in the basement. They are pointing to the levels of heavy metals in the soil results and the fact that there is residual oil in the soil. I told Mr. Candiloros that the spill was closed because the soil analytical results showed that the oil contamination was at or below the TAGM limits. He asked about the metals. I told him that the Spills Unit doesn't deal with the metals. I asked him whether there is a solid concrete floor in the basement. He said that there is. I directed him to Unit A of DER here in Region 2. I told him to discuss the metals with them. 3/5/09 - Raphael Ketani. Jack Chen (917) 378-9372, a tenant in the building, called. He said that he is concerned about his health. He said that construction is taking place in the basement of the building where there has never been a dirt floor. He said that the workers have been jack hammering out the bedrock and creating a lot of dust. Mr. Chen added that the soil was found to have lead and mercury and that a lot of dust has been created and he has been breathing it in. He said that he has developed asthma from the dust. Mr. Chen wanted to know how toxic the metals in the dust were to him. I told him that Spills doesn't deal in metal concentrations and to talk to Unit A of the DER. I gave him their number. Later, Mr. Chen sent me the following e-mail with a picture of a New York Times article regarding the construction and seven additional pictures (see E-docs): Mr. Ketani: Thank you again for taking the time out to speak with me today. As discussed, attached please find photos of the cellar site where the building is excavating to construct apartments. These photos were taken about 10 minutes ago. The site used to have much more dirt. The level where it's at today is after about 6 months of excavation, digging and jackhammering of bedrock. If you will find it useful I can probably retrieve photos of the site in its original condition about a year or two ago. To repeat our conversation today: 1. The area being excavated has never, ever had a cement floor. It is my understanding based on publicly available documents that the building is trying to convert the cellar space into a basement and thus needed to excavate. 2. The area subject to the construction still does not have any concrete floors. 3. Residents on the first floor have been subjected to dust from the soil for about the last 6 months. We became alarmed when we received a copy of the soil report and saw the elevated levels of lead and mercury. I believe, and my doctors agree, that I developed asthma because of the dust. We have also taken a couple of photos showing where the original finished basement with the concrete floor ends and where the soil and excavation site begins. I also attach a PDF copy of a New York Times article where a current board member, a former board member and the architect are quoted discussing the excavation, how the cellar space was untouched and unfinished and about excavating the bedrock. Thank you for your time. I will give Ms. Jane O'Connell a call later today as you suggested. If you would like any further information regarding this site or the project, please do not hesitate to email me or call me at 917.378.9372. Regards, Jack Chen

Remarks:

SOIL BORINGS SHOWED CONTAMINATION

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENTIAL BUILDING (Continued)

S108466534

Material:

Site ID: 378140
Operable Unit ID: 1135642
Operable Unit: 01
Material ID: 2125559
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False
Site ID: 378140
Operable Unit ID: 1135642
Operable Unit: 01
Material ID: 2125560
Material Code: 0064A
Material Name: UNKNOWN MATERIAL
Case No.: Not reported
Material FA: Other
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

N67
SSW
< 1/8
0.098 mi.
520 ft.

CHELSEA GARDENS
250 WEST 24TH ST
NEW YORK, NY 10011

Site 3 of 4 in cluster N

AST **U003387759**
HIST AST **N/A**

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-234028
Program Type: PBS
UTM X: 584744.52344999998
UTM Y: 4510980.08323
Expiration Date: 2012/07/10

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA GARDENS (Continued)

U003387759

Affiliation Records:

Site Id: 8545
Affiliation Type: Emergency Contact
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: Not reported
Contact Name: RUDD REALTY MGMT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 319-5000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8545
Affiliation Type: Owner
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: PROPERTY MANAGER
Contact Name: YVONNE LAVIALE
Address1: 250 WEST 24TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2007

Site Id: 8545
Affiliation Type: Mail Contact
Company Name: RUDD REALTY MGMT CORP
Contact Type: Not reported
Contact Name: YVONNE LAVIALE
Address1: 641 LEXINGTON AVENUE
Address2: 10TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 319-5000
Phone Ext: Not reported
Email: YVONNE@ERUDD.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2007

Site Id: 8545
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA GARDENS (Continued)

U003387759

Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: Not reported
Contact Name: RUBEN IKIZARRY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F01 - Pipe External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C01 - Pipe Location - Aboveground
I05 - Overfill - Vent Whistle
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
G05 - Tank Secondary Containment - Synthetic Liner
G03 - Tank Secondary Containment - Vault (w/o access)
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 001
Tank Id: 12522
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/1/2002
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA GARDENS (Continued)

U003387759

Last Modified: 3/4/2004

Tank Number: 1
Tank Id: 64584
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 11/1/2002
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-234028
SWIS Code: 6201
Operator: EICHNER LEEDS ASSOCS LTD AGT
Facility Phone: (212) 532-6446
Facility Addr2: 250 WEST 24TH ST
Facility Type: APARTMENT BUILDING
Emergency: EICHNER LEEDS ASSOCS LTD AGT
Emergency Tel: (212) 532-6446
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CHELSEA GARDENS OWNERS CORP
Owner Address: 274 MADISON AVE
Owner City,St,Zip: NEW YORK, NY 10016
Federal ID: Not reported
Owner Tel: (212) 532-6446
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ARTHUR EICHNER
Mailing Name: CHELSEA GARDENS OWNERS CORP
Mailing Address: 274 MADISON AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10016
Mailing Telephone: (212) 532-6446
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/18/1992
Expiration: 07/10/1997
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA GARDENS (Continued)

U003387759

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: 1
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

M68
SSE
< 1/8
0.100 mi.
526 ft.

D & B REPRODUCTIONS-207 W 25TH ST
207 WEST 25TH ST
NEW YORK CITY, NY 10001

RCRA-NonGen **1000457700**
FINDS **NYD986929610**
MANIFEST

Site 2 of 10 in cluster M

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: D & B REPRODUCTIONS INC
Facility address: 207 W 25TH ST
NEW YORK, NY 10001
EPA ID: NYD986929610
Mailing address: W 25TH ST
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 25TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: D & B REPRODUCTIONS INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: D & B REPRODUCTIONS INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: D & B REPRODUCTIONS INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: D & B REPRODUCTIONS INC
Classification: Not a generator, verified

Date form received by agency: 11/02/1990
Facility name: D & B REPRODUCTIONS INC
Classification: Small Quantity Generator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Violation Status: No violations found

FINDS:

Registry ID: 110002367947

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD986929610
Country: USA
Mailing Name: D & B REPRODUCTION INCORPORATED
Mailing Contact: PERRY PEREZ
Mailing Address: 207 WEST 25TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-243-1360

Document ID: NJA1327646
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920515
Trans1 Recv Date: 920515
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920518
Part A Recv Date: Not reported
Part B Recv Date: 920610
Generator EPA ID: NYD986929610

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1356820
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921006
Trans1 Recv Date: 921006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921013
Part A Recv Date: Not reported
Part B Recv Date: 921110
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1461507
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920818
Trans1 Recv Date: 920818
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920819
Part A Recv Date: Not reported
Part B Recv Date: 920910
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00385
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Specific Gravity: 100
Year: 92

Document ID: NJA1631635
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930305
Trans1 Recv Date: 930305
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930308
Part A Recv Date: 930318
Part B Recv Date: 930324
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1412725
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930826
Trans1 Recv Date: 930826
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930830
Part A Recv Date: Not reported
Part B Recv Date: 930929
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00350
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NJA1821017
Manifest Status: Completed copy
Trans1 State ID: NJDEPE086
Trans2 State ID: Not reported
Generator Ship Date: 940826

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Trans1 Recv Date: 940826
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940826
Part A Recv Date: Not reported
Part B Recv Date: 940912
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00385
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA1076851
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 901108
Trans1 Recv Date: 901108
Trans2 Recv Date: Not reported
TSD Site Recv Date: 901109
Part A Recv Date: 910404
Part B Recv Date: 910124
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90

Document ID: NJA0993329
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 910306
Trans1 Recv Date: 910306
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910308
Part A Recv Date: 910411
Part B Recv Date: 910322
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NJA1121629
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 73819
Trans2 State ID: Not reported
Generator Ship Date: 910605
Trans1 Recv Date: 910605
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910606
Part A Recv Date: 910725
Part B Recv Date: 910710
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NJA0981982
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 910104
Trans1 Recv Date: 910104
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910107
Part A Recv Date: 910416
Part B Recv Date: 910201
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00405
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Document ID: NJA1216271
Manifest Status: Completed copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 910821
Trans1 Recv Date: 910821
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910827
Part A Recv Date: Not reported
Part B Recv Date: 910909
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00403
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NJA1333175
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 911223
Trans1 Recv Date: 911223
Trans2 Recv Date: Not reported
TSD Site Recv Date: 911226
Part A Recv Date: Not reported
Part B Recv Date: 920117
Generator EPA ID: NYD986929610
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00375
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NJA1127991
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 911112
Trans1 Recv Date: 911112
Trans2 Recv Date: Not reported
TSD Site Recv Date: 911114
Part A Recv Date: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

D & B REPRODUCTIONS-207 W 25TH ST (Continued)

1000457700

Part B Recv Date: 911210
 Generator EPA ID: NYD986929610
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD002182897
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00375
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 91

Document ID: NJA1355004
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920303
 Trans1 Recv Date: 920303
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920305
 Part A Recv Date: Not reported
 Part B Recv Date: 920325
 Generator EPA ID: NYD986929610
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD002182897
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00348
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

M69
SSE
 < 1/8
 0.100 mi.
 526 ft.

NORTH AMERICAN TYPOGRAPHY
207 W 25TH ST
NEW YORK, NY 10001
 Site 3 of 10 in cluster M

RCRA-CESQG 1000404655
FINDS NYD986873149
MANIFEST

Relative:
Higher

RCRA-CESQG:
 Date form received by agency: 01/01/2007
 Facility name: DARBERT CORP
 Facility address: 207 W 25TH ST
 NEW YORK, NY 10001
 EPA ID: NYD986873149
 Mailing address: W 25TH ST
 NEW YORK, NY 10001
 Contact: SANDRA L BAKER
 Contact address: W 25TH ST
 NEW YORK, NY 10001
 Contact country: US
 Contact telephone: (212) 989-2280
 Contact email: Not reported

Actual:
 30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

EPA Region: 02
Land type: Private
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: NO NAME FOUND
Owner/operator address: Not reported
Not reported
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 05/27/2004
Owner/Op end date: Not reported

Owner/operator name: DARBERT CORP
Owner/operator address: W 25TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 989-2280
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 06/01/1987
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: DARBERT CORP
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 06/07/2004
Facility name: DARBERT CORP
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
Facility name: DARBERT CORP
Site name: NORTH AMERICAN TYPOGRAPHY
Classification: Not a generator, verified

Date form received by agency: 08/02/1988
Facility name: DARBERT CORP
Site name: NORTH AMERICAN TYPOGRAPHY
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/12/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

FINDS:

Registry ID: 110009477155

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986873149
Country: USA
Mailing Name: DALBERT CORP
Mailing Contact: RON SPEIGAL
Mailing Address: 207 W 25TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: 7119
Mailing Country: USA
Mailing Phone: 212-989-2280

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Document ID: NJA0562326
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 890706
Trans1 Recv Date: 890706
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890707
Part A Recv Date: 890713
Part B Recv Date: 890714
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 02750
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89

Document ID: NJA9627002
Manifest Status: Completed copy
Trans1 State ID: NJDEP-S86
Trans2 State ID: Not reported
Generator Ship Date: 891101
Trans1 Recv Date: 891101
Trans2 Recv Date: Not reported
TSD Site Recv Date: 891103
Part A Recv Date: 891103
Part B Recv Date: 891122
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00500
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 89

Document ID: NJA0811780
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: NJDEP-S86
Trans2 State ID: Not reported
Generator Ship Date: 900502
Trans1 Recv Date: 900502
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900504
Part A Recv Date: 900614

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Part B Recv Date: 900626
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00550
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 90

Document ID: NJA0712863
Manifest Status: Completed copy
Trans1 State ID: NJDEP-S86
Trans2 State ID: Not reported
Generator Ship Date: 900207
Trans1 Recv Date: 900207
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900209
Part A Recv Date: 900215
Part B Recv Date: 900301
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00407
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 90

Document ID: NYG2977641
Manifest Status: Not reported
Trans1 State ID: NYD986974376
Trans2 State ID: Not reported
Generator Ship Date: 04/22/2005
Trans1 Recv Date: 04/22/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/02/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986873149
Trans1 EPA ID: 43344PA
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: Not reported

Document ID: NJA0914730
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NJDEP-S86
Trans2 State ID: Not reported
Generator Ship Date: 900830
Trans1 Recv Date: 900831
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900905
Part A Recv Date: 901005
Part B Recv Date: 900917
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDf ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00407
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90

Document ID: NYG2976984
Manifest Status: Not reported
Trans1 State ID: 43344PA
Trans2 State ID: Not reported
Generator Ship Date: 06/28/2004
Trans1 Recv Date: 06/28/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/07/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986873149
Trans1 EPA ID: NYD986974376
Trans2 EPA ID: Not reported
TSDf ID: NYD082785
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 04

Document ID: NYG2977632
Manifest Status: Not reported
Trans1 State ID: 43344PA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Trans2 State ID: Not reported
Generator Ship Date: 10/05/2004
Trans1 Recv Date: 10/05/2004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/15/2004
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986873149
Trans1 EPA ID: NYD986974376
Trans2 EPA ID: Not reported
TSD ID: NYD082785
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 04

Document ID: NJA1075691
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 910219
Trans1 Recv Date: 910219
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910221
Part A Recv Date: 910304
Part B Recv Date: 910307
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00408
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NJA1075645
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 910605
Trans1 Recv Date: 910605
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910606
Part A Recv Date: 910612
Part B Recv Date: 910626
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Trans2 EPA ID: Not reported
TSDF ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00407
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NJA1124810
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 910821
Trans1 Recv Date: 910821
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910827
Part A Recv Date: 910903
Part B Recv Date: 910909
Generator EPA ID: NYD986873149
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00412
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

Document ID: NYG2977641
Manifest Status: Not reported
Trans1 State ID: NYD986974376
Trans2 State ID: Not reported
Generator Ship Date: 04/22/2005
Trans1 Recv Date: 04/22/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/02/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986873149
Trans1 EPA ID: 43344PA
Trans2 EPA ID: Not reported
TSDF ID: NYD082785429
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NORTH AMERICAN TYPOGRAPHY (Continued)

1000404655

Year: 2005

P70 228-237 CORP.
ESE 276 7TH AVENUE
< 1/8 NEW YORK, NY 10001
0.102 mi.
540 ft. Site 6 of 8 in cluster P

UST U001840146
HIST UST N/A

Relative:
Higher

UST:
Facility Id: 2-452521
Region: STATE
DEC Region: 2
Site Status: Administratively Closed
Program Type: PBS
Expiration Date: N/A
UTM X: 584939.97897000005
UTM Y: 4511033.6125800004

Actual:
31 ft.

Affiliation Records:
Site Id: 19776
Affiliation Type: On-Site Operator
Company Name: 228-237 CORP.
Contact Type: Not reported
Contact Name: ATHANASIOS PILIOURAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-1725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19776
Affiliation Type: Mail Contact
Company Name: 228-237 CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 276 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 255-1725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19776
Affiliation Type: Owner
Company Name: 228-237 CORP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Contact Type: Not reported
Contact Name: Not reported
Address1: 276 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 255-1725
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19776
Affiliation Type: Emergency Contact
Company Name: 228-237 CORP
Contact Type: Not reported
Contact Name: ANTHANASIOS PILIOURAS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 527-7004
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
G04 - Tank Secondary Containment - Double-Walled (Underground)
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
J01 - Dispenser - Submersible
H00 - Tank Leak Detection - None
I00 - Overfill - None
J01 - Dispenser - Submersible
D00 - Pipe Type - No Piping
I00 - Overfill - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D00 - Pipe Type - No Piping
I00 - Overfill - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Submersible
J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
I00 - Overfill - None
I00 - Overfill - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I00 - Overfill - None
A00 - Tank Internal Protection - None
A00 - Tank Internal Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
B00 - Tank External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
I00 - Overfill - None
H00 - Tank Leak Detection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J01 - Dispenser - Submersible
I00 - Overfill - None
J01 - Dispenser - Submersible
J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

F00 - Pipe External Protection - None

Tank Info:

Site ID: 19776

Tank Number: 001
Tank ID: 35489
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 002
Tank ID: 35490
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 003
Tank ID: 35491
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 004
Tank ID: 35492
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 005
Tank ID: 35493
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 006
Tank ID: 35494
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 007
Tank ID: 35495
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 008
Tank ID: 35496
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 19776

Tank Number: 009
Tank ID: 35497
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 10/1/1996
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-452521
SPDES Number: Not reported
Emergency Contact: ANTHANASIOS PILIOURAS
Emergency Telephone: (718) 527-7004
Operator: ATHANASIOS PILIOURAS
Operator Telephone: (212) 255-1725
Owner Name: 228-237 CORP
Owner Address: 276 7TH AVENUE
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 255-1725
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: 228-237 CORP
Mailing Address: 276 7TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: Not reported
Mailing Telephone: (212) 255-1725
Owner Mark: First Owner
Facility Status: 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).

Facility Addr2: 276 7TH AVENUE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/23/1988
Expiration Date: 08/23/1993
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: 0
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 005
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 006
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 007
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 008
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Tank Id: 009
Tank Location: UNDERGROUND
Tank Status: Undefined
Install Date: Not reported
Capacity (gals): 500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

228-237 CORP. (Continued)

U001840146

Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1996
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

O71
East
< 1/8
0.102 mi.
541 ft.

V0019
207 W 27 STREET
NEW YORK CITY, NY 10001

RCRA-NonGen **1007207328**
MANIFEST **NYP004043113**

Site 2 of 9 in cluster O

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/03/2001
Facility name: V0019
Actual: Facility address: 207 W 27 STREET
32 ft. NEW YORK CITY, NY 10001
EPA ID: NYP004043113
Mailing address: CONSOLIDATED EDISON INC.
4 IRVING PLACE -- ROOM 300
NEW YORK, NY 10003
Contact: ANTHONY DRUMMINGS
Contact address: CONSOLIDATED EDISON INC.
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
Used oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/02/2001
Facility name: V0019
Classification: Not a generator, verified

Date form received by agency: 01/01/2001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

V0019 (Continued)

1007207328

Facility name: V0019
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004043113
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0442305
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 09/15/1999
 Trans1 Recv Date: 09/15/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/15/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004043113
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSDF ID: 20854AD
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 03791
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Q72
West
< 1/8
0.103 mi.
543 ft.

POWER HOUSE
315 W 25TH ST
MANHATTAN, NY
Site 1 of 4 in cluster Q

LTANKS **S102233331**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Site ID: 257575
 Spill No: 9602633
 Spill Date: 5/23/1996
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POWER HOUSE (Continued)

S102233331

Spill Closed Dt: 9/16/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: TLGIBBON
Referred To: Not reported
Reported to Dept: 5/23/1996
CID: 323
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/23/1996
Spill Record Last Update: 10/11/2005
Spiller Name: BRENDAN KEANY
Spiller Company: POWER HOUSE
Spiller Address: 315 W 25TH ST
Spiller City,St,Zip: MANHATTAN, ZZ
Spiller County: 001
Spiller Contact: BRENDAN KEANY
Spiller Phone: (212) 675-3200
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 24612
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "M TIBBE" 6/8/05 - Project transferred to TLGibbons in Central Office, Albany 8/16/05 - Spoke with Brenden Keany, Mutual Redevelopment Houses, Inc., (212) 675-3200. Spill reported 5/23/96 by CDM during removal of twelve (12) 20,000 gal. #2 and #6 fuel oil USTs. The large fuel usage was for a cogen plant which generates electricity for ~3,000 people. After removing tanks and cleaning, went to dual fuel system, reinstalling only six 20,000 gal. #2 fuel oil USTs. Spoke with David Marabello (732-225-7000), CDM project manager during spill. He said that they excavated to the lateral and vertical limits possible, using shoring, without compromising structure of building. Southern portion of excavation encountered bedrock. Sixteen post-excavation samples were collected and evaluated for VOCs and SVOCs. All samples greater than 10 feet bgs. Elevated levels of VOCs and SVOCs were encountered in several samples, however, according to 10/2/98 CDM tank closure report, levels not indicative of gross tank failure, rather indicative of chronic spills over time. While some sporadic elevated levels of petroleum remain, everything that was reasonable to be done, was done. Close spill.

Remarks: OLD TANK APPEARED TO HAVE FAILED. TANK IS BEING REMOVED, CONTAMINATED SOIL WAS FOUND DURING REMOVAL PROCESS. INVESTIGATION IS UNDERWAY AT THIS TIME.

Material:
Site ID: 257575
Operable Unit ID: 1030194
Operable Unit: 01
Material ID: 352456
Material Code: 0001
Material Name: #2 Fuel Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POWER HOUSE (Continued)

S102233331

Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9602633
Spill Date: 05/23/1996
Spill Time: 15:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/23/96
Reported to Department Time: 15:49
SWIS: 62
Spiller Contact: BRENDAN KEANY
Spiller Phone: (212) 675-3200
Spiller Extention: Not reported
Spiller Name: POWER HOUSE
Spiller Address: 315 W 25TH ST
Spiller City,St,Zip: MANHATTAN
Spiller Cleanup Date: / /
Facility Contact: BRENDAN KEANY
Facility Phone: (212) 675-3200
Facility Extention: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

POWER HOUSE (Continued)

S102233331

Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/23/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/27/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: OLD TANK APPEARED TO HAVE FAILED. TANK IS BEING REMOVED, CONTAMINATED SOIL WAS FOUND DURING REMOVAL PROCESS. INVESTIGATION IS UNDERWAY AT THIS TIME.

Q73
West
< 1/8
0.103 mi.
543 ft.

MUTUAL REDEVELOPMENT HSG
315 W 25 ST
MANHATTAN, NY
Site 2 of 4 in cluster Q

LTANKS 1001751755
HIST LTANKS N/A

Relative:
Lower

LTANKS:
Site ID: 138350
Spill No: 8908445
Spill Date: 11/27/1989
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/6/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: ADMIN. CLOSED

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HSNB (Continued)

1001751755

Referred To: Not reported
Reported to Dept: 11/27/1989
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/29/1989
Spill Record Last Update: 7/19/2004
Spiller Name: Not reported
Spiller Company: SAME/MUTUAL DVLPMNT HSG
Spiller Address: SAME
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 118299
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ADMIN.CLOSED" 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report
Remarks: TANK #11&12 BOTH 20K HORNER GROSS LEAKS.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS.

Material:

Site ID: 138350
Operable Unit ID: 933493
Operable Unit: 01
Material ID: 445185
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 138350
Spill Tank Test: 1536463
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HSNG (Continued)

1001751755

HIST LTANKS:

Region of Spill: 2
Spill Number: 8908445
Spill Date: 11/27/1989
Spill Time: 13:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/27/89
Reported to Department Time: 13:52
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/29/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/27/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HSNB (Continued)

1001751755

Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK 11 12 BOTH 20K HORNER GROSS LEAKS.

R74
NE
< 1/8
0.103 mi.
544 ft.

FUR PARKING CORP
242 WEST 28TH STREET
NEW YORK, NY 10001

UST U003128211
HIST UST N/A

Site 1 of 6 in cluster R

Relative:
Higher

UST:
Facility Id: 2-600623
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 584912.34757999994
UTM Y: 4511249.0066

Actual:
29 ft.

Affiliation Records:
Site Id: 22603
Affiliation Type: On-Site Operator
Company Name: FUR PARKING CORP
Contact Type: Not reported
Contact Name: MITCH KAHN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-4620
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22603
Affiliation Type: Emergency Contact
Company Name: MITCH KAHN
Contact Type: Not reported
Contact Name: MITCH KAHN
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-4620
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22603
Affiliation Type: Mail Contact
Company Name: FUR PARKING CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 241 WEST 28TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 563-4620
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22603
Affiliation Type: Owner
Company Name: MITCH KAHN
Contact Type: Not reported
Contact Name: Not reported
Address1: 241 WEST 28TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 563-4620
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
I00 - Overfill - None
I00 - Overfill - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- D00 - Pipe Type - No Piping
- J00 - Dispenser - None
- G00 - Tank Secondary Containment - None
- B00 - Tank External Protection - None
- C00 - Pipe Location - No Piping
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- D00 - Pipe Type - No Piping
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- D00 - Pipe Type - No Piping
- J00 - Dispenser - None
- B00 - Tank External Protection - None
- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I00 - Overfill - None
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- D00 - Pipe Type - No Piping
- J00 - Dispenser - None
- H00 - Tank Leak Detection - None
- J00 - Dispenser - None
- D00 - Pipe Type - No Piping
- J00 - Dispenser - None
- B00 - Tank External Protection - None
- D00 - Pipe Type - No Piping
- B00 - Tank External Protection - None
- B00 - Tank External Protection - None
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None

Tank Info:

Site ID: 22603

Tank Number: 001
Tank ID: 43106
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

Date Tank Closed: 4/1/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 22603

Tank Number: 002
Tank ID: 43107
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 22603

Tank Number: 003
Tank ID: 43108
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 22603

Tank Number: 004
Tank ID: 43109
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

Date Tank Closed: 4/1/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 22603

Tank Number: 005
Tank ID: 43110
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 22603

Tank Number: 006
Tank ID: 43111
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 550
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 4/1/1999
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-600623
SPDES Number: Not reported
Emergency Contact: MITCH KAHN
Emergency Telephone: (212) 563-4620
Operator: MITCH KAHN
Operator Telephone: (212) 563-4620
Owner Name: MITCH KAHN
Owner Address: 241 WEST 28TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 563-4620

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Name: FUR PARKING CORP
Mailing Address: 241 WEST 28TH STREET
Mailing Address 2: Not reported
Mailing City, St, Zip: NEW YORK, NY 10001
Mailing Contact: Not reported
Mailing Telephone: (212) 563-4620
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.

Facility Addr2: 242 WEST 28TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/17/1997
Expiration Date: 01/16/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: 0
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 04/01/1999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 04/01/1999
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 04/01/1999
Test Method: Not reported
Deleted: False
Updated: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 04/01/1999
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 005
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 04/01/1999
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING CORP (Continued)

U003128211

Tank Id: 006
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 550
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 04/01/1999
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Q75
West
< 1/8
0.103 mi.
545 ft.

MUTUAL REDEVELOPMENT HOUSES, INC.
315 WEST 25TH STREET
NEW YORK, NY 10001

UST U004063659
N/A

Site 3 of 4 in cluster Q

Relative:
Lower

UST:
Facility Id: 2-602742
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/08/02
UTM X: 584616.89997999999
UTM Y: 4511145.81953

Actual:
23 ft.

Affiliation Records:
Site Id: 24698
Affiliation Type: Emergency Contact
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: Not reported
Contact Name: BRENDAN KEANY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24698
Affiliation Type: Mail Contact
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: Not reported
Contact Name: BRENDAN KEANY,MANAGER
Address1: 321 EIGHTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 675-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24698
Affiliation Type: On-Site Operator
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: Not reported
Contact Name: DANNY SABATO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-1942
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24698
Affiliation Type: Owner
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: GENERAL MANAGER
Contact Name: BRENDAN KEANY
Address1: 321 EIGHTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 675-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/18/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

Equipment Records:

- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- G00 - Tank Secondary Containment - None
- K99 - Spill Prevention - Other
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- B00 - Tank External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- K99 - Spill Prevention - Other
- E10 - Piping Secondary Containment - Impervious Underlayment
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- F01 - Pipe External Protection - Painted/Asphalt Coating
- B04 - Tank External Protection - Fiberglass
- G01 - Tank Secondary Containment - Diking (Aboveground)
- I03 - Overfill - Automatic Shut-Off
- A00 - Tank Internal Protection - None
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- I03 - Overfill - Automatic Shut-Off
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I03 - Overfill - Automatic Shut-Off
- K99 - Spill Prevention - Other
- C03 - Pipe Location - Aboveground/Underground Combination
- C03 - Pipe Location - Aboveground/Underground Combination
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- K99 - Spill Prevention - Other
- B04 - Tank External Protection - Fiberglass
- L09 - Piping Leak Detection - Exempt Suction Piping
- F01 - Pipe External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J02 - Dispenser - Suction
- H05 - Tank Leak Detection - In-Tank System (ATG)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- B04 - Tank External Protection - Fiberglass
- I02 - Overfill - High Level Alarm
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- K99 - Spill Prevention - Other
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction
- K99 - Spill Prevention - Other
- I02 - Overfill - High Level Alarm
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- D07 - Pipe Type - Plastic
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- I04 - Overfill - Product Level Gauge (A/G)
- C01 - Pipe Location - Aboveground
- B04 - Tank External Protection - Fiberglass
- B04 - Tank External Protection - Fiberglass
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- C00 - Pipe Location - No Piping
- H00 - Tank Leak Detection - None
- I03 - Overfill - Automatic Shut-Off
- G00 - Tank Secondary Containment - None
- H05 - Tank Leak Detection - In-Tank System (ATG)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- C00 - Pipe Location - No Piping
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- D07 - Pipe Type - Plastic
- A00 - Tank Internal Protection - None
- G11 - Tank Secondary Containment - Double-bottom (Aboveground)
- D07 - Pipe Type - Plastic
- F01 - Pipe External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- J02 - Dispenser - Suction
- G01 - Tank Secondary Containment - Diking (Aboveground)
- I03 - Overfill - Automatic Shut-Off
- J02 - Dispenser - Suction
- J02 - Dispenser - Suction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

J02 - Dispenser - Suction
I02 - Overfill - High Level Alarm
G04 - Tank Secondary Containment - Double-Walled (Underground)
K99 - Spill Prevention - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
D01 - Pipe Type - Steel/Carbon Steel/Iron
G10 - Tank Secondary Containment - Impervious Underlayment
K99 - Spill Prevention - Other
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
B00 - Tank External Protection - None
I02 - Overfill - High Level Alarm
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
G10 - Tank Secondary Containment - Impervious Underlayment
G04 - Tank Secondary Containment - Double-Walled (Underground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
G10 - Tank Secondary Containment - Impervious Underlayment
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
C03 - Pipe Location - Aboveground/Underground Combination
K99 - Spill Prevention - Other
L09 - Piping Leak Detection - Exempt Suction Piping
E10 - Piping Secondary Containment - Impervious Underlayment
K99 - Spill Prevention - Other
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
K99 - Spill Prevention - Other
C03 - Pipe Location - Aboveground/Underground Combination
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
E04 - Piping Secondary Containment - Double-Walled (Underground)
H05 - Tank Leak Detection - In-Tank System (ATG)
D07 - Pipe Type - Plastic
J03 - Dispenser - Gravity
C01 - Pipe Location - Aboveground
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
F06 - Pipe External Protection - Wrapped
G11 - Tank Secondary Containment - Double-bottom (Aboveground)
F01 - Pipe External Protection - Painted/Asphalt Coating
I02 - Overfill - High Level Alarm
E10 - Piping Secondary Containment - Impervious Underlayment
F01 - Pipe External Protection - Painted/Asphalt Coating

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

- G00 - Tank Secondary Containment - None
- I02 - Overfill - High Level Alarm
- I02 - Overfill - High Level Alarm
- H00 - Tank Leak Detection - None
- I03 - Overfill - Automatic Shut-Off
- C01 - Pipe Location - Aboveground
- E10 - Piping Secondary Containment - Impervious Underlayment
- H00 - Tank Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- B04 - Tank External Protection - Fiberglass
- C03 - Pipe Location - Aboveground/Underground Combination
- I03 - Overfill - Automatic Shut-Off
- F01 - Pipe External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- H00 - Tank Leak Detection - None
- I02 - Overfill - High Level Alarm
- B00 - Tank External Protection - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I03 - Overfill - Automatic Shut-Off
- H00 - Tank Leak Detection - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- J03 - Dispenser - Gravity
- H05 - Tank Leak Detection - In-Tank System (ATG)
- E10 - Piping Secondary Containment - Impervious Underlayment
- H05 - Tank Leak Detection - In-Tank System (ATG)
- G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
- D07 - Pipe Type - Plastic
- F00 - Pipe External Protection - None
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- I04 - Overfill - Product Level Gauge (A/G)
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- B01 - Tank External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- C00 - Pipe Location - No Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- D07 - Pipe Type - Plastic
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- L00 - Piping Leak Detection - None
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- A00 - Tank Internal Protection - None
- G00 - Tank Secondary Containment - None
- J02 - Dispenser - Suction
- G00 - Tank Secondary Containment - None
- B00 - Tank External Protection - None
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None
- B00 - Tank External Protection - None
- A00 - Tank Internal Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
E10 - Piping Secondary Containment - Impervious Underlayment
K99 - Spill Prevention - Other
L09 - Piping Leak Detection - Exempt Suction Piping
F01 - Pipe External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
D01 - Pipe Type - Steel/Carbon Steel/Iron
I02 - Overfill - High Level Alarm
B01 - Tank External Protection - Painted/Asphalt Coating
G04 - Tank Secondary Containment - Double-Walled (Underground)
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
C00 - Pipe Location - No Piping
F01 - Pipe External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
I04 - Overfill - Product Level Gauge (A/G)
I00 - Overfill - None
C01 - Pipe Location - Aboveground

Tank Info:

Site ID: 24698

Tank Number: 007
Tank ID: 51356
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 24698

Tank Number: 008
Tank ID: 51357

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 24698

Tank Number: 009
Tank ID: 51358
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 24698

Tank Number: 010
Tank ID: 51353
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 24698

Tank Number: 011
Tank ID: 51354

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 24698

Tank Number: 012
Tank ID: 51355
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 5/1/1998
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 24698

Tank Number: UST001
Tank ID: 51348
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1998
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Site ID: 24698

Tank Number: UST002
Tank ID: 51349

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1998
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Site ID: 24698

Tank Number: UST003
Tank ID: 51351
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1998
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Site ID: 24698

Tank Number: UST004
Tank ID: 61710
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1998
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Site ID: 24698

Tank Number: UST005
Tank ID: 51352

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U004063659

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1998
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Site ID: 24698

Tank Number: UST006
Tank ID: 51350
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1998
Capacity Gallons: 20000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Fiberglass coated steel
Date Test: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Q76
West
< 1/8
0.103 mi.
545 ft.

MUTUAL REDEVELOPMENT HOUSES, INC.
315 WEST 25TH STREET
MANHATTAN, NY 10001
Site 4 of 4 in cluster Q

HIST UST U003127184
AST N/A
HIST AST

Relative:
Lower

HIST UST:
PBS Number: 2-602742
SPDES Number: Not reported
Emergency Contact: BRENDAN KEANY
Emergency Telephone: (212) 675-3200
Operator: DANNY SABATO
Operator Telephone: (212) 675-1942
Owner Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Owner Address: 321 EIGHTH AVENUE
Owner City,St,Zip: MANHATTAN, NY 10001
Owner Telephone: (212) 675-3200
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Mailing Address: 321 EIGHTH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: BRENDAN KEANY,MANAGER

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Mailing Telephone: (212) 675-3200
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 11/23/2001
Expiration Date: 08/02/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 122380
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 007
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19620101
Capacity (gals): 20000
Product Stored: EMPTY
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Tank Id: 008
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19620101
Capacity (gals): 20000
Product Stored: EMPTY
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 009
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19620101
Capacity (gals): 20000
Product Stored: EMPTY
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 010
Tank Location: UNDERGROUND
Tank Status: Closed-Removed

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Install Date: 19620101
Capacity (gals): 20000
Product Stored: EMPTY
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 011
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19620101
Capacity (gals): 20000
Product Stored: EMPTY
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 012
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19620101
Capacity (gals): 20000
Product Stored: EMPTY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: None
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: UST001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19980901
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Aboveground/Underground Combination
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: None
Pipe External: 15
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: UST002
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19980901
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Pipe Location: Aboveground/Underground Combination
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: None
Pipe External: 15
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: UST003
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19980901
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Aboveground/Underground Combination
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: None
Pipe External: 15
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: UST004
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19980901
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Aboveground/Underground Combination
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Pipe External: 15
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: UST005
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19980901
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Aboveground/Underground Combination
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: Epoxy Liner
Pipe External: 15
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: UST006
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19980901
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass
Pipe Location: Aboveground/Underground Combination
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: None
Pipe External: 15
Second Containment: Vault (w/access)
Leak Detection: 14

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Overfill Prot: High Level Alarm, Automatic Shut-Off
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-602742
Program Type: PBS
UTM X: 584616.89997999999
UTM Y: 4511145.81953
Expiration Date: 2011/08/02

Affiliation Records:

Site Id: 24698
Affiliation Type: Emergency Contact
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: Not reported
Contact Name: BRENDAN KEANY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24698
Affiliation Type: Mail Contact
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: Not reported
Contact Name: BRENDAN KEANY,MANAGER
Address1: 321 EIGHTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 675-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Site Id: 24698
Affiliation Type: On-Site Operator
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: Not reported
Contact Name: DANNY SABATO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-1942
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24698
Affiliation Type: Owner
Company Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Contact Type: GENERAL MANAGER
Contact Name: BRENDAN KEANY
Address1: 321 EIGHTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 675-3200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/18/2010

Equipment Records:

A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
G04 - Tank Secondary Containment - Double-Walled (Underground)
G04 - Tank Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
K99 - Spill Prevention - Other
I02 - Overfill - High Level Alarm
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
K99 - Spill Prevention - Other
E10 - Piping Secondary Containment - Impervious Underlayment
L09 - Piping Leak Detection - Exempt Suction Piping
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

- I04 - Overfill - Product Level Gauge (A/G)
- F00 - Pipe External Protection - None
- C00 - Pipe Location - No Piping
- F01 - Pipe External Protection - Painted/Asphalt Coating
- B04 - Tank External Protection - Fiberglass
- G01 - Tank Secondary Containment - Diking (Aboveground)
- I03 - Overfill - Automatic Shut-Off
- A00 - Tank Internal Protection - None
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- I03 - Overfill - Automatic Shut-Off
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I03 - Overfill - Automatic Shut-Off
- K99 - Spill Prevention - Other
- C03 - Pipe Location - Aboveground/Underground Combination
- C03 - Pipe Location - Aboveground/Underground Combination
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- K99 - Spill Prevention - Other
- B04 - Tank External Protection - Fiberglass
- L09 - Piping Leak Detection - Exempt Suction Piping
- F01 - Pipe External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J02 - Dispenser - Suction
- H05 - Tank Leak Detection - In-Tank System (ATG)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- B04 - Tank External Protection - Fiberglass
- I02 - Overfill - High Level Alarm
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- K99 - Spill Prevention - Other
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction
- K99 - Spill Prevention - Other
- I02 - Overfill - High Level Alarm
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

D07 - Pipe Type - Plastic
E04 - Piping Secondary Containment - Double-Walled (Underground)
I04 - Overfill - Product Level Gauge (A/G)
C01 - Pipe Location - Aboveground
B04 - Tank External Protection - Fiberglass
B04 - Tank External Protection - Fiberglass
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
I03 - Overfill - Automatic Shut-Off
G00 - Tank Secondary Containment - None
H05 - Tank Leak Detection - In-Tank System (ATG)
H05 - Tank Leak Detection - In-Tank System (ATG)
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
C03 - Pipe Location - Aboveground/Underground Combination
C00 - Pipe Location - No Piping
E04 - Piping Secondary Containment - Double-Walled (Underground)
D07 - Pipe Type - Plastic
A00 - Tank Internal Protection - None
G11 - Tank Secondary Containment - Double-bottom (Aboveground)
D07 - Pipe Type - Plastic
F01 - Pipe External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
E04 - Piping Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
G01 - Tank Secondary Containment - Diking (Aboveground)
I03 - Overfill - Automatic Shut-Off
J02 - Dispenser - Suction
J02 - Dispenser - Suction
J02 - Dispenser - Suction
I02 - Overfill - High Level Alarm
G04 - Tank Secondary Containment - Double-Walled (Underground)
K99 - Spill Prevention - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
D01 - Pipe Type - Steel/Carbon Steel/Iron
G10 - Tank Secondary Containment - Impervious Underlayment
K99 - Spill Prevention - Other
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
B00 - Tank External Protection - None
I02 - Overfill - High Level Alarm
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
G10 - Tank Secondary Containment - Impervious Underlayment
G04 - Tank Secondary Containment - Double-Walled (Underground)
H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
L09 - Piping Leak Detection - Exempt Suction Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

- A00 - Tank Internal Protection - None
- A00 - Tank Internal Protection - None
- L09 - Piping Leak Detection - Exempt Suction Piping
- A00 - Tank Internal Protection - None
- G01 - Tank Secondary Containment - Diking (Aboveground)
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- F01 - Pipe External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- K99 - Spill Prevention - Other
- L09 - Piping Leak Detection - Exempt Suction Piping
- E10 - Piping Secondary Containment - Impervious Underlayment
- K99 - Spill Prevention - Other
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K99 - Spill Prevention - Other
- C03 - Pipe Location - Aboveground/Underground Combination
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- D07 - Pipe Type - Plastic
- J03 - Dispenser - Gravity
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- F06 - Pipe External Protection - Wrapped
- G11 - Tank Secondary Containment - Double-bottom (Aboveground)
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm
- E10 - Piping Secondary Containment - Impervious Underlayment
- F01 - Pipe External Protection - Painted/Asphalt Coating
- G00 - Tank Secondary Containment - None
- I02 - Overfill - High Level Alarm
- I02 - Overfill - High Level Alarm
- H00 - Tank Leak Detection - None
- I03 - Overfill - Automatic Shut-Off
- C01 - Pipe Location - Aboveground
- E10 - Piping Secondary Containment - Impervious Underlayment
- H00 - Tank Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- B04 - Tank External Protection - Fiberglass
- C03 - Pipe Location - Aboveground/Underground Combination
- I03 - Overfill - Automatic Shut-Off
- F01 - Pipe External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- H00 - Tank Leak Detection - None
- I02 - Overfill - High Level Alarm
- B00 - Tank External Protection - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)
- I03 - Overfill - Automatic Shut-Off
- H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

F01 - Pipe External Protection - Painted/Asphalt Coating
G04 - Tank Secondary Containment - Double-Walled (Underground)
J03 - Dispenser - Gravity
H05 - Tank Leak Detection - In-Tank System (ATG)
E10 - Piping Secondary Containment - Impervious Underlayment
H05 - Tank Leak Detection - In-Tank System (ATG)
G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
D07 - Pipe Type - Plastic
F00 - Pipe External Protection - None
E04 - Piping Secondary Containment - Double-Walled (Underground)
I04 - Overfill - Product Level Gauge (A/G)
I04 - Overfill - Product Level Gauge (A/G)
K01 - Spill Prevention - Catch Basin
B01 - Tank External Protection - Painted/Asphalt Coating
B01 - Tank External Protection - Painted/Asphalt Coating
C00 - Pipe Location - No Piping
B01 - Tank External Protection - Painted/Asphalt Coating
K01 - Spill Prevention - Catch Basin
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
D07 - Pipe Type - Plastic
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
L00 - Piping Leak Detection - None
E04 - Piping Secondary Containment - Double-Walled (Underground)
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
G10 - Tank Secondary Containment - Impervious Underlayment
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
E10 - Piping Secondary Containment - Impervious Underlayment
K99 - Spill Prevention - Other
L09 - Piping Leak Detection - Exempt Suction Piping
F01 - Pipe External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
D01 - Pipe Type - Steel/Carbon Steel/Iron
I02 - Overfill - High Level Alarm
B01 - Tank External Protection - Painted/Asphalt Coating
G04 - Tank Secondary Containment - Double-Walled (Underground)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
C00 - Pipe Location - No Piping
F01 - Pipe External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
I04 - Overfill - Product Level Gauge (A/G)
I00 - Overfill - None
C01 - Pipe Location - Aboveground

Tank Info:

Tank Number: AST #2
Tank Id: 54517
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1984
Capacity Gallons: 300
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: AST#1
Tank Id: 51876
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1984
Capacity Gallons: 300
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: AST#3
Tank Id: 51879
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Install Date: 1/1/1984
Capacity Gallons: 300
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: AST4
Tank Id: 61708
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1999
Capacity Gallons: 240
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: AST5
Tank Id: 61709
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 7/1/1998
Capacity Gallons: 240
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: AST7
Tank Id: 55901
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1998
Capacity Gallons: 500
Tightness Test Method: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: AST8
Tank Id: 55902
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1998
Capacity Gallons: 500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: FUEL #1
Tank Id: 51877
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1984
Capacity Gallons: 300
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

Tank Number: FUEL #2
Tank Id: 51878
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1984
Capacity Gallons: 300
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Register: True
Modified By: KXTANG
Last Modified: 7/6/2006

HIST AST:

PBS Number: 2-602742
SWIS Code: 6201
Operator: DANNY SABATO
Facility Phone: (212) 675-1942
Facility Addr2: Not reported
Facility Type: OTHER
Emergency: BRENDAN KEANY
Emergency Tel: (212) 675-3200
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Owner Address: 321 EIGHTH AVENUE
Owner City,St,Zip: MANHATTAN, NY 10001
Federal ID: Not reported
Owner Tel: (212) 675-3200
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: BRENDAN KEANY,MANAGER
Mailing Name: MUTUAL REDEVELOPMENT HOUSES, INC.
Mailing Address: 321 EIGHTH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 675-3200
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/23/2001
Expiration: 08/02/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 122380
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: AST #2
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19840101
Capacity (Gal): 300
Product Stored: NOS 1,2, OR 4 FUEL OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 1
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 1
Tank Containment: 75
Leak Detection: 0
Overfill Protection: 42
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: AST#1
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19840101
Capacity (Gal): 300
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: 75
Leak Detection: 0
Overfill Protection: 42
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1998
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: AST#3
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19840101
Capacity (Gal): 300
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: 75
Leak Detection: 00
Overfill Protection: 42
Dispenser Method: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: AST4
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19990901
Capacity (Gal): 240
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 1
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 1
Tank Containment: 25
Leak Detection: 0
Overfill Protection: 42
Dispenser Method: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: AST5
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19980701
Capacity (Gal): 240
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Tank External: 1
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 1
Tank Containment: 27
Leak Detection: 6
Overfill Protection: 0
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: AST7
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19980501
Capacity (Gal): 500
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: 52
Leak Detection: 14
Overfill Protection: 42
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: AST8
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19980501
Capacity (Gal): 500
Product Stored: USED OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 16
Tank Containment: 52
Leak Detection: 14
Overfill Protection: 42
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: FUEL #1
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: Tank Converted To Non-Regulated Use
Install Date: 19840101
Capacity (Gal): 300
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: Excavation/Tranch Liner
Leak Detection: 00
Overfill Protection: 35
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 08/01/1996
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: FUEL #2
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: Tank Converted To Non-Regulated Use
Install Date: 19840101
Capacity (Gal): 300
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground/Underground Combination

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUTUAL REDEVELOPMENT HOUSES, INC. (Continued)

U003127184

Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: Excavation/Tranch Liner
Leak Detection: 00
Overfill Protection: 35
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 08/01/1996
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

P77
ESE
< 1/8
0.104 mi.
547 ft.

CONSOLIDATED EDISON
7TH AVE & W 26TH ST MH56203
NEW YORK, NY 10027

MANIFEST 1009241875
N/A

Site 7 of 8 in cluster P

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004104162
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
31 ft.

Document ID: NYE1296351
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: NYD006982359
Generator Ship Date: 10/31/2002
Trans1 Recv Date: 10/31/2002
Trans2 Recv Date: 11/01/2002
TSD Site Recv Date: 11/01/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004104162
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 74791AV
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009241875

Specific Gravity: 01.00
Year: 02

Document ID: NYE1296369
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: NYD006982359
Generator Ship Date: 10/31/2002
Trans1 Recv Date: 10/31/2002
Trans2 Recv Date: 11/01/2002
TSD Site Recv Date: 11/01/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004104162
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 74791AV
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 02

Document ID: NYE0460845
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 10/31/2002
Trans1 Recv Date: 10/31/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/31/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004104162
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 31877AJ
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00080
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

N78 **238 WEST 24TH STREET**
South **238 WEST 24 TH ST.**
< 1/8 **NEW YORK, NY 10011**
0.104 mi.
548 ft. **Site 4 of 4 in cluster N**

AST **A100178192**
N/A

Relative:
Equal

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-605955
 Program Type: PBS
 UTM X: 584772.56272000005
 UTM Y: 4510964.8613099996
 Expiration Date: 2011/06/07

Actual:
27 ft.

Affiliation Records:

Site Id: 27821
 Affiliation Type: Emergency Contact
 Company Name: CHELSEA GARDENS OWNERS CORP.
 Contact Type: Not reported
 Contact Name: RUDD MGMT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 319-5000
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 4/12/2006

Site Id: 27821
 Affiliation Type: Mail Contact
 Company Name: RUDD MANAGEMENT CORP.
 Contact Type: Not reported
 Contact Name: YVONNE LA VIALE
 Address1: 545 MADISON AVENUE
 Address2: 5TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 319-5000
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 4/12/2006

Site Id: 27821
 Affiliation Type: On-Site Operator
 Company Name: 238 WEST 24TH STREET
 Contact Type: Not reported
 Contact Name: RUBEN IRIZARRY
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

238 WEST 24TH STREET (Continued)

A100178192

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Site Id: 27821
Affiliation Type: Owner
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: AGENT
Contact Name: YVONNE LA VIALE
Address1: 250 WEST 24TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
F04 - Pipe External Protection - Fiberglass
H99 - Tank Leak Detection - Other
J00 - Dispenser - None
B00 - Tank External Protection - None
I02 - Overfill - High Level Alarm

Tank Info:

Tank Number: 234028
Tank Id: 60755
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

238 WEST 24TH STREET (Continued)

A100178192

Last Modified: 3/4/2004

R79
NE
< 1/8
0.104 mi.
549 ft.

CONSOLIDATED EDISON
240 EAST 28TH ST
NEW YORK, NY 10001
Site 2 of 6 in cluster R

MANIFEST S110305673
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004205357
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: TOM TEELING
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-3770

Actual:
30 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 2010-04-08
Trans1 Recv Date: 2010-04-08
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-04-12
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004205357
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 1000.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 001084857GBF
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

P80
ESE
< 1/8
0.104 mi.
549 ft.

OLD GAS STATION
276 7TH AVE
MANHATTAN, NY
Site 8 of 8 in cluster P

LTANKS **S103824054**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
31 ft.

Site ID: 116261
Spill No: 9813276
Spill Date: 1/29/1999
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/24/2002
Facility Addr2: 276 SEVENTH AVE
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 1/29/1999
CID: 270
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1/29/1999
Spill Record Last Update: 9/23/2009
Spiller Name: CALLER
Spiller Company: OLD GAS STATION
Spiller Address: 276 7TH AVE
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: (212) 340-9812
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 101195
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"TIBBE" see file.
Remarks: CONTAMINATED SOIL AND GROUNDWATER DISCOVERED DURING TANK REMOVAL

Material:

Site ID: 116261
Operable Unit ID: 1073717
Operable Unit: 01
Material ID: 310004
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLD GAS STATION (Continued)

S103824054

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9813276
Spill Date: 01/29/1999
Spill Time: 09:00
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/29/99
Reported to Department Time: 10:34
SWIS: 62
Spiller Contact: CALLER
Spiller Phone: (212) 340-9812
Spiller Extention: Not reported
Spiller Name: OLD GAS STATION
Spiller Address: 276 7TH AVE
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: CALLER
Facility Phone: () -
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OLD GAS STATION (Continued)

S103824054

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/29/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/24/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: CONTAMINATED SOIL AND GROUNDWATER DISCOVERED DURING TANK REMOVAL

S81
North
< 1/8
0.104 mi.
550 ft.

CON ED
WEST 28TH STREET YARD
MANHATTAN, NY

NY Spills S102149954
NY Hist Spills N/A

Site 1 of 2 in cluster S

Relative:
Higher

NY Spills:

Actual:
28 ft.

Site ID: 110144
Facility Addr2: Not reported
Facility ID: 9612280
Spill Number: 9612280
Facility Type: ER
SWIS: 3101
Investigator: CAENGELH
Referred To: Not reported
Spill Date: 1/14/1997
Reported to Dept: 1/14/1997
CID: 205
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S102149954

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/5/1998
Remediation Phase: 0
Date Entered In Computer: 1/14/1997
Spill Record Last Update: 4/7/2003
Spiller Name: CALLER
Spiller Company: CON ED
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: MANHATTAN, NY 10003
Spiller Company: 001
Contact Name: CALLER
Contact Phone: (212) 580-6764
DEC Region: 2
DER Facility ID: 96567
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ENGELHARDT" e2mis 102995 14-JAN-1997 08:45:00 D. Walker (transp.) emp# 70226 finds approx 2 gal antifreeze under veh# 40412. Spill was contained, no impact to sewer or waterway. Walker commenced containment immediately with absorbent compound and oil-sorb pads. R. Cardio emp# 12238 and R. Zahn emp# 14161 assisted. 14-JAN-1997 10:40:00 Incident reported to T. Russo (#9 desk) emp# 45348. Cleanup still in progress.

Remarks: LEAKY HOSE ON TRUCK.

Material:
Site ID: 110144
Operable Unit ID: 1040144
Operable Unit: 01
Material ID: 340934
Material Code: 0043A
Material Name: ANTIFREEZE
Case No.: Not reported
Material FA: Other
Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9612280
Investigator: ENGELHARDT
Caller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S102149954

Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 01/14/1997 10:40
Reported to Dept Date/Time: 01/14/97 11:43
SWIS: 62
Spiller Name: CON ED
Spiller Contact: CALLER
Spiller Phone: (212) 580-6764
Spiller Contact: CALLER
Spiller Phone: (212) 580-6764
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: MANHATTAN, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 07
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/05/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 01/14/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 06/05/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Hazardous Material
Quantity Spilled: 2
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: ANTIFREEZE
Class Type: ANTIFREEZE
Times Material Entry In File: 0
CAS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED (Continued)

S102149954

Last Date: Not reported
DEC Remarks: Not reported
Remark: LEAKY HOSE ON TRUCK.

R82
NE
< 1/8
0.105 mi.
555 ft.

241-243 W 28TH ST
MANHATTAN, NY
Site 3 of 6 in cluster R

NY Spills S104648934
NY Hist Spills N/A

Relative:
Higher

NY Spills:

Actual:
30 ft.

Site ID: 156242
Facility Addr2: Not reported
Facility ID: 9901067
Spill Number: 9901067
Facility Type: ER
SWIS: 2401
Investigator: JMROMMEL
Referred To: Not reported
Spill Date: 4/28/1999
Reported to Dept: 4/28/1999
CID: 257
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/19/2003
Remediation Phase: 0
Date Entered In Computer: 4/28/1999
Spill Record Last Update: 2/4/2004
Spiller Name: MITCH KAHN
Spiller Company: PROPERTY OWNER
Spiller Address: 241-243 W 28TH ST
Spiller City,St,Zip: MANAHTTEN, NY -
Spiller Company: 001
Contact Name: JENIFFIER JUHAS
Contact Phone: (516) 249-3150
DEC Region: 2
DER Facility ID: 132245
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL/TIBBE" 6/10/03 - AUSTIN - RECD. SUBMITTAL FROM COSMOS ENVIR. SERVICES DATED 5/28/03, FOR CLOSURE OF 6 USTS AND THE SITE INVESTIGATION REPORT. TIBBE CURRENTLY OUT OF OFFICE; FORWARDED TO JENN ROMMEL FOR ACTION/REPLY - END 06/19/03 June 1999 Subsurface Investigation Report and July 1999 Tank Closure Report reviewed. . . Soil and groundwater clean. Spill closed by Rommel See file.
Remarks: CONTAMINATED SOIL WAS FOUND DURING A INVESTIGATION OF TANK - CONTAMINATION WAS FOUND A 5 FEET AND SAMPLE A T 7-9 FEET WAS CLEAN
Material:
Site ID: 156242

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104648934

Operable Unit ID: 1079824
Operable Unit: 01
Material ID: 304604
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9901067
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/28/1999 10:30
Reported to Dept Date/Time: 04/28/99 11:24
SWIS: 61
Spiller Name: PROPERTY OWNER
Spiller Contact: MITCH KAHN
Spiller Phone: (212) 563-4620
Spiller Contact: JENIFFIER JUHAS
Spiller Phone: (516) 249-3150
Spiller Address: 241-243 W 28TH ST
Spiller City,St,Zip: MANAHTTEN, NY -
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104648934

Spiller Cleanup Dt: // /
 Enforcement Date: // /
 Invstgn Complete: // /
 UST Involvement: False
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: // /
 Corrective Action Plan Submitted: // /
 Date Region Sent Summary to Central Office: // /
 Date Spill Entered In Computer Data File: 04/28/99
 Date Spill Entered In Computer Data File: Not reported
 Update Date: 05/04/99
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: GASOLINE
 Class Type: GASOLINE
 Times Material Entry In File: 21329
 CAS Number: Not reported
 Last Date: 19940929
 DEC Remarks: Not reported
 Remark: CONTAMINATED SOIL WAS FOUND DURING A INVESTIGATION OF TANK - CONTAMINATION
 WAS FOUND A 5 FEET AND SAMPLE A T 7-9 FEET WAS CLEAN

S83
North
< 1/8
0.105 mi.
556 ft.

WESTSIDE SERVICE CTR
281 WEST 28TH STREET
MANHATTAN, NY

NY Spills S104496019
NY Hist Spills N/A

Site 2 of 2 in cluster S

Relative:
Higher

NY Spills:
 Site ID: 308572
 Facility Addr2: Not reported
 Facility ID: 9500548
 Spill Number: 9500548
 Facility Type: ER
 SWIS: 3101
 Investigator: JMOCONNE
 Referred To: Not reported
 Spill Date: 4/13/1995
 Reported to Dept: 4/13/1995
 CID: Not reported
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial

Actual:
28 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTSIDE SERVICE CTR (Continued)

S104496019

Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed
Remediation Phase: 4
Date Entered In Computer: 5/15/1995
Spill Record Last Update: 1/5/2009
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 249183
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" 3/16/95: Soil samples collected from boil boring B-1 adjacent to tank by MEG. Results reported by EcoTest Labs on 3/30/95 indicate concentrations of lead above standards. Also flashpoint at 37 deg C (99 deg F). Additional results reported 4/19 for high BTEX concentrations. 1/24/97: Con Ed submits site investigation report. Four groundwater monitoring wells were installed. No free product in wells, but high concentrations of BTEX in soil and groundwater (exceeding groundwater standards). Con Ed proposes to continue quarterly groundwater monitoring/sampling to develop baseline data. 9/16/97: Con Ed submits copy of work plan dated 6/17/96 prepared by CEH/Jacques Whitford for the previous site investigation. 9/30/97: TRANSFERRED FROM KATZ TO O'CONNELL. 11/10/98: Site visit to observe tank removal. Soil on walls of excavation appeared dark - there was petrol odor in vicinity but pulled tank had been placed upwind of excavation. There is gw in hole. Slight sheen on water. Sidewall samples to be collected, but no bottom samples since concrete pad is to remain for new tanks. If soil results come back high, may require additional excavation. (CAE) 10/2/00: Con Ed submits UST closure report, which consists of "Pre-Closure Assessment" conducted by in 1996, and post-excavation sampling results (circa 11/98). 1/11/01: Letter to Con Edison - review of quarterly gw sampling results for last 3 years indicates dissolved oxygen and redox potential measured in gw does not support natural attenuation, as suggested by Con Ed. Request expanded well network and tidal influence study, as well as remedial alternative study. (KMF) 3/19/01: Con Ed submits work plan for supplemental investigation. Comment letter sent same day to Con Ed - minor comments related to sampling and analytical methods, etc. (KMF) 3/27/01: Con Ed submits work plan for tidal influence study. 3/29/01: E-mail comments to Con Ed on tidal influence study work plan. (KMF) 4/12/02: Supplemental investigation report and tidal influence study submitted for review. Newly installed well MW-5 was destroyed following collection of initial gw sample. The sample indicated concentrations of MTBE which exceeds groundwater standard. No other VOCs were detected. 4/3/03: Letter to Con Ed requesting well MW-5 be replaced. Also, requested Remedial Action Plan be submitted

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTSIDE SERVICE CTR (Continued)

S104496019

30 days following receipt of sampling results. (KMF) 4/29/03: Letter work plan from Con Ed to replace MW-5, and add 2 additional wells. 5/7/03: E-mail from Con Ed indicating that MW-5 had been found undamaged beneath a pile of construction materials. Awaiting approval of work plan for other 2 wells. 5/28/03: Approval granted for installation of 2 additional monitoring wells. (KMF) 12/16/03: Meeting with Mariela Gonzalez. Additional wells have been installed and sampled - still high MTBE and benzene. JWC has submitted draft RAWP to Con Ed proposing ORC injection. She expects to get final to DEC by early January. (JHO)

Remarks: DID GROUND SAMPLE TEST, FOUND TO BE CONTAMINATED - ALL SOIL WILL BE REMOVED

Material:

Site ID: 308572
Operable Unit ID: 1014670
Operable Unit: 01
Material ID: 369170
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9500548
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/13/1995 16:30
Reported to Dept Date/Time: 04/13/95 16:49
SWIS: 62
Spiller Name: CON EDISON
Spiller Contact: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WESTSIDE SERVICE CTR (Continued)

S104496019

Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NEW YORK 10003
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 05/15/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/04/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 9/30/97: TRANSFERRED TO O CONNELL.
Remark: DID GROUND SAMPLE TEST, FOUND TO BE CONTAMINATED - ALL SOIL WILL BE REMOVED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

M84
SE
< 1/8
0.105 mi.
557 ft.

ARADCO LTD.
207 W 25TH ST
NYC, NY 10011
Site 4 of 10 in cluster M

UST U004061915
N/A

Relative:
Higher

UST:

Actual:
30 ft.

Facility Id: 2-332046
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/08/28
UTM X: 584888.63708000001
UTM Y: 4511004.3810900003

Affiliation Records:

Site Id: 15700
Affiliation Type: Owner
Company Name: ARADCO LTD C/O WLMS RL ESTE
Contact Type: MANAGING AGENT
Contact Name: WALTER THOMASSEN
Address1: 380 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 6/7/2007

Site Id: 15700
Affiliation Type: Emergency Contact
Company Name: ARADCO LTD C/O WLMS RL ESTE
Contact Type: Not reported
Contact Name: JOSEPH GLANVILLE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 880-7167
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15700
Affiliation Type: Mail Contact
Company Name: ARADCO LTD C/O
Contact Type: Not reported
Contact Name: WALTER THOMASSEN
Address1: WLMS RL ESTE
Address2: 380 MADISON AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARADCO LTD. (Continued)

U004061915

City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 6/7/2007

Site Id: 15700
Affiliation Type: On-Site Operator
Company Name: ARADCO LTD.
Contact Type: Not reported
Contact Name: JOSEPH GLANVILLE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-8984
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Site ID: 15700

Tank Number: 002
Tank ID: 20290
Tank Status: In Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARADCO LTD. (Continued)

U004061915

Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1980
Capacity Gallons: 1080
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: KAKYER
Last Modified: 6/7/2007

**M85
SE
< 1/8
0.105 mi.
557 ft.**

**ARRADCO LTD.
207 W 25TH ST
NYC, NY 10011**

**HIST UST U003074559
AST N/A
HIST AST**

Site 5 of 10 in cluster M

**Relative:
Higher**

HIST UST:

**Actual:
30 ft.**

PBS Number: 2-332046
SPDES Number: Not reported
Emergency Contact: BENTLEY OTTAWAY
Emergency Telephone: (917) 641-4319
Operator: BENTLEY OTTAWAY
Operator Telephone: (212) 989-8984
Owner Name: ARADCO LTD C/O WLMS RL ESTE
Owner Address: 380 MADISON AVENUE
Owner City,St,Zip: NYC, NY 10017
Owner Telephone: (212) 716-3500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: ARADCO LTD C/O WLMS RL ESTE
Mailing Address: 380 MADISON AVENUE
Mailing Address 2: 380 MADISON AVENUE
Mailing City,St,Zip: NYC, NY 10017
Mailing Contact: Not reported
Mailing Telephone: (212) 716-3500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 207 W 25TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: STORAGE TERMINAL/PETROLEUM DISTRIBUTOR
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 12/21/1998
Expiration Date: 08/28/2002
Renew Flag: False
Renewal Date: 19970625
Total Capacity: 10000
FAMT: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARRADCO LTD. (Continued)

U003074559

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Tank Converted To Non-Regulated Use
Install Date: Not reported
Capacity (gals): 1080
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 08/01/1996
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-332046
Program Type: PBS
UTM X: 584888.63708000001
UTM Y: 4511004.38109000003
Expiration Date: 2012/08/28

Affiliation Records:

Site Id: 15700
Affiliation Type: Owner
Company Name: ARADCO LTD C/O WLMS RL ESTE
Contact Type: MANAGING AGENT
Contact Name: WALTER THOMASSEN
Address1: 380 MADISON AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARRADCO LTD. (Continued)

U003074559

Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 6/7/2007

Site Id: 15700
Affiliation Type: Emergency Contact
Company Name: ARADCO LTD C/O WLMS RL ESTE
Contact Type: Not reported
Contact Name: JOSEPH GLANVILLE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 880-7167
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15700
Affiliation Type: Mail Contact
Company Name: ARADCO LTD C/O
Contact Type: Not reported
Contact Name: WALTER THOMASSEN
Address1: WLMS RL ESTE
Address2: 380 MADISON AVENUE
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 6/7/2007

Site Id: 15700
Affiliation Type: On-Site Operator
Company Name: ARADCO LTD.
Contact Type: Not reported
Contact Name: JOSEPH GLANVILLE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-8984
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARRADCO LTD. (Continued)

U003074559

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 20289
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/15/1967
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KAKYER
Last Modified: 6/7/2007

HIST AST:

PBS Number: 2-332046
SWIS Code: 6201
Operator: BENTLEY OTTAWAY
Facility Phone: (212) 989-8984
Facility Addr2: 207 W 25TH ST
Facility Type: STORAGE TERMINAL/PETROLEUM DISTRIBUTOR
Emergency: BENTLEY OTTAWAY
Emergency Tel: (917) 641-4319
Old PBSNO: Not reported
Date Inspected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARRADCO LTD. (Continued)

U003074559

Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ARADCO LTD C/O WLMS RL ESTE
Owner Address: 380 MADISON AVENUE
Owner City,St,Zip: NYC, NY 10017
Federal ID: Not reported
Owner Tel: (212) 716-3500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: ARADCO LTD C/O WLMS RL ESTE
Mailing Address: 380 MADISON AVENUE
Mailing Address 2: 380 MADISON AVENUE
Mailing City,St,Zip: NYC, NY 10017
Mailing Telephone: (212) 716-3500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/21/1998
Expiration: 08/28/2002
Renew Flag: False
Renew Date: 19970625
Total Capacity: 10000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 10000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ARRADCO LTD. (Continued)

U003074559

Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

**R86
NE
< 1/8
0.106 mi.
558 ft.**

**FUR PARKING
241-43 W 28TH ST
NEW YORK, NY 10001**

**RCRA-NonGen 1001493641
FINDS NYR000075325
MANIFEST**

Site 4 of 6 in cluster R

**Relative:
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: FUR PARKING
Facility address: 241-43 W 28TH ST
NEW YORK, NY 10001
EPA ID: NYR000075325
Mailing address: RTE 109
FARMINGDALE, NY 11735
Contact: Not reported
Contact address: RTE 109
FARMINGDALE, NY 11735
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
30 ft.**

Owner/Operator Summary:

Owner/operator name: ESTATE OF MARTHA LEVINSON
Owner/operator address: 710 22ND ST C-O W LEVINSON
SANTA MONICA, CA 90402
Owner/operator country: US
Owner/operator telephone: (310) 451-5031
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ESTATE OF MARTHA LEVINSON
Owner/operator address: 710 22ND ST C-O W LEVINSON
SANTA MONICA, CA 90402
Owner/operator country: US
Owner/operator telephone: (310) 451-5031
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FUR PARKING (Continued)

1001493641

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: FUR PARKING
Classification: Not a generator, verified

Date form received by agency: 09/27/1999
Facility name: FUR PARKING
Classification: Not a generator, verified

Date form received by agency: 08/11/1999
Facility name: FUR PARKING
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004555605

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000075325
Country: USA
Mailing Name: FUR PARKING
Mailing Contact: MITEK KAHN
Mailing Address: 241-43 W 28TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-451-5031

Document ID: NYG1001781

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FUR PARKING (Continued)

1001493641

Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 08/27/1999
 Trans1 Recv Date: 08/27/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/30/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000075325
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: NYPD1010
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00600
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

O87
East
< 1/8
0.106 mi.
562 ft.

VAULT 0019
207 W 27TH ST
MANHATTAN, NY
Site 3 of 9 in cluster O

NY Spills **S104508077**
NY Hist Spills **N/A**

Relative:
Higher

NY Spills:
 Site ID: 81153
 Facility Addr2: Not reported
 Facility ID: 9907133
 Spill Number: 9907133
 Facility Type: ER
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 9/15/1999
 Reported to Dept: 9/15/1999
 CID: 195
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/3/2004
 Remediation Phase: 0
 Date Entered In Computer: 9/15/1999
 Spill Record Last Update: 2/3/2004
 Spiller Name: Not reported
 Spiller Company: CON EDISON
 Spiller Address: 4 IRVING PLACE

Actual:
32 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 0019 (Continued)

S104508077

Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 999
Contact Name: BILL MURPHY
Contact Phone: (212) 580-6763
DEC Region: 2
DER Facility ID: 75112
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" e2mis no. 127824: 100 GALS OF DIELECTRIC OIL IN VAULT# 0019 ON FEEDER M57. FOUND SUMP PUMP DISCONNECTED. LAB SEQUENCE # 99-09672 AROCLOR - 1260 PCB - 30 PPM Clean up completed on 10/01/99. Transformer was removed and replaced. Vault was doubled washed with slix.
Remarks: TRANSFORMER FAILED SPILLING APPROX 100 GALS OF FLUID INTO VAULT. SAMPLE WILL BE TAKEN AND CLEAN UP WILL BEGIN AS SOON AS MAN POWER BECOMES AVAILABLE. HISTORICAL PCB VALUE FOR TRANSFORMER IS 28 PARTS PER MILLION - TEST DONE ON JULY 9, 1999. NO CON ED SPILL NUMBER ASSIGNED YET.

Material:
Site ID: 81153
Operable Unit ID: 1081432
Operable Unit: 01
Material ID: 299831
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9907133
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 09/15/1999 00:05

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 0019 (Continued)

S104508077

Reported to Dept Date/Time: 09/15/99 00:38
SWIS: 62
Spiller Name: CON EDISON
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Contact: BILL MURPHY
Spiller Phone: (212) 580-6763
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 09/15/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/15/99
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926
DEC Remarks: Not reported
Remark: TRANSFORMER FAILED SPILLING APPROX 100 GALS OF FLUID INTO VAULT. SAMPLE WILL BE TAKEN AND CLEAN UP WILL BEGIN AS SOON AS MAN POWER BECOMES AVAILABLE. HISTORICAL PCB VALUE FOR TRANSFORMER IS 28 PARTS PER MILLION - TEST DONE ON JULY 9, 1999. NO CONED SPILL NUMBER ASSIGNED YET.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

88
ESE
< 1/8
0.107 mi.
566 ft.

291 7TH AVENUE CONDOMINIUM
291 SEVENTH AVENUE
NEW YORK, NY 10001

AST A100173444
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-370010
Program Type: PBS
UTM X: 584958.21118999994
UTM Y: 4511093.1060199998
Expiration Date: 2010/12/13

Actual:
32 ft.

Affiliation Records:

Site Id: 18672
Affiliation Type: Mail Contact
Company Name: 291 7TH AVENUE CONDOMINIUM
Contact Type: Not reported
Contact Name: MARSHA KOLKER
Address1: SANDBERG MANAGEMENT
Address2: 345 7TH AVE, 21ST FLOOR
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 268-0494
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/18/2005

Site Id: 18672
Affiliation Type: Owner
Company Name: 291 7TH AVENUE CONDOMINIUM % DELAURENTIS MGMT CORP
Contact Type: PROPERTY MANAGER
Contact Name: MARSHA KOLKER
Address1: P.O. BOX 310
Address2: Not reported
City: WHITE PLAINS
State: NY
Zip Code: 10605
Country Code: 001
Phone: (914) 946-1321
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/18/2005

Site Id: 18672
Affiliation Type: Emergency Contact
Company Name: 291 7TH AVENUE CONDOMINIUM % DELAURENTIS MGMT CORP
Contact Type: Not reported
Contact Name: CARLOS DELIZE
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

291 7TH AVENUE CONDOMINIUM (Continued)

A100173444

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 204-9620
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 18672
Affiliation Type: On-Site Operator
Company Name: 291 7TH AVENUE CONDOMINIUM
Contact Type: Not reported
Contact Name: CARLOS DELIZE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 486-5874
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
I00 - Overfill - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None

Tank Info:

Tank Number: 001
Tank Id: 21364
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

T89
SE
< 1/8
0.107 mi.
566 ft.

HAROLD FREEMAN JEWELRY MFG CO INC
275 SEVENTH AVE - 8TH FLOOR
NEW YORK, NY 10001

RCRA-NonGen 1001029081
FINDS NYR000013136
MANIFEST

Site 1 of 4 in cluster T

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: HAROLD FREEMAN JEWELRY MFG CO INC

Facility address: 275 SEVENTH AVE - 8TH FLOOR

NEW YORK, NY 10001

EPA ID: NYR000013136

Mailing address: SEVENTH AVE - 8TH FLOOR

NEW YORK, NY 10001

Contact: Not reported

Contact address: SEVENTH AVE - 8TH FLOOR

NEW YORK, NY 10001

Contact country: US

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
31 ft.

Owner/Operator Summary:

Owner/operator name: NEWMARK CO REAL ESTATE INC

Owner/operator address: 125 PARK AVE
NEW YORK, NY 10017

Owner/operator country: US

Owner/operator telephone: (212) 372-2000

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: NEWMARK CO REAL ESTATE INC

Owner/operator address: 125 PARK AVE
NEW YORK, NY 10017

Owner/operator country: US

Owner/operator telephone: (212) 372-2000

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: No

Transporter of hazardous waste: Unknown

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: Unknown

Furnace exemption: Unknown

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HAROLD FREEMAN JEWELRY MFG CO INC (Continued)

1001029081

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: HAROLD FREEMAN JEWELRY MFG CO INC
Classification: Not a generator, verified

Date form received by agency: 10/10/1995
Facility name: HAROLD FREEMAN JEWELRY MFG CO INC
Classification: Not a generator, verified

Date form received by agency: 08/11/1995
Facility name: HAROLD FREEMAN JEWELRY MFG CO INC
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004518415

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000013136
Country: USA
Mailing Name: HAROLD FREEMAN MANUFACTURING
Mailing Contact: HAROLD FREEMAN MANUFACTURING
Mailing Address: 275 SEVENTH AVENUE 8TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-989-9001

Document ID: RIS0003961
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: XRV675NY
Trans2 State ID: Not reported
Generator Ship Date: 950922
Trans1 Recv Date: 950922
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950922

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

HAROLD FREEMAN JEWELRY MFG CO INC (Continued)

1001029081

Part A Recv Date: 950929
 Part B Recv Date: 951019
 Generator EPA ID: NYR000013136
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: RID040098352
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00042
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00012
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00001
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 95

T90 275 7TH AVENUE
SE 275 7TH AVENUE
< 1/8 NEW YORK, NY 10001
0.107 mi.
566 ft. **Site 2 of 4 in cluster T**

AST **U003386204**
HIST AST **N/A**

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-205737
 Program Type: PBS
 UTM X: 584926.70848999999
 UTM Y: 4511034.7926700003
 Expiration Date: 2011/06/30

Actual:
31 ft.

Affiliation Records:
 Site Id: 7219
 Affiliation Type: Emergency Contact
 Company Name: 275 SEVENTH AVE BLDG LLC C/O CBRE
 Contact Type: Not reported
 Contact Name: PAT SURIANO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 7TH AVENUE (Continued)

U003386204

Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 567-5294
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kaker
Date Last Modified: 10/24/2007

Site Id: 7219
Affiliation Type: Owner
Company Name: 275 SEVENTH AVE BLDG LLC C/O CBRE
Contact Type: REAL ESTATE MGR
Contact Name: ERIC BASSIN
Address1: 275 7TH AVE 17TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 265-7000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kaker
Date Last Modified: 10/24/2007

Site Id: 7219
Affiliation Type: Mail Contact
Company Name: CBRE
Contact Type: Not reported
Contact Name: ERIC BASSIN, PROP MGR
Address1: 275 7TH AVE 17 FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 414-4972
Phone Ext: Not reported
Email: ERIC.BASSIN@CBRE.COM
Fax Number: Not reported
Modified By: kaker
Date Last Modified: 10/24/2007

Site Id: 7219
Affiliation Type: On-Site Operator
Company Name: 275 7TH AVENUE
Contact Type: Not reported
Contact Name: CBRE
Address1: Not reported
Address2: Not reported
City: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 7TH AVENUE (Continued)

U003386204

State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 414-4972
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kaker
Date Last Modified: 10/24/2007

Equipment Records:

J02 - Dispenser - Suction
I05 - Overfill - Vent Whistle
C01 - Pipe Location - Aboveground
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 9453
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1951
Capacity Gallons: 15000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-205737
SWIS Code: 6201
Operator: NEWMARK AND COMPANY
Facility Phone: (212) 243-1427
Facility Addr2: 275 7TH AVENUE
Facility Type: OTHER
Emergency: MR CHUCK GRANICK %NEWMARK & CO
Emergency Tel: (212) 372-2000
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 1710 BROADWAY, INC
Owner Address: 1710 BROADWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 7TH AVENUE (Continued)

U003386204

Owner City,St,Zip: NEW YORK, NY 10019
Federal ID: Not reported
Owner Tel: (212) 265-7000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: CHARLES GRANICK
Mailing Name: 1710 BROADWAY C/O NEWMARK & CO. REAL ESTATE INC.
Mailing Address: 125 PARK AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10017
Mailing Telephone: (212) 372-2000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 09/25/1997
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 15000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19511201
Capacity (Gal): 15000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

275 7TH AVENUE (Continued)

U003386204

Lat/Long: Not reported

T91
SE
< 1/8
0.107 mi.
566 ft.

NEW YORK LABEL & BOX CORP
275 7TH AVE
NEW YORK, NY 10001
Site 3 of 4 in cluster T

RCRA-NonGen 1000136805
FINDS NYD001266212
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: NEW YORK LABEL & BOX CORP
Facility address: 275 7TH AVE
NEW YORK, NY 10001
EPA ID: NYD001266212
Mailing address: 7TH AVE
NEW YORK, NY 10001
Contact: Not reported
Contact address: 7TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
31 ft.

Owner/Operator Summary:
Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported
Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:
U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NEW YORK LABEL & BOX CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: NEW YORK LABEL & BOX CORP
Classification: Not a generator, verified

Date form received by agency: 01/23/1985
Facility name: NEW YORK LABEL & BOX CORP
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 09/30/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA-Initiated Oversight/Observation/Training Actions

FINDS:

Registry ID: 110004333114

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD001266212
Country: USA
Mailing Name: NEW YORK LABEL & BOX CORP
Mailing Contact: NEW YORK LABEL & BOX CORP
Mailing Address: 56 PENNATAQUIT AVE
Mailing Address 2: Not reported
Mailing City: BAY SHORE
Mailing State: NY
Mailing Zip: 11706
Mailing Zip4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Mailing Country: USA
Mailing Phone: 212-929-7339

Document ID: NJA0177672
Manifest Status: Completed copy
Trans1 State ID: NJSWAS284
Trans2 State ID: Not reported
Generator Ship Date: 860110
Trans1 Recv Date: 860110
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860110
Part A Recv Date: 860116
Part B Recv Date: 860123
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: NJA0235069
Manifest Status: Completed copy
Trans1 State ID: NJSWAS581
Trans2 State ID: Not reported
Generator Ship Date: 861114
Trans1 Recv Date: 861114
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861117
Part A Recv Date: 861204
Part B Recv Date: 861201
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: NJA0216548
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJSWAS284
Trans2 State ID: Not reported
Generator Ship Date: 860620

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Trans1 Recv Date: 860620
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860620
Part A Recv Date: 860804
Part B Recv Date: 860703
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: NJA0281929
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 870327
Trans1 Recv Date: 870327
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870401
Part A Recv Date: 870402
Part B Recv Date: 870408
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 87

Document ID: NJA0311460
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 871104
Trans1 Recv Date: 871104
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871109
Part A Recv Date: 871109
Part B Recv Date: 871117
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSD ID: NJD002200046

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0313205
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 870624
Trans1 Recv Date: 870624
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870706
Part A Recv Date: 870709
Part B Recv Date: 870715
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 87

Document ID: NJA0313292
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 870814
Trans1 Recv Date: 870814
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870818
Part A Recv Date: 870909
Part B Recv Date: 870827
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 87

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Document ID: NJA0392324
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 880418
Trans1 Recv Date: 880418
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880426
Part A Recv Date: 880510
Part B Recv Date: 880504
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NJA0230198
Manifest Status: Completed copy
Trans1 State ID: NJSWAS581
Trans2 State ID: Not reported
Generator Ship Date: 870127
Trans1 Recv Date: 870127
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870129
Part A Recv Date: 870204
Part B Recv Date: 870213
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0472930
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 880615
Trans1 Recv Date: 880615
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880615
Part A Recv Date: 880708

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Part B Recv Date: 880713
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NJA0086722
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NYJA030NJ
Trans2 State ID: Not reported
Generator Ship Date: 850624
Trans1 Recv Date: 850624
Trans2 Recv Date: Not reported
TSD Site Recv Date: 850624
Part A Recv Date: 851028
Part B Recv Date: 850711
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD002200046
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00045
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 85

Document ID: NJA0235208
Manifest Status: Completed copy
Trans1 State ID: NJSWAS581
Trans2 State ID: Not reported
Generator Ship Date: 860909
Trans1 Recv Date: 860909
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860912
Part A Recv Date: 860924
Part B Recv Date: 860917
Generator EPA ID: NYD001266212
Trans1 EPA ID: NJD085634335
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NEW YORK LABEL & BOX CORP (Continued)

1000136805

Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 86

Document ID: NJA0182867
 Manifest Status: Completed copy
 Trans1 State ID: NJSWAS284
 Trans2 State ID: Not reported
 Generator Ship Date: 860404
 Trans1 Recv Date: 860404
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 860407
 Part A Recv Date: 860421
 Part B Recv Date: 860410
 Generator EPA ID: NYD001266212
 Trans1 EPA ID: NJD002200046
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 86

**T92
 SE
 < 1/8
 0.108 mi.
 570 ft.**

**UNION SANITORIUM
 275 7TH AVE
 MANHATTAN, NY
 Site 4 of 4 in cluster T**

**NY Spills S104507486
 NY Hist Spills N/A**

**Relative:
 Higher**

NY Spills:
 Site ID: 199058
 Facility Addr2: Not reported
 Facility ID: 9903319
 Spill Number: 9903319
 Facility Type: ER
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Spill Date: 6/23/1999
 Reported to Dept: 6/23/1999
 CID: 257
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

**Actual:
 31 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION SANITORIUM (Continued)

S104507486

Spill Closed Dt: 7/7/1999
Remediation Phase: 0
Date Entered In Computer: 6/23/1999
Spill Record Last Update: 4/15/2002
Spiller Name: Not reported
Spiller Company: UNION SANITORIUM
Spiller Address: 275 7TH AVE
Spiller City,St,Zip: MANHATTEN, NY
Spiller Company: 001
Contact Name: Not reported
Contact Phone: (212) 243-1427
DEC Region: 2
DER Facility ID: 165676
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" DEC Inspector Notes: 20 gal went into vault 10 gal went into sidewalk in the vault there is 10 gal of water vault has drainage to sewer but it is block. It didnt enter any sewers or waterways. e2mis no. 125-707: 06/23/99 08:13 FERNANDEZ REPORTS: WHILE IN TRANSIT TO TROUBLE LOCATION SEEN A DELIVERY TRUCK SPILLING FUEL OIL INTO VAULT 8369 F/O 160-166 W.26 ST. APPROX. 20 GALS IN VAULT AND 10 GALS ON WALK. HAVE APPROX. 10 GALS OF WATER IN VAULT. VAULT DOES HAVE A DRAIN TO SEWER AND IT WAS FOUND BLOCKED. OIL DIDN'T ENTER ANY WATERWAYS OR SEWERSYSTEMS. TOOK SAMPLE AND HUNG SIGN #21900. VAULT HAS NO CRACKS AND NAME OF DELIVERY COMPANY IS CASTLE OIL CORP. JIM CAREY OF COMPANY CLAIMS THEY HAVE SOMEONE IN TRANSIT TO CLEAN WALK. HE ALSO CLAIMS HE CONTACTED DEC AND HAS A SPILL #9903319. Manh Lab Result shows flashpoint >160 deg.f in accordance with LSN#99-06546. 3/28/00: REMOVED 500 GALS. OF OILY WATER FROM VAULT WITH OIL TANKER FROM ASTORIA. FLUSHED VAULT TO REMOVE MUDDY DIRT ,DOUBLE WASHED VAULT WITH OIL FREE AND REFLUSHED VAULT WITH FLUSH TRUCK CLEAN UP COMPLETE,REMOVED OIL TAG #21900.

Remarks: defective gauge spilled onto sidewalk - cleanup crew on the way to start cleanup

Material:

Site ID: 199058
Operable Unit ID: 1077910
Operable Unit: 01
Material ID: 303244
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNION SANITORIUM (Continued)

S104507486

Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9903319
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/23/1999 08:00
Reported to Dept Date/Time: 06/23/99 08:33
SWIS: 62
Spiller Name: UNION SANITORIUM
Spiller Contact: Not reported
Spiller Phone: (212) 243-1427
Spiller Address: 275 7TH AVE
Spiller City,St,Zip: MANHATTEN, NY
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/07/99
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 06/23/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 06/07/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

UNION SANITORIUM (Continued)

S104507486

Quantity Spilled: 15
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #6 FUEL OIL
 Class Type: #6 FUEL OIL
 Times Material Entry In File: 2190
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: DEC Inspector Notes: 20 gal went into vault 10 gal went into sidewalk in the vault there is 10 gal of water vault has drainage to sewer but it is block. It didnt enter any sewers or waterways.
 Remark: defective gauge spilled onto sidewalk - cleanup crew on the way to start cleanup

**M93
 SE
 < 1/8
 0.109 mi.
 575 ft.**

**CON ED - V 1321
 200 W 25 ST
 NEW YORK, NY 10001
 Site 6 of 10 in cluster M**

**RCRA-NonGen 1007206228
 MANIFEST NYP004006086**

**Relative:
 Higher
 Actual:
 30 ft.**

RCRA-NonGen:
 Date form received by agency: 02/28/1998
 Facility name: CON ED - V 1321
 Facility address: 200 W 25 ST
 NEW YORK, NY 100010000
 EPA ID: NYP004006086
 Mailing address: CONSOLIDATED EDISON INC
 4 IRVING PL - RM 300
 NEW YORK, NY 100030000
 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC
 NEW YORK, NY 100030000
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:
 U.S. importer of hazardous waste: Unknown
 Mixed waste (haz. and radioactive): Unknown
 Recycler of hazardous waste: Unknown
 Transporter of hazardous waste: Unknown
 Treater, storer or disposer of HW: No
 Underground injection activity: Unknown
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: Unknown
 Used oil processor: Unknown
 User oil refiner: Unknown
 Used oil fuel marketer to burner: Unknown
 Used oil Specification marketer: Unknown
 Used oil transfer facility: Unknown
 Used oil transporter: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 1321 (Continued)

1007206228

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/27/1998
Facility name: CON ED - V 1321
Classification: Not a generator, verified

Date form received by agency: 02/26/1998
Facility name: CON ED - V 1321
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004006086
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYG0249102
Manifest Status: Completed copy
Trans1 State ID: SM1563
Trans2 State ID: Not reported
Generator Ship Date: 970502
Trans1 Recv Date: 970502
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970502
Part A Recv Date: 970514
Part B Recv Date: 970514
Generator EPA ID: NYP004006086
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 01111
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

U94
South
< 1/8
0.110 mi.
581 ft.

24TH STREET HOLDING COMPANY
228-232 WEST 24 ST (230 W 24TH ST)
MANHATTAN, NY 10011

AST **U003386441**
HIST AST **N/A**

Site 1 of 3 in cluster U

Relative:
Higher

AST:

Actual:
28 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-241555
Program Type: PBS
UTM X: 584747.58537999995
UTM Y: 4510971.3864599997
Expiration Date: 2012/06/30

Affiliation Records:

Site Id: 9208
Affiliation Type: Mail Contact
Company Name: 24TH STREET HOLDING COMPANY
Contact Type: Not reported
Contact Name: LUCIANO KOLIC
Address1: P.O. BOX 3545
Address2: Not reported
City: NEW HYDE PARK
State: NY
Zip Code: 11040
Country Code: 001
Phone: (718) 343-1336
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9208
Affiliation Type: Emergency Contact
Company Name: 24TH STREET HOLDING COMPANY
Contact Type: Not reported
Contact Name: LUCIANO KOLIC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 343-7921
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9208
Affiliation Type: Owner
Company Name: 24TH STREET HOLDING COMPANY LLC
Contact Type: MGR
Contact Name: THOMAS J. CARACCIO
Address1: P.O. BOX 3545
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24TH STREET HOLDING COMPANY (Continued)

U003386441

City: NEW HYDE PARK
State: NY
Zip Code: 11040
Country Code: 001
Phone: (718) 343-1336
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/16/2007

Site Id: 9208
Affiliation Type: On-Site Operator
Company Name: 24TH STREET HOLDING COMPANY
Contact Type: Not reported
Contact Name: BLAS CHIRENO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-6718
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
C03 - Pipe Location - Aboveground/Underground Combination

Tank Info:

Tank Number: 001
Tank Id: 9950
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/30/1952
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24TH STREET HOLDING COMPANY (Continued)

U003386441

Modified By: msbaptis
Last Modified: 4/16/2007

HIST AST:

PBS Number: 2-241555
SWIS Code: 6201
Operator: BLAS CHIRENO
Facility Phone: (212) 255-6718
Facility Addr2: 228 WEST 24 ST
Facility Type: APARTMENT BUILDING
Emergency: LUCIANO KOLIC
Emergency Tel: (718) 343-7921
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 24TH STREET HOLDING COMPANY
Owner Address: P.O. BOX 3545
Owner City,St,Zip: NEW HYDE PARK, NY 11040
Federal ID: Not reported
Owner Tel: (718) 343-1336
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: LUCIANO KOLIC
Mailing Name: 24TH STREET HOLDING COMPANY
Mailing Address: P.O. BOX 3545
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW HYDE PARK, NY 11040
Mailing Telephone: (718) 343-1336
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/07/1997
Expiration: 06/30/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

24TH STREET HOLDING COMPANY (Continued)

U003386441

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 6
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

U95
South
< 1/8
0.112 mi.
593 ft.

NYC BD OF ED - FASHION INDUSTRY VOC HS

225 W 24TH ST
NEW YORK, NY 10011

Site 2 of 3 in cluster U

RCRA-NonGen **1004761003**
FINDS **NYR000069468**
MANIFEST

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: NYC BD OF ED - FASHION INDUSTRY VOC HS
Facility address: 225 W 24TH ST
NEW YORK, NY 10011
EPA ID: NYR000069468
Mailing address: W 24TH ST
NEW YORK, NY 10011
Contact: MICHAEL GELABERT
Contact address: W 24TH ST
NEW YORK, NY 10011
Contact country: US
Contact telephone: (718) 416-4000
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
28 ft.

Owner/Operator Summary:

Owner/operator name: NYC BOARD OF EDUCATION
Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 391-6475
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYC BOARD OF EDUCATION
Owner/operator address: 28-11 QUEENS PLZ N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 391-6475
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYC BD OF ED - FASHION INDUSTRY VOC HS
Classification: Not a generator, verified

Date form received by agency: 03/29/1999
Facility name: NYC BD OF ED - FASHION INDUSTRY VOC HS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004551985

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000069468
Country: USA
Mailing Name: FASHION INSTITUTE VOC HS
Mailing Contact: FASHION INSTITUTE VOC HS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Mailing Address: 225 W 24TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10011
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 973-790-9091

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 2007-04-09
Trans1 Recv Date: 2007-04-09
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2007-05-03
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX480000000
Waste Code: Not reported
Quantity: 10.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 002699120JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 2007-04-09
Trans1 Recv Date: 2007-04-09
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2007-05-03
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CDX480000000
Waste Code: Not reported
Quantity: 10.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 002699120JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: NYG3537756
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 10/03/2002
Trans1 Recv Date: 10/03/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/04/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDF ID: PC4340NY
Waste Code: F003 - UNKNOWN
Quantity: 00100
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00030
Units: P - Pounds
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02

Document ID: NYG3537756
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 10/03/2002
Trans1 Recv Date: 10/03/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/04/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: PC4340NY
Waste Code: D007 - CHROMIUM 5.0 MG/L TCLP
Quantity: 00008
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D027 - 1,4-DICHLOROBENZENE 7.5 MG/L TCLP
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Document ID: NYG3537756
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 10/03/2002
Trans1 Recv Date: 10/03/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/04/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: PC4340NY
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00001
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02

Document ID: NYG3538044
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 10/25/2002
Trans1 Recv Date: 10/25/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/01/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Trans2 EPA ID: Not reported
TSDF ID: PD8070NY
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02

Document ID: NYG3538044
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 10/25/2002
Trans1 Recv Date: 10/25/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/01/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDF ID: PD8070NY
Waste Code: D005 - BARIUM 100.0 MG/L TCLP
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Document ID: NYG3212559
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 02/21/2002
Trans1 Recv Date: 02/21/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/25/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: PC4339NY
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: F003 - UNKNOWN
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D009 - MERCURY 0.2 MG/L TCLP
Quantity: 00001
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 02

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 4/9/2007
Trans1 Recv Date: 4/9/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 5/3/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Trans2 EPA ID: Not reported
TSDF ID: CDX480000000
Waste Code: Not reported
Quantity: 10
Units: P - Pounds
Number of Containers: 1
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 1
Year: 07
Manifest Tracking Num: 002699120JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 4/9/2007
Trans1 Recv Date: 4/9/2007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 5/3/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: CDX480000000
Waste Code: Not reported
Quantity: 10
Units: P - Pounds
Number of Containers: 1
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1
Year: 07
Manifest Tracking Num: 002699120JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED - FASHION INDUSTRY VOC HS (Continued)

1004761003

Mgmt Method Type Code: H141

Document ID: NYG1678068
Manifest Status: Not reported
Trans1 State ID: NJR000027920
Trans2 State ID: Not reported
Generator Ship Date: 04/17/2000
Trans1 Recv Date: 04/17/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/19/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000069468
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: NJX57427
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 00

R96
ENE
< 1/8
0.114 mi.
599 ft.

S.N.Y. INC.
229 WEST 28TH STREET
NEW YORK, NY 10001
Site 5 of 6 in cluster R

AST A100129009
N/A

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-248851
Program Type: PBS
UTM X: 584950.42185000004
UTM Y: 4511242.2268599998
Expiration Date: 2007/12/16

**Actual:
30 ft.**

Affiliation Records:
Site Id: 9854
Affiliation Type: On-Site Operator
Company Name: S.N.Y. INC.
Contact Type: Not reported
Contact Name: ELDAN PROPERTIES,LTD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-0651
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S.N.Y. INC. (Continued)

A100129009

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9854
Affiliation Type: Mail Contact
Company Name: S.N.Y. INC. C/O ELDAN PROPERTIES,LTD.
Contact Type: Not reported
Contact Name: MARC S. COHN-PRES
Address1: 500 NORTH BROADWAY
Address2: SUITE 153
City: JERICHO
State: NY
Zip Code: 11753
Country Code: 001
Phone: (516) 822-7100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9854
Affiliation Type: Owner
Company Name: S.N.Y.,INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 229 WEST 28TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 643-0200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9854
Affiliation Type: Emergency Contact
Company Name: S.N.Y.,INC.
Contact Type: Not reported
Contact Name: FRANCESCO ODDO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 569-7796
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S.N.Y. INC. (Continued)

A100129009

Equipment Records:

G00 - Tank Secondary Containment - None
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
I05 - Overfill - Vent Whistle
I05 - Overfill - Vent Whistle

Tank Info:

Tank Number: 001
Tank Id: 11167
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Tank Number: 002
Tank Id: 11168
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S.N.Y. INC. (Continued)

A100129009

Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

R97
ENE
< 1/8
0.114 mi.
599 ft.

KWIK INTL COLOR LTD
229 W 28TH ST 8TH & 9TH FL
NEW YORK, NY 10001

RCRA-NonGen **1000230986**
MANIFEST **NYD001230127**

Site 6 of 6 in cluster R

Relative:
Higher

RCRA-NonGen:

Actual:
30 ft.

Date form received by agency: 01/01/2007
Facility name: KWIK INTL COLOR LTD
Facility address: 229 W 28TH ST 8TH & 9TH FL
NEW YORK, NY 100015996
EPA ID: NYD001230127
Mailing address: W 28TH ST 8TH & 9TH FL
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 28TH ST 8TH & 9TH FL
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: KWIK INTERNATIONAL COLOR LTD
Owner/operator address: 229 W 28TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 643-0200
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: KWIK INTL COLOR LTD
Owner/operator address: 229 W 28TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 643-0200
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KWIK INTL COLOR LTD (Continued)

1000230986

On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: KWIK INTL COLOR LTD
Classification: Not a generator, verified

Date form received by agency: 01/20/1998
Facility name: KWIK INTL COLOR LTD
Classification: Small Quantity Generator

Date form received by agency: 01/20/1998
Facility name: KWIK INTL COLOR LTD
Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYD001230127
Country: USA
Mailing Name: CRAFTON GRAPHIC
Mailing Contact: CRAFTON GRAPHIC
Mailing Address: 229 WEST 28TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-736-3143

Document ID: NJA0241906
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 870112
Trans1 Recv Date: 870112
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870112
Part A Recv Date: 870116
Part B Recv Date: 870121
Generator EPA ID: NYD001230127
Trans1 EPA ID: NJD000813477
Trans2 EPA ID: Not reported
TSDF ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00605

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KWIK INTL COLOR LTD (Continued)

1000230986

Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 011
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 87

Document ID: NYB8459784
Manifest Status: Not reported
Trans1 State ID: NYD986974376
Trans2 State ID: Not reported
Generator Ship Date: 10/22/1998
Trans1 Recv Date: 10/22/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/23/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001230127
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSD ID: PX1132
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00080
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Document ID: NYB8458704
Manifest Status: Not reported
Trans1 State ID: NYD986974376
Trans2 State ID: Not reported
Generator Ship Date: 03/10/1998
Trans1 Recv Date: 03/10/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/16/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD001230127
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSD ID: PX1132
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

KWIK INTL COLOR LTD (Continued)

1000230986

Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	98
Document ID:	NYB8460117
Manifest Status:	Not reported
Trans1 State ID:	NYD986974376
Trans2 State ID:	Not reported
Generator Ship Date:	04/22/1999
Trans1 Recv Date:	04/22/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/30/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD001230127
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSD ID:	PX1132
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	99

M98
SE
 < 1/8
 0.115 mi.
 608 ft.

VAULT 5751
200 WEST 25TH ST
MANHATTAN, NY

Site 7 of 10 in cluster M

NY Spills **S104507070**
NY Hist Spills **N/A**

Relative:
Higher

Actual:
30 ft.

NY Spills:	
Site ID:	280477
Facility Addr2:	Not reported
Facility ID:	9900626
Spill Number:	9900626
Facility Type:	ER
SWIS:	3101
Investigator:	JHOCONNE
Referred To:	Not reported
Spill Date:	4/16/1999
Reported to Dept:	4/16/1999
CID:	312
Spill Cause:	Equipment Failure
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	Penalty Not Recommended
UST Trust:	False
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 5751 (Continued)

S104507070

Spill Closed Dt: 1/29/2004
Remediation Phase: 0
Date Entered In Computer: 4/16/1999
Spill Record Last Update: 1/29/2004
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 227734
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" CON ED E2MIS 124285 NOTES Approx. 15 gals. Transformer oil found in vault. Placed oil absorbent pads. Reported incident to P. Marcy 58101, of control center. Spill contained, sewer connection in vault, crew to check trap for oil. Found sump pump not running on arrival and disconnected pump. Oil filled transformer in structure. 4-16-99 20:17 hrs. Lab Seq#99-03941, Aroclor 1260, PCB 32ppm in vault. 4/17/99 06:00 HRS APPEARED TO BE A RELEASE INTO THE SEWER.... J. Gnull reports Jane O'Connell from DEC on location from 1430 hours to 1520 hours. Stanley Baldwin from DEP on location from 1510 hours to 1600 hours. Oil leak was due to a transformer fin leak. Unit to be replaced. Gnull reports 3 gallons in dirt, 6 gallons in sump pit. Found sump pit not running when crew arrived,checked trap and found oil in trap. Transformer oil level was at min. 4/17/99 partial cleanup completed in vault 5751. Astoria tanker drained approximately 386 gallons of waste oil. Nameplate of transformer shows transformer should hold 385 gallons of oil. Final Cleanup pending removal of transformer. 6/29/99 Drained approximately 400 gallons of rainwater from vault with Astoria oil tanker, scrubbed floor and walls with oil degreaser. Flushed vault with " Flush Truck". Cleanup completed. 9 gal is accounted for and remainder went into sewer - nrc#480584

Material:
Site ID: 280477
Operable Unit ID: 1075388
Operable Unit: 01
Material ID: 307752
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VAULT 5751 (Continued)

S104507070

Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9900626
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/16/1999 13:15
Reported to Dept Date/Time: 04/16/99 13:43
SWIS: 62
Spiller Name: CON EDISON
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/16/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/31/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

VAULT 5751 (Continued)

S104507070

Quantity Spilled: 15
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: TRANSFORMER OIL
 Class Type: TRANSFORMER OIL
 Times Material Entry In File: 533
 CAS Number: Not reported
 Last Date: 19940926
 DEC Remarks: CON ED E2MIS NOTES 4-17-99 Approx. 15 gals. Transformer oil found in vault. Placed oil absorbent pads. Reported incident to P. Marcy 58101, of control center. Spill contained, sewer connection in vault, crew to check trap for oil. Found sump pump not running on arrival and disconnected pump. Oil filled transformer in structure. 4-16-99 20:17 hrs. Lab Seq 99-03941, Aroclor 1260, PCB 32ppm in vault.
 Remark: 9 gal is accounted for and remainder went into sewer - nrc 480584

**M99
 SE
 < 1/8
 0.115 mi.
 608 ft.**

**WEST 25TH ST & 7TH AVE
 WEST 25TH ST & 7TH AVE
 MANHATTAN, NY**

**NY Spills S102961769
 NY Hist Spills N/A**

Site 8 of 10 in cluster M

**Relative:
 Higher**

NY Spills:
 Site ID: 95259
 Facility Addr2: Not reported
 Facility ID: 9709161
 Spill Number: 9709161
 Facility Type: ER
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 11/6/1997
 Reported to Dept: 11/6/1997
 CID: 205
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 1/2/1998
 Remediation Phase: 0
 Date Entered In Computer: 11/6/1997
 Spill Record Last Update: 7/3/2000
 Spiller Name: CALLER
 Spiller Company: CON ED
 Spiller Address: 128 WEST END AVE
 Spiller City,St,Zip: MANHATTAN, NY 10003
 Spiller Company: 001
 Contact Name: CALLER
 Contact Phone: (212) 580-6763

**Actual:
 30 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 25TH ST & 7TH AVE (Continued)

S102961769

DEC Region: 2
DER Facility ID: 85211
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" 11/6/97, 9:20AM - spoke with Paul Carbone, Con Ed ERT. Small drip from fin in transformer. Does not appear that sump pump was operational. Historical records indicate maximum PCB concentration of 55 ppm. Clean up will be done in manhole - no sewer affected, but DEP notified anyway. Con Ed will drain the transformer, remove it, clean the manhole and install a new transformer.
Remarks: SPILL IN UNDERGROUND VAULT, VAULT ALSO HAS SUMP PUMP IN IT. UNKNOWN AT THIS TIME IF ANY SPILLAGE WENT TO SEWER. CLEAN UP CREW WILL BE RESPONDING.**UPDATE** CON ED CLEANUP CREW ON SCENE, SPILL DID NOT GO TO SEWER.

Material:
Site ID: 95259
Operable Unit ID: 1055545
Operable Unit: 01
Material ID: 331079
Material Code: 0020A
Material Name: TRANSFORMER OIL
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9709161
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/06/1997 05:40
Reported to Dept Date/Time: 11/06/97 09:17
SWIS: 62
Spiller Name: CON ED
Spiller Contact: CALLER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 25TH ST & 7TH AVE (Continued)

S102961769

Spiller Phone: (212) 580-6763
Spiller Contact: CALLER
Spiller Phone: (212) 580-6763
Spiller Address: 128 WEST END AVE
Spiller City,St,Zip: MANHATTAN, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 02
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/02/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/06/97
Date Spill Entered In Computer Data File: Not reported
Update Date: 07/03/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: TRANSFORMER OIL
Class Type: TRANSFORMER OIL
Times Material Entry In File: 533
CAS Number: Not reported
Last Date: 19940926

DEC Remarks: 11/6/97, 9:20AM - spoke with Paul Carbone, Con Ed ERT. Small drip from fin in transformer. Does not appear that sump pump was operational. Historical records indicate maximum PCB concentration of 55 ppm. Clean up will be done in manhole - no seweraffected, but DEP notified anyway. Con Ed will drain the transformer, remove it, clean the manhole and install a new transformer.

Remark: SPILL IN UNDERGROUND VAULT, VAULT ALSO HAS SUMP PUMP IN IT. UNKNOWN AT THIS TIME IF ANY SPILLAGE WENT TO SEWER. CLEAN UP CREW WILL BE RESPONDING.**UPDATE** CON ED CLEANUP CREW ON SCENE, SPILL DID NOT GO TO SEWER.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

M100
SE
< 1/8
0.115 mi.
608 ft.

CON EDISON OF NY INC.
7TH AVE. & 25TH ST.
MANHATTAN, NY

MANIFEST S109786599
N/A

Site 9 of 10 in cluster M

Relative:
Higher

CT MANIFEST:

Actual:
30 ft.

Waste:

Manifest No: CTF0906247
Waste Occurrence: 1
UNNA: 3077
Hazard Class: 9
US Dot Description: ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers: 001
Container Type: DT
Quantity: 1
Weight/Volume: Y
Additional Description: Not reported
Handling Code: Not reported
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

Waste CD:

Manifest No: CTF0906247
Waste Occurrence: 1
EPA Waste Code: D008
Recycled Waste?: F
Date Record Was Last Modified: 4/27/2004
DEO Who Last Modified Record: IG

Detail:

Year: 2000
Manifest ID: CTF0906247
TSDf EPA ID: CTD000604488
TSDf Name: CLEAN HARBORS OF CONNECTICUT, INC.
TSDf Address: 51 BRODERICK RD
TSDf City,St,Zip: BRISTOL, CT 06010
TSDf Country: USA
TSDf Telephone: Not reported
Transport Date: 8/16/2000
Transporter EPA ID: MAD039322250
Transporter Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.
Transporter Country: USA
Transporter Phone: Not reported
Trans 2 Date: 8/18/2000
Trans 2 EPA ID: MAD039322250
Trans 2 Name: CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.
Trans 2 Address: Not reported
Trans 2 City,St,Zip: CT
Trans 2 Country: USA
Trans 2 Phone: Not reported
EPA ID: NYP004060281
Generator Phone: 2123384488
Generator Mailing Addr: 7TH AVE. & 25TH ST. MANHATTAN
Generator Mailing Town: Not reported
Generator Mailing State: NY
Generator Mailing Zip: Not reported
Generator Mailing Country: USA

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CON EDISON OF NY INC. (Continued)

S109786599

Special Handling: Not reported
 Discrepancies: No
 Date Shipped: 8/16/2000
 Date Received: 8/18/2000
 Last modified date: 4/27/2004
 Last modified by: IG
 Comments: Not reported

**M101
 SE
 < 1/8
 0.115 mi.
 608 ft.**

**RESIDENCE
 WEST 25TH & 7TH AVE
 MANHATTAN, NY
 Site 10 of 10 in cluster M**

**NY Spills S103938630
 NY Hist Spills N/A**

**Relative:
 Higher**

NY Spills:
 Site ID: 251924
 Facility Addr2: Not reported
 Facility ID: 9903226
 Spill Number: 9903226
 Facility Type: ER
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Spill Date: 6/21/1999
 Reported to Dept: 6/21/1999
 CID: 390
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. No DEC Response. No corrective action required.

**Actual:
 30 ft.**

Spill Closed Dt: 6/22/1999
 Remediation Phase: 0
 Date Entered In Computer: 6/21/1999
 Spill Record Last Update: 9/7/1999
 Spiller Name: UNKNOWN
 Spiller Company: UNKNOWN
 Spiller Address: UNKNOWN
 Spiller City,St,Zip: UNKNOWN, NY
 Spiller Company: 999
 Contact Name: MR ION
 Contact Phone: (212) 337-0905
 DEC Region: 2
 DER Facility ID: 206432
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" SANGESLAND MADE SITE VISIT 4:30 pm 6/21/99 NO DIESEL SPILL VISIBLE
 Remarks: NOTIFIER STATED HE CAME OUT OF A BUILDING AND THERE WAS AN UNK AMOUT OF DIESEL FUEL ON THE GROUND FROM AN UNK SOURCE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S103938630

Material:

Site ID: 251924
Operable Unit ID: 1077828
Operable Unit: 01
Material ID: 303153
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9903226
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/21/1999 09:35
Reported to Dept Date/Time: 06/21/99 11:47
SWIS: 62
Spiller Name: UNK
Spiller Contact: UNK
Spiller Phone: (000) 000-0000
Spiller Contact: MR ION
Spiller Phone: (212) 337-0905
Spiller Address: UNK
Spiller City,St,Zip: UNK
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RESIDENCE (Continued)

S103938630

Last Inspection: // /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: // /
Enforcement Date: // /
Invstgn Complete: // /
UST Involvement: False
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. No DEC Response. No corrective action required.
Spill Closed Dt: 06/22/99
Corrective Action Plan Submitted: // /
Date Region Sent Summary to Central Office: // /
Date Spill Entered In Computer Data File: 06/21/99
Date Spill Entered In Computer Data File: Not reported
Update Date: 09/07/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: SANGESLAND MADE SITE VISIT 4:30 pm 6/21/99 NO DIESEL SPILL VISIBLE
Remark: NOTIFIER STATED HE CAME OUT OF A BUILDING AND THERE WAS AN UNK AMOUT OF DIESEL FUEL ON THE GROUND FROM AN UNK SOURCE

O102
East
< 1/8
0.115 mi.
610 ft.

NEAR CATCH BASIN AT
W 27TH ST BET 6 & 7TH AVE
NEW YORK, NY
Site 4 of 9 in cluster O

NY Spills **S104651908**
NY Hist Spills **N/A**

Relative:
Higher

NY Spills:
Site ID: 287471
Facility Addr2: Not reported
Facility ID: 0000698
Spill Number: 0000698
Facility Type: ER
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Spill Date: 4/18/2000
Reported to Dept: 4/18/2000
CID: 371

Actual:
32 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEAR CATCH BASIN AT (Continued)

S104651908

Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/21/2000
Remediation Phase: 0
Date Entered In Computer: 4/18/2000
Spill Record Last Update: 4/21/2000
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 232879
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" SAME AS 00-00691
Remarks: spill of at least 20 gals on pavement near the catch basin - very slippery conditions - dep will contact sanitation.

Material:

Site ID: 287471
Operable Unit ID: 822412
Operable Unit: 01
Material ID: 288937
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEAR CATCH BASIN AT (Continued)

S104651908

NY Hist Spills:

Region of Spill: 2
Spill Number: 0000698
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/18/2000 08:00
Reported to Dept Date/Time: 04/18/00 10:02
SWIS: 62
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/21/00
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/18/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 04/21/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: DIESEL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEAR CATCH BASIN AT (Continued)

S104651908

Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: SAME AS 00-00691
Remark: spill of at least 20 gals on pavement near the catch basin - very slippery conditions - dep will contact sanitation.

O103
East
< 1/8
0.115 mi.
610 ft.

FASHION INSTITUTE
27TH STREET & 7TH AVE
MANHATTEN, NY

NY Spills S109206471
N/A

Site 5 of 9 in cluster O

Relative:
Higher

NY Spills:
Site ID: 401582
Facility Addr2: Not reported
Facility ID: 0804640
Spill Number: 0804640
Facility Type: ER
SWIS: 3101
Investigator: smsanges
Referred To: Not reported
Spill Date: 7/22/2008
Reported to Dept: 7/23/2008
CID: 444
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Institutional, Educational, Gov., Other
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/28/2008
Remediation Phase: 0
Date Entered In Computer: 7/23/2008
Spill Record Last Update: 7/28/2008
Spiller Name: JOSEPH
Spiller Company: FASHION INSTITUTE
Spiller Address: 27TH STREET & 7TH AVE
Spiller City,St,Zip: MANHATTEN, NY
Spiller Company: 001
Contact Name: JOSEPH
Contact Phone: (212) 217-3752
DEC Region: 2
DER Facility ID: 350806
DEC Memo: minor spill - contained - all cleaned up by contractor
Remarks: A CAN TIPPED OVER AND CLEAN UP CONTRACTOR WILL BE THERE AT 13:00PM:

Actual:
32 ft.

Material:

Site ID: 401582
Operable Unit ID: 1158369
Operable Unit: 01
Material ID: 2149436

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

FASHION INSTITUTE (Continued)

S109206471

Material Code: 0010
 Material Name: Hydraulic Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

O104
East
< 1/8
0.116 mi.
610 ft.

301 SEVENTH AVENUE
301 SEVENTH AVE
MANHATTAN, NY
Site 6 of 9 in cluster O

NY Spills S104495191
NY Hist Spills N/A

Relative:
Higher

NY Spills:
 Site ID: 246589
 Facility Addr2: Not reported
 Facility ID: 8907717
 Spill Number: 8907717
 Facility Type: ER
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Spill Date: 11/3/1989
 Reported to Dept: 11/3/1989
 CID: Not reported
 Spill Cause: Unknown
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Police Department
 Cleanup Ceased: 11/3/1989
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Not reported
 Spill Closed Dt: 11/3/1989
 Remediation Phase: 0
 Date Entered In Computer: 11/8/1989
 Spill Record Last Update: 1/2/2004
 Spiller Name: Not reported
 Spiller Company: UNK

Actual:
32 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 SEVENTH AVENUE (Continued)

S104495191

Spiller Address: Not reported
Spiller City,St,Zip: ***UPDATE***, ZZ
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 202491
DEC Memo: Not reported
Remarks: NYFD PUTTING OUT FIRE IN BASEMENT, DISCOVERED ASBESTOS SITUATIONS. ONLY FIRE FIGHTERS WERE CONTAMINATED. ASBESTOS COATED PIPE PRESENT. NYFD HAZ MAT ON SCENE. SAY PROBLEM UNDER CONTROL.

Material:

Site ID: 246589
Operable Unit ID: 935333
Operable Unit: 01
Material ID: 444500
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 8907717
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/03/1989 10:27
Reported to Dept Date/Time: 11/03/89 11:25
SWIS: 62
Spiller Name: UNK
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 SEVENTH AVENUE (Continued)

S104495191

Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: In Sewer
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Police Department
PBS Number: Not reported
Cleanup Ceased: 11/03/89
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 11/03/89
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 11/08/89
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: ASBESTOS IN WATER.

Remark: NYFD PUTTING OUT FIRE IN BASEMENT, DISCOVERED ASBECTOS SITUATIONS. ONLY FIRE FIGHTERS WERE CONTAMINATED. ASBESTOS COATED PIPE PRESENT. NYFD HAZ MAT ON SCENE. SAY PROBLEM UNDER CONTROL.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

U105
South
< 1/8
0.118 mi.
621 ft.

APARTMENT
220 WEST 24TH STREET
MANHATTEN, NY

NY Spills **S109062121**
N/A

Site 3 of 3 in cluster U

Relative:
Higher

NY Spills:

Actual:
28 ft.

Site ID: 396732
 Facility Addr2: Not reported
 Facility ID: 0800903
 Spill Number: 0800903
 Facility Type: ER
 SWIS: 3101
 Investigator: SFRAHMAN
 Referred To: Not reported
 Spill Date: 4/22/2008
 Reported to Dept: 4/22/2008
 CID: 444
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Trust: False
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not Closed
 Remediation Phase: 1
 Date Entered In Computer: 4/22/2008
 Spill Record Last Update: 7/23/2010
 Spiller Name: MR MICHEAL SASS
 Spiller Company: APARTMENT
 Spiller Address: 220 WEST 24TH STREET
 Spiller City,St,Zip: MANHATTEN, NY
 Spiller Company: 001
 Contact Name: MR MICHEAL SASS
 Contact Phone: (212) 400-6095
 DEC Region: 2
 DER Facility ID: 346205
 DEC Memo: PTC dug out a fill line and found a hole in the top of the buried tank. PTC submitted a proposal to owner to replace the tank. Building primary address is: 225 west 23rd ABS Partners 200 park ave south - 10th flr NY NY 10003 Property Shark says addresses could be 221-233 West 23 214-226 West 24 csl was sent out on 04/25/08. 08/18/08 I spoke with Michael Sass.He told me that the spill was cleaned up and the tank was removed.PTC to send the closure report to DEC.(sr) 11/06/08 Spoke with Mr. Sass's office and left a messege for Mr. Sass to provide us clean up documentation.(sr) 11/03/09 Spoke with Mike Saas to day. Tank has been removed.Closure report will be sent to DEC.Csl was resent to Michael Saas(via fax @ (212)400-9494)(sr) *** PBS: 2-234079*** 06/03/10 Performed site visit today.Four 275 gallon temp AST on site to serve the boiler. Old tank located underground ifo 220 w 24th street entrance.Unsure if any investigation was performed around the tank.PBS registration expired in 2007.Fillport not color coded.Spill was called in due to fill line leak, could not find the abandoned fill line.DEC requires subsurface investigation

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

APARTMENT (Continued)

S109062121

around the tank.No report on investigation/clean up rec'd.Spoke with ABS Partners rep Ms. Mery.NOV served to doorman. Owner: 2324 Realty Co c/o ABS Partners Real Estate, LLC 200 Park Avenue South, 10th Floor New York, NY 10003 Ph:(212)400-6060(sr) 06/28/10 Compliance hearing schedule has been changed to July 23rd 10:00 AM as per request from Mike Saas, ABS Partners.His phone number is (516)445-0319.(sr)

Remarks: FILL LINE IS LEAKING

Material:

Site ID: 396732
 Operable Unit ID: 1153702
 Operable Unit: 01
 Material ID: 2144470
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

**106
 North
 < 1/8
 0.119 mi.
 630 ft.**

**VS 4420
 28TH ST/8TH AV
 MANHATTAN, NY**

**NY Spills S104650991
 NY Hist Spills N/A**

**Relative:
 Higher**

NY Spills:
 Site ID: 310398
 Facility Addr2: Not reported
 Facility ID: 0003735
 Spill Number: 0003735
 Facility Type: ER
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Spill Date: 6/27/2000
 Reported to Dept: 6/27/2000
 CID: 312
 Spill Cause: Equipment Failure
 Water Affected: Not reported
 Spill Source: Commercial/Industrial

**Actual:
 29 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 4420 (Continued)

S104650991

Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/9/2004
Remediation Phase: 0
Date Entered In Computer: 6/27/2000
Spill Record Last Update: 4/9/2004
Spiller Name: Not reported
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 250548
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL" e2mis no. 132052: 1 1/2 gallons of transformer dielectric fluid possible bottom leak from transformer. Sump pump was not running - Oil in sump of vault 4420. i&a reports cannot open trap in vault 4420 Unknown amount of transformer dielectric fluid entered sewer system. Amount of release will be determined when unit is drained. LAB-RESULT 00-06223 PCB 14 PPM 1830 HRS. TRANSFORMER WAS DRAINED AND DISCONNECTED ON 6/27/00 AND COMPLETED AT 1200HRS. THE NUMBER OF GALLONS REMOVED FROM TRANSFORMER WAS 335 GALLONS. CAPACITY OF UNIT IS 355 GALLONS. PIPING AND TRAP WERE TAKING APART ON 6/29/00 AND FOUND NO TRACE OF OIL IN TRAP. 7/7/00 @ 09:00 hrs. Oper. Supvr. J. Cumberbatch # 10660 reports vault floor and walls were cleaned with Flush truck. Final cleanup completed.

Remarks: 1.5gal of fluid leaked from transformer onto bottom of concrete vault
- poss leaked into sump - case #132052 - paged primary and secondary, no answers

Material:
Site ID: 310398
Operable Unit ID: 825052
Operable Unit: 01
Material ID: 548487
Material Code: 0541A
Material Name: DIELECTRIC FLUID
Case No.: Not reported
Material FA: Petroleum
Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 4420 (Continued)

S104650991

Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0003735
Investigator: O'CONNELL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/27/2000 03:07
Reported to Dept Date/Time: 06/27/00 04:15
SWIS: 62
Spiller Name: CON EDISON
Spiller Contact: Not reported
Spiller Phone: () -
Spiller Address: 4 IRVING PLACE
Spiller City,St,Zip: NEW YORK, NY 10003-
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 06/27/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 06/27/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VS 4420 (Continued)

S104650991

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: 2

Unkonwn Quantity Spilled: False

Units: Gallons

Quantity Recovered: 0

Unkonwn Quantity Recovered: True

Material: DIELECTRIC FLUID

Class Type: DIELECTRIC FLUID

Times Material Entry In File: 41

CAS Number: Not reported

Last Date: Not reported

DEC Remarks: Not reported

Remark: 1.5gal of fluid leaked from transformer onto bottom of concrete vault - poss
leaked into sump - case 132052 - paged primary and secondary, no answers

O107 **305 7TH AVENUE**
East **305 7TH AVENUE**
< 1/8 **NEW YORK, NY 10001**
0.122 mi.
644 ft. **Site 7 of 9 in cluster O**

UST **U004076625**
N/A

Relative:
Higher

UST:

Facility Id: 2-201723

Region: STATE

DEC Region: 2

Site Status: Active

Program Type: PBS

Expiration Date: 2012/07/07

UTM X: 584986.48184999998

UTM Y: 4511146.0535199996

Actual:
32 ft.

Affiliation Records:

Site Id: 6869

Affiliation Type: Mail Contact

Company Name: NEWMARK & CO. REAL ESTATE, INC.

Contact Type: Not reported

Contact Name: MORRIS WIESENBERG, AGENT

Address1: 125 PARK AVENUE

Address2: Not reported

City: NEW YORK

State: NY

Zip Code: 10017

Country Code: 001

Phone: (212) 372-2000

Phone Ext: Not reported

Email: MWIESENBERG@NEWMARKKF.COM

Fax Number: Not reported

Modified By: DXLIVING

Date Last Modified: 5/14/2007

Site Id: 6869

Affiliation Type: Owner

Company Name: 301-5 7TH AVENUE ASSOCIATES LLC

Contact Type: SR MANAGING DIRECTOR

Contact Name: MORRIS WIESENBERG

Address1: C/O NEWMARK & CO.RL.ES.INC./125 PARK.AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

305 7TH AVENUE (Continued)

U004076625

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 372-2000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/14/2007

Site Id: 6869
Affiliation Type: On-Site Operator
Company Name: 305 7TH AVENUE
Contact Type: Not reported
Contact Name: SELWYN SAMPSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-0020
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6869
Affiliation Type: Emergency Contact
Company Name: 301-5 7TH AVENUE ASSOCIATES LLC
Contact Type: Not reported
Contact Name: SELWYN SAMPSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 217-4759
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

305 7TH AVENUE (Continued)

U004076625

F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 6869

Tank Number: 001
Tank ID: 11489
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/1/1983
Capacity Gallons: 10000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 5/14/2007

O108
East
< 1/8
0.122 mi.
644 ft.

EVERWED OF NEW YORK
305 7TH AVE
NEW YORK CITY, NY 10001

RCRA-NonGen 1000370660
FINDS NYD174469049
MANIFEST

Site 8 of 9 in cluster O

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: EVERWED OF NEW YORK
Facility address: 305 7TH AVE
NEW YORK, NY 10001
EPA ID: NYD174469049
Mailing address: 7TH AVE
NEW YORK, NY 10001
Contact: Not reported
Contact address: 7TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
32 ft.

Owner/Operator Summary:

Owner/operator name: WEDLO INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Owner/operator name: WEDLO INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: EVERWED OF NEW YORK
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: EVERWED OF NEW YORK
Classification: Not a generator, verified

Date form received by agency: 03/14/1988
Facility name: EVERWED OF NEW YORK
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009470090

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD174469049
Country: USA
Mailing Name: EVERWED
Mailing Contact: EVERWED
Mailing Address: 305 SEVENTH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-924-6663

Document ID: NJA0316776
Manifest Status: Completed copy
Trans1 State ID: NJDEPS-10
Trans2 State ID: Not reported
Generator Ship Date: 880415
Trans1 Recv Date: 880415
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880418
Part A Recv Date: 880422
Part B Recv Date: 880421
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F015 - CYANIDE BATH SOL FM MINERAL MTL REC OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 88

Document ID: NJA1318416
Manifest Status: Completed copy

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920904
Trans1 Recv Date: 920904
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920907
Part A Recv Date: Not reported
Part B Recv Date: 920918
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92

Document ID: NJA1561248
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 930209
Trans1 Recv Date: 930209
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930210
Part A Recv Date: 930302
Part B Recv Date: 930301
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 93

Document ID: NJA1235726
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 921123
Trans1 Recv Date: 921123
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921123
Part A Recv Date: Not reported
Part B Recv Date: 921208
Generator EPA ID: NYD174469049

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00040
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92

Document ID: NJA1561091
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 930524
Trans1 Recv Date: 930524
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930525
Part A Recv Date: Not reported
Part B Recv Date: 930603
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00025
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 93

Document ID: NJA0465610
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 881102
Trans1 Recv Date: 881102
Trans2 Recv Date: Not reported
TSD Site Recv Date: 881104
Part A Recv Date: 881104
Part B Recv Date: 881115
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00550
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Specific Gravity: 100
Year: 88

Document ID: NJA0465675
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 890403
Trans1 Recv Date: 890403
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890405
Part A Recv Date: 890407
Part B Recv Date: 890412
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89

Document ID: NJA0423928
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 890123
Trans1 Recv Date: 890123
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890125
Part A Recv Date: 890127
Part B Recv Date: 890208
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89

Document ID: NJA9629760
Manifest Status: Completed copy
Trans1 State ID: S103344
Trans2 State ID: Not reported
Generator Ship Date: 890914

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Trans1 Recv Date: 890914
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890927
Part A Recv Date: 891002
Part B Recv Date: 891003
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89

Document ID: NJA9622052
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 890627
Trans1 Recv Date: 890627
Trans2 Recv Date: Not reported
TSD Site Recv Date: 890712
Part A Recv Date: 890705
Part B Recv Date: 890719
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 89

Document ID: NJA0831241
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 900130
Trans1 Recv Date: 900130
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900201
Part A Recv Date: 900209
Part B Recv Date: 900222
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 90

Document ID: NJA0984806
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 901022
Trans1 Recv Date: 901022
Trans2 Recv Date: Not reported
TSD Site Recv Date: 901023
Part A Recv Date: 901106
Part B Recv Date: 901105
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 90

Document ID: NJA0831379
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 900731
Trans1 Recv Date: 900731
Trans2 Recv Date: Not reported
TSD Site Recv Date: 900801
Part A Recv Date: 900914
Part B Recv Date: 900911
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 90

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EVERWED OF NEW YORK (Continued)

1000370660

Document ID: NJA0984938
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S100344
Trans2 State ID: Not reported
Generator Ship Date: 910226
Trans1 Recv Date: 910226
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910301
Part A Recv Date: 910415
Part B Recv Date: 910315
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 91

Document ID: NJA1235592
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 910830
Trans1 Recv Date: 910830
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910904
Part A Recv Date: 910916
Part B Recv Date: 910916
Generator EPA ID: NYD174469049
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00500
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 91

O109
East
< 1/8
0.122 mi.
644 ft.

305 7TH AVENUE
305 7TH AVENUE
NY NY, NY 10001
Site 9 of 9 in cluster O

HIST UST U003241803
N/A

Relative:
Higher

HIST UST:
PBS Number: 2-201723
SPDES Number: Not reported
Emergency Contact: ALEX DOUGLAS
Emergency Telephone: (212) 947-5395

Actual:
32 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

305 7TH AVENUE (Continued)

U003241803

Operator: SELWYN SAMPSON
Operator Telephone: (212) 243-0020
Owner Name: 301-5 7TH AVENUE ASSOCIATES
Owner Address: C/O NEWMARK & CO.RL.ES.INC./125 PARK.AVE
Owner City,St,Zip: NEW YORK, NY 10017
Owner Telephone: (212) 372-2000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: NEWMARK & CO. REAL ESTATE, INC.
Mailing Address: 330 SEVENTH AVENUE - 2ND FLOOR
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: ALEX DOUGLAS
Mailing Telephone: (212) 947-5395
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 305 7TH AVENUE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/29/1997
Expiration Date: 07/07/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 10000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 10000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

305 7TH AVENUE (Continued)

U003241803

Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

V110
 SSE
 < 1/8
 0.122 mi.
 644 ft.

**LOT 77,TAXBLOCK 800
 261 7 AVENUE
 MANHATTAN, NY 10001**

**E DESIGNATION S108077363
 N/A**

Site 1 of 6 in cluster V

**Relative:
 Higher**

E DESIGNATION:
 Tax Lot(s): 77
 E-No: E-54
 Effective Date: 6/29/1994
 Satisfaction Date: Not reported
 Ceqr Number: 86-082M
 Ulurp Number: 860183 ZMM
 Zoning Map No: 8d
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 104
 Census Tract: 91
 Census Block: 1001
 School District: 02
 City Council District: 03
 Fire Company: E001
 Health Area: 15
 Police Precinct: 013
 Zone District 1: C6-3X
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-3X
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: C7
 Land Use Category: 04
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: IRVING LEDEREICH
 Lot Area: 000001510
 Total Building Floor Area: 0000006010
 Commercial Floor Area: 00000001200
 Office Floor Area: 00000000000
 Retail Floor Area: 00000001200
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000

**Actual:
 30 ft.**

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

LOT 77,TAXBLOCK 800 (Continued)

S108077363

Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00009
 Non and Residential Units: 00011
 Lot Frontage: 0025.17
 Lot Depth: 0060.00
 Building Frontage: 0025.00
 Building Depth: 0060.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000116550
 Total Assessed Value: 00000391500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: E
 Year Altered1: 1989
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0003.98
 Maximum Allowable Far: 9.00
 Borough Code: 1
 Borough Tax Block And Lot: 1008000077
 Condominium Number: 00000
 Census Tract 2: 0091
 X Coordinate: 0985766
 Y Coordinate: 0210755
 Zoning Map: 08D
 Sanborn Map: 105S011
 Tax Map: 10305
 E Designation No: E-54
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

V111
 SSE
 < 1/8
 0.124 mi.
 655 ft.

LOT 78,TAXBLOCK 800
259 7 AVENUE
MANHATTAN, NY 10001
Site 2 of 6 in cluster V

E DESIGNATION S108077364
N/A

Relative:
Higher

E DESIGNATION:
 Tax Lot(s): 78
 E-No: E-54
 Effective Date: 6/29/1994
 Satisfaction Date: Not reported
 Ceqr Number: 86-082M

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 78,TAXBLOCK 800 (Continued)

S108077364

Ulurp Number: 860183 ZMM
Zoning Map No: 8d
Description: Window Wall Attenuation & Alternate Ventilation
Borough Code: MN
Community District: 104
Census Tract: 91
Census Block: 1001
School District: 02
City Council District: 03
Fire Company: E001
Health Area: 15
Police Precinct: 013
Zone District 1: C6-3X
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: Not reported
Special Purpose District2: Not reported
All Components1: C6-3X
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K9
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: P
Owner Name: VERZAR, VICTOR
Lot Area: 000001290
Total Building Floor Area: 00000003870
Commercial Floor Area: 00000003870
Office Floor Area: 00000000000
Retail Floor Area: 00000001290
Garage Floor Area: 00000000000
Storage Floor Area: 00000002580
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 004.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0021.50
Lot Depth: 0060.00
Building Frontage: 0021.50
Building Depth: 0060.00
Proximity Code: 3
Irregular Lot Code: N
Lot Type: 5
Basement Type Grade: 5
Land Assessed Value: 00000261000
Total Assessed Value: 00000321750
Land Exempt Value: 00000000000
Total Exempt Value: 00000000000
Year Built: 1920
Year Built Code: E
Year Altered1: 0000
Year Altered2: 0000
Historic District Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOT 78,TAXBLOCK 800 (Continued)

S108077364

Landmark Name: Not reported
Built Floor Area Ratio-Far: 0003.00
Maximum Allowable Far: 9.00
Borough Code: 1
Borough Tax Block And Lot: 1008000078
Condominium Number: 00000
Census Tract 2: 0091
X Coordinate: 0985731
Y Coordinate: 0210750
Zoning Map: 08D
Sanborn Map: 105S011
Tax Map: 10305
E Designation No: E-54
Date of RPAD Data: 11/2005
Date of DCAS Data: 01/2006
Date of Zoning Data: 11/2005
Date of Major Property Data: 11/2005
Date of Landmark Data: 12/2005
Date of Base Map Data: 01/2006
Date of Mass Appraisal Data: 11/2005
Date of Political and Adm Data: 08/2005
Pluto-Base Map Indicator: 1

**W112
East
1/8-1/4
0.125 mi.
661 ft.**

**M & Z BENCH
307 7TH AVE 604
NEW YORK, NY 10001
Site 1 of 4 in cluster W**

**RCRA-NonGen 1004760762
FINDS NYR000059964
MANIFEST**

**Relative:
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: M & Z BENCH
Facility address: 307 7TH AVE 604
NEW YORK, NY 10001
EPA ID: NYR000059964
Mailing address: 7TH AVE 604
NEW YORK, NY 10001
Contact: GEORGE ZHANAY
Contact address: 7TH AVE 604
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 242-0025
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
32 ft.**

Owner/Operator Summary:

Owner/operator name: ST BERNSTEIN INC
Owner/operator address: 855 AVE OF THE AMERICAS
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M & Z BENCH (Continued)

1004760762

Owner/operator name: ST BERNSTEIN INC
Owner/operator address: 855 AVE OF THE AMERICAS
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: M & Z BENCH
Classification: Not a generator, verified

Date form received by agency: 09/04/1998
Facility name: M & Z BENCH
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004546386

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000059964
Country: USA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M & Z BENCH (Continued)

1004760762

Mailing Name: M & Z BENCH
Mailing Contact: GEORG ZHANAY
Mailing Address: 307 7TH AVE #604
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-242-0025

Document ID: NYG0699624
Manifest Status: Not reported
Trans1 State ID: NYD049204787
Trans2 State ID: Not reported
Generator Ship Date: 09/15/1998
Trans1 Recv Date: 09/15/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/15/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000059964
Trans1 EPA ID: NYD049204787
Trans2 EPA ID: Not reported
TSD ID: MX1732
Waste Code: F009 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 01.00
Year: 98

W113 **307 7TH AVE**
East **307 7TH AVE**
1/8-1/4 **NEW YORK, NY 10001**
0.125 mi.
661 ft. **Site 2 of 4 in cluster W**

UST **U000395801**
HIST UST **N/A**

Relative: UST:
Higher Facility Id: 2-097918
 Region: STATE
Actual: DEC Region: 2
32 ft. Site Status: Active
 Program Type: PBS
 Expiration Date: 2012/08/26
 UTM X: 584989.7914399994
 UTM Y: 4511151.9755199999

Affiliation Records:
Site Id: 2822
Affiliation Type: Mail Contact
Company Name: COMET REALTY CORP
Contact Type: MANAGING AGENT
Contact Name: CARMINE CASALE
Address1: 855 6TH AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

307 7TH AVE (Continued)

U000395801

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/30/2007

Site Id: 2822
Affiliation Type: On-Site Operator
Company Name: 307 7TH AVE
Contact Type: Not reported
Contact Name: BERNSTEIN MANDY CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2822
Affiliation Type: Owner
Company Name: COMET REALTY CORP
Contact Type: MANAGING AGENT
Contact Name: CARMINE CASALE
Address1: 855 6TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/30/2007

Site Id: 2822
Affiliation Type: Emergency Contact
Company Name: COMET REALTY CORP
Contact Type: Not reported
Contact Name: TONY PICCIONE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

307 7TH AVE (Continued)

U000395801

Zip Code: Not reported
Country Code: 001
Phone: (212) 727-8302
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
G07 - Tank Secondary Containment - Excavation/Trench Liner System
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Site ID: 2822

Tank Number: 001
Tank ID: 5157
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/13/1977
Capacity Gallons: 8000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 5/30/2007

HIST UST:

PBS Number: 2-097918
SPDES Number: Not reported
Emergency Contact: TONY PICCIONE
Emergency Telephone: (201) 727-8302
Operator: BERNSTEIN MANDY CORP
Operator Telephone: (212) 594-1414
Owner Name: COMET REALTY CORP
Owner Address: 855 6TH AVE
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 594-1414
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: COMET REALTY CORP
Mailing Address: 855 6TH AVE
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

307 7TH AVE (Continued)

U000395801

Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: VINCENT TAVERNITE
Mailing Telephone: (212) 594-1414
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 307 7TH AVE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/20/1997
Expiration Date: 08/26/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 8000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 8000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Vault (w/o access)
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V114
SSE
1/8-1/4
0.127 mi.
670 ft.

THE CHELSEA MERCANTILE
252 SEVENTH AVENUE
NEW YORK, NY 10001

AST A100194151
N/A

Site 3 of 6 in cluster V

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-607110
Program Type: PBS
UTM X: 584849.34704000002
UTM Y: 4510945.78125
Expiration Date: 2015/05/26

Actual:
29 ft.

Affiliation Records:

Site Id: 28964
Affiliation Type: Mail Contact
Company Name: ROSE ASSOCIATES INC
Contact Type: Not reported
Contact Name: COMPLIANCE DEPT.
Address1: 200 MADISON AVE
Address2: 5TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 210-6666
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 11/6/2006

Site Id: 28964
Affiliation Type: Emergency Contact
Company Name: THE CHELSEA MERCANTILE CONDOMINUM C/O ROSE ASSOC.
Contact Type: Not reported
Contact Name: THOMAS LAZZARI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 210-6782
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/10/2010

Site Id: 28964
Affiliation Type: On-Site Operator
Company Name: THE CHELSEA MERCANTILE
Contact Type: Not reported
Contact Name: JAMIL CANAL
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE CHELSEA MERCANTILE (Continued)

A100194151

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 706-8798
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 11/6/2006

Site Id: 28964
Affiliation Type: Owner
Company Name: THE CHELSEA MERCANTILE CONDOMINIUM C/O ROSE ASSOC.
Contact Type: MGR
Contact Name: THOMAS LAZZARI
Address1: 200 MADISON AVE 5TH FLR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: Not reported
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 3/10/2010

Equipment Records:

K99 - Spill Prevention - Other
I00 - Overfill - None
J00 - Dispenser - None
L00 - Piping Leak Detection - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
E02 - Piping Secondary Containment - Vault (with Access)
E02 - Piping Secondary Containment - Vault (with Access)
L00 - Piping Leak Detection - None
J00 - Dispenser - None
K99 - Spill Prevention - Other
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Info:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

THE CHELSEA MERCANTILE (Continued)

A100194151

Tank Number: 001
 Tank Id: 62332
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/2000
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 3/10/2010

Tank Number: 002
 Tank Id: 62333
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/2000
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 3/10/2010

V115
 SSE
 1/8-1/4
 0.127 mi.
 670 ft.

FEDERAL BUILDING SITE
252 7TH AVE
NEW YORK, NY 10001
Site 4 of 6 in cluster V

HSWDS S108146443
N/A

Relative:
Higher

HSWDS:
 Facility ID: Not reported
 Region: 2
 Facility Status: Unknown
 Owner Type: F
 Owner: General Services Admin.
 Owner Address: 26 Federal Plaza
 Owner Phone: 212-267-8787
 Operator Type: F
 Operator: Same
 Operator: Same
 Operator Phone: Unknown
 EPA ID: NY2470000157
 Registry: Not on NYS Registry of Inactive Haz Waste Disposal Sites
 Registry Site ID: Unknown
 RCRA Permitted: Unknown
 Site Code: 5-office

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING SITE (Continued)

S108146443

Owner City State: NY, NY 10278
Operator City State: Not reported
Quadrangle: Unknown
Latitude: Unknown
Longitude: Unknown
Acres: 0.00
Operator Date: Unknown
Close Date: Unknown
Completed: PA/SI
Active: Not reported
PCB's Disposed: No
Pesticides Disposed: No
Metals Disposed: No
Asbestos Disposed: No
Volatile Organic Compounds Disposed: No
Semi Volatile Organic Compounds Disposed: No
Analytical Info Exists for Air: Not reported
Analytical Info Exists for Ground: None
Analytical Info Exists for Surface: Not reported
Analytical Info Exists for Sediments: Not reported
Analytical Info Exists for Surface: Not reported
Analytical Info Exists for Substance: Not reported
Analytical Info Exists for Waste: Not reported
Analytical Info Exists for Leachate: Not reported
Analytical Info Exists for EP Toxicity: Not reported
Analytical Info Exists for TCLP: Not reported
Threat to Environment/Public Health: Unknown
Surface Water Contamination: Unknown
Surface Water Body Class: Unknown
Groundwater Contamination: Unknown
Groundwater Classification: Unknown
Drinking Water Contamination: Unknown
Drinking Water Supply is Active: Unknown
Any Known Fish or Wildlife: Unknown
Hazardous Exposure: Unknown
Site Has Controlled Access: Unknown
Ambient Air Contamination: Unknown
Direct Contact: Unknown
EPA Hazardous Ranking System Score: Unknown
Inventory: F
Nefrap: Not reported
Mailing: Not reported
Tax Map No: Not reported
Qualify: 0
Next Action: Not reported
Agencies: Not reported
Air: Not reported
Building: Not reported
Site Desc: Not reported
Drink: Not reported
Eptox: Not reported
Fish: Not reported
Ground: Not reported
Ground Desc: Not reported
Hazardous Threat: Not reported
Haz Threat Desc: Not reported
Leachate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING SITE (Continued)

S108146443

Preparer: Not reported
Sediment: Not reported
Soil: Not reported
Surface: Not reported
Status: Not reported
Surface Soil: Not reported
Surface: Not reported
TCLP: Not reported
Waste: Not reported

**V116
SSE
1/8-1/4
0.127 mi.
670 ft.**

**FEDERAL BUILDING THE
252 7TH AVE
NEW YORK, NY 10001
Site 5 of 6 in cluster V**

**CERC-NFRAP 1000212434
RCRA-NonGen NY2470000157
FINDS
MANIFEST**

**Relative:
Higher**

CERC-NFRAP:
Site ID: 0203218
Federal Facility: Federal Facility
NPL Status: Not on the NPL
Non NPL Status: NFRAP

**Actual:
29 ft.**

CERCLIS-NFRAP Site Contact Name(s):

Contact Title: RPM/OSC
Contact Name: ALIDA KARAS
Contact Tel: (212) 637-4328

Contact Title: Not reported
Contact Name: JOHN MALLECK
Contact Tel: (212) 637-4332

Contact Title: RPM/OSC
Contact Name: HELEN SHANNON
Contact Tel: (212) 637-4323

CERCLIS-NFRAP Site Alias Name(s):

Alias Name: FEDERAL BUILDING
Alias Address: Not reported
NEW YORK, NY

Alias Name: FEDERAL BUILDING
Alias Address: 252 7TH AVE
NEW YORK, NY 10001

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY
Date Started: Not reported
Date Completed: 10/30/1989
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT
Date Started: Not reported
Date Completed: 12/31/1989
Priority Level: NFRAP: No further Remedial Action planned

Action: ARCHIVE SITE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

Date Started: Not reported
Date Completed: 12/31/1989
Priority Level: Not reported

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: FEDERAL BUILDING THE
Facility address: 252 7TH AVE
NEW YORK, NY 10001
EPA ID: NY2470000157
Mailing address: 7TH AVE
NEW YORK, NY 10001
Contact: LINDA GOLDBLUM
Contact address: 7TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: (718) 951-3452
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GENERAL SERVICES ADMINISTRATION
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: GENERAL SERVICES ADMINISTRATION
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: FEDERAL BUILDING THE
Classification: Not a generator, verified

Date form received by agency: 05/24/2004
Facility name: FEDERAL BUILDING THE
Classification: Not a generator, verified

Date form received by agency: 06/20/1983
Facility name: FEDERAL BUILDING THE
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 02/26/1985
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110001576553

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY2470000157
Country: USA
Mailing Name: FEDERAL BUILDING
Mailing Contact: LINDA GOLDBLUM
Mailing Address: 252 7TH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-951-3452

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

Document ID: NYB2189106
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: NYPP5193
Trans2 State ID: Not reported
Generator Ship Date: 931027
Trans1 Recv Date: 931027
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931027
Part A Recv Date: 931116
Part B Recv Date: 931122
Generator EPA ID: NY2470000157
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDf ID: NYD077444263
Waste Code: B006 - PCB TRANSFORMERS WITH 500 PPM OR > PCB
Quantity: 01000
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NYG1057986
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 12/11/1998
Trans1 Recv Date: 12/11/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/14/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY2470000157
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDf ID: PP5193
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 04000
Units: P - Pounds
Number of Containers: 010
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Document ID: NYG0756891
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 06/08/1998
Trans1 Recv Date: 06/08/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/09/1998
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

Part B Recv Date: Not reported
Generator EPA ID: NY2470000157
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: PC4340
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00400
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Document ID: NYB2215827
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: PC4339NY
Trans2 State ID: Not reported
Generator Ship Date: 901109
Trans1 Recv Date: 901109
Trans2 Recv Date: Not reported
TSD Site Recv Date: 901109
Part A Recv Date: 901207
Part B Recv Date: 910124
Generator EPA ID: NY2470000157
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: NYD049178296
Waste Code: F003 - UNKNOWN
Quantity: 00650
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 01800
Units: P - Pounds
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00300
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00060
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

Waste Code: Not reported
Quantity: 00080
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: U188 - PHENOL
Quantity: 00080
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 90

Document ID: SCB0215910
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: AA45997
Trans2 State ID: Not reported
Generator Ship Date: 910215
Trans1 Recv Date: 910215
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910222
Part A Recv Date: 910321
Part B Recv Date: 910322
Generator EPA ID: NY2470000157
Trans1 EPA ID: PAD008781072
Trans2 EPA ID: Not reported
TSDf ID: SCD044442333
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00090
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 91

Document ID: NYG1812537
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 10/12/2000
Trans1 Recv Date: 10/12/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/21/2000
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

Part B Recv Date: Not reported
Generator EPA ID: NY2470000157
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: NYPP5193
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00020
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 00

Document ID: NYB2199186
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: PC43374NY
Trans2 State ID: Not reported
Generator Ship Date: 910920
Trans1 Recv Date: 910920
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910920
Part A Recv Date: 910926
Part B Recv Date: 911028
Generator EPA ID: NY2470000157
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: NYD049178296
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00080
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00008
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00020
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FEDERAL BUILDING THE (Continued)

1000212434

Year: 91

V117
SSE
1/8-1/4
0.127 mi.
670 ft.

252 SEVENTH LLC
252 SEVENTH AVE
NEW YORK, NY 10001
Site 6 of 6 in cluster V

MANIFEST 1009225423
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NY2474000015
Country: USA
Mailing Name: 252 SEVENTH LLC
Mailing Contact: MIKE R
Mailing Address: 252 SEVENTH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-697-4422

Actual:
29 ft.

Document ID: NYG0756675
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Trans2 State ID: Not reported
Generator Ship Date: 06/08/1998
Trans1 Recv Date: 06/08/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/08/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NY2474000015
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: 54916NNY
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 04000
Units: P - Pounds
Number of Containers: 080
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s) EDR ID Number
 EPA ID Number

118
West
1/8-1/4
0.128 mi.
678 ft.

ST COLUMBA SCHOOL
331 W 25 ST
NEW YORK, NY 10001

AST **U003393951**
HIST AST **N/A**

Relative:
Lower

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-348058
 Program Type: PBS
 UTM X: 584571.17807999998
 UTM Y: 4511171.6090000002
 Expiration Date: 2013/04/19

Actual:
23 ft.

Affiliation Records:
 Site Id: 17079
 Affiliation Type: Mail Contact
 Company Name: ST COLUMBA CHURCH
 Contact Type: ADM
 Contact Name: JOSE SERRANO
 Address1: 343 W 25 ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 807-8876
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 4/18/2008

Site Id: 17079
 Affiliation Type: Owner
 Company Name: ST COLUMBA CHURCH
 Contact Type: ADM
 Contact Name: JOSE SERRANO
 Address1: 343 W 25 ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 807-8876
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 4/18/2008

Site Id: 17079
 Affiliation Type: Emergency Contact
 Company Name: ST COLUMBA CHURCH
 Contact Type: Not reported
 Contact Name: JOSE SERRANO
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST COLUMBA SCHOOL (Continued)

U003393951

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 807-8876
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/18/2008

Site Id: 17079
Affiliation Type: On-Site Operator
Company Name: ST COLUMBA SCHOOL
Contact Type: Not reported
Contact Name: JOSE SERRANO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 807-8876
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/18/2008

Equipment Records:

J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 33228
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1979
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST COLUMBA SCHOOL (Continued)

U003393951

Modified By: msbaptis
Last Modified: 4/18/2008

HIST AST:

PBS Number: 2-348058
SWIS Code: 6201
Operator: EFRAIN RODRIGUEZ
Facility Phone: (212) 924-3644
Facility Addr2: 331 W 25 ST
Facility Type: SCHOOL
Emergency: EFRAIN RODRIGUEZ
Emergency Tel: (212) 781-3474
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ST COLUMBA CHURCH
Owner Address: 343 W 25 ST
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 807-8876
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: REV. FRANK SCALON PASTOR
Mailing Name: ST COLUMBA CHURCH
Mailing Address: 343 W 25 ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 807-8876
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/19/1998
Expiration: 04/19/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ST COLUMBA SCHOOL (Continued)

U003393951

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

X119
SSE
1/8-1/4
0.138 mi.
728 ft.

**238-240 7TH AVENUE CORP.
200 WEST 24TH STREET
NEW YORK, NY 10011**

Site 1 of 3 in cluster X

**AST U004045262
N/A**

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-605787
Program Type: PBS
UTM X: 584813.45229000004
UTM Y: 4510923.2069399999
Expiration Date: N/A

**Actual:
29 ft.**

Affiliation Records:
Site Id: 27654
Affiliation Type: Mail Contact
Company Name: 238-240 7TH AVE. CORP.
Contact Type: Not reported
Contact Name: NANCY LUK
Address1: P.O. BOX 722
Address2: Not reported
City: VALLEY STREAM
State: NY
Zip Code: 11582
Country Code: 001
Phone: (516) 825-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/20/2006

Site Id: 27654
Affiliation Type: Owner
Company Name: NANCY LUK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

238-240 7TH AVENUE CORP. (Continued)

U004045262

Contact Type: PRESIDENT
Contact Name: NANCY LUK
Address1: P.O. BOX 722
Address2: Not reported
City: VALLEY STREAM
State: NY
Zip Code: 11582
Country Code: 001
Phone: (516) 825-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/20/2006

Site Id: 27654
Affiliation Type: Emergency Contact
Company Name: NANCY LUK
Contact Type: Not reported
Contact Name: PAT AGOGLIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (516) 825-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/20/2006

Site Id: 27654
Affiliation Type: On-Site Operator
Company Name: 238-240 7TH AVENUE CORP.
Contact Type: Not reported
Contact Name: GEORAGE CALOHAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-3979
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/20/2006

Equipment Records:

A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

238-240 7TH AVENUE CORP. (Continued)

U004045262

F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground

Tank Info:

Tank Number: 1
Tank Id: 60470
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/1/2003
Register: True
Modified By: NRLOMBAR
Last Modified: 3/20/2006

W120
ENE
1/8-1/4
0.139 mi.
734 ft.

315 SEVENTH AVE CONDOMINIUM
315 SEVENTH AVE
NEW YORK, NY 10017
Site 3 of 4 in cluster W

HIST UST U000395422
N/A

Relative:
Higher

HIST UST:

Actual:
33 ft.

PBS Number: 2-099309
SPDES Number: Not reported
Emergency Contact: TIMOTHY D SMITH DEBOCN MG AGEN
Emergency Telephone: (802) 442-5077
Operator: RAMON VARGAS
Operator Telephone: (212) 645-8042
Owner Name: 315 SEVENTH AVE CONDOMINIUM
Owner Address: 315 SEVENTH AVE
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 856-7118
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: FASHION PLACE MGMT CORP
Mailing Address: P O BOX 456
Mailing Address 2: NORTH BENNINGTON
Mailing City,St,Zip: VERMONT, NY 05257
Mailing Contact: TIMOTHY D SMITH
Mailing Telephone: (802) 442-5077
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 315 7TH AVE
SWIS ID: 6201
Old PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

315 SEVENTH AVE CONDOMINIUM (Continued)

U000395422

Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 05/13/1997
Expiration Date: 05/07/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 6000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

W121 **315 SEVENTH AVE CONDOMINIUM**
ENE **315 SEVENTH AVENUE**
1/8-1/4 **NEW YORK, NY 10001**
0.139 mi.
734 ft. **Site 4 of 4 in cluster W**

UST **U004076556**
 N/A

Relative:
Higher

UST:
Facility Id: 2-099309
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 585003.02719000005
UTM Y: 4511175.8855499998

Actual:
33 ft.

Affiliation Records:
Site Id: 2947
Affiliation Type: Owner
Company Name: 315 SEVENTH AVE CONDOMINIUM
Contact Type: MANAGING AGENT
Contact Name: TIMOTHY D. SMITH
Address1: 315 SEVENTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (917) 734-2413
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2007

Site Id: 2947
Affiliation Type: Emergency Contact
Company Name: 315 SEVENTH AVE CONDOMINIUM
Contact Type: Not reported
Contact Name: TIMOTHY D SMITH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (802) 442-5077
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2007

Site Id: 2947
Affiliation Type: Mail Contact
Company Name: FASHION PLACE MGMT CORP
Contact Type: Not reported
Contact Name: TIMOTHY D. SMITH
Address1: 1 MAIN STREET
Address2: NORTH BENNINGTON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

315 SEVENTH AVE CONDOMINIUM (Continued)

U004076556

City: VERMONT
State: NY
Zip Code: 05257
Country Code: 001
Phone: (802) 442-5077
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2007

Site Id: 2947
Affiliation Type: On-Site Operator
Company Name: 315 SEVENTH AVE CONDOMINIUM
Contact Type: Not reported
Contact Name: RAMON VARGAS, SUPER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 645-8042
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/19/2007

Equipment Records:

F00 - Pipe External Protection - None
K01 - Spill Prevention - Catch Basin
I04 - Overfill - Product Level Gauge (A/G)
C03 - Pipe Location - Aboveground/Underground Combination
D01 - Pipe Type - Steel/Carbon Steel/Iron
G02 - Tank Secondary Containment - Vault (w/access)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
E00 - Piping Secondary Containment - None
B02 - Tank External Protection - Original Sacrificial Anode
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None

Tank Info:

Site ID: 2947

Tank Number: 001
Tank ID: 4704
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 6000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 3/13/2007
Tank Location: 6

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

315 SEVENTH AVE CONDOMINIUM (Continued)

U004076556

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 3/19/2007

X122
SSE
1/8-1/4
0.141 mi.
742 ft.

F M RING ASSOCIATES,INC
245- 7TH AVE
NEW YORK, NY 10001

AST U004046696
N/A

Site 2 of 3 in cluster X

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-289833
Program Type: PBS
UTM X: 584872.20452999999
UTM Y: 4510935.1387499999
Expiration Date: N/A

Actual:
29 ft.

Affiliation Records:

Site Id: 13070
Affiliation Type: On-Site Operator
Company Name: F M RING ASSOCIATES,INC
Contact Type: Not reported
Contact Name: BRUNO GARCIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 242-3691
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 13070
Affiliation Type: Mail Contact
Company Name: CHELSEA 24 LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: C/O MACLOWE ASSOCIATES
Address2: 142 WEST 57TH STREET
City: NEW YORK
State: NY
Zip Code: 10029
Country Code: 001
Phone: Not reported
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F M RING ASSOCIATES,INC (Continued)

U004046696

Site Id: 13070
Affiliation Type: Emergency Contact
Company Name: F. M. RING ASSOCIATES,INC
Contact Type: Not reported
Contact Name: BRUNO GARCIA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (201) 854-1660
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 13070
Affiliation Type: Owner
Company Name: F. M. RING ASSOCIATES,INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 20 WEST 47TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 765-1655
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
B00 - Tank External Protection - None
D02 - Pipe Type - Galvanized Steel
H04 - Tank Leak Detection - Groundwater Well
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 18922
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F M RING ASSOCIATES,INC (Continued)

U004046696

Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 7/1/1996
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

**X123
SSE
1/8-1/4
0.142 mi.
748 ft.**

**BELL ATLANTIC NY
W 24TH ST & 7TH AVE MANHOLE
NEW YORK, NY
Site 3 of 3 in cluster X**

**MANIFEST S109064445
N/A**

**Relative:
Higher**

NY MANIFEST:
EPA ID: NYP000941146
Country: USA
Mailing Name: BELL ATLANTIC NY
Mailing Contact: Not reported
Mailing Address: Not reported
Mailing Address 2: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Zip4: Not reported
Mailing Country: Not reported
Mailing Phone: Not reported

**Actual:
29 ft.**

NY MANIFEST:
No Manifest Records Available

**Y124
ENE
1/8-1/4
0.143 mi.
755 ft.**

**CON EDISON - MH M44532
W 28TH ST & 7TH AV
NEW YORK, NY 10001
Site 1 of 4 in cluster Y**

**RCRA-NonGen 1008195792
MANIFEST NYP004115325**

**Relative:
Higher**

RCRA-NonGen:
Date form received by agency: 02/27/2004
Facility name: CON EDISON - MH M44532
Facility address: W 28TH ST & 7TH AV
NEW YORK, NY 10001
EPA ID: NYP004115325
Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: ANTHONY DRUMMINGS
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
33 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MH M44532 (Continued)

1008195792

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 09/24/2003
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 09/24/2003
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/26/2004
Facility name: CON EDISON - MH M44532
Classification: Not a generator, verified

Date form received by agency: 02/25/2004
Facility name: CON EDISON - MH M44532
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004115325
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - MH M44532 (Continued)

1008195792

Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE1315188
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 09/24/2003
Trans1 Recv Date: 09/24/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/24/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004115325
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 46299JM
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 02361
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03

Document ID: NYE1282113
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 09/24/2003
Trans1 Recv Date: 09/24/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/26/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004115325
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 96590JE
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00050
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 03

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

Y125 **CONSOLIDATED EDISON**
ENE **W 28 ST & 7 AVE V5843**
1/8-1/4 **NEW YORK, NY 10003**
0.144 mi.
759 ft. **Site 2 of 4 in cluster Y**

MANIFEST **1009241483**
 N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004099479
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
33 ft.

Document ID: NYE0679968
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 06/25/2002
Trans1 Recv Date: 06/25/2002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/26/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004099479
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 31877AJ
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 02045
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 02

Z126 **177 W 26TH REALTY CORP**
ESE **177 WEST 26TH ST**
1/8-1/4 **NEW YORK, NY 10001**
0.144 mi.
761 ft. **Site 1 of 2 in cluster Z**

AST **U003385963**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-272787
Program Type: PBS
UTM X: 585005.36580999999
UTM Y: 4511030.9209500002
Expiration Date: 2012/06/18

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

177 W 26TH REALTY CORP (Continued)

U003385963

Affiliation Records:

Site Id: 11574
Affiliation Type: Mail Contact
Company Name: 177 WEST 26TH STREET ASSOCIATES
Contact Type: Not reported
Contact Name: ALEX UHR
Address1: PO BOX 190438
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 686-6262
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kaker
Date Last Modified: 5/14/2008

Site Id: 11574
Affiliation Type: On-Site Operator
Company Name: 177 W 26 ST REALTY ASSOCIATES
Contact Type: Not reported
Contact Name: STANLY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 807-9685
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 5/23/2008

Site Id: 11574
Affiliation Type: Emergency Contact
Company Name: 177 WEST 26 ST ASSOCIATES
Contact Type: Not reported
Contact Name: ALEX UHR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 782-9559
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11574
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

177 W 26TH REALTY CORP (Continued)

U003385963

Company Name: 177 WEST 26 ST ASSOCIATES
Contact Type: AGENT
Contact Name: CHAIM SIMKOWITZ
Address1: 224 BROADWAY
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 782-9559
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kakyer
Date Last Modified: 5/14/2008

Equipment Records:

C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None

Tank Info:

Tank Number: 001
Tank Id: 8888
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1920
Capacity Gallons: 2020
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: kakyer
Last Modified: 5/14/2008

HIST AST:

PBS Number: 2-272787
SWIS Code: 6201
Operator: SIMON MORA
Facility Phone: (212) 807-9685
Facility Addr2: 177 WEST 26TH ST
Facility Type: APARTMENT BUILDING
Emergency: ALEX UHR
Emergency Tel: (718) 782-9559
Old PBSNO: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

177 W 26TH REALTY CORP (Continued)

U003385963

Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 177 W 26TH REALTY CORP
Owner Address: 240 BROADWAY- BOX 20
Owner City,St,Zip: BROOKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 782-9559
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: 177 W 26TH REALTY CORP
Mailing Address: 240 BROADWAY- BOX 30
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211
Mailing Telephone: (718) 782-9559
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/10/1997
Expiration: 06/18/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

177 W 26TH REALTY CORP (Continued)

U003385963

Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AA127
SSW
1/8-1/4
0.147 mi.
777 ft.

CHELSEA GARDENS OWNERS CORP.
255 WEST 23RD STREET
NEW YORK, NY 10011

UST U004077215
N/A

Site 1 of 5 in cluster AA

Relative:
Lower

UST:
Facility Id: 2-234036
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/06/07
UTM X: 584703.51934999996
UTM Y: 4510925.4368799999

Actual:
24 ft.

Affiliation Records:
Site Id: 8546
Affiliation Type: Owner
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: PROPERTY MANAGER
Contact Name: YVONNE LA VIALE
Address1: 255 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/10/2006

Site Id: 8546
Affiliation Type: On-Site Operator
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: Not reported
Contact Name: RUBEN IRIZARRY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA GARDENS OWNERS CORP. (Continued)

U004077215

Date Last Modified: 3/4/2004

Site Id: 8546
Affiliation Type: Emergency Contact
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: Not reported
Contact Name: RUDD MGMT.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 319-5000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8546
Affiliation Type: Mail Contact
Company Name: RUDD MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: YVONNE LA VIALE
Address1: 641 LEXINGTON AVENUE
Address2: 10TH FLOOR
City: NEW YORK,
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 319-5000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/19/2007

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G05 - Tank Secondary Containment - Synthetic Liner
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle
G03 - Tank Secondary Containment - Vault (w/o access)
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CHELSEA GARDENS OWNERS CORP. (Continued)

U004077215

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I00 - Overfill - None
 I05 - Overfill - Vent Whistle
 G03 - Tank Secondary Containment - Vault (w/o access)
 C02 - Pipe Location - Underground/On-ground
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Info:

Site ID: 8546

Tank Number: 001
 Tank ID: 12523
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: 10/1/2000
 Tank Location: 5
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

AA128
SSW
1/8-1/4
0.147 mi.
777 ft.

255 W. 23RD ST
255 W. 23RD ST
NEW YORK, NY
Site 2 of 5 in cluster AA

LTANKS **S107410262**
N/A

Relative:
Lower

LTANKS:

Site ID: 324079
 Spill No: 0205799
 Spill Date: 9/4/2002
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 6/20/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TJDME0
 Referred To: Not reported
 Reported to Dept: 9/4/2002
 CID: 196
 Water Affected: Not reported
 Spill Notifier: Tank Tester

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 W. 23RD ST (Continued)

S107410262

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/4/2002
Spill Record Last Update: 10/6/2005
Spiller Name: YVONNE
Spiller Company: RUDD MANAGEMENT
Spiller Address: 545 MADISON AVE
Spiller City,St,Zip: NEW YORK, NY 10022-
Spiller County: 001
Spiller Contact: RENE LEWIS
Spiller Phone: (917) 299-7257
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 261053
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" 6/11/2003 Sangesland spoke to property manager. She says the old tanks were above ground and were removed. New tanks were installed (above ground also) and new lines run. A.L. Eastmond did all of the tank work. Sangesland asked her to send in a letter requesting closure and to attach photos of the new tanks, statement that there was no contamination and copies of documents proving a new tank was put in. All of this will be sent to Tim DeMeo. 6/18/03 TJD Report from Rudd Mgmt. reviewed. Demeo contacted RUDD and requested a copy of Enginnering report (Velocity) and statement from Mgmt. company that no contamination was found. Mgmt. Company to forward requested documents. 6/20/03 TJD Rudd Mgmt. submitted requested information. No further action required.
Remarks: the tank failed the test and is also leaking. this tank is also listed as 24th street tank. request call back in am on 9/05/02 it is tank 2. tank 1 was not leaking.

Material:
Site ID: 324079
Operable Unit ID: 858307
Operable Unit: 01
Material ID: 519994
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 324079
Spill Tank Test: 1527420
Tank Number: 2
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

255 W. 23RD ST (Continued)

S107410262

Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II
 Site ID: 324079
 Spill Tank Test: 1527421
 Tank Number: 1
 Tank Size: 5000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

AA129
SSW
1/8-1/4
0.147 mi.
777 ft.

255 WEST 23RD STREET
255 WEST 23RD STREET
NEW YORK, NY 10011
Site 3 of 5 in cluster AA

HIST UST **U003758080**
AST **N/A**
HIST AST

Relative:
Lower

HIST UST:
 PBS Number: 2-234036
 SPDES Number: Not reported
 Emergency Contact: JOSE MIRANDA
 Emergency Telephone: (212) 242-7191
 Operator: JOSE MIRANDA
 Operator Telephone: (212) 242-7191
 Owner Name: CHELSEA GARDENS OWNERS CORP.
 Owner Address: 255 WEST 23RD STREET
 Owner City,St,Zip: NEW YORK, NY 10011
 Owner Telephone: (212) 242-7191
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: EICHNER RUDD MANAGEMENT ASSOCIATES LTD.
 Mailing Address: 545 MADISON AVENUE
 Mailing Address 2: 5TH FLOOR
 Mailing City,St,Zip: NEW YORK, NY 10022
 Mailing Contact: YVONNE LA VIALE
 Mailing Telephone: (212) 319-5000
 Owner Mark: Third Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 255 W 23 RD ST.
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: PRIVATE RESIDENCE
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/08/2001
 Expiration Date: 06/07/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 5000

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD STREET (Continued)

U003758080

FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 8000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: 0
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 10/01/2000
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-234036
Program Type: PBS
UTM X: 584703.51934999996
UTM Y: 4510925.4368799999
Expiration Date: 2011/06/07

Affiliation Records:

Site Id: 8546
Affiliation Type: Owner
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: PROPERTY MANAGER
Contact Name: YVONNE LA VIALE
Address1: 255 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD STREET (Continued)

U003758080

Zip Code: 10011
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/10/2006

Site Id: 8546
Affiliation Type: On-Site Operator
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: Not reported
Contact Name: RUBEN IRIZARRY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 242-7191
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8546
Affiliation Type: Emergency Contact
Company Name: CHELSEA GARDENS OWNERS CORP.
Contact Type: Not reported
Contact Name: RUDD MGMT.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 319-5000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8546
Affiliation Type: Mail Contact
Company Name: RUDD MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: YVONNE LA VIALE
Address1: 641 LEXINGTON AVENUE
Address2: 10TH FLOOR
City: NEW YORK,
State: NY
Zip Code: 10022
Country Code: 001
Phone: (212) 319-5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD STREET (Continued)

U003758080

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/19/2007

Equipment Records:

A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G05 - Tank Secondary Containment - Synthetic Liner
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle
G03 - Tank Secondary Containment - Vault (w/o access)
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
I00 - Overfill - None
I05 - Overfill - Vent Whistle
G03 - Tank Secondary Containment - Vault (w/o access)
C02 - Pipe Location - Underground/On-ground
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Info:

Tank Number: 1
Tank Id: 64493
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 11/1/2002
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD STREET (Continued)

U003758080

Tank Number: 234036
Tank Id: 60754
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 11/1/2002
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-234036
SWIS Code: 6201
Operator: JOSE MIRANDA
Facility Phone: (212) 242-7191
Facility Addr2: 255 W 23 RD ST.
Facility Type: PRIVATE RESIDENCE
Emergency: JOSE MIRANDA
Emergency Tel: (212) 242-7191
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CHELSEA GARDENS OWNERS CORP.
Owner Address: 255 WEST 23RD STREET
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 242-7191
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: YVONNE LA VIALE
Mailing Name: EICHNER RUDD MANAGEMENT ASSOCIATES LTD.
Mailing Address: 545 MADISON AVENUE
Mailing Address 2: 5TH FLOOR
Mailing City,St,Zip: NEW YORK,, NY 10022
Mailing Telephone: (212) 319-5000
Owner Mark: Third Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/08/2001
Expiration: 06/07/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD STREET (Continued)

U003758080

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 234036
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 00
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 4
Tank Containment: None
Leak Detection: 0
Overfill Protection: 6
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AB130
NE
1/8-1/4
0.147 mi.
778 ft.**

**NEW YORK SCHOOL OF DRY CLEANING
252 W 29TH ST
NEW YORK, NY 10001
Site 1 of 6 in cluster AB**

**RCRA-NonGen 1005905653
FINDS NYN008010563**

**Relative:
Higher**

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: NEW YORK SCHOOL OF DRY CLEANING
Facility address: 252 W 29TH ST
NEW YORK, NY 100015271
EPA ID: NYN008010563
Mailing address: W 29TH ST
NEW YORK, NY 100015271
Contact: Not reported
Contact address: W 29TH ST
NEW YORK, NY 100015271
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
29 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK SCHOOL OF DRY CLEANING (Continued)

1005905653

Owner/Operator Summary:

Owner/operator name: NEIGHBORHOOD CLEANERS ASSOC
Owner/operator address: 254 W 29TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 967-3002
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: NEIGHBORHOOD CLEANERS ASSOC
Owner/operator address: 254 W 29TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 967-3002
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NEW YORK SCHOOL OF DRY CLEANING
Classification: Not a generator, verified

Date form received by agency: 07/08/2002
Facility name: NEW YORK SCHOOL OF DRY CLEANING
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110002367554

Environmental Interest/Information System

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NEW YORK SCHOOL OF DRY CLEANING (Continued)

1005905653

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

**AB131
 NE
 1/8-1/4
 0.147 mi.
 778 ft.**

**NY SCHOOL OF DRYCLEANING
 252 W 29TH STREET
 NEW YORK, NY 10001**

**DRYCLEANERS S110247501
 N/A**

Site 2 of 6 in cluster AB

**Relative:
 Higher**

DRYCLEANERS:

Facility ID: 2-6205-01184
 Owner: Not reported
 Phone Number: Not reported
 Region: 2
 Registration Effective Date: 1/3/2000 15:23:51:846
 Inspection Date: 06APR19
 Drop Shop: Not reported
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: PERC DRY CLEANER

**Actual:
 29 ft.**

**AA132
 SSW
 1/8-1/4
 0.149 mi.
 784 ft.**

**255 WEST 23RD ST
 255 WEST 23RD ST
 MANHATTAN, NY**

**LTANKS S105997474
 N/A**

Site 4 of 5 in cluster AA

**Relative:
 Lower**

LTANKS:

Site ID: 79684
 Spill No: 0209070
 Spill Date: 12/4/2002
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

**Actual:
 24 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD ST (Continued)

S105997474

Spill Closed Dt: 6/21/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: qxabidi
Referred To: Not reported
Reported to Dept: 12/4/2002
CID: 270
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/4/2002
Spill Record Last Update: 6/25/2007
Spiller Name: Not reported
Spiller Company: HESS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller County: 001
Spiller Contact: RUBIN
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 73954
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SUN" Notes:by Rorriguez called ray lara of petroleum tank cleaners. he stated that there was a overfill of 30 gallons of oil to the address. The tank gauge was not working. Cleaning the spill right now. Ray Zolker from Hess. 800-437-7265. left a message for him to call. 12/05/2002 Tipple at od desk was called by Hess to request spill numbers 0209070 and 0209079 (since both numbers were issued for the same incident) be referenced to as one number. Tipple closed out # 0209079 and referenced the spill to 0209070. GAUGE ON TANK NOT WORKING 800-437-7265. 212-964-7712. RAY ZOICKER (HESS). 12/20/06: This spill is transferred from Mr. Koon Tang to Q.Abidi. -QA 12/21/06: Called Mr. Rubin (Super of Co op building) at (212)242-7191 he said this spill is cleaned up long time ago. He said to call property Manager regarding documents of the spill. Called Ms. Yvonne (Property Manager) at (212)319-5000 and talked about the information of the spill. She said this spill is cleaned since long time ago. She will send me closing confirmation letter to close the spill. -QA 01/03/06: Called Ms.Yvonne and said to take end point soil sample to find out the contamination in soil of spill area. -QA 02/05/07: Called Ms. Yvonne at (212)319-5000 and reminded her to take soil samples for closing this spill. -QA 06/11/07: Mr. Issac Mungra (Eastmond Company) sent me a report of one soil sample on dated May 30, 2007, which he took 2 ft. under the pipe line in the garden. He also sent a diagram in which he has shown the location of the sample. Soil sample is clean. -QA 06/21/07: I visited Spill site, checked fill port, vent line in the garden area and inside the basement. I didn't see any odor or any stain in the area. I have not found any sign of contamination in this area. This spill is clean (see photos in e-doc). After discussion with Mr. Jon Kolleeny (supervisor), I closed this spill. -QA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 23RD ST (Continued)

S105997474

Remarks: TANK OVERFILL

Material:

Site ID: 79684
Operable Unit ID: 860492
Operable Unit: 01
Material ID: 516054
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 30
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AB133
NE
1/8-1/4
0.150 mi.
792 ft.

249 WEST 29TH OWNERS CORP.
249 WEST 29TH STREET
NEW YORK, NY 10001
Site 3 of 6 in cluster AB

UST U003800382
HIST UST N/A

Relative:
Higher

UST:

Facility Id: 2-606383
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 584905.22994999995
UTM Y: 4511322.89604

Actual:
30 ft.

Affiliation Records:

Site Id: 28246
Affiliation Type: Emergency Contact
Company Name: 249 WEST 29TH OWNERS CORP % MAZWELL-KATES
Contact Type: Not reported
Contact Name: NIEL WISHNIG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

249 WEST 29TH OWNERS CORP. (Continued)

U003800382

Country Code: 001
Phone: (212) 684-8282
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28246
Affiliation Type: Owner
Company Name: 249 WEST 29TH OWNERS CORP % MAZWELL-KATES
Contact Type: ASSISTANT MANAGER
Contact Name: ERNST COCHY
Address1: 9 EAST 38TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 684-8282
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 6/19/2006

Site Id: 28246
Affiliation Type: Mail Contact
Company Name: MAXWELL-KATES, INC.
Contact Type: Not reported
Contact Name: NEIL WISHNIG
Address1: 9 EAST 38TH STREET
Address2: 6TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 684-8282
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28246
Affiliation Type: On-Site Operator
Company Name: 249 WEST 29TH OWNERS CORP.
Contact Type: Not reported
Contact Name: LUIS LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 695-2871
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

249 WEST 29TH OWNERS CORP. (Continued)

U003800382

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J00 - Dispenser - None
A00 - Tank Internal Protection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
I05 - Overfill - Vent Whistle
C02 - Pipe Location - Underground/On-ground

Tank Info:

Site ID: 28246

Tank Number: 001
Tank ID: 61357
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1996
Capacity Gallons: 1500
Tightness Test Method: 00
Next Test Date: Not reported
Date Tank Closed: 1/14/2005
Tank Location: 5
Tank Type: Concrete
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 6/19/2006

HIST UST:

PBS Number: 2-606383
SPDES Number: Not reported
Emergency Contact: NIEL WISHNIG
Emergency Telephone: (212) 684-8282
Operator: LUIS LOPEZ
Operator Telephone: (212) 695-2871
Owner Name: 249 WEST 29TH OWNERS CORP % MAZWELL-KATES
Owner Address: 9 EAST 38TH STREET
Owner City,St,Zip: NEW YORK, NY 10016
Owner Telephone: (212) 684-8282
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: MAXWELL-KATES, INC.
Mailing Address: 9 EAST 38TH STREET
Mailing Address 2: 6TH FLOOR
Mailing City,St,Zip: NEW YORK, NY 10016
Mailing Contact: NEIL WISHNIG
Mailing Telephone: (212) 684-8282
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

249 WEST 29TH OWNERS CORP. (Continued)

U003800382

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist
or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 07/20/2001
Expiration Date: 07/16/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3600
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19960401
Capacity (gals): 3600
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Stainless steel alloy
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: Not reported
Dispenser: Not reported
Date Tested: Not reported
Next Test Date: 04/01/2006
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AA134 23RD ST LOFT CORPORATION
SSW 241 WEST 23RD ST
1/8-1/4 NEW YORK, NY 10011
0.151 mi.
795 ft. Site 5 of 5 in cluster AA

AST U004045265
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-241288
Program Type: PBS
UTM X: 584736.14584999997
UTM Y: 4510907.8248399999
Expiration Date: N/A

Actual:
25 ft.

Affiliation Records:

Site Id: 9183
Affiliation Type: Owner
Company Name: 23RD ST LOFT CORPORATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 241 WEST 23RD ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 225-8503
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9183
Affiliation Type: On-Site Operator
Company Name: 23RD ST LOFT CORPORATION
Contact Type: Not reported
Contact Name: 23RD ST LOFT CORPORATION
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 225-8503
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9183
Affiliation Type: Emergency Contact
Company Name: 23RD ST LOFT CORPORATION
Contact Type: Not reported
Contact Name: CLAUDE BLASER
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23RD ST LOFT CORPORATION (Continued)

U004045265

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 225-8503
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9183
Affiliation Type: Mail Contact
Company Name: 23RD ST LOFT CORPORATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 241 WEST 23RD ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 225-8503
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 40443
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23RD ST LOFT CORPORATION (Continued)

U004045265

Last Modified: 3/4/2004

**AB135
NE
1/8-1/4
0.151 mi.
797 ft.**

**TRANEL
245 W 29TH ST 12 FLOOR
NEW YORK, NY 10001**

**RCRA-NonGen 1004760103
FINDS NYR000032441
MANIFEST**

Site 4 of 6 in cluster AB

**Relative:
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: TRANEL

Facility address: 245 W 29TH ST 12 FLOOR
NEW YORK, NY 10001

EPA ID: NYR000032441

Mailing address: 5TH AVE
NEW YORK, NY 10036

Contact: FRAN GOLDIN

Contact address: 5TH AVE
NEW YORK, NY 10036

Contact country: US

Contact telephone: (212) 704-3721

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TRANEL
Owner/operator address: 530 5TH AVE
NEW YORK, NY 10036

Owner/operator country: US
Owner/operator telephone: (212) 704-3721

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: TRANEL
Owner/operator address: 530 5TH AVE
NEW YORK, NY 10036

Owner/operator country: US
Owner/operator telephone: (212) 704-3721

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Mixed waste (haz. and radioactive): Unknown

Recycler of hazardous waste: No

Transporter of hazardous waste: Unknown

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: Unknown

Furnace exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRANEL (Continued)

1004760103

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: TRANEL
Classification: Not a generator, verified

Date form received by agency: 11/25/1996
Facility name: TRANEL
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004530366

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000032441
Country: USA
Mailing Name: TRANEL
Mailing Contact: FRAN GOLDIN
Mailing Address: 530 5TH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-704-3721

Document ID: NYB8039484
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: JA334
Trans2 State ID: Not reported
Generator Ship Date: 961202
Trans1 Recv Date: 961202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961202
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRANEL (Continued)

1004760103

Part B Recv Date: 970110
Generator EPA ID: NYR000032441
Trans1 EPA ID: NJD986607380
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NYB8565426
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NYJA334
Trans2 State ID: Not reported
Generator Ship Date: 961126
Trans1 Recv Date: 961126
Trans2 Recv Date: 961204
TSD Site Recv Date: 961216
Part A Recv Date: Not reported
Part B Recv Date: 970114
Generator EPA ID: NYR000032441
Trans1 EPA ID: NJD986607380
Trans2 EPA ID: Not reported
TSD ID: FLD980559728
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00015
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00130
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 96

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AB136 245 WEST 29TH ST
NE 245 WEST 29TH ST
1/8-1/4 NEW YORK CITY, NY 10001
0.151 mi.
797 ft. **Site 5 of 6 in cluster AB**

AST **U003391342**
HIST AST **N/A**

Relative:
Higher

AST:

Actual:
30 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-369446
Program Type: PBS
UTM X: 584946.83100999997
UTM Y: 4511327.11558
Expiration Date: 2012/11/16

Affiliation Records:

Site Id: 18619
Affiliation Type: Owner
Company Name: TRANEL INC % WILLIAMS REAL ESTATE CO
Contact Type: SR. DISTRICT MANAGER
Contact Name: WALTER THOMASSEN
Address1: 380 MADISON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017-2513
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/5/2007

Site Id: 18619
Affiliation Type: On-Site Operator
Company Name: 245 WEST 29TH ST
Contact Type: Not reported
Contact Name: PEDRO MARTIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 868-3888
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/9/2007

Site Id: 18619
Affiliation Type: Mail Contact
Company Name: TRANEL, INC. %
Contact Type: Not reported
Contact Name: Not reported
Address1: WILLIAMS REAL ESTATE CO.
Address2: 380 MADISON AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 WEST 29TH ST (Continued)

U003391342

City: NEW YORK
State: NY
Zip Code: 10017-2513
Country Code: 001
Phone: (212) 716-3721
Phone Ext: Not reported
Email: WTHOMASSEN@GVAWILLIAMS.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/5/2007

Site Id: 18619
Affiliation Type: Emergency Contact
Company Name: TRANEL INC % WILLIAMS REAL ESTATE CO
Contact Type: Not reported
Contact Name: PEDRO MARTIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 868-3888
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/5/2007

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 21284
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/8/1928
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 WEST 29TH ST (Continued)

U003391342

Modified By: KXTANG
Last Modified: 10/5/2007

HIST AST:

PBS Number: 2-369446
SWIS Code: 6201
Operator: JOHN RAMOS
Facility Phone: (212) 868-3888
Facility Addr2: 245 WEST 29TH ST
Facility Type: Not reported
Emergency: JOHN RAMOS
Emergency Tel: (212) 868-3888
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: TRANEL, INC. C/O WILLIAMS REAL
Owner Address: 530 5 AVE
Owner City,St,Zip: NEW YORK CITY, NY 10036
Federal ID: Not reported
Owner Tel: (212) 704-3500
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: TRANEL, INC. C/O WILLIAMS REAL
Mailing Address: 530 5 AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK CITY, NY 10036
Mailing Telephone: (212) 704-3500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/02/1997
Expiration: 11/16/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

245 WEST 29TH ST (Continued)

U003391342

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AB137
NE
1/8-1/4
0.151 mi.
797 ft.

S O METALS REFINING CO
245 W 29TH ST - 5TH FLOOR
NEW YORK, NY 10001

RCRA-NonGen 1000298682
FINDS NYD982736951

Site 6 of 6 in cluster AB

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: S O METALS REFINING CO
Facility address: 245 W 29TH ST - 5TH FLOOR
NEW YORK, NY 100015208
EPA ID: NYD982736951
Mailing address: W 29TH ST - 5TH FLOOR
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 29TH ST - 5TH FLOOR
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
30 ft.

Owner/Operator Summary:

Owner/operator name: SAMUEL D TRENCHER
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SAMUEL D TRENCHER
Owner/operator address: NOT REQUIRED

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

S O METALS REFINING CO (Continued)

1000298682

NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: S O METALS REFINING CO
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: S O METALS REFINING CO
Classification: Not a generator, verified

Date form received by agency: 05/24/1989
Facility name: S O METALS REFINING CO
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004430250

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AC138
NE
1/8-1/4
0.151 mi.
799 ft.

232 W. 29TH ST.
232 W. 29TH STREET
MANHATTAN, NY
Site 1 of 8 in cluster AC

LTANKS **S102672646**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
31 ft.

Site ID: 240001
Spill No: 9409873
Spill Date: 10/24/1994
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/24/1994
Facility Addr2: Not reported
Cleanup Ceased: 10/24/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 10/24/1994
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/1/1994
Spill Record Last Update: 12/1/1994
Spiller Name: Not reported
Spiller Company: PETRO ASTORIA
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 197418
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARITNKAT"
Remarks: BARK PRESSURE-APPLIED SPEEDY DRY

Material:

Site ID: 240001
Operable Unit ID: 1003842
Operable Unit: 01
Material ID: 375747
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

232 W. 29TH ST. (Continued)

S102672646

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9409873
Spill Date: 10/24/1994
Spill Time: 12:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/24/94
Cleanup Ceased: 10/24/94
Cleanup Meets Standard: True
Investigator: MARITNKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/24/94
Reported to Department Time: 13:42
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PETRO ASTORIA
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

232 W. 29TH ST. (Continued)

S102672646

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/01/94
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/01/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: BARK PRESSURE-APPLIED SPEEDY DRY

AC139
NE
1/8-1/4
0.157 mi.
827 ft.

SUPREME SPECIALTY CLEANING CORP
231 W 29TH ST - 4TH FLOOR
NEW YORK, NY 10001

RCRA-NonGen 1000890158
FINDS NY0000261693
MANIFEST

Site 2 of 8 in cluster AC

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: SUPREME SPECIALTY CLEANING CORP
Facility address: 231 W 29TH ST - 4TH FLOOR
BETWEEN 7TH & 8TH AVES
NEW YORK, NY 10001
EPA ID: NY0000261693
Mailing address: W 29TH ST - 4TH FLOOR
BETWEEN 7TH & 8TH AVES
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 29TH ST - 4TH FLOOR
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Owner/operator name: SUPREME SPECIALTY CLEANING CORP
Owner/operator address: 231 W 29TH ST - 4TH FLOOR
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 695-5499
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SUPREME SPECIALTY CLEANING CORP
Owner/operator address: 231 W 29TH ST - 4TH FLOOR
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 695-5499
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SUPREME SPECIALTY CLEANING CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: SUPREME SPECIALTY CLEANING CORP
Classification: Not a generator, verified

Date form received by agency: 05/03/1994
Facility name: SUPREME SPECIALTY CLEANING CORP
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004314714

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0000261693
Country: USA
Mailing Name: SUPREME SPECIALITY CLN CORP
Mailing Contact: ANDREW KELLY
Mailing Address: 231 W 29TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-695-5499

Document ID: NJA2662182
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970109
Trans1 Recv Date: 970109
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970109
Part A Recv Date: 970129
Part B Recv Date: 970210
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1848493
Manifest Status: Completed copy
Trans1 State ID: NJDEPES86
Trans2 State ID: Not reported
Generator Ship Date: 940526
Trans1 Recv Date: 940526
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940526
Part A Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Part B Recv Date: 940606
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA1947668
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 940708
Trans1 Recv Date: 940708
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940708
Part A Recv Date: 940718
Part B Recv Date: 940722
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA1939786
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 941011
Trans1 Recv Date: 941011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941011
Part A Recv Date: 941021
Part B Recv Date: 941024
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA2045343
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 950202
Trans1 Recv Date: 950202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950202
Part A Recv Date: 950209
Part B Recv Date: 950216
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95

Document ID: NJA1959256
Manifest Status: Completed copy
Trans1 State ID: S8690
Trans2 State ID: Not reported
Generator Ship Date: 941213
Trans1 Recv Date: 941213
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941213
Part A Recv Date: 941229
Part B Recv Date: 941223
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA2084077
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Trans2 State ID: Not reported
Generator Ship Date: 950411
Trans1 Recv Date: 950411
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950411
Part A Recv Date: 950419
Part B Recv Date: 950420
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95

Document ID: NJA2098845
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 950705
Trans1 Recv Date: 950705
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950705
Part A Recv Date: 950713
Part B Recv Date: 950719
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95

Document ID: NJA2207730
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 950922
Trans1 Recv Date: 950922
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950922
Part A Recv Date: 950929
Part B Recv Date: 951005
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95

Document ID: NJA2528093
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 960702
Trans1 Recv Date: 960702
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960702
Part A Recv Date: 960715
Part B Recv Date: 960717
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NJA2231947
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 951229
Trans1 Recv Date: 951229
Trans2 Recv Date: Not reported
TSD Site Recv Date: 951229
Part A Recv Date: 960111
Part B Recv Date: 960112
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Year: 95

Document ID: NJA2636487
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 960903
Trans1 Recv Date: 960903
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960903
Part A Recv Date: Not reported
Part B Recv Date: 960924
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NJA2229778
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 960223
Trans1 Recv Date: 960223
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960223
Part A Recv Date: 960305
Part B Recv Date: 960312
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Document ID: NJA2701302
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 961028
Trans1 Recv Date: 961028
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961028
Part A Recv Date: 970109
Part B Recv Date: 961121
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NJA2523298
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 960611
Trans1 Recv Date: 960611
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960611
Part A Recv Date: 960621
Part B Recv Date: 960625
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NJA2684828
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970513
Trans1 Recv Date: 970513
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970513
Part A Recv Date: 970520

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME SPECIALTY CLEANING CORP (Continued)

1000890158

Part B Recv Date: 970606
Generator EPA ID: NY0000261693
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDf ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

**AC140
NE
1/8-1/4
0.157 mi.
827 ft.**

**J.R. BUILDING ASSOCIATES
231 WEST 29TH STREET
NEW YORK, NY 10001
Site 3 of 8 in cluster AC**

**AST A100178320
N/A**

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606107
Program Type: PBS
UTM X: 584947.1097999998
UTM Y: 4511300.7276100004
Expiration Date: 2011/06/26

**Actual:
31 ft.**

Affiliation Records:
Site Id: 27972
Affiliation Type: Mail Contact
Company Name: J.R. BUILDING ASSOCIATES
Contact Type: BUILDING MANAGER
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/21/2006

Site Id: 27972
Affiliation Type: On-Site Operator
Company Name: J.R. BUILDING ASSOCIATES
Contact Type: Not reported
Contact Name: HARDOO HARRI PRASHAD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

J.R. BUILDING ASSOCIATES (Continued)

A100178320

Zip Code: Not reported
Country Code: 001
Phone: (212) 502-5487
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27972
Affiliation Type: Owner
Company Name: J.R. BUILDING ASSOCIATES
Contact Type: BUILDING MANAGER
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/21/2006

Site Id: 27972
Affiliation Type: Emergency Contact
Company Name: J.R. BUILDING ASSOCIATES
Contact Type: Not reported
Contact Name: KEVIN BRADY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

J.R. BUILDING ASSOCIATES (Continued)

A100178320

Tank Info:

Tank Number: 001
 Tank Id: 60967
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

AC141
NE
1/8-1/4
0.157 mi.
827 ft.

V5289
231 W 29TH STREET
NEW YORK CITY, NY 10001

Site 4 of 8 in cluster AC

RCRA-NonGen 1007206969
MANIFEST NYP004034906

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/03/2001

Facility name: V5289

Facility address: 231 W 29TH STREET
 NEW YORK CITY, NY 10001

EPA ID: NYP004034906

Mailing address: CONSOLIDATED EDISON INC.
 4 IRVING PLACE -- ROOM 300
 NEW YORK, NY 10003

Contact: ANTHONY DRUMMINGS

Contact address: CONSOLIDATED EDISON INC.
 NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 460-3770

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
 Mixed waste (haz. and radioactive): Unknown
 Recycler of hazardous waste: Unknown
 Transporter of hazardous waste: Unknown
 Treater, storer or disposer of HW: No
 Underground injection activity: Unknown
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: Unknown
 Used oil processor: Unknown
 User oil refiner: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V5289 (Continued)

1007206969

Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/02/2001
Facility name: V5289
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Facility name: V5289
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004034906
Country: USA
Mailing Name: CONSOLIDATED EDISON COMPANY OF NEW YORK
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0256847
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 01/15/1999
Trans1 Recv Date: 01/15/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/15/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004034906
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSDF ID: 20855AD
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 01534
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 99

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERGS FUR INC (Continued)

1001233035

Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NON REGULATED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: BERGS FUR INC
Classification: Not a generator, verified

Date form received by agency: 01/05/1999
Facility name: BERGS FUR INC
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110001607887

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BERGS FUR INC (Continued)

1001233035

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYN008007148
Country: USA
Mailing Name: BERGS FUR INC
Mailing Contact: BERGS FUR INC
Mailing Address: 224 W 29TH ST 7TH FLOOR
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-268-3570

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: CDX107000000
Generator Ship Date: 12/10/2007
Trans1 Recv Date: 12/10/2007
Trans2 Recv Date: 12/14/2007
TSD Site Recv Date: 12/15/2007
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYN008007148
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 910
Units: P - Pounds
Number of Containers: 7
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1
Year: 07
Manifest Tracking Num: 003366383JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: 06

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BERGS FUR INC (Continued)

1001233035

Manifest Status: NYG4242861
 Trans1 State ID: NYN008007148
 Trans2 State ID: Not reported
 Generator Ship Date: NJD000564906
 Trans1 Recv Date: Not reported
 Trans2 Recv Date: NJD000564906
 TSD Site Recv Date: Not reported
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: N
 Trans1 EPA ID: N
 Trans2 EPA ID: N
 TSDF ID: N
 Waste Code: N
 Quantity: Not reported
 Units: 4
 Number of Containers: DM
 Container Type: 520
 Handling Method: P
 Specific Gravity: 1
 Waste Code: T
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: Not reported
 Specific Gravity: Not reported
 Year: Not reported

Y144
ENE
1/8-1/4
0.158 mi.
835 ft.

330 7TH AVENUE
330 7TH AVENUE
NEW YORK, NY 10001
Site 3 of 4 in cluster Y

UST U004077050
N/A

Relative:
Higher

UST:
 Facility Id: 2-244775
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2012/08/26
 UTM X: 585043.15887000004
 UTM Y: 4511225.3057500003

Actual:
33 ft.

Affiliation Records:
 Site Id: 9493
 Affiliation Type: On-Site Operator
 Company Name: 330 7TH AVENUE
 Contact Type: Not reported
 Contact Name: CHRIS CAPECE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 736-8379

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 7TH AVENUE (Continued)

U004077050

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9493
Affiliation Type: Owner
Company Name: SUPER NOVA 330, LLC % NEWMARK KNIGHT FRANK
Contact Type: PROPERTY MANAGER
Contact Name: EILEEN VAHEY
Address1: 125 PARK AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 372-2000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/14/2007

Site Id: 9493
Affiliation Type: Mail Contact
Company Name: NEWMARK KNIGHT FRANK
Contact Type: Not reported
Contact Name: EILEEN VAHEY
Address1: 125 PARK AVE 12TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 590-3952
Phone Ext: Not reported
Email: EVAHEY@NEWMARKKF.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/14/2007

Site Id: 9493
Affiliation Type: Emergency Contact
Company Name: SUPER NOVA 330, LLC % NEWMARK KNIGHT FRANK
Contact Type: Not reported
Contact Name: CHRIS CAPECE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (201) 214-1104
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 7TH AVENUE (Continued)

U004077050

Modified By: DXLIVING
Date Last Modified: 5/14/2007

Equipment Records:

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 9493

Tank Number: 001
Tank ID: 19763
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/25/1924
Capacity Gallons: 8000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 5/14/2007

AC145
NE
1/8-1/4
0.159 mi.
837 ft.

**KEW MANAGEMENT CORP
227 WEST 29TH STREET
NEW YORK, NY 10001**

Site 7 of 8 in cluster AC

AST U003384166
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-084344
Program Type: PBS
UTM X: 584989.1496
UTM Y: 4511303.6207800005
Expiration Date: 2012/03/24

Actual:
31 ft.

Affiliation Records:

Site Id: 1949
Affiliation Type: Owner
Company Name: KEW MANAGEMENT CORP
Contact Type: DIRECTOR OF PROPERTY MANAGEMENT
Contact Name: ARTHUR NASTASKIN
Address1: 1123 BROADWAY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEW MANAGEMENT CORP (Continued)

U003384166

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 255-3346
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/24/2007

Site Id: 1949
Affiliation Type: Mail Contact
Company Name: KEW MANAGEMENT CORP
Contact Type: DIRECTOR OF PROPERTY MANAGEMENT
Contact Name: ARTHUR NASTASKIN
Address1: 1123 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 255-3346
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/24/2007

Site Id: 1949
Affiliation Type: On-Site Operator
Company Name: KEW MANAGEMENT CORP
Contact Type: Not reported
Contact Name: KENNETH GUGLIUCCI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-3346
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1949
Affiliation Type: Emergency Contact
Company Name: KEW MANAGEMENT CORP
Contact Type: Not reported
Contact Name: KEW MANAGEMENT CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEW MANAGEMENT CORP (Continued)

U003384166

Zip Code: Not reported
Country Code: 999
Phone: (212) 929-2289
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 1/24/2007

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 3198
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/25/1928
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 1/23/2007

HIST AST:

PBS Number: 2-084344
SWIS Code: 6201
Operator: KENNETH GUGLIUCCI
Facility Phone: (212) 255-3346
Facility Addr2: 227 WEST 29TH STREET
Facility Type: OTHER
Emergency: KEW MANAGEMENT CORP
Emergency Tel: (212) 929-2289
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: KEW MANAGEMENT CORP
Owner Address: 1123 BROADWAY
Owner City,St,Zip: NEW YORK, NY 10010
Federal ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KEW MANAGEMENT CORP (Continued)

U003384166

Owner Tel: (212) 255-3346
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: KEW MANAGEMENT CORP
Mailing Address: 1123 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10010
Mailing Telephone: (212) 255-3346
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: True
Certification Date: Not reported
Expiration: 03/24/2007
Renew Flag: False
Renew Date: 20011113
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AC146
NE
1/8-1/4
0.159 mi.
837 ft.

Y & K
227 W 29TH ST
NEW YORK, NY 10001
Site 8 of 8 in cluster AC

RCRA-NonGen
FINDS
1000100105
NYD103268207

Relative:
Higher

RCRA-NonGen:

Actual:
31 ft.

Date form received by agency: 01/01/2007
Facility name: Y & K
Facility address: 227 W 29TH ST
NEW YORK, NY 10001
EPA ID: NYD103268207
Mailing address: W 29TH ST
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 29TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: FELIX KAGAN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: FELIX KAGAN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

Y & K (Continued)

1000100105

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: Y & K
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: Y & K
Classification: Not a generator, verified

Date form received by agency: 02/11/1988
Facility name: Y & K
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004378888

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AD147 2324 REALTY CO
South 225 W 23RD ST
1/8-1/4 NEW YORK, NY 10011
0.159 mi.
837 ft. Site 1 of 6 in cluster AD

UST U001834728
HIST UST N/A

Relative: UST:
Lower Facility Id: 2-234079
Region: STATE
Actual: DEC Region: 2
26 ft. Site Status: Active
Program Type: PBS
Expiration Date: 2007/07/10
UTM X: 584773.52977999998
UTM Y: 4510887.7139400002

Affiliation Records:

Site Id: 8550
Affiliation Type: Mail Contact
Company Name: HELMSLEY SPEARINC
Contact Type: Not reported
Contact Name: L.S. POLL
Address1: 60 E 42ND ST
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2324 REALTY CO (Continued)

U001834728

City: NEW YORK
State: NY
Zip Code: 10165
Country Code: 001
Phone: (212) 880-0120
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8550
Affiliation Type: On-Site Operator
Company Name: 2324 REALTY CO
Contact Type: Not reported
Contact Name: HELMSLEY SPEARLNG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 620-0867
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8550
Affiliation Type: Owner
Company Name: HELMSLEY SPEARILNC
Contact Type: Not reported
Contact Name: Not reported
Address1: 60 E 42ND ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10165
Country Code: 001
Phone: (212) 880-0120
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8550
Affiliation Type: Emergency Contact
Company Name: HELMSLEY SPEARILNC
Contact Type: Not reported
Contact Name: DANNY NUCULAJ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2324 REALTY CO (Continued)

U001834728

Country Code: 001
Phone: (212) 620-0867
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
G99 - Tank Secondary Containment - Other
H00 - Tank Leak Detection - None

Tank Info:

Site ID: 8550

Tank Number: 001
Tank ID: 12527
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 7000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-234079
SPDES Number: Not reported
Emergency Contact: DANNY NUCULAJ
Emergency Telephone: (212) 620-0867
Operator: HELMSLEY SPEARLNG
Operator Telephone: (212) 620-0867
Owner Name: HELMSLEY SPEARILNC
Owner Address: 60 E 42ND ST
Owner City,St,Zip: NEW YORK, NY 10165
Owner Telephone: (212) 880-0120
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: HELMSLEY SPEARINC
Mailing Address: 60 E 42ND ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10165

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

2324 REALTY CO (Continued)

U001834728

Mailing Contact: L.S. POLL
Mailing Telephone: (212) 880-0120
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 225 W 23RD ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/01/2001
Expiration Date: 07/10/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 7000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 7000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Other
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

Y148
ENE
1/8-1/4
0.159 mi.
842 ft.

330 7TH AVENUE
330 7TH AVENUE
MANHATTAN, NY
Site 4 of 4 in cluster Y

LTANKS **U003200535**
HIST LTANKS **N/A**
HIST UST

Relative:
Higher

LTANKS:

Site ID: 214069
 Spill No: 9503741
 Spill Date: 6/26/1995
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
33 ft.

Spill Closed Dt: 6/26/1995
 Facility Addr2: Not reported
 Cleanup Ceased: 6/26/1995
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SMMARTIN
 Referred To: Not reported
 Reported to Dept: 6/26/1995
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 7/7/1995
 Spill Record Last Update: 7/7/1995
 Spiller Name: Not reported
 Spiller Company: PETROLEUM TANK CLEANERS
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 177354
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"

Remarks: BEING CLEANED NOW BY PETROLEUM TANK CLEANER SOURCE IS A LEAKING TANK.

Material:

Site ID: 214069
 Operable Unit ID: 1018206
 Operable Unit: 01
 Material ID: 365249
 Material Code: 0003
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 30
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 7TH AVENUE (Continued)

U003200535

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9503741
Spill Date: 06/26/1995
Spill Time: 14:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 06/26/95
Cleanup Ceased: 06/26/95
Cleanup Meets Standard: True
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 06/26/95
Reported to Department Time: 16:11
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PETROLEUM TANK CLEANERS
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 7TH AVENUE (Continued)

U003200535

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/07/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/07/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 30
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: BEING CLEANED NOW BY PETROLEUM TANK CLEANER SOURCE IS A LEAKING TANK.

HIST UST:

PBS Number: 2-244775
SPDES Number: Not reported
Emergency Contact: ALEX DOUGLAS
Emergency Telephone: (212) 947-5395
Operator: PAUL BELEC
Operator Telephone: (212) 736-8379
Owner Name: FOURS ON 7TH AVE. LLC C/O NEWMARK & CO R.E. INC.
Owner Address: 125 PARK AVENUE
Owner City,St,Zip: NEW YORK, NY 10017
Owner Telephone: (212) 372-2000
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: NEWMARK & CO. REAL ESTATE, INC.
Mailing Address: 330 SEVENTH AVENUE 2ND FLOOR
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: ALEX DOUGLAS
Mailing Telephone: (212) 974-5395
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 330 7TH AVENUE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

330 7TH AVENUE (Continued)

U003200535

Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 09/09/1997
Expiration Date: 08/26/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 8000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 8000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

AD149
South
1/8-1/4
0.161 mi.
853 ft.

CHELSEA HOTEL
222 WEST 23RD STREET
NEW YORK, NY 10011
Site 2 of 6 in cluster AD

AST A100178240
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606011

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA HOTEL (Continued)

A100178240

Program Type: PBS
UTM X: 584734.9861599997
UTM Y: 4510859.9852299998
Expiration Date: 2011/06/18

Affiliation Records:

Site Id: 27876
Affiliation Type: Mail Contact
Company Name: CHELSEA 23RD ST. CORP.
Contact Type: Not reported
Contact Name: DAVID BARD
Address1: 222 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27876
Affiliation Type: Owner
Company Name: CHELSEA 23RD ST. CORP.
Contact Type: MANAGER
Contact Name: DAVID BARD
Address1: 222 W. 23RD ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Site Id: 27876
Affiliation Type: Emergency Contact
Company Name: CHELSEA 23RD ST. CORP.
Contact Type: Not reported
Contact Name: DAVID BARD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 243-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA HOTEL (Continued)

A100178240

Date Last Modified: 4/12/2006

Site Id: 27876
Affiliation Type: On-Site Operator
Company Name: CHELSEA HOTEL
Contact Type: Not reported
Contact Name: CHARLES DYDSUN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
F05 - Pipe External Protection - Jacketed
I04 - Overfill - Product Level Gauge (A/G)
G04 - Tank Secondary Containment - Double-Walled (Underground)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
B05 - Tank External Protection - Jacketed

Tank Info:

Tank Number: 001
Tank Id: 60839
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 7000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AE150
SW
1/8-1/4
0.162 mi.
857 ft.

MTA NYCT - 23RD STREET STATION - A C E L
23RD ST & 8TH AVE
NEW YORK, NY 10011

RCRA-SQG 1012186960
NYR000168245

Site 1 of 10 in cluster AE

Relative:
Lower

RCRA-SQG:

Date form received by agency: 09/09/2009

Facility name:

MTA NYCT - 23RD STREET STATION - A C E L

Site name:

MTA NYCT - 23RD STREET STATION - A C E LINES

Facility address:

23RD ST & 8TH AVE
NEW YORK, NY 10011

EPA ID:

NYR000168245

Mailing address:

BROADWAY 5TH FLOOR 503
NEW YORK, NY 10004

Contact:

GERALD LEZEAU

Contact address:

BROADWAY 5TH FLOOR 503
NEW YORK, NY 10004

Contact country:

US

Contact telephone:

(646) 252-3535

Contact email:

GERALD.LEZEAU@NYCT.COM

EPA Region:

02

Classification:

Small Small Quantity Generator

Description:

Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name:

MTA NYCT

Owner/operator address:

Not reported
Not reported

Owner/operator country:

Not reported

Owner/operator telephone:

Not reported

Legal status:

State

Owner/Operator Type:

Operator

Owner/Op start date:

03/01/1968

Owner/Op end date:

Not reported

Owner/operator name:

MTA NYCT

Owner/operator address:

BROADWAY 5TH FLOOR 503
NEW YORK, NY 10004

Owner/operator country:

US

Owner/operator telephone:

Not reported

Legal status:

State

Owner/Operator Type:

Owner

Owner/Op start date:

03/01/1968

Owner/Op end date:

Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MTA NYCT - 23RD STREET STATION - A C E L (Continued)

1012186960

Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No
Off-site waste receiver:	Commercial status unknown

Universal Waste Summary:

Waste type:	Consumer Electronics
Accumulated waste on-site:	No
Generated waste on-site:	No

Waste type:	Oil-Based Finishes
Accumulated waste on-site:	No
Generated waste on-site:	No

Waste type:	Any Universal Waste
Accumulated waste on-site:	No
Generated waste on-site:	No

Waste type:	Batteries
Accumulated waste on-site:	No
Generated waste on-site:	Not reported

Waste type:	Lamps
Accumulated waste on-site:	No
Generated waste on-site:	Not reported

Waste type:	Pesticides
Accumulated waste on-site:	No
Generated waste on-site:	Not reported

Waste type:	Thermostats
Accumulated waste on-site:	No
Generated waste on-site:	Not reported

Hazardous Waste Summary:

Waste code:	D008
Waste name:	LEAD

Violation Status: No violations found

Z151
 ESE
 1/8-1/4
 0.164 mi.
 865 ft.

165 W 26TH ST ASSOC
165 W 26TH ST
NY, NY 10001
Site 2 of 2 in cluster Z

AST U003390919
 HIST AST N/A

Relative:
 Higher

AST:	
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-332887
Program Type:	PBS
UTM X:	585033.06264000002

Actual:
 34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

165 W 26TH ST ASSOC (Continued)

U003390919

UTM Y: 4511016.1401500003
Expiration Date: 2007/08/28

Affiliation Records:

Site Id: 15774
Affiliation Type: Owner
Company Name: 165 W 26TH ST ASSOC
Contact Type: Not reported
Contact Name: Not reported
Address1: 240 BWAY BOX 20
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 782-9559
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15774
Affiliation Type: On-Site Operator
Company Name: 165 W 26TH ST ASSOC
Contact Type: Not reported
Contact Name: STANLY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 807-9685
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15774
Affiliation Type: Emergency Contact
Company Name: 165 W 26TH ST ASSOC
Contact Type: Not reported
Contact Name: ALEXANDER UHR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 782-9559
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

165 W 26TH ST ASSOC (Continued)

U003390919

Site Id: 15774
Affiliation Type: Mail Contact
Company Name: 165 W 26TH ST ASSOC C/O UCA REALTY
Contact Type: Not reported
Contact Name: 165 WEST 26TH ST ASSOC
Address1: 240 BWAY BOX 20
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 782-9559
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 20372
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1337
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-332887
SWIS Code: 6201
Operator: SIMON MORA
Facility Phone: (212) 807-9685
Facility Addr2: 165 W 26TH ST
Facility Type: APARTMENT BUILDING
Emergency: ALEXANDER UHR
Emergency Tel: (718) 782-9559

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

165 W 26TH ST ASSOC (Continued)

U003390919

Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 165 W 26TH ST ASSOC
Owner Address: 240 BWAY BOX 20
Owner City,St,Zip: BKLYN, NY 11211
Federal ID: Not reported
Owner Tel: (718) 782-9559
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: 165 WEST 26TH ST ASSOC
Mailing Name: 165 W 26TH ST ASSOC C/O UCA REALTY
Mailing Address: 240 BWAY BOX 20
Mailing Address 2: Not reported
Mailing City,St,Zip: BKLYN, NY 11211
Mailing Telephone: (718) 782-9559
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/04/1997
Expiration: 08/28/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

165 W 26TH ST ASSOC (Continued)

U003390919

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AE152 300 WEST 23RD STREET OWNERS CORP
SW 300 WEST 23RD STREET
1/8-1/4 NEW YORK, NY 10011
0.164 mi.
866 ft. Site 2 of 10 in cluster AE

UST U004081801
N/A

Relative:
Lower

UST:
Facility Id: 2-311286
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/10/15
UTM X: 584582.7770999995
UTM Y: 4510976.5695200004

Actual:
22 ft.

Affiliation Records:
Site Id: 14261
Affiliation Type: On-Site Operator
Company Name: 300 WEST 23RD STREET OWNERS CORP
Contact Type: Not reported
Contact Name: WILLIAM BOWLING
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Site Id: 14261
Affiliation Type: Mail Contact
Company Name: DOUGLAS ELLIMAN
Contact Type: Not reported
Contact Name: PAT-PETTWAY
Address1: 675 3RD AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 WEST 23RD STREET OWNERS CORP (Continued)

U004081801

Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Site Id: 14261
Affiliation Type: Emergency Contact
Company Name: 300 WEST 23RD ST OWNERS CORP
Contact Type: Not reported
Contact Name: WILLIAM BOWLING
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Site Id: 14261
Affiliation Type: Owner
Company Name: 300 WEST 23RD ST OWNERS CORP
Contact Type: MGR
Contact Name: PAT-PETTWAY
Address1: 300 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
I00 - Overfill - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 WEST 23RD STREET OWNERS CORP (Continued)

U004081801

J02 - Dispenser - Suction
A00 - Tank Internal Protection - None

Tank Info:

Site ID: 14261

Tank Number: 001-A
Tank ID: 165083
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1931
Capacity Gallons: 7500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

**AE153
SW
1/8-1/4
0.164 mi.
866 ft.**

**300 WEST 23RD STREET OWNERS CORP
300 WEST 23RD STREET
NEW YORK, NY 10011**

**AST A100292054
N/A**

Site 3 of 10 in cluster AE

**Relative:
Lower**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-311286
Program Type: PBS
UTM X: 584582.77709999995
UTM Y: 4510976.5695200004
Expiration Date: 2012/10/15

**Actual:
22 ft.**

Affiliation Records:

Site Id: 14261
Affiliation Type: On-Site Operator
Company Name: 300 WEST 23RD STREET OWNERS CORP
Contact Type: Not reported
Contact Name: WILLIAM BOWLING
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Site Id: 14261

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 WEST 23RD STREET OWNERS CORP (Continued)

A100292054

Affiliation Type: Mail Contact
Company Name: DOUGLAS ELLIMAN
Contact Type: Not reported
Contact Name: PAT-PETTWAY
Address1: 675 3RD AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Site Id: 14261
Affiliation Type: Emergency Contact
Company Name: 300 WEST 23RD ST OWNERS CORP
Contact Type: Not reported
Contact Name: WILLIAM BOWLING
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Site Id: 14261
Affiliation Type: Owner
Company Name: 300 WEST 23RD ST OWNERS CORP
Contact Type: MGR
Contact Name: PAT-PETTWAY
Address1: 300 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-3030
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/20/2008

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

300 WEST 23RD STREET OWNERS CORP (Continued)

A100292054

- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H99 - Tank Leak Detection - Other
- I00 - Overfill - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B00 - Tank External Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- B00 - Tank External Protection - None
- J02 - Dispenser - Suction
- A00 - Tank Internal Protection - None

Tank Info:

Tank Number: 001
 Tank Id: 165081
 Tank Location: 3
 Tank Type: Stainless Steel Alloy
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 10/1/1978
 Capacity Gallons: 7500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 10/20/2008

**AE154
 SW
 1/8-1/4
 0.164 mi.
 866 ft.**

**300 W23 ST CONDOMINIUM ASSOC.
 300 WEST 23RD STREET
 NEW YORK, NY 10011
 Site 4 of 10 in cluster AE**

**HIST UST U001838126
 N/A**

**Relative:
 Lower**

HIST UST:
 PBS Number: 2-311286
 SPDES Number: Not reported
 Emergency Contact: JOSEPH PEREZ
 Emergency Telephone: (212) 243-3030
 Operator: JOSEPH PEREZ
 Operator Telephone: (212) 243-3030
 Owner Name: 300 WEST 23RD ST CONDO ASSOC
 Owner Address: 300 WEST 23RD STREET
 Owner City,St,Zip: NEW YORK, NY 10011
 Owner Telephone: (212) 243-3030
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: INSIGNIA RESIDENTIAL GROUP
 Mailing Address: 675 THIRD AVENUE
 Mailing Address 2: Not reported

**Actual:
 22 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

300 W23 ST CONDOMINIUM ASSOC. (Continued)

U001838126

Mailing City,St,Zip: NEW YORK, NY 10017
Mailing Contact: ELIZABETH A. COURTIEN
Mailing Telephone: (212) 372-9200
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)
and Subpart 360-14.
Facility Addr2: 300 WEST 23RD STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: Not reported
Expiration Date: 10/15/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: 0
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: Closed-In Place
Install Date: 19311201
Capacity (gals): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AF155
NE
1/8-1/4
0.165 mi.
870 ft.

H C L CORP
214 W 29TH ST
NEW YORK, NY 10001

Site 1 of 6 in cluster AF

RCRA-NonGen
FINDS
MANIFEST
1004759020
NYD987036498

Relative:
Higher

RCRA-NonGen:

Actual:
32 ft.

Date form received by agency: 01/01/2007
Facility name: H C L CORP
Facility address: 214 W 29TH ST
NEW YORK, NY 10001
EPA ID: NYD987036498
Mailing address: W 29TH ST
NEW YORK, NY 10001
Contact: JOHN DMAGGIO
Contact address: W 29TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (718) 967-6850
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: MARTIN JOLUDOW
Owner/operator address: 214 W 29TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 967-6850
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MARTIN JOLUDOW
Owner/operator address: 214 W 29TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 967-6850
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

H C L CORP (Continued)

1004759020

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: H C L CORP
Classification: Not a generator, verified

Date form received by agency: 06/25/1993
Facility name: H C L CORP
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004506231

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD987036498
Country: USA
Mailing Name: H C L
Mailing Contact: JOHN OMAGGIO
Mailing Address: 214 WEST 29TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-967-6850

Document ID: NJA1702983
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 930727
Trans1 Recv Date: 930727
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930727
Part A Recv Date: Not reported
Part B Recv Date: 930806
Generator EPA ID: NYD987036498
Trans1 EPA ID: NJD986608941

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

H C L CORP (Continued)

1004759020

Trans2 EPA ID: Not reported
 TSD ID: NJD002454544
 Waste Code: F003 - UNKNOWN
 Quantity: 00425
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 93

AD156
South
1/8-1/4
0.165 mi.
874 ft.

HOTEL CHELSEA,NEW YORK
216 WEST 23RD STREET
NEW YORK, NY 10011

AST U003395727
HIST AST N/A

Site 3 of 6 in cluster AD

Relative:
Lower

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-600721
 Program Type: PBS
 UTM X: 584787.53697000002
 UTM Y: 4510866.44749000002
 Expiration Date: 2007/04/17

Actual:
26 ft.

Affiliation Records:

Site Id: 22701
 Affiliation Type: Owner
 Company Name: CHELSEA 23RD STREET CORP
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 222 WEST 23RD STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 243-3700
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22701
 Affiliation Type: Mail Contact
 Company Name: HOTEL CHELSEA
 Contact Type: Not reported
 Contact Name: MR. STANLEY BARD
 Address1: 222 WEST 23RD STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 243-3700

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOTEL CHELSEA,NEW YORK (Continued)

U003395727

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22701
Affiliation Type: On-Site Operator
Company Name: HOTEL CHELSEA,NEW YORK
Contact Type: Not reported
Contact Name: STANLEY BARD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22701
Affiliation Type: Emergency Contact
Company Name: CHELSEA 23RD STREET CORP
Contact Type: Not reported
Contact Name: COASTAL COMBUSTION CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 475-4263
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
G99 - Tank Secondary Containment - Other
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOTEL CHELSEA,NEW YORK (Continued)

U003395727

Tank Id: 43445
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 7500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-600721
SWIS Code: 6201
Operator: STANLEY BARD
Facility Phone: (212) 243-3700
Facility Addr2: 216 WEST 23RD STREET
Facility Type: OTHER
Emergency: COASTAL COMBUSTION CORP
Emergency Tel: (212) 475-4263
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CHELSEA 23RD STREET CORP
Owner Address: 222 WEST 23RD STREET
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 243-3700
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MR. STANLEY BARD
Mailing Name: HOTEL CHELSEA
Mailing Address: 222 WEST 23RD STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Telephone: (212) 243-3700
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 01/16/1997
Expiration: 04/17/2002
Renew Flag: False
Renew Date: 20011217
Total Capacity: 7500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HOTEL CHELSEA,NEW YORK (Continued)

U003395727

CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 7500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 1
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Other
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AF157
ENE
1/8-1/4
0.166 mi.
878 ft.

NEIGHBORHOOD CLEANERS ASSOC
252 W 29TH ST
NEW YORK CITY, NY 10001

Site 2 of 6 in cluster AF

RCRA-SQG 1000791165
FINDS NYD987026705
MANIFEST

Relative:
Higher

RCRA-SQG:

Actual:
32 ft.

Date form received by agency: 01/01/2007
Facility name: NEIGHBORHOOD CLEANERS ASSOC
Facility address: 252 W 29TH ST
NEW YORK, NY 10001
EPA ID: NYD987026705
Mailing address: W 29TH ST
NEW YORK, NY 10001
Contact: GERALD LEVINE
Contact address: W 29TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (718) 967-3002
Contact email: Not reported
EPA Region: 02
Land type: Private
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NIEGHBORHOOD CLEANERS ASSOC
Owner/operator address: 252 W 29TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 967-3002
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NIEGHBORHOOD CLEANERS ASSOC
Owner/operator address: 252 W 29TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 967-3002
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NEIGHBORHOOD CLEANERS ASSOC
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 01/11/1993
Facility name: NEIGHBORHOOD CLEANERS ASSOC
Classification: Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Area of violation: Listing - General
Date violation determined: 10/18/2001
Date achieved compliance: 12/11/2001
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/11/2001
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 10/18/2001
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Listing - General
Date achieved compliance: 12/11/2001
Evaluation lead agency: State

FINDS:

Registry ID: 110009482960

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD987026705
Country: USA
Mailing Name: NEIGHBORHOOD CLEANERS ASSOCIATES
Mailing Contact: NEIGHBORHOOD CLEANERS ASSOCIATES
Mailing Address: 212 W 29TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-967-3002

Document ID: NJA2652964
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 961015
Trans1 Recv Date: 961015
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961015
Part A Recv Date: 961025

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Part B Recv Date: 961106
Generator EPA ID: NYD987026705
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NJA2580591
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970214
Trans1 Recv Date: 970214
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970214
Part A Recv Date: 970602
Part B Recv Date: 970227
Generator EPA ID: NYD987026705
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA2580601
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970411
Trans1 Recv Date: 970411
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970411
Part A Recv Date: 970423
Part B Recv Date: 970508
Generator EPA ID: NYD987026705

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYC6378693
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 03/15/2001
Trans1 Recv Date: 03/15/2001
Trans2 Recv Date: 03/22/2001
TSD Site Recv Date: 03/27/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00495
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC6597055
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 11/06/2001
Trans1 Recv Date: 11/06/2001
Trans2 Recv Date: 11/12/2001
TSD Site Recv Date: 11/13/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

TSDF ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NYC6539545
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 10/23/2001
Trans1 Recv Date: 10/23/2001
Trans2 Recv Date: 10/29/2001
TSD Site Recv Date: 10/30/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 08690
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00058
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00160
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: OKD981588791
Generator Ship Date: 2008-01-28
Trans1 Recv Date: 2008-01-28
Trans2 Recv Date: 2008-02-06
TSD Site Recv Date: 2008-02-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: OHD980587364
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Quantity: 133.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000958887SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: OKD981588791
Generator Ship Date: 2008-01-28
Trans1 Recv Date: 2008-01-28
Trans2 Recv Date: 2008-02-06
TSD Site Recv Date: 2008-02-07
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: Not reported
Quantity: 195.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 08
Manifest Tracking Num: 000958887SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Document ID: NJA2585148
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970723
Trans1 Recv Date: 970723
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970723
Part A Recv Date: 970811
Part B Recv Date: 970821
Generator EPA ID: NYD987026705
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00600
Units: P - Pounds
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 2007-01-23
Trans1 Recv Date: 2007-01-23
Trans2 Recv Date: 2007-01-31
TSD Site Recv Date: 2007-02-01
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: OHD980587364
Waste Code: Not reported
Quantity: 110.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 000006141SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 2007-01-23
Trans1 Recv Date: 2007-01-23
Trans2 Recv Date: 2007-01-31
TSD Site Recv Date: 2007-02-01
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: Not reported
Quantity: 480.0
Units: P - Pounds
Number of Containers: 3.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 000006141SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 2007-05-14
Trans1 Recv Date: 2007-05-14
Trans2 Recv Date: 2007-05-17
TSD Site Recv Date: 2007-05-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: Not reported
Quantity: 110.0
Units: P - Pounds
Number of Containers: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 000309777SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: NJD071629976
Generator Ship Date: 2007-05-14
Trans1 Recv Date: 2007-05-14
Trans2 Recv Date: 2007-05-17
TSD Site Recv Date: 2007-05-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: Not reported
Quantity: 172.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 000309777SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Trans2 State ID: OKD981588791
Generator Ship Date: 2007-10-17
Trans1 Recv Date: 2007-10-17
Trans2 Recv Date: 2007-10-26
TSD Site Recv Date: 2007-10-29
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: Not reported
Quantity: 120.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 000857407SKS
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: TXR000050930
Trans2 State ID: OKD981588791
Generator Ship Date: 2007-10-17
Trans1 Recv Date: 2007-10-17
Trans2 Recv Date: 2007-10-26
TSD Site Recv Date: 2007-10-29
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: OHD980587364
Waste Code: Not reported
Quantity: 175.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 07
Manifest Tracking Num: 000857407SKS
Import Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: NYC4568130
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: MO001
Generator Ship Date: 971008
Trans1 Recv Date: 971008
Trans2 Recv Date: 971014
TSD Site Recv Date: 971015
Part A Recv Date: 971024
Part B Recv Date: 971112
Generator EPA ID: NYD987026705
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: MOD095038998
TSDF ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00190
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1645717
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930504
Trans1 Recv Date: 930504
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930504
Part A Recv Date: Not reported
Part B Recv Date: 930604
Generator EPA ID: NYD987026705
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NYC4537822
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: SCD987574647
Generator Ship Date: 09/09/1998
Trans1 Recv Date: 09/09/1998
Trans2 Recv Date: 09/11/1998
TSD Site Recv Date: 09/15/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00780
Units: P - Pounds
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Document ID: NYC4996574
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: Not reported
Generator Ship Date: 03/30/1998
Trans1 Recv Date: 03/30/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/07/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00585

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEIGHBORHOOD CLEANERS ASSOC (Continued)

1000791165

Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Document ID: NYC6395073
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: NJD071629976
Generator Ship Date: 01/10/2002
Trans1 Recv Date: 01/10/2002
Trans2 Recv Date: 01/21/2002
TSD Site Recv Date: 01/22/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987026705
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: NJXAB6363
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00190
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02

[Click this hyperlink](#) while viewing on your computer to access
60 additional NY_MANIFEST: record(s) in the EDR Site Report.

AF158 210 WEST 29TH STREET
ENE 210 W 29TH ST
1/8-1/4 NY, NY 10001
0.168 mi.
886 ft. Site 3 of 6 in cluster AF

AST **A100166500**
N/A

Relative: AST:
Higher Region: STATE
DEC Region: 2
Actual: Site Status: Active
33 ft. Facility Id: 2-253022
Program Type: PBS
UTM X: 585022.10962999996
UTM Y: 4511271.5813100003
Expiration Date: 2015/05/03

Affiliation Records:
Site Id: 10224
Affiliation Type: Owner
Company Name: 210 WEST 29TH STREET CORP.
Contact Type: PRESIDENT
Contact Name: DANIEL WIENER
Address1: P.O. BOX 460
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

210 WEST 29TH STREET (Continued)

A100166500

City: VALLEY STREAM
State: NY
Zip Code: 11582
Country Code: 001
Phone: (516) 599-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/15/2005

Site Id: 10224
Affiliation Type: Mail Contact
Company Name: 210 WEST 29TH STREET CORP.
Contact Type: Not reported
Contact Name: DANIEL WIENER
Address1: P.O. BOX 460
Address2: Not reported
City: VALLEY STREAM
State: NY
Zip Code: 11582
Country Code: 001
Phone: (516) 599-2700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/22/2005

Site Id: 10224
Affiliation Type: On-Site Operator
Company Name: 210 WEST 29TH STREET
Contact Type: Not reported
Contact Name: DANIEL WIENER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 599-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10224
Affiliation Type: Emergency Contact
Company Name: 210 WEST 29TH STREET CORP.
Contact Type: Not reported
Contact Name: DANIEL WIENER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

210 WEST 29TH STREET (Continued)

A100166500

Country Code: 001
Phone: (516) 816-9384
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D00 - Pipe Type - No Piping
E00 - Piping Secondary Containment - None
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
K00 - Spill Prevention - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None

Tank Info:

Tank Number: 001
Tank Id: 14190
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1950
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 3/30/2010

159
ENE
1/8-1/4
0.168 mi.
888 ft.

**333 SEVENTH AVENUE
333 7TH AVE.
NEW YORK, NY 10016**

**AST A100178063
N/A**

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-605791
Program Type: PBS
UTM X: 585036.33761000005
UTM Y: 4511238.4387699999
Expiration Date: 2011/04/27

**Actual:
33 ft.**

Affiliation Records:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

333 SEVENTH AVENUE (Continued)

A100178063

Site Id: 27658
Affiliation Type: Owner
Company Name: 333 SEVENTH AVENUE REALTY CO.
Contact Type: MANAGING AGENT
Contact Name: ADAM SMITH
Address1: 116 E 27TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 685-6400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2006

Site Id: 27658
Affiliation Type: Mail Contact
Company Name: SAMCO PROPERTIES
Contact Type: Not reported
Contact Name: ADAM SMITH
Address1: 116 E 27TH STREET
Address2: 3RD FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 685-6400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2006

Site Id: 27658
Affiliation Type: Emergency Contact
Company Name: 333 SEVENTH AVENUE REALTY CO.
Contact Type: Not reported
Contact Name: ADAM SMITH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 445-6270
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27658
Affiliation Type: On-Site Operator
Company Name: 333 SEVENTH AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

333 SEVENTH AVENUE (Continued)

A100178063

Contact Type: Not reported
Contact Name: A1
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 239-1481
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
F06 - Pipe External Protection - Wrapped
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 01
Tank Id: 60477
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AF160
ENE
1/8-1/4
0.169 mi.
893 ft.

CENTRAL FUR SERVICING CO
208 W 29TH ST
NEW YORK, NY 10001
Site 4 of 6 in cluster AF

RCRA-NonGen **1004758144**
FINDS **NYD986983898**

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: CENTRAL FUR SERVICING CO
Facility address: 208 W 29TH ST
NEW YORK, NY 10001
EPA ID: NYD986983898

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL FUR SERVICING CO (Continued)

1004758144

Mailing address: LANZA AVE
GARFIELD, NY 07026
Contact: BARRY KIRSCH
Contact address: LANZA AVE
GARFIELD, NY 07026
Contact country: US
Contact telephone: (201) 772-6363
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: BARRY KIRSCH
Owner/operator address: 9 YORK PL
NORTH CALDWELL, NJ 07006
Owner/operator country: US
Owner/operator telephone: (201) 403-1445
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: BARRY KIRSCH
Owner/operator address: 9 YORK PL
NORTH CALDWELL, NJ 07006
Owner/operator country: US
Owner/operator telephone: (201) 403-1445
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: CENTRAL FUR SERVICING CO
Classification: Not a generator, verified

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CENTRAL FUR SERVICING CO (Continued)

1004758144

Date form received by agency: 10/31/1991
 Facility name: CENTRAL FUR SERVICING CO
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001604238

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AF161
ENE
1/8-1/4
0.169 mi.
893 ft.

CONSOLIDATED EDISON
208 W 29TH ST
NEW YORK, NY
Site 5 of 6 in cluster AF

MANIFEST S108980643
N/A

Relative:
Higher

NY MANIFEST:
 EPA ID: NYP004155347
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Actual:
33 ft.

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 12/12/2007
 Trans1 Recv Date: 12/12/2007
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/14/2007
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004155347
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: Not reported
 Quantity: 50
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

S108980643

Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 1
Year: 07
Manifest Tracking Num: 001450320FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

AE162
WSW
1/8-1/4
0.169 mi.
894 ft.

BROADMOOR APTS
315 WEST 23RD STREET
NEW YORK, NY 10011
Site 5 of 10 in cluster AE

UST U001834858
HIST UST N/A

Relative:
Lower

UST:
Facility Id: 2-315729
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/07/10
UTM X: 584566.14454999997
UTM Y: 4510998.5834900001

Actual:
21 ft.

Affiliation Records:
Site Id: 14446
Affiliation Type: On-Site Operator
Company Name: BROADMOOR APTS
Contact Type: Not reported
Contact Name: JOSEPH LA SPINA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 684-8282
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14446
Affiliation Type: Mail Contact
Company Name: MAXWELL-KATES, INC.
Contact Type: Not reported
Contact Name: JOSEPH LA SPINA
Address1: 9 EAST 38TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROADMOOR APTS (Continued)

U001834858

Address2: 6TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 684-8282
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14446
Affiliation Type: Emergency Contact
Company Name: 315 WEST 23RD ST OWNERS CORP % MKI
Contact Type: Not reported
Contact Name: NICK NICKOLOV
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 645-2050
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14446
Affiliation Type: Owner
Company Name: 315 WEST 23RD ST OWNERS CORP % MKI
Contact Type: DEPT. DIRECTOR
Contact Name: TIM JESSUP
Address1: 9 EAST 38TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (212) 684-8282
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: EJCALIFA
Date Last Modified: 4/11/2007

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROADMOOR APTS (Continued)

U001834858

I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None

Tank Info:

Site ID: 14446

Tank Number: 001
Tank ID: 12892
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1969
Capacity Gallons: 10000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: EJCALIFA
Last Modified: 4/11/2007

HIST UST:

PBS Number: 2-315729
SPDES Number: Not reported
Emergency Contact: NICK NICKOLAV
Emergency Telephone: (212) 620-9119
Operator: NICK NICKOLAV
Operator Telephone: (212) 620-9119
Owner Name: 315 W 23RD ST OWNERS CORP
Owner Address: 210 E 86TH ST
Owner City,St,Zip: NEW YORK, NY 10028
Owner Telephone: (212) 737-0031
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: BROADMOOR APTS/COOPERATIVE
Mailing Address: 315 WEST 23RD STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Contact: SUPER FACILITY MANAGER
Mailing Telephone: (212) 620-9119
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 315 W 23RD ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/21/1998
Expiration Date: 07/10/2002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BROADMOOR APTS (Continued)

U001834858

Renew Flag: False
Renewal Date: Not reported
Total Capacity: 10000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 10000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

AE163
WSW
1/8-1/4
0.170 mi.
898 ft.

LOUIS PHILIPPE CONDOMINIUM
312 WEST 23RD STREET
NEW YORK, NY 10011
Site 6 of 10 in cluster AE

AST A100300618
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-097020
Program Type: PBS
UTM X: 584564.7717999999
UTM Y: 4510985.6895899996
Expiration Date: 2012/05/07

Actual:
21 ft.

Affiliation Records:
Site Id: 2779

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOUIS PHILIPPE CONDOMINIUM (Continued)

A100300618

Affiliation Type: Owner
Company Name: CHELSEA LONDON CO
Contact Type: MANAGING AGENT
Contact Name: IVY STEELE
Address1: ONE UNION SQ
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/6/2007

Site Id: 2779
Affiliation Type: Mail Contact
Company Name: CHELSEA LONDON CO
Contact Type: Not reported
Contact Name: IVY STEELE
Address1: C/O BUCHBINDER & WARREN
Address2: ONE UNION SQUARE WEST
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/6/2007

Site Id: 2779
Affiliation Type: On-Site Operator
Company Name: CHELSEA LONDON CO
Contact Type: Not reported
Contact Name: AMERADA HESS CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2779
Affiliation Type: Emergency Contact
Company Name: CHELSEA LONDON CO
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LOUIS PHILIPPE CONDOMINIUM (Continued)

A100300618

Contact Name: IVY STEELE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/6/2007

Equipment Records:

A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G00 - Tank Secondary Containment - None

Tank Info:

Tank Number: 001
Tank Id: 4650
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1960
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 1/2/2008

AE164
WSW
1/8-1/4
0.170 mi.
898 ft.

APT. BUILDING
312 WEST 23RD ST
NEW YORK, NY
Site 7 of 10 in cluster AE

LTANKS S108765788
N/A

Relative:
Lower

LTANKS:
Site ID: 387352
Spill No: 0706771
Spill Date: 9/18/2007
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT. BUILDING (Continued)

S108765788

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/11/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: bkfalvey
Referred To: Not reported
Reported to Dept: 9/18/2007
CID: 408
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/18/2007
Spill Record Last Update: 10/15/2007
Spiller Name: Not reported
Spiller Company: APT. BUILDING
Spiller Address: 12 WEST 23RD ST
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: MARLON JOSEPH
Spiller Phone: (718) 624-4842
Spiller Extention: 112
DEC Region: 2
DER Facility ID: 336779
DEC Memo: 9/19/07 Called 212-593-9100 (# on FIR) and left message for Scott Ross (contact on FIR). Mr. Ross returned my call and left a message. I called him back and he said the tank was not tested. He confirmed that the tank is 2K (consistent with registration) and is not 5K as in the spill report. He said that the tank is a concrete wrapped tank. I called Mark Salamack of Petroleum Tank Cleaners (they did the test). I left a message and requested that he call me back. M. Salamack called me back and said the technician believes the failure is in the fill line. Also he told me the address was incorrect on the Spill Report. The address is 312 NOT 12. Sent ttf letter to: Ivy Steele Chelsea London Co. c/o Buchbinder & Warren One Union Square West New York, NY 10003 Attn: Eva Matos Called Ms. Steele at 212-243-6722 and left message to call me back. Eva Matos called me back and told me the line failed and that PTC will be making the repairs. She also told me to send letter to her attention. I confirmed the mailing address with her. bf 10/9/07 Received fax from Eva Matos Letter included an invoice from PTC showing that the tank was retested and passed. Also, the fill line and vent line were replaced. No mention of contamination. I called Ms. Matos back and left a message on her voice mail. I stated that a letter is needed from PTC regarding any contamination found. Phone: 646-637-9019. bf 10/11/07 On 10/10/07, I received a letter by fax from Mark Salamack. Letter states that the failure was caused by a broken vent line. The fill line was compromised, but not broken. Both were replaced and no contamination was encountered. Tank was tightness tested on 9/27/07 and passed. NFA. bf 10/15/07 On 10/12/07, received message from Eva. She requested a call back regarding whether or not I received letter from PTC. I called her back (646-637-9019) and told her that I received the letter. bf

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APT. BUILDING (Continued)

S108765788

Remarks: NONE;

Material:

Site ID: 387352
Operable Unit ID: 1144557
Operable Unit: 01
Material ID: 2134864
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 387352
Spill Tank Test: 1764118
Tank Number: 1
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 9/18/2007
Test Method: Horner EZ Check I or II

AG165
South
1/8-1/4
0.170 mi.
898 ft.

NYC PUBLIC LIBRARY - MUHLENBERG BRANCH
209 W 23RD ST
NEW YORK, NY 10018

RCRA-NonGen **1004761189**
FINDS **NYR000079244**
MANIFEST

Site 1 of 5 in cluster AG

Relative:
Equal

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: NYC PUBLIC LIBRARY - MUHLENBERG BRANCH
Facility address: 209 W 23RD ST
NEW YORK, NY 100182788
EPA ID: NYR000079244
Mailing address: 5TH AVE & 42ND ST
NEW YORK, NY 100182788
Contact: EZRA DELANEY
Contact address: 5TH AVE & 42ND ST
NEW YORK, NY 100182788
Contact country: US
Contact telephone: (212) 930-0895
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
27 ft.

Owner/Operator Summary:

Owner/operator name: THE NEW YORK PUBLIC LIBRARY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC PUBLIC LIBRARY - MUHLENBERG BRANCH (Continued)

1004761189

Owner/operator address: 5TH AVE & 42ND ST
NEW YORK, NY 10018
Owner/operator country: US
Owner/operator telephone: (212) 930-0895
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: THE NEW YORK PUBLIC LIBRARY
Owner/operator address: 5TH AVE & 42ND ST
NEW YORK, NY 10018
Owner/operator country: US
Owner/operator telephone: (212) 930-0895
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYC PUBLIC LIBRARY - MUHLENBERG BRANCH
Classification: Not a generator, verified

Date form received by agency: 12/08/1999
Facility name: NYC PUBLIC LIBRARY - MUHLENBERG BRANCH
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009487616

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC PUBLIC LIBRARY - MUHLENBERG BRANCH (Continued)

1004761189

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000079244
Country: USA
Mailing Name: MULHEMBERG LIBRARY
Mailing Contact: CORTNEY DENISON
Mailing Address: 209 W 23RD ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-930-0859

Document ID: MIA7926245
Manifest Status: Not reported
Trans1 State ID: PAD987271020
Trans2 State ID: Not reported
Generator Ship Date: 08/04/2000
Trans1 Recv Date: 08/04/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/15/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000079244
Trans1 EPA ID: MID096963194
Trans2 EPA ID: Not reported
TSD ID: PAAH0413
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00750
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 00

AG166
South
1/8-1/4
0.170 mi.
898 ft.

MUHLENBERG BRANCH LIBRARY
209 WEST 23RD STREET
NEW YORK, NY 10011
Site 2 of 5 in cluster AG

AST U004047659
N/A

Relative:
Equal

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-603921
Program Type: PBS
UTM X: 584810.82947999996
UTM Y: 4510867.6022500005

Actual:
27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUHLENBERG BRANCH LIBRARY (Continued)

U004047659

Expiration Date: N/A

Affiliation Records:

Site Id: 25815
Affiliation Type: Owner
Company Name: THE NEW YORK PUBLIC LIBRARY
Contact Type: Not reported
Contact Name: Not reported
Address1: FIFTH AVENUE AND 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10018-2788
Country Code: 001
Phone: (212) 930-0859
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25815
Affiliation Type: Emergency Contact
Company Name: THE NEW YORK PUBLIC LIBRARY
Contact Type: Not reported
Contact Name: MR. EZRA DELANEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 930-0859
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25815
Affiliation Type: Mail Contact
Company Name: THE NEW YORK LIBRARY
Contact Type: Not reported
Contact Name: MR. EZRA DELANEY
Address1: FIFTH AVENUE AND 42ND STREET
Address2: CAPITAL PLANNING AND CONSTRUCTION
City: NEW YORK
State: NY
Zip Code: 10018-2788
Country Code: 001
Phone: (212) 930-0859
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25815

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MUHLENBERG BRANCH LIBRARY (Continued)

U004047659

Affiliation Type: On-Site Operator
Company Name: MUHLENBERG BRANCH LIBRARY
Contact Type: Not reported
Contact Name: THE NEW YORK PUBLIC LIBRARY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 930-0859
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction
I00 - Overfill - None
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 56015
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 2/1/1999
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

167
WNW
1/8-1/4
0.170 mi.
899 ft.

NYNEX
FRONT OF 357 W 25TH ST
NEW YORK, NY 10001

MANIFEST 1009233123
N/A

Relative:
Lower

NY MANIFEST:
EPA ID: NYP000908186
Country: USA
Mailing Name: NYNEX
Mailing Contact: BOBBIE LEE MACK

Actual:
22 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYNEX (Continued)

1009233123

Mailing Address: 1095 AVE OF AMER-RM 1509
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-395-6040

Document ID: NJA1713476
Manifest Status: Completed copy
Trans1 State ID: NJDEPES50
Trans2 State ID: Not reported
Generator Ship Date: 930614
Trans1 Recv Date: 930614
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930615
Part A Recv Date: 930726
Part B Recv Date: 930628
Generator EPA ID: NYP000908186
Trans1 EPA ID: NYD980761191
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 93

AH168 **CON ED - V 2870**
ESE **160 W 26TH ST**
1/8-1/4 **MANHATTAN, NY 10001**
0.171 mi.
901 ft. **Site 1 of 3 in cluster AH**

RCRA-NonGen **1007205337**
MANIFEST **NYP000929570**

Relative:
Higher

Actual:
34 ft.

RCRA-NonGen:
Date form received by agency: 08/08/1998
Facility name: CON ED - V 2870
Facility address: 160 W 26TH ST
MANHATTAN, NY 100010000
EPA ID: NYP000929570
Mailing address: CONSOLIDATED EDISON INC
4 IRVING PL - RM 300
NEW YORK, NY 100030000
Contact: ANTHONY DRUMMINGS
Contact address: CONSOLIDATED EDISON INC
NEW YORK, NY 100030000
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 2870 (Continued)

1007205337

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 08/07/1998
Facility name: CON ED - V 2870
Classification: Not a generator, verified

Date form received by agency: 08/06/1998
Facility name: CON ED - V 2870
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP000929570
Country: USA
Mailing Name: CONSOLIDATED EDISON CO
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYG0125001
Manifest Status: Completed copy
Trans1 State ID: 80416AB
Trans2 State ID: Not reported
Generator Ship Date: 970331
Trans1 Recv Date: 970331
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970331
Part A Recv Date: 970411
Part B Recv Date: 970411
Generator EPA ID: NYP000929570
Trans1 EPA ID: NYD006982359

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 2870 (Continued)

1007205337

Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 01274
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97

Document ID: NYB7124247
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: PC4339NY
Trans2 State ID: Not reported
Generator Ship Date: 960920
Trans1 Recv Date: 960920
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960920
Part A Recv Date: 961003
Part B Recv Date: 961016
Generator EPA ID: NYP000929570
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDF ID: NYD049178296
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00120
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00320
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00800
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 2870 (Continued)

1007205337

Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00800
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 96

**AI169
SE
1/8-1/4
0.170 mi.
900 ft.**

**NELCO SEWING MACHINE SALES
164 WEST 25TH ST
NEW YORK, NY 10001**

**AST U003385594
HIST AST N/A**

Site 1 of 7 in cluster AI

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-148857
Program Type: PBS
UTM X: 584990.65619000001
UTM Y: 4510936.7187099997
Expiration Date: 2007/06/05

**Actual:
33 ft.**

Affiliation Records:
Site Id: 4460
Affiliation Type: Owner
Company Name: NELCO SEWING MACHINE SALES COR
Contact Type: Not reported
Contact Name: Not reported
Address1: 164 WEST 25TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 924-7604
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4460
Affiliation Type: On-Site Operator
Company Name: NELCO SEWING MACHINE SALES
Contact Type: Not reported
Contact Name: FRANCISCO BRATHWAITE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NELCO SEWING MACHINE SALES (Continued)

U003385594

Country Code: 001
Phone: (212) 924-7604
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4460
Affiliation Type: Mail Contact
Company Name: NELCO SEWING MACHINE SALES COR
Contact Type: Not reported
Contact Name: HARRY ROTHBAUM
Address1: 164 WEST 25TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 924-7604
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4460
Affiliation Type: Emergency Contact
Company Name: NELCO SEWING MACHINE SALES COR
Contact Type: Not reported
Contact Name: FRANCISCO BRATHWAITE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 771-6286
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NELCO SEWING MACHINE SALES (Continued)

U003385594

Tank Number: 100
Tank Id: 8087
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-148857
SWIS Code: 6201
Operator: LEV SHERMAN
Facility Phone: (212) 924-7604
Facility Addr2: 164 WEST 25TH ST
Facility Type: OTHER
Emergency: LEV SHERMAN
Emergency Tel: (718) 468-5547
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NELCO SEWING MACHINE SALES COR
Owner Address: 164 WEST 25TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 924-7604
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: BARBARA JOLSON
Mailing Name: NELCO SEWING MACHINE SALES COR
Mailing Address: 164 WEST 25TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 924-7604
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/23/1997
Expiration: 06/05/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

NELCO SEWING MACHINE SALES (Continued)

U003385594

Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 100
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: Not reported
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

AF170
ENE
1/8-1/4
0.171 mi.
902 ft.

YUNG BROTHERS REAL ESTATE CO INC
206 WEST 29TH STREET
NEW YORK, NY 10001
Site 6 of 6 in cluster AF

AST A100177744
N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-146846
 Program Type: PBS
 UTM X: 585031.54200000002
 UTM Y: 4511266.36063999996
 Expiration Date: 2011/06/07

Actual:
33 ft.

Affiliation Records:
 Site Id: 4283
 Affiliation Type: On-Site Operator
 Company Name: YUNG BROTHERS REAL ESTATE CO INC
 Contact Type: Not reported
 Contact Name: MR. SUNNY C. YUNG
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YUNG BROTHERS REAL ESTATE CO INC (Continued)

A100177744

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 244-2704
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4283
Affiliation Type: Mail Contact
Company Name: YUNG BROTHERS REAL ESTATE CO INC
Contact Type: Not reported
Contact Name: MR. SUNNY C. YUNG
Address1: 838 SIXTH AVENUE
Address2: Not reported
City: NEW YORK,
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 679-3778
Phone Ext: Not reported
Email: EB1838@YAHOO.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/4/2006

Site Id: 4283
Affiliation Type: Emergency Contact
Company Name: YUNG BROTHERS REAL ESTATE CO INC
Contact Type: Not reported
Contact Name: SUNNY OR ROSANNA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 679-3778
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4283
Affiliation Type: Owner
Company Name: YUNG BROTHERS REAL ESTATE CO INC
Contact Type: V. PRESIDENT
Contact Name: SUUNY C. YUNG
Address1: 838 SIXTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

YUNG BROTHERS REAL ESTATE CO INC (Continued)

A100177744

Country Code: 001
Phone: (212) 679-3778
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/4/2006

Equipment Records:

J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
G99 - Tank Secondary Containment - Other
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 28295
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AG171
South
1/8-1/4
0.172 mi.
907 ft.

JSB REALTY CO
208 WEST 23RD ST
NEW YORK, NY 10011
Site 3 of 5 in cluster AG

AST U003388455
HIST AST N/A

Relative:
Equal

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-276693
Program Type: PBS
UTM X: 584806.22971999994
UTM Y: 4510856.3366400003
Expiration Date: 2012/07/10

Actual:
27 ft.

Affiliation Records:
Site Id: 11924

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JSB REALTY CO (Continued)

U003388455

Affiliation Type: On-Site Operator
Company Name: CARTERET APARTMENTS
Contact Type: Not reported
Contact Name: URBAN ASSOCIATES LLC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-7060
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/21/2006

Site Id: 11924
Affiliation Type: Emergency Contact
Company Name: JAKOBSON PROPERTIES LLC
Contact Type: Not reported
Contact Name: JAMES IACOBELLI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 929-7060
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/21/2006

Site Id: 11924
Affiliation Type: Mail Contact
Company Name: JAKOBSON PROPERTIES LLC
Contact Type: Not reported
Contact Name: JAMES IACOBELLI
Address1: 208 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 929-7060
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/21/2006

Site Id: 11924
Affiliation Type: Owner
Company Name: JAKOBSON PROPERTIES LLC
Contact Type: MANAGER

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JSB REALTY CO (Continued)

U003388455

Contact Name: JAMES IACOBELLI
Address1: 208 WEST 23RD ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 929-7060
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/21/2006

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
C01 - Pipe Location - Aboveground
E00 - Piping Secondary Containment - None
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
L00 - Piping Leak Detection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 14016
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/31/2005
Register: True
Modified By: NRLOMBAR
Last Modified: 2/21/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JSB REALTY CO (Continued)

U003388455

Tank Number: 002
Tank Id: 210105
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 11/1/2005
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 2/21/2006

HIST AST:

PBS Number: 2-276693
SWIS Code: 6201
Operator: JAMES IACOBELLI
Facility Phone: (212) 929-7060
Facility Addr2: 208 WEST 23RD ST
Facility Type: APARTMENT BUILDING
Emergency: ERROL RANMARINE
Emergency Tel: (212) 929-7060
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: JSB REALTY CO
Owner Address: 208 WEST 23RD ST
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 929-7060
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: JSB REALTY CO
Mailing Address: 208 WEST 23RD ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Telephone: (212) 929-7060
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/10/1997
Expiration: 07/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JSB REALTY CO (Continued)

U003388455

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AG172
South
1/8-1/4
0.172 mi.
907 ft.

CON EDISON - VAULT 6081
208 WEST 23 ST
NEW YORK, NY 10011
Site 4 of 5 in cluster AG

RCRA-NonGen 1010325651
NYP004130688

Relative:
Equal

RCRA-NonGen:
Date form received by agency: 02/23/2006
Facility name: CON EDISON - VAULT 6081
Facility address: 208 WEST 23 ST
NEW YORK, NY 10011
EPA ID: NYP004130688
Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: FRANKLIN MURRAY
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-2808
Contact email: MURRAYFR@CONED.COM
EPA Region: 02
Classification: Non-Generator

Actual:
27 ft.

Description: Handler: Non-Generators do not presently generate hazardous waste

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 6081 (Continued)

1010325651

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 11/10/2003
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 11/10/2003
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/22/2006
Facility name: CON EDISON - VAULT 6081
Classification: Not a generator, verified

Date form received by agency: 02/21/2006
Facility name: CON EDISON - VAULT 6081
Classification: Large Quantity Generator

Violation Status: No violations found

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AD173
South
1/8-1/4
0.172 mi.
911 ft.

CONSOLIDATED EDISON
V6081-208 W 23RD ST
NEW YORK, NY

Site 4 of 6 in cluster AD

MANIFEST **1009243566**
 N/A

Relative:
Equal

NY MANIFEST:
 EPA ID: NYP004130688
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Actual:
27 ft.

Document ID: NYE1590777
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 04/19/2005
 Trans1 Recv Date: 04/19/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/19/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004130688
 Trans1 EPA ID: 46299JM
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 04455
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: NYE1590777
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 04/19/2005
 Trans1 Recv Date: 04/19/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/19/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004130688
 Trans1 EPA ID: 46299JM
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243566

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 04455
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005

AD174
South
1/8-1/4
0.172 mi.
911 ft.

CONSLIDATED EDISON
V6081-F/O 208 W 23RD ST
NEW YORK, NY
Site 5 of 6 in cluster AD

MANIFEST 1009243421
N/A

Relative:
Equal

NY MANIFEST:
EPA ID: NYP004128815
Country: USA
Mailing Name: CONSLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PL RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
27 ft.

Document ID: NYE0465957
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 02/14/2005
Trans1 Recv Date: 02/14/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/14/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004128815
Trans1 EPA ID: 46109JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00900
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported

Document ID: NYE0465957
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSLIDATED EDISON (Continued)

1009243421

Generator Ship Date: 02/14/2005
Trans1 Recv Date: 02/14/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/14/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004128815
Trans1 EPA ID: 46109JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00900
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005

AD175
South
1/8-1/4
0.172 mi.
911 ft.

CONSOLIDATED EDISON
208 14 W 23RD ST V6081
NEW YORK, NY 10005

MANIFEST 1009243571
N/A

Site 6 of 6 in cluster AD

Relative:
Equal

NY MANIFEST:
EPA ID: NYP004130753
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
27 ft.

Document ID: NYE0633078
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/26/2005
Trans1 Recv Date: 04/26/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/26/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 46109JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 00223
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243571

Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported

Document ID: NYE0633096
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/28/2005
Trans1 Recv Date: 04/28/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 46109JM
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00491
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: Not reported

Document ID: NYE0591255
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/28/2005
Trans1 Recv Date: 04/28/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/29/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 96590JE
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00080
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: Not reported

Document ID: NYE0591642
Manifest Status: Not reported
Trans1 State ID: NYD006982359

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243571

Trans2 State ID: Not reported
Generator Ship Date: 04/20/2005
Trans1 Recv Date: 04/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/21/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 69526JR
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 02000
Units: K - Kilograms (2.2 pounds)
Number of Containers: 007
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: Not reported

Document ID: NYE0591642
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/20/2005
Trans1 Recv Date: 04/20/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/21/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 69526JR
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 02000
Units: K - Kilograms (2.2 pounds)
Number of Containers: 007
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 2005

Document ID: NYE0591255
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/28/2005
Trans1 Recv Date: 04/28/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/29/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 96590JE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243571

Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00080
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 2005

Document ID: NYE0633078
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/26/2005
Trans1 Recv Date: 04/26/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/26/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 46109JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
Quantity: 00223
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 2005

Document ID: NYE0633096
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/28/2005
Trans1 Recv Date: 04/28/2005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/28/2005
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004130753
Trans1 EPA ID: 46109JM
Trans2 EPA ID: Not reported
TSDF ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00491
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243571

Year: 2005

AE176
WSW
1/8-1/4
0.174 mi.
921 ft.

ROYAL CHOICE FRENCH CLEANERS
320 W 23RD ST
NEW YORK, NY 10011
Site 8 of 10 in cluster AE

RCRA-NonGen 1004756634
FINDS NYD981083371
MANIFEST

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: ROYAL CHOICE FRENCH CLEANERS
Facility address: 320 W 23RD ST
NEW YORK, NY 10011
EPA ID: NYD981083371
Mailing address: W 23RD ST
NEW YORK, NY 10011
Contact: YOUNG DO CHOI
Contact address: W 23RD ST
NEW YORK, NY 10011
Contact country: US
Contact telephone: (212) 691-9310
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
21 ft.

Owner/Operator Summary:

Owner/operator name: YOUNG DO CHOI - ROYAL CHOICE FRENCH CLNR
Owner/operator address: 320 W 23RD ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 691-9310
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: YOUNG DO CHOI - ROYAL CHOICE FRENCH CLNR
Owner/operator address: 320 W 23RD ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 691-9310
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ROYAL CHOICE FRENCH CLEANERS
Classification: Not a generator, verified

Date form received by agency: 04/11/1996
Facility name: ROYAL CHOICE FRENCH CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001605362

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and its Headquarters. A future release of ICIS will replace the Permit

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NY MANIFEST:

EPA ID: NYD981083371
Country: USA
Mailing Name: LUIS PHILLIP CLEANERS
Mailing Contact: LUIS PHILLIP CLEANERS
Mailing Address: 320 WEST 23RD ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10011
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-691-9310

Document ID: NJA0245163
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 861202
Trans1 Recv Date: 861202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861202
Part A Recv Date: 861216
Part B Recv Date: 861212
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00360
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 86

Document ID: MNA5043081
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870210
Trans1 Recv Date: 870210
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870210
Part A Recv Date: 870317
Part B Recv Date: 870318
Generator EPA ID: NYD981083371

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00360
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: MNA5041821
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870330
Trans1 Recv Date: 870330
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870330
Part A Recv Date: 870408
Part B Recv Date: 870410
Generator EPA ID: NYD981083371
Trans1 EPA ID: NJD000768093
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00480
Units: P - Pounds
Number of Containers: 008
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA1434004
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920427
Trans1 Recv Date: 920427
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920427
Part A Recv Date: Not reported
Part B Recv Date: 920608
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Specific Gravity: 100
Year: 92

Document ID: NJA1439518
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920408
Trans1 Recv Date: 920408
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920408
Part A Recv Date: Not reported
Part B Recv Date: 920422
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1372496
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921201
Trans1 Recv Date: 921201
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921201
Part A Recv Date: 921215
Part B Recv Date: 921215
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA2682511
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970106

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Trans1 Recv Date: 970106
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970106
Part A Recv Date: Not reported
Part B Recv Date: 970124
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA2668489
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970331
Trans1 Recv Date: 970331
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970331
Part A Recv Date: Not reported
Part B Recv Date: 970418
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00180
Units: P - Pounds
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYA6870857
Manifest Status: Completed copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 871112
Trans1 Recv Date: 871112
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871112
Part A Recv Date: 871207
Part B Recv Date: 871124
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NJA0433724
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880413
Trans1 Recv Date: 880413
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880413
Part A Recv Date: 880418
Part B Recv Date: 880426
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NJA2685901
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970307
Trans1 Recv Date: 970307
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970307
Part A Recv Date: Not reported
Part B Recv Date: 970411
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Document ID: NJA0347668
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 870923
Trans1 Recv Date: 870923
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870923
Part A Recv Date: 871001
Part B Recv Date: 870930
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD000805911
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 87

Document ID: NYA8729313
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880325
Trans1 Recv Date: 880325
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880325
Part A Recv Date: 880411
Part B Recv Date: 880411
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NYA8634014
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880127
Trans1 Recv Date: 880127
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880127
Part A Recv Date: 880208

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Part B Recv Date: 880208
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NJA1624482
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930421
Trans1 Recv Date: 930421
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930421
Part A Recv Date: 930511
Part B Recv Date: 930503
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1419769
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920819
Trans1 Recv Date: 920819
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920819
Part A Recv Date: 920908
Part B Recv Date: 920901
Generator EPA ID: NYD981083371

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA0440075
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880617
Trans1 Recv Date: 880617
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880617
Part A Recv Date: 880623
Part B Recv Date: 880701
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00210
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NJA0435237
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880509
Trans1 Recv Date: 880509
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880509
Part A Recv Date: 880518
Part B Recv Date: 880526
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ROYAL CHOICE FRENCH CLEANERS (Continued)

1004756634

Specific Gravity: 100
Year: 88

Document ID: NJA0434266
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 880728
Trans1 Recv Date: 880728
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880728
Part A Recv Date: 880808
Part B Recv Date: 880809
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 88

Document ID: NJA1624098
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930305
Trans1 Recv Date: 930305
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930305
Part A Recv Date: 930317
Part B Recv Date: 930319
Generator EPA ID: NYD981083371
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00140
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

[Click this hyperlink](#) while viewing on your computer to access 64 additional NY_MANIFEST: record(s) in the EDR Site Report.

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AE177
WSW
1/8-1/4
0.174 mi.
921 ft.

ROYAL CHICE FRENCH/LUIS PHILLIP/CLNERS
320 WEST 23RD STREET
NEW YORK, NY 10011

DRYCLEANERS **S110247826**
N/A

Site 9 of 10 in cluster AE

Relative:
Lower

DRYCLEANERS:
Facility ID: 2-6205-00304
Owner: Not reported
Phone Number: Not reported
Region: 2
Registration Effective Date: N/A
Inspection Date: 03OCT22
Drop Shop: Y
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: DROP SHOP

Actual:
21 ft.

AE178
SW
1/8-1/4
0.177 mi.
935 ft.

EARTH CLEANER
250 8TH AVE
NEW YORK, NY 10011

RCRA-NonGen **1004762208**
FINDS **NYR000094615**
DRYCLEANERS

Site 10 of 10 in cluster AE

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: EARTH CLEANER
Facility address: 250 8TH AVE
NEW YORK, NY 10011
EPA ID: NYR000094615
Mailing address: 8TH AVE
NEW YORK, NY 10011
Contact: KWANG YOO
Contact address: 8TH AVE
NEW YORK, NY 10011
Contact country: US
Contact telephone: (212) 989-6060
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
22 ft.

Owner/Operator Summary:

Owner/operator name: KWANG T YOO
Owner/operator address: 250 8TH AVE
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 989-6060
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: KWANG T YOO
Owner/operator address: 250 8TH AVE
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 989-6060
Legal status: Private

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EARTH CLEANER (Continued)

1004762208

Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: EARTH CLEANER
Classification: Not a generator, verified

Date form received by agency: 02/27/2001
Facility name: EARTH CLEANER
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110004567415

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

EARTH CLEANER (Continued)

1004762208

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

DRYCLEANERS:

Facility ID: 2-6205-01615
 Owner: Not reported
 Phone Number: Not reported
 Region: 2
 Registration Effective Date: 10/16/2001 11:25:41:08
 Inspection Date: 07MAY21
 Drop Shop: Not reported
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: PERC DRY CLEANER

**AI179
 SE
 1/8-1/4
 0.180 mi.
 949 ft.**

**159 WEST 25TH STREET LLC
 159 WEST 25TH STREET
 NEW YORK, NY 10001
 Site 2 of 7 in cluster AI**

**UST U004078582
 N/A**

**Relative:
 Higher**

UST:

Facility Id: 2-401919
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2013/12/12
 UTM X: 585009.18859000003
 UTM Y: 4510940.5949799996

**Actual:
 33 ft.**

Affiliation Records:

Site Id: 19231
 Affiliation Type: Emergency Contact
 Company Name: 159 WEST 25TH STREET LLC % THOMAS CAMPENNI
 Contact Type: Not reported
 Contact Name: THOMAS F. CAMPENNI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (203) 637-5621
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 19231
 Affiliation Type: Mail Contact
 Company Name: 159 WEST 25TH ST, LLC.
 Contact Type: Not reported
 Contact Name: THOMAS CAMPERNI
 Address1: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

159 WEST 25TH STREET LLC (Continued)

U004078582

Address2: 700 SW ST LUCIE CRESCENT
City: STUART
State: FL
Zip Code: 34994
Country Code: 001
Phone: (772) 287-5781
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 7/10/2007

Site Id: 19231
Affiliation Type: Owner
Company Name: 159 WEST 25TH STREET LLC % THOMAS CAMPENNI
Contact Type: MGR
Contact Name: THOMAS CAMPERNI
Address1: 70 SW ST. LUCIA CRESCENT
Address2: Not reported
City: STUART
State: FL
Zip Code: 34994
Country Code: 001
Phone: (772) 287-5781
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/8/2008

Site Id: 19231
Affiliation Type: On-Site Operator
Company Name: 159 WEST 25TH STREET LLC
Contact Type: Not reported
Contact Name: BOGDAN KAIL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 478-8918
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/8/2008

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

159 WEST 25TH STREET LLC (Continued)

U004078582

H04 - Tank Leak Detection - Groundwater Well
C00 - Pipe Location - No Piping
A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None

Tank Info:

Site ID: 19231

Tank Number: 001
Tank ID: 21869
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/2/1980
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 10/8/2008

AI180
SE
1/8-1/4
0.180 mi.
949 ft.

AMBIENT LABS
159 W 25TH ST
NEW YORK, NY 10001

RCRA-NonGen 1001961682
FINDS NYR000084988
MANIFEST

Site 3 of 7 in cluster AI

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: AMBIENT LABS
Facility address: 159 W 25TH ST
NEW YORK, NY 10001
EPA ID: NYR000084988
Mailing address: W 25TH ST
NEW YORK, NY 10001
Contact: MICHAEL BORELLO
Contact address: W 25TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (516) 609-0009
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
33 ft.

Owner/Operator Summary:

Owner/operator name: THOMAS F LAMPENNI
Owner/operator address: PO BOX 724
OLD GREENWICH, NJ 06870
Owner/operator country: US
Owner/operator telephone: (203) 637-5621
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBIENT LABS (Continued)

1001961682

Owner/Op end date: Not reported

Owner/operator name: THOMAS F LAMPENNI
Owner/operator address: PO BOX 724
OLD GREENWICH, NJ 06870

Owner/operator country: US
Owner/operator telephone: (203) 637-5621
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: AMBIENT LABS
Classification: Not a generator, verified

Date form received by agency: 02/25/2000
Facility name: AMBIENT LABS
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004561527

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBIENT LABS (Continued)

1001961682

EPA ID: NYR000084988
Country: USA
Mailing Name: AMBIENT LABS
Mailing Contact: LOURDES QUILES
Mailing Address: 159 W 25TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-463-7812

Document ID: NYG2261025
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 02/28/2000
Trans1 Recv Date: 02/28/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/29/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000084988
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: PD1011NY
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: U227 - 1,1,2-TRICHLOROETHANE
Quantity: 00018
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00

Document ID: NYG2261034
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 02/28/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBIENT LABS (Continued)

1001961682

Trans1 Recv Date: 02/28/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/29/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000084988
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: PD1011NY
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00002
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00035
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00001
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00

Document ID: NYG2261151
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 02/28/2000
Trans1 Recv Date: 02/28/2000
Trans2 Recv Date: Not reported
TSD Site Recv Date: 02/29/2000
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000084988
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: PD1011
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00003
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBIENT LABS (Continued)

1001961682

Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: U122 - FORMALDEHYDE
Quantity: 00010
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 00

AG181
South
1/8-1/4
0.181 mi.
954 ft.

CONSOLIDATED EDISON
23RD ST & 7TH AVE
NEW YORK, NY 10027
Site 5 of 5 in cluster AG

MANIFEST 1009237495
N/A

Relative:
Equal

NY MANIFEST:
EPA ID: NYP004027686
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
27 ft.

Document ID: NYE0151424
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 11/18/1998
Trans1 Recv Date: 11/18/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/30/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004027686
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: 43056AN
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00137
Units: K - Kilograms (2.2 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 98

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

CONSOLIDATED EDISON (Continued)

1009237495

Document ID: NYE0151446
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 11/19/1998
 Trans1 Recv Date: 11/19/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/19/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004027686
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 63020AK
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00361
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 98

AJ182
ESE
1/8-1/4
0.183 mi.
968 ft.

158 WEST 27TH ST
158 WEST 27TH ST
NEW YORK, NY 10001
Site 1 of 9 in cluster AJ

AST U003388580
HIST AST N/A

Relative:
Higher

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-253901
 Program Type: PBS
 UTM X: 585080.75147000002
 UTM Y: 4511069.3109200001
 Expiration Date: 2012/07/14

Actual:
36 ft.

Affiliation Records:
 Site Id: 10301
 Affiliation Type: Emergency Contact
 Company Name: COLUMBIA EQUITIES LLC
 Contact Type: Not reported
 Contact Name: KENNETH SCHACK
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-9090
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

158 WEST 27TH ST (Continued)

U003388580

Site Id: 10301
Affiliation Type: On-Site Operator
Company Name: 158 WEST 27TH ST
Contact Type: Not reported
Contact Name: MAREK ABRAMOWICZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 691-5641
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10301
Affiliation Type: Mail Contact
Company Name: COLUMBIA EQUITIES LLC
Contact Type: MANAGING AGENT
Contact Name: KENNETH SCHACK
Address1: 530 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 966-9090
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/11/2007

Site Id: 10301
Affiliation Type: Owner
Company Name: COLUMBIA EQUITIES LLC
Contact Type: MANAGING AGENT
Contact Name: KENNETH SCHACK
Address1: 530 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 966-9090
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/11/2007

Equipment Records:

I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

158 WEST 27TH ST (Continued)

U003388580

J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 14269
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/1/1961
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 6/11/2007

HIST AST:

PBS Number: 2-253901
SWIS Code: 6201
Operator: MAREK ABRAMOWICZ
Facility Phone: (212) 691-5641
Facility Addr2: 158 WEST 27TH ST
Facility Type: OTHER
Emergency: KENNETH SCHACK
Emergency Tel: (212) 966-9090
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: COLUMBIA EQUITIES
Owner Address: 530 BROADWAY
Owner City,St,Zip: NEW YORK, NY 10012
Federal ID: Not reported
Owner Tel: (212) 966-9090
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: KENNETH SCHACK
Mailing Name: COLUMBIA EQUITIES
Mailing Address: 530 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10012
Mailing Telephone: (212) 966-9090
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

158 WEST 27TH ST (Continued)

U003388580

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/03/1997
Expiration: 07/14/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AK183
North
1/8-1/4
0.185 mi.
979 ft.

CON EDISON - VAULT 8453
325 W 29 ST
NEW YORK, NY 10001
Site 1 of 2 in cluster AK

RCRA-NonGen 1010325827
NYP004133757

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 02/23/2006
Facility name: CON EDISON - VAULT 8453
Facility address: 325 W 29 ST
NEW YORK, NY 10001
EPA ID: NYP004133757

Actual:
29 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 8453 (Continued)

1010325827

Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: FRANKLIN MURRAY
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-2808
Contact email: MURRAYFR@CONED.COM
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 07/20/2005
Owner/Op end date: Not reported

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 07/20/2005
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/22/2006
Facility name: CON EDISON - VAULT 8453
Classification: Not a generator, verified

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VAULT 8453 (Continued)

1010325827

Date form received by agency: 02/21/2006
Facility name: CON EDISON - VAULT 8453
Classification: Large Quantity Generator

Violation Status: No violations found

**AJ184
ESE
1/8-1/4
0.187 mi.
985 ft.**

**WEST END ESTATES LLC
154 WEST 27TH STREET
NEW YORK, NY 10001

Site 2 of 9 in cluster AJ**

**AST A100178284
N/A**

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606061
Program Type: PBS
UTM X: 585053.56580999994
UTM Y: 4511051.9277400002
Expiration Date: 2011/06/25

**Actual:
36 ft.**

Affiliation Records:
Site Id: 27926
Affiliation Type: On-Site Operator
Company Name: WEST END ESTATES LLC
Contact Type: Not reported
Contact Name: ISAAC SCHWARTZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 972-9188
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27926
Affiliation Type: Owner
Company Name: WEST END ESTATES LLC
Contact Type: AGENT
Contact Name: ISAAC SCHWARTZ
Address1: P.O. BOX 190772
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 972-9188
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/6/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST END ESTATES LLC (Continued)

A100178284

Site Id: 27926
Affiliation Type: Mail Contact
Company Name: WEST END ESTATES LLC
Contact Type: AGENT
Contact Name: ISAAC SCHWARTZ
Address1: P.O. BOX 190772
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11219
Country Code: 001
Phone: (718) 972-9188
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/6/2006

Site Id: 27926
Affiliation Type: Emergency Contact
Company Name: WEST END ESTATES LLC
Contact Type: Not reported
Contact Name: ISAAC SCHWARTZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 972-9188
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D10 - Pipe Type - Copper
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
J00 - Dispenser - None
G00 - Tank Secondary Containment - None
I00 - Overfill - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 60902
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST END ESTATES LLC (Continued)

A100178284

Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AH185
ESE
1/8-1/4
0.187 mi.
987 ft.

151 WEST 26TH ST.
151 WEST 26TH STREET
NEW YORK CITY, NY 10001
Site 2 of 3 in cluster AH

AST U003385617
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-149284
Program Type: PBS
UTM X: 585065.34802999999
UTM Y: 4510998.8586999997
Expiration Date: 2012/10/15

Actual:
35 ft.

Affiliation Records:

Site Id: 4496
Affiliation Type: Mail Contact
Company Name: ABNER PROPERTIES COMPANY C/O GVA WILLIAMS REAL EST
Contact Type: Not reported
Contact Name: CHARLES BYRNE
Address1: 380 MADISON AVENUE - 3RD FLOOR
Address2: Not reported
City: NEW YORK CITY
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 11/14/2007

Site Id: 4496
Affiliation Type: Owner
Company Name: ABNER PROPERTIES COMPANY C/O WILLIAMS R.E
Contact Type: AGENT
Contact Name: CHARLES BYRNE
Address1: 380 MADISON AVE - 3RD FL
Address2: Not reported
City: NEW YORK CITY
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 26TH ST. (Continued)

U003385617

Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 11/14/2007

Site Id: 4496
Affiliation Type: Emergency Contact
Company Name: ABNER PROPERTIES COMPANY C/O WILLIAMS R.E
Contact Type: Not reported
Contact Name: VALON SEMSUI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-7020
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4496
Affiliation Type: On-Site Operator
Company Name: 151 WEST 26TH ST.
Contact Type: Not reported
Contact Name: VALON SEMSUI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-7020
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 8125
Tank Location: 1

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 26TH ST. (Continued)

U003385617

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/1/1912
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 11/14/2007

HIST AST:

PBS Number: 2-149284
SWIS Code: 6201
Operator: MANSFIELD ALEXANDER
Facility Phone: (212) 243-7020
Facility Addr2: 151 WEST 26TH STREET
Facility Type: Not reported
Emergency: MANSFIELD ALEXANDER
Emergency Tel: (212) 243-7020
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ABNER PROPERTIES COMPANY
Owner Address: 530-5 AVE %WILLIAMS REAL ESTAT
Owner City,St,Zip: NEW YORK CITY, NY 10011
Federal ID: Not reported
Owner Tel: (212) 704-3721
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: FRAN GOLDIN
Mailing Name: ABNER PROPERTIES COMPANY
Mailing Address: 530-5 AVE %WILLIAMS REAL ESTAT
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK CITY, NY 10011
Mailing Telephone: (212) 704-3721
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/21/1998
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 26TH ST. (Continued)

U003385617

County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AH186
ESE
1/8-1/4
0.187 mi.
988 ft.

150 WEST 26 STREET
150 WEST 26TH STREET
NEW YORK, NY 10011

Site 3 of 3 in cluster AH

AST A100182907
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-080667
Program Type: PBS
UTM X: 585060.74873999995
UTM Y: 4510987.5929199997
Expiration Date: 2012/09/03

Actual:
35 ft.

Affiliation Records:
Site Id: 1634
Affiliation Type: On-Site Operator
Company Name: 150 WEST 26 STREET
Contact Type: Not reported
Contact Name: ELVIN MALAVE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 WEST 26 STREET (Continued)

A100182907

Country Code: 001
Phone: (212) 929-1915
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1634
Affiliation Type: Emergency Contact
Company Name: 150 WEST 26TH STREET C/O MIDBORO MGMT
Contact Type: Not reported
Contact Name: ELVIN MALAVE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-1915
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1634
Affiliation Type: Owner
Company Name: 150 WEST 26TH STREET C/O MIDBORO MGMT
Contact Type: ACCOUNT EXECUTIVE
Contact Name: MICHAEL J. WOLFE
Address1: 148 WEST 37TH ST 8TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (212) 877-8500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/1/2007

Site Id: 1634
Affiliation Type: Mail Contact
Company Name: MIDBORO MANAGEMENT INC
Contact Type: Not reported
Contact Name: MICHAEL J WOLFE
Address1: 148 WEST 37TH STREET
Address2: 8TH FL
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (212) 877-8500
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 WEST 26 STREET (Continued)

A100182907

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
I05 - Overfill - Vent Whistle

Tank Info:

Tank Number: 001
Tank Id: 2692
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/5/1992
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 8/1/2007

AI187
SE
1/8-1/4
0.190 mi.
1001 ft.

CON ED - V 6409
152 W 25 ST
NEW YORK, NY 10001

Site 4 of 7 in cluster AI

RCRA-NonGen 1007206684
MANIFEST NYP004014296

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 02/28/1998
Facility name: CON ED - V 6409
Facility address: 152 W 25 ST
NEW YORK, NY 100010000
EPA ID: NYP004014296
Mailing address: CONSOLIDATED EDISON INC
4 IRVING PL RM 300
NEW YORK, NY 100030000
Contact: ANTHONY DRUMMINGS
Contact address: CONSOLIDATED EDISON INC
NEW YORK, NY 100030000
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 6409 (Continued)

1007206684

Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown
User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/27/1998
Facility name: CON ED - V 6409
Classification: Not a generator, verified

Date form received by agency: 02/26/1998
Facility name: CON ED - V 6409
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004014296
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0096748
Manifest Status: Completed copy
Trans1 State ID: 80416AB
Trans2 State ID: Not reported
Generator Ship Date: 971113
Trans1 Recv Date: 971113
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971113
Part A Recv Date: 971128

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON ED - V 6409 (Continued)

1007206684

Part B Recv Date: 971202
Generator EPA ID: NYP004014296
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 04981
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97

Document ID: NYE0096737
Manifest Status: Completed copy
Trans1 State ID: 80416AB
Trans2 State ID: Not reported
Generator Ship Date: 971113
Trans1 Recv Date: 971113
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971114
Part A Recv Date: Not reported
Part B Recv Date: 971202
Generator EPA ID: NYP004014296
Trans1 EPA ID: NYD006982359
Trans2 EPA ID: Not reported
TSD ID: NYD980593636
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00791
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 97

AI188 **152 WEST 25TH STREET**
SE **152 WEST 25TH STREET**
1/8-1/4 **BROOKLYN, NY 10001**
0.190 mi.
1001 ft. **Site 5 of 7 in cluster AI**

UST **U000407253**
HIST UST **N/A**

Relative:
Higher

UST:
Facility Id: 2-289256
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2007/12/14
UTM X: 585018.43903000001
UTM Y: 4510921.8278200002

Actual:
34 ft.

Affiliation Records:
Site Id: 13018
Affiliation Type: Emergency Contact
Company Name: 152-25 INC C/O WILLIAMS REAL ESTATE CO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 25TH STREET (Continued)

U000407253

Contact Type:	Not reported
Contact Name:	NORMAN GABB
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 243-7607
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	13018
Affiliation Type:	Owner
Company Name:	152-25 INC C/O WILLIAMS REAL ESTATE CO
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	380 MADISON AVENUE
Address2:	Not reported
City:	NYC
State:	NY
Zip Code:	10017
Country Code:	001
Phone:	(212) 716-3721
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	13018
Affiliation Type:	Mail Contact
Company Name:	152-25 INC C/O WILLIAMS REAL ESTATE
Contact Type:	Not reported
Contact Name:	WALTER THOMASSEN
Address1:	380 MADISON AVENUE
Address2:	Not reported
City:	NYC
State:	NY
Zip Code:	10017
Country Code:	001
Phone:	(212) 716-3721
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	13018
Affiliation Type:	On-Site Operator
Company Name:	152 WEST 25TH STREET
Contact Type:	Not reported
Contact Name:	NORMAN GABB
Address1:	Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 25TH STREET (Continued)

U000407253

Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-7607
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping

Tank Info:

Site ID: 13018

Tank Number: 001
Tank ID: 26044
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-289256
SPDES Number: Not reported
Emergency Contact: NORMAN GABB
Emergency Telephone: (212) 243-7607
Operator: NORMAN GABB
Operator Telephone: (212) 243-7607
Owner Name: 152-25 INC C/O W REAL EST
Owner Address: 530-5 AVENUE
Owner City,St,Zip: NYC, NY 10000
Owner Telephone: (212) 704-3721
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 25TH STREET (Continued)

U000407253

Mailing Name: 152-25 INC C/O W REAL EST
Mailing Address: 530-5 AVENUE
Mailing Address 2: Not reported
Mailing City, St, Zip: NYC, NY 10000
Mailing Contact: FRAN GOLDIN
Mailing Telephone: (212) 704-3721
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 152 WEST 25TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 05/21/1998
Expiration Date: 12/14/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 3000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

152 WEST 25TH STREET (Continued)

U000407253

Deleted: False
Updated: False
Lat/long: Not reported

AL189
ENE
1/8-1/4
0.190 mi.
1003 ft.

SUPREME LEATHER & SUEDE
345 7TH AVE
NEW YORK, NY 10001
Site 1 of 6 in cluster AL

RCRA-NonGen **1000556423**
FINDS **NYD986989853**
MANIFEST

Relative:
Higher

RCRA-NonGen:

Actual:
34 ft.

Date form received by agency: 01/01/2007
Facility name: SUPREME LEATHER & SUEDE CLEANING
Facility address: 345 7TH AVE
NEW YORK, NY 10001
EPA ID: NYD986989853
Mailing address: 7TH AVE
NEW YORK, NY 10001
Contact: Not reported
Contact address: 7TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TONY RUGGIERO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: TONY RUGGIERO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME LEATHER & SUEDE (Continued)

1000556423

On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SUPREME LEATHER & SUEDE CLEANING
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: SUPREME LEATHER & SUEDE CLEANING
Classification: Not a generator, verified

Date form received by agency: 01/16/1992
Facility name: SUPREME LEATHER & SUEDE CLEANING
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004484497

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986989853
Country: USA
Mailing Name: SUPREME LEATHER & SUEDE CLEANERS
Mailing Contact: TONI RUGGIERO
Mailing Address: 345 7TH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-564-2885

Document ID: NJA1621399
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME LEATHER & SUEDE (Continued)

1000556423

Trans2 State ID: Not reported
Generator Ship Date: 930322
Trans1 Recv Date: 930322
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930322
Part A Recv Date: 930330
Part B Recv Date: 930401
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1545736
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930429
Trans1 Recv Date: 930429
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930429
Part A Recv Date: 930507
Part B Recv Date: 930513
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1651061
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930126
Trans1 Recv Date: 930126
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930126
Part A Recv Date: Not reported
Part B Recv Date: 930210
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD051060408

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME LEATHER & SUEDE (Continued)

1000556423

Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1543535
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930622
Trans1 Recv Date: 930622
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930622
Part A Recv Date: 930630
Part B Recv Date: 930702
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1630465
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930521
Trans1 Recv Date: 930521
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930521
Part A Recv Date: 930528
Part B Recv Date: 930618
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME LEATHER & SUEDE (Continued)

1000556423

Year: 93

Document ID: NJA1749337
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930820
Trans1 Recv Date: 930820
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930820
Part A Recv Date: 930927
Part B Recv Date: 931104
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1612091
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930715
Trans1 Recv Date: 930715
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930715
Part A Recv Date: 930722
Part B Recv Date: 930726
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00390
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1731692
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930920
Trans1 Recv Date: 930920

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SUPREME LEATHER & SUEDE (Continued)

1000556423

Trans2 Recv Date: Not reported
TSD Site Recv Date: 930920
Part A Recv Date: 931029
Part B Recv Date: 931005
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00380
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1814314
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 931221
Trans1 Recv Date: 931221
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931221
Part A Recv Date: 931229
Part B Recv Date: 940111
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1832766
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: 51736
Trans2 State ID: Not reported
Generator Ship Date: 931124
Trans1 Recv Date: 931124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931124
Part A Recv Date: 931207
Part B Recv Date: 931221
Generator EPA ID: NYD986989853
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

SUPREME LEATHER & SUEDE (Continued)

1000556423

Quantity: 00390
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93

Document ID: NJA1348637
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921109
 Trans1 Recv Date: 921109
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921109
 Part A Recv Date: Not reported
 Part B Recv Date: 921127
 Generator EPA ID: NYD986989853
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00390
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

AL190 345 7TH AVE
ENE 345 7TH AVE
1/8-1/4 NEW YORK, NY 10001
0.190 mi.
1003 ft. Site 2 of 6 in cluster AL

AST U003385167
HIST AST N/A

Relative: AST:
Higher Region: STATE
 DEC Region: 2
Actual: Site Status: Active
34 ft. Facility Id: 2-097977
 Program Type: PBS
 UTM X: 585060.80767999997
 UTM Y: 4511284.0156699996
 Expiration Date: 2011/12/29

Affiliation Records:
 Site Id: 2828
 Affiliation Type: Mail Contact
 Company Name: 345 7TH AVENUE, LLC
 Contact Type: Not reported
 Contact Name: C. CASALE
 Address1: 855 AVE OF THE AMERICAS
 Address2: Not reported
 City: NEW YORK
 State: NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

345 7TH AVE (Continued)

U003385167

Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/9/2007

Site Id: 2828
Affiliation Type: Owner
Company Name: 345 7TH AVENUE, LLC
Contact Type: MANAGING AGENT
Contact Name: CARMINE CASALE
Address1: 855 AVE OF AMERICAS
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/9/2007

Site Id: 2828
Affiliation Type: On-Site Operator
Company Name: 345 7TH AVE
Contact Type: Not reported
Contact Name: SIDNEY J BERNSTEIN INC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2828
Affiliation Type: Emergency Contact
Company Name: CLEMONS MANDG CO INC
Contact Type: Not reported
Contact Name: GEORGE TAVERNITE SUPER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-2653

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

345 7TH AVE (Continued)

U003385167

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 5164
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1997
Capacity Gallons: 8000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-097977
SWIS Code: 6201
Operator: SIDNEY J BERNSTEIN INC
Facility Phone: (212) 594-1414
Facility Addr2: 345 7TH AVE
Facility Type: OTHER
Emergency: VINCENT GATT-SUPERINTENDANT
Emergency Tel: (212) 594-2653
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: CLEMONS MANDG CO INC
Owner Address: 855 AVE OF THE AMERICAS
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 594-1414
Owner Type: Corporate/Commercial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

345 7TH AVE (Continued)

U003385167

Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: CLEMONS MANDG CO INC
Mailing Address: 855 AVE OF THE AMERICAS
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 594-1414
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/25/1998
Expiration: 05/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 8000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19970801
Capacity (Gal): 8000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 46
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AJ191 **153 WEST 27TH STREET**
ESE **153 WEST 27TH STREET**
1/8-1/4 **NEW YORK, NY 10001**
0.190 mi.
1005 ft. **Site 3 of 9 in cluster AJ**

UST **U004078479**
N/A

Relative:
Higher

UST:
Facility Id: 2-602939
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/02/26
UTM X: 585099.28604000004
UTM Y: 4511072.9654099997

Actual:
36 ft.

Affiliation Records:
Site Id: 24894
Affiliation Type: On-Site Operator
Company Name: 153 WEST 27TH STREET
Contact Type: Not reported
Contact Name: ROBERT CHARUAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-0247
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24894
Affiliation Type: Mail Contact
Company Name: JUSTIN PROPERTY LTD.
Contact Type: Not reported
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY,
Address2: 3RD FLOOR
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24894
Affiliation Type: Owner
Company Name: JUSTIN PROPERTY LTD.
Contact Type: BLDG MGR
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY, 3RD FLOOR
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

153 WEST 27TH STREET (Continued)

U004078479

City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/7/2006

Site Id: 24894
Affiliation Type: Emergency Contact
Company Name: JUSTIN PROPERTY LTD.
Contact Type: Not reported
Contact Name: KEVIN BRADY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-1097
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None

Tank Info:

Site ID: 24894
Tank Number: 001
Tank ID: 52155
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1912
Capacity Gallons: 5000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

153 WEST 27TH STREET (Continued)

U004078479

Register: True
 Modified By: msbaptis
 Last Modified: 12/7/2006

AJ192
ESE
1/8-1/4
0.190 mi.
1005 ft.

153 WEST 27TH STREET
153 WEST 27TH STREET
NEW YORK, NY 10001
Site 4 of 9 in cluster AJ

HIST UST **U003178547**
N/A

Relative:
Higher

HIST UST:

Actual:
36 ft.

PBS Number: 2-602939
 SPDES Number: Not reported
 Emergency Contact: KEVIN BRADY
 Emergency Telephone: (212) 727-1097
 Operator: ROBERT CHARUAN
 Operator Telephone: (212) 255-0247
 Owner Name: JUSTIN PROPERTY LTD.
 Owner Address: 1235 BROADWAY, 3RD FLOOR
 Owner City,St,Zip: NEW YORK, NY 10001
 Owner Telephone: (212) 684-7573
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: JUSTIN PROPERTY LTD.
 Mailing Address: 1235 BROADWAY, 3RD FLOOR
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: KEVIN BRADY
 Mailing Telephone: (212) 684-7573
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: Not reported
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/28/1997
 Expiration Date: 02/26/2002
 Renew Flag: False
 Renewal Date: 20011030
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

153 WEST 27TH STREET (Continued)

U003178547

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

**AJ193
ESE
1/8-1/4
0.191 mi.
1007 ft.**

**COMMERCIAL BUILDING
153 WEST 27TH STREET
MANHATTAN, NY**

**LTANKS S106385619
N/A**

Site 5 of 9 in cluster AJ

**Relative:
Higher**

LTANKS:

**Actual:
36 ft.**

Site ID: 281105
Spill No: 0313783
Spill Date: 3/17/2004
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/2/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: CESAWYER
Referred To: Not reported
Reported to Dept: 3/17/2004
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/17/2004
Spill Record Last Update: 4/9/2004
Spiller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BUILDING (Continued)

S106385619

Spiller Company: UNKNOWN AT THIS TIME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 001
Spiller Contact: JUSTIN MANAGMENT
Spiller Phone: (212) 684-7573
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 228246
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 4/02/04 - Sawyer - Talked to Jim Carey and he said the driver overfilled the tank and the alarm went off. The driver stopped pumping 8-12 gallons came ou tof the vent pipe. Sidewalk cleanup with Castle's own cleanup crew. Jim sent the Department the manifest. Closed. 04/07/04 - Tibbe - Sawyer was informed by Envirotrac that some of the product entered a NYCT manhole. NYCT Pashko Camaj was ionformed of the situation. Envirotrac was to pump out manhole on 04/07/04. Sawyer to observe.
Remarks: STORAGE TANK OVERFILL IT WAS A 5000 GALLON TANK: SPILL CREW ENROUTE:

Material:
Site ID: 281105
Operable Unit ID: 880862
Operable Unit: 01
Material ID: 495373
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AJ194
ESE
1/8-1/4
0.191 mi.
1007 ft.

JUSTIN PROPERTIES
153 W 27TH ST
MANHATTAN, NY
Site 6 of 9 in cluster AJ

LTANKS S104782296
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
36 ft.

Site ID: 260260
Spill No: 0007013
Spill Date: 9/14/2000
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/4/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 9/14/2000
CID: 390
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/14/2000
Spill Record Last Update: 3/4/2003
Spiller Name: JIM CAREY
Spiller Company: CASTLE OIL CORPORATION
Spiller Address: 290 LOCUST AVENUE
Spiller City,St,Zip: BRONX, NY 10454-001
Spiller County: 001
Spiller Contact: LLOYD
Spiller Phone: (212) 255-0247
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 212718
DEC Memo: Not reported
Remarks: DURING DELIVERY - DRIVER OVERFILLED 5,000 GAL TANK - SPILLING PRODUCT TO SIDEWALK - ALL PRODUCT CLEANED UP

Material:

Site ID: 260260
Operable Unit ID: 829841
Operable Unit: 01
Material ID: 548116
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: 5
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JUSTIN PROPERTIES (Continued)

S104782296

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0007013
Spill Date: 09/14/2000
Spill Time: 07:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/14/00
Reported to Department Time: 08:58
SWIS: 62
Spiller Contact: LLOYD
Spiller Phone: (212) 255-0247
Spiller Extention: Not reported
Spiller Name: CASTLE OIL CORPORATION
Spiller Address: 290 LOCUST AVENUE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller Cleanup Date: / /
Facility Contact: JIM CAREY
Facility Phone: (718) 579-3414
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

JUSTIN PROPERTIES (Continued)

S104782296

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/14/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/18/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 5
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: DURING DELIVERY - DRIVER OVERFILLED 5,000 GAL TANK - SPILLING PRODUCT TO SIDEWALK - ALL PRODUCT CLEANED UP

**AM195
SW
1/8-1/4
0.191 mi.
1008 ft.**

**PETERS DRY CLEANERS
244 8TH. AVE
NEW YORK, NY 10011
Site 1 of 3 in cluster AM**

**RCRA-NonGen 1000217529
FINDS NYD982534521
MANIFEST**

**Relative:
Lower**

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: PETERS DRY CLEANERS
Facility address: 244 8TH AVE
NEW YORK, NY 10011
EPA ID: NYD982534521
Mailing address: 8TH AVE
NEW YORK, NY 10011
Contact: Not reported
Contact address: 8TH AVE
NEW YORK, NY 10011
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
21 ft.**

Owner/Operator Summary:
Owner/operator name: PAUL KIM

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: PAUL KIM
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: PETERS DRY CLEANERS
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: PETERS DRY CLEANERS
Classification: Not a generator, verified

Date form received by agency: 03/14/1988
Facility name: PETERS DRY CLEANERS
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002367563

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD981559545
Country: USA
Mailing Name: L & K CLEANERS INCORPORATED
Mailing Contact: YONUNG HUN KWON
Mailing Address: 244 8TH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10011
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-741-0958

Document ID: NJA1342573
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920121
Trans1 Recv Date: 920121
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920121
Part A Recv Date: 920130
Part B Recv Date: 920205
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1412058
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920612
Trans1 Recv Date: 920612
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920612
Part A Recv Date: 920625
Part B Recv Date: 920624
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1449474
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920521
Trans1 Recv Date: 920521
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920521
Part A Recv Date: Not reported
Part B Recv Date: 920609
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA2662174
Manifest Status: Completed copy

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970211
Trans1 Recv Date: 970211
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970211
Part A Recv Date: 970306
Part B Recv Date: 970226
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1632121
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921230
Trans1 Recv Date: 921230
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921230
Part A Recv Date: 930108
Part B Recv Date: 930120
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1425725
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921021
Trans1 Recv Date: 921021
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921021
Part A Recv Date: 921112
Part B Recv Date: 921105
Generator EPA ID: NYD981559545

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA2691971
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970428
Trans1 Recv Date: 970428
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970428
Part A Recv Date: 970515
Part B Recv Date: 970508
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA2585150
Manifest Status: Completed copy
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 970731
Trans1 Recv Date: 970731
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970731
Part A Recv Date: 970814
Part B Recv Date: 970821
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Specific Gravity: 100
Year: 97

Document ID: NJA1419761
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920818
Trans1 Recv Date: 920818
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920818
Part A Recv Date: 920901
Part B Recv Date: 920826
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NYC4568174
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: M0001
Generator Ship Date: 971015
Trans1 Recv Date: 971015
Trans2 Recv Date: 971021
TSD Site Recv Date: 971022
Part A Recv Date: Not reported
Part B Recv Date: 971121
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: MOD095038998
TSD ID: OHD980587364
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1745906
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930816

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Trans1 Recv Date: 930816
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930816
Part A Recv Date: 930901
Part B Recv Date: 930923
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1659747
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930429
Trans1 Recv Date: 930429
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930429
Part A Recv Date: 930604
Part B Recv Date: 930513
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00120
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1629306
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930524
Trans1 Recv Date: 930524
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930524
Part A Recv Date: 930614
Part B Recv Date: 930621
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1621143
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930617
Trans1 Recv Date: 930617
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930617
Part A Recv Date: 930707
Part B Recv Date: 930702
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NYC4996631
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: Not reported
Generator Ship Date: 03/30/1998
Trans1 Recv Date: 03/30/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/07/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981559545
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSDF ID: 85587
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Document ID: NJA1758863
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 931108
Trans1 Recv Date: 931108
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931108
Part A Recv Date: 931229
Part B Recv Date: 931203
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1837254
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 931220
Trans1 Recv Date: 931220
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931220
Part A Recv Date: 931229
Part B Recv Date: 940110
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00180
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1743057
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930722
Trans1 Recv Date: 930722
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930722
Part A Recv Date: 930806

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Part B Recv Date: 930802
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1731356
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930921
Trans1 Recv Date: 930921
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930921
Part A Recv Date: 931108
Part B Recv Date: 931005
Generator EPA ID: NYD981559545
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NYC4945983
Manifest Status: Not reported
Trans1 State ID: ILD984908202
Trans2 State ID: Not reported
Generator Ship Date: 01/15/1998
Trans1 Recv Date: 01/15/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/27/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981559545
Trans1 EPA ID: OHD980587364
Trans2 EPA ID: Not reported
TSD ID: 8558
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PETERS DRY CLEANERS (Continued)

1000217529

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

[Click this hyperlink](#) while viewing on your computer to access
39 additional NY_MANIFEST: record(s) in the EDR Site Report.

**AM196
SW
1/8-1/4
0.191 mi.
1008 ft.**

**NISHI CLEANERS
244 8TH AVE
NEW YORK, NY 10011**

**RCRA-NonGen 1010415694
NYD981559545**

Site 2 of 3 in cluster AM

**Relative:
Lower**

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: NISHI CLEANERS
Facility address: 244 8TH AVE
NEW YORK, NY 10011
EPA ID: NYD981559545
Mailing address: 8TH AVE
NEW YORK, NY 10011
Contact: CATHERINE KWON
Contact address: 8TH AVE
NEW YORK, NY 10011
Contact country: US
Contact telephone: (212) 741-0958
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
21 ft.**

Owner/Operator Summary:
Owner/operator name: CATHERINE KWON
Owner/operator address: 244 8TH AVE
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CATHERINE KWON
Owner/operator address: 244 8TH AVE
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:
U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NISHI CLEANERS (Continued)

1010415694

Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NISHI CLEANERS
Classification: Not a generator, verified

Date form received by agency: 11/08/1999
Facility name: NISHI CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/14/1999
Facility name: NISHI CLEANERS
Classification: Small Quantity Generator

Violation Status: No violations found

AI197
SE
1/8-1/4
0.192 mi.
1015 ft.

151 WEST 25TH STREET
151 WEST 25TH STREET
NEW YORK, NY 10001
Site 6 of 7 in cluster AI

UST U004077970
N/A

Relative:
Higher

UST:
Facility Id: 2-600143
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/05/31
UTM X: 585027.71007000003
UTM Y: 4510930.7047499996

Actual:
34 ft.

Affiliation Records:
Site Id: 22128
Affiliation Type: On-Site Operator
Company Name: 151 WEST 25TH STREET
Contact Type: Not reported
Contact Name: ROYAL EQUITIES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-6388

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 25TH STREET (Continued)

U004077970

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22128
Affiliation Type: Owner
Company Name: ROYAL EQUITIES % DEEGAN MANAGEMENT
Contact Type: MENAGING MEMBER
Contact Name: ROYAL EQUITIES OPERATING LLC
Address1: P.O. BOX 110484
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 218-8112
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 5/31/2006

Site Id: 22128
Affiliation Type: Mail Contact
Company Name: DEEGAN MANAGEMENT
Contact Type: Not reported
Contact Name: WILLIAM JACOBS
Address1: P.O. BOX 110484
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 218-8112
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22128
Affiliation Type: Emergency Contact
Company Name: ROYAL EQUITIES % DEEGAN MANAGEMENT
Contact Type: Not reported
Contact Name: WILLIAM JACOBS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 218-8112
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 25TH STREET (Continued)

U004077970

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F01 - Pipe External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction
C03 - Pipe Location - Aboveground/Underground Combination
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I00 - Overfill - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
G00 - Tank Secondary Containment - None

Tank Info:

Site ID: 22128

Tank Number: 001
Tank ID: 41346
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 6000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

A1198
SE
1/8-1/4
0.192 mi.
1015 ft.

151 WEST 25TH STREET
151 WEST 25TH STREET
NEW YORK, NY 10001

Site 7 of 7 in cluster AI

HIST UST U000411889
N/A

Relative:
Higher

HIST UST:

Actual:
34 ft.

PBS Number: 2-600143
SPDES Number: Not reported
Emergency Contact: WILLIAM JACOBS
Emergency Telephone: (718) 218-8112
Operator: ROYAL EQUITIES
Operator Telephone: (212) 243-6388
Owner Name: ROYAL EQUITIES % DEEGAN MANAGEMENT
Owner Address: P.O. BOX 110484
Owner City,St,Zip: BROOKLYN, NY 11211
Owner Telephone: (718) 218-8112
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: DEEGAN MANAGEMENT
Mailing Address: P.O. BOX 110484
Mailing Address 2: Not reported
Mailing City,St,Zip: BROOKLYN, NY 11211

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

151 WEST 25TH STREET (Continued)

U000411889

Mailing Contact: WILLIAM JACOBS
Mailing Telephone: (718) 218-8112
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 151 WEST 25TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 09/21/2001
Expiration Date: 05/31/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2
Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 6000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: Painted/Asphalt Coating
Second Containment: Not reported
Leak Detection: Not reported
Overfill Prot: None
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			EPA ID Number
Distance			
Elevation	Site	Database(s)	

199 SSE 1/8-1/4 0.193 mi. 1019 ft.	CONSOLIDATED EDISON 162 W 24 ST VS9776 NEW YORK, NY 10011	MANIFEST	1009241992 N/A
---	--	-----------------	---------------------------------

Relative: Higher	NY MANIFEST: EPA ID: NYP004105532 Country: USA Mailing Name: CONSOLIDATED EDISON Mailing Contact: FRANKLIN MURRAY Mailing Address: 4 IRVING PLACE RM 828 Mailing Address 2: Not reported Mailing City: NEW YORK Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA Mailing Phone: 212-460-2808		
Actual: 31 ft.			

Document ID:	NYE0461889
Manifest Status:	Not reported
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	12/19/2002
Trans1 Recv Date:	12/19/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/19/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004105532
Trans1 EPA ID:	NYD980593636
Trans2 EPA ID:	Not reported
TSD ID:	31877AJ
Waste Code:	B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity:	01121
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	02

AK200 North 1/8-1/4 0.193 mi. 1022 ft.	SY GABER 333 W 29 ST NEW YORK, NY 10001 Site 2 of 2 in cluster AK	AST HIST AST	U003384147 N/A
---	--	-------------------------------	---------------------------------

Relative: Higher	AST: Region: STATE DEC Region: 2 Site Status: Active Facility Id: 2-083828 Program Type: PBS UTM X: 584733.13159 UTM Y: 4511444.5690299999 Expiration Date: 2012/01/08		
Actual: 29 ft.			

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SY GABER (Continued)

U003384147

Affiliation Records:

Site Id: 1903
Affiliation Type: Owner
Company Name: CHELSEA HOUSE LLC
Contact Type: MEMBER
Contact Name: CHELSEA HOUSE LLC
Address1: P.O. BOX 3423
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10163
Country Code: 001
Phone: (212) 983-9264
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 11/6/2006

Site Id: 1903
Affiliation Type: Mail Contact
Company Name: CHELSEA HOUSE LLC
Contact Type: Not reported
Contact Name: TOM SHIMUVA
Address1: P.O. BOX 3423
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10163
Country Code: 001
Phone: (212) 983-9264
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1903
Affiliation Type: On-Site Operator
Company Name: 333-335 W 29TH STREET
Contact Type: Not reported
Contact Name: ROBERT VILLANUEVA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 983-9264
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1903
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SY GABER (Continued)

U003384147

Company Name: CHELSEA HOUSE LLC
Contact Type: Not reported
Contact Name: TOM SHIMUVA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 445-2712
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
A01 - Tank Internal Protection - Epoxy Liner
G00 - Tank Secondary Containment - None
J00 - Dispenser - None
C01 - Pipe Location - Aboveground
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
I01 - Overfill - Float Vent Valve
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 3147
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/7/1940
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 11/6/2006

HIST AST:

PBS Number: 2-083828
SWIS Code: 6201
Operator: BART GABER
Facility Phone: (211) 695-9401
Facility Addr2: 333 W 29 ST
Facility Type: APARTMENT BUILDING
Emergency: BART GABER
Emergency Tel: (212) 695-9401
Old PBSNO: Not reported
Date Inspected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SY GABER (Continued)

U003384147

Inspector: Not reported
Result of Inspection: Not reported
Owner Name: SY GABER
Owner Address: 333 W 29 ST
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 695-9401
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: SY GABER
Mailing Address: 333 W 29 ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 695-9401
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/14/1992
Expiration: 03/24/1997
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SY GABER (Continued)

U003384147

Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AL201
ENE
1/8-1/4
0.195 mi.
1029 ft.

350 7TH AVENUE BUILDING
350 7TH AVENUE
NEW YORK CITY, NY 10001

FINDS **1005522497**
UST **N/A**

Site 3 of 6 in cluster AL

Relative:
Higher

FINDS:

Registry ID: 110001609616

Actual:
34 ft.

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

UST:

Facility Id: 2-097926
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/07/27
UTM X: 585081.68935
UTM Y: 4511296.4676299999

Affiliation Records:

Site Id: 2823
Affiliation Type: On-Site Operator
Company Name: HARDWELL ACQUISITION LLC
Contact Type: Not reported
Contact Name: RAMO AYDIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 279-0497
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 7TH AVENUE BUILDING (Continued)

1005522497

Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/24/2008

Site Id: 2823
Affiliation Type: Emergency Contact
Company Name: HARDWELL ACQUISITION, LLC
Contact Type: Not reported
Contact Name: JEFF COHEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/24/2008

Site Id: 2823
Affiliation Type: Mail Contact
Company Name: 350 SEVENTH AVE
Contact Type: Not reported
Contact Name: JEFF COHEN
Address1: 855 AVE OF THE AMERICAS
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: 209
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/24/2008

Site Id: 2823
Affiliation Type: Owner
Company Name: HARDWELL ACQUISITION, LLC
Contact Type: AGENT
Contact Name: Not reported
Address1: 855 AVE OF THE AMERICAS
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 7TH AVENUE BUILDING (Continued)

1005522497

Date Last Modified: 1/24/2008

Equipment Records:

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
I05 - Overfill - Vent Whistle
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None

Tank Info:

Site ID: 2823

Tank Number: 001
Tank ID: 5158
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/11/1931
Capacity Gallons: 5000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: dxliving
Last Modified: 1/24/2008

AL202 350 7TH AVE
ENE 350 7TH AVE
1/8-1/4 NEW YORK, NY 10001
0.195 mi.
1029 ft. Site 4 of 6 in cluster AL

HIST UST **U001832703**
N/A

Relative:
Higher

HIST UST:
PBS Number: 2-097926
SPDES Number: Not reported
Emergency Contact: CARMINE GUANDO
Emergency Telephone: (718) 382-3276
Operator: SIDNEY J BERNSTEIN INC
Operator Telephone: (212) 594-1414
Owner Name: 350 SEVENTH AVE
Owner Address: 855 AVE OF THE AMERICAS
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 594-1414
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 350 SEVENTH AVE
Mailing Address: 855 AVE OF THE AMERICAS
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 7TH AVE (Continued)

U001832703

Mailing Contact: Not reported
Mailing Telephone: (212) 594-1414
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 350 7TH AVE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 02/25/1998
Expiration Date: 05/07/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge, Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

203
WSW
1/8-1/4
0.196 mi.
1032 ft.

350 WEST 23RD, LLC
350 WEST 23RD STREET
NEW YORK, NY 10011

AST A100300904
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-610490
Program Type: PBS
UTM X: 584464.91607000004
UTM Y: 4511004.9045399996
Expiration Date: N/A

Actual:
20 ft.

Affiliation Records:

Site Id: 377513
Affiliation Type: Mail Contact
Company Name: MARIN MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: MARTIN HOLLANDER
Address1: 114 EAST 39TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 213-0123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/21/2007

Site Id: 377513
Affiliation Type: Emergency Contact
Company Name: 350 WEST 23RD, LLC
Contact Type: Not reported
Contact Name: MARTIN HOLLANDER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 213-0123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/21/2007

Site Id: 377513
Affiliation Type: On-Site Operator
Company Name: 350 WEST 23RD, LLC
Contact Type: Not reported
Contact Name: SANTOS RODRIGUZ
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 WEST 23RD, LLC (Continued)

A100300904

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 924-9364
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/21/2007

Site Id: 377513
Affiliation Type: Owner
Company Name: 350 WEST 23RD, LLC
Contact Type: MANAGING AGENT
Contact Name: MARTIN HOLLANDER
Address1: 350 WEST 23RD STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 213-0123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/21/2007

Equipment Records:

K02 - Spill Prevention - Transfer Station Containment
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 0001
Tank Id: 215953
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/2/1958
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/11/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

350 WEST 23RD, LLC (Continued)

A100300904

Register: True
Modified By: msbaptis
Last Modified: 3/20/2007

**AN204
NE
1/8-1/4
0.198 mi.
1045 ft.**

**BELL ATLANTIC-NY
246 W 30TH ST (MANHOLE)
NEW YORK, NY
Site 1 of 20 in cluster AN**

**MANIFEST S109064463
N/A**

Relative: NY MANIFEST:
Higher EPA ID: NYP000940635
Country: USA
Actual: Mailing Name: BELL ATLANTIC-NY
31 ft. Mailing Contact: Not reported
Mailing Address: Not reported
Mailing Address 2: Not reported
Mailing City: Not reported
Mailing State: Not reported
Mailing Zip: Not reported
Mailing Zip4: Not reported
Mailing Country: Not reported
Mailing Phone: Not reported

NY MANIFEST:
No Manifest Records Available

**AN205
NNE
1/8-1/4
0.198 mi.
1048 ft.**

**A ALLAND INC
259 W 30TH ST 7TH FLOOR
NEW YORK, NY 10001
Site 2 of 20 in cluster AN**

**RCRA-NonGen 1001233278
FINDS NYR000064550**

Relative: RCRA-NonGen:
Higher Date form received by agency: 01/01/2007
Facility name: A ALLAND INC
Actual: Facility address: 259 W 30TH ST 7TH FLOOR
30 ft. NEW YORK, NY 10001
EPA ID: NYR000064550
Mailing address: W 30TH ST 7TH FLOOR
NEW YORK, NY 10001
Contact: LINDA ALLAND
Contact address: W 30TH ST 7TH FLOOR
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 695-7718
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: A ALLAND INC
Owner/operator address: 259 W 30TH ST 7TH FLOOR
NEW YORK, NY 10001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A ALLAND INC (Continued)

1001233278

Owner/operator country: US
Owner/operator telephone: (212) 695-7718
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: A ALLAND INC
Owner/operator address: 259 W 30TH ST 7TH FLOOR
NEW YORK, NY 10001

Owner/operator country: US
Owner/operator telephone: (212) 695-7718
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: A ALLAND INC
Classification: Not a generator, verified

Date form received by agency: 12/15/1998
Facility name: A ALLAND INC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004549542

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

A ALLAND INC (Continued)

1001233278

corrective action activities required under RCRA.

AN206
NNE
1/8-1/4
0.198 mi.
1048 ft.

259 WEST 30TH ST
259 WEST 30TH ST
NEW YORK, NY 10001
Site 3 of 20 in cluster AN

UST **U004076450**
N/A

Relative:
Higher

UST:

Actual:
30 ft.

Facility Id: 2-155314
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/06/05
UTM X: 584953.951
UTM Y: 4511420.4536100002

Affiliation Records:

Site Id: 5024
Affiliation Type: On-Site Operator
Company Name: 259 WEST 30TH ST
Contact Type: Not reported
Contact Name: ROBERTO TERAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 268-1832
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/2/2007

Site Id: 5024
Affiliation Type: Owner
Company Name: TWO FRIENDS REALTY LLC
Contact Type: AGENT
Contact Name: MICHAEL ORBACH
Address1: 111 ORIENTAL BLVD
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11235
Country Code: 001
Phone: (718) 615-1157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/2/2007

Site Id: 5024
Affiliation Type: Mail Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

259 WEST 30TH ST (Continued)

U004076450

Company Name: TWO FRIENDS REALTY LLC
Contact Type: AGENT
Contact Name: MICHAEL ORBACH
Address1: 111 ORIENTAL BLVD
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11235
Country Code: 001
Phone: (718) 615-1157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 4/2/2007

Site Id: 5024
Affiliation Type: Emergency Contact
Company Name: TWO FRIENDS REALTY LLC
Contact Type: Not reported
Contact Name: MICHAEL ORBACH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 615-1157
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 5024
Tank Number: 001
Tank ID: 8396
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1928
Capacity Gallons: 5000
Tightness Test Method: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

259 WEST 30TH ST (Continued)

U004076450

Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 4/2/2007

**AN207
NNE
1/8-1/4
0.198 mi.
1048 ft.**

**W & W JEWELERS INCORPORATED
259 WEST 30TH STREET SUITE 501
NEW YORK CITY, NY 10001
Site 4 of 20 in cluster AN**

**RCRA-NonGen 1000554759
FINDS NYD986972370
MANIFEST
MANIFEST**

**Relative:
Higher**

RCRA-NonGen:

**Actual:
30 ft.**

Date form received by agency: 01/01/2007
Facility name: W & W JEWELERS INC
Facility address: 259 W 30TH ST STE 501
NEW YORK, NY 100012809
EPA ID: NYD986972370
Mailing address: W 30TH ST STE 501
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH ST STE 501
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: WILLIAM JACOBOWITE
Owner/operator address: UNKNOWN
UNKNOWN, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: WILLIAM JACOBOWITE
Owner/operator address: UNKNOWN
UNKNOWN, NY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

W & W JEWELERS INCORPORATED (Continued)

1000554759

Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: W & W JEWELERS INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: W & W JEWELERS INC
Classification: Not a generator, verified

Date form received by agency: 08/23/1991
Facility name: W & W JEWELERS INC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009480999

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MANIFEST:

GEN Cert Date: 10/2/1996
Transporter Recpt Date: Not reported
Number Of Containers: 0
Container Type: Not reported
Waste Code1: D003
Waste Code2: Not reported
Waste Code3: Not reported
Comment: Not reported
Fee Exempt Code: Not reported
TSD Name: ADVANCED CHEMICAL CO INC
TSD ID: RID059735761
TSD Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

W & W JEWELERS INCORPORATED (Continued)

1000554759

Date Imported: 2/18/1997
Transporter 2 Name: Not reported
Transporter 2 ID: Not reported
Manifest Docket Number: Not reported
Waste Description: Not reported
Quantity: Not reported
WT/Vol Units: Not reported
Item Number: Not reported
Transporter Name: Not reported
Transporter EPA ID: Not reported
GEN Cert Date: Not reported
Transporter Recpt Date: Not reported
Transporter 2 Recpt Date: Not reported
TSD Recpt Date: Not reported
EPA ID: Not reported
Transporter 2 ID: Not reported

NY MANIFEST:

EPA ID: NYD986972370
Country: USA
Mailing Name: W & W
Mailing Contact: STUART KUROPATKIN
Mailing Address: 259 WEST 30TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-239-8065

Document ID: NYB2655702
Manifest Status: Completed copy
Trans1 State ID: PD3677NY
Trans2 State ID: Not reported
Generator Ship Date: 920325
Trans1 Recv Date: 920325
Trans2 Recv Date: 920325
TSD Site Recv Date: 920325
Part A Recv Date: 920401
Part B Recv Date: 920403
Generator EPA ID: NYD986972370
Trans1 EPA ID: NYD986908085
Trans2 EPA ID: Not reported
TSD ID: NYD049204787
Waste Code: F009 - UNKNOWN
Quantity: 01011
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

W & W JEWELERS INCORPORATED (Continued)

1000554759

Document ID: NYB2655531
Manifest Status: Completed copy
Trans1 State ID: PD3678
Trans2 State ID: Not reported
Generator Ship Date: 911010
Trans1 Recv Date: 911010
Trans2 Recv Date: 911010
TSD Site Recv Date: 911010
Part A Recv Date: 911028
Part B Recv Date: 911028
Generator EPA ID: NYD986972370
Trans1 EPA ID: NYD986908085
Trans2 EPA ID: Not reported
TSD ID: NYD049204787
Waste Code: F009 - UNKNOWN
Quantity: 01010
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 91

Document ID: RIC0034494
Manifest Status: Completed copy
Trans1 State ID: RI49238
Trans2 State ID: Not reported
Generator Ship Date: 960430
Trans1 Recv Date: 960430
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960501
Part A Recv Date: 960515
Part B Recv Date: 960510
Generator EPA ID: NYD986972370
Trans1 EPA ID: RID059735761
Trans2 EPA ID: Not reported
TSD ID: RID059735761
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 96

Document ID: RIC0034495
Manifest Status: Completed copy
Trans1 State ID: RI49238
Trans2 State ID: Not reported
Generator Ship Date: 961002
Trans1 Recv Date: 961002
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961003
Part A Recv Date: 961016

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

W & W JEWELERS INCORPORATED (Continued)

1000554759

Part B Recv Date: 961023
Generator EPA ID: NYD986972370
Trans1 EPA ID: RID059735761
Trans2 EPA ID: Not reported
TSDf ID: RID059735761
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 96

AN208
NNE
1/8-1/4
0.198 mi.
1048 ft.

BENKAY JEWELRY COMPANY
259 WEST 30TH STREET 10TH FLOOR
NEW YORK, NY 10001

RCRA-NonGen **1000268075**
FINDS **NYD001313097**
MANIFEST

Site 5 of 20 in cluster AN

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: BENKAY JEWELRY CO
Facility address: 259 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYD001313097
Mailing address: W 30TH ST
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
30 ft.

Owner/Operator Summary:

Owner/operator name: THEODORE & LANE KATZ - KEN FRIED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: THEODORE & LANE KATZ - KEN FRIED
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENKAY JEWELRY COMPANY (Continued)

1000268075

Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: BENKAY JEWELRY CO
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: BENKAY JEWELRY CO
Classification: Not a generator, verified

Date form received by agency: 04/02/1987
Facility name: BENKAY JEWELRY CO
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004333622

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD001313097
Country: USA
Mailing Name: BEN KAY JEWELERS
Mailing Contact: BEN KAY JEWELERS
Mailing Address: 259 W 30TH ST
Mailing Address 2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENKAY JEWELRY COMPANY (Continued)

1000268075

Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10036
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 000-000-0000

Document ID: NYB2120373
Manifest Status: Completed copy
Trans1 State ID: PD1011NY
Trans2 State ID: Not reported
Generator Ship Date: 941028
Trans1 Recv Date: 941028
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941028
Part A Recv Date: Not reported
Part B Recv Date: 941118
Generator EPA ID: NYD001313097
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB8051211
Manifest Status: Completed copy
Trans1 State ID: PD1010
Trans2 State ID: Not reported
Generator Ship Date: 961003
Trans1 Recv Date: 961003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961003
Part A Recv Date: Not reported
Part B Recv Date: 961024
Generator EPA ID: NYD001313097
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BENKAY JEWELRY COMPANY (Continued)

1000268075

Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00005
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00005
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

AN209
NNE
1/8-1/4
0.198 mi.
1048 ft.

PEOPLES WATCH REPAIR COMPANY
259 WEST 30TH STREET
NEW YORK, NY 10001

RCRA-NonGen **1000348107**
FINDS **NYD011555109**

Site 6 of 20 in cluster AN

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: PEOPLES WATCH REPAIR CO
Facility address: 259 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYD011555109
Mailing address: W 30TH ST
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
30 ft.

Owner/Operator Summary:
Owner/operator name: TWO FRIENDS REALTY CO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: TWO FRIENDS REALTY CO
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PEOPLES WATCH REPAIR COMPANY (Continued)

1000348107

Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: PEOPLES WATCH REPAIR CO
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: PEOPLES WATCH REPAIR CO
Classification: Not a generator, verified

Date form received by agency: 01/10/1989
Facility name: PEOPLES WATCH REPAIR CO
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009465872

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AN210
NE
1/8-1/4
0.199 mi.
1049 ft.

242 WEST 30TH ST
242 WEST 30TH ST
NEW YORK, NY 10001
Site 7 of 20 in cluster AN

HIST UST **U000395805**
N/A

Relative:
Higher

HIST UST:

Actual:
31 ft.

PBS Number: 2-097950
 SPDES Number: Not reported
 Emergency Contact: D ACOSTA
 Emergency Telephone: (212) 594-1414
 Operator: SIDNEY J BERNSTEIN INC
 Operator Telephone: (212) 594-1414
 Owner Name: FURCRAFT ASSOCIATES
 Owner Address: 855 6TH AVE
 Owner City,St,Zip: NEW YORK, NY 10001
 Owner Telephone: (212) 594-1414
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: FURCRAFT ASSOCIATES
 Mailing Address: 855 6TH AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: Not reported
 Mailing Telephone: (212) 594-1414
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 242 WEST 30TH ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/25/1998
 Expiration Date: 05/07/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

242 WEST 30TH ST (Continued)

U000395805

Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Painted/Asphalt Coating
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge, Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AN211
NE
1/8-1/4
0.199 mi.
1049 ft.

M D L CONTRACTING INC
242 W 30TH ST
NEW YORK, NY 10001
Site 8 of 20 in cluster AN

RCRA-NonGen 1001079948
FINDS NYR000016550
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: M D L CONTRACTING INC
Facility address: 242 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYR000016550
Mailing address: W 30TH ST
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
31 ft.

Owner/Operator Summary:
Owner/operator name: LEONARD BENEDETTO
Owner/operator address: 242 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 268-9840
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported
Owner/operator name: LEONARD BENEDETTO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M D L CONTRACTING INC (Continued)

1001079948

Owner/operator address: 242 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 268-9840
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: M D L CONTRACTING INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: M D L CONTRACTING INC
Classification: Not a generator, verified

Date form received by agency: 11/13/1995
Facility name: M D L CONTRACTING INC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009484744

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M D L CONTRACTING INC (Continued)

1001079948

NY MANIFEST:

EPA ID: NYR000016550
Country: USA
Mailing Name: MDL CONTRACTING INC
Mailing Contact: LENNY BENNETTO
Mailing Address: 242 WEST 30TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-268-9840

Document ID: NJA2272749
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 960927
Trans1 Recv Date: 960927
Trans2 Recv Date: Not reported
TSD Site Recv Date: 961001
Part A Recv Date: Not reported
Part B Recv Date: 961022
Generator EPA ID: NYR000016550
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDf ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00020
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 96

AN212
NE
1/8-1/4
0.199 mi.
1049 ft.

BRADLEY ACQUISITION LLC
242 WEST 30TH ST
NEW YORK, NY 10001
Site 9 of 20 in cluster AN

UST U004076265
N/A

Relative:
Higher

UST:
Facility Id: 2-097950
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/05/07
UTM X: 584986.91801999998
UTM Y: 4511387.7479600003

Actual:
31 ft.

Affiliation Records:
Site Id: 2826
Affiliation Type: Mail Contact
Company Name: BRADLEY ACQUISITION LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRADLEY ACQUISTION LLC (Continued)

U004076265

Contact Type: Not reported
Contact Name: JEFF COHEN
Address1: 855 6TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/15/2007

Site Id: 2826
Affiliation Type: On-Site Operator
Company Name: BRADLEY ACQUISTION LLC
Contact Type: Not reported
Contact Name: JOE TAVERNITE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 279-0376
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/15/2007

Site Id: 2826
Affiliation Type: Emergency Contact
Company Name: BRADLEY ACQUISITION LLC
Contact Type: Not reported
Contact Name: JEFF COHEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/15/2007

Site Id: 2826
Affiliation Type: Owner
Company Name: BRADLEY ACQUISITION LLC
Contact Type: MANAGING AGENT
Contact Name: BRADLEY ACQUISITION
Address1: 855 6TH AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRADLEY ACQUISTION LLC (Continued)

U004076265

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/15/2007

Equipment Records:

I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Site ID: 2826

Tank Number: 001
Tank ID: 5162
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/31/1925
Capacity Gallons: 5000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: msbaptis
Last Modified: 5/15/2007

AO213
SE
1/8-1/4
0.199 mi.
1049 ft.

CASPARON BELEGGINGEN N.V.
147 WEST 25TH STREET
NEW YORK, NY 10001
Site 1 of 7 in cluster AO

UST U001833184
HIST UST N/A

Relative:
Higher

UST:
Facility Id: 2-149292
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/10/15

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CASPARON BELEGGINGEN N.V. (Continued)

U001833184

UTM X: 585036.97019000002
UTM Y: 4510925.8151599998

Affiliation Records:

Site Id: 4497
Affiliation Type: Owner
Company Name: CASPARON BELEGGINGEN NV % GVA WILLIAMS
Contact Type: DISTRIC MGR
Contact Name: MICHAEL AMATULLI
Address1: 380 MADISON AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 9/10/2007

Site Id: 4497
Affiliation Type: Mail Contact
Company Name: CASPARON BELEGGINGEN N.V.
Contact Type: Not reported
Contact Name: MICHAEL AMATULLI
Address1: % GVA WILLIAMS
Address2: 380 MADISON AVENUE
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 9/10/2007

Site Id: 4497
Affiliation Type: On-Site Operator
Company Name: CASPARON BELEGGINGEN N.V.
Contact Type: Not reported
Contact Name: KUZTIM REZA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-1938
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 9/10/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CASPARON BELEGGINGEN N.V. (Continued)

U001833184

Site Id: 4497
Affiliation Type: Emergency Contact
Company Name: CASPARON BELEGGINGEN NV % GVA WILLIAMS
Contact Type: Not reported
Contact Name: MICHAEL AMATULLI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 716-3711
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 9/10/2007

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Info:

Site ID: 4497

Tank Number: 001
Tank ID: 8126
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1971
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: msbaptis
Last Modified: 9/10/2007

HIST UST:

PBS Number: 2-149292
SPDES Number: Not reported
Emergency Contact: JOHN GARCIA
Emergency Telephone: (212) 675-6773
Operator: JOHN GARCIA
Operator Telephone: (212) 704-3500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CASPARON BELEGGINGEN N.V. (Continued)

U001833184

Owner Name: CASPARON BELEGGINGEN
Owner Address: 530-5 AVE %WILLIAMS REAL ESTAT
Owner City,St,Zip: NEW YORK CITY, NY 10011
Owner Telephone: (212) 704-3500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: CASPARON BELEGGINGEN
Mailing Address: 530-5 AVE %WILLIAMS REAL ESTAT
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK CITY, NY 10011
Mailing Contact: Not reported
Mailing Telephone: (212) 704-3500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 147 WEST 25TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: MANUFACTURING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/01/1997
Expiration Date: 10/15/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CASPARON BELEGGINGEN N.V. (Continued)

U001833184

Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

**AN214
NE
1/8-1/4
0.199 mi.
1051 ft.**

**WEST 25130 REALTY ASSOC
251 W 30TH ST
NEW YORK, NY 10001
Site 10 of 20 in cluster AN**

**RCRA-NonGen 1000390824
FINDS NYD980533459**

**Relative:
Higher**

RCRA-NonGen:

**Actual:
31 ft.**

Date form received by agency: 01/01/2007
Facility name: WEST 25130 REALTY ASSOC
Facility address: 251 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYD980533459
Mailing address: E 42ND ST
NEW YORK, NY 10165
Contact: Not reported
Contact address: E 42ND ST
NEW YORK, NY 10165
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 25130 REALTY ASSOC (Continued)

1000390824

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: WEST 25130 REALTY ASSOC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: WEST 25130 REALTY ASSOC
Classification: Not a generator, verified

Date form received by agency: 10/23/1981
Facility name: WEST 25130 REALTY ASSOC
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009470349

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AN215 **251 WEST 30TH-JUSTIN TOWER LTD**
NE **251 WEST 30TH STREET**
1/8-1/4 **NEW YORK, NY 10001**
0.199 mi.
1051 ft. **Site 11 of 20 in cluster AN**

AST **A100178260**
 N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606032

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

251 WEST 30TH-JUSTIN TOWER LTD (Continued)

A100178260

Program Type: PBS
UTM X: 584937.74581999995
UTM Y: 4511395.7659400003
Expiration Date: 2011/06/20

Affiliation Records:

Site Id: 27897
Affiliation Type: Emergency Contact
Company Name: JUSTIN TOWER LTD
Contact Type: Not reported
Contact Name: KEVIN BRADY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27897
Affiliation Type: On-Site Operator
Company Name: 251 WEST 30TH-JUSTIN TOWER LTD
Contact Type: Not reported
Contact Name: MIKE MASANO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 502-5251
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27897
Affiliation Type: Owner
Company Name: JUSTIN TOWER LTD
Contact Type: BUILDING MANAGER
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

251 WEST 30TH-JUSTIN TOWER LTD (Continued)

A100178260

Date Last Modified: 4/6/2006

Site Id: 27897
Affiliation Type: Mail Contact
Company Name: JUSTIN TOWER LTD
Contact Type: BUILDING MANAGER
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/6/2006

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 60869
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AN216
NE
1/8-1/4
0.199 mi.
1051 ft.

COMMODITY LABS INCORPORATED
251 WEST 30TH STREET
NEW YORK, NY 10001

RCRA-NonGen
FINDS 1000301022
NYD075218123

Site 12 of 20 in cluster AN

Relative:
Higher

RCRA-NonGen:

Actual:
31 ft.

Date form received by agency: 01/01/2007
Facility name: COMMODITY LABS INC
Facility address: 251 W 30TH
NEW YORK, NY 10001
EPA ID: NYD075218123
Mailing address: W 30TH
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMODITY LABS INCORPORATED (Continued)

1000301022

User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: COMMODITY LABS INC
Classification: Not a generator, verified

Date form received by agency: 12/31/1979
Facility name: COMMODITY LABS INC
Classification: Not a generator, verified

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 07/24/1986
Date achieved compliance: 09/25/1986
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 08/29/1986
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 07/24/1986
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 09/25/1986
Evaluation lead agency: State

FINDS:

Registry ID: 110009468307

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AN217
NE
1/8-1/4
0.199 mi.
1051 ft.

HENRY LANDIS INC
251 W 30TH ST
NEW YORK, NY 10001
Site 13 of 20 in cluster AN

RCRA-NonGen **1000372396**
FINDS **NYD001546803**

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: HENRY LANDIS INC
Facility address: 251 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYD001546803
Mailing address: W 30TH ST
NEW YORK, NY 10001
Contact: HENRY LANDIS
Contact address: W 30TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 555-1212
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
31 ft.

Owner/Operator Summary:
Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:
U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HENRY LANDIS INC (Continued)

1000372396

User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: HENRY LANDIS INC
Classification: Not a generator, verified

Date form received by agency: 06/23/1980
Facility name: HENRY LANDIS INC
Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 04/23/1987
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110004335416

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AO218
SE
1/8-1/4
0.199 mi.
1051 ft.

CHELSEA DESIGN CENTER
146-150 W 25TH STREET
NEW YORK CITY, NY 10001
Site 2 of 7 in cluster AO

HIST UST U003418571
N/A

Relative:
Higher

HIST UST:

PBS Number: 2-267627
SPDES Number: Not reported
Emergency Contact: KENNETH LATSCH
Emergency Telephone: (212) 837-3456
Operator: KENNETH LATSCH
Operator Telephone: (212) 929-3907
Owner Name: DEZER PROPERTIES 146 LLC
Owner Address: 89 FIFTH AVENUE
Owner City,St,Zip: NEW YORK, NY 10003
Owner Telephone: (212) 929-1285
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA DESIGN CENTER (Continued)

U003418571

Mailing Name: DEZER PROPERTIES, 146 LLC
Mailing Address: 89 FIFTH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Contact: Not reported
Mailing Telephone: (212) 929-1285
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 146 W 25TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 12/21/1998
Expiration Date: 12/11/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19721201
Capacity (gals): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: Other
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA DESIGN CENTER (Continued)

U003418571

Deleted: False
Updated: False
Lat/long: Not reported

AO219
SE
1/8-1/4
0.199 mi.
1051 ft.

CHELSEA DESIGN CENTER
146-150 WEST 25TH STREET
NEW YORK, NY 10001
Site 3 of 7 in cluster AO

UST U004077556
N/A

Relative:
Higher

UST:
Facility Id: 2-267627
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2013/12/11
UTM X: 584985.30822000001
UTM Y: 4510938.4808

Actual:
34 ft.

Affiliation Records:
Site Id: 11115
Affiliation Type: Owner
Company Name: DEZER PROPERTIES 146 LLC
Contact Type: DIRECTOR OF PM
Contact Name: RICHARD ANGEL
Address1: 89 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 5/18/2009

Site Id: 11115
Affiliation Type: On-Site Operator
Company Name: CHELSEA DESIGN CENTER
Contact Type: Not reported
Contact Name: KENNETH LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-8550
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11115

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA DESIGN CENTER (Continued)

U004077556

Affiliation Type: Mail Contact
Company Name: DEZER PROPERTIES, 146 LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 89 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 5/18/2009

Site Id: 11115
Affiliation Type: Emergency Contact
Company Name: DEZER PROPERTIES 146 LLC
Contact Type: Not reported
Contact Name: KENNETH LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 837-3456
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 4/3/2009

Equipment Records:

A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
B00 - Tank External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H99 - Tank Leak Detection - Other
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None

Tank Info:

Site ID: 11115

Tank Number: 001
Tank ID: 18297
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1972
Capacity Gallons: 5000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA DESIGN CENTER (Continued)

U004077556

Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AP220 261 WEST 22 ST. OWNERS CORP.
SSW 261 WEST 22ND STREET
1/8-1/4 NEW YORK, NY 10003
0.200 mi.
1055 ft. Site 1 of 7 in cluster AP

AST U004045314
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-609271
Program Type: PBS
UTM X: 584611.37876999995
UTM Y: 4510844.2511200001
Expiration Date: N/A

Actual:
23 ft.

Affiliation Records:

Site Id: 31116
Affiliation Type: Owner
Company Name: 261 WEST 22 ST OWNERS CORP % CFA MGT
Contact Type: Not reported
Contact Name: Not reported
Address1: 261 W 22 ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 475-8811
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31116
Affiliation Type: Mail Contact
Company Name: CFA MANAGEMENT
Contact Type: Not reported
Contact Name: CAROL FERRERA
Address1: 80 EAST 11TH STREET
Address2: ROOM 405
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 475-8811
Phone Ext: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 WEST 22 ST. OWNERS CORP. (Continued)

U004045314

Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31116
Affiliation Type: On-Site Operator
Company Name: 261 WEST 22 ST. OWNERS CORP.
Contact Type: Not reported
Contact Name: TONY RIVERA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-4535
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 31116
Affiliation Type: Emergency Contact
Company Name: 261 WEST 22 ST OWNERS CORP % CFA MGT
Contact Type: Not reported
Contact Name: CAROL FERRERA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 475-8811
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 66991
Tank Location: 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 WEST 22 ST. OWNERS CORP. (Continued)

U004045314

Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 9/1/2003
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AN221 247 ASSOCIATES
NE 247 W 30 ST
1/8-1/4 NEW YORK CITY, NY 10001
0.200 mi.
1055 ft. Site 14 of 20 in cluster AN

AST U003386194
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-099201
Program Type: PBS
UTM X: 584982.33696999995
UTM Y: 4511404.34833000004
Expiration Date: 2013/06/04

Actual:
31 ft.

Affiliation Records:
Site Id: 2938
Affiliation Type: On-Site Operator
Company Name: GOODLAND REALTY CORP.
Contact Type: Not reported
Contact Name: JESUS VILCA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 643-2048
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2938
Affiliation Type: Emergency Contact
Company Name: GOODLAND REALTY CORP.
Contact Type: Not reported
Contact Name: JESUS VILCA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

247 ASSOCIATES (Continued)

U003386194

Zip Code: Not reported
Country Code: 001
Phone: (212) 643-2048
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2938
Affiliation Type: Mail Contact
Company Name: 247 WEST 30TH STREET. SUBSIDIARYLLC
Contact Type: AGENT
Contact Name: DAVID ROTH
Address1: 100 W 33RD ST, SUITE 911
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 695-6666
Phone Ext: 114
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 1/27/2009

Site Id: 2938
Affiliation Type: Owner
Company Name: 247 WEST 30TH STREET. SUBSIDIARYLLC
Contact Type: AGENT
Contact Name: DAVID ROTH
Address1: 100 W 33RD ST, SUITE 911
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 695-6666
Phone Ext: 114
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 1/27/2009

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F06 - Pipe External Protection - Wrapped
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping

Tank Info:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

247 ASSOCIATES (Continued)

U003386194

Tank Number: 001
Tank Id: 9436
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1987
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 1/27/2009

HIST AST:

PBS Number: 2-099201
SWIS Code: 6201
Operator: MORIS JONES
Facility Phone: (212) 736-9035
Facility Addr2: 247 W 30 ST
Facility Type: OTHER
Emergency: JOHN GRUELLER
Emergency Tel: (212) 355-0778
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 247 ASSOCIATES
Owner Address: 247 W30 ST
Owner City,St,Zip: NEW YORK CITY, NY 10001
Federal ID: Not reported
Owner Tel: (212) 736-9035
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: DEMETRIOS GOVGOUSIS
Mailing Name: 247 ASSOCIATES
Mailing Address: 247 W30 ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK CITY, NY 10001
Mailing Telephone: (212) 736-9035
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/07/1997
Expiration: 06/30/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

247 ASSOCIATES (Continued)

U003386194

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: 6
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AP222 255 WEST 22ND STREET
SSW 255 WEST 22ND STREET
1/8-1/4 NEW YORK, NY 10011
0.200 mi.
1056 ft. Site 2 of 7 in cluster AP

AST U003384333
HIST AST N/A

Relative: AST:
Lower Region: STATE
DEC Region: 2
Actual: Site Status: Active
23 ft. Facility Id: 2-091200
Program Type: PBS
UTM X: 584659.14668000001
UTM Y: 4510847.7712899996
Expiration Date: 2012/03/24

Affiliation Records:
Site Id: 2273
Affiliation Type: Owner
Company Name: 36170 REALTY LTD
Contact Type: MANAGING AGENT
Contact Name: CHARLES QELAJ
Address1: ONE UNION SQUARE
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 22ND STREET (Continued)

U003384333

City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 1/23/2007

Site Id: 2273
Affiliation Type: On-Site Operator
Company Name: 255 WEST 22ND STREET
Contact Type: Not reported
Contact Name: COASTAL OIL OF NY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2273
Affiliation Type: Emergency Contact
Company Name: 36170 REALTY LTD
Contact Type: Not reported
Contact Name: CHARLIE QELAJ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 1/23/2007

Site Id: 2273
Affiliation Type: Mail Contact
Company Name: 36170 REALTY LTD
Contact Type: Not reported
Contact Name: Not reported
Address1: C/O BUCHBINDER & WARREN
Address2: ONE UNION SQUARE WEST
City: NEW YORK
State: NY
Zip Code: 10003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 22ND STREET (Continued)

U003384333

Country Code: 001
Phone: (212) 243-6722
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Info:

Tank Number: 001
Tank Id: 3599
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/3/1983
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 1/2/2008

HIST AST:

PBS Number: 2-091200
SWIS Code: 6201
Operator: COASTAL OIL OF NY
Facility Phone: (212) 243-6722
Facility Addr2: 255 WEST 22ND STREET
Facility Type: APARTMENT BUILDING
Emergency: STUART STROUGO
Emergency Tel: (212) 243-6722
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 36170 REALTY LTD
Owner Address: ONE UNION SQUARE
Owner City,St,Zip: NEW YORK, NY 10003
Federal ID: Not reported
Owner Tel: (212) 243-6722

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

255 WEST 22ND STREET (Continued)

U003384333

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: 36170 REALTY LTD
Mailing Address: C/O BUCHBINDER & WARREN
Mailing Address 2: ONE UNION SQUARE WEST
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Telephone: (212) 243-6722
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/28/2001
Expiration: 03/24/2007
Renew Flag: False
Renew Date: 20011113
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AQ223
ESE
1/8-1/4
0.200 mi.
1057 ft.

142 WEST 26TH STREET
142 WEST 26TH STREET
NEW YORK, NY 10001
Site 1 of 8 in cluster AQ

HIST UST **U000412765**
 N/A

Relative:
Higher

HIST UST:

Actual:
36 ft.

PBS Number: 2-069086
 SPDES Number: Not reported
 Emergency Contact: M. TRAUM
 Emergency Telephone: (212) 699-8900
 Operator: 142 W 26TH OWNERS CORP
 Operator Telephone: (212) 699-8900
 Owner Name: 142 W 26TH OWNERS CORP
 Owner Address: 142 W 26TH STREET
 Owner City,St,Zip: NEW YORK, NY 10001
 Owner Telephone: (212) 699-8900
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 142 W 26TH OWNERS CORP C/O MATTHEW ADAM PROPERTIES
 Mailing Address: 127 E 59 3RD FL.
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10022
 Mailing Contact: M. TRAUM
 Mailing Telephone: (212) 699-8900
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 142 WEST 26TH STREET
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 11/16/2001
 Expiration Date: 01/14/2012
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 4000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

142 WEST 26TH STREET (Continued)

U000412765

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Epoxy Liner
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Painted/Asphalt Coating
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AQ224
ESE
1/8-1/4
0.200 mi.
1057 ft.

142 WEST 26TH ST
NEW YORK, NY
Site 2 of 8 in cluster AQ

LTANKS S105997419
N/A

Relative:
Higher

LTANKS:
Site ID: 186505
Spill No: 0208834
Spill Date: 11/26/2002
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/8/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: CESAWYER
Referred To: Not reported
Reported to Dept: 11/26/2002
CID: 281
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/26/2002
Spill Record Last Update: 4/8/2004
Spiller Name: MARTIN TRAUM
Spiller Company: MATTHEW ADAMS PROPERTYS
Spiller Address: 127 EAST 59TH ST
Spiller City,St,Zip: NEW YORK, NY 10022-001
Spiller County: 001
Spiller Contact: MARTIN TRAUM

Actual:
36 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105997419

Spiller Phone: (212) 699-8922
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 155879
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 11/26/02 - most tank is burried. top of the tank is covered by concrete. oil stains can be found from side of the tank. It's been concluded that tank leaked. Due to the construction situation and utility lines there, it might come DEC to do letter has been sent out to owner. tank 1 is 4,000 gls. 5/5/03 - Zhao/DO: Tank was removed by May 1 by Abilene Group. Application is needed for PBS registration. Application form sent. 5/6/2003-Vought-Received call from John Thiemer (Abilene-718-372-4210). Tank was removed on 5/1/03 and temporary tanks were set up. Tank was cleaned before removal. Thiemer requested information on tank closure and endpoint samples. Tank will not be placed in location of previous tank. NYSDEC will sample analyticals and site plan and copy of invoice from tank removal. NYSDEC will receive report by 6/15/2003. 1/7/04-Vought-Spill transferred from Vought to Austin. 1/27/04 - Sawyer - Spill transferred from Austin to Sawyer. 4/08/04 - Sawyer - Called Mr. Traum of Matthew Adams Properties and asked him to send receipts of the work done with end point samples and disposal manifest. He forwarded all needed documents from AL Eastmond and Abliene. Closed.
Remarks: TANK FAILURE AT ABOVE LOCATION. TANK TO BE DRAINED. CALLER IS REQUESTING TO SPEAK TO DEC REGIONAL OFFICE IN REFERENCE TO SITUATION.

Material:
Site ID: 186505
Operable Unit ID: 862014
Operable Unit: 01
Material ID: 515826
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AQ225 **142 WEST 26TH STREET**
ESE **142 WEST 26TH STREET**
1/8-1/4 **NEW YORK, NY 10001**
0.200 mi.
1057 ft. **Site 3 of 8 in cluster AQ**

UST **U004076241**
 N/A

Relative:
Higher

UST:
 Facility Id: 2-069086
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2012/01/14
 UTM X: 585079.18573999999
 UTM Y: 4510977.7018600004

Actual:
36 ft.

Affiliation Records:
 Site Id: 1446
 Affiliation Type: Owner
 Company Name: 142 W 26TH OWNERS CORP
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 142 W 26TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 699-8900
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 1446
 Affiliation Type: Mail Contact
 Company Name: 142 W 26TH OWNERS CORP C/O MATTHEW ADAM PROPERTIES
 Contact Type: Not reported
 Contact Name: M. TRAUM
 Address1: 127 E 59 3RD FL.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 699-8900
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 1446
 Affiliation Type: On-Site Operator
 Company Name: 142 WEST 26TH STREET
 Contact Type: Not reported
 Contact Name: 142 W 26TH OWNERS CORP
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

142 WEST 26TH STREET (Continued)

U004076241

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 699-8900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1446
Affiliation Type: Emergency Contact
Company Name: 142 W 26TH OWNERS CORP
Contact Type: Not reported
Contact Name: M. TRAUM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 699-8900
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
F01 - Pipe External Protection - Painted/Asphalt Coating
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
A01 - Tank Internal Protection - Epoxy Liner
G03 - Tank Secondary Containment - Vault (w/o access)
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Site ID: 1446
Tank Number: 001
Tank ID: 2514
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/9/1983
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

142 WEST 26TH STREET (Continued)

U004076241

Register: True
Modified By: msbaptis
Last Modified: 11/16/2006

AN226
NE
1/8-1/4
0.200 mi.
1058 ft.

SO ACCURATE GROUP
236 W 30TH ST FLOOR 2 & 3
NEW YORK, NY 10001

RCRA-NonGen 1001224040
NYR000052563

Site 15 of 20 in cluster AN

Relative:
Higher

RCRA-NonGen:

Actual:
32 ft.

Date form received by agency: 01/01/2007
Facility name: SO ACCURATE GROUP
Facility address: 236 W 30TH ST FLOOR 2 & 3
NEW YORK, NY 100014904
EPA ID: NYR000052563
Mailing address: W 30TH ST FLOOR 2 & 3
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH ST FLOOR 2 & 3
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GROKASH REALTY
Owner/operator address: 236 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 594-4521
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: GROKASH REALTY
Owner/operator address: 236 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 594-4521
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SO ACCURATE GROUP (Continued)

1001224040

On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SO ACCURATE GROUP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: SO ACCURATE GROUP
Classification: Not a generator, verified

Date form received by agency: 03/27/1998
Facility name: SO ACCURATE GROUP
Classification: Small Quantity Generator

Violation Status: No violations found

AN227
NE
1/8-1/4
0.200 mi.
1059 ft.

SO METALS INC
236 W 30TH ST - 4TH FLOOR
NEW YORK, NY 10001
Site 16 of 20 in cluster AN

RCRA-NonGen **1000990517**
FINDS **NYR000004762**

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: SO METALS INC
Facility address: 236 W 30TH ST - 4TH FLOOR
NEW YORK, NY 100014904
EPA ID: NYR000004762
Mailing address: W 30TH ST - 4TH FLOOR
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 30TH ST - 4TH FLOOR
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
32 ft.

Owner/Operator Summary:

Owner/operator name: GROKASH REALTY
Owner/operator address: 236 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 594-4521
Legal status: Private
Owner/Operator Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SO METALS INC (Continued)

1000990517

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: GROKASH REALTY
Owner/operator address: 236 W 30TH ST
NEW YORK, NY 10001

Owner/operator country: US
Owner/operator telephone: (212) 594-4521
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SO METALS INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: SO METALS INC
Classification: Not a generator, verified

Date form received by agency: 05/11/1995
Facility name: SO METALS INC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004513517

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SO METALS INC (Continued)

1000990517

corrective action activities required under RCRA.

AN228
NE
1/8-1/4
0.200 mi.
1059 ft.

LO-WELL JEWELRY CORP THE
236 W 30TH ST
NEW YORK, NY 10001

Site 17 of 20 in cluster AN

RCRA-NonGen
FINDS
MANIFEST

1004757503
NYD986938579

Relative:
Higher

RCRA-NonGen:

Actual:
32 ft.

Date form received by agency: 01/01/2007
Facility name: LO-WELL JEWELRY CORP THE
Facility address: 236 W 30TH ST
NEW YORK, NY 10001
EPA ID: NYD986938579
Mailing address: W 30TH ST
NEW YORK, NY 10001
Contact: JULIUS HANTMAN
Contact address: W 30TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (718) 594-5337
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: THE LO-WELL JEWELRY CORP
Owner/operator address: 236 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 594-5337
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: THE LO-WELL JEWELRY CORP
Owner/operator address: 236 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 594-5337
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LO-WELL JEWELRY CORP THE (Continued)

1004757503

Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: LO-WELL JEWELRY CORP THE
Classification: Not a generator, verified

Date form received by agency: 02/05/1991
Facility name: LO-WELL JEWELRY CORP THE
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009480007

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986938579
Country: USA
Mailing Name: LO WELL JEWELRY CORPORATION
Mailing Contact: JULIUS HANTMAN
Mailing Address: 236 WEST 30TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-594-5337

Document ID: NYB5832423
Manifest Status: Completed copy
Trans1 State ID: IA7667
Trans2 State ID: Not reported
Generator Ship Date: 920121
Trans1 Recv Date: 920121
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920124

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

LO-WELL JEWELRY CORP THE (Continued)

1004757503

Part A Recv Date: 920130
Part B Recv Date: 920206
Generator EPA ID: NYD986938579
Trans1 EPA ID: NYD057722258
Trans2 EPA ID: Not reported
TSDF ID: NYD057722258
Waste Code: F001 - UNKNOWN
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 125
Year: 92

Document ID: NYB4007637
Manifest Status: Completed copy
Trans1 State ID: ET4521
Trans2 State ID: Not reported
Generator Ship Date: 930521
Trans1 Recv Date: 930521
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930524
Part A Recv Date: 930601
Part B Recv Date: 930603
Generator EPA ID: NYD986938579
Trans1 EPA ID: NYD057722258
Trans2 EPA ID: Not reported
TSDF ID: NYD057722258
Waste Code: F001 - UNKNOWN
Quantity: 00033
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 121
Year: 93

AN229
NE
1/8-1/4
0.200 mi.
1058 ft.

243 REALTY GROUP
243 WEST 30TH ST
NEW YORK, NY 10001
Site 18 of 20 in cluster AN

HIST UST **U003074327**
AST **N/A**
HIST AST

Relative:
Higher

HIST UST:
PBS Number: 2-085189
SPDES Number: Not reported
Emergency Contact: BENNIE CUMMINGS
Emergency Telephone: (718) 978-3257
Operator: BENNIE CUMMINGS
Operator Telephone: (212) 239-4830
Owner Name: 243 REALTY GROUP
Owner Address: 243 WEST 30TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 239-4830
Owner Type: Corporate/Commercial
Owner Subtype: Not reported

Actual:
31 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

243 REALTY GROUP (Continued)

U003074327

Mailing Name: 243 REALTY GROUP
Mailing Address: 243 WEST 30TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: Not reported
Mailing Telephone: (212) 239-4830
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 243 WEST 30TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 02/19/1997
Expiration Date: 03/24/2002
Renew Flag: False
Renewal Date: 20011113
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: Groundwater Well
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 02/01/1992
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

243 REALTY GROUP (Continued)

U003074327

Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-085189
Program Type: PBS
UTM X: 584991.77041999996
UTM Y: 4511399.0166100003
Expiration Date: 2002/03/24

Affiliation Records:

Site Id: 2026
Affiliation Type: On-Site Operator
Company Name: 243 REALTY GROUP
Contact Type: Not reported
Contact Name: BENNIE CUMMINGS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 239-4830
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2026
Affiliation Type: Emergency Contact
Company Name: 243 REALTY GROUP
Contact Type: Not reported
Contact Name: BENNIE CUMMINGS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 239-4830
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2026
Affiliation Type: Owner
Company Name: 243 REALTY GROUP
Contact Type: Not reported
Contact Name: Not reported
Address1: 243 WEST 30TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

243 REALTY GROUP (Continued)

U003074327

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 239-4830
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2026
Affiliation Type: Mail Contact
Company Name: 243 REALTY GROUP
Contact Type: Not reported
Contact Name: Not reported
Address1: 243 WEST 30TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 239-4830
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H04 - Tank Leak Detection - Groundwater Well
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 42674
Tank Location: 3

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

243 REALTY GROUP (Continued)

U003074327

Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/1/1992
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-085189
SWIS Code: 6201
Operator: BENNIE CUMMINGS
Facility Phone: (212) 239-4830
Facility Addr2: 243 WEST 30TH ST
Facility Type: OTHER
Emergency: BENNIE CUMMINGS
Emergency Tel: (718) 978-3257
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 243 REALTY GROUP
Owner Address: 243 WEST 30TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 239-4830
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: 243 REALTY GROUP
Mailing Address: 243 WEST 30TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 239-4830
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 02/19/1997
Expiration: 03/24/2002
Renew Flag: False
Renew Date: 20011113
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

243 REALTY GROUP (Continued)

U003074327

County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19920201
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 1
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 46
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AN230
NE
1/8-1/4
0.200 mi.
1058 ft.**

**ADWAR CASTING CO LTD
243 W 30TH ST
NEW YORK, NY 10001**

**RCRA-NonGen 1004755529
FINDS NY0000063164**

Site 19 of 20 in cluster AN

**Relative:
Higher**

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: ADWAR CASTING CO LTD
Facility address: 243 W 30TH ST
NEW YORK, NY 10001
EPA ID: NY0000063164
Mailing address: W 30TH ST
NEW YORK, NY 10001
Contact: HARRY ADWAR
Contact address: W 30TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (718) 564-7755
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

**Actual:
31 ft.**

Owner/Operator Summary:
Owner/operator name: HARRY ADWAR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ADWAR CASTING CO LTD (Continued)

100475529

Owner/operator address: 243 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 564-7755
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: HARRY ADWAR
Owner/operator address: 243 W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 564-7755
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ADWAR CASTING CO LTD
Classification: Not a generator, verified

Date form received by agency: 11/24/1993
Facility name: ADWAR CASTING CO LTD
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004309702

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ADWAR CASTING CO LTD (Continued)

100475529

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**AN231
 NE
 1/8-1/4
 0.200 mi.
 1058 ft.**

**243 REALTY GROUP
 243 WEST 30TH ST
 NEW YORK, NY 10001
 Site 20 of 20 in cluster AN**

**UST U004076433
 N/A**

**Relative:
 Higher**

UST:
 Facility Id: 2-085189
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2002/03/24
 UTM X: 584991.77041999996
 UTM Y: 4511399.0166100003

**Actual:
 31 ft.**

Affiliation Records:
 Site Id: 2026
 Affiliation Type: On-Site Operator
 Company Name: 243 REALTY GROUP
 Contact Type: Not reported
 Contact Name: BENNIE CUMMINGS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 239-4830
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 2026
 Affiliation Type: Emergency Contact
 Company Name: 243 REALTY GROUP
 Contact Type: Not reported
 Contact Name: BENNIE CUMMINGS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 239-4830
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

243 REALTY GROUP (Continued)

U004076433

Site Id: 2026
Affiliation Type: Owner
Company Name: 243 REALTY GROUP
Contact Type: Not reported
Contact Name: Not reported
Address1: 243 WEST 30TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 239-4830
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2026
Affiliation Type: Mail Contact
Company Name: 243 REALTY GROUP
Contact Type: Not reported
Contact Name: Not reported
Address1: 243 WEST 30TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 239-4830
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
G03 - Tank Secondary Containment - Vault (w/o access)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H04 - Tank Leak Detection - Groundwater Well
I05 - Overfill - Vent Whistle
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

243 REALTY GROUP (Continued)

U004076433

Tank Info:
 Site ID: 2026

 Tank Number: 001-A
 Tank ID: 42675
 Tank Status: Closed - Removed
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: 2/1/1992
 Tank Location: 6
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

**AP232
 SSW
 1/8-1/4
 0.201 mi.
 1064 ft.**

**262 WEST 22ND ST/MANH
 262 WEST 22ND ST
 NEW YORK CITY, NY

 Site 3 of 7 in cluster AP**

**AST S102146045
 NY Spills N/A
 NY Hist Spills**

**Relative:
 Lower**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-401234
 Program Type: PBS
 UTM X: 584635.85663000005
 UTM Y: 4510846.3949999996
 Expiration Date: 2007/06/06

**Actual:
 23 ft.**

Affiliation Records:
 Site Id: 19174
 Affiliation Type: Mail Contact
 Company Name: STEVENS PARTNERS LLC
 Contact Type: Not reported
 Contact Name: STEVEN BIRBACH
 Address1: 87-47 MARENGO STREET
 Address2: Not reported
 City: HOLLISWOOD NY
 State: NY
 Zip Code: 11423
 Country Code: 001
 Phone: (212) 575-0200
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

 Site Id: 19174
 Affiliation Type: On-Site Operator
 Company Name: 262 WEST 22ND ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

262 WEST 22ND ST/MANH (Continued)

S102146045

Contact Type: Not reported
Contact Name: BOTH RAKE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-1945
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19174
Affiliation Type: Owner
Company Name: STEVENS PARTNERS LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 87-47 MARENGO ST
Address2: Not reported
City: HOLLISWOOD
State: NY
Zip Code: 11423
Country Code: 001
Phone: (212) 575-0200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19174
Affiliation Type: Emergency Contact
Company Name: STEVENS PARTNERS LLC
Contact Type: Not reported
Contact Name: STEVE BIRBACH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 656-0668
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

262 WEST 22ND ST/MANH (Continued)

S102146045

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
L09 - Piping Leak Detection - Exempt Suction Piping

Tank Info:

Tank Number: 001
Tank Id: 21777
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

NY Spills:

Site ID: 171100
Facility Addr2: Not reported
Facility ID: 9009405
Spill Number: 9009405
Facility Type: ER
SWIS: 3101
Investigator: FINGER
Referred To: Not reported
Spill Date: 11/28/1990
Reported to Dept: 11/28/1990
CID: Not reported
Spill Cause: Human Error
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Citizen
Cleanup Ceased: 11/30/1990
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 11/30/1990
Remediation Phase: 0
Date Entered In Computer: 12/10/1990
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: HUNT'S POINT FUEL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller Company: 001
Contact Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

262 WEST 22ND ST/MANH (Continued)

S102146045

Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 143983
DEC Memo: Not reported
Remarks: TRUCK DRIVER CONTINUALLY OVERFILLS TANK, ONGOING PROBLEM, DEC INVESTIGATED, SPILL CLEANED UP, OIL CO WILL INVESTIGATE SITUATION, POSSIBLE PROBLEM WITH VENT LINE.

Material:

Site ID: 171100
Operable Unit ID: 949887
Operable Unit: 01
Material ID: 567679
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9009405
Investigator: FINGER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 11/28/1990 15:00
Reported to Dept Date/Time: 11/28/90 16:40
SWIS: 62
Spiller Name: HUNT'S POINT FUEL
Spiller Contact: Not reported
Spiller Phone: (212) 893-3100
Spiller Address: Not reported
Spiller City, St, Zip: Not reported
Spill Cause: Human Error
Reported to Dept: In Sewer
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

262 WEST 22ND ST/MANH (Continued)

S102146045

Spill Source: 01
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: 11/30/90
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 11/30/90
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/10/90
Date Spill Entered In Computer Data File: Not reported
Update Date: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Remark: TRUCK DRIVER CONTINUALLY OVERFILLS TANK, ONGOING PROBLEM, DEC INVESTIGATED, SPILL CLEANED UP, OIL CO WILL INVESTIGATE SITUATION, POSSIBLE PROBLEM WITH VENT LINE.

AP233
SSW
1/8-1/4
0.202 mi.
1064 ft.

WEST 22ND STREET ASSOCIATES
258 WEST 22ND STREET
NEW YORK, NY 10011
Site 4 of 7 in cluster AP

AST A100183058
N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606412
Program Type: PBS
UTM X: 584611.28264999995
UTM Y: 4510830.4833399998

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 22ND STREET ASSOCIATES (Continued)

A100183058

Expiration Date: 2011/07/17

Affiliation Records:

Site Id: 28275
Affiliation Type: Mail Contact
Company Name: MARIN MANAGEMENT
Contact Type: Not reported
Contact Name: MARTIN HOLLANDER
Address1: 114 EAST 39TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 213-0123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28275
Affiliation Type: Owner
Company Name: WEST 22ND STREET ASSOCIATES
Contact Type: MANAGING AGENT
Contact Name: MARTIN HOLLANDER
Address1: 258 W. 22ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 213-0123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/27/2006

Site Id: 28275
Affiliation Type: Emergency Contact
Company Name: WEST 22ND STREET ASSOCIATES
Contact Type: Not reported
Contact Name: MARTIN HOLLANDER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 213-0123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28275

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 22ND STREET ASSOCIATES (Continued)

A100183058

Affiliation Type: On-Site Operator
Company Name: WEST 22ND STREET ASSOCIATES
Contact Type: Not reported
Contact Name: SANTOS RODRIGUEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-5914
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 61398
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AL234
ENE
1/8-1/4
0.202 mi.
1065 ft.

AM PROPERTY HOLDING CORP.
352 7TH AVE
NEW YORK, NY 10001
Site 5 of 6 in cluster AL

HIST UST **U003178496**
N/A

Relative:
Higher

HIST UST:

Actual:
34 ft.

PBS Number: 2-155233
 SPDES Number: Not reported
 Emergency Contact: LUBO NALEPKA
 Emergency Telephone: (646) 235-4414
 Operator: AM PROPERTY HOLDING CORP.
 Operator Telephone: (212) 279-2354
 Owner Name: 352 ACQUISITION CO., LLC
 Owner Address: 352 7TH AVENUE
 Owner City,St,Zip: NEW YORK, NY 10001
 Owner Telephone: (212) 279-2392
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: AM PROPERTY HOLDING COPR.
 Mailing Address: 352 7TH AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: PAUL WASSERMAN
 Mailing Telephone: (212) 279-2392
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 352 7TH AVE
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 11/23/2001
 Expiration Date: 02/13/2007
 Renew Flag: False
 Renewal Date: 20011030
 Total Capacity: 10000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 10000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AM PROPERTY HOLDING CORP. (Continued)

U003178496

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: Painted/Asphalt Coating
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AL235
ENE
1/8-1/4
0.202 mi.
1065 ft.

AM PROPERTY HOLDING CORP.
352 7TH AVE
NEW YORK, NY 10001
Site 6 of 6 in cluster AL

UST U004076555
N/A

Relative:
Higher

UST:
Facility Id: 2-155233
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/02/13
UTM X: 585085.32885000005
UTM Y: 4511303.0595800001

Actual:
34 ft.

Affiliation Records:
Site Id: 5017
Affiliation Type: On-Site Operator
Company Name: AM PROPERTY HOLDING CORP.
Contact Type: Not reported
Contact Name: AM PROPERTY HOLDING CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 279-2354
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 5017
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AM PROPERTY HOLDING CORP. (Continued)

U004076555

Company Name: 352 ACQUISITION CO., LLC
Contact Type: Not reported
Contact Name: LUBO NALEPKA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 235-4414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 5017
Affiliation Type: Owner
Company Name: 352 ACQUISITION CO., LLC
Contact Type: VICE PRESIDENT
Contact Name: PAUL WASSERMAN
Address1: 352 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 279-2392
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 11/24/2006

Site Id: 5017
Affiliation Type: Mail Contact
Company Name: AM PROPERTY HOLDING COPR.
Contact Type: Not reported
Contact Name: PAUL WASSERMAN
Address1: 352 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 279-2392
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AM PROPERTY HOLDING CORP. (Continued)

U004076555

G03 - Tank Secondary Containment - Vault (w/o access)
F01 - Pipe External Protection - Painted/Asphalt Coating
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 5017

Tank Number: 001
Tank ID: 28326
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/29/1921
Capacity Gallons: 10000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 11/24/2006

AP236 264 WEST 22ND ST
SSW 264 WEST 22ND ST
1/8-1/4 NEW YORK, NY 10011
0.202 mi.
1066 ft. Site 5 of 7 in cluster AP

AST U003392797
HIST AST N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-247227
Program Type: PBS
UTM X: 584631.18380999996
UTM Y: 4510848.89506
Expiration Date: 2008/07/28

Actual:
23 ft.

Affiliation Records:

Site Id: 9707
Affiliation Type: On-Site Operator
Company Name: 264 WEST 22ND STREET OWNERS INC.
Contact Type: Not reported
Contact Name: ADVANCED MANAGEMENT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 382-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

264 WEST 22ND ST (Continued)

U003392797

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9707
Affiliation Type: Emergency Contact
Company Name: 264 W. 22ND STREET OWNERS INC
Contact Type: Not reported
Contact Name: ADVANCED MANAGEMENT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 334-9822
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9707
Affiliation Type: Owner
Company Name: 264 W. 22ND STREET OWNERS INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 264 W 22ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 382-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9707
Affiliation Type: Mail Contact
Company Name: AGGRESSIVE HEATING INC
Contact Type: Not reported
Contact Name: MELISSA ROSARIO
Address1: 9009 FIFTH AVENUE
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11209
Country Code: 001
Phone: (718) 836-9222
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

264 WEST 22ND ST (Continued)

U003392797

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
B00 - Tank External Protection - None
I00 - Overfill - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 25431
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-247227
SWIS Code: 6201
Operator: ADVANCED MANAGEMENT
Facility Phone: (212) 382-3600
Facility Addr2: 264 WEST 22ND ST
Facility Type: APARTMENT BUILDING
Emergency: RICHARD BASSIK
Emergency Tel: (718) 418-4671
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 264 WEST 22ND ST OWNERS CORP
Owner Address: C/O ADVANCED MGMT.SVCES.25 W.45TH ST.905
Owner City,St,Zip: NEW YORK, NY 10036
Federal ID: Not reported
Owner Tel: (212) 382-3600
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: RICHARD BASSIK
Mailing Name: 264 WEST 22ND ST INNERS CORP
Mailing Address: C/O ADVANCED MANAGEMTN SERVICES
Mailing Address 2: 25 WEST 45TH STREET #905
Mailing City,St,Zip: NEW YORK, NY 10036
Mailing Telephone: (212) 382-3600

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

264 WEST 22ND ST (Continued)

U003392797

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/21/1998
Expiration: 07/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: Not reported
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AP237 **250 EQUITIES CORP**
SSW **250 WEST 22ND ST**
1/8-1/4 **NEW YORK, NY 10011**
0.202 mi.
1068 ft. **Site 6 of 7 in cluster AP**

AST **U003389759**
HIST AST **N/A**

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-250481
Program Type: PBS
UTM X: 584663.97678000003
UTM Y: 4510831.5066499999
Expiration Date: 2013/04/20

Actual:
24 ft.

Affiliation Records:

Site Id: 10001
Affiliation Type: Mail Contact
Company Name: 250 EQUITIES CORP. C/O VERITAS MGMT
Contact Type: Not reported
Contact Name: CARL BORENSTEIN
Address1: 180 WEST 80TH STREET
Address2: SUITE 218
City: NEW YORK
State: NY
Zip Code: 10024
Country Code: 001
Phone: (212) 799-2365
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/14/2010

Site Id: 10001
Affiliation Type: On-Site Operator
Company Name: 250 EQUITIES CORP
Contact Type: Not reported
Contact Name: MIRSAD DECEVIC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 569-4726
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/14/2010

Site Id: 10001
Affiliation Type: Owner
Company Name: 250 EQUITIES CORP. C/O VERITAS MGMT
Contact Type: AGENT
Contact Name: CARL BORENSTEIN
Address1: 180 WEST 80TH STREET
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

250 EQUITIES CORP (Continued)

U003389759

City: NEW YORK
State: NY
Zip Code: 10024
Country Code: 001
Phone: (212) 799-2365
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/14/2010

Site Id: 10001
Affiliation Type: Emergency Contact
Company Name: 250 EQUITIES CORP. C/O VERITAS MGMT
Contact Type: Not reported
Contact Name: MIRSAD DECEVIC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 569-4726
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/14/2010

Equipment Records:

J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
H00 - Tank Leak Detection - None
I05 - Overfill - Vent Whistle
B05 - Tank External Protection - Jacketed
C03 - Pipe Location - Aboveground/Underground Combination
E00 - Piping Secondary Containment - None
G01 - Tank Secondary Containment - Diking (Aboveground)
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
L00 - Piping Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 17523
Tank Location: 2
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1960
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

250 EQUITIES CORP (Continued)

U003389759

Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 6/14/2010

HIST AST:

PBS Number: 2-250481
SWIS Code: 6201
Operator: JON SHATZKAMER
Facility Phone: (212) 268-0494
Facility Addr2: 250 WEST 22ND ST
Facility Type: APARTMENT BUILDING
Emergency: MMI MECHANICAL INC
Emergency Tel: (718) 449-4166
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: SANDBERG MANAGEMENT CORP.
Owner Address: 345 SEVENTH AVENUE
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 268-0494
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: JON SHATZKAMER
Mailing Name: ASST. PROPERTY MANAGER
Mailing Address: SANDBERT MANAGEMENT CORP.
Mailing Address 2: 345 SEVENTH AVENUE
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 268-0494
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/30/2001
Expiration: 04/20/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

250 EQUITIES CORP (Continued)

U003389759

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AJ238 144 WEST 27TH ST
ESE 144 WEST 27TH ST
1/8-1/4 NEW YORK, NY 10017
0.202 mi.
1069 ft. Site 7 of 9 in cluster AJ

AST U004067666
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-063827
Program Type: PBS
UTM X: 585112.95869999996
UTM Y: 4511051.4736700002
Expiration Date: N/A

Actual:
36 ft.

Affiliation Records:
Site Id: 1292
Affiliation Type: Owner
Company Name: NEW BEDFORD MGT
Contact Type: MANAGING AGENT
Contact Name: JOHN CZAJKOWSKI
Address1: 333 PARK AVENUE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 674-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 11/1/2006

Site Id: 1292

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

144 WEST 27TH ST (Continued)

U004067666

Affiliation Type: Mail Contact
Company Name: NEW BEDFORD MGT
Contact Type: Not reported
Contact Name: JOHN CZAJKOWSKI
Address1: 210 EAST 23 ST., 4TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 674-6123
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 1/5/2007

Site Id: 1292
Affiliation Type: On-Site Operator
Company Name: 144 WEST 27TH ST
Contact Type: Not reported
Contact Name: JOHN CZAJKOWSKI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 691-7269
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 1/5/2007

Site Id: 1292
Affiliation Type: Emergency Contact
Company Name: NEW BEDFORD MGT
Contact Type: Not reported
Contact Name: JOHN CZAJKOWSKI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 691-7269
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 1/5/2007

Equipment Records:

J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

144 WEST 27TH ST (Continued)

U004067666

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
A01 - Tank Internal Protection - Epoxy Liner
G00 - Tank Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 2338
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 7/1/2005
Register: True
Modified By: DXLIVING
Last Modified: 1/5/2007

AP239
SSW
1/8-1/4
0.203 mi.
1072 ft.

246 WEST 22ND ST
246 WEST 22ND ST
NEW YORK, NY 10011
Site 7 of 7 in cluster AP

AST U003384832
HIST AST N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-095613
Program Type: PBS
UTM X: 584673.32247000001
UTM Y: 4510826.5065599997
Expiration Date: 2012/03/07

Actual:
24 ft.

Affiliation Records:

Site Id: 2658
Affiliation Type: Owner
Company Name: JORUT REALTY TRANSACTION, LLC
Contact Type: PROPERTY MGR
Contact Name: PETER CAMILLERI
Address1: C/O MAUTNER-GLICK CORP 1345 3RD AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 288-1999
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

246 WEST 22ND ST (Continued)

U003384832

Modified By: msbaptis
Date Last Modified: 3/7/2007

Site Id: 2658
Affiliation Type: Mail Contact
Company Name: JORUT REALTY TRANSACTION, LLC
Contact Type: Not reported
Contact Name: PETER CAMILLERI
Address1: C/O MAUTNER-GLICK CORP 1345 3RD AVE
Address2: 2ND FLR
City: NEW YORK
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 288-1999
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/7/2007

Site Id: 2658
Affiliation Type: On-Site Operator
Company Name: 246 WEST 22ND ST
Contact Type: Not reported
Contact Name: PEDRO MIELES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 416-6950
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/7/2007

Site Id: 2658
Affiliation Type: Emergency Contact
Company Name: JORUT REALTY TRANSACTION, LLC
Contact Type: Not reported
Contact Name: PEDRO MIELES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 416-6950
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/7/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

246 WEST 22ND ST (Continued)

U003384832

Equipment Records:

G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 4550
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/15/1980
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 3/7/2007

HIST AST:

PBS Number: 2-095613
SWIS Code: 6201
Operator: MANNY SPITERI
Facility Phone: (212) 255-8121
Facility Addr2: 246 WEST 22ND ST
Facility Type: APARTMENT BUILDING
Emergency: MANNY SPITERI
Emergency Tel: (212) 255-8121
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: JORUT REALTY CORPORATION
Owner Address: 729 EAST 140TH ST
Owner City,St,Zip: BRONX, NY 10454
Federal ID: Not reported
Owner Tel: (212) 585-7743
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: JORUT REALTY CORPORATION
Mailing Address: 729 EAST 140TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10454
Mailing Telephone: (212) 585-7743

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

246 WEST 22ND ST (Continued)

U003384832

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/20/1997
Expiration: 05/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AJ240 145 W 27
ESE 145 W 27TH ST
1/8-1/4 N Y, NY 10001
0.203 mi.
1073 ft. Site 8 of 9 in cluster AJ

AST U003383923
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-069639
Program Type: PBS
UTM X: 585117.64228999999
UTM Y: 4511062.74046
Expiration Date: 2007/01/14

Actual:
37 ft.

Affiliation Records:
Site Id: 1496
Affiliation Type: Owner
Company Name: 19 WEST 36 ST HOLDING CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 581 SIXTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 255-3636
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1496
Affiliation Type: Mail Contact
Company Name: 19 WEST 36 ST HOLDING CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 581 SIXTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 255-3636
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1496
Affiliation Type: On-Site Operator
Company Name: 145 W 27
Contact Type: Not reported
Contact Name: JIM FLOOD
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 W 27 (Continued)

U003383923

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 620-7996
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 1496
Affiliation Type: Emergency Contact
Company Name: 19 WEST 36 ST HOLDING CORP
Contact Type: Not reported
Contact Name: JIM FLOOD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 620-7996
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 2571
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 W 27 (Continued)

U003383923

HIST AST:
PBS Number: 2-069639
SWIS Code: 6201
Operator: JIM FLOOD
Facility Phone: (212) 620-7996
Facility Addr2: 145 W 27TH ST
Facility Type: APARTMENT BUILDING
Emergency: JIM FLOOD
Emergency Tel: (212) 620-7996
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 19 WEST 36 ST HOLDING CORP
Owner Address: 581 SIXTH AVENUE
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 255-3636
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: 19 WEST 36 ST HOLDING CORP
Mailing Address: 581 SIXTH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Telephone: (212) 255-3636
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/16/2001
Expiration: 01/14/2007
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 W 27 (Continued)

U003383923

Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AR241
North
1/8-1/4
0.204 mi.
1075 ft.

400 8TH AVE
400 8TH AVE
NYC, NY
Site 1 of 7 in cluster AR

LTANKS S102141189
HIST LTANKS N/A
NY Spills
NY Hist Spills

Relative:
Higher

LTANKS:

Actual:
29 ft.

Site ID: 236957
Spill No: 9411284
Spill Date: 11/23/1994
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/23/1994
Facility Addr2: Not reported
Cleanup Ceased: 11/23/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 11/23/1994
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/5/1995
Spill Record Last Update: 6/17/2004
Spiller Name: Not reported
Spiller Company: MERINGOFF PROPERTY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 195211

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 8TH AVE (Continued)

S102141189

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"

Remarks: DEFECTIVE GAUGE-SENT CREW TO CLEANUP.

Material:

Site ID: 236957
Operable Unit ID: 1009168
Operable Unit: 01
Material ID: 377146
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9411284
Spill Date: 11/23/1994
Spill Time: 12:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affectd: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/23/94
Cleanup Ceased: 11/23/94
Cleanup Meets Standard: True
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/23/94

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 8TH AVE (Continued)

S102141189

Reported to Department Time: 12:19
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MERINGOFF PROPERTY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 645-7575
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/05/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: DEFECTIVE GAUGE-SENT CREW TO CLEANUP.

NY Spills:

Site ID: 215506
Facility Addr2: Not reported
Facility ID: 9104431
Spill Number: 9104431
Facility Type: ER
SWIS: 3101
Investigator: WILSON

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 8TH AVE (Continued)

S102141189

Referred To: Not reported
Spill Date: 7/25/1991
Reported to Dept: 7/25/1991
CID: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Tank Truck
Spill Notifier: Responsible Party
Cleanup Ceased: 5/25/1995
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/25/1995
Remediation Phase: 0
Date Entered In Computer: 7/26/1991
Spill Record Last Update: 5/25/1995
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 178494
DEC Memo: Not reported
Remarks: DRIVER FOUND PINHOLE IN DELIVERY HOSE. APPLIED SPEEDY DRY. CREW WILL COMPLETE CLEANUP.

Material:

Site ID: 215506
Operable Unit ID: 958329
Operable Unit: 01
Material ID: 423498
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 8TH AVE (Continued)

S102141189

Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9104431
Investigator: WILSON
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 07/25/1991 10:10
Reported to Dept Date/Time: 07/25/91 10:30
SWIS: 62
Spiller Name: Not reported
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 08
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 05/25/95
Cleanup Meets Std: True
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 05/25/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 07/26/91
Date Spill Entered In Computer Data File: Not reported
Update Date: 05/25/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 8TH AVE (Continued)

S102141189

Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Remark: DRIVER FOUND PINHOLE IN DELIVERY HOSE. APPLIED SPEEDY DRY. CREW WILL COMPLETE CLEANUP.

AS242
SSW
1/8-1/4
0.203 mi.
1074 ft.

244 WEST 22ND STREET
244 WEST 22ND ST
NEW YORK, NY 10011
Site 1 of 3 in cluster AS

AST A100173306
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-198064
Program Type: PBS
UTM X: 584677.99531999999
UTM Y: 4510824.0065299999
Expiration Date: 2015/11/02

Affiliation Records:

Site Id: 6546
Affiliation Type: Owner
Company Name: REVIVO REALTY CORP.
Contact Type: PRESIDENT
Contact Name: JOHN E. CURRERI
Address1: P.O. BOX 115
Address2: Not reported
City: TUCKAHOE
State: NY
Zip Code: 10707
Country Code: 001
Phone: (914) 771-7770
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/19/2005

Site Id: 6546
Affiliation Type: Emergency Contact
Company Name: REVIVO REALTY CORP.
Contact Type: Not reported
Contact Name: ROCKWAY FUEL CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 585-8300

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

244 WEST 22ND STREET (Continued)

A100173306

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6546
Affiliation Type: On-Site Operator
Company Name: 244 WEST 22ND STREET
Contact Type: Not reported
Contact Name: ROCKWAY FUEL CORP.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 585-8300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 6546
Affiliation Type: Mail Contact
Company Name: REVIVO REALTY CORP.
Contact Type: Not reported
Contact Name: JOHN T. CURRERI
Address1: P.O. BOX 115
Address2: Not reported
City: TUCKAHOE
State: NY
Zip Code: 10707
Country Code: 001
Phone: (914) 771-7770
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

244 WEST 22ND STREET (Continued)

A100173306

Tank Number: 001
Tank Id: 12326
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/8/1999
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 9/10/2010

AS243
SSW
1/8-1/4
0.205 mi.
1083 ft.

233-53 WEST 22ND ST
233-53 WEST 22ND ST
NEW YORK, NY 10011
Site 2 of 3 in cluster AS

AST U004045252
N/A

Relative:
Lower

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-243485
Program Type: PBS
UTM X: 584673.16905999999
UTM Y: 4510818.7633600002
Expiration Date: N/A

Actual:
25 ft.

Affiliation Records:

Site Id: 9380
Affiliation Type: Owner
Company Name: GSL ENTERPRISES, INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 640 FIFTH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 265-2280
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9380
Affiliation Type: Mail Contact
Company Name: 640 FIFTH AVE
Contact Type: Not reported
Contact Name: VINCENT PEDONE
Address1: 640 FIFTH AVE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

233-53 WEST 22ND ST (Continued)

U004045252

Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 265-2280
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9380
Affiliation Type: Emergency Contact
Company Name: GSL ENTERPRISES, INC
Contact Type: Not reported
Contact Name: DAVID PIERATOS T
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 788-3979
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9380
Affiliation Type: On-Site Operator
Company Name: 233-53 WEST 22ND ST
Contact Type: Not reported
Contact Name: DAVID PIERATOS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-2940
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
I00 - Overfill - None
J00 - Dispenser - None
A00 - Tank Internal Protection - None
D00 - Pipe Type - No Piping
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

233-53 WEST 22ND ST (Continued)

U004045252

C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 10338
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 20000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 7/1/1901
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AS244
SSW
1/8-1/4
0.205 mi.
1083 ft.

V9203
233 W 22ND STREET
NEW YORK CITY, NY 10011

RCRA-NonGen 1007206947
MANIFEST NYP004034427

Site 3 of 3 in cluster AS

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 01/03/2001

Facility name: V9203

Facility address: 233 W 22ND STREET
NEW YORK CITY, NY 10011

EPA ID: NYP004034427

Mailing address: CONSOLIDATED EDISON INC.
4 IRVING PLACE -- ROOM 300
NEW YORK, NY 10003

Contact: ANTHONY DRUMMINGS

Contact address: CONSOLIDATED EDISON INC.
NEW YORK, NY 10003

Contact country: US

Contact telephone: (212) 460-3770

Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: Unknown
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: Unknown
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: Unknown
Used oil processor: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V9203 (Continued)

1007206947

User oil refiner: Unknown
Used oil fuel marketer to burner: Unknown
Used oil Specification marketer: Unknown
Used oil transfer facility: Unknown
Used oil transporter: Unknown
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/02/2001
Facility name: V9203
Classification: Not a generator, verified

Date form received by agency: 01/01/2001
Facility name: V9203
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004034427
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0278392
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/14/1999
Trans1 Recv Date: 04/14/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/15/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004034427
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: 63070AK
Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
Quantity: 00600
Units: K - Kilograms (2.2 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 99

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

V9203 (Continued)

1007206947

Document ID: NYE0213974
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 04/14/1999
Trans1 Recv Date: 04/14/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/14/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004034427
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: SM1709
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00100
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 99

Document ID: NYE0256195
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 01/15/1999
Trans1 Recv Date: 01/15/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/15/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004034427
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 20855AD
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 01302
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 99

AJ245 WEST 27TH LOFT CORP
ESE 143 WEST 27TH ST
1/8-1/4 NEW YORK, NY 10001
0.206 mi.
1089 ft. Site 9 of 9 in cluster AJ

AST U003385276
HIST AST N/A

Relative: Higher
Actual: 37 ft.
AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-108871

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH LOFT CORP (Continued)

U003385276

Program Type: PBS
UTM X: 585122.23199999996
UTM Y: 4511060.1287200004
Expiration Date: 2012/06/05

Affiliation Records:

Site Id: 3244
Affiliation Type: On-Site Operator
Company Name: WEST 27 LOFT CORP
Contact Type: Not reported
Contact Name: HENRY DAVIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 834-0934
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/22/2008

Site Id: 3244
Affiliation Type: Emergency Contact
Company Name: WEST 27 LOFT CORP % WERBER FARHAT REALTY
Contact Type: Not reported
Contact Name: HENRY DAVIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 834-0934
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/22/2008

Site Id: 3244
Affiliation Type: Owner
Company Name: WEST 27 LOFT CORP % WERBER FARHAT REALTY
Contact Type: PROPERTY MANAGER
Contact Name: JEFFREY WEBER
Address1: 236 W. 26TH ST.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001-6205
Country Code: 001
Phone: (212) 727-0022
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH LOFT CORP (Continued)

U003385276

Date Last Modified: 12/22/2008

Site Id: 3244
Affiliation Type: Mail Contact
Company Name: AGGRESSIVE HEATING INC.
Contact Type: Not reported
Contact Name: MARSHA BALLOW
Address1: 78 RAPELYE STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11231
Country Code: 001
Phone: (718) 836-9222
Phone Ext: Not reported
Email: MARSHA@BAYRIDGEFUEL.COM
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 4/9/2009

Equipment Records:

J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 001
Tank Id: 5490
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/31/1959
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 12/22/2008

HIST AST:

PBS Number: 2-108871
SWIS Code: 6201
Operator: WEST 27 LOFT CORP
Facility Phone: (212) 229-2559
Facility Addr2: 143 WEST 27TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH LOFT CORP (Continued)

U003385276

Facility Type: APARTMENT BUILDING
Emergency: ROGER WALTZMAN
Emergency Tel: (212) 229-2559
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: WEST 27 LOFT CORP
Owner Address: 143 WEST 27
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 924-5400
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: WEST 27 LOFT CORP
Mailing Address: 143 WEST 27 ST.
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 924-5400
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/07/1999
Expiration: 06/05/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: 1
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH LOFT CORP (Continued)

U003385276

Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**AT246
NE
1/8-1/4
0.206 mi.
1090 ft.**

**M B HAMPTONS LLC
224 WEST 30TH STREET
NEW YORK, NY 10001**

**UST U004076930
N/A**

Site 1 of 3 in cluster AT

**Relative:
Higher**

UST:
Facility Id: 2-251666
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/12/05
UTM X: 585029.41289000004
UTM Y: 4511363.58930000001

**Actual:
33 ft.**

Affiliation Records:
Site Id: 10107
Affiliation Type: Emergency Contact
Company Name: MB HAMPTONS LLC % MAY BAO LTD.
Contact Type: Not reported
Contact Name: JOSE QUINONES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 967-8890
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Site Id: 10107
Affiliation Type: Owner
Company Name: MB HAMPTONS LLC % MAY BAO LTD.
Contact Type: MANAGER
Contact Name: DONALD LI
Address1: 224 WEST 30TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 714-0351

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

M B HAMPTONS LLC (Continued)

U004076930

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Site Id: 10107
Affiliation Type: On-Site Operator
Company Name: M B HAMPTONS LLC
Contact Type: Not reported
Contact Name: JOSE QUINONES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 714-2902
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Site Id: 10107
Affiliation Type: Mail Contact
Company Name: MB HAMPTONS LLC % MAY BAO LTD
Contact Type: Not reported
Contact Name: DONALD LI
Address1: 224 WEST 30TH STREET
Address2: SUITE 100
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 714-0351
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Equipment Records:

H00 - Tank Leak Detection - None
F02 - Pipe External Protection - Original Sacrificial Anode
K00 - Spill Prevention - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

M B HAMPTONS LLC (Continued)

U004076930

- J02 - Dispenser - Suction
- C01 - Pipe Location - Aboveground
- L09 - Piping Leak Detection - Exempt Suction Piping
- G00 - Tank Secondary Containment - None
- I05 - Overfill - Vent Whistle
- F06 - Pipe External Protection - Wrapped
- G00 - Tank Secondary Containment - None
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 10107

Tank Number: 001
 Tank ID: 11782
 Tank Status: Closed - In Place
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: 10/1/1998
 Tank Location: 5
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

**AT247
 NE
 1/8-1/4
 0.206 mi.
 1090 ft.**

**224 WEST 30TH ST
 224 WEST 30TH STREET
 NEW YORK, NY 10001
 Site 2 of 3 in cluster AT**

**HIST UST U000399162
 AST N/A
 HIST AST**

**Relative:
 Higher**

HIST UST:
 PBS Number: 2-251666
 SPDES Number: Not reported
 Emergency Contact: NICK DESIMONE
 Emergency Telephone: (917) 506-8496
 Operator: NICK DESIMONE
 Operator Telephone: (212) 714-2902
 Owner Name: 224 W 30 LLC
 Owner Address: PIER 40, SUITE 100, WEST ST. AT HOUSTON
 Owner City,St,Zip: NEW YORK, NY 10014
 Owner Telephone: (212) 924-9690
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 224 W 30 LLC
 Mailing Address: 224 WEST 30TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: SUSAN DONAHUE
 Mailing Telephone: (212) 924-9690
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

**Actual:
 33 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 WEST 30TH ST (Continued)

U000399162

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 224 W 30TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/28/2001
Expiration Date: 06/27/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Product Level Gauge, Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 10/01/1998
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 WEST 30TH ST (Continued)

U000399162

Facility Id: 2-251666
Program Type: PBS
UTM X: 585029.41289000004
UTM Y: 4511363.5893000001
Expiration Date: 2012/12/05

Affiliation Records:

Site Id: 10107
Affiliation Type: Emergency Contact
Company Name: MB HAMPTONS LLC % MAY BAO LTD.
Contact Type: Not reported
Contact Name: JOSE QUINONES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 967-8890
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Site Id: 10107
Affiliation Type: Owner
Company Name: MB HAMPTONS LLC % MAY BAO LTD.
Contact Type: MANAGER
Contact Name: DONALD LI
Address1: 224 WEST 30TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 714-0351
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Site Id: 10107
Affiliation Type: On-Site Operator
Company Name: M B HAMPTONS LLC
Contact Type: Not reported
Contact Name: JOSE QUINONES
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 714-2902
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 WEST 30TH ST (Continued)

U000399162

Modified By: KXTANG
Date Last Modified: 10/2/2007

Site Id: 10107
Affiliation Type: Mail Contact
Company Name: MB HAMPTONS LLC % MAY BAO LTD
Contact Type: Not reported
Contact Name: DONALD LI
Address1: 224 WEST 30TH STREET
Address2: SUITE 100
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 714-0351
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 10/2/2007

Equipment Records:

H00 - Tank Leak Detection - None
F02 - Pipe External Protection - Original Sacrificial Anode
K00 - Spill Prevention - None
B00 - Tank External Protection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
E00 - Piping Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
D01 - Pipe Type - Steel/Carbon Steel/Iron
C01 - Pipe Location - Aboveground
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 002
Tank Id: 55360
Tank Location: 3
Tank Type: Steel Tank in Concrete
Tank Status: In Service
Tank Model: 202
Pipe Model: Not reported
Install Date: 10/1/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 WEST 30TH ST (Continued)

U000399162

Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 10/2/2007

HIST AST:

PBS Number: 2-251666
SWIS Code: 6201
Operator: NICK DESIMONE
Facility Phone: (212) 714-2902
Facility Addr2: 224 W 30TH ST
Facility Type: OTHER
Emergency: NICK DESIMONE
Emergency Tel: (917) 506-8496
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 224 W 30 LLC
Owner Address: PIER 40, SUITE 100, WEST ST. AT HOUSTON
Owner City,St,Zip: NEW YORK, NY 10014
Federal ID: Not reported
Owner Tel: (212) 924-9690
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SUSAN DONAHUE
Mailing Name: 224 W 30 LLC
Mailing Address: 224 WEST 30TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 924-9690
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/28/2001
Expiration: 06/27/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 002

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

224 WEST 30TH ST (Continued)

U000399162

Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank Status: In Service
 Install Date: 19981001
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 05
 Overfill Protection: 46
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**AU248
 NNW
 1/8-1/4
 0.207 mi.
 1093 ft.**

**APARTMENT BUILDING
 347 WEST 29TH ST
 MANHATTEN, NY
 Site 1 of 2 in cluster AU**

**LTANKS S102662670
 HIST LTANKS N/A**

**Relative:
 Higher
 Actual:
 29 ft.**

LTANKS:
 Site ID: 111829
 Spill No: 9608521
 Spill Date: 10/8/1996
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/22/1996
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 10/9/1996
 CID: 297
 Water Affected: Not reported
 Spill Notifier: Affected Persons
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/9/1996
 Spill Record Last Update: 7/20/2004
 Spiller Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S102662670

Spiller Company: BAYSIDE FUEL OIL CORP
Spiller Address: 1810 SHORE PRKWY
Spiller City,St,Zip: BROOKLYN, NY 11214-
Spiller County: 001
Spiller Contact: SONDRA STEIN
Spiller Phone: (212) 988-0688
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 97777
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "M
TIBBE" Bayside cleaned.
Remarks: CALLER IS THE APARTMENT COMPLEX OWNER AND RECIEVED A CALL FROM HER
SUPERINTENDANT THATH THE OIL DELIVERY DRIVER SPILLED AN UNKNOWN
AMOUNT OF OIL INTO A FLOWER GARDEN IN THE FRONT OF THE BLDG - WHEN
THE CALLER CONTACTED THE OIL COMPANY THEY DID NOT GET BACK TO HER -
CALLER WOULD LIKE A CALL BACK FOR MORE INFORMATION

Material:
Site ID: 111829
Operable Unit ID: 1039727
Operable Unit: 01
Material ID: 344258
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9608521
Spill Date: 10/08/1996
Spill Time: 21:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S102662670

Spill Closed Dt: //
Cleanup Ceased: //
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/09/96
Reported to Department Time: 08:15
SWIS: 62
Spiller Contact: SONDRA STEIN
Spiller Phone: (212) 988-0688
Spiller Extention: Not reported
Spiller Name: BAYSIDE FUEL OIL CORP
Spiller Address: 1810 SHORE PRKWY
Spiller City,St,Zip: BROOKLYN, NY 11214-
Spiller Cleanup Date: //
Facility Contact: Not reported
Facility Phone: (718) 946-4000
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: //
Recommended Penalty: Penalty Not Recommended
Enforcement Date: //
Investigation Complete: //
UST Involvement: False
Date Region Sent Summary to Central Office: //
Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 10/09/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/18/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S102662670

CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CALLER IS THE APARTMENT COMPLEX OWNER AND RECIEVED A CALL FROM HER SUPERINTENDANT THATH THE OIL DELIVERY DRIVER SPILLED AN UNKNOWN AMOUNT OF OIL INTO A FLOWER GARDEN IN THE FRONT OF THE BLDG - WHEN THE CALLER CONTACTED THE OIL COMPANY THEY DID NOT GET BACK TO HER - CALLER WOULD LIKE A CALL BACK FOR MORE INFORMATION

AR249 10TH AVE. W 27/W 28 ST. G
North 10TH AVE. W27/W28 ST.
1/8-1/4 NEW YORK CITY, NY
0.208 mi.
1100 ft. Site 2 of 7 in cluster AR

LTANKS S102671142
HIST LTANKS N/A

Relative:
Higher

Actual:
30 ft.

LTANKS:
Site ID: 225246
Spill No: 8606807
Spill Date: 2/5/1987
Spill Cause: Tank Overfill
Spill Source: Gasoline Station
Spill Class: Not reported
Spill Closed Dt: 2/5/1987
Facility Addr2: Not reported
Cleanup Ceased: 2/5/1987
Cleanup Meets Standard: True
SWIS: 3101
Investigator: Unassigned
Referred To: Not reported
Reported to Dept: 2/5/1987
CID: Not reported
Water Affected: UNK
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 2/10/1987
Spill Record Last Update: 12/14/2004
Spiller Name: Not reported
Spiller Company: RGR
Spiller Address: SPILL
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 220188
DEC Memo: See PIN 4169, spills #8302630, 9410209, 9410208, 8605682.
Remarks: HOPEFULLY THEY WILL START TO CLEAN IT UP. NOTIFIER LT.MC GOVERN NYFD 212-570-4261

Material:
Site ID: 225246
Operable Unit ID: 904394
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

10TH AVE. W 27/W 28 ST. G (Continued)

S102671142

Material ID: 472363
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 100
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8606807
Spill Date: 02/05/1987
Spill Time: 18:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: UNK
Spill Source: Gas Station
Spill Class: Not reported
Spill Closed Dt: 02/05/87
Cleanup Ceased: 02/05/87
Cleanup Meets Standard: True
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/05/87
Reported to Department Time: 20:12
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: RGR
Spiller Address: SPILL
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

10TH AVE. W 27/W 28 ST. G (Continued)

S102671142

Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/10/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 100
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: HOPEFULLY THEY WILL START TO CLEAN IT UP. NOTIFIER LT.MC GOVERN NYFD
212-570-4261

AU250 347 CORP
NNW 347 W. 29TH ST.
1/8-1/4 NEW YORK, NY 10001
0.209 mi.
1103 ft. Site 2 of 2 in cluster AU

AST A100178265
N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606037
Program Type: PBS
UTM X: 584668.89162000001
UTM Y: 4511449.3098299997
Expiration Date: 2011/06/21

Actual:
29 ft.

Affiliation Records:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

347 CORP (Continued)

A100178265

Site Id: 27902
Affiliation Type: Emergency Contact
Company Name: SONDRA STEIN FOR 347 CORP
Contact Type: Not reported
Contact Name: SONDRA STEIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 988-0688
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27902
Affiliation Type: Mail Contact
Company Name: 347 CORP
Contact Type: Not reported
Contact Name: SONDRA STEIN
Address1: 355 E. 72ND STREET APT. 18H
Address2: Not reported
City: NEW YORK,
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 988-0688
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 5/17/2006

Site Id: 27902
Affiliation Type: Owner
Company Name: SONDRA STEIN FOR 347 CORP
Contact Type: PRESIDENT
Contact Name: SONDRA STEIN
Address1: 355 E.72ND STREET APT. 18H
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 988-0688
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 5/17/2006

Site Id: 27902
Affiliation Type: On-Site Operator
Company Name: 347 CORP

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

347 CORP (Continued)

A100178265

Contact Type: Not reported
Contact Name: T.J. TURGEON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 279-2085
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
I05 - Overfill - Vent Whistle
C03 - Pipe Location - Aboveground/Underground Combination
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 60873
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AT251
NE
1/8-1/4
0.210 mi.
1111 ft.

214 WEST 30TH STREET INC.
214 WEST 30TH STREET
NEW YORK, NY 10001
Site 3 of 3 in cluster AT

AST U003388921
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-283517

Actual:
33 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

214 WEST 30TH STREET INC. (Continued)

U003388921

Program Type: PBS
UTM X: 585053.03960999998
UTM Y: 4511350.2051400002
Expiration Date: 2008/07/29

Affiliation Records:

Site Id: 12521
Affiliation Type: Mail Contact
Company Name: 214 WEST 30TH REALTY LLC
Contact Type: Not reported
Contact Name: JOSEPH MONASEBIAN
Address1: 800 FIFTH AVENUE
Address2: 16F
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 888-8840
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12521
Affiliation Type: On-Site Operator
Company Name: 214 WEST 30TH STREET
Contact Type: Not reported
Contact Name: SHARAREH BERJIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 888-8840
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12521
Affiliation Type: Owner
Company Name: 214 WEST 30TH REALTY LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 800 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 888-8840
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

214 WEST 30TH STREET INC. (Continued)

U003388921

Date Last Modified: 3/4/2004

Site Id: 12521
Affiliation Type: Emergency Contact
Company Name: 214 WEST 30TH REALTY LLC
Contact Type: Not reported
Contact Name: JOSEPH MONASEBIAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 888-8840
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I00 - Overfill - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
D00 - Pipe Type - No Piping
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 14907
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-283517
SWIS Code: 6201
Operator: YUNUS KHYVAT
Facility Phone: (212) 947-2282
Facility Addr2: 214 WEST 30TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

214 WEST 30TH STREET INC. (Continued)

U003388921

Facility Type: Not reported
Emergency: COASTAL COMB. CORP.
Emergency Tel: (800) 734-4328
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 214 WEST 30TH STREET INC.
Owner Address: 214 WEST 30TH STREET, 8TH FLOOR
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (718) 851-4900
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MICHAEL LACERTOSA, JR.
Mailing Name: COASTAL COMBUSTION CORPORATION
Mailing Address: 1310 JERICHO TURNPIKE
Mailing Address 2: P.O. BOX 23
Mailing City,St,Zip: NEW HYDE PARK, NY 11040
Mailing Telephone: (718) 851-4900
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/12/1998
Expiration: 07/14/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 00
Pipe Location: None
Pipe Type: NONE
Pipe Internal: None
Pipe External: 00
Tank Containment: None
Leak Detection: 0
Overfill Protection: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

214 WEST 30TH STREET INC. (Continued)

U003388921

Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AV252
East
1/8-1/4
0.211 mi.
1114 ft.

150 W 28TH ST
150 W 28TH ST
NEW YORK, NY 10001
Site 1 of 11 in cluster AV

UST U004076850
N/A

Relative:
Higher

UST:

Facility Id: 2-155241
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/09/19
UTM X: 585136.32856000005
UTM Y: 4511126.6803799998

Actual:
37 ft.

Affiliation Records:

Site Id: 5018
Affiliation Type: On-Site Operator
Company Name: 150 W 28TH ST
Contact Type: Not reported
Contact Name: KENNETH LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 366-4724
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 5018
Affiliation Type: Owner
Company Name: DEZER FAMILY TRUST
Contact Type: PROJECT MANAGER
Contact Name: FRANCES JENNINGS
Address1: 89 5TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 W 28TH ST (Continued)

U004076850

Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/9/2007

Site Id: 5018
Affiliation Type: Mail Contact
Company Name: 150 WEST 28TH STREET LLC
Contact Type: Not reported
Contact Name: FRANCES JENNINGS
Address1: C/O DEZER PROPERTIES
Address2: 89 5TH AVE 11TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: FJENNINGS@DEZERPROPERTIES.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/9/2007

Site Id: 5018
Affiliation Type: Emergency Contact
Company Name: DEZER FAMILY TRUST
Contact Type: Not reported
Contact Name: KENNETH LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 929-8550
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
F01 - Pipe External Protection - Painted/Asphalt Coating
I05 - Overfill - Vent Whistle
C01 - Pipe Location - Aboveground
B01 - Tank External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

150 W 28TH ST (Continued)

U004076850

D01 - Pipe Type - Steel/Carbon Steel/Iron
 I05 - Overfill - Vent Whistle
 J02 - Dispenser - Suction
 H00 - Tank Leak Detection - None
 G99 - Tank Secondary Containment - Other
 C01 - Pipe Location - Aboveground

Tank Info:

Site ID: 5018

Tank Number: 001
 Tank ID: 8390
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1927
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Tank Location: 6
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: DXLIVING
 Last Modified: 7/9/2007

AV253
East
1/8-1/4
0.211 mi.
1114 ft.

150 W 28TH ST
150 W 28TH ST
NEW YORK, NY 10001
Site 2 of 11 in cluster AV

HIST UST **U000396839**
AST **N/A**
HIST AST

Relative:
Higher

HIST UST:

PBS Number: 2-155241
 SPDES Number: Not reported
 Emergency Contact: KENNETH LATSCH
 Emergency Telephone: (718) 929-8550
 Operator: KENNETH LATSCH
 Operator Telephone: (212) 366-4724
 Owner Name: DEZER FAMILY TRUST
 Owner Address: 89 5TH AVE
 Owner City,St,Zip: NEW YORK, NY 10003
 Owner Telephone: (212) 929-1285
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: DEZER FAMILY TRUST
 Mailing Address: 89 5TH AVE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10003
 Mailing Contact: MATTHEW MARK
 Mailing Telephone: (212) 929-1285
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 150 W 28TH ST
 SWIS ID: 6201

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 W 28TH ST (Continued)

U000396839

Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/28/1998
Expiration Date: 09/19/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 14000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 8000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Double-Walled
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-155241
Program Type: PBS
UTM X: 585136.32856000005
UTM Y: 4511126.6803799998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 W 28TH ST (Continued)

U000396839

Expiration Date: 2012/09/19

Affiliation Records:

Site Id: 5018
Affiliation Type: On-Site Operator
Company Name: 150 W 28TH ST
Contact Type: Not reported
Contact Name: KENNETH LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 366-4724
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 5018
Affiliation Type: Owner
Company Name: DEZER FAMILY TRUST
Contact Type: PROJECT MANAGER
Contact Name: FRANCES JENNINGS
Address1: 89 5TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/9/2007

Site Id: 5018
Affiliation Type: Mail Contact
Company Name: 150 WEST 28TH STREET LLC
Contact Type: Not reported
Contact Name: FRANCES JENNINGS
Address1: C/O DEZER PROPERTIES
Address2: 89 5TH AVE 11TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: FJENNINGS@DEZERPROPERTIES.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 7/9/2007

Site Id: 5018

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 W 28TH ST (Continued)

U000396839

Affiliation Type:	Emergency Contact
Company Name:	DEZER FAMILY TRUST
Contact Type:	Not reported
Contact Name:	KENNETH LATSCH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 929-8550
Phone Ext:	Not reported
Email:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
F01 - Pipe External Protection - Painted/Asphalt Coating
I05 - Overfill - Vent Whistle
C01 - Pipe Location - Aboveground
B01 - Tank External Protection - Painted/Asphalt Coating
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
G99 - Tank Secondary Containment - Other
C01 - Pipe Location - Aboveground

Tank Info:

Tank Number:	002
Tank Id:	53760
Tank Location:	1
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Tank Model:	Not reported
Pipe Model:	Not reported
Install Date:	9/1/1997
Capacity Gallons:	6000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	TRANSLAT
Last Modified:	3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 W 28TH ST (Continued)

U000396839

HIST AST:

PBS Number: 2-155241
SWIS Code: 6201
Operator: KENNETH LATSCH
Facility Phone: (212) 366-4724
Facility Addr2: 150 W 28TH ST
Facility Type: OTHER
Emergency: KENNETH LATSCH
Emergency Tel: (718) 929-8550
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: DEZER FAMILY TRUST
Owner Address: 89 5TH AVE
Owner City,St,Zip: NEW YORK, NY 10003
Federal ID: Not reported
Owner Tel: (212) 929-1285
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MATTHEW MARK
Mailing Name: DEZER FAMILY TRUST
Mailing Address: 89 5TH AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Telephone: (212) 929-1285
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 01/28/1998
Expiration: 09/19/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 14000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 002
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19970901
Capacity (Gal): 6000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

150 W 28TH ST (Continued)

U000396839

Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 01
Tank Containment: 08
Leak Detection: 05
Overfill Protection: 06
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AV254
East
1/8-1/4
0.211 mi.
1114 ft.

KALROY CONTRACTORS INC
150 W 28TH ST ROOM 1604
NEW YORK, NY 10001
Site 3 of 11 in cluster AV

RCRA-NonGen **1004758964**
FINDS **NYD987033578**

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: KALROY CONTRACTORS INC
Facility address: 150 W 28TH ST ROOM 1604
NEW YORK, NY 10001

EPA ID: NYD987033578
Mailing address: W 28TH ST ROOM 1604
NEW YORK, NY 10001

Contact: TODD ROSENBLATT
Contact address: W 28TH ST ROOM 1604
NEW YORK, NY 10001

Contact country: US
Contact telephone: (718) 255-7617
Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: JANA R WARREN
Owner/operator address: 150 W 28TH ST ROOM 1604
NEW YORK, NY 10001

Owner/operator country: US
Owner/operator telephone: (212) 555-1212

Legal status: Private
Owner/Operator Type: Operator

Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: JANA R WARREN
Owner/operator address: 150 W 28TH ST ROOM 1604
NEW YORK, NY 10001

Owner/operator country: US
Owner/operator telephone: (212) 555-1212

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KALROY CONTRACTORS INC (Continued)

1004758964

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: KALROY CONTRACTORS INC
Classification: Not a generator, verified

Date form received by agency: 05/07/1993
Facility name: KALROY CONTRACTORS INC
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004504359

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AM255 **301 WEST 22ND ST**
SW **301 WEST 22ND ST**
1/8-1/4 **NEW YORK, NY 10011**
0.211 mi.
1113 ft. **Site 3 of 3 in cluster AM**

AST **U003383520**
HIST AST **N/A**

Relative:
Lower

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-046906
 Program Type: PBS
 UTM X: 584542.66972999997
 UTM Y: 4510909.83323
 Expiration Date: 2011/12/30

Actual:
21 ft.

Affiliation Records:

Site Id: 697
 Affiliation Type: Owner
 Company Name: FELDS REALTY LLC
 Contact Type: MANAGING MEMBER
 Contact Name: ZEV FELTSTEIN
 Address1: 301 WEST 22ND STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 989-0955
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 9/29/2006

Site Id: 697
 Affiliation Type: Mail Contact
 Company Name: FELDS REALTY CO
 Contact Type: Not reported
 Contact Name: ZEV FELDSTEIN
 Address1: 301 WEST 22ND STREET
 Address2: Not reported
 City: NEW YORK,
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 989-0955
 Phone Ext: Not reported
 Email: ZEVFELD@GMAIL.COM
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 9/29/2006

Site Id: 697
 Affiliation Type: On-Site Operator
 Company Name: 301 WEST 22ND ST
 Contact Type: Not reported
 Contact Name: DRITAN TONY DOBI
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 WEST 22ND ST (Continued)

U003383520

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-0955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 9/29/2006

Site Id: 697
Affiliation Type: Emergency Contact
Company Name: FELDS REALTY LLC
Contact Type: Not reported
Contact Name: ZEV FELDSTEIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 744-8631
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 9/29/2006

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
B00 - Tank External Protection - None
H99 - Tank Leak Detection - Other
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 1609
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 WEST 22ND ST (Continued)

U003383520

Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-046906
SWIS Code: 6201
Operator: DRITAN TONY DOBI
Facility Phone: (212) 989-0955
Facility Addr2: 301 WEST 22ND STREET
Facility Type: APARTMENT BUILDING
Emergency: ZEV FELDSTEIN
Emergency Tel: (718) 380-6089
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: FELDS REALTY LLC
Owner Address: 301 WEST 22ND STREET
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 989-0955
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ZEV FELDSTEIN
Mailing Name: FELDS REALTY CO
Mailing Address: 301 WEST 22ND STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK,, NY 10011
Mailing Telephone: (212) 989-0955
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/05/2001
Expiration: 12/30/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

301 WEST 22ND ST (Continued)

U003383520

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AR256
NNE
1/8-1/4
0.211 mi.
1115 ft.

436 TENTH AVENUE
436 TENTH AVENUE
MANHATTAN, NY
Site 3 of 7 in cluster AR

HIST LTANKS **S101658469**
N/A

Relative:
Higher

HIST LTANKS:
Region of Spill: 2
Spill Number: 9506257
Spill Date: 08/21/1995
Spill Time: 14:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/21/95
Reported to Department Time: 14:59
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

436 TENTH AVENUE (Continued)

S101658469

Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/27/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: TANKS WERE OINSPECTED AND BOTH FAILED

**AR257
NNE
1/8-1/4
0.211 mi.
1115 ft.**

**AMOCO
436 TENTH AVE
NEW YORK, NY 10018
Site 4 of 7 in cluster AR**

**LTANKS S107410233
N/A**

**Relative:
Higher**

LTANKS:

Site ID: 250195
Spill No: 9905246
Spill Date: 8/1/1999
Spill Cause: Tank Overfill
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/27/1999
Facility Addr2: 436 10TH AVENUE
Cleanup Ceased: Not reported

**Actual:
30 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMOCO (Continued)

S107410233

Cleanup Meets Standard: False
SWIS: 3101
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 8/1/1999
CID: 246
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 8/1/1999
Spill Record Last Update: 8/23/2005
Spiller Name: Not reported
Spiller Company: CONSOLIDATED TRANSPORTATI
Spiller Address: ON
Spiller City,St,Zip: ENWOOD LONG ISLAND, NY
Spiller County: 001
Spiller Contact: JULIO CALDER
Spiller Phone: (718) 389-4910
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 11535
DEC Memo: Not reported
Remarks: tank was overfilled at location - speedy dry applied - cleanup crew enroute - some material may have flowed into storm drain and street update 0400 hrs - spill only 5-7 gal all cleaned up - none entered waterway

Material:
Site ID: 250195
Operable Unit ID: 1079677
Operable Unit: 01
Material ID: 301550
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AR258 **303 10 AVE. MANHATTAN/UNK**
NNE **303 10 AVE.**
1/8-1/4 **NEW YORK CITY, NY**
0.211 mi.
1115 ft. **Site 5 of 7 in cluster AR**

LTANKS **S104275478**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
30 ft.

Site ID: 256335
 Spill No: 8605682
 Spill Date: 12/4/1986
 Spill Cause: Tank Overfill
 Spill Source: Gasoline Station
 Spill Class: Not reported
 Spill Closed Dt: 12/5/1986
 Facility Addr2: Not reported
 Cleanup Ceased: 12/5/1986
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: UNASSIGNED
 Referred To: Not reported
 Reported to Dept: 12/5/1986
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Fire Department
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 1/8/1987
 Spill Record Last Update: 1/3/2005
 Spiller Name: Not reported
 Spiller Company: UNK NAMED GAS STATION
 Spiller Address: 303 10 AVE
 Spiller City,St,Zip: MANH, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 220188
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "
 " 10/10/95: This is additional information about material spilled
 from the translation of the old spill file: POTEN SPILL. See PIN
 4169, spills #8302630,8606807,9410208,9410209.

Remarks:

@

Material:

Site ID: 256335
 Operable Unit ID: 902641
 Operable Unit: 01
 Material ID: 474849
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1000
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

303 10 AVE. MANHATTAN/UNK (Continued)

S104275478

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8605682
Spill Date: 12/04/1986
Spill Time: 12:00
Spill Cause: Tank Overfill
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Not reported
Spill Closed Dt: 12/05/86
Cleanup Ceased: 12/05/86
Cleanup Meets Standard: True
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/05/86
Reported to Department Time: 16:00
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNK NAMED GAS STATION
Spiller Address: 303 10 AVE
Spiller City,St,Zip: MANH, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Fire Department
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

303 10 AVE. MANHATTAN/UNK (Continued)

S104275478

UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/08/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/02/88
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1000
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: POTEN SPILL.
Spill Cause: @

AR259
NNE
1/8-1/4
0.211 mi.
1115 ft.

AMOCO
436 TENTH AVE
NEW YORK, NY 10018
Site 6 of 7 in cluster AR

LTANKS S107410213
N/A

Relative:
Higher

LTANKS:
Site ID: 158202
Spill No: 9506257
Spill Date: 8/21/1995
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/3/2002
Facility Addr2: 436 10TH AVENUE
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 8/21/1995
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMOCO (Continued)

S107410213

Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/27/1995
Spill Record Last Update: 8/23/2005
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 11535
DEC Memo: O'Dowd Notes(KMF): Amoco will submit affidavit of work done, any contamination noted and passing tank test results. Will have to look up PBS# to see if any old USTs were here and if a site assessment was done. 8/21/95 2X4K failed UST-2000 Ullage Test. 8/22/95 Spoke to Jerry Kasper, Crompco. 1X4K has the extractor valve and 1X4K doesn't. Leak was above the liquid line. Problem believed to be with extractor valve. 5/3/2002-VOUGHT-See spill #0201270 at same location. This spill closed by Vought.
Remarks: TANKS WERE OINSPECTED AND BOTH FAILED

Material:

Site ID: 158202
Operable Unit ID: 1017138
Operable Unit: 01
Material ID: 558531
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 158202
Spill Tank Test: 1544101
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AV260 **GROFF STUDIOS CORP**
East **151 W 28TH ST**
1/8-1/4 **NEW YORK, NY 10001**
0.212 mi.
1117 ft. **Site 4 of 11 in cluster AV**

AST **U003393241**
HIST AST **N/A**

Relative:
Higher

AST:

Actual:
37 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-325813
Program Type: PBS
UTM X: 585141.09649999999
UTM Y: 4511137.9481499996
Expiration Date: 2012/10/23

Affiliation Records:

Site Id: 15153
Affiliation Type: Emergency Contact
Company Name: GROFF STUDIOS CORP C/O GEN. PROP. MGT.
Contact Type: Not reported
Contact Name: FERNANDO NUNEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 423-3723
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/21/2007

Site Id: 15153
Affiliation Type: Mail Contact
Company Name: C/O GENERAL PROPERTY MANAGEMENT
Contact Type: Not reported
Contact Name: GROFF STUDIOS CORPORATION
Address1: 250 WEST 57TH STREET # 2332
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10107
Country Code: 001
Phone: (212) 757-5180
Phone Ext: Not reported
Email: RUTH@GENERALPROPERTY.COM
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/21/2007

Site Id: 15153
Affiliation Type: Owner
Company Name: GROFF STUDIOS CORP C/O GEN. PROP. MGT.
Contact Type: AGENT
Contact Name: RUTH SHOENTHAL
Address1: 250 WEST 57TH ST. #2332
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROFF STUDIOS CORP (Continued)

U003393241

City: NEW YORK
State: NY
Zip Code: 10107
Country Code: 001
Phone: (212) 563-5720
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/21/2007

Site Id: 15153
Affiliation Type: On-Site Operator
Company Name: GROFF STUDIOS CORP
Contact Type: Not reported
Contact Name: FERNANDO NUNEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 423-3723
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KAKYER
Date Last Modified: 8/21/2007

Equipment Records:

H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 26360
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1922
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROFF STUDIOS CORP (Continued)

U003393241

HIST AST:
PBS Number: 2-325813
SWIS Code: 6201
Operator: JAMES PEARSON
Facility Phone: (212) 563-5720
Facility Addr2: 151 W 28TH ST
Facility Type: Not reported
Emergency: T BRADFORD
Emergency Tel: (212) 563-5720
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: GROFF STUDIOS CORP
Owner Address: 151 W 28TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 563-5720
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: GROFF STUDIOS CORPORATION
Mailing Name: C/O GENERAL PROPERTY MANAGEMENT
Mailing Address: 250 WEST 57TH STREET # 2332
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10107
Mailing Telephone: (212) 757-5180
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 11/12/1997
Expiration: 10/23/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19221201
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GROFF STUDIOS CORP (Continued)

U003393241

Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

**AO261
SE
1/8-1/4
0.212 mi.
1119 ft.**

**TAMKAT BUILDING CORP.
138 WEST 25TH STREET
NEW YORK, NY 10001
Site 4 of 7 in cluster AO**

**AST A100296245
N/A**

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-608240
Program Type: PBS
UTM X: 585016.05486999999
UTM Y: 4510891.8480000002
Expiration Date: 2013/02/11

**Actual:
35 ft.**

Affiliation Records:

Site Id: 30092
Affiliation Type: On-Site Operator
Company Name: TAMKAT BUILDING CORP.
Contact Type: Not reported
Contact Name: HARRY MARTINEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 366-5739
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/11/2007

Site Id: 30092
Affiliation Type: Mail Contact
Company Name: TAMKAT BUILDING CORP.
Contact Type: PRESIDENT
Contact Name: SHAUL PULKA
Address1: 21-21 41ST AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAMKAT BUILDING CORP. (Continued)

A100296245

Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 786-6877
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/11/2007

Site Id: 30092
Affiliation Type: Owner
Company Name: TAMKAT BUILDING CORP.
Contact Type: PRESIDENT
Contact Name: SHAUL PULKA
Address1: 21-21 41ST AVENUE
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 786-6877
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/11/2007

Site Id: 30092
Affiliation Type: Emergency Contact
Company Name: TAMKAT BUILDING CORP.
Contact Type: Not reported
Contact Name: HARRY MARTINEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 366-5739
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/11/2007

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TAMKAT BUILDING CORP. (Continued)

A100296245

F01 - Pipe External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 64942
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/8/2002
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 12/11/2007

**AW262
ENE
1/8-1/4
0.213 mi.
1123 ft.**

**HARRY SPITZER
355 7TH AVENUE
NEW YORK, NY 10001**

**AST U004047064
N/A**

Site 1 of 3 in cluster AW

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Unregulated
Facility Id: 2-601663
Program Type: PBS
UTM X: 585079.17533
UTM Y: 4511316.8663499998
Expiration Date: N/A

**Actual:
35 ft.**

Affiliation Records:

Site Id: 23625
Affiliation Type: Mail Contact
Company Name: HARRY SPITZER INC.
Contact Type: Not reported
Contact Name: JEROME SPITZER
Address1: 355 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 947-6535
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23625
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARRY SPITZER (Continued)

U004047064

Company Name: HARRY SPITZER
Contact Type: Not reported
Contact Name: JEROME SPITZER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 947-6535
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23625
Affiliation Type: Owner
Company Name: HARRY SPITZER
Contact Type: Not reported
Contact Name: Not reported
Address1: 355 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 947-6521
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23625
Affiliation Type: On-Site Operator
Company Name: HARRY SPITZER
Contact Type: Not reported
Contact Name: HARRY SPITZER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 947-6521
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
F01 - Pipe External Protection - Painted/Asphalt Coating
A01 - Tank Internal Protection - Epoxy Liner
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HARRY SPITZER (Continued)

U004047064

I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 001
Tank Id: 47386
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 12/1/1993
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AQ263 134 W 26TH ST
ESE 134 W 26TH ST
1/8-1/4 NEW YORK, NY 10001
0.213 mi.
1127 ft. **Site 4 of 8 in cluster AQ**

AST **U003386253**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-206598
Program Type: PBS
UTM X: 585097.62280000001
UTM Y: 4510967.81084000004
Expiration Date: 2012/10/15

Actual:
37 ft.

Affiliation Records:
Site Id: 7289
Affiliation Type: Owner
Company Name: 134-40 WEST 26TH STREET OWNERS CORP
Contact Type: MANAGER
Contact Name: JACOB FRIEDMAN
Address1: 134 WEST 26TH STREET #700
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (718) 486-6535
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/17/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

134 W 26TH ST (Continued)

U003386253

Site Id: 7289
Affiliation Type: Mail Contact
Company Name: 134-40 W 26TH ST OWNERS CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 92 WILSON ST
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 486-6535
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/17/2007

Site Id: 7289
Affiliation Type: On-Site Operator
Company Name: 134 W 26TH ST
Contact Type: Not reported
Contact Name: CLEMENTE RAMIREZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 229-9717
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 7289
Affiliation Type: Emergency Contact
Company Name: 134-40 WEST 26TH STREET OWNERS CORP
Contact Type: Not reported
Contact Name: CLEMENTE RAMIREZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 325-3648
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

134 W 26TH ST (Continued)

U003386253

L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
J02 - Dispenser - Suction
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 9534
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1915
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 9/17/2007

HIST AST:

PBS Number: 2-206598
SWIS Code: 6201
Operator: CLEMENTE RAMIREZ
Facility Phone: (212) 691-3460
Facility Addr2: 134 W 26TH ST
Facility Type: OTHER
Emergency: CLEMENTE RAMIREZ
Emergency Tel: (212) 358-1349
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 134-40 WEST 26TH STREET OWNERS CORP
Owner Address: 134 WEST 26TH STREET #700
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 691-3460
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: 134-40 W 26TH ST OWNERS CORP
Mailing Address: 134 WEST 26TH STREET
Mailing Address 2: #700
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Telephone: (212) 691-3460
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

134 W 26TH ST (Continued)

U003386253

or not at the facility.
Certification Flag: False
Certification Date: 09/26/1997
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 0
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: None
Leak Detection: 0
Overfill Protection: 6
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AQ264
ESE
1/8-1/4
0.213 mi.
1126 ft.

135 W W 26TH ST
135 WEST 26TH STREET
NEW YORK, NY 10012
Site 5 of 8 in cluster AQ

AST U003391594
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-401749
Program Type: PBS
UTM X: 585102.22204999998

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 W W 26TH ST (Continued)

U003391594

UTM Y: 4510979.0766399996
Expiration Date: 2012/10/06

Affiliation Records:

Site Id: 19217
Affiliation Type: Owner
Company Name: MILTAN REALTY CO
Contact Type: PARTNER
Contact Name: GARY TANNENBAUM
Address1: 135 WEST 26TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 243-6200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Site Id: 19217
Affiliation Type: Mail Contact
Company Name: MILTAN MANAGEMENT CORP
Contact Type: Not reported
Contact Name: GARY TANNENBAUM
Address1: 135 WEST 26TH STREET
Address2: #11
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 343-6200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Site Id: 19217
Affiliation Type: Emergency Contact
Company Name: MILTAN REALTY CO
Contact Type: Not reported
Contact Name: SHAZIR KHAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 328-9258
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 W W 26TH ST (Continued)

U003391594

Site Id: 19217
Affiliation Type: On-Site Operator
Company Name: 135 W W 26TH ST
Contact Type: Not reported
Contact Name: SHAZIR KHAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-6059
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
I00 - Overfill - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 21856
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 9/15/2004
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/31/2007

HIST AST:

PBS Number: 2-401749
SWIS Code: 6201
Operator: JOHN SKIBICKI
Facility Phone: (212) 255-6029
Facility Addr2: 135 WEST 26TH STREET
Facility Type: OTHER
Emergency: JOHN SKIBICKI

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 W W 26TH ST (Continued)

U003391594

Emergency Tel: (212) 755-7384
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: MILTAN REALTY CO
Owner Address: 135 WEST 26TH STREET
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 243-6200
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: GARY TANNENBAUM
Mailing Name: MILTAN MANAGEMENT CORP
Mailing Address: 135 WEST 26TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 343-6200
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/07/1999
Expiration: 10/06/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: Not reported
Dispenser Method: Suction
Date Tested: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 W W 26TH ST (Continued)

U003391594

Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AX265 218 WEST 22ND ST
South 218 W 22ND ST
1/8-1/4 NEW YORK, NY 10011
0.213 mi.
1127 ft. Site 1 of 2 in cluster AX

AST U003389000
HIST AST N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-257117
Program Type: PBS
UTM X: 584738.91024
UTM Y: 4510791.6192399999
Expiration Date: 2014/08/24

Actual:
25 ft.

Affiliation Records:
Site Id: 10587
Affiliation Type: Owner
Company Name: KOSOV PROPERTIES CO., LLC.
Contact Type: AGENT
Contact Name: ISMET KRASNIQI
Address1: 617 E. 188TH ST.
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10458
Country Code: 001
Phone: (718) 365-4310
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 6/23/2004

Site Id: 10587
Affiliation Type: Mail Contact
Company Name: KOSOV PROPERTIES CO., LLC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 617 E. 188TH STREET
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10458
Country Code: 001
Phone: (718) 365-4310
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

218 WEST 22ND ST (Continued)

U003389000

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10587
Affiliation Type: Emergency Contact
Company Name: KOSOV PROPERTIES CO., LLC.
Contact Type: Not reported
Contact Name: MIKE BAJRAKTARI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 365-4310
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 6/23/2004

Site Id: 10587
Affiliation Type: On-Site Operator
Company Name: 218 WEST 22ND ST
Contact Type: Not reported
Contact Name: ISMET KRASNIQI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 365-4396
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: kxtang
Date Last Modified: 6/23/2004

Equipment Records:

- A00 - Tank Internal Protection - None
- E00 - Piping Secondary Containment - None
- K00 - Spill Prevention - None
- I05 - Overfill - Vent Whistle
- G00 - Tank Secondary Containment - None
- J02 - Dispenser - Suction
- L09 - Piping Leak Detection - Exempt Suction Piping
- D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F04 - Pipe External Protection - Fiberglass
- I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

218 WEST 22ND ST (Continued)

U003389000

Tank Number: 001
Tank Id: 15046
Tank Location: 2
Tank Type: Steel Tank in Concrete
Tank Status: In Service
Tank Model: 202
Pipe Model: C
Install Date: 9/1/1953
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 8/31/2009

HIST AST:

PBS Number: 2-257117
SWIS Code: 6201
Operator: ISMET KRASNIQI
Facility Phone: (718) 543-1242
Facility Addr2: 218 W 22ND ST
Facility Type: APARTMENT BUILDING
Emergency: MIKE BAJRAKTARI
Emergency Tel: (718) 365-4310
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: KOSOV PROPERTIES CO., LLC.
Owner Address: 617 E. 188TH ST.
Owner City,St,Zip: BRONX, NY 10458
Federal ID: Not reported
Owner Tel: (718) 365-4310
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: KOSOV PROPERTIES CO., LLC.
Mailing Address: 617 E. 188TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: BRONX, NY 10458
Mailing Telephone: (718) 365-4310
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/27/1999
Expiration: 08/24/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

218 WEST 22ND ST (Continued)

U003389000

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AW266
NE
1/8-1/4
0.214 mi.
1129 ft.

MIRANDA REALTY ASSOCIATES
208 WEST 30TH STREET
NEW YORK, NY 10001
Site 2 of 3 in cluster AW

AST U003388386
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-275409
Program Type: PBS
UTM X: 585067.23409000004
UTM Y: 4511342.0416700002
Expiration Date: 2008/10/30

Actual:
34 ft.

Affiliation Records:
Site Id: 11808
Affiliation Type: On-Site Operator
Company Name: FIRST HUDSON CAPITAL, LLC
Contact Type: Not reported
Contact Name: ALEX BALAZSI
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIRANDA REALTY ASSOCIATES (Continued)

U003388386

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 960-5344
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11808
Affiliation Type: Mail Contact
Company Name: FIRST HUDSON CAPITAL, LLC
Contact Type: Not reported
Contact Name: MICHAEL ARYEH
Address1: 1556 THIRD AVENUE
Address2: SUITE 306
City: NEW YORK
State: NY
Zip Code: 10128
Country Code: 001
Phone: (212) 426-9951
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11808
Affiliation Type: Emergency Contact
Company Name: FIRST HUDSON CAPITAL, LLC
Contact Type: Not reported
Contact Name: MICHAEL ARYEH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 426-9951
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11808
Affiliation Type: Owner
Company Name: FIRST HUDSON CAPITAL, LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: 1556 THIRD AVE., SUITE 306
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10128

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIRANDA REALTY ASSOCIATES (Continued)

U003388386

Country Code: 001
Phone: (212) 426-9951
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
L09 - Piping Leak Detection - Exempt Suction Piping
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 13858
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-275409
SWIS Code: 6201
Operator: ALEX BALAZSI
Facility Phone: (917) 960-5344
Facility Addr2: Not reported
Facility Type: OTHER
Emergency: CHRISTINE HILL
Emergency Tel: (212) 643-1717
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: AMRAM NOWAK
Owner Address: 208 WEST 30TH STREET
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (000) 000-0000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MIRANDA REALTY ASSOCIATES (Continued)

U003388386

Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: CHRISITNE HILL
Mailing Name: MIRANDA REALTY ASSOCIATES
Mailing Address: 208 WEST 30TH STREET
Mailing Address 2: SUITE 1204
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 643-1717
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 10/29/1998
Expiration: 10/13/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 01
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 00
Tank Containment: Diking
Leak Detection: 00
Overfill Protection: 04
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AR267 **ZIK REALTY CORP.**
North **404 8TH AVENUE**
1/8-1/4 **NEW YORK, NY 10001**
0.214 mi.
1131 ft. **Site 7 of 7 in cluster AR**

UST **U000406751**
HIST UST **N/A**

Relative:
Higher

UST:
 Facility Id: 2-242772
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2003/09/24
 UTM X: 584862.74182
 UTM Y: 4511481.1349400003

Actual:
30 ft.

Affiliation Records:
 Site Id: 9317
 Affiliation Type: Emergency Contact
 Company Name: ZIK RALTY CORP.
 Contact Type: Not reported
 Contact Name: HASSAN ALBORATI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 736-5617
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 9317
 Affiliation Type: Owner
 Company Name: ZIK RALTY CORP.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 404 EIGHT AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 736-5617
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 9317
 Affiliation Type: Mail Contact
 Company Name: ZIK REALTY CORP.
 Contact Type: Not reported
 Contact Name: HASSAN ALBORATI
 Address1: 404 EIGHT AVENUE
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZIK REALTY CORP. (Continued)

U000406751

City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 736-5613
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9317
Affiliation Type: On-Site Operator
Company Name: ZIK REALTY CORP.
Contact Type: Not reported
Contact Name: HASSAN ALBORATI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 736-5617
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H99 - Tank Leak Detection - Other
A00 - Tank Internal Protection - None
G99 - Tank Secondary Containment - Other
J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 9317

Tank Number: 001
Tank ID: 25355
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: 03
Next Test Date: 9/1/2003
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 9/1/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZIK REALTY CORP. (Continued)

U000406751

Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-242772
SPDES Number: Not reported
Emergency Contact: HASSAN ALBORATI
Emergency Telephone: (212) 736-5617
Operator: HASSAN ALBORATI
Operator Telephone: (212) 736-5617
Owner Name: ZIK RALTY CORP.
Owner Address: 404 EIGHT AVENUE
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 736-5617
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: ZIK REALTY CORP.
Mailing Address: 404 EIGHT AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: HASSAN ALBORATI
Mailing Telephone: (212) 736-5613
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 404 8TH AVENUE
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/29/1998
Expiration Date: 09/24/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ZIK REALTY CORP. (Continued)

U000406751

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Other
Leak Detection: Other
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: 09/01/1998
Next Test Date: 09/01/2003
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

AQ268
ESE
1/8-1/4
0.215 mi.
1135 ft.

135 WEST 26TH STREET
135 WEST 26TH ST
MANHATTAN, NY
Site 6 of 8 in cluster AQ

LTANKS **S104877230**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
Site ID: 226990
Spill No: 0009418
Spill Date: 11/16/2000
Spill Cause: Tank Overfill
Spill Source: Non Major Facility > 1,100 gal
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/17/2000
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 11/16/2000
CID: 396
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/16/2000
Spill Record Last Update: 11/17/2000
Spiller Name: GARY TANNENBAUM
Spiller Company: MILTAN REALTY CO.
Spiller Address: 135 WEST 26TH STREET
Spiller City,St,Zip: NEW YORK, NY 10001-
Spiller County: 001
Spiller Contact: JOHN

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 WEST 26TH STREET (Continued)

S104877230

Spiller Phone: (212) 255-6059
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 187355
DEC Memo: Not reported
Remarks: spill contained...spill due to a defective guage.spill crew is enroute.

Material:

Site ID: 226990
Operable Unit ID: 830347
Operable Unit: 01
Material ID: 571815
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0009418
Spill Date: 11/16/2000
Spill Time: 08:50
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Non Major Facility > 1,100 gallons
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/17/00
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 WEST 26TH STREET (Continued)

S104877230

Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/16/00
Reported to Department Time: 09:02
SWIS: 62
Spiller Contact: JOHN
Spiller Phone: (212) 255-6059
Spiller Extention: Not reported
Spiller Name: MILTAN REALTY CO.
Spiller Address: 135 WEST 26TH STREET
Spiller City,St,Zip: NEW YORK, NY 10001-
Spiller Cleanup Date: / /
Facility Contact: GARY TANNENBAUM
Facility Phone: (212) 393-6200
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: 2-401749
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/16/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/17/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: On Nov. 16, 2000, DEC Sigona) responded to tank overfill at the referenced address. Upon arrival, the spill was already cleaned up. There was a minor stain on the sidewalk. No further action required.
Spill Cause: spill contained...spill due to a defective guage.spill crew is enrout.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AY269
SE
1/8-1/4
0.215 mi.
1137 ft.

WEST GRAMERCY ASSOCIATES
147 WEST 24TH STREET
NEW YORK, NY 10011
Site 1 of 10 in cluster AY

AST A100296721
N/A

Relative:
Higher

AST:

Actual:
33 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-608111
Program Type: PBS
UTM X: 584964.41333999997
UTM Y: 4510844.6266099997
Expiration Date: 2007/11/07

Affiliation Records:

Site Id: 29963
Affiliation Type: Owner
Company Name: WEST GRAMERCY ASSOCIATES
Contact Type: Not reported
Contact Name: Not reported
Address1: 125 PARK AVE, 15TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 808-4000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29963
Affiliation Type: On-Site Operator
Company Name: WEST GRAMERCY ASSOCIATES
Contact Type: Not reported
Contact Name: SAM MCPHERSON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 242-6416
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29963
Affiliation Type: Mail Contact
Company Name: NEWMARK & CO. REAL ESTATE INC.
Contact Type: Not reported
Contact Name: RICHARD FRANCO, PROP MGR
Address1: AS AGENT FOR WEST GRAMERCY ASSOCS.
Address2: 520 EIGHTH AVENUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST GRAMERCY ASSOCIATES (Continued)

A100296721

City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (212) 560-3950
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 29963
Affiliation Type: Emergency Contact
Company Name: WEST GRAMERCY ASSOCIATES
Contact Type: Not reported
Contact Name: RICHARD FRANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 560-3950
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

A01 - Tank Internal Protection - Epoxy Liner
I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
F00 - Pipe External Protection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground

Tank Info:

Tank Number: 001
Tank Id: 64490
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST GRAMERCY ASSOCIATES (Continued)

A100296721

Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AZ270 **23 FRENCH CLEANERS**
SSE **169 W 23RD ST**
1/8-1/4 **NEW YORK, NY 10011**
0.216 mi.
1140 ft. **Site 1 of 3 in cluster AZ**

RCRA-CESQG **1004756924**
FINDS **NYD982716664**
MANIFEST

Relative:
Higher

RCRA-CESQG:

Actual:
30 ft.

Date form received by agency: 01/01/2007
Facility name: 23 FRENCH CLEANERS
Facility address: 169 W 23RD ST
NEW YORK, NY 10011
EPA ID: NYD982716664
Mailing address: W 23RD ST
NEW YORK, NY 10011
Contact: MI PARK
Contact address: W 23RD ST
NEW YORK, NY 10011
Contact country: US
Contact telephone: (212) 691-7003
Contact email: Not reported
EPA Region: 02
Classification: Conditionally Exempt Small Quantity Generator
Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: YOUNG-KIL KIM
Owner/operator address: GALE 11TH ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 243-5653
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: YOUNG-KIL KIM
Owner/operator address: GALE 11TH ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 243-5653

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: 23 FRENCH CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 06/17/1996
Facility name: 23 FRENCH CLEANERS
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001604283

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD982716664
Country: USA
Mailing Name: 67 FRENCH CLEANERS
Mailing Contact: YONG BONG
Mailing Address: 169 W 23 STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-691-7003

Document ID: NJA1436677
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920626
Trans1 Recv Date: 920626
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920626
Part A Recv Date: 920713
Part B Recv Date: 920710
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1372495
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921202
Trans1 Recv Date: 921202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921202
Part A Recv Date: 921214
Part B Recv Date: 921223
Generator EPA ID: NYD982716664

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NYB7191954
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 961230
Trans1 Recv Date: 961230
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970106
Part A Recv Date: 970122
Part B Recv Date: 970121
Generator EPA ID: NYD982716664
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00135
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NYB8527932
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970321
Trans1 Recv Date: 970321
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970324
Part A Recv Date: 970403
Part B Recv Date: 970402
Generator EPA ID: NYD982716664
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Specific Gravity: 100
Year: 97

Document ID: NYG0157824
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970519
Trans1 Recv Date: 970519
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970523
Part A Recv Date: 970715
Part B Recv Date: 970606
Generator EPA ID: NYD982716664
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1411138
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920721
Trans1 Recv Date: 920721
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920721
Part A Recv Date: 920812
Part B Recv Date: 920730
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1419768
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 920819

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Trans1 Recv Date: 920819
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920819
Part A Recv Date: 920917
Part B Recv Date: 920901
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00165
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1425730
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 921027
Trans1 Recv Date: 921027
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921027
Part A Recv Date: 921120
Part B Recv Date: 921109
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NYG0073755
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 970716
Trans1 Recv Date: 970716
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970722
Part A Recv Date: 970821
Part B Recv Date: 970811
Generator EPA ID: NYD982716664
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NYG0075933
Manifest Status: Completed copy
Trans1 State ID: XZ90GR501
Trans2 State ID: Not reported
Generator Ship Date: 971014
Trans1 Recv Date: 971014
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971021
Part A Recv Date: 971126
Part B Recv Date: 971106
Generator EPA ID: NYD982716664
Trans1 EPA ID: NJD000564906
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00070
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1624481
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930408
Trans1 Recv Date: 930408
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930408
Part A Recv Date: 930419
Part B Recv Date: 930423
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Document ID: NJA1623239
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930215
Trans1 Recv Date: 930215
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930215
Part A Recv Date: 930308
Part B Recv Date: 930226
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1629312
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930524
Trans1 Recv Date: 930524
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930524
Part A Recv Date: 930617
Part B Recv Date: 930621
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1659753
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930429
Trans1 Recv Date: 930429
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930429
Part A Recv Date: 930512

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Part B Recv Date: 930513
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1659934
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930118
Trans1 Recv Date: 930118
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930118
Part A Recv Date: 930127
Part B Recv Date: 930129
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1621149
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930617
Trans1 Recv Date: 930617
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930617
Part A Recv Date: 930712
Part B Recv Date: 930702
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1624097
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930317
Trans1 Recv Date: 930317
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930317
Part A Recv Date: 930416
Part B Recv Date: 930329
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00195
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1731362
Manifest Status: Completed copy
Trans1 State ID: NJDEPS869
Trans2 State ID: Not reported
Generator Ship Date: 930914
Trans1 Recv Date: 930914
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930914
Part A Recv Date: 931029
Part B Recv Date: 931006
Generator EPA ID: NYD982716664
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSD ID: NJD000768093
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00080
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1758869
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: NJDEPS869

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

23 FRENCH CLEANERS (Continued)

1004756924

Trans2 State ID: Not reported
 Generator Ship Date: 931112
 Trans1 Recv Date: 931112
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 931112
 Part A Recv Date: 931129
 Part B Recv Date: 931220
 Generator EPA ID: NYD982716664
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93

Document ID: NJA1745912
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 930816
 Trans1 Recv Date: 930816
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930816
 Part A Recv Date: 930830
 Part B Recv Date: 930924
 Generator EPA ID: NYD982716664
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93

[Click this hyperlink](#) while viewing on your computer to access
 57 additional NY_MANIFEST: record(s) in the EDR Site Report.

AZ271
SSE
1/8-1/4
0.216 mi.
1140 ft.

23RD FRECH DRY CLEANERS
169 W. 23RD STREET
NEW YORK, NY 10011
Site 2 of 3 in cluster AZ

DRYCLEANERS **S110245785**
N/A

Relative:
Higher

DRYCLEANERS:
 Facility ID: 2-6205-01418
 Owner: Not reported
 Phone Number: Not reported
 Region: 2

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

23RD FRECH DRY CLEANERS (Continued)

S110245785

Registration Effective Date: 4/17/2000 09:11:09:13
Inspection Date: 09JAN12
Drop Shop: Y
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: DROPSHOP

AY272 148 W 24TH ST TENANTS CORP
SE 148 W 24TH ST
1/8-1/4 NY, NY 10011
0.216 mi.
1141 ft. Site 2 of 10 in cluster AY

AST U003387446
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-291374
Program Type: PBS
UTM X: 584991.35233000002
UTM Y: 4510846.5789200002
Expiration Date: 2012/07/07

Actual:
33 ft.

Affiliation Records:
Site Id: 13209
Affiliation Type: On-Site Operator
Company Name: 148 W 24TH ST TENANTS CORP
Contact Type: Not reported
Contact Name: JOSE LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-6680
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/10/2008

Site Id: 13209
Affiliation Type: Mail Contact
Company Name: ABC REALTY
Contact Type: Not reported
Contact Name: PETER T. MURRAY
Address1: 152 W 57TH ST., 12TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 307-0500
Phone Ext: Not reported
Email: PMURRAY@ABCMGMT.NET
Fax Number: Not reported
Modified By: dxliving

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 24TH ST TENANTS CORP (Continued)

U003387446

Date Last Modified: 10/10/2008

Site Id: 13209
Affiliation Type: Emergency Contact
Company Name: 148 W 24TH ST TENANTS CORP % ABC REALTY
Contact Type: Not reported
Contact Name: JOSE LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 481-5525
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/10/2008

Site Id: 13209
Affiliation Type: Owner
Company Name: 148 W 24TH ST TENANTS CORP % ABC REALTY
Contact Type: MANAGING AGENT
Contact Name: PETER T. MURRAY
Address1: 152 W 57TH ST., 12TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 307-0500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 10/10/2008

Equipment Records:

J01 - Dispenser - Submersible
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
K01 - Spill Prevention - Catch Basin
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 11877
Tank Location: 4
Tank Type: Steel Tank in Concrete

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 24TH ST TENANTS CORP (Continued)

U003387446

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1951
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 10/10/2008

HIST AST:

PBS Number: 2-291374
SWIS Code: 6201
Operator: AUREILO CAFENGIU
Facility Phone: (212) 989-6680
Facility Addr2: 148 W 24TH ST
Facility Type: OTHER
Emergency: HSC MGMT CORP
Emergency Tel: (914) 237-1600
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 148 W 24TH ST TENANTS CORP
Owner Address: 148 W 24TH ST
Owner City,St,Zip: NY, NY 10011
Federal ID: Not reported
Owner Tel: (914) 237-1600
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: CARL BORENSTEIN
Mailing Name: 148 W 24TH ST TENANTS CORP
Mailing Address: C/O HSC MGMT CORP
Mailing Address 2: 850 BRONX RIVER ROAD
Mailing City,St,Zip: YONKERS, NY 10708
Mailing Telephone: (914) 237-1600
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 07/03/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 24TH ST TENANTS CORP (Continued)

U003387446

Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19511201
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Other
Leak Detection: 9
Overfill Protection: 4
Dispenser Method: Submersible
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AY273
SE
1/8-1/4
0.216 mi.
1141 ft.

CIRCLE JEWELRY PRODUCTS CO
148 W 24TH ST
NEW YORK, NY 10011

RCRA-NonGen 1004757418
FINDS NYD986933810
MANIFEST

Site 3 of 10 in cluster AY

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: CIRCLE JEWELRY PRODUCTS CO
Facility address: 148 W 24TH ST
NEW YORK, NY 10011
EPA ID: NYD986933810
Mailing address: W 24TH ST
NEW YORK, NY 10011
Contact: CHARLES GOLD
Contact address: W 24TH ST
NEW YORK, NY 10011
Contact country: US
Contact telephone: (212) 255-3608
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
33 ft.

Owner/Operator Summary:
Owner/operator name: MICHAEL GARTNER
Owner/operator address: 148 W 24TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 255-3608
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: MICHAEL GARTNER
Owner/operator address: 148 W 24TH ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 255-3608
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: CIRCLE JEWELRY PRODUCTS CO
Classification: Not a generator, verified

Date form received by agency: 12/20/1990
Facility name: CIRCLE JEWELRY PRODUCTS CO
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004457542

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986933810
Country: USA
Mailing Name: CIRCLE JEWELRY
Mailing Contact: AUGUSTINE CORTES
Mailing Address: 148 WEST 24TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10011
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-255-3608

Document ID: NJA1235998
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920522
Trans1 Recv Date: 920522
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920526
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00330
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 006
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92

Document ID: NJA1318415
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920904
Trans1 Recv Date: 920904
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920909
Part A Recv Date: Not reported
Part B Recv Date: 920918
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

Waste Code: F009 - UNKNOWN
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92

Document ID: NJA1318412
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920908
Trans1 Recv Date: 920908
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920911
Part A Recv Date: Not reported
Part B Recv Date: 920922
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00470
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 009
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00099
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92

Document ID: NJA1561172
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 930326
Trans1 Recv Date: 930326
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930329
Part A Recv Date: 930406
Part B Recv Date: 930413
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00030

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00050
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 93

Document ID: NJA1318394
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920921
Trans1 Recv Date: 920921
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920923
Part A Recv Date: Not reported
Part B Recv Date: 921002
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00275
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92

Document ID: NJA1719975
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 931217
Trans1 Recv Date: 931217
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931220
Part A Recv Date: 931227
Part B Recv Date: 931230
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 93

Document ID: NJA2029052
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 950403
Trans1 Recv Date: 950403
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950404
Part A Recv Date: Not reported
Part B Recv Date: 950425
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F008 - PLAT SLDG FM BTM PLAT BATH OPER CYANIDE.
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 95

Document ID: NJA0984907
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 910208
Trans1 Recv Date: 910208
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910212
Part A Recv Date: 910305
Part B Recv Date: 910301
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: D003 - NON-LISTED REACTIVE WASTES
Quantity: 00100
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

Specific Gravity: 100
Year: 91

Document ID: NJA0984983
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: S126
Trans2 State ID: Not reported
Generator Ship Date: 910607
Trans1 Recv Date: 910607
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910613
Part A Recv Date: 910722
Part B Recv Date: 910702
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSDF ID: NJD055090815
Waste Code: F009 - UNKNOWN
Quantity: 00140
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 91

Document ID: NYB6853356
Manifest Status: Completed copy
Trans1 State ID: Not reported
Trans2 State ID: Not reported
Generator Ship Date: 950824
Trans1 Recv Date: 950824
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950824
Part A Recv Date: 950911
Part B Recv Date: 950915
Generator EPA ID: NYD986933810
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: P030 - CYANIDES N.O.S.
Quantity: 00175
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00060
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

Quantity: 00050
Units: P - Pounds
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: L Landfill.
Specific Gravity: 100
Year: 95

Document ID: NJA1235999
Manifest Status: Completed copy
Trans1 State ID: NJDEPS103
Trans2 State ID: Not reported
Generator Ship Date: 911004
Trans1 Recv Date: 911004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 911008
Part A Recv Date: 911016
Part B Recv Date: 911028
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F009 - UNKNOWN
Quantity: 00060
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00150
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 91

Document ID: NJA1235657
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920320
Trans1 Recv Date: 920320
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920325
Part A Recv Date: 920330
Part B Recv Date: 920406
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00200
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CIRCLE JEWELRY PRODUCTS CO (Continued)

1004757418

Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92

Document ID: NJA1235647
Manifest Status: Completed copy
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920313
Trans1 Recv Date: 920313
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920316
Part A Recv Date: 920324
Part B Recv Date: 920325
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F009 - UNKNOWN
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 92

Document ID: NJA1318004
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: S10344
Trans2 State ID: Not reported
Generator Ship Date: 920313
Trans1 Recv Date: 920313
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920402
Part A Recv Date: 920402
Part B Recv Date: 920414
Generator EPA ID: NYD986933810
Trans1 EPA ID: NJD055090815
Trans2 EPA ID: Not reported
TSD ID: NJD055090815
Waste Code: F009 - UNKNOWN
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 92

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AY274 **APARTMENT BUILDING**
SE **148 WEST 24TH STREET**
1/8-1/4 **MANHATTAN, NY**
0.216 mi.
1141 ft. **Site 4 of 10 in cluster AY**

LTANKS **S106869236**
 N/A

Relative:
Higher

LTANKS:

Actual:
33 ft.

Site ID: 344050
 Spill No: 0500940
 Spill Date: 4/22/2005
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 4/22/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 4/22/2005
 CID: 408
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 4/22/2005
 Spill Record Last Update: 4/22/2005
 Spiller Name: PETER MURRAY
 Spiller Company: ABC REALTY
 Spiller Address: 152 WEST 57TH STREET
 Spiller City,St,Zip: NEW YORK, NY 10019
 Spiller County: 001
 Spiller Contact: ISAAC MUNGRA
 Spiller Phone: (718) 378-7000
 Spiller Extention: 28
 DEC Region: 2
 DER Facility ID: 123067
 DEC Memo: Sangesland spoke to Rene at PTC. Overfill out of vent line onto sidewalk. He was on the site and said it was just about cleaned up. They will return tomorrow to steam clean the sidewalk. No drains/sewers involved. No spill in basement.

Remarks: material is on sidewalk, speedi dry will be put down shortly.

Material:

Site ID: 344050
 Operable Unit ID: 1102704
 Operable Unit: 01
 Material ID: 582926
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 15
 Units: Gallons
 Recovered: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S106869236

Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AV275
East
1/8-1/4
0.217 mi.
1145 ft.

146-48 WEST 28TH STREET
146-48 WEST 28TH STREET
NEW YORK, NY 10001

HIST UST **U000397067**
N/A

Site 5 of 11 in cluster AV

Relative:
Higher

HIST UST:

Actual:
37 ft.

PBS Number: 2-150258
SPDES Number: Not reported
Emergency Contact: LAI CHU YUNG
Emergency Telephone: (212) 889-3111
Operator: DAVY
Operator Telephone: (917) 642-5888
Owner Name: REAL EVERGREEN INT'L, INC.
Owner Address: 24 WEST 28TH STREET
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 889-3111
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: REAL EVERGREEN INT'L, INC.
Mailing Address: 24 WEST 28TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: LAI-CHU YUNG
Mailing Telephone: (212) 889-3111
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/03/2000
Expiration Date: 05/01/2005
Renew Flag: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

146-48 WEST 28TH STREET (Continued)

U000397067

Renewal Date:	Not reported
Total Capacity:	2000
FAMT:	True
Facility Screen:	No Missing Data
Owner Screen:	No Missing Data
Tank Screen:	No Missing Data
Dead Letter:	False
CBS Number:	Not reported
Town or City:	NEW YORK CITY
County Code:	62
Town or City:	01
Region:	2
Tank Id:	101
Tank Location:	UNDERGROUND, VAULTED, WITH ACCESS
Tank Status:	In Service
Install Date:	Not reported
Capacity (gals):	2000
Product Stored:	NOS 1,2, OR 4 FUEL OIL
Tank Type:	Steel/carbon steel
Tank Internal:	None
Tank External:	None
Pipe Location:	None
Pipe Type:	GALVANIZED STEEL
Pipe Internal:	None
Pipe External:	None
Second Containment:	None
Leak Detection:	None
Overfill Prot:	Product Level Gauge
Dispenser:	Suction
Date Tested:	Not reported
Next Test Date:	Not reported
Missing Data for Tank:	No Missing Data
Date Closed:	Not reported
Test Method:	Not reported
Deleted:	False
Updated:	True
Lat/long:	Not reported

AV276
East
1/8-1/4
0.217 mi.
1145 ft.

146-48 WEST 28TH STREET
146-48 WEST 28TH STREET
NEW YORK, NY 10001
Site 6 of 11 in cluster AV

UST U004076721
N/A

Relative:
Higher

UST:
 Facility Id: 2-150258
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2010/05/01
 UTM X: 585097.95354999998
 UTM Y: 4511150.4412200004

Actual:
37 ft.

Affiliation Records:
 Site Id: 4579
 Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146-48 WEST 28TH STREET (Continued)

U004076721

Company Name: REAL EVERGREEN INTL, INC.
Contact Type: Not reported
Contact Name: LAI CHU YUNG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 889-3111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4579
Affiliation Type: On-Site Operator
Company Name: 146-48 WEST 28TH STREET
Contact Type: Not reported
Contact Name: DAVY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 336-7456
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/2/2005

Site Id: 4579
Affiliation Type: Mail Contact
Company Name: REAL EVERGREEN INTL, INC.
Contact Type: Not reported
Contact Name: LAI-CHU YUNG
Address1: 24 WEST 28TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 889-3111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4579
Affiliation Type: Owner
Company Name: REAL EVERGREEN INTL, INC.
Contact Type: Not reported
Contact Name: CHUN W. YUNG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146-48 WEST 28TH STREET (Continued)

U004076721

Address1: 24 WEST 28TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 889-3111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 3/2/2005

Equipment Records:

F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
D02 - Pipe Type - Galvanized Steel
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
J02 - Dispenser - Suction

Tank Info:

Site ID: 4579

Tank Number: 101
Tank ID: 8707
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AX277 212 W 22 ST BLDG
South 212 W 22 ST
1/8-1/4 NEW YORK, NY 10011
0.217 mi.
1145 ft. Site 2 of 2 in cluster AX

AST U003393729
HIST AST N/A

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-032549
Program Type: PBS
UTM X: 584752.92893000005

Actual:
26 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212 W 22 ST BLDG (Continued)

U003393729

UTM Y: 4510784.1192500005
Expiration Date: 2013/07/21

Affiliation Records:

Site Id: 223
Affiliation Type: Owner
Company Name: 212 W. 22 REALTY LLC
Contact Type: MGR
Contact Name: MARTIN BLUM
Address1: 212 WEST 22ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (914) 637-6200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/7/2008

Site Id: 223
Affiliation Type: Mail Contact
Company Name: 212 W. 22 REALTY LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: C/O S.W. MANAGEMENT LLC
Address2: 145 HUGUENOT STREET, SUITE 503
City: NEW ROCHELLE
State: NY
Zip Code: 10801
Country Code: 001
Phone: (914) 637-6200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 5/29/2008

Site Id: 223
Affiliation Type: On-Site Operator
Company Name: 212 W. 22 REALTY LLC
Contact Type: Not reported
Contact Name: PABLO REYNA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 627-0781
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/7/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212 W 22 ST BLDG (Continued)

U003393729

Site Id: 223
Affiliation Type: Emergency Contact
Company Name: 212 W. 22 REALTY LLC
Contact Type: Not reported
Contact Name: BAUER BOILER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 299-1650
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 5/7/2008

Equipment Records:

H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
C01 - Pipe Location - Aboveground
B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 0W1
Tank Id: 32126
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/7/1940
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 5/7/2008

HIST AST:

PBS Number: 2-032549
SWIS Code: 6201
Operator: JAYGRACE CO.LLC
Facility Phone: (212) 627-0781
Facility Addr2: 212 W 22 ST
Facility Type: APARTMENT BUILDING
Emergency: P.REYNA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212 W 22 ST BLDG (Continued)

U003393729

Emergency Tel: (212) 627-0781
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: JAYGRACE CO
Owner Address: 1100 CHRISTOPHER STREET
Owner City,St,Zip: NEW YORK, NY 10014
Federal ID: Not reported
Owner Tel: (212) 414-1256
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: JAYGRACE CO. LLC
Mailing Address: 110 CHRISTOPHER STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10014
Mailing Telephone: (212) 414-1256
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 06/29/1998
Expiration: 06/28/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 0W1
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: 01
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

212 W 22 ST BLDG (Continued)

U003393729

Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**BA278
SW
1/8-1/4
0.217 mi.
1148 ft.**

**ALLERTON HOTEL
302 WEST 22ND ST
NEW YORK, NY 10011**

**AST U003387091
HIST AST N/A**

Site 1 of 2 in cluster BA

**Relative:
Lower**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-091642
Program Type: PBS
UTM X: 584536.79555000004
UTM Y: 4510899.2193700001
Expiration Date: 2012/02/23

Affiliation Records:

Site Id: 2312
Affiliation Type: Owner
Company Name: 300 WEST 22 REALTY, LLC
Contact Type: MANAGING MEMBER
Contact Name: TODD COHEN
Address1: 433 WEST 14TH STREET (429-3R)
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 661-2700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/25/2007

Site Id: 2312
Affiliation Type: Mail Contact
Company Name: 300 WEST 22 REALTY, LLC
Contact Type: Not reported
Contact Name: TODD COHEN
Address1: 433 WEST 14TH STREET
Address2: SUITE 429-3R
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 661-2700
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLERTON HOTEL (Continued)

U003387091

Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/25/2007

Site Id: 2312
Affiliation Type: Emergency Contact
Company Name: LAWRENCE MEINWALD
Contact Type: Not reported
Contact Name: VIJAX FUEL CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 497-4491
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2312
Affiliation Type: On-Site Operator
Company Name: ALLERTON HOTEL
Contact Type: Not reported
Contact Name: TODD COHEN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 661-2700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/25/2007

Equipment Records:

G01 - Tank Secondary Containment - Diking (Aboveground)
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
B00 - Tank External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 11251

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLERTON HOTEL (Continued)

U003387091

Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/1/1988
Capacity Gallons: 4020
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: msbaptis
Last Modified: 6/25/2007

HIST AST:

PBS Number: 2-091642
SWIS Code: 6201
Operator: CAROL TURNER
Facility Phone: (212) 243-6017
Facility Addr2: 302 WEST 22ND ST
Facility Type: OTHER
Emergency: VIJAX FUEL CORP
Emergency Tel: (718) 497-4491
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: LAWRENCE MEINWALD
Owner Address: 350 WEST 23RD ST
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (212) 595-9100
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: LAWRENCE MEINWALD
Mailing Address: 350 WEST 23RD ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Telephone: (212) 595-9100
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/01/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4020
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ALLERTON HOTEL (Continued)

U003387091

Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4020
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 0
 Pipe Location: Aboveground/Underground Combination
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: 8
 Leak Detection: 0
 Overfill Protection: 46
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

BB279
North
1/8-1/4
0.217 mi.
1148 ft.

304 W 30TH ST
304 W 30TH ST
NYC, NY
Site 1 of 4 in cluster BB

LTANKS **S102671788**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
 Site ID: 84080
 Spill No: 9110058
 Spill Date: 12/21/1991
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Not reported
 Spill Closed Dt: 12/21/1991
 Facility Addr2: Not reported
 Cleanup Ceased: 12/21/1991
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 12/21/1991
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

304 W 30TH ST (Continued)

S102671788

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/31/1992
Spill Record Last Update: 2/12/1992
Spiller Name: Not reported
Spiller Company: PETRO OIL
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 77342
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"
Remarks: PETRO CLEANING

Material:

Site ID: 84080
Operable Unit ID: 960073
Operable Unit: 01
Material ID: 418631
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9110058
Spill Date: 12/21/1991
Spill Time: 11:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

304 W 30TH ST (Continued)

S102671788

Spill Closed Dt: 12/21/91
Cleanup Ceased: 12/21/91
Cleanup Meets Standard: True
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/21/91
Reported to Department Time: 12:18
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PETRO OIL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/31/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/12/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

304 W 30TH ST (Continued)

S102671788

CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: PETRO CLEANING

AO280
SE
1/8-1/4
0.218 mi.
1153 ft.

KENT REALTY CORP
134-136 W 25TH ST
NEW YORK, NY 10001

AST U003389880
HIST AST N/A

Site 5 of 7 in cluster AO

Relative:
Higher

AST:

Actual:
35 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-309249
Program Type: PBS
UTM X: 585013.06515000004
UTM Y: 4510924.0116900001
Expiration Date: 2012/07/20

Affiliation Records:

Site Id: 14088
Affiliation Type: Owner
Company Name: ANDY WRUBLIN
Contact Type: MANAGER
Contact Name: ANDREW WRUBLIN
Address1: 134 W 25TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 929-8100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/3/2007

Site Id: 14088
Affiliation Type: On-Site Operator
Company Name: WEST 25TH ST LLC
Contact Type: Not reported
Contact Name: ANDREW WRUBLIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-8100
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/3/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KENT REALTY CORP (Continued)

U003389880

Site Id: 14088
Affiliation Type: Mail Contact
Company Name: WEST 25TH LLC
Contact Type: Not reported
Contact Name: ANDREW WRUBLIN
Address1: DALAN MANAGEMENT
Address2: 134 W. 25TH ST. 2ND FL
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 645-4260
Phone Ext: Not reported
Email: AWRUBLIN@AOL.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/3/2007

Site Id: 14088
Affiliation Type: Emergency Contact
Company Name: ANDY WRUBLIN
Contact Type: Not reported
Contact Name: ANDREW WRUBLIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (516) 353-8412
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/3/2007

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
F02 - Pipe External Protection - Original Sacrificial Anode
K00 - Spill Prevention - None
G00 - Tank Secondary Containment - None
C00 - Pipe Location - No Piping
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
F06 - Pipe External Protection - Wrapped
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 17789
Tank Location: 1
Tank Type: Steel Tank in Concrete

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KENT REALTY CORP (Continued)

U003389880

Tank Status: In Service
Tank Model: 202
Pipe Model: Not reported
Install Date: 11/28/1990
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 5/3/2007

HIST AST:

PBS Number: 2-309249
SWIS Code: 6201
Operator: HENRY HADDOCK
Facility Phone: (212) 929-3222
Facility Addr2: 134 W 25TH ST
Facility Type: Not reported
Emergency: COHEN, LEON
Emergency Tel: (212) 929-3222
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: KENT REALTY CORP
Owner Address: 134-136 W 25TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 929-3222
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: LEON J. COHEN
Mailing Name: KENT REALTY CORP
Mailing Address: 134-136 W 25TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 929-3222
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 07/25/1997
Expiration: 07/20/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

KENT REALTY CORP (Continued)

U003389880

Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

**BC281
ESE
1/8-1/4
0.219 mi.
1155 ft.**

**135 WEST 27TH STREET
135 WEST 27TH STREET
NEW YORK, NY 10001
Site 1 of 13 in cluster BC**

**UST U004081634
N/A**

**Relative:
Higher**

UST:
Facility Id: 2-083852
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2015/08/16
UTM X: 585140.67273999995
UTM Y: 4511049.9047999997

**Actual:
37 ft.**

Affiliation Records:
Site Id: 1906
Affiliation Type: Mail Contact
Company Name: FAWN REALTY CO.
Contact Type: Not reported
Contact Name: NINI OFRI
Address1: 137 FIFTH AVENUE,
Address2: 10TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 WEST 27TH STREET (Continued)

U004081634

Phone: (212) 254-3434
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/16/2005

Site Id: 1906
Affiliation Type: On-Site Operator
Company Name: 135 WEST 27TH STREET
Contact Type: Not reported
Contact Name: ROBERT VILLOT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 296-6788
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/24/2010

Site Id: 1906
Affiliation Type: Emergency Contact
Company Name: 135 W 27TH ST, OWNERS CORP. C/O FAWN REALTY CO.
Contact Type: Not reported
Contact Name: FELIX SILVA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 261-9497
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 6/24/2010

Site Id: 1906
Affiliation Type: Owner
Company Name: 135 W 27TH ST, OWNERS CORP. C/O FAWN REALTY CO.
Contact Type: MANAGING AGENT
Contact Name: NINI OFRI
Address1: 137 FIFTH AVENUE, 10TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 254-3434
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 WEST 27TH STREET (Continued)

U004081634

Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 8/16/2005

Equipment Records:

A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle
H99 - Tank Leak Detection - Other
B00 - Tank External Protection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
C02 - Pipe Location - Underground/On-ground
G03 - Tank Secondary Containment - Vault (w/o access)
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 1906

Tank Number: 001
Tank ID: 3150
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1975
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 6/24/2010

BC282
ESE
1/8-1/4
0.219 mi.
1155 ft.

TART OPTICAL ENTERPRISES
135 WEST 27TH ST
NEW YORK, NY 10001
Site 2 of 13 in cluster BC

MANIFEST 1009233562
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP000917138
Country: USA
Mailing Name: TART OPTICAL ENTERPRISES
Mailing Contact: PAUL CIMMINO
Mailing Address: 135 WEST 27TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-675-1986

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TART OPTICAL ENTERPRISES (Continued)

1009233562

Document ID: PAE1197254
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: PAAH0414
Trans2 State ID: PAAH0414
Generator Ship Date: 971006
Trans1 Recv Date: 971006
Trans2 Recv Date: 971010
TSD Site Recv Date: 971022
Part A Recv Date: 971022
Part B Recv Date: 971113
Generator EPA ID: NYP000917138
Trans1 EPA ID: CTD982191942
Trans2 EPA ID: CTD982191942
TSDF ID: PAD085690592
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00015
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: PAE1350801
Manifest Status: Completed copy
Trans1 State ID: PAAH0067
Trans2 State ID: Not reported
Generator Ship Date: 941007
Trans1 Recv Date: 941007
Trans2 Recv Date: Not reported
TSD Site Recv Date: 941007
Part A Recv Date: Not reported
Part B Recv Date: 941024
Generator EPA ID: NYP000917138
Trans1 EPA ID: NJD054126164
Trans2 EPA ID: Not reported
TSDF ID: PAD085690592
Waste Code: F007 - PLATING BATH SOL FM ELECTROPLATING OPER
Quantity: 01280
Units: P - Pounds
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 94

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

BC283
ESE
1/8-1/4
0.219 mi.
1155 ft.

135 WEST 27TH STREET
135 WEST 27TH STREET
NEW YORK, NY 10001
Site 3 of 13 in cluster BC

HIST UST **U003758078**
N/A

Relative:
Higher

HIST UST:

Actual:
37 ft.

PBS Number: 2-083852
 SPDES Number: Not reported
 Emergency Contact: KENNY LATSCH
 Emergency Telephone: (718) 837-3456
 Operator: KENNY LATSCH
 Operator Telephone: (646) 486-4929
 Owner Name: DEZER PROPERTIES 291 LLC
 Owner Address: 89 5TH AVENUE
 Owner City,St,Zip: NEW YORK, NY 10003
 Owner Telephone: (212) 929-1285
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: DEZER PROPERTIES 291 LLC
 Mailing Address: 89 FIFTH AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10003
 Mailing Contact: MATTHEW MARK
 Mailing Telephone: (212) 929-1285
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 135 WEST 27TH ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: OTHER
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 10/27/2000
 Expiration Date: 10/23/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 4000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

135 WEST 27TH STREET (Continued)

U003758078

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: Other
Overfill Prot: Product Level Gauge, Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AV284
East
1/8-1/4
0.220 mi.
1163 ft.

145 WEST 28TH STREET
145 WEST 28TH STREET
NEW YORK, NY 10003
Site 7 of 11 in cluster AV

UST U004076969
N/A

Relative:
Higher

UST:
Facility Id: 2-236942
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/10/02
UTM X: 585154.86297000002
UTM Y: 4511130.3350200001

Actual:
37 ft.

Affiliation Records:
Site Id: 8805
Affiliation Type: Owner
Company Name: K&E HOLDING CO
Contact Type: PROJECT MANAGER
Contact Name: FRANCES JENNINGS
Address1: 7 PLATT PL
Address2: Not reported
City: WHITE PLAINS
State: NY
Zip Code: 10605
Country Code: 001
Phone: (914) 946-8378
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/3/2007

Site Id: 8805
Affiliation Type: Emergency Contact

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 WEST 28TH STREET (Continued)

U004076969

Company Name: K&E HOLDING CO
Contact Type: Not reported
Contact Name: KENNY LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 837-3456
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8805
Affiliation Type: On-Site Operator
Company Name: 145 WEST 28TH STREET
Contact Type: Not reported
Contact Name: KENNY LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-7658
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 8805
Affiliation Type: Mail Contact
Company Name: K&E HOLDING CO
Contact Type: Not reported
Contact Name: Not reported
Address1: DEZER PROPERTIES LLC
Address2: 89 5TH AVE
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: FJENNINGS@DEZERPROPERTIES.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/3/2007

Equipment Records:

D02 - Pipe Type - Galvanized Steel
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 WEST 28TH STREET (Continued)

U004076969

B00 - Tank External Protection - None
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C02 - Pipe Location - Underground/On-ground
F00 - Pipe External Protection - None

Tank Info:

Site ID: 8805

Tank Number: 001
Tank ID: 17224
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1960
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 8/3/2007

BD285
ENE
1/8-1/4
0.221 mi.
1165 ft.

NEW YORK CITY DEP
165 W 29TH ST
NEW YORK, NY 11373

Site 1 of 2 in cluster BD

MANIFEST 1009244308
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP010001501
Country: USA
Mailing Name: NEW YORK CITY DEP
Mailing Contact: KENNETH FREDKIN
Mailing Address: 59-17 JUNCTION BLVD
Mailing Address 2: Not reported
Mailing City: ELMHURST
Mailing State: NY
Mailing Zip: 11373
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-595-4651

Actual:
36 ft.

Document ID: NYB6879816
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: PD1010
Trans2 State ID: Not reported
Generator Ship Date: 950302
Trans1 Recv Date: 950302
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950302
Part A Recv Date: 950323
Part B Recv Date: 950407

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NEW YORK CITY DEP (Continued)

1009244308

Generator EPA ID: NYP010001501
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: U051 - CREOSOTE
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95

Document ID: NYB2157822
Manifest Status: Completed copy
Trans1 State ID: PD8070NY
Trans2 State ID: Not reported
Generator Ship Date: 950223
Trans1 Recv Date: 950223
Trans2 Recv Date: Not reported
TSD Site Recv Date: 950223
Part A Recv Date: 950315
Part B Recv Date: 950313
Generator EPA ID: NYP010001501
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDF ID: NYD049178296
Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 95

AO286
SE
1/8-1/4
0.221 mi.
1166 ft.

133 WEST 25TH STREET
133 WEST 25TH STREET
NEW YORK, NY 10001
Site 6 of 7 in cluster AO

HIST UST **U003790860**
N/A

Relative:
Higher

HIST UST:
PBS Number: 2-606069
SPDES Number: Not reported
Emergency Contact: KENNY LATSCH
Emergency Telephone: (718) 837-3456
Operator: KENNY LATSCH
Operator Telephone: (212) 255-7421
Owner Name: DEZER PROPERTIES VISUAL ARTS LLC
Owner Address: 89 FIFTH AVENUE
Owner City,St,Zip: NEW YORK, NY 10003
Owner Telephone: (212) 929-1285
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: DEZER PROPERTIES LLC
Mailing Address: 89 FIFTH AVENUE

Actual:
35 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 WEST 25TH STREET (Continued)

U003790860

Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Contact: MATTHEW MARK
Mailing Telephone: (212) 929-1285
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/28/2001
Expiration Date: 06/25/2006
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: Other
Overfill Prot: Product Level Gauge, Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 WEST 25TH STREET (Continued)

U003790860

Lat/long: Not reported

AO287
SE
1/8-1/4
0.221 mi.
1166 ft.

133 WEST 25TH STREET
133 WEST 25TH STREET
NEW YORK, NY 10001
Site 7 of 7 in cluster AO

UST U004078338
N/A

Relative:
Higher

UST:
Facility Id: 2-606069
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2011/06/25
UTM X: 585034.50242000003
UTM Y: 4510895.7233800003

Actual:
35 ft.

Affiliation Records:

Site Id: 27934
Affiliation Type: Mail Contact
Company Name: DEZER PROPERTIES LLC
Contact Type: Not reported
Contact Name: MATTHEW MARK
Address1: 89 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27934
Affiliation Type: Emergency Contact
Company Name: DEZER PROPERTIES VISUAL ARTS LLC
Contact Type: Not reported
Contact Name: KENNY LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 837-3456
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27934
Affiliation Type: On-Site Operator
Company Name: 133 WEST 25TH STREET

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 WEST 25TH STREET (Continued)

U004078338

Contact Type: Not reported
Contact Name: KENNY LATSCHE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-7421
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27934
Affiliation Type: Owner
Company Name: DEZER PROPERTIES VISUAL ARTS LLC
Contact Type: GENERAL MANAGER
Contact Name: MATTHEW MARK
Address1: 89 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/6/2006

Equipment Records:

A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
H99 - Tank Leak Detection - Other
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
C02 - Pipe Location - Underground/On-ground
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Site ID: 27934
Tank Number: 001
Tank ID: 60909
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 WEST 25TH STREET (Continued)

U004078338

Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

AV288
East
1/8-1/4
0.221 mi.
1170 ft.

145 WEST 28TH STREET
145 WEST 28TH STREET
NY, NY 10003
Site 8 of 11 in cluster AV

HIST UST
NY Spills
NY Hist Spills

U003200530
N/A

Relative:
Higher

HIST UST:

Actual:
37 ft.

PBS Number: 2-236942
SPDES Number: Not reported
Emergency Contact: KENNY LATSCH
Emergency Telephone: (718) 837-3456
Operator: KENNY LATSCH
Operator Telephone: (212) 594-7658
Owner Name: K&E HOLDING CO
Owner Address: 7 PLATT PL
Owner City,St,Zip: WHITE PLAINS, NY 10605
Owner Telephone: (914) 946-8378
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: K&E HOLDING CO
Mailing Address: 7 PLATT PL
Mailing Address 2: Not reported
Mailing City,St,Zip: WHITE PLAINS, NY 10605
Mailing Contact: Not reported
Mailing Telephone: (914) 946-8378
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 145 WEST 28TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/01/1997
Expiration Date: 10/02/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 WEST 28TH STREET (Continued)

U003200530

Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: None
Second Containment: Diking
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

NY Spills:

Site ID: 126618
Facility Addr2: Not reported
Facility ID: 9415747
Spill Number: 9415747
Facility Type: ER
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Spill Date: 3/6/1995
Reported to Dept: 3/6/1995
CID: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Railroad Car
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/9/1995
Remediation Phase: 0
Date Entered In Computer: 4/12/1995

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 WEST 28TH STREET (Continued)

U003200530

Spill Record Last Update: 1/26/1998
Spiller Name: Not reported
Spiller Company: DEZER PROPERTIES
Spiller Address: 89 5TH AVENUE
Spiller City,St,Zip: NEW YORK, NY 10003
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 109449
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" CLEANED BY OIL CO.
Remarks: DUE TO DEFECTIVE VALVE - TANK OVERFILLED - CALLED JIM, SPILL CONTAINED ON SIDEWALK - DRIVER STAYING ON SITE UNTIL CLEANUP CREW ARRIVES

Material:
Site ID: 126618
Operable Unit ID: 1012916
Operable Unit: 01
Material ID: 370917
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:
Region of Spill: 2
Spill Number: 9415747
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 03/06/1995 10:10
Reported to Dept Date/Time: 03/06/95 10:18
SWIS: 62
Spiller Name: DEZER PROPERTIES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

145 WEST 28TH STREET (Continued)

U003200530

Spiller Contact: Not reported
Spiller Phone: (212) 929-1285
Spiller Address: 89 5TH AVENUE
Spiller City,St,Zip: NEW YORK, NY 10003
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 11
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 04/09/95
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 04/12/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 01/26/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: CLEANED BY OIL CO.
Remark: DUE TO DEFECTIVE VALVE - TANK OVERFILLED - CALLED JIM, SPILL CONTAINED ON
SIDEWALK - DRIVER STAYING ON SITE UNTIL CLEANUP CREW ARRIVES

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

AQ289 **131 WEST 26TH STREET**
ESE **131 WEST 26TH STREET**
1/8-1/4 **MANHATTEN, NY**
0.222 mi.
1172 ft. **Site 7 of 8 in cluster AQ**

LTANKS **S103575343**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
37 ft.

Site ID: 163270
 Spill No: 9811447
 Spill Date: 12/11/1998
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/11/1999
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 12/11/1998
 CID: 204
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/11/1998
 Spill Record Last Update: 2/18/1999
 Spiller Name: ROCKY VENUTO
 Spiller Company: T & S TRUCKING,INC
 Spiller Address: 32 2ND AVE
 Spiller City,St,Zip: BROOKLYN, NY 11215-001
 Spiller County: 001
 Spiller Contact: ROCKY VENUTO
 Spiller Phone: (718) 499-2900
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 137713
 DEC Memo: Not reported
 Remarks: driver delivered to wrong house

Material:

Site ID: 163270
 Operable Unit ID: 1072315
 Operable Unit: 01
 Material ID: 311745
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1000
 Units: Gallons
 Recovered: 1000
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

131 WEST 26TH STREET (Continued)

S103575343

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9811447
Spill Date: 12/11/1998
Spill Time: 09:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/11/99
Cleanup Ceased: / /
Cleanup Meets Standard: True
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/11/98
Reported to Department Time: 09:30
SWIS: 62
Spiller Contact: ROCKY VENUTO
Spiller Phone: (718) 499-2900
Spiller Extention: Not reported
Spiller Name: T & S TRUCKING,INC
Spiller Address: 32 2ND AVE
Spiller City,St,Zip: BROOKLYN, NY 11215-
Spiller Cleanup Date: / /
Facility Contact: ROCKY VENUTO
Facility Phone: (718) 499-2900
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

131 WEST 26TH STREET (Continued)

S103575343

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/11/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/18/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1000
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 1000
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: DEC Sigona) responded found that the oil company delivered to 1,000 gallons to a 55 gallon drum used to store lube oil. The spill was cleaned up by ABC tank cleaners. DEC Sigona) found the spill generally contained the basement floor was made of concrete. There were over 35 motorcycles impacted by the spill, in the basement of the motorcycle shop. IN BASEMENT. NO ADDITIONAL INFORMATION RIGHT NOW. ABC DOING CLEAN-UP AS PER ANTHONY DEC sigona) conducted a follow-up inspection found the spill was properly cleaned -up. Crawford-THG, 122 East 42nd Street, Suite 1617, New York, N.Y. 10168 Keith C. Culley - Property Adjuster) 212)953-3636, Fax 212)557-7555 is accepting responsibility for cleanup. DEC Sigona) conducted site inspection on 1/28/1999 spill was cleaned up to pre-spill conditions, confirmed with property owner.

Spill Cause: driver delivered to wrong house

AY290 **FM RING ASSOC., INC.**
SE **142 W 24TH ST**
1/8-1/4 **NEW YORK, NY 10001**
0.222 mi.
1173 ft. **Site 5 of 10 in cluster AY**

AST **U003388450**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-276634
Program Type: PBS
UTM X: 585005.37118000002
UTM Y: 4510839.0794099998
Expiration Date: 2012/08/26

Actual:
33 ft.

Affiliation Records:
Site Id: 11918

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FM RING ASSOC., INC. (Continued)

U003388450

Affiliation Type: Mail Contact
Company Name: FM RING ASSOCIATES, INC/
Contact Type: Not reported
Contact Name: FMRING ASSOCIATES, INC
Address1: 20 W 47TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 765-1655
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11918
Affiliation Type: Owner
Company Name: FM RING ASSOC, INC
Contact Type: ASST TO PRES.
Contact Name: REBA DICKSTEIN
Address1: 20 W 47TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 765-1655
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 5/17/2007

Site Id: 11918
Affiliation Type: Emergency Contact
Company Name: FM RING ASSOC, INC
Contact Type: Not reported
Contact Name: WALTER HLADUN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 685-3389
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11918
Affiliation Type: On-Site Operator
Company Name: FM RING ASSOC., INC.
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FM RING ASSOC., INC. (Continued)

U003388450

Contact Name: WALTER HLADUN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 924-6599
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H04 - Tank Leak Detection - Groundwater Well
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 14010
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 3/31/1964
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 5/17/2007

HIST AST:

PBS Number: 2-276634
SWIS Code: 6201
Operator: STAN PIES
Facility Phone: (212) 924-6599
Facility Addr2: 142 W 24TH ST
Facility Type: OTHER
Emergency: STAN PIES
Emergency Tel: (718) 691-4909
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FM RING ASSOC., INC. (Continued)

U003388450

Result of Inspection: Not reported
Owner Name: FM RING ASSOC, INC
Owner Address: 20 W 47TH ST
Owner City,St,Zip: NEW YORK, NY 10036
Federal ID: Not reported
Owner Tel: (212) 765-1655
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: FMRING ASSOCIATES, INC
Mailing Name: FM RING ASSOCIATES, INC/
Mailing Address: 20 W 47TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10036
Mailing Telephone: (212) 765-1655
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/14/1997
Expiration: 08/26/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 3
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FM RING ASSOC., INC. (Continued)

U003388450

Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

AY291
SE
1/8-1/4
0.223 mi.
1177 ft.

142 WEST 24TH ST
MANHATTAN, NY

LTANKS S105995063
N/A

Site 6 of 10 in cluster AY

Relative:
Higher

LTANKS:

Actual:
33 ft.

Site ID: 66626
Spill No: 0110441
Spill Date: 1/31/2002
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/31/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 1/31/2002
CID: 211
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/31/2002
Spill Record Last Update: 2/1/2002
Spiller Name: PAMELA
Spiller Company: FM RING PROPERTIES
Spiller Address: 142 WEST 24TH ST
Spiller City,St,Zip: MANHATTAN, ZZ
Spiller County: 001
Spiller Contact: JIM CAREY
Spiller Phone: (718) 579-3413
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 63774
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE"
Remarks: CASTLE SPILL CREW ON SITE - PROPERTY MANAGER ORDERED TOO MUCH FUEL LEADING TO OVERFILL

Material:

Site ID: 66626
Operable Unit ID: 848927
Operable Unit: 01
Material ID: 528065
Material Code: 0002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105995063

Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: 10
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

AQ292
ESE
1/8-1/4
0.223 mi.
1178 ft.

CON EDISON - VS 3530
129 EAST 26TH STREET
NEW YORK, NY 10001

RCRA-NonGen 1008195856
MANIFEST NYP004117008

Site 8 of 8 in cluster AQ

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 02/27/2004
Facility name: CON EDISON - VS 3530
Facility address: 129 EAST 26TH STREET
NEW YORK, NY 10001
EPA ID: NYP004117008
Mailing address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact: ANTHONY DRUMMINGS
Contact address: 4 IRVING PLACE
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 460-3770
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
37 ft.

Owner/Operator Summary:

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 12/19/2003
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 3530 (Continued)

1008195856

Owner/operator name: CONSOLIDATED EDISON COMPANY OF NY, INC.
Owner/operator address: 4 IRVING PLACE
NEW YORK, NY 10003
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 12/19/2003
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 02/26/2004
Facility name: CON EDISON - VS 3530
Classification: Not a generator, verified

Date form received by agency: 02/25/2004
Facility name: CON EDISON - VS 3530
Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004117008
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE1318239
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CON EDISON - VS 3530 (Continued)

1008195856

Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 12/19/2003
Trans1 Recv Date: 12/19/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/22/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004117008
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 46299JM
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 01320
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03

Document ID: NYE1318293
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 12/26/2003
Trans1 Recv Date: 12/26/2003
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/29/2003
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004117008
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 46110JM
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 01727
Units: K - Kilograms (2.2 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 03

AW293
ENE
1/8-1/4
0.224 mi.
1185 ft.

361-363 7TH AVENUE
361-363 SEVENTH AVENUE
NEW YORK, NY 10001
Site 3 of 3 in cluster AW

AST A100177808
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-336955
Program Type: PBS
UTM X: 585046

Actual:
35 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

361-363 7TH AVENUE (Continued)

A100177808

UTM Y: 4511348
Expiration Date: 2011/04/25

Affiliation Records:

Site Id: 16133
Affiliation Type: On-Site Operator
Company Name: 361-363 7TH AVENUE
Contact Type: Not reported
Contact Name: EKO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 736-4187
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 16133
Affiliation Type: Owner
Company Name: GATEWAY REALTY ASSOCIATES LLC
Contact Type: OWNER
Contact Name: FRED SHALOM
Address1: 347 5TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 686-5252
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 2/7/2006

Site Id: 16133
Affiliation Type: Mail Contact
Company Name: GATEWAY REALTY ASSOCIATES, LLC
Contact Type: Not reported
Contact Name: FRED SHALOM
Address1: 347 FIFTH AVENUE
Address2: #1600
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 686-5252
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

361-363 7TH AVENUE (Continued)

A100177808

Site Id: 16133
Affiliation Type: Emergency Contact
Company Name: GATEWAY REALTY ASSOCIATES LLC
Contact Type: Not reported
Contact Name: EKO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 736-4187
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F01 - Pipe External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 28571
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

MAP FINDINGS

Map ID Direction Distance Elevation	Site	Database(s)	EDR ID Number EPA ID Number
--	------	-------------	--------------------------------

BB294 **308 W 30 ST**
North **308 WEST 30TH STREET**
1/8-1/4 **NEW YORK, NY 10001**
0.225 mi.
1186 ft. **Site 2 of 4 in cluster BB**

AST **A100318896**
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-236780
Program Type: PBS
UTM X: 584827.1509000001
UTM Y: 4511477.6187300002
Expiration Date: 2011/02/21

Actual:
31 ft.

Affiliation Records:
Site Id: 8792
Affiliation Type: On-Site Operator
Company Name: 308 W 30 ST
Contact Type: Not reported
Contact Name: SEAD RASTODER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (347) 865-3740
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/30/2008

Site Id: 8792
Affiliation Type: Mail Contact
Company Name: WEST 30TH REALTY LLC
Contact Type: Not reported
Contact Name: MEIR BOUSKILA
Address1: P.O. BOX 1920
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10116
Country Code: 001
Phone: (212) 564-2111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/30/2008

Site Id: 8792
Affiliation Type: Emergency Contact
Company Name: WEST 30TH REALTY LLC
Contact Type: Not reported
Contact Name: RASIM TOSKIC
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

308 W 30 ST (Continued)

A100318896

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 261-3612
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/30/2008

Site Id: 8792
Affiliation Type: Owner
Company Name: WEST 30TH REALTY LLC
Contact Type: Not reported
Contact Name: Not reported
Address1: P.O. BOX 1920
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10116
Country Code: 001
Phone: (212) 564-2111
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/30/2008

Equipment Records:

J02 - Dispenser - Suction
C03 - Pipe Location - Aboveground/Underground Combination
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
G01 - Tank Secondary Containment - Diking (Aboveground)
K00 - Spill Prevention - None
H05 - Tank Leak Detection - In-Tank System (ATG)
I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
A00 - Tank Internal Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 1
Tank Id: 17199
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1957
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

308 W 30 ST (Continued)

A100318896

Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 1/30/2008

**BE295
SE
1/8-1/4
0.225 mi.
1186 ft.**

**130 W 25TH ST
130 WEST 25TH STREET
NEW YORK, NY 10001**

**AST U003391596
HIST AST N/A**

Site 1 of 5 in cluster BE

**Relative:
Higher**

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-401765
Program Type: PBS
UTM X: 585069.41527
UTM Y: 4510894.6581100002
Expiration Date: 2012/10/06

**Actual:
36 ft.**

Affiliation Records:

Site Id: 19219
Affiliation Type: Owner
Company Name: 25 BUILDING ASSOCIATES LLC
Contact Type: 25 BUILDING ASSOCIATES LLC
Contact Name: GARY TANNENBAUM
Address1: 135 WEST 26TH STREET, #11
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 243-6200
Phone Ext: 11
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Site Id: 19219
Affiliation Type: On-Site Operator
Company Name: 130 WEST 25 STREET
Contact Type: Not reported
Contact Name: TULSEENAND SEEOBIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 316-7164
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

130 W 25TH ST (Continued)

U003391596

Site Id: 19219
Affiliation Type: Emergency Contact
Company Name: 25 BUILDING ASSOCIATES LLC
Contact Type: Not reported
Contact Name: TULSEENAND SEEOBIN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 316-7164
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/31/2007

Site Id: 19219
Affiliation Type: Mail Contact
Company Name: MILTAN MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: GARY TANNENBAUM
Address1: 135 WEST 26TH STREET
Address2: #11
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 243-6200
Phone Ext: 11
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/26/2006

Equipment Records:

J02 - Dispenser - Suction
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
E04 - Piping Secondary Containment - Double-Walled (Underground)
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
L02 - Piping Leak Detection - Interstitial - Manual Monitoring
I04 - Overfill - Product Level Gauge (A/G)
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground

Tank Info:

Tank Number: 001
Tank Id: 21858
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

130 W 25TH ST (Continued)

U003391596

Pipe Model: Not reported
Install Date: 1/1/1960
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/31/2007

HIST AST:

PBS Number: 2-401765
SWIS Code: 6201
Operator: CARMELO FILIPPINO
Facility Phone: (212) 243-0646
Facility Addr2: 130 WEST 25TH STREET
Facility Type: OTHER
Emergency: CARMELO FILIPPINO
Emergency Tel: (718) 646-5409
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 25 BUILDING ASSOCIATES LLC
Owner Address: 135 WEST 26TH STREET, #11E
Owner City,St,Zip: NEW YORK, NY 10001
Federal ID: Not reported
Owner Tel: (212) 243-6200
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: GARY TANNENBAUM
Mailing Name: MILTAN MANAGEMENT CORP
Mailing Address: 135 WEST 26TH STREET, #11E
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 243-6200
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/07/1999
Expiration: 10/06/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

130 W 25TH ST (Continued)

U003391596

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3000
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**BA296
 WSW
 1/8-1/4
 0.225 mi.
 1187 ft.**

**GERMAN EV LUTHERAN CHURCH OF S
 315 WEST 22ND ST
 NEW YORK, NY 10011
 Site 2 of 2 in cluster BA**

**AST U003388167
 HIST AST N/A**

**Relative:
 Lower**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-258334
 Program Type: PBS
 UTM X: 584533.74765000003
 UTM Y: 4510914.7272800002
 Expiration Date: 2012/07/10

**Actual:
 20 ft.**

Affiliation Records:
 Site Id: 10695
 Affiliation Type: Mail Contact
 Company Name: GERMAN EV. LUTHERAN CHURCH
 Contact Type: Not reported
 Contact Name: PASTOR
 Address1: OF ST. PAUL
 Address2: P.O. BOX 1971
 City: NEW YORK
 State: NY
 Zip Code: 10113-1971
 Country Code: 001
 Phone: (212) 929-1955
 Phone Ext: Not reported
 Email: STPAUL@STPAULNY.ORG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GERMAN EV LUTHERAN CHURCH OF S (Continued)

U003388167

Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/6/2007

Site Id: 10695
Affiliation Type: On-Site Operator
Company Name: GERMAN EV LUTHERAN CHURCH OF ST. PAUL
Contact Type: Not reported
Contact Name: PASTOR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-1955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/13/2005

Site Id: 10695
Affiliation Type: Emergency Contact
Company Name: GERMAN EV. LUTHERAN CHURCH OF ST PAUL
Contact Type: Not reported
Contact Name: PASTOR
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 929-1955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 10/13/2005

Site Id: 10695
Affiliation Type: Owner
Company Name: GERMAN EV. LUTHERAN CHURCH OF ST PAUL
Contact Type: ADMINISTRATOR
Contact Name: EKKEHART SCHWARZ
Address1: 315 WEST 22ND ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 929-1955
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/6/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GERMAN EV LUTHERAN CHURCH OF S (Continued)

U003388167

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
G10 - Tank Secondary Containment - Impervious Underlayment
D01 - Pipe Type - Steel/Carbon Steel/Iron
B05 - Tank External Protection - Jacketed
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 13291
Tank Location: 2
Tank Type: Steel Tank in Concrete
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/1/1948
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 10/13/2005

HIST AST:

PBS Number: 2-258334
SWIS Code: 6201
Operator: WALTER MAERZ PRESIDENT
Facility Phone: (212) 929-1955
Facility Addr2: 315 WEST 22ND ST
Facility Type: OTHER
Emergency: WALTER G. MAERZ
Emergency Tel: (718) 657-9353
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: GERMAN EV. LUTHERAN CHURCH OF ST PAUL
Owner Address: 315 WEST 22ND ST
Owner City,St,Zip: NEW YORK, NY 10011
Federal ID: Not reported
Owner Tel: (718) 657-9353
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: WALTER MAERZ
Mailing Name: WALTER MAERZ PRESIDENT
Mailing Address: 151-03 84TH RD
Mailing Address 2: Not reported
Mailing City,St,Zip: JAMAICA, NY 11432
Mailing Telephone: (718) 657-9353

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GERMAN EV LUTHERAN CHURCH OF S (Continued)

U003388167

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/06/1997
Expiration: 07/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 2000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

AV297 141 W 28TH ST
East 141 WEST 28TH ST
1/8-1/4 NEW YORK, NY 10001
0.226 mi.
1194 ft. Site 9 of 11 in cluster AV

AST U003386588
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-242853
Program Type: PBS
UTM X: 585164.04105999996
UTM Y: 4511125.2226
Expiration Date: 2012/07/07

Actual:
37 ft.

Affiliation Records:

Site Id: 9325
Affiliation Type: Owner
Company Name: 141 W 28 ST OWNER CORP
Contact Type: AGENT
Contact Name: NINI OFRI
Address1: 137 FIFTH AVE 10TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 254-3434
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/20/2007

Site Id: 9325
Affiliation Type: Mail Contact
Company Name: 141 W 28 ST OWNER CORP
Contact Type: Not reported
Contact Name: FAWN REALTY COMPANY
Address1: 137 FIFTH AVE
Address2: 10TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10010
Country Code: 001
Phone: (212) 254-3434
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/20/2007

Site Id: 9325
Affiliation Type: Emergency Contact
Company Name: 141 W 28 ST OWNER CORP
Contact Type: Not reported
Contact Name: MARTINEZ HERIBERTO
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

141 W 28TH ST (Continued)

U003386588

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 261-9153
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/20/2007

Site Id: 9325
Affiliation Type: On-Site Operator
Company Name: 141 W 28TH ST
Contact Type: Not reported
Contact Name: MARTINEZ HERIBERTO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-0328
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/20/2007

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
G99 - Tank Secondary Containment - Other
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 10281
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1913
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

141 W 28TH ST (Continued)

U003386588

Modified By: DXLIVING
Last Modified: 3/20/2007

HIST AST:

PBS Number: 2-242853
SWIS Code: 6201
Operator: KENNY LATSCH
Facility Phone: (212) 929-1285
Facility Addr2: 141 WEST 28TH ST
Facility Type: OTHER
Emergency: KENNY LATSCH
Emergency Tel: (718) 837-3456
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 141 W 28 ST OWNER CORP % DEZER
Owner Address: 89 5TH AVENUE
Owner City,St,Zip: NEW YORK, NY 10003
Federal ID: Not reported
Owner Tel: (212) 929-1285
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MATTHEW MARK
Mailing Name: 141 W 28 ST OWNER CORP % DEZER
Mailing Address: 89 5TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Telephone: (212) 929-1285
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/19/1997
Expiration: 07/07/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

141 W 28TH ST (Continued)

U003386588

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Other
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

BF298
ESE
1/8-1/4
0.226 mi.
1195 ft.

127 WEST 26TH STREET
127 WEST 26TH STREET
NEW YORK, NY 10001

HIST UST **U003178548**
N/A

Site 1 of 4 in cluster BF

Relative:
Higher

HIST UST:

Actual:
37 ft.

PBS Number: 2-602940
SPDES Number: Not reported
Emergency Contact: KEVIN BRADY
Emergency Telephone: (212) 727-1097
Operator: DANIEL FALLON
Operator Telephone: (212) 989-3314
Owner Name: JAR REALTY CO., LP
Owner Address: 1235 BROADWAY, 3RD FLOOR
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 684-7573
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: JAR REALTY CO., LP
Mailing Address: 1235 BROADWAY, 3RD FLOOR
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: KEVIN BRADY
Mailing Telephone: (212) 684-7573
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 26TH STREET (Continued)

U003178548

Certification Date: 02/28/1997
Expiration Date: 02/26/2002
Renew Flag: False
Renewal Date: 20011030
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

BF299
ESE
1/8-1/4
0.226 mi.
1195 ft.

127 WEST 26TH STREET
127 WEST 26TH STREET
NEW YORK, NY 10001
Site 2 of 4 in cluster BF

UST U004078272
N/A

Relative:
Higher

UST:
Facility Id: 2-602940
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/02/26
UTM X: 585120.74355999997
UTM Y: 4510969.18664

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 26TH STREET (Continued)

U004078272

Affiliation Records:

Site Id: 24895
Affiliation Type: Mail Contact
Company Name: JAR REALTY CO., LP
Contact Type: Not reported
Contact Name: KEVIN BRADY
Address1: 1235 BROADWAY,
Address2: 3RD FLOOR
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24895
Affiliation Type: On-Site Operator
Company Name: 127 WEST 26TH STREET
Contact Type: Not reported
Contact Name: DANIEL FALLON
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-3314
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24895
Affiliation Type: Emergency Contact
Company Name: JAR REALTY CO., LP
Contact Type: Not reported
Contact Name: KEVIN BRADY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-1097
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 24895
Affiliation Type: Owner

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 26TH STREET (Continued)

U004078272

Company Name: JAR REALTY CO., LP
Contact Type: BLDG MGR
Contact Name: KEVIN BROWN
Address1: 1235 BROADWAY, 3RD FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 684-7573
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 12/7/2006

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None

Tank Info:

Site ID: 24895

Tank Number: 001
Tank ID: 52156
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1912
Capacity Gallons: 4000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: msbaptis
Last Modified: 12/7/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BD300 158-160 WEST 29TH STREET
ENE 158-160 WEST 29TH STREET
1/8-1/4 NEW YORK, NY 10001
0.227 mi.
1198 ft.

AST **A100178329**
N/A

Relative:
Higher

Actual:
37 ft.

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606119
Program Type: PBS
UTM X: 585118.12702999997
UTM Y: 4511194.4439200005
Expiration Date: 2011/06/27

Affiliation Records:

Site Id: 27984
Affiliation Type: Emergency Contact
Company Name: BRO REALTIES LLC
Contact Type: Not reported
Contact Name: HARVEY DRUCKER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 239-1551
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27984
Affiliation Type: Mail Contact
Company Name: BRO REALTIES LLC
Contact Type: Not reported
Contact Name: HARVEY DRUCKER
Address1: % LOFT SPACE, INC.
Address2: 158 WEST 29TH ST., 3RD FLOOR
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 239-1551
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 27984
Affiliation Type: Owner
Company Name: BRO REALTIES LLC
Contact Type: MEMBER
Contact Name: HARVEY DRUCKER
Address1: 158 WEST 29TH STREET
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

158-160 WEST 29TH STREET (Continued)

A100178329

City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 239-1551
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Site Id: 27984
Affiliation Type: On-Site Operator
Company Name: 158-160 WEST 29TH STREET
Contact Type: Not reported
Contact Name: THOMAS COSTANZO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 239-1551
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
I05 - Overfill - Vent Whistle
C03 - Pipe Location - Aboveground/Underground Combination
G03 - Tank Secondary Containment - Vault (w/o access)
F01 - Pipe External Protection - Painted/Asphalt Coating
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 001
Tank Id: 60979
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

158-160 WEST 29TH STREET (Continued)

A100178329

Modified By: TRANSLAT
Last Modified: 3/4/2004

BB301
North
1/8-1/4
0.228 mi.
1202 ft.

APRT BUILDING -TTF
315-325 WEST 30TH STREET
NEW YORK, NY

LTANKS S106971757
N/A

Site 3 of 4 in cluster BB

Relative:
Higher

LTANKS:

Actual:
31 ft.

Site ID: 345683
Spill No: 0501515
Spill Date: 5/6/2005
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/25/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 5/6/2005
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/6/2005
Spill Record Last Update: 10/25/2005
Spiller Name: MARLON JOESPH
Spiller Company: APRT BUILDING
Spiller Address: 315-25 WEST 30TH STREET
Spiller City,St,Zip: NEW YORK, NY 001
Spiller Contact: MARLON JOESPH
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 291916
DEC Memo: pbs # 2-270873 TTF letter sent to PBS Contact: PR 30 LLC 205 West 15th St New York, NY 10011 Attn: Michael Rahav 10.14.05-Sharif sent another violation letter since the department has n't rec'd any correspondence regarding the repair of the tank. 10.25.05 Sharif-Rece'd work invoices from Mr. Michael Rahav.The tank test failed because of the vent line problem which runs aboveground. PTC replaced the vent line and the tank then passed. There was no oil spill observed.
Remarks: ABOVE LIQUID LEAK DRY PORTION

Material:
Site ID:

345683

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT BUILDING -TTF (Continued)

S106971757

Operable Unit ID: 1103399
Operable Unit: 01
Material ID: 583610
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 345683
Spill Tank Test: 1548876
Tank Number: 1
Tank Size: 4000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 5/6/2005
Test Method: Horner EZ Check I or II

BC302
ESE
1/8-1/4
0.228 mi.
1205 ft.

WEST 27TH STREET REALTY, INC.
129 W 27TH ST
NEW YORK, NY 10001
Site 4 of 13 in cluster BC

AST U003386113
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-272183
Program Type: PBS
UTM X: 585154.44065
UTM Y: 4511042.1806500005
Expiration Date: 2012/06/30

Actual:
38 ft.

Affiliation Records:

Site Id: 11521
Affiliation Type: Owner
Company Name: WEST 27TH STREET REALTY,INC % CRC REALTY CO
Contact Type: MANAGING AGENT
Contact Name: ISRAEL ERKOWITZ
Address1: PO BOX 342 MIDWOOD STA
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11230
Country Code: 001
Phone: (212) 227-2084
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH STREET REALTY, INC. (Continued)

U003386113

Modified By: KXTANG
Date Last Modified: 3/13/2007

Site Id: 11521
Affiliation Type: Mail Contact
Company Name: CRC REALTY CO.
Contact Type: Not reported
Contact Name: ISRAEL ERKOWITZ
Address1: P.O. BOX 342
Address2: MIDWOOD STATION
City: BROOKLYN
State: NY
Zip Code: 11230
Country Code: 001
Phone: (212) 227-2084
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11521
Affiliation Type: Emergency Contact
Company Name: WEST 27TH STREET REALTY,INC % CRC REALTY CO
Contact Type: Not reported
Contact Name: TONY VILCENTE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (201) 863-2265
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11521
Affiliation Type: On-Site Operator
Company Name: WEST 27TH STREET REALTY, INC.
Contact Type: Not reported
Contact Name: WEST 27TH REALTY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 627-9430
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH STREET REALTY, INC. (Continued)

U003386113

Equipment Records:

H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
C01 - Pipe Location - Aboveground
D01 - Pipe Type - Steel/Carbon Steel/Iron
G00 - Tank Secondary Containment - None
I00 - Overfill - None
F00 - Pipe External Protection - None
B00 - Tank External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 9196
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1910
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 3/13/2007

HIST AST:

PBS Number: 2-272183
SWIS Code: 6201
Operator: WEST 27TH ST. REALTY INC.
Facility Phone: (212) 627-9430
Facility Addr2: 129 W 27TH ST
Facility Type: OTHER
Emergency: TONY VILLARETE
Emergency Tel: (212) 227-2084
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: WEST 27TH STREET REALTY,INC.
Owner Address: C/O CRC REALTY MIA WOOD/PO.BOX 342
Owner City,St,Zip: BROOKLYN, NY 11230
Federal ID: Not reported
Owner Tel: (212) 227-2084
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: FACILITY MANAGER-SUPER
Mailing Name: WEST 27TH STREET REALTY, INC.
Mailing Address: 129 WEST 27TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 627-9430
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

WEST 27TH STREET REALTY, INC. (Continued)

U003386113

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 04/02/1998
Expiration: 06/30/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

BB303 PR 30 LLC
North 317-325 WEST 30TH STREET
1/8-1/4 NEW YORK, NY 10001
0.229 mi.
1210 ft. Site 4 of 4 in cluster BB

AST A100177778
N/A

Relative: AST:
Higher Region: STATE
DEC Region: 2
Actual: Site Status: Active
31 ft. Facility Id: 2-270873
Program Type: PBS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PR 30 LLC (Continued)

A100177778

UTM X: 584763.9849699999
UTM Y: 4511503.6908600004
Expiration Date: 2011/06/21

Affiliation Records:

Site Id: 11405
Affiliation Type: Owner
Company Name: PR 30 LLC
Contact Type: MANAGING MEMBER
Contact Name: MICHAEL RAHAV
Address1: 205 WEST 15TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 924-7991
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/25/2006

Site Id: 11405
Affiliation Type: Emergency Contact
Company Name: PR 30 LLC
Contact Type: Not reported
Contact Name: MICHAEL RAHAV
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 924-7991
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11405
Affiliation Type: Mail Contact
Company Name: PR 30 LLC
Contact Type: Not reported
Contact Name: MICHAEL RAHAV
Address1: 205 WEST 15TH STREET
Address2: Not reported
City: NEW YORK,
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 924-7991
Phone Ext: Not reported
Email: DRRAHAV@CHELSMORE.COM
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/25/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PR 30 LLC (Continued)

A100177778

Site Id: 11405
Affiliation Type: On-Site Operator
Company Name: PR 30 LLC
Contact Type: Not reported
Contact Name: YVETTE INGRAM
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 594-4778
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
H04 - Tank Leak Detection - Groundwater Well
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 9058
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

AV304
East
1/8-1/4
0.229 mi.
1210 ft.

FLOWER 28, LLC
139 WEST 28TH STREET
NEW YORK, NY 10001
Site 10 of 11 in cluster AV

AST **U004046755**
N/A

Relative:
Higher

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-604020
 Program Type: PBS
 UTM X: 585168.62947000004
 UTM Y: 4511122.7219000002
 Expiration Date: N/A

Actual:
38 ft.

Affiliation Records:

Site Id: 25908
 Affiliation Type: Owner
 Company Name: FLOWER 28, LLC
 Contact Type: DIRECTOR OF OPERATIONS
 Contact Name: ELIZABETH NOVOTNY
 Address1: 381 PARK AVENUE SOUTH, SSUITE 1420
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10016
 Country Code: 001
 Phone: (212) 929-7361
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 8/17/2004

Site Id: 25908
 Affiliation Type: Emergency Contact
 Company Name: FLOWER 28, LLC
 Contact Type: Not reported
 Contact Name: FERRANTINO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 226-4191
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 8/17/2004

Site Id: 25908
 Affiliation Type: Mail Contact
 Company Name: FLOWER 28, LLC
 Contact Type: Not reported
 Contact Name: ELIZABETH NOVOTNY
 Address1: 381 PARK AVENUE SOUTH
 Address2: SUITE 1420

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FLOWER 28, LLC (Continued)

U004046755

City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 684-7079
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/17/2004

Site Id: 25908
Affiliation Type: On-Site Operator
Company Name: FLOWER 28, LLC
Contact Type: Not reported
Contact Name: DENNIS HEYMAN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 314-7878
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 8/17/2004

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 01
Tank Id: 56421
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 9/1/2003
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FLOWER 28, LLC (Continued)

U004046755

Modified By: NRLOMBAR
Last Modified: 8/17/2004

**BE305
SE
1/8-1/4
0.231 mi.
1218 ft.**

**SPAR KNITWEAR INC
127 W 25TH ST
NEW YORK, NY 10001
Site 2 of 5 in cluster BE**

**RCRA-NonGen 1000351411
FINDS NYD009326331**

**Relative:
Higher**

RCRA-NonGen:

**Actual:
36 ft.**

Date form received by agency: 01/01/2007
Facility name: SPAR KNITWEAR INC
Facility address: 127 W 25TH ST
NEW YORK, NY 10001
EPA ID: NYD009326331
Mailing address: W 25TH ST
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 25TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: SPAR KNITWEAR CORP
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SPAR KNITWEAR CORP
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SPAR KNITWEAR INC (Continued)

1000351411

Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: SPAR KNITWEAR INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: SPAR KNITWEAR INC
Classification: Not a generator, verified

Date form received by agency: 07/29/1980
Facility name: SPAR KNITWEAR INC
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004343032

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

BE306
SE
1/8-1/4
0.231 mi.
1218 ft.

127-131 WEST 25TH STREET
127-131 WEST 25TH STREET
NEW YORK, NY

Site 3 of 5 in cluster BE

LTANKS **U001840518**
HIST LTANKS **N/A**
HIST UST

Relative:
Higher

LTANKS:
Site ID: 188880
Spill No: 9414568
Spill Date: 2/4/1995
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/7/1995
Facility Addr2: Not reported
Cleanup Ceased: 2/7/1995
Cleanup Meets Standard: True
SWIS: 3101
Investigator: O'DOWD

Actual:
36 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127-131 WEST 25TH STREET (Continued)

U001840518

Referred To: Not reported
Reported to Dept: 2/4/1995
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/13/1995
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: SAME AS CALLER
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 157724
DEC Memo: Not reported
Remarks: PROBABLY LESS THAN 20 GALLONS TANK IN BASEMENT, MOST OF SPILL THERE.
SOME OIL ON SIDEWALK BY VENT. SOMEONE WILL BE CONTACTED TO CLEAN IT UP.

Material:
Site ID: 188880
Operable Unit ID: 1008147
Operable Unit: 01
Material ID: 373304
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127-131 WEST 25TH STREET (Continued)

U001840518

Spill Number: 9414568
Spill Date: 02/04/1995
Spill Time: 11:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/07/95
Cleanup Ceased: 02/07/95
Cleanup Meets Standard: True
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/04/95
Reported to Department Time: 11:15
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME AS CALLER
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/13/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127-131 WEST 25TH STREET (Continued)

U001840518

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: PROBABLY LESS THAN 20 GALLONS TANK IN BASEMENT, MOST OF SPILL THERE. SOME OIL ON SIDEWALK BY VENT. SOMEONE WILL BE CONTACTED TO CLEAN IT UP.

HIST UST:

PBS Number: 2-469432
SPDES Number: Not reported
Emergency Contact: ELEANOR HARRIS
Emergency Telephone: (718) 293-5306
Operator: ANNIE RODDY
Operator Telephone: (718) 588-6880
Owner Name: 127-131 WEST 170TH STREET HDFC
Owner Address: 127-131 WEST 170TH STREET
Owner City,St,Zip: BRONX, NY 10452
Owner Telephone: (718) 293-5306
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 127-131 WEST 170TH STREET HDFC
Mailing Address: 127-131 WEST 170TH STREET
Mailing Address 2: APT. # 2B
Mailing City,St,Zip: BRONX, NY 10452
Mailing Contact: ELEANOR HARRIS
Mailing Telephone: (718) 293-5306
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
SWIS ID: 6001
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/06/1999
Expiration Date: 03/28/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

127-131 WEST 25TH STREET (Continued)

U001840518

CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 60
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 4500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Painted/Asphalt Coating
 Pipe Location: Aboveground
 Pipe Type: FIBERGLASS COATED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: High Level Alarm, High Level Alarm
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

**AY307
 SE
 1/8-1/4
 0.231 mi.
 1219 ft.**

**136 LOFT CORP
 136 WEST 24TH ST
 NEW YORK, NY 10011
 Site 7 of 10 in cluster AY**

**HIST UST U000401035
 N/A**

**Relative:
 Higher**

HIST UST:
 PBS Number: 2-280933
 SPDES Number: Not reported
 Emergency Contact: DAVID KLASS
 Emergency Telephone: (212) 243-7633
 Operator: 136 LOFT CORP
 Operator Telephone: (212) 243-7633
 Owner Name: 136 LOFT CORP
 Owner Address: 136 WEST 24TH ST
 Owner City,St,Zip: NEW YORK, NY 10011
 Owner Telephone: (212) 243-7633
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 136 LOFT CORP
 Mailing Address: 136 WEST 24TH ST
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10011
 Mailing Contact: DAVID KLASS
 Mailing Telephone: (212) 243-7633
 Owner Mark: First Owner

**Actual:
 33 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

136 LOFT CORP (Continued)

U000401035

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 136 WEST 24TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/20/1997
Expiration Date: 08/24/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

AY308 **136 LOFT CORP**
SE **136 WEST 24TH ST**
1/8-1/4 **NEW YORK, NY 10011**
0.231 mi.
1219 ft. **Site 8 of 10 in cluster AY**

UST **U004077453**
 N/A

Relative:
Higher

UST:
Facility Id: 2-280933
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/08/24
UTM X: 585019.3913399997
UTM Y: 4510831.4689300004

Actual:
33 ft.

Affiliation Records:
Site Id: 12295
Affiliation Type: Emergency Contact
Company Name: 136 LOFT CORP
Contact Type: Not reported
Contact Name: DAVID KLASS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 12295
Affiliation Type: Owner
Company Name: 136 LOFT CORP
Contact Type: PRES
Contact Name: DAVID KLASS
Address1: 136 WEST 24TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/5/2007

Site Id: 12295
Affiliation Type: Mail Contact
Company Name: 136 LOFT CORP
Contact Type: PRES
Contact Name: DAVID KLASS
Address1: 136 WEST 24TH ST
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

136 LOFT CORP (Continued)

U004077453

City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 243-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/5/2007

Site Id: 12295
Affiliation Type: On-Site Operator
Company Name: 136 LOFT CORP
Contact Type: Not reported
Contact Name: 136 LOFT CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
D02 - Pipe Type - Galvanized Steel
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Site ID: 12295
Tank Number: 001
Tank ID: 14657
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1950
Capacity Gallons: 1500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

136 LOFT CORP (Continued)

U004077453

Register: True
Modified By: msbaptis
Last Modified: 6/5/2007

AV309 28TH STREET PROPERTIES LLC
East 136 WEST 28 STREET
1/8-1/4 NEW YORK, NY 10001
0.232 mi.
1222 ft. Site 11 of 11 in cluster AV

AST A100352983
N/A

Relative:
Higher

Actual:
38 ft.
BF310 122 WEST 26TH ST
ESE 122 WEST 26TH ST
1/8-1/4 NEW YORK, NY 10001
0.233 mi.
1231 ft. Site 3 of 4 in cluster BF

AST U003389725
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-249610
Program Type: PBS
UTM X: 585125.32004999998
UTM Y: 4510953.0303800004
Expiration Date: 2013/07/22

Affiliation Records:
Site Id: 9924
Affiliation Type: On-Site Operator
Company Name: 122 WEST 26TH ST
Contact Type: Not reported
Contact Name: KENNY LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9924
Affiliation Type: Emergency Contact
Company Name: DEZER PROPERTIES CO
Contact Type: Not reported
Contact Name: KENNY LATSCH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122 WEST 26TH ST (Continued)

U003389725

Zip Code: Not reported
Country Code: 001
Phone: (718) 837-3456
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9924
Affiliation Type: Mail Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: SUPER/ FACILITY MANAGER
Address1: 89 FIFTH AVE., 11TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 6/2/2009

Site Id: 9924
Affiliation Type: Owner
Company Name: DEZER PROPERTIES 122 LLC
Contact Type: BLDG SERVICES DIRECTOR
Contact Name: MARK BONPUA
Address1: 89 5TH AVE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-1285
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 6/2/2009

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
C02 - Pipe Location - Underground/On-ground
B00 - Tank External Protection - None
F00 - Pipe External Protection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122 WEST 26TH ST (Continued)

U003389725

Tank Info:

Tank Number: 001
Tank Id: 17438
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1955
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 6/2/2009

HIST AST:

PBS Number: 2-249610
SWIS Code: 6201
Operator: KENNY LATSCH
Facility Phone: (212) 929-1285
Facility Addr2: 122 WEST 26TH ST
Facility Type: OTHER
Emergency: KENNY LATSCH
Emergency Tel: (718) 837-3456
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: DEZER PROPERTIES CO
Owner Address: 89 5TH AVE
Owner City,St,Zip: NEW YORK, NY 10003
Federal ID: Not reported
Owner Tel: (212) 929-1285
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: DEZER PROPERTIES CO
Mailing Address: 89 5TH AVE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10003
Mailing Telephone: (212) 929-1285
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 08/19/1997
Expiration: 07/20/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3000
FAMT: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122 WEST 26TH ST (Continued)

U003389725

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 0
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 6
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

AZ311 F M RING ASSOC, INC
SSE 155 W 23 ST
1/8-1/4 NY, NY 10001
0.233 mi.
1232 ft. Site 3 of 3 in cluster AZ

AST U003393731
HIST AST N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-278114
Program Type: PBS
UTM X: 584944.26384999999
UTM Y: 4510792.4165200004
Expiration Date: 2013/02/03

Actual:
31 ft.

Affiliation Records:
Site Id: 12044
Affiliation Type: Emergency Contact
Company Name: F M RING ASSOC
Contact Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F M RING ASSOC, INC (Continued)

U003393731

Contact Name: WALTER HLADUN
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 685-3389
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/14/2007

Site Id: 12044
Affiliation Type: Mail Contact
Company Name: F M RING ASSOC, INC
Contact Type: Not reported
Contact Name: Not reported
Address1: 20 WEST 47TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 765-1655
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/14/2007

Site Id: 12044
Affiliation Type: Owner
Company Name: F M RING ASSOC
Contact Type: ASST TO PRESIDENT
Contact Name: REBA DICKSTEIN
Address1: 20 W 47 ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 765-1655
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/14/2007

Site Id: 12044
Affiliation Type: On-Site Operator
Company Name: F M RING ASSOC, INC
Contact Type: Not reported
Contact Name: ISIDRE ANGLADA
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F M RING ASSOC, INC (Continued)

U003393731

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 691-4909
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/14/2007

Equipment Records:

D02 - Pipe Type - Galvanized Steel
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
H04 - Tank Leak Detection - Groundwater Well

Tank Info:

Tank Number: 001
Tank Id: 32145
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 7/15/2002
Capacity Gallons: 3500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 12/14/2007

HIST AST:

PBS Number: 2-278114
SWIS Code: 6201
Operator: STAN PIES
Facility Phone: (212) 691-4909
Facility Addr2: 155 W 23 ST
Facility Type: OTHER
Emergency: STAN PIES
Emergency Tel: (212) 824-0205
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: F M RING ASSOC
Owner Address: 20 W 47 ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

F M RING ASSOC, INC (Continued)

U003393731

Owner City,St,Zip: NY, NY 10036
Federal ID: Not reported
Owner Tel: (212) 691-4909
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: F M RING ASSOC, INC
Mailing Address: 20 W 47 ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NY, NY 10036
Mailing Telephone: (212) 691-4909
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 01/16/1998
Expiration: 02/03/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 3500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 3500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 3
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

F M RING ASSOC, INC (Continued)

U003393731

Lat/Long: Not reported

BG312
North
1/8-1/4
0.233 mi.
1232 ft.

320 W 30TH ST
320 W 30TH ST
NY, NY 10001

HIST UST

U000403997
N/A

Site 1 of 5 in cluster BG

Relative:
Higher

HIST UST:

Actual:
32 ft.

PBS Number: 2-332607
 SPDES Number: Not reported
 Emergency Contact: LIBBLICH
 Emergency Telephone: (718) 585-5200
 Operator: CHELSEA TOWN, LLC
 Operator Telephone: (212) 736-1650
 Owner Name: CHELSEA TOWN, LLC
 Owner Address: 320 W 30TH ST
 Owner City,St,Zip: NY, NY 10001
 Owner Telephone: (212) 736-1650
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 320 WEST 30TH STREET
 Mailing Address: 320 WEST 30TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: SUPER FACILITY MANAGER
 Mailing Telephone: (212) 736-7650
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 320 W 30TH ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/01/1998
 Expiration Date: 08/28/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 6000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

320 W 30TH ST (Continued)

U000403997

Tank Status: In Service
Install Date: Not reported
Capacity (gals): 6000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

BG313
North
1/8-1/4
0.233 mi.
1232 ft.

CHELSEA TOWN LLC
320 WEST 30TH STREET
NEW YORK, NY 10001
Site 2 of 5 in cluster BG

UST U004077728
N/A

Relative:
Higher

UST:
Facility Id: 2-332607
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/08/28
UTM X: 584805.66353000002
UTM Y: 4511488.5856499998

Actual:
32 ft.

Affiliation Records:
Site Id: 15749
Affiliation Type: Mail Contact
Company Name: HOFFMAN MANAGEMENT
Contact Type: Not reported
Contact Name: JOHN THROUMOULOS
Address1: 300 WEST 55TH STREET
Address2: SUITE 2S
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 247-4975
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 9/1/2006

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA TOWN LLC (Continued)

U004077728

Site Id: 15749
Affiliation Type: Emergency Contact
Company Name: CHELSEA TOWN, LLC % HOFFMAN MGMT.
Contact Type: Not reported
Contact Name: DAMIR BEGONOVIE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 596-1505
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 9/10/2007

Site Id: 15749
Affiliation Type: Owner
Company Name: CHELSEA TOWN, LLC % HOFFMAN MGMT.
Contact Type: MANAGING AGENT
Contact Name: JOHN THROUMOULOS
Address1: 300 W 55TH ST, STE 25
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 247-4975
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 9/1/2006

Site Id: 15749
Affiliation Type: On-Site Operator
Company Name: CHELSEA TOWN LLC
Contact Type: Not reported
Contact Name: CHELSEA TOWN, LLC % HOFFMAN MGMT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 247-4975
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 9/1/2006

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA TOWN LLC (Continued)

U004077728

J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Site ID: 15749

Tank Number: 001
Tank ID: 20342
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1965
Capacity Gallons: 6000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: msbaptis
Last Modified: 9/10/2007

BE314
SE
1/8-1/4
0.234 mi.
1236 ft.

127 W 25TH ST
127 W 25TH ST
NYC, NY 10011

HIST UST **U000403951**
N/A

Site 4 of 5 in cluster BE

Relative:
Higher

HIST UST:

PBS Number: 2-332038
SPDES Number: Not reported
Emergency Contact: PEDRO TORREGON
Emergency Telephone: (212) 243-1863
Operator: PEDRO TORREGON
Operator Telephone: (212) 716-3500
Owner Name: 127 31 WEST 25TH STREET CORPORATION
Owner Address: C/O WILLIAMS R.E.CO.INC.380 MADISON AVE.
Owner City,St,Zip: NYC, NY 10017
Owner Telephone: (212) 716-3500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: 127 31 W 25TH STREET
Mailing Address: 127 WEST 25TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NYC, NY 10011
Mailing Contact: SUPER FACILITY MANAGER
Mailing Telephone: (212) 704-3500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Actual:
36 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 W 25TH ST (Continued)

U000403951

Facility Addr2: 127 W 25TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: STORAGE TERMINAL/PETROLEUM DISTRIBUTOR
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/21/1998
Expiration Date: 08/28/2002
Renew Flag: False
Renewal Date: 19970625
Total Capacity: 3500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 3500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

315
East
1/8-1/4
0.235 mi.
1241 ft.

MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC.
135 WEST 28TH STREET
NEW YORK, NY 10011

UST U002257629
HIST UST N/A

Relative:
Higher

UST:

Facility Id: 2-273651
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2009/10/29
UTM X: 585177.8907299998
UTM Y: 4511117.7214799998

Actual:
38 ft.

Affiliation Records:

Site Id: 11653
Affiliation Type: Emergency Contact
Company Name: MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC.
Contact Type: Not reported
Contact Name: ISAAC AINETCHI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 940-1677
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/26/2009

Site Id: 11653
Affiliation Type: Mail Contact
Company Name: NEW YORK HEATING CORPORATION
Contact Type: Not reported
Contact Name: PAUL SCAROLA
Address1: 354 HUMBOLDT STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11211
Country Code: 001
Phone: (718) 782-3894
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 11653
Affiliation Type: Owner
Company Name: MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC.
Contact Type: VP
Contact Name: PAUL SCAROCA
Address1: PO BOX 309
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC. (Continued)

U002257629

City: WHITE PLAINS
State: NY
Zip Code: 10605
Country Code: 001
Phone: (347) 448-8520
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/26/2009

Site Id: 11653
Affiliation Type: On-Site Operator
Company Name: MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC.
Contact Type: Not reported
Contact Name: WILFREDO LOPEZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 391-4468
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 10/26/2009

Equipment Records:

G00 - Tank Secondary Containment - None
L00 - Piping Leak Detection - None
D00 - Pipe Type - No Piping
J00 - Dispenser - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
J00 - Dispenser - None
K00 - Spill Prevention - None
G00 - Tank Secondary Containment - None
D00 - Pipe Type - No Piping
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
F00 - Pipe External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
L00 - Piping Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC. (Continued)

U002257629

B00 - Tank External Protection - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
I00 - Overfill - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None

Tank Info:

Site ID: 11653

Tank Number: 001
Tank ID: 8987
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 11653

Tank Number: 002
Tank ID: 67031
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/21/1986
Capacity Gallons: 275
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 10/26/2009

Site ID: 11653

Tank Number: 003
Tank ID: 67032
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/21/1986
Capacity Gallons: 275
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC. (Continued)

U002257629

Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 10/26/2009

HIST UST:

PBS Number: 2-273651
SPDES Number: Not reported
Emergency Contact: CORP. AUREA SEMIDEY
Emergency Telephone: (212) 268-0638
Operator: BAYSIDE OIL FUEL
Operator Telephone: (718) 946-4000
Owner Name: HUN CHAN LIU
Owner Address: 25 MAPLE STREET
Owner City,St,Zip: ROSLYN HEIGHTS, NY 11577
Owner Telephone: (516) 625-2556
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: FIRST GOLDEN EASTERN CORP
Mailing Address: 25 MAPLE STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: ROSLYN HEIGHTS, NY 11577
Mailing Contact: ANGELA FAN
Mailing Telephone: (516) 484-1892
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 135 WEST 28TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 06/27/1997
Expiration Date: 06/18/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2
Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MAXAM PROPERTIES LLC/ D2 PROPERTIES LLC. (Continued)

U002257629

Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

AY316
SE
1/8-1/4
0.236 mi.
1246 ft.

133 W 24TH ST CORP
133 WEST 24TH STREET
NEW YORK, NY 10011
Site 9 of 10 in cluster AY

UST U004077779
N/A

Relative:
Higher

UST:
Facility Id: 2-334936
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/10/02
UTM X: 585033.3367299998
UTM Y: 4510837.7350399997

Actual:
34 ft.

Affiliation Records:
Site Id: 15950
Affiliation Type: Owner
Company Name: 133 W 24TH ST CORP
Contact Type: BD PRESIDENT
Contact Name: CHRISTY RUPP
Address1: 133 W 24TH ST
Address2: Not reported
City: NEW YORK CITY
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 929-2524
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/10/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 W 24TH ST CORP (Continued)

U004077779

Site Id: 15950
Affiliation Type: Emergency Contact
Company Name: 133 W 24TH ST CORP
Contact Type: Not reported
Contact Name: OIL COMPANY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 892-7200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 15950
Affiliation Type: Mail Contact
Company Name: 133 W 24TH ST CORP
Contact Type: Not reported
Contact Name: CHRISTY RUPP
Address1: 133 W 24TH ST
Address2: Not reported
City: NEW YORK CITY
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 924-8457
Phone Ext: Not reported
Email: CHRISTYRUPP@EARTHLINK.NET
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/10/2007

Site Id: 15950
Affiliation Type: On-Site Operator
Company Name: 133 W 24TH ST CORP
Contact Type: Not reported
Contact Name: 133 W 24TH ST CORP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-2524
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

D00 - Pipe Type - No Piping
J02 - Dispenser - Suction

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

133 W 24TH ST CORP (Continued)

U004077779

- A00 - Tank Internal Protection - None
- G03 - Tank Secondary Containment - Vault (w/o access)
- H00 - Tank Leak Detection - None
- B00 - Tank External Protection - None
- L09 - Piping Leak Detection - Exempt Suction Piping
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 15950

Tank Number: 001
 Tank ID: 20919
 Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 9/1/1981
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Tank Location: 6
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 9/10/2007

AY317
SE
1/8-1/4
0.236 mi.
1246 ft.

133 W 24TH ST CORP
133 WEST 24TH STREET
NEW YORK, NY 10011

HIST UST **U001837215**
N/A

Site 10 of 10 in cluster AY

Relative:
Higher

HIST UST:

PBS Number: 2-334936
 SPDES Number: Not reported
 Emergency Contact: OIL COMPANY
 Emergency Telephone: (718) 892-7200
 Operator: 133 W 24TH ST CORP
 Operator Telephone: (212) 929-2524
 Owner Name: 133 W 24TH ST CORP
 Owner Address: 133 W 24TH ST
 Owner City,St,Zip: NEW YORK CITY, NY 10011
 Owner Telephone: (212) 929-2524
 Owner Type: Not reported
 Owner Subtype: Not reported
 Mailing Name: 133 W 24TH ST CORP
 Mailing Address: 133 W 24TH ST
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK CITY, NY 10011
 Mailing Contact: Not reported
 Mailing Telephone: (212) 929-2524
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

133 W 24TH ST CORP (Continued)

U001837215

Facility Addr2: 133 W 24TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 10/02/1997
Expiration Date: 10/02/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: Not reported
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

318
SW
1/8-1/4
0.237 mi.
1249 ft.

224 EIGHTH AVE CORP
224 8TH AVENUE
NEW YORK, NY 10011

HIST UST **U001835567**
AST **N/A**

Relative:
Lower

HIST UST:

Actual:
21 ft.

PBS Number: 2-256900
 SPDES Number: Not reported
 Emergency Contact: PETER ANC
 Emergency Telephone: (917) 706-3718
 Operator: PETER ANC
 Operator Telephone: (212) 627-5589
 Owner Name: 224 EIGHTH AVE CORP, % BPC MANAGEMENT CORPORATION
 Owner Address: 80 LIVINGSTON STREET
 Owner City,St,Zip: BROOKLYN, NY 11201
 Owner Telephone: (718) 852-1616
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: B.P.C. MANAGEMENT CORPORATION
 Mailing Address: 80 LIVINGSTON STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BROOKLYN, NY 11201
 Mailing Contact: CHICK CHASE
 Mailing Telephone: (718) 852-1616
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

 Facility Addr2: 224 8TH AVENUE
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 07/10/1997
 Expiration Date: 07/14/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 3000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

 Tank Id: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 3000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 EIGHTH AVE CORP (Continued)

U001835567

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: Groundwater Well
Overfill Prot: Vent Whistle
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-256900
Program Type: PBS
UTM X: 584532.25490000006
UTM Y: 4510860.5328599997
Expiration Date: 2007/07/14

Affiliation Records:

Site Id: 10568
Affiliation Type: Emergency Contact
Company Name: 224 EIGHTH AVE CORP, % NEW HORIZON MGT CORP
Contact Type: Not reported
Contact Name: ENRICO MARUFFI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 490-2369
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 5/5/2004

Site Id: 10568
Affiliation Type: Owner
Company Name: 224 EIGHTH AVE CORP, % NEW HORIZON MGT CORP
Contact Type: VP
Contact Name: MICHAEL M. SCHNECK
Address1: 516 5TH AVE., SUITE 1500
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 EIGHTH AVE CORP (Continued)

U001835567

City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 921-4318
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 5/5/2004

Site Id: 10568
Affiliation Type: On-Site Operator
Company Name: 224 EIGHTH AVE CORP
Contact Type: Not reported
Contact Name: PETER ANC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 627-5589
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10568
Affiliation Type: Mail Contact
Company Name: NEW HORIZON MANAGEMENT CORP.
Contact Type: Not reported
Contact Name: ENRICO MARUFFI
Address1: 516 FIFTH AVENUE
Address2: SUITE 1500
City: NEW YORK
State: NY
Zip Code: 10036
Country Code: 001
Phone: (212) 921-4318
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: cgfreedm
Date Last Modified: 5/5/2004

Equipment Records:

A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
B01 - Tank External Protection - Painted/Asphalt Coating
F04 - Pipe External Protection - Fiberglass
L00 - Piping Leak Detection - None
C01 - Pipe Location - Aboveground

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

224 EIGHTH AVE CORP (Continued)

U001835567

I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
E00 - Piping Secondary Containment - None
L00 - Piping Leak Detection - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
I05 - Overfill - Vent Whistle
E00 - Piping Secondary Containment - None
C01 - Pipe Location - Aboveground
F04 - Pipe External Protection - Fiberglass
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 01
Tank Id: 15015
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 6/11/2004
Register: True
Modified By: nrlombar
Last Modified: 7/6/2004

Tank Number: 02
Tank Id: 179405
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 6/15/2004
Capacity Gallons: 3000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: nrlombar
Last Modified: 7/9/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

BG319 **327 W 30TH ST**
North **327 W 30TH ST**
1/8-1/4 **NEW YORK, NY 10001**
0.237 mi.
1251 ft. **Site 3 of 5 in cluster BG**

UST **U004076707**
 N/A

Relative:
Higher

UST:
 Facility Id: 2-153923
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Program Type: PBS
 Expiration Date: 2012/06/05
 UTM X: 584799.3906999999
 UTM Y: 4511505.4998300001

Actual:
32 ft.

Affiliation Records:
 Site Id: 4902
 Affiliation Type: Emergency Contact
 Company Name: CHELSEA TOWN, LLC
 Contact Type: Not reported
 Contact Name: JOHN THROUMOULOS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 297-4975
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 6/19/2008

Site Id: 4902
 Affiliation Type: Owner
 Company Name: CHELSEA TOWN, LLC
 Contact Type: AGENT
 Contact Name: JOHN THROUMOULOS
 Address1: 320 W 30TH ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 736-1650
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 6/19/2008

Site Id: 4902
 Affiliation Type: On-Site Operator
 Company Name: 327 W 30TH ST
 Contact Type: Not reported
 Contact Name: CHELSEA TOWN, LLC
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

327 W 30TH ST (Continued)

U004076707

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 736-1650
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4902
Affiliation Type: Mail Contact
Company Name: CHELSEA TOWN, LLC
Contact Type: Not reported
Contact Name: JOHN THROUMOULOS
Address1: C/O HOFFMAN MGT
Address2: 300 WEST 55TH STREET SUITE 2S
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 247-4975
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 6/19/2008

Equipment Records:

H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
B00 - Tank External Protection - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
G03 - Tank Secondary Containment - Vault (w/o access)
L09 - Piping Leak Detection - Exempt Suction Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 4902

Tank Number: 001
Tank ID: 8253
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1962
Capacity Gallons: 7500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

327 W 30TH ST (Continued)

U004076707

Register: True
 Modified By: msbaptis
 Last Modified: 6/19/2008

BG320
North
1/8-1/4
0.237 mi.
1251 ft.

327 W 30TH ST
327 W 30TH ST
NEW YORK, NY 10001
Site 4 of 5 in cluster BG

HIST UST **U001833205**
N/A

Relative:
Higher

HIST UST:

Actual:
32 ft.

PBS Number: 2-153923
 SPDES Number: Not reported
 Emergency Contact: LIEBLICH
 Emergency Telephone: (718) 585-5200
 Operator: CHELSEA TOWN, LLC
 Operator Telephone: (212) 736-1650
 Owner Name: CHELSEA TOWN, LLC
 Owner Address: 320 W 30TH ST
 Owner City,St,Zip: NEW YORK, NY 10001
 Owner Telephone: (212) 736-1650
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: 327 WEST 30TH STREET
 Mailing Address: 327 WEST 30TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Contact: SUPER FACILITY MANAGER
 Mailing Telephone: (212) 736-1650
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 327 W 30TH ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 06/01/1998
 Expiration Date: 06/05/2002
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 7500
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

327 W 30TH ST (Continued)

U001833205

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

BH321 **203 7TH AVENUE**
South **203 7TH AVENUE**
1/8-1/4 **NEW YORK, NY 10011**
0.237 mi.
1252 ft. **Site 1 of 2 in cluster BH**

AST **U003395032**
HIST AST **N/A**

Relative:
Equal

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-471232
Program Type: PBS
UTM X: 584748.78917
UTM Y: 4510680.934969998
Expiration Date: 1999/03/28

Actual:
27 ft.

Affiliation Records:
Site Id: 20671
Affiliation Type: Emergency Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: B. BROWNE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 477-9587
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

203 7TH AVENUE (Continued)

U003395032

Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20671
Affiliation Type: Owner
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: Not reported
Address1: 2089-2091 ARTHUR AVENUE
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10457
Country Code: 001
Phone: (718) 295-2178
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 7/10/2009

Site Id: 20671
Affiliation Type: Mail Contact
Company Name: NYC HOUSING PRESERV & DEVEL
Contact Type: Not reported
Contact Name: IVAN SCHWARTZ
Address1: 75 MAIDEN LANE
Address2: 4TH FLOOR - ROOM 427
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 806-8037
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 20671
Affiliation Type: On-Site Operator
Company Name: 203 7TH AVENUE
Contact Type: Not reported
Contact Name: F. RENDINA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 477-9583
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

203 7TH AVENUE (Continued)

U003395032

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 37391
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: 21
Date Test: 5/23/2001
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-471232
SWIS Code: 6201
Operator: F. RENDINA
Facility Phone: (212) 477-9583
Facility Addr2: 203 7TH AVENUE
Facility Type: Not reported
Emergency: B. BROWNE
Emergency Tel: (212) 477-9587
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NYC HOUSING PRESERV & DEVEL
Owner Address: 75 MAIDEN LANE
Owner City,St,Zip: NEW YORK, NY 10038
Federal ID: Not reported
Owner Tel: (212) 806-8091
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: IVAN SCHWARTZ
Mailing Name: NYC HOUSING PRESERV & DEVEL
Mailing Address: 75 MAIDEN LANE
Mailing Address 2: 4TH FLOOR - ROOM 427
Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 806-8037

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

203 7TH AVENUE (Continued)

U003395032

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/04/1994
Expiration: 03/28/1999
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: 05/23/2001
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: 21
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

322
NE
1/8-1/4
0.237 mi.
1253 ft.

370 7TH AVENUE ASSOCIATES LLC
370 7TH AVE
NEW YORK, NY 10001

RCRA-NonGen
FINDS
AST
MANIFEST
1004762639
NYR000098970

Relative:
Higher

RCRA-NonGen:

Actual:
35 ft.

Date form received by agency: 01/01/2007
Facility name: 370 7TH AVENUE ASSOCIATES LLC
Facility address: 370 7TH AVE
NEW YORK, NY 10001
EPA ID: NYR000098970
Mailing address: 7TH AVE
NEW YORK, NY 10001
Contact: JEFFREY FEIL
Contact address: 7TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 279-7600
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 370 7TH AVENUE ASSOICATES LLC
Owner/operator address: 370 7TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 279-7600
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Owner/operator name: 370 7TH AVENUE ASSOICATES LLC
Owner/operator address: 370 7TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 279-7600
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/2001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 7TH AVENUE ASSOCIATES LLC (Continued)

1004762639

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: 370 7TH AVENUE ASSOCIATES LLC
Classification: Not a generator, verified

Date form received by agency: 07/12/2001
Facility name: 370 7TH AVENUE ASSOCIATES LLC
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001608760

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-600297
Program Type: PBS
UTM X: 585120.05278000003
UTM Y: 4511367.4057799997
Expiration Date: 2011/08/29

Affiliation Records:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 7TH AVENUE ASSOCIATES LLC (Continued)

1004762639

Site Id: 22280
Affiliation Type: On-Site Operator
Company Name: 370 7TH AVENUE
Contact Type: Not reported
Contact Name: ARTHUR RILEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 279-6078
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22280
Affiliation Type: Emergency Contact
Company Name: 370 7TH JOINT VENTURE
Contact Type: Not reported
Contact Name: ARTHUR RILEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (973) 398-6606
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22280
Affiliation Type: Mail Contact
Company Name: JEFFREY MANAGEMENT CORP
Contact Type: Not reported
Contact Name: MR. BARRY ZIMMERMAN
Address1: 370 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 563-6557
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 22280
Affiliation Type: Owner
Company Name: 370 7TH JOINT VENTURE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 7TH AVENUE ASSOCIATES LLC (Continued)

1004762639

Contact Type: PROPERTY MANAGER
Contact Name: BARRY ZIMMERMAN
Address1: 370 7TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 279-7600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 6/13/2006

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C03 - Pipe Location - Aboveground/Underground Combination
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A01 - Tank Internal Protection - Epoxy Liner
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Tank Number: 001
Tank Id: 42051
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 10000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

NY MANIFEST:

EPA ID: NYR000098970
Country: USA
Mailing Name: 370 7TH AVE ASSOCIATES LLC
Mailing Contact: M/S
Mailing Address: 370 7TH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

370 7TH AVENUE ASSOCIATES LLC (Continued)

1004762639

Mailing Country: USA
Mailing Phone: 212-279-7600

Document ID: NJA3292619
Manifest Status: Not reported
Trans1 State ID: NYD046765574
Trans2 State ID: Not reported
Generator Ship Date: 07/13/2001
Trans1 Recv Date: 07/13/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/13/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000098970
Trans1 EPA ID: NJD991291105
Trans2 EPA ID: Not reported
TSD ID: Not reported
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00300
Units: P - Pounds
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 01

BC323 122 WEST 27TH ST.
ESE 122 WEST 27TH ST
1/8-1/4 NEW YORK CITY, NY 10001
0.238 mi.
1255 ft. Site 5 of 13 in cluster BC

AST **U003385616**
HIST AST **N/A**

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-149276
Program Type: PBS
UTM X: 585163.52376999997
UTM Y: 4511023.3007199997
Expiration Date: 2012/10/15

Actual:
38 ft.

Affiliation Records:
Site Id: 4495
Affiliation Type: Emergency Contact
Company Name: NORTHERN STAR TEXTILE CORP
Contact Type: Not reported
Contact Name: MICHAEL SECEMBO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-0031
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122 WEST 27TH ST. (Continued)

U003385616

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 4495
Affiliation Type: Owner
Company Name: NORTHERN STAR TEXTILE CORP
Contact Type: AGENT
Contact Name: CHARLES BYRNE
Address1: 380 MADISON AVE 3RD FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/14/2007

Site Id: 4495
Affiliation Type: Mail Contact
Company Name: NORTHERN STAR TEXTILE CORP
Contact Type: Not reported
Contact Name: CHARLES BYRNE
Address1: GVA WILLIAMS REAL ESTATE
Address2: 380 MADISON AVE 3RD FL
City: NEW YORK CITY
State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 716-3713
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/14/2007

Site Id: 4495
Affiliation Type: On-Site Operator
Company Name: 122 WEST 27TH ST.
Contact Type: Not reported
Contact Name: MICHAEL SECEMBO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-0031
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122 WEST 27TH ST. (Continued)

U003385616

Equipment Records:

A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 8124
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/1/1912
Capacity Gallons: 5050
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 11/14/2007

HIST AST:

PBS Number: 2-149276
SWIS Code: 6201
Operator: CIRO BORRUTO
Facility Phone: (212) 704-3500
Facility Addr2: 122 27TH ST
Facility Type: Not reported
Emergency: CIRO BORRUTO
Emergency Tel: (212) 243-0031
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: NORTHERN STAR TEXTILE CORP
Owner Address: 530-5 AVE%WILLIAMS REAL ESTAT
Owner City,St,Zip: NEW YORK CITY, NY 10011
Federal ID: Not reported
Owner Tel: (212) 704-3721
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: FRAN GOLDIN
Mailing Name: NORTHERN STAR TEXTILE CORP
Mailing Address: 530-5 AVE%WILLIAMS REAL ESTAT
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK CITY, NY 10011
Mailing Telephone: (212) 704-3721

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

122 WEST 27TH ST. (Continued)

U003385616

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/21/1998
Expiration: 10/15/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5050
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5050
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

BC324
ESE
1/8-1/4
0.238 mi.
1255 ft.

DEMPSEY & CARROLL
122 W 27TH ST
NEW YORK CITY, NY 10001

RCRA-NonGen **1000349805**
FINDS **NYD981876352**
MANIFEST

Site 6 of 13 in cluster BC

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: **DEMPSEY & CARROLL**
Facility address: **122 W 27TH ST**
NEW YORK, NY 10001

Actual:
38 ft.

EPA ID: **NYD981876352**
Mailing address: **W 27TH ST**
NEW YORK, NY 10001
Contact: **Not reported**
Contact address: **W 27TH ST**
NEW YORK, NY 10001

Contact country: **US**
Contact telephone: **Not reported**
Contact email: **Not reported**
EPA Region: **02**
Classification: **Non-Generator**
Description: **Handler: Non-Generators do not presently generate hazardous waste**

Owner/Operator Summary:

Owner/operator name: **LUGENE OPTICIANS INC**
Owner/operator address: **NOT REQUIRED**
NOT REQUIRED, WY 99999
Owner/operator country: **US**
Owner/operator telephone: **(212) 555-1212**
Legal status: **Private**
Owner/Operator Type: **Operator**
Owner/Op start date: **Not reported**
Owner/Op end date: **Not reported**

Owner/operator name: **LUGENE OPTICIANS INC**
Owner/operator address: **NOT REQUIRED**
NOT REQUIRED, WY 99999
Owner/operator country: **US**
Owner/operator telephone: **(212) 555-1212**
Legal status: **Private**
Owner/Operator Type: **Owner**
Owner/Op start date: **Not reported**
Owner/Op end date: **Not reported**

Handler accessibility indicator: **Transferred to the program or state equivalent.**

Handler Activities Summary:

U.S. importer of hazardous waste: **Unknown**
Mixed waste (haz. and radioactive): **Unknown**
Recycler of hazardous waste: **No**
Transporter of hazardous waste: **Unknown**
Treater, storer or disposer of HW: **No**
Underground injection activity: **No**
On-site burner exemption: **Unknown**
Furnace exemption: **Unknown**
Used oil fuel burner: **No**
Used oil processor: **No**
User oil refiner: **No**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DEMPSEY & CARROLL (Continued)

1000349805

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: DEMPSEY & CARROLL
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: DEMPSEY & CARROLL
Classification: Not a generator, verified

Date form received by agency: 02/04/1987
Facility name: DEMPSEY & CARROLL
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009473881

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD981876352
Country: USA
Mailing Name: DEMPSEY & CARROLL
Mailing Contact: DEMPSEY & CARROLL
Mailing Address: 122 WEST 27TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-486-7507

Document ID: NYA3827070
Manifest Status: Completed copy
Trans1 State ID: XJ70JGNJ
Trans2 State ID: Not reported
Generator Ship Date: 870211
Trans1 Recv Date: 870211
Trans2 Recv Date: Not reported
TSD Site Recv Date: 870211

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DEMPSEY & CARROLL (Continued)

1000349805

Part A Recv Date: 870224
Part B Recv Date: 870224
Generator EPA ID: NYD981876352
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSDf ID: NYD049178296
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00800
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Waste Code: Not reported
Quantity: 00400
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 100
Year: 87

BC325
ESE
1/8-1/4
0.238 mi.
1255 ft.

AMBASSADOR ARTS INC
122 W 27TH ST 8TH FL
NEW YORK, NY 10001
Site 7 of 13 in cluster BC

RCRA-NonGen **1000158223**
MANIFEST **NYD072806524**

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: AMBASSADOR ARTS INC
Facility address: 122 W 27TH ST 8TH FL
NEW YORK, NY 10001
EPA ID: NYD072806524
Mailing address: W 27TH ST 8TH FL
NEW YORK, NY 10001
Contact: Not reported
Contact address: W 27TH ST 8TH FL
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
38 ft.

Owner/Operator Summary:
Owner/operator name: JOHN EVANGELISTA
Owner/operator address: 122 W 27TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 243-4290
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBASSADOR ARTS INC (Continued)

1000158223

Owner/operator name: JOHN EVANGELISTA
Owner/operator address: 122 W 27TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 243-4290
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: AMBASSADOR ARTS INC
Classification: Not a generator, verified

Date form received by agency: 12/31/1979
Facility name: AMBASSADOR ARTS INC
Classification: Conditionally Exempt Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 09/27/1988
Date achieved compliance: 07/07/1989
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 10/07/1988
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 09/27/1988

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBASSADOR ARTS INC (Continued)

1000158223

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 07/07/1989
Evaluation lead agency: State

NY MANIFEST:

EPA ID: NYD072806524
Country: USA
Mailing Name: AMBASSADOR ARTS INCORPORATED
Mailing Contact: FRANK AGOSTINO
Mailing Address: 122 WEST 27TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-243-4290

Document ID: NJA1153225
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: S10331
Trans2 State ID: Not reported
Generator Ship Date: 910503
Trans1 Recv Date: 910503
Trans2 Recv Date: Not reported
TSD Site Recv Date: 910506
Part A Recv Date: 910617
Part B Recv Date: 910520
Generator EPA ID: NYD072806524
Trans1 EPA ID: ILD099202681
Trans2 EPA ID: Not reported
TSDf ID: NJD089216790
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00825
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 015
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 91

BC326
ESE
1/8-1/4
0.238 mi.
1255 ft.

AMBASSADOR ART
122 W 27TH STREET
NEW YORK, NY 10001
Site 8 of 13 in cluster BC

MANIFEST 1009232581
N/A

Relative:
Higher

NY MANIFEST:

EPA ID: NYP000881078
Country: USA
Mailing Name: AMBASSADOR ART
Mailing Contact: AMBASSADOR ART
Mailing Address: 122 W 27TH STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY

Actual:
38 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMBASSADOR ART (Continued)

1009232581

Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-243-4976

Document ID: NYA7097832
Manifest Status: Completed copy
Trans1 State ID: 000000000
Trans2 State ID: 000000000
Generator Ship Date: 880908
Trans1 Recv Date: 880908
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880908
Part A Recv Date: 880913
Part B Recv Date: 880913
Generator EPA ID: NYP000881078
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F005 - UNKNOWN
Quantity: 00190
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 098
Year: 88

Document ID: NYA5345523
Manifest Status: Completed copy
Trans1 State ID: NY1A8036
Trans2 State ID: Not reported
Generator Ship Date: 880907
Trans1 Recv Date: 880907
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880908
Part A Recv Date: 880913
Part B Recv Date: 880913
Generator EPA ID: NYP000881078
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSD ID: NYD082785429
Waste Code: F005 - UNKNOWN
Quantity: 00180
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 011
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 098
Year: 88

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

BI327 **263 9TH AVENUE REALTY**
WNW **263 9TH AVENUE**
1/8-1/4 **NEW YORK, NY 10001**
0.238 mi.
1258 ft. **Site 1 of 3 in cluster BI**

AST **U004045317**
 N/A

Relative:
Lower

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-603317
 Program Type: PBS
 UTM X: 584443.86601999996
 UTM Y: 4511295.8304599999
 Expiration Date: N/A

Actual:
21 ft.

Affiliation Records:
 Site Id: 25237
 Affiliation Type: Emergency Contact
 Company Name: 263 9TH AVENUE REALTY
 Contact Type: Not reported
 Contact Name: ANTHONY JURIST
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 467-2442
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 25237
 Affiliation Type: Owner
 Company Name: 263 9TH AVENUE REALTY
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 263 9TH AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 255-6876
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 25237
 Affiliation Type: On-Site Operator
 Company Name: 263 9TH AVENUE REALTY
 Contact Type: Not reported
 Contact Name: DAVID JURIST
 Address1: Not reported
 Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

263 9TH AVENUE REALTY (Continued)

U004045317

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-6876
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 25237
Affiliation Type: Mail Contact
Company Name: 263 9TH AVENUE REALTY
Contact Type: Not reported
Contact Name: DAVID JURIST
Address1: 263 9TH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 255-6876
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 11/18/2005

Equipment Records:

I05 - Overfill - Vent Whistle
B00 - Tank External Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
G00 - Tank Secondary Containment - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 53791
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1995
Capacity Gallons: 4000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: 10/3/2005
Register: True
Modified By: NRLOMBAR

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

263 9TH AVENUE REALTY (Continued)

U004045317

Last Modified: 11/18/2005

BI328
WNW
1/8-1/4
0.238 mi.
1258 ft.

CREATIVE LITHOGRAHPY INC
263 9TH AVE
NEW YORK, NY 10001

RCRA-NonGen **1000159414**
FINDS **NYD002032944**

Site 2 of 3 in cluster BI

Relative:
Lower

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: CREATIVE LITHOGRAHPY INC
Facility address: 263 9TH AVE
NEW YORK, NY 10001
EPA ID: NYD002032944
Mailing address: 9TH AVE
NEW YORK, NY 10001
Contact: Not reported
Contact address: 9TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
21 ft.

Owner/Operator Summary:

Owner/operator name: HUGO S KLEIN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: HUGO S KLEIN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CREATIVE LITHOGRAHPY INC (Continued)

1000159414

Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: CREATIVE LITHOGRAHPY INC
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: CREATIVE LITHOGRAHPY INC
Classification: Not a generator, verified

Date form received by agency: 04/07/1987
Facility name: CREATIVE LITHOGRAHPY INC
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110009464515

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

BI329 **TANASEYBERT LLC**
WNW **263 9TH AVE**
1/8-1/4 **NEW YORK, NY 10001**
0.238 mi.
1258 ft. **Site 3 of 3 in cluster BI**

RCRA-SQG **1000146223**
FINDS **NYD051558518**
MANIFEST

Relative:
Lower

RCRA-SQG:
Date form received by agency: 01/01/2007
Facility name: TANASEYBERT LLC
Facility address: 263 9TH AVE
NEW YORK, NY 10001
EPA ID: NYD051558518
Mailing address: 9TH AVE
NEW YORK, NY 10001
Contact: ANTHONY JURIST
Contact address: 9TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 255-6876
Telephone ext.: 9188
Contact email: ATJURIST@TANASEYBERT.COM

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

EPA Region: 02
Land type: Private
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: HEYWOOD REALITY LLC
Owner/operator address: W 30TH ST
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 06/13/2004
Owner/Op end date: Not reported

Owner/operator name: TANASEYBERT LLC
Owner/operator address: 9TH AVE
NEW YORK, NY 10001
Owner/operator country: US
Owner/operator telephone: (212) 255-6876
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: 01/31/2004
Owner/Op end date: Not reported

Owner/operator name: TANAGRAPHICS INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: TANAGRAPHICS INC
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: Not reported
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: 01/01/0001
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: TANASEYBERT LLC
Classification: Small Quantity Generator

Date form received by agency: 10/28/2004
Facility name: TANASEYBERT LLC
Classification: Small Quantity Generator

Date form received by agency: 10/02/1989
Facility name: TANASEYBERT LLC
Site name: TANAGRAPHICS INC
Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSLEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D003
Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BE WASTE GUNPOWDER.

Waste code: U080
Waste name: METHANE, DICHLORO-

Facility Has Received Notices of Violations:

Regulation violated: SR - 372.2(a)(8)(i)(a)
Area of violation: Generators - General
Date violation determined: 06/28/2004
Date achieved compliance: 06/28/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/29/2004
Enf. disposition status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 373-3.9(d)
Area of violation: Generators - General
Date violation determined: 06/28/2004
Date achieved compliance: 06/28/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/29/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 372.2(a)(8)(iii)(d)
Area of violation: Generators - General
Date violation determined: 06/28/2004
Date achieved compliance: 06/28/2004
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/29/2004
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 09/30/1991
Date achieved compliance: 12/05/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/30/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: LDR - General
Date violation determined: 07/02/1991
Date achieved compliance: 10/10/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/09/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 07/02/1991
Date achieved compliance: 10/10/1991
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 09/09/1991
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 06/28/2004
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 06/28/2004
Evaluation lead agency: State

Evaluation date: 10/10/1991
Evaluation: NOT A SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 08/06/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 12/05/1991
Evaluation lead agency: State

Evaluation date: 07/02/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 10/10/1991
Evaluation lead agency: State

Evaluation date: 07/02/1991
Evaluation: SIGNIFICANT NON-COMPLIER
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

Evaluation date: 07/02/1991
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 10/10/1991
Evaluation lead agency: State

FINDS:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Registry ID: 110001594098

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD051558518
Country: USA
Mailing Name: TANAGRAPHS CORP
Mailing Contact: ANTHONY JURIST
Mailing Address: 263 NINTH AVENUE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-255-6876

Document ID: NJA1151943
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 920623
Trans1 Recv Date: 920623
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920623
Part A Recv Date: Not reported
Part B Recv Date: 920703
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA2564982
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 961227
Trans1 Recv Date: 961227
Trans2 Recv Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

TSD Site Recv Date: 961227
Part A Recv Date: 970116
Part B Recv Date: 970203
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F003 - UNKNOWN
Quantity: 00275
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Document ID: NJA4007543
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: Not reported
Generator Ship Date: 11/15/2001
Trans1 Recv Date: 11/15/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/19/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD002182897
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00707
Units: P - Pounds
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NJA3212809
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: Not reported
Generator Ship Date: 05/16/2001
Trans1 Recv Date: 05/16/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/18/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD002182897
Trans2 EPA ID: Not reported
TSD ID: 08690
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01704

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NJA3215320
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: SCR000074591
Generator Ship Date: 03/01/2001
Trans1 Recv Date: 03/01/2001
Trans2 Recv Date: 03/06/2001
TSD Site Recv Date: 03/06/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD002182897
Trans2 EPA ID: Not reported
TSDF ID: 08690
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 01536
Units: P - Pounds
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NJA3230128
Manifest Status: Not reported
Trans1 State ID: SCR000075150
Trans2 State ID: Not reported
Generator Ship Date: 06/21/2001
Trans1 Recv Date: 06/21/2001
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/26/2001
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD002182897
Trans2 EPA ID: Not reported
TSDF ID: 08690
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00816
Units: P - Pounds
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 01

Document ID: NJA1507225

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 920806
Trans1 Recv Date: 920806
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920806
Part A Recv Date: Not reported
Part B Recv Date: 920820
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1552015
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 921202
Trans1 Recv Date: 921202
Trans2 Recv Date: Not reported
TSD Site Recv Date: 921202
Part A Recv Date: Not reported
Part B Recv Date: 921215
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA2759594
Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID: ES5811
Trans2 State ID: Not reported
Generator Ship Date: 970514
Trans1 Recv Date: 970514
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970514
Part A Recv Date: 970619
Part B Recv Date: 970610

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Generator EPA ID: NYD051558518
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F003 - UNKNOWN
Quantity: 00495
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 009
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA2761958
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 971103
Trans1 Recv Date: 971103
Trans2 Recv Date: Not reported
TSD Site Recv Date: 971103
Part A Recv Date: Not reported
Part B Recv Date: 971216
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJ0000027193
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F003 - UNKNOWN
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA1552624
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 930127
Trans1 Recv Date: 930127
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930127
Part A Recv Date: Not reported
Part B Recv Date: 930210
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1715612
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 930630
Trans1 Recv Date: 930630
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930630
Part A Recv Date: Not reported
Part B Recv Date: 930713
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1389533
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 920924
Trans1 Recv Date: 920924
Trans2 Recv Date: Not reported
TSD Site Recv Date: 920924
Part A Recv Date: Not reported
Part B Recv Date: 921005
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 92

Document ID: NJA1673855
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Generator Ship Date: 930414
Trans1 Recv Date: 930414
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930415
Part A Recv Date: Not reported
Part B Recv Date: 930423
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSDF ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: MDC1015930
Manifest Status: Not reported
Trans1 State ID: MAD039322250
Trans2 State ID: NJD986607380
Generator Ship Date: 07/02/2002
Trans1 Recv Date: 07/02/2002
Trans2 Recv Date: 07/02/2002
TSD Site Recv Date: 07/12/2002
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD051558518
Trans1 EPA ID: MDD980555189
Trans2 EPA ID: Not reported
TSDF ID: HWH160004
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00275
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00055
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 02

Document ID: NJA1717778
Manifest Status: Completed copy
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 930913
Trans1 Recv Date: 930913

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Trans2 Recv Date: Not reported
TSD Site Recv Date: 930913
Part A Recv Date: Not reported
Part B Recv Date: 931006
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00220
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1871641
Manifest Status: Completed copy
Trans1 State ID: S5811
Trans2 State ID: Not reported
Generator Ship Date: 940331
Trans1 Recv Date: 940331
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940331
Part A Recv Date: 940413
Part B Recv Date: 940418
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00275
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 005
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA1673503
Manifest Status: Completed after the designated time period for a TSD ID to get a copy to the DEC
Trans1 State ID: NJDEPS581
Trans2 State ID: Not reported
Generator Ship Date: 931115
Trans1 Recv Date: 931115
Trans2 Recv Date: Not reported
TSD Site Recv Date: 931115
Part A Recv Date: Not reported
Part B Recv Date: 931214
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

Quantity: 00330
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 006
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 93

Document ID: NJA1673310
Manifest Status: Completed copy
Trans1 State ID: NJDEPES58
Trans2 State ID: Not reported
Generator Ship Date: 940127
Trans1 Recv Date: 940127
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940127
Part A Recv Date: 940207
Part B Recv Date: 940211
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00385
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 007
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 94

Document ID: NJA0632866
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: S58112066
Trans2 State ID: Not reported
Generator Ship Date: 891005
Trans1 Recv Date: 891005
Trans2 Recv Date: Not reported
TSD Site Recv Date: 891006
Part A Recv Date: 891121
Part B Recv Date: 891017
Generator EPA ID: NYD051558518
Trans1 EPA ID: NJD982281016
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: F003 - UNKNOWN
Quantity: 00165
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 89

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANASEYBERT LLC (Continued)

1000146223

[Click this hyperlink](#) while viewing on your computer to access
27 additional NY_MANIFEST: record(s) in the EDR Site Report.

BJ330
SE
1/8-1/4
0.239 mi.
1262 ft.

BRICK FARMS COOPERATIVE LTD
131 W 24TH ST
NEW YORK, NY 10011
Site 1 of 4 in cluster BJ

AST U003388125
HIST AST N/A

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-256730
Program Type: PBS
UTM X: 585038.00970000005
UTM Y: 4510835.2352200001
Expiration Date: 2012/07/10

Actual:
34 ft.

Affiliation Records:

Site Id: 10553
Affiliation Type: Emergency Contact
Company Name: BRICK FARMS COOPERATIVE LTD
Contact Type: Not reported
Contact Name: JENNIFER MULLER
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-5468
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10553
Affiliation Type: Owner
Company Name: BRICK FARMS COOPERATIVE LTD
Contact Type: Not reported
Contact Name: Not reported
Address1: 131 W 24TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011-1901
Country Code: 001
Phone: (212) 675-5468
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10553

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRICK FARMS COOPERATIVE LTD (Continued)

U003388125

Affiliation Type: Mail Contact
Company Name: BRICK FARMS COOPERATIVE LTD
Contact Type: Not reported
Contact Name: JENNIFER MULLER
Address1: 131 W 24TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10011-1901
Country Code: 001
Phone: (212) 675-5468
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 10553
Affiliation Type: On-Site Operator
Company Name: BRICK FARMS COOPERATIVE LTD
Contact Type: Not reported
Contact Name: BRICK FARMS COOPERATIVE LTD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-5468
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

B99 - Tank External Protection - Other
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
G03 - Tank Secondary Containment - Vault (w/o access)

Tank Info:

Tank Number: 001
Tank Id: 13205
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1901

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRICK FARMS COOPERATIVE LTD (Continued)

U003388125

Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 3/26/2007

HIST AST:

PBS Number: 2-256730
SWIS Code: 6201
Operator: BRICK FARMS COOPERATIVE LTD
Facility Phone: (212) 675-5468
Facility Addr2: 131 W 24TH ST
Facility Type: APARTMENT BUILDING
Facility Type: PRIVATE RESIDENCE
Emergency: ROGER GOODSPEED
Emergency Tel: (212) 675-5468
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: BRICK FARMS COOPERATIVE LTD
Owner Address: 131 W 24TH ST
Owner City,St,Zip: NEW YORK, NY 10011-1901
Federal ID: Not reported
Owner Tel: (212) 675-5468
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: ROGER GOODSPEED
Mailing Name: BRICK FARMS COOPERATIVE LTD
Mailing Address: 131 W 24TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011-1901
Mailing Telephone: (212) 675-5468
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Certification Flag: False
Certification Date: 07/17/1997
Expiration: 07/10/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 1500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BRICK FARMS COOPERATIVE LTD (Continued)

U003388125

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 1500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 9
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

**BJ331
SE
1/8-1/4
0.240 mi.
1267 ft.**

**ALLOFUS TENANTS, INC.
130 WEST 24TH STREET
NEW YORK, NY 10011**

**HIST UST U001832314
N/A**

Site 2 of 4 in cluster BJ

**Relative:
Higher**

HIST UST:

**Actual:
34 ft.**

PBS Number: 2-114375
SPDES Number: Not reported
Emergency Contact: RICHARD BASSIK
Emergency Telephone: (917) 881-2055
Operator: ENRIQUE CUEVAS
Operator Telephone: (212) 242-4337
Owner Name: ALLOFUS TENANTS, INC.
Owner Address: 25 WEST 45TH ST., SUITE 905
Owner City,St,Zip: NEW YORK, NY 10036
Owner Telephone: (212) 382-3600
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: ADVANCED MANAGEMENT SERVICES
Mailing Address: 25 WEST 45TH STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10036
Mailing Contact: RICHARD BASSIK
Mailing Telephone: (212) 382-3600
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: 130 WEST 24TH ST
SWIS ID: 6201

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLOFUS TENANTS, INC. (Continued)

U001832314

Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: True
Certification Date: Not reported
Expiration Date: 03/24/2007
Renew Flag: False
Renewal Date: 20011113
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: 19781201
Capacity (gals): 3000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Jacketed
Pipe Location: Aboveground/Underground Combination
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: None
Second Containment: 8
Leak Detection: None
Overfill Prot: Vent Whistle
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

BJ332
SE
1/8-1/4
0.240 mi.
1267 ft.

ALLOFUS TENANTS, INC.
130 WEST 24TH STREET
NEW YORK, NY 10011
Site 3 of 4 in cluster BJ

UST **U004076549**
N/A

Relative:
Higher

UST:

Facility Id: 2-114375
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/03/24
UTM X: 585033.41026000003
UTM Y: 4510823.9694699999

Actual:
34 ft.

Affiliation Records:

Site Id: 3735
Affiliation Type: On-Site Operator
Company Name: ALLOFUS TENANTS, INC.
Contact Type: Not reported
Contact Name: ORLANDO S.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 721-8024
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/18/2009

Site Id: 3735
Affiliation Type: Owner
Company Name: ALLOFUS TENANTS, INC.
Contact Type: MGR
Contact Name: ERIK MARTINEZ
Address1: 666 BROADWAY, 12FLR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 382-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/18/2009

Site Id: 3735
Affiliation Type: Emergency Contact
Company Name: ALLOFUS TENANTS, INC.
Contact Type: Not reported
Contact Name: ANDREWS BLDG
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLOFUS TENANTS, INC. (Continued)

U004076549

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 529-5688
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/18/2009

Site Id: 3735
Affiliation Type: Mail Contact
Company Name: ANDREWS BLDG. CORP
Contact Type: Not reported
Contact Name: Not reported
Address1: 666 BROADWAY, 12TH FLR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10012
Country Code: 001
Phone: (212) 382-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: MSBAPTIS
Date Last Modified: 9/18/2009

Equipment Records:

B05 - Tank External Protection - Jacketed
L00 - Piping Leak Detection - None
K00 - Spill Prevention - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
C03 - Pipe Location - Aboveground/Underground Combination
H00 - Tank Leak Detection - None
G01 - Tank Secondary Containment - Diking (Aboveground)
E00 - Piping Secondary Containment - None
I05 - Overfill - Vent Whistle
F00 - Pipe External Protection - None

Tank Info:

Site ID: 3735

Tank Number: 001
Tank ID: 4082
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1978
Capacity Gallons: 3000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ALLOFUS TENANTS, INC. (Continued)

U004076549

Date Test: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 9/18/2009

**BK333
NW
1/8-1/4
0.240 mi.
1267 ft.**

**PUBLIC SCHOOL #33
281 9TH AVENUE
MANHATAN, NY**

**LTANKS S102662879
HIST LTANKS N/A**

Site 1 of 4 in cluster BK

**Relative:
Lower**

LTANKS:

**Actual:
23 ft.**

Site ID: 252801
Spill No: 9614151
Spill Date: 3/5/1997
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/1997
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Reported to Dept: 3/5/1997
CID: 205
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/5/1997
Spill Record Last Update: 1/6/1998
Spiller Name: ESTON CLARE
Spiller Company: T & S TRUCKING
Spiller Address: 53 2ND AVENUE
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: (718) 391-6575
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 207077
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN"
Remarks: CALLER STATED THAT 5,500GAL WAS ORDERED. TANK STARTED OVERFILLING AT 1,315 GALS.

Material:

Site ID: 252801
Operable Unit ID: 1045585
Operable Unit: 01
Material ID: 339261
Material Code: 0002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL #33 (Continued)

S102662879

Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9614151
Spill Date: 03/05/1997
Spill Time: 13:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/97
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/05/97
Reported to Department Time: 14:16
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: (718) 391-6575
Spiller Extention: Not reported
Spiller Name: T & S TRUCKING
Spiller Address: 53 2ND AVENUE
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: ESTON CLARE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL #33 (Continued)

S102662879

Facility Phone: (718) 499-2900
Facility Extension: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/05/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/06/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 50
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: CALLER STATED THAT 5,500GAL WAS ORDERED. TANK STARTED OVERFILLING AT 1,315 GALS.

**BK334
NW
1/8-1/4
0.240 mi.
1267 ft.**

**PS 33
281 9TH AVE
MANHATTAN, NY
Site 2 of 4 in cluster BK**

**LTANKS U000411085
HIST LTANKS N/A
HIST UST**

**Relative:
Lower**

LTANKS:

Site ID: 224963
Spill No: 9713196
Spill Date: 2/26/1998
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/3/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False

**Actual:
23 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 33 (Continued)

U000411085

SWIS: 3101
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 2/26/1998
CID: 366
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/26/1998
Spill Record Last Update: 3/3/2003
Spiller Name: Not reported
Spiller Company: CASTLE OIL
Spiller Address: 290 LOCUST AVE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller County: 001
Spiller Contact: JOHN KASE
Spiller Phone: (718) 391-6590
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 185691
DEC Memo: Not reported
Remarks: CALLER REPORTING OVERFILL AT PUBLIC SCHOOL #33. CLEAN UP WILL BEGIN SHORTLY.

Material:

Site ID: 224963
Operable Unit ID: 1059258
Operable Unit: 01
Material ID: 324220
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 60
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 33 (Continued)

U000411085

HIST LTANKS:

Region of Spill: 2
Spill Number: 9713196
Spill Date: 02/26/1998
Spill Time: 10:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/26/98
Reported to Department Time: 11:47
SWIS: 62
Spiller Contact: JOHN KASE
Spiller Phone: (718) 391-6590
Spiller Extention: Not reported
Spiller Name: CASTLE OIL
Spiller Address: 290 LOCUST AVE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: () -
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/26/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/27/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 33 (Continued)

U000411085

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 60
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: CALLER REPORTING OVERFILL AT PUBLIC SCHOOL 33. CLEAN UP WILL BEGIN SHORTLY.

HIST UST:

PBS Number: 2-478393
SPDES Number: Not reported
Emergency Contact: SCHOOL SAFETY
Emergency Telephone: (212) 979-3300
Operator: PLANT OPERATION
Operator Telephone: (718) 391-6000
Owner Name: BOARD OF EDUCATION
Owner Address: 28-11 QUEENS PLAZA NORTH
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 391-6832
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Name: BOARD OF EDUCATION
Mailing Address: 28-11 QUEENS PLAZA NORTH
Mailing Address 2: 5TH FLOOR
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: FRANK CARDELLO NTROL
Mailing Telephone: (718) 391-6832
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 281 9TH AV
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 11/08/1999
Expiration Date: 11/30/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 15000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 33 (Continued)

U000411085

Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: Painted/Asphalt Coating
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 7500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: Painted/Asphalt Coating
Pipe Location: Aboveground/Underground Combination
Pipe Type: GALVANIZED STEEL
Pipe Internal: None
Pipe External: Painted/Asphalt Coating
Second Containment: Vault (w/access)
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PS 33 (Continued)

U000411085

Deleted: False
Updated: True
Lat/long: Not reported

BK335 **NYC BD OF ED PUBLIC SCHOOL 33 M**
NW **281 9TH AVE**
1/8-1/4 **NEW YORK, NY 10001**
0.240 mi.
1270 ft. **Site 3 of 4 in cluster BK**

RCRA-NonGen **1004760559**
FINDS **NYR000049189**
MANIFEST

Relative:
Lower

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: NYC BD OF ED PUBLIC SCHOOL 33 M
Facility address: 281 9TH AVE
NEW YORK, NY 10001

Actual:
23 ft.

EPA ID: NYR000049189
Mailing address: 2ND ST ABAX INC
LONG ISLAND CITY, NY 11101
Contact: EDWARD MONACO
Contact address: 2ND ST ABAX INC
LONG ISLAND CITY, NY 11101

Contact country: US
Contact telephone: (718) 784-2229
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NYC BD OF ED
Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 391-6475
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYC BD OF ED
Owner/operator address: 28-11 QUEENS PLZ N
LONG ISLAND CITY, NY 11101
Owner/operator country: US
Owner/operator telephone: (718) 391-6475
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED PUBLIC SCHOOL 33 M (Continued)

1004760559

On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: NYC BD OF ED PUBLIC SCHOOL 33 M
Classification: Not a generator, verified

Date form received by agency: 01/22/1998
Facility name: NYC BD OF ED PUBLIC SCHOOL 33 M
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004539839

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000049189
Country: USA
Mailing Name: NYC BOARD OF EDUCATION PS 33M
Mailing Contact: SAWICKI LECH
Mailing Address: 51-09 2ND ST
Mailing Address 2: Not reported
Mailing City: LIC
Mailing State: NY
Mailing Zip: 11101
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-744-2229

Document ID: NYB6717465
Manifest Status: Not reported
Trans1 State ID: NY0000148163
Trans2 State ID: NY0000148163
Generator Ship Date: 03/25/1998
Trans1 Recv Date: 03/25/1998
Trans2 Recv Date: 08/24/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYC BD OF ED PUBLIC SCHOOL 33 M (Continued)

1004760559

TSD Site Recv Date: 08/24/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000049189
Trans1 EPA ID: NYD049178296
Trans2 EPA ID: Not reported
TSD ID: NY1A371
Waste Code: D008 - LEAD 5.0 MG/L TCLP
Quantity: 00050
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 98

**BK336
NW
1/8-1/4
0.240 mi.
1270 ft.**

**PUBLIC SCHOOL 33 - MANHATTAN (M033)
281 NINTH AVENUE
NEW YORK, NY 10001
Site 4 of 4 in cluster BK**

**UST U004077905
AST N/A**

**Relative:
Lower**

UST:
Facility Id: 2-478393
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2014/11/30
UTM X: 584483.65549000003
UTM Y: 4511368.1136499997

**Actual:
23 ft.**

Affiliation Records:
Site Id: 21259
Affiliation Type: On-Site Operator
Company Name: PUBLIC SCHOOL 33 - MANHATTAN (M033)
Contact Type: Not reported
Contact Name: PLANT OPERATIONS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 349-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 4/23/2007

Site Id: 21259
Affiliation Type: Mail Contact
Company Name: N Y C DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: RAYMOND CORREA
Address1: FIELD OPERATIONS-FUEL DIVISION
Address2: 44-36 VERNON BOULEVARD

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 33 - MANHATTAN (M033) (Continued)

U004077905

City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: RCORREA5@SCHOOLS.NYC.GOV
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 3/23/2010

Site Id: 21259
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY DEPT. OF EDUCATION
Contact Type: Not reported
Contact Name: SCHOOL SAFETY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 935-3300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/31/2009

Site Id: 21259
Affiliation Type: Owner
Company Name: NEW YORK CITY DEPT. OF EDUCATION
Contact Type: MGR, FUEL DIVISION
Contact Name: RAYMOND CORREA
Address1: 44-36 VERNON BOULEVARD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 6/22/2010

Equipment Records:

A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
G02 - Tank Secondary Containment - Vault (w/access)
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 33 - MANHATTAN (M033) (Continued)

U004077905

- H00 - Tank Leak Detection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- F01 - Pipe External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction
- G00 - Tank Secondary Containment - None
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- L00 - Piping Leak Detection - None
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- E00 - Piping Secondary Containment - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- G00 - Tank Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- I04 - Overfill - Product Level Gauge (A/G)
- K00 - Spill Prevention - None
- J02 - Dispenser - Suction
- C03 - Pipe Location - Aboveground/Underground Combination
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- L00 - Piping Leak Detection - None

Tank Info:

Site ID: 21259

Tank Number: 001
Tank ID: 38501
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 7500
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 2/3/2007
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 4/23/2007

Site ID: 21259

Tank Number: 002
Tank ID: 38502
Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 7500

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 33 - MANHATTAN (M033) (Continued)

U004077905

Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: 2/3/2007
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 4/23/2007

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-478393
Program Type: PBS
UTM X: 584483.65549000003
UTM Y: 4511368.1136499997
Expiration Date: 2014/11/30

Affiliation Records:

Site Id: 21259
Affiliation Type: On-Site Operator
Company Name: PUBLIC SCHOOL 33 - MANHATTAN (M033)
Contact Type: Not reported
Contact Name: PLANT OPERATIONS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 349-5400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 4/23/2007

Site Id: 21259
Affiliation Type: Mail Contact
Company Name: N Y C DEPARTMENT OF EDUCATION
Contact Type: Not reported
Contact Name: RAYMOND CORREA
Address1: FIELD OPERATIONS-FUEL DIVISION
Address2: 44-36 VERNON BOULEVARD
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: RCORREA5@SCHOOLS.NYC.GOV
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 3/23/2010

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 33 - MANHATTAN (M033) (Continued)

U004077905

Site Id: 21259
Affiliation Type: Emergency Contact
Company Name: NEW YORK CITY DEPT. OF EDUCATION
Contact Type: Not reported
Contact Name: SCHOOL SAFETY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (718) 935-3300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/31/2009

Site Id: 21259
Affiliation Type: Owner
Company Name: NEW YORK CITY DEPT. OF EDUCATION
Contact Type: MGR, FUEL DIVISION
Contact Name: RAYMOND CORREA
Address1: 44-36 VERNON BOULEVARD
Address2: Not reported
City: LONG ISLAND CITY
State: NY
Zip Code: 11101
Country Code: 001
Phone: (718) 349-5738
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 6/22/2010

Equipment Records:

A00 - Tank Internal Protection - None
I02 - Overfill - High Level Alarm
C01 - Pipe Location - Aboveground
L00 - Piping Leak Detection - None
E00 - Piping Secondary Containment - None
K00 - Spill Prevention - None
G02 - Tank Secondary Containment - Vault (w/access)
B01 - Tank External Protection - Painted/Asphalt Coating
I04 - Overfill - Product Level Gauge (A/G)
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
F01 - Pipe External Protection - Painted/Asphalt Coating
C03 - Pipe Location - Aboveground/Underground Combination
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
G00 - Tank Secondary Containment - None
K00 - Spill Prevention - None
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PUBLIC SCHOOL 33 - MANHATTAN (M033) (Continued)

U004077905

- L00 - Piping Leak Detection - None
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- E00 - Piping Secondary Containment - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- G00 - Tank Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- I04 - Overfill - Product Level Gauge (A/G)
- K00 - Spill Prevention - None
- J02 - Dispenser - Suction
- C03 - Pipe Location - Aboveground/Underground Combination
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- I04 - Overfill - Product Level Gauge (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- L00 - Piping Leak Detection - None

Tank Info:

Tank Number: 003
Tank Id: 216887
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 2/8/2007
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: NRLOMBAR
Last Modified: 4/23/2007

BC337
ESE
1/8-1/4
0.241 mi.
1273 ft.

IMPACT PRESENTATIONS INC
121 W 27TH ST STE 602
NEW YORK, NY 10001
Site 9 of 13 in cluster BC

RCRA-NonGen **1001223000**
FINDS **NYR000026294**
MANIFEST

Relative:
Higher

RCRA-NonGen:
Date form received by agency: 01/01/2007
Facility name: IMPACT PRESENTATIONS INC
Facility address: 121 W 27TH ST STE 602
NEW YORK, NY 10001
EPA ID: NYR000026294
Mailing address: W 27TH ST STE 602
NEW YORK, NY 10001
Contact: MOHAMMED SADIQ
Contact address: W 27TH ST STE 602
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 741-0247
Contact email: Not reported
EPA Region: 02

Actual:
38 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

IMPACT PRESENTATIONS INC (Continued)

1001223000

Land type: County
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ANIL BANSAL
Owner/operator address: 10 WITTIG TER
WAYNE, NJ 07470

Owner/operator country: US
Owner/operator telephone: (201) 305-8595
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ANIL BANSAL
Owner/operator address: 10 WITTIG TER
WAYNE, NJ 07470

Owner/operator country: US
Owner/operator telephone: (201) 305-8595
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: IMPACT PRESENTATIONS INC
Classification: Not a generator, verified

Date form received by agency: 07/09/1996
Facility name: IMPACT PRESENTATIONS INC
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

IMPACT PRESENTATIONS INC (Continued)

1001223000

Evaluation Action Summary:

Evaluation date: 03/10/2003
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: State

FINDS:

Registry ID: 110009485271

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000026294
Country: USA
Mailing Name: IMPACT PRESENTATIONS INC
Mailing Contact: MOHAMMED SADIQ
Mailing Address: 121 WEST 27TH STREET SUITE 602
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-741-0247

Document ID: NJA2536169
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 08690
Trans2 State ID: Not reported
Generator Ship Date: 960816
Trans1 Recv Date: 960816
Trans2 Recv Date: Not reported
TSD Site Recv Date: 960819
Part A Recv Date: Not reported
Part B Recv Date: 960919
Generator EPA ID: NYR000026294
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDf ID: NJD002182897
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00340
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 96

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BC338
ESE
1/8-1/4
0.241 mi.
1273 ft.

INDUSTRIAL FUR DYEING INC
121 W 27TH ST
NEW YORK, NY 10001
Site 10 of 13 in cluster BC

RCRA-NonGen **1000428079**
FINDS **NYD056683972**

Relative:
Higher

RCRA-NonGen:

Actual:
38 ft.

Date form received by agency: 01/01/2007
Facility name: INDUSTRIAL FUR DYEING INC
Facility address: 121 W 27TH ST
NEW YORK, NY 10001
EPA ID: NYD056683972
Mailing address: W 27TH ST
NEW YORK, NY 10001
Contact: HCONTFIRST HCONTLAST
Contact address: W 27TH ST
NEW YORK, NY 10001
Contact country: US
Contact telephone: (212) 555-1212
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: Not reported
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

INDUSTRIAL FUR DYEING INC (Continued)

1000428079

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: INDUSTRIAL FUR DYEING INC
Classification: Not a generator, verified

Date form received by agency: 08/05/1980
Facility name: INDUSTRIAL FUR DYEING INC
Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110004360664

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

BC339
ESE
1/8-1/4
0.241 mi.
1273 ft.

**6TH AVENUE WEST ASSOC
121 W 27TH ST - BASEMENT
NEW YORK, NY 10003**

Site 11 of 13 in cluster BC

**RCRA-NonGen 1001229407
FINDS NYR000060004
MANIFEST**

**Relative:
Higher**

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: 6TH AVENUE WEST ASSOC
Facility address: 121 W 27TH ST - BASEMENT
NEW YORK, NY 10003
EPA ID: NYR000060004
Mailing address: E 16TH ST
NEW YORK, NY 10003
Contact: ANTHONY WEATHERUP
Contact address: E 16TH ST
NEW YORK, NY 10003
Contact country: US
Contact telephone: (212) 929-5300
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 6TH AVENUE WEST ASSOC
Owner/operator address: 13 E 16TH ST

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

6TH AVENUE WEST ASSOC (Continued)

1001229407

NE WYORK, NY 10003
Owner/operator country: US
Owner/operator telephone: (212) 929-5300
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: 6TH AVENUE WEST ASSOC
Owner/operator address: 13 E 16TH ST
NE WYORK, NY 10003

Owner/operator country: US
Owner/operator telephone: (212) 929-5300
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: 6TH AVENUE WEST ASSOC
Classification: Not a generator, verified

Date form received by agency: 09/09/1998
Facility name: 6TH AVENUE WEST ASSOC
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004546411

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

6TH AVENUE WEST ASSOC (Continued)

1001229407

program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000060004
Country: USA
Mailing Name: 6TH AVENUE ASSOCIATES
Mailing Contact: HARBHAJAN SINSH
Mailing Address: 121 WEST 27TH ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-675-5798

Document ID: NYG1417869
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 09/15/1998
Trans1 Recv Date: 09/15/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/18/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000060004
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: PD1011NY
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00090
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 008
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00030
Units: P - Pounds
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00200
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

6TH AVENUE WEST ASSOC (Continued)

1001229407

Document ID: NYG1417887
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 09/15/1998
Trans1 Recv Date: 09/15/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/18/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000060004
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: PD1011NY
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00005
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98

Document ID: NYG0494667
Manifest Status: Not reported
Trans1 State ID: NYD077444263
Trans2 State ID: Not reported
Generator Ship Date: 11/17/1998
Trans1 Recv Date: 11/17/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/20/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000060004
Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSD ID: NYPD1010
Waste Code: D002 - NON-LISTED CORROSIVE WASTES
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 003
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00040
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 006
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 01.00
Year: 98

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

BC340 **CONSOLIDATED EDISON**
ESE **V3793-121 W 27TH ST**
1/8-1/4 **NEW YORK, NY**
0.241 mi.
1273 ft. **Site 12 of 13 in cluster BC**

MANIFEST **1009237617**
 N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYP004029252
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Actual:
38 ft.

Document ID: NYE0219071
Manifest Status: Not reported
Trans1 State ID: NYD006982359
Trans2 State ID: Not reported
Generator Ship Date: 12/02/1998
Trans1 Recv Date: 12/02/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/02/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004029252
Trans1 EPA ID: NYD980593636
Trans2 EPA ID: Not reported
TSD ID: 20855AD
Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
Quantity: 00360
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 01.00
Year: 98

BC341 **SIXTH AVENUE WEST ASSOCIATES**
ESE **121 WEST 27TH STREET**
1/8-1/4 **NEW YORK, NY 10001**
0.241 mi.
1273 ft. **Site 13 of 13 in cluster BC**

AST **A100159772**
 N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-604376
Program Type: PBS
UTM X: 585172.88147999998
UTM Y: 4511031.9567999998
Expiration Date: 2014/12/28

Actual:
38 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIXTH AVENUE WEST ASSOCIATES (Continued)

A100159772

Affiliation Records:

Site Id: 26250
Affiliation Type: Owner
Company Name: SIXTH AVENUE WEST ASSOCIATES L.P.
Contact Type: G. PARTNER
Contact Name: ASHOK MEHRA
Address1: 13 EAST 16TH STREET, #400
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-5300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/23/2004

Site Id: 26250
Affiliation Type: Mail Contact
Company Name: SIXTH AVENUE WEST ASSOCIATES, L.P.
Contact Type: Not reported
Contact Name: ASHOK MEHRA
Address1: 13 EAST 16TH STREET, SUITE 400
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 929-5300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/23/2004

Site Id: 26250
Affiliation Type: Emergency Contact
Company Name: SIXTH AVENUE WEST ASSOCIATES L.P.
Contact Type: Not reported
Contact Name: ASHOK MEHRA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 929-5300
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/23/2004

Site Id: 26250
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

SIXTH AVENUE WEST ASSOCIATES (Continued)

A100159772

Company Name: SIXTH AVENUE WEST ASSOCIATES
Contact Type: Not reported
Contact Name: ROBERT REAL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 989-9561
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 11/23/2004

Equipment Records:

B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
F06 - Pipe External Protection - Wrapped
G00 - Tank Secondary Containment - None
J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
K00 - Spill Prevention - None
E00 - Piping Secondary Containment - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 57489
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 5/10/1909
Capacity Gallons: 6000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: MSBAPTIS
Last Modified: 11/16/2009

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s) EDR ID Number
EPA ID Number

BG342 THE FRENCH APARTMENTS
North 330 WEST 30TH STREET
1/8-1/4 NEW YORK, NY 10001
0.241 mi.
1273 ft. Site 5 of 5 in cluster BG

AST U003384320
HIST AST N/A

Relative:
Higher

AST:

Actual:
32 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-090921
Program Type: PBS
UTM X: 584787.82672999997
UTM Y: 4511497.8181100003
Expiration Date: 2012/03/10

Affiliation Records:

Site Id: 2248
Affiliation Type: On-Site Operator
Company Name: THE FRENCH APARTMENTS
Contact Type: Not reported
Contact Name: FRENCH APTS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 695-2913
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2248
Affiliation Type: Owner
Company Name: FRENCH APTS HOUSING COMPANY
Contact Type: DIRECTOR OF ENGINEERING
Contact Name: PETER S. HOYLE
Address1: 423 WEST 55TH STREET, 9TH FL
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 319-1200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/12/2007

Site Id: 2248
Affiliation Type: Emergency Contact
Company Name: FRENCH APTS HOUSING COMPANY
Contact Type: Not reported
Contact Name: PETER ROSARIO
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE FRENCH APARTMENTS (Continued)

U003384320

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 695-2913
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 2248
Affiliation Type: Mail Contact
Company Name: RELATED MGMT. CO., LP
Contact Type: Not reported
Contact Name: MR. HECTOR PINERO
Address1: C/O RELATED MGMT CORP
Address2: 423 WEST 55TH STREET, 9TH FL.
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 981-3525
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/12/2007

Equipment Records:

G02 - Tank Secondary Containment - Vault (w/access)
A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
K00 - Spill Prevention - None
L00 - Piping Leak Detection - None
B00 - Tank External Protection - None
E00 - Piping Secondary Containment - None
H00 - Tank Leak Detection - None
C01 - Pipe Location - Aboveground

Tank Info:

Tank Number: 001
Tank Id: 3558
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 8/1/1978
Capacity Gallons: 15000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE FRENCH APARTMENTS (Continued)

U003384320

Date Tank Closed: Not reported
Register: True
Modified By: DXLIVING
Last Modified: 3/12/2007

HIST AST:

PBS Number: 2-090921
SWIS Code: 6201
Operator: FRENCH APTS
Facility Phone: (212) 695-2913
Facility Addr2: 330 WEST 30TH STREET
Facility Type: APARTMENT BUILDING
Emergency: PETER ROSARIO
Emergency Tel: (212) 695-2913
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: FRENCH APTS HOUSING COMPANY
Owner Address: 625 MADISON AVENUE
Owner City,St,Zip: NEW YORK, NY 10022
Federal ID: Not reported
Owner Tel: (212) 319-1200
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MR. HECTOR PINERO
Mailing Name: RELATED MGMT. CO., LP
Mailing Address: C/O RELATED MGMT CORP
Mailing Address 2: 330 WEST 30TH STREET
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Telephone: (212) 947-1644
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 03/27/1997
Expiration: 03/10/2002
Renew Flag: False
Renew Date: 20011113
Total Capacity: 15000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
Tank Status: In Service
Install Date: 19780801
Capacity (Gal): 15000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THE FRENCH APARTMENTS (Continued)

U003384320

Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 0
Pipe Location: Aboveground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: 0
Tank Containment: Diking
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Gravity
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

BH343 201 7 AVENUE
South 201 SEVENTH AVENUE
1/8-1/4 NEW YORK, NY 10011
0.242 mi.
1276 ft. Site 2 of 2 in cluster BH

AST **A100183412**
N/A

Relative:
Equal

AST:

Actual:
27 ft.

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-606840
Program Type: PBS
UTM X: 584726.40685000003
UTM Y: 4510694.5759800002
Expiration Date: 2011/08/28

Affiliation Records:

Site Id: 28695
Affiliation Type: Mail Contact
Company Name: NYC/HPD/DAMP
Contact Type: Not reported
Contact Name: ASST. COMMISSIONER/DAMP
Address1: 100 GOLD STREET
Address2: #7Z5
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 2/5/2007

Site Id: 28695

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

201 7 AVENUE (Continued)

A100183412

Affiliation Type: Owner
Company Name: NYC/HPD/DAMP
Contact Type: ASST COMMISSIONER DAMP
Contact Name: WILLA H. PADGETT
Address1: 100 GOLD ST., #7Z5
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10038
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 1/8/2007

Site Id: 28695
Affiliation Type: On-Site Operator
Company Name: 201 7 AVENUE
Contact Type: Not reported
Contact Name: ASST. COMM. DAMP
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 863-7301
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 7/11/2006

Site Id: 28695
Affiliation Type: Emergency Contact
Company Name: Not reported
Contact Type: Not reported
Contact Name: 213/215 MOTT ST. H.D.F.C.
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 613-0908
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 3/4/2008

Equipment Records:

A00 - Tank Internal Protection - None
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

201 7 AVENUE (Continued)

A100183412

J02 - Dispenser - Suction
C03 - Pipe Location - Aboveground/Underground Combination
D01 - Pipe Type - Steel/Carbon Steel/Iron
I05 - Overfill - Vent Whistle
B01 - Tank External Protection - Painted/Asphalt Coating
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 61937
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: KXTANG
Last Modified: 7/11/2006

BL344
NNE
1/8-1/4
0.242 mi.
1277 ft.

CENTRAL PARKING SYSTEM OF NEW YORK INC.
254 WEST 31ST STREET
NEW YORK, NY 10011
Site 1 of 2 in cluster BL

UST U003200526
HIST UST N/A
HIST AST

Relative:
Higher

UST:
Facility Id: 2-304883
Region: STATE
DEC Region: 2
Site Status: Administratively Closed
Program Type: PBS
Expiration Date: N/A
UTM X: 585009.38604999997
UTM Y: 4511460.6125499997

Actual:
32 ft.

Affiliation Records:
Site Id: 13912
Affiliation Type: Emergency Contact
Company Name: CENTRAL PARKING SYSTEM OF NEW YORK,INC.
Contact Type: Not reported
Contact Name: CENTRAL PARKING SYSTEM OF NY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 629-6602
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: ajsigona

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Date Last Modified: 6/8/2004

Site Id: 13912
Affiliation Type: Owner
Company Name: CENTRAL PARKING SYSTEM OF NEW YORK,INC.
Contact Type: Not reported
Contact Name: Not reported
Address1: 254 WEST 31ST STREET 4TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: Not reported
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: ajsigona
Date Last Modified: 6/8/2004

Site Id: 13912
Affiliation Type: On-Site Operator
Company Name: CENTRAL PARKING SYSTEM OF NEW YORK INC.
Contact Type: Not reported
Contact Name: CENTRAL PARKING SYSTEM OF NY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NY
Zip Code: Not reported
Country Code: 001
Phone: (212) 266-9611
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: ajsigona
Date Last Modified: 6/8/2004

Site Id: 13912
Affiliation Type: Mail Contact
Company Name: CENTRAL PARKING SYSTEM OF NEW YORK INC.
Contact Type: Not reported
Contact Name: GLENN CENTOLONIA
Address1: 254 WEST 31ST STREET 4TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 629-6602
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Equipment Records:

B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
A00 - Tank Internal Protection - None
D02 - Pipe Type - Galvanized Steel
J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
D02 - Pipe Type - Galvanized Steel
J01 - Dispenser - Submersible
G00 - Tank Secondary Containment - None
G00 - Tank Secondary Containment - None
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
I00 - Overfill - None
I00 - Overfill - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
D02 - Pipe Type - Galvanized Steel
I00 - Overfill - None
A00 - Tank Internal Protection - None
J01 - Dispenser - Submersible
G00 - Tank Secondary Containment - None
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
F00 - Pipe External Protection - None
C00 - Pipe Location - No Piping
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
B00 - Tank External Protection - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel
J01 - Dispenser - Submersible
D01 - Pipe Type - Steel/Carbon Steel/Iron
A00 - Tank Internal Protection - None
J01 - Dispenser - Submersible
A00 - Tank Internal Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
I00 - Overfill - None
I00 - Overfill - None
C00 - Pipe Location - No Piping

Tank Info:

Site ID: 13912

Tank Number: 001
Tank ID: 16287
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1980
Capacity Gallons: 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Tightness Test Method: 20
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 2/1/1996
Register: True
Modified By: ajsigona
Last Modified: 5/28/2004

Site ID: 13912

Tank Number: 002
Tank ID: 16288
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1980
Capacity Gallons: 4000
Tightness Test Method: 20
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 2/1/1996
Register: True
Modified By: ajsigona
Last Modified: 5/28/2004

Site ID: 13912

Tank Number: 003
Tank ID: 16291
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1980
Capacity Gallons: 4000
Tightness Test Method: 20
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 2/1/1996
Register: True
Modified By: ajsigona
Last Modified: 5/28/2004

Site ID: 13912

Tank Number: 004
Tank ID: 16289
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1980
Capacity Gallons: 4000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Tightness Test Method: 20
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 2/1/1996
Register: True
Modified By: ajsigona
Last Modified: 5/28/2004

Site ID: 13912

Tank Number: 005
Tank ID: 16290
Tank Status: Administratively Closed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 4/1/1980
Capacity Gallons: 4000
Tightness Test Method: 20
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 2/1/1996
Register: True
Modified By: ajsigona
Last Modified: 5/28/2004

HIST UST:

PBS Number: 2-304883
SPDES Number: Not reported
Emergency Contact: CENTRAL PARKING SYSTEM OF NY
Emergency Telephone: (212) 629-6602
Operator: CENTRAL PARKING SYSTEM OF NY
Operator Telephone: (212) 266-9611
Owner Name: CENTRAL PARKING SYSTEM OF NEW YORK,INC.
Owner Address: 254 WEST 31ST STREET 4TH FLOOR
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 639-6602
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: CENTRAL PARKING SYSTEM OF NEW YORK INC.
Mailing Address: 254 WEST 31ST STREET 4TH FLOOR
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: GLENN CENTOLONIA
Mailing Telephone: (212) 629-6602
Owner Mark: Second Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
Facility Addr2: Not reported
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: RETAIL GASOLINE SALES
Inspected Date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 09/25/1997
Expiration Date: 09/23/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 20000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19800401
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: 02/01/1996
Next Test Date: 02/01/2001
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: USTest 2000
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19800401
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: 02/01/1996
Next Test Date: 02/01/2001
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: USTest 2000
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 003
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19800401
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: 02/01/1996
Next Test Date: 02/01/2001
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: USTest 2000
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 004
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19800401
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: 02/01/1996
Next Test Date: 02/01/2001
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: USTest 2000
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 005
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19800401
Capacity (gals): 4000
Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: None
Leak Detection: None
Overfill Prot: Not reported
Dispenser: Submersible
Date Tested: 02/01/1996
Next Test Date: 02/01/2001
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: USTest 2000
Deleted: False
Updated: True
Lat/long: Not reported

HIST AST:
PBS Number: 2-309664
SWIS Code: 6201
Operator: JOHN FLAVIN
Facility Phone: (212) 736-9089
Facility Addr2: 254 WEST 31 STREET
Facility Type: Not reported
Emergency: MANUEL VELLA
Emergency Tel: (212) 255-6789
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: THIRTY ONE CO C/O BRAUSE REALT
Owner Address: 52 VANDERBILT AVENUE
Owner City,St,Zip: NEW YORK, NY 10017
Federal ID: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL PARKING SYSTEM OF NEW YORK INC. (Continued)

U003200526

Owner Tel: (212) 697-5454
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: AG.FOR 254 W. 31 STREET
Mailing Name: EDWARD S CORDON CO., INC.
Mailing Address: 200 PARK AVE.
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10166
Mailing Telephone: (000) 000-0000
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 05/15/2000
Expiration: 10/15/1997
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: 03/17/2000
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Horner EZ Check
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BL345 **THIRTY ONE COMPANY**
NNE **254 WEST 31ST STREET**
1/8-1/4 **NEW YORK, NY 10001**
0.242 mi.
1277 ft. **Site 2 of 2 in cluster BL**

UST **U004078074**
 N/A

Relative:
Higher

UST:

Facility Id: 2-309664
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2007/10/15
UTM X: 585009.3860499997
UTM Y: 4511460.6125499997

Actual:
32 ft.

Affiliation Records:

Site Id: 14126
Affiliation Type: Emergency Contact
Company Name: THIRTY ONE COMPANY % BRAUSE REALTY
Contact Type: Not reported
Contact Name: PHILIP RUCK
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (917) 597-6632
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14126
Affiliation Type: On-Site Operator
Company Name: THIRTY ONE COMPANY
Contact Type: Not reported
Contact Name: VICTOR FORMOSA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 736-9089
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14126
Affiliation Type: Owner
Company Name: THIRTY ONE COMPANY % BRAUSE REALTY
Contact Type: Not reported
Contact Name: Not reported
Address1: 52 VANDERBILT AVENUE
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THIRTY ONE COMPANY (Continued)

U004078074

City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 697-5454
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 14126
Affiliation Type: Mail Contact
Company Name: THIRTY ONE CO. %
Contact Type: Not reported
Contact Name: PHILIP J. RUCK
Address1: WINOKER REALTY CO.
Address2: 462 SEVENTH AVENUE - 12A
City: NEW YORK
State: NY
Zip Code: 10018
Country Code: 001
Phone: (212) 764-7666
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

F00 - Pipe External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
C02 - Pipe Location - Underground/On-ground
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D00 - Pipe Type - No Piping
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating

Tank Info:

Site ID: 14126

Tank Number: 001
Tank ID: 24255
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: 03
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: 3/17/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

THIRTY ONE COMPANY (Continued)

U004078074

Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

BM346 148 W 23RD ST
SSE 148 W 23RD ST
1/8-1/4 NY, NY 10011
0.242 mi.
1277 ft. Site 1 of 3 in cluster BM

UST **U004077154**
N/A

Relative:
Higher

UST:
Facility Id: 2-282588
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/07/14
UTM X: 584953.26355000003
UTM Y: 4510773.4243700001

Actual:
31 ft.

Affiliation Records:

Site Id: 12443
Affiliation Type: Mail Contact
Company Name: TUDOR REALTY SERVICES
Contact Type: Not reported
Contact Name: ANTHONY COLELLA
Address1: 250 PARK AVENUE SOUTH
Address2: 4TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 557-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/3/2007

Site Id: 12443
Affiliation Type: Emergency Contact
Company Name: 148 WEST 23RD STREET OWNERS CORPORATION
Contact Type: Not reported
Contact Name: TOM HINKLEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 557-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/2/2007

Site Id: 12443

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 23RD ST (Continued)

U004077154

Affiliation Type: On-Site Operator
Company Name: 148 W 23RD ST
Contact Type: Not reported
Contact Name: MARIO DELGADO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-0874
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/2/2007

Site Id: 12443
Affiliation Type: Owner
Company Name: 148 WEST 23RD STREET OWNERS CORPORATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 250 PARK AVENUE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 557-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: nrlombar
Date Last Modified: 6/21/2004

Equipment Records:

D00 - Pipe Type - No Piping
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
C00 - Pipe Location - No Piping

Tank Info:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

148 W 23RD ST (Continued)

U004077154

Site ID: 12443
 Tank Number: 001-A
 Tank ID: 157115
 Tank Status: Closed - In Place
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: 11/1/1993
 Tank Location: 5
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 3/4/2004

BM347
SSE
1/8-1/4
0.242 mi.
1277 ft.

148 W 23RD ST
148 W 23RD ST
NY, NY 10011

Site 2 of 3 in cluster BM

HIST UST **U003074516**
AST **N/A**
HIST AST

Relative:
Higher

HIST UST:

Actual:
31 ft.

PBS Number: 2-282588
 SPDES Number: Not reported
 Emergency Contact: MARC KOTLER
 Emergency Telephone: (212) 557-3600
 Operator: MARC KOTLER
 Operator Telephone: (212) 557-3600
 Owner Name: 148 WEST 23RD STREET OWNERS CORPORATION
 Owner Address: 25 TUDOR CITY PLACE
 Owner City,St,Zip: NEW YORK, NY 10017
 Owner Telephone: (212) 557-3600
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: TUDOR REALTY SERVICES
 Mailing Address: 25 TUDOR CITY PLACE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10017
 Mailing Contact: MARC KOTLER
 Mailing Telephone: (212) 557-3600
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 148 W 23RD ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 04/21/1998

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 23RD ST (Continued)

U003074516

Expiration Date: 07/14/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 11/01/1993
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-282588
Program Type: PBS
UTM X: 584953.26355000003
UTM Y: 4510773.4243700001
Expiration Date: 2012/07/14

Affiliation Records:

Site Id: 12443
Affiliation Type: Mail Contact
Company Name: TUDOR REALTY SERVICES
Contact Type: Not reported
Contact Name: ANTHONY COLELLA

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 23RD ST (Continued)

U003074516

Address1: 250 PARK AVENUE SOUTH
Address2: 4TH FLOOR
City: NEW YORK
State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 557-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 12/3/2007

Site Id: 12443
Affiliation Type: Emergency Contact
Company Name: 148 WEST 23RD STREET OWNERS CORPORATION
Contact Type: Not reported
Contact Name: TOM HINKLEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 557-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/2/2007

Site Id: 12443
Affiliation Type: On-Site Operator
Company Name: 148 W 23RD ST
Contact Type: Not reported
Contact Name: MARIO DELGADO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 727-0874
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 4/2/2007

Site Id: 12443
Affiliation Type: Owner
Company Name: 148 WEST 23RD STREET OWNERS CORPORATION
Contact Type: Not reported
Contact Name: Not reported
Address1: 250 PARK AVENUE SOUTH
Address2: Not reported
City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 23RD ST (Continued)

U003074516

State: NY
Zip Code: 10003
Country Code: 001
Phone: (212) 557-3600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: nrlombar
Date Last Modified: 6/21/2004

Equipment Records:

D00 - Pipe Type - No Piping
I05 - Overfill - Vent Whistle
J02 - Dispenser - Suction
J02 - Dispenser - Suction
G03 - Tank Secondary Containment - Vault (w/o access)
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
C01 - Pipe Location - Aboveground
F00 - Pipe External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
B01 - Tank External Protection - Painted/Asphalt Coating
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 156488
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 11/1/1993
Capacity Gallons: 4500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-282588
SWIS Code: 6201
Operator: MARC KOTLER
Facility Phone: (212) 557-3600
Facility Addr2: 148 W 23RD ST
Facility Type: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 23RD ST (Continued)

U003074516

Emergency: MARC KOTLER
Emergency Tel: (212) 557-3600
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 148 WEST 23RD STREET OWNERS CORPORATION
Owner Address: 25 TUDOR CITY PLACE
Owner City,St,Zip: NEW YORK, NY 10017
Federal ID: Not reported
Owner Tel: (212) 557-3600
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: MARC KOTLER
Mailing Name: TUDOR REALTY SERVICES
Mailing Address: 25 TUDOR CITY PLACE
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10017
Mailing Telephone: (212) 557-3600
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 04/21/1998
Expiration: 07/14/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4500
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19931101
Capacity (Gal): 4500
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: 0
Tank External: 10
Pipe Location: Aboveground
Pipe Type: NONE
Pipe Internal: None
Pipe External: 00
Tank Containment: 10
Leak Detection: 50
Overfill Protection: 60
Dispenser Method: Suction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

148 W 23RD ST (Continued)

U003074516

Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

BM348
SSE
1/8-1/4
0.242 mi.
1277 ft.

CAPPIELLO KING ASSOCIATES INC
148 W 23RD ST STE 1B
NEW YORK, NY 10011
Site 3 of 3 in cluster BM

RCRA-NonGen 1004755818
FINDS NY0000450932
MANIFEST

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: CAPPIELLO KING ASSOCIATES INC
Facility address: 148 W 23RD ST STE 1B
NEW YORK, NY 10011
EPA ID: NY0000450932
Mailing address: W 23RD ST STE 1B
NEW YORK, NY 10011
Contact: MORDY COLODNER
Contact address: W 23RD ST STE 1B
NEW YORK, NY 10011
Contact country: US
Contact telephone: (212) 255-8060
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
31 ft.

Owner/Operator Summary:

Owner/operator name: CAPPIELLO KING ASSOCIATES INC
Owner/operator address: 148 W 23RD ST STE 1B
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 255-8060
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CAPPIELLO KING ASSOCIATES INC
Owner/operator address: 148 W 23RD ST STE 1B
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 255-8060
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPPIELLO KING ASSOCIATES INC (Continued)

1004755818

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: CAPPIELLO KING ASSOCIATES INC
Classification: Not a generator, verified

Date form received by agency: 07/12/1994
Facility name: CAPPIELLO KING ASSOCIATES INC
Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004317463

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0000450932
Country: USA
Mailing Name: CAPPIELLO KING ASSOCIATES
Mailing Contact: MORDEA COLODNER
Mailing Address: 148 WEST 23RD STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10011
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-255-8060

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CAPPIELLO KING ASSOCIATES INC (Continued)

1004755818

Document ID: NYB6594696
Manifest Status: Completed copy
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 940819
Trans1 Recv Date: 940819
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940819
Part A Recv Date: Not reported
Part B Recv Date: 940901
Generator EPA ID: NY0000450932
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00030
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 94

Document ID: NYB7375716
Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
Trans1 State ID: XC2643
Trans2 State ID: Not reported
Generator Ship Date: 951115
Trans1 Recv Date: 951115
Trans2 Recv Date: Not reported
TSD Site Recv Date: 951115
Part A Recv Date: Not reported
Part B Recv Date: 951212
Generator EPA ID: NY0000450932
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSD ID: NYD981182769
Waste Code: D011 - SILVER 5.0 MG/L TCLP
Quantity: 00015
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 001
Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 100
Year: 95

BN349
East
1/8-1/4
0.242 mi.
1279 ft.

146 WEST 29TH STREET
146 WEST 29TH STREET
NEW YORK, NY 10001
Site 1 of 4 in cluster BN

UST U004078015
N/A

Relative:
Higher

UST:
Facility Id: 2-601324
Region: STATE
DEC Region: 2
Site Status: Active

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146 WEST 29TH STREET (Continued)

U004078015

Program Type: PBS
Expiration Date: 2013/02/19
UTM X: 585180.0429699995
UTM Y: 4511187.5775300004

Affiliation Records:

Site Id: 23291
Affiliation Type: Mail Contact
Company Name: BERIK MANAGEMENT,INC.
Contact Type: Not reported
Contact Name: RIKIN SHETH
Address1: 146 WEST 29TH STREET OWNERS CORP
Address2: 381 PARK AVENUE SOUTH, #1515
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 679-8222
Phone Ext: Not reported
Email: RIKIN@BERIK.COM
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/12/2007

Site Id: 23291
Affiliation Type: Emergency Contact
Company Name: 146 WEST 29TH STREET OWNERS CORP % BERIK MGMT
Contact Type: Not reported
Contact Name: BISHARAH G. BISHARAH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (631) 231-8737
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 23291
Affiliation Type: On-Site Operator
Company Name: 146 WEST 29TH STREET
Contact Type: Not reported
Contact Name: BERIK MANAGEMENT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-0149
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146 WEST 29TH STREET (Continued)

U004078015

Date Last Modified: 3/4/2004

Site Id: 23291
Affiliation Type: Owner
Company Name: 146 WEST 29TH STREET OWNERS CORP % BERIK MGMT
Contact Type: AGENT
Contact Name: MR. RIKIN SHETH
Address1: 381 PARK AVENUE SOUTH #1515
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 679-8222
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 12/12/2007

Equipment Records:

F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
A99 - Tank Internal Protection - Other
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
G99 - Tank Secondary Containment - Other
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
D02 - Pipe Type - Galvanized Steel

Tank Info:

Site ID: 23291

Tank Number: 001
Tank ID: 45486
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1925
Capacity Gallons: 6000
Tightness Test Method: ZZ
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: 12/1/1990
Register: True
Modified By: dxliving
Last Modified: 12/12/2007

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BN350
East
1/8-1/4
0.242 mi.
1279 ft.

146 WEST 29TH STREET
146 WEST 29TH STREET
NEW YORK, NY 10001
Site 2 of 4 in cluster BN

HIST UST **U001330029**
N/A

Relative:
Higher

HIST UST:

Actual:
37 ft.

PBS Number: 2-601324
SPDES Number: Not reported
Emergency Contact: BISHARAH G. BISHARAH
Emergency Telephone: (516) 231-8737
Operator: BERIK MANAGEMENT
Operator Telephone: (212) 563-0149
Owner Name: 146 WEST 29TH STREET OWNERS CORP
Owner Address: % BERIK MGMT /39 WEST 32ND STREET#1603
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 695-9040
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: BERIK MANAGEMENT,INC.
Mailing Address: 146 WEST 29TH STREET OWNERS CORP
Mailing Address 2: 39 WEST 32ND STREET -#1603
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: RIKIN SHETH
Mailing Telephone: (212) 695-9040
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 146 WEST 29TH STREET
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/16/1998
Expiration Date: 02/19/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 6000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 6000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

146 WEST 29TH STREET (Continued)

U001330029

Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Other
Tank External: Not reported
Pipe Location: Aboveground
Pipe Type: GALVANIZED STEEL
Pipe Internal: Fiberglass Liner (FRP)
Pipe External: Not reported
Second Containment: Double-Walled
Leak Detection: Concrete Pad w/channels
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: 12/01/1990
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

BE351 119 W 25TH ST
SE 119 W 25TH ST
1/8-1/4 NEW YORK, NY 10001
0.243 mi.
1285 ft. Site 5 of 5 in cluster BE

UST U000398101
HIST UST N/A

Relative:
Higher

UST:
Facility Id: 2-240389
Region: STATE
DEC Region: 2
Site Status: Unregulated
Program Type: PBS
Expiration Date: N/A
UTM X: 585101.79648000002
UTM Y: 4510891.14432

Actual:
37 ft.

Affiliation Records:
Site Id: 9103
Affiliation Type: Emergency Contact
Company Name: MR MURRAY FEIT LIFE REALTY CO
Contact Type: Not reported
Contact Name: MR GARY WEISSBARD NEWMARK & CO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (718) 738-1930
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9103
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

119 W 25TH ST (Continued)

U000398101

Company Name: 119 W 25TH ST
Contact Type: Not reported
Contact Name: NEWMARK & CO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9103
Affiliation Type: Owner
Company Name: MR MURRAY FEIT LIFE REALTY CO
Contact Type: Not reported
Contact Name: Not reported
Address1: 119 W 25TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 255-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9103
Affiliation Type: Mail Contact
Company Name: MR MURRAY FEIT LIFE REALTY CO
Contact Type: Not reported
Contact Name: Not reported
Address1: 119 W 25TH ST
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 255-7633
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

G99 - Tank Secondary Containment - Other
A00 - Tank Internal Protection - None
H00 - Tank Leak Detection - None
D02 - Pipe Type - Galvanized Steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

119 W 25TH ST (Continued)

U000398101

J02 - Dispenser - Suction
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Site ID: 9103

Tank Number: 001
Tank ID: 40442
Tank Status: Closed Prior to Micro Conversion, 03/91
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 6000
Tightness Test Method: NN
Next Test Date: Not reported
Date Tank Closed: Not reported
Tank Location: 6
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-240389
SPDES Number: Not reported
Emergency Contact: MR GARY WEISSBARD NEWMARK & CO
Emergency Telephone: (718) 738-1930
Operator: NEWMARK & CO
Operator Telephone: (212) 255-7633
Owner Name: MR MURRAY FEIT LIFE REALTY CO
Owner Address: 119 W 25TH ST
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 255-7633
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Name: MR MURRAY FEIT LIFE REALTY CO
Mailing Address: 119 W 25TH ST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: Not reported
Mailing Telephone: (212) 255-7633
Owner Mark: First Owner
Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
Facility Addr2: 119 W 25TH ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: Not reported
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

119 W 25TH ST (Continued)

U000398101

Certification Date: Not reported
Expiration Date: 12/23/1991
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 0
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: Closed Before April 1, 1991
Install Date: Not reported
Capacity (gals): 6000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Other
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

**BO352
ESE
1/8-1/4
0.244 mi.
1289 ft.**

**118 WEST 27TH STREET
118 WEST 27TH STREET
NEW YORK, NY 10001
Site 1 of 4 in cluster BO**

**AST A100178188
N/A**

**Relative:
Higher**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-605951
Program Type: PBS
UTM X: 585172.7019899997
UTM Y: 4511018.1883199997
Expiration Date: 2011/06/06

**Actual:
38 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

118 WEST 27TH STREET (Continued)

A100178188

Affiliation Records:

Site Id: 27817
Affiliation Type: Emergency Contact
Company Name: 118 WEST CORPORATION
Contact Type: Not reported
Contact Name: PASCUAL CORDERO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (646) 725-9073
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Site Id: 27817
Affiliation Type: Mail Contact
Company Name: LEVITES REALTY MGMT. CORP.
Contact Type: Not reported
Contact Name: MICHAEL LEON
Address1: 341 EAST 149TH STREET
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10451
Country Code: 001
Phone: (718) 993-9060
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: CGFREEDM
Date Last Modified: 10/26/2004

Site Id: 27817
Affiliation Type: Owner
Company Name: 118 WEST CORPORATION
Contact Type: AGENT
Contact Name: MICHAEL LEON
Address1: 341 E. 149TH STREET
Address2: Not reported
City: BRONX
State: NY
Zip Code: 10451
Country Code: 001
Phone: (718) 993-9060
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Site Id: 27817
Affiliation Type: On-Site Operator

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

118 WEST 27TH STREET (Continued)

A100178188

Company Name: 118 WEST 27TH STREET
Contact Type: Not reported
Contact Name: PASCUAL CORDERO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 725-9073
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/12/2006

Equipment Records:

H00 - Tank Leak Detection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
B00 - Tank External Protection - None
C01 - Pipe Location - Aboveground
I01 - Overfill - Float Vent Valve
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 60749
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 10/1/1980
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

BJ353 127 WEST 24TH ST.
SE 127 WEST 24TH ST.
1/8-1/4 NEW YORK, NY 10001
0.245 mi.
1294 ft. Site 4 of 4 in cluster BJ

AST A100178195
N/A

Relative:
Higher

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-605959

Actual:
34 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 24TH ST. (Continued)

A100178195

Program Type: PBS
UTM X: 585047.35565000004
UTM Y: 4510830.2356099999
Expiration Date: 2011/06/07

Affiliation Records:

Site Id: 27824
Affiliation Type: Mail Contact
Company Name: BERNSTEIN REAL ESTATE CO.
Contact Type: Not reported
Contact Name: CARMINE CASALE
Address1: 855 AVENUE OF THE AMERICAS
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2006

Site Id: 27824
Affiliation Type: On-Site Operator
Company Name: 127 WEST 24TH ST.
Contact Type: Not reported
Contact Name: JOSEPH WEGLARZ
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 691-2834
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2006

Site Id: 27824
Affiliation Type: Emergency Contact
Company Name: HORNE BUILDING OWNERS CORP.
Contact Type: Not reported
Contact Name: CARMINE CASALE
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

127 WEST 24TH ST. (Continued)

A100178195

Date Last Modified: 4/5/2006

Site Id: 27824
Affiliation Type: Owner
Company Name: HORNE BUILDING OWNERS CORP.
Contact Type: MANAGING AGENT
Contact Name: CARMINE CASALE
Address1: 855 AVENUE OF THE AMERICAS
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 594-1414
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 4/5/2006

Equipment Records:

G00 - Tank Secondary Containment - None
C01 - Pipe Location - Aboveground
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 60758
Tank Location: 3
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

BF354 **114 W 26 ST**
ESE **114 W 26 ST**
1/8-1/4 **NEW YORK, NY 10001**
0.246 mi.
1300 ft. **Site 4 of 4 in cluster BF**

AST **U003392074**
HIST AST **N/A**

Relative:
Higher

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-149454
Program Type: PBS
UTM X: 585143.84166000003
UTM Y: 4510943.1404400002
Expiration Date: 2013/01/07

Actual:
38 ft.

Affiliation Records:

Site Id: 4509
Affiliation Type: Mail Contact
Company Name: WEST 26TH STREET MGT LLC
Contact Type: Not reported
Contact Name: JOHANNA PEREZ
Address1: 114 WEST 26TH STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 736-7000
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/14/2008

Site Id: 4509
Affiliation Type: On-Site Operator
Company Name: 114 W 26 ST
Contact Type: Not reported
Contact Name: SAM LALL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 929-2065
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/14/2008

Site Id: 4509
Affiliation Type: Owner
Company Name: WEST 26TH STREET MGT LLC
Contact Type: MGR
Contact Name: JOHANNA PEREZ
Address1: 114 WEST 26TH STREET
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

114 W 26 ST (Continued)

U003392074

City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 716-3500
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/14/2008

Site Id: 4509
Affiliation Type: Emergency Contact
Company Name: WEST 26TH STREET MGT LLC
Contact Type: Not reported
Contact Name: SAM LALL
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (212) 929-2065
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: msbaptis
Date Last Modified: 3/14/2008

Equipment Records:

I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
A00 - Tank Internal Protection - None
D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None

Tank Info:

Tank Number: 001
Tank Id: 23303
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1997
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

114 W 26 ST (Continued)

U003392074

Modified By: msbaptis
Last Modified: 3/14/2008

HIST AST:

PBS Number: 2-149454
SWIS Code: 6201
Operator: PHIL NICASTRO
Facility Phone: (212) 716-3500
Facility Addr2: 114 W 26 ST
Facility Type: Not reported
Emergency: PHIL NICASTRO
Emergency Tel: (212) 929-2065
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 114 WEST 26TH STREET ASSOCIATES INC.
Owner Address: 380 MADISON AVE. WILLIAMS REAL ESTATE
Owner City,St,Zip: NEW YORK, NY 10017
Federal ID: Not reported
Owner Tel: (212) 716-3500
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: 114 WEST 26TH STREET ASSOCIATES INC.
Mailing Address: 530 5 AVE % WILLIAMS REAL EST
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10011
Mailing Telephone: (212) 704-3500
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 01/16/1998
Expiration: 01/07/2003
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

114 W 26 ST (Continued)

U003392074

Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: None
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

355
NNE
1/8-1/4
0.246 mi.
1301 ft.

AMTRAK NEW YORK CITY PENN STATION SERVICE BLDG
242 W 31ST ST
NEW YORK, NY 10001

MANIFEST S110490848
N/A

Relative:
Higher

NY MANIFEST:
EPA ID: NYR000172981
Country: USA
Mailing Name: AMTRAK NEW YORK CITY PENN STATION SERVICE BLDG
Mailing Contact: STEPAN GILMORE
Mailing Address: 242 W 31ST ST
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718794430

Actual:
33 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD985286988
Trans2 State ID: Not reported
Generator Ship Date: 2010-06-11
Trans1 Recv Date: 2010-06-11
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-06-16
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000172981
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported
Quantity: 8995.0
Units: P - Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

AMTRAK NEW YORK CITY PENN STATION SERVICE BLDG (Continued)

S110490848

Number of Containers: 39.0
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 002483417FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD985286988
Trans2 State ID: Not reported
Generator Ship Date: 2010-06-11
Trans1 Recv Date: 2010-06-11
Trans2 Recv Date: Not reported
TSD Site Recv Date: 2010-06-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYR000172981
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NYD077444263
Waste Code: Not reported
Quantity: 9948.0
Units: P - Pounds
Number of Containers: 41.0
Container Type: DM - Metal drums, barrels
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 002483416FLE
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

356
WNW
1/8-1/4
0.247 mi.
1302 ft.

400 WEST 25TH STREET
400 WEST 25TH STREET
MANHATTAN, NY

LTANKS
HIST LTANKS
AST
HIST AST

S103517586
N/A

Relative:
Lower

LTANKS:

Actual:
20 ft.

Site ID: 300724
Spill No: 9310011
Spill Date: 11/17/1993
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/17/1993
Facility Addr2: Not reported
Cleanup Ceased: 11/17/1993
Cleanup Meets Standard: True
SWIS: 3101
Investigator: CAMMISA
Referred To: Not reported
Reported to Dept: 11/17/1993
CID: Not reported
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/18/1993
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 243240
DEC Memo: Not reported
Remarks: POSSIBLE GAGE CONTAINED ON SIDEWALK - DRIVER APPLIED SORBENT - P/U.

Material:

Site ID: 300724
Operable Unit ID: 991716
Operable Unit: 01
Material ID: 392649
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -3
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 WEST 25TH STREET (Continued)

S103517586

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9310011
Spill Date: 11/17/1993
Spill Time: 13:15
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/17/93
Cleanup Ceased: 11/17/93
Cleanup Meets Standard: True
Investigator: CAMMISA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/17/93
Reported to Department Time: 13:17
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 WEST 25TH STREET (Continued)

S103517586

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/18/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -3
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: POSSIBLE GAGE CONTAINED ON SIDEWALK - DRIVER APPLIED SORBENT - P/U.

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-252107
Program Type: PBS
UTM X: 584413.37684000004
UTM Y: 4511244.6360999998
Expiration Date: 2012/11/16

Affiliation Records:

Site Id: 10145
Affiliation Type: Emergency Contact
Company Name: ELK INVESTORS
Contact Type: Not reported
Contact Name: JIM GALANIS
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 371-5050
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 WEST 25TH STREET (Continued)

S103517586

Date Last Modified: 3/4/2004

Site Id: 10145
Affiliation Type: Owner
Company Name: ELK INVESTORS
Contact Type: MEMBER
Contact Name: Not reported
Address1: 489 FIFTH AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 371-5050
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/8/2008

Site Id: 10145
Affiliation Type: Mail Contact
Company Name: ELK INVESTORS
Contact Type: Not reported
Contact Name: SHAZ MOSSANEN
Address1: 489 FIFTH AVENUE 7TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10017
Country Code: 001
Phone: (212) 371-5050
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/8/2008

Site Id: 10145
Affiliation Type: On-Site Operator
Company Name: 400 WEST 25TH STREET
Contact Type: Not reported
Contact Name: CHARLIE SALIBA
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (646) 296-6818
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 1/8/2008

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 WEST 25TH STREET (Continued)

S103517586

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
L09 - Piping Leak Detection - Exempt Suction Piping
A00 - Tank Internal Protection - None
G04 - Tank Secondary Containment - Double-Walled (Underground)
B00 - Tank External Protection - None
C00 - Pipe Location - No Piping
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)

Tank Info:

Tank Number: 001
Tank Id: 11818
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1979
Capacity Gallons: 2500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-252107
SWIS Code: 6201
Operator: VICTOR MONDRAGON
Facility Phone: (212) 691-7217
Facility Addr2: 400 WEST 25TH STREET
Facility Type: APARTMENT BUILDING
Emergency: MARIO ESPINOZA
Emergency Tel: (212) 679-5468
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ELK INVESTORS
Owner Address: 641 LEXINGTON AVENUE
Owner City,St,Zip: NEW YORK, NY 10022
Federal ID: Not reported
Owner Tel: (212) 371-5050
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Contact: SHAZ MOSSANEN
Mailing Name: ELK INVESTORS
Mailing Address: 641 LEXINGTON AVENUE
Mailing Address 2: 23RD FL
Mailing City,St,Zip: NEW YORK, NY 10022
Mailing Telephone: (212) 371-5050

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

400 WEST 25TH STREET (Continued)

S103517586

Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 09/30/1999
Expiration: 11/16/2002
Renew Flag: False
Renew Date: Not reported
Total Capacity: 2500
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: 19791201
Capacity (Gal): 2500
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Tank Containment: Vault (w/access)
Leak Detection: 0
Overfill Protection: 4
Dispenser Method: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
SPDES Number: Not reported
Lat/Long: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

BP357 **261 WEST 21ST STREET**
SSW **261 WEST 21ST STREET**
1/8-1/4 **NEW YORK, NY 10011**
0.248 mi.
1310 ft. **Site 1 of 3 in cluster BP**

AST **U003395349**
HIST AST **N/A**

Relative:
Lower

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-508942
Program Type: PBS
UTM X: 584608.74451999995
UTM Y: 4510787.8002199996
Expiration Date: 2006/01/23

Actual:
23 ft.

Affiliation Records:
Site Id: 21724
Affiliation Type: On-Site Operator
Company Name: 261 WEST 21ST STREET
Contact Type: Not reported
Contact Name: A LEVENSON%HELMSLEY-SPEAR,INC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 243-8884
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21724
Affiliation Type: Owner
Company Name: ABRAHAM LEVENSON%HELMSLEY-SPEA
Contact Type: Not reported
Contact Name: Not reported
Address1: 60 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10165
Country Code: 001
Phone: (212) 880-0120
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21724
Affiliation Type: Emergency Contact
Company Name: ABRAHAM LEVENSON%HELMSLEY-SPEA
Contact Type: Not reported
Contact Name: A LEVENSON%HELMSLEY-SPEAR,INC
Address1: Not reported
Address2: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 WEST 21ST STREET (Continued)

U003395349

City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 880-0120
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 21724
Affiliation Type: Mail Contact
Company Name: ABRAHAM LEVENSON%HELMSLEY-SPEA
Contact Type: Not reported
Contact Name: Not reported
Address1: 60 EAST 42ND STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10165
Country Code: 001
Phone: (212) 880-0120
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
G00 - Tank Secondary Containment - None
F00 - Pipe External Protection - None
I04 - Overfill - Product Level Gauge (A/G)
C00 - Pipe Location - No Piping

Tank Info:

Tank Number: 001
Tank Id: 39509
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 WEST 21ST STREET (Continued)

U003395349

Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST AST:

PBS Number: 2-508942
SWIS Code: 6201
Operator: A LEVENSON%HELMSLEY-SPEAR,INC
Facility Phone: (212) 243-8884
Facility Addr2: 261 WEST 21ST STREET
Facility Type: APARTMENT BUILDING
Emergency: A LEVENSON%HELMSLEY-SPEAR,INC
Emergency Tel: (212) 880-0120
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: ABRAHAM LEVENSON%HELMSLEY-SPEA
Owner Address: 60 EAST 42ND STREET
Owner City,St,Zip: NEW YORK, NY 10165
Federal ID: Not reported
Owner Tel: (212) 880-0120
Owner Type: Not reported
Owner Subtype: Not reported
Mailing Contact: Not reported
Mailing Name: ABRAHAM LEVENSON%HELMSLEY-SPEA
Mailing Address: 60 EAST 42ND STREET
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10165
Mailing Telephone: (212) 880-0120
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
Certification Date: 12/01/2000
Expiration: 01/23/2006
Renew Flag: False
Renew Date: Not reported
Total Capacity: 5000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City Code: 01
Region: 2

Tank ID: 001
Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 5000
Product Stored: NOS 5 OR 6 FUEL OIL
Tank Type: Steel/carbon steel

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

261 WEST 21ST STREET (Continued)

U003395349

Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

BP358
SSW
1/8-1/4
0.248 mi.
1310 ft.

261 WEST 21ST ST
261 WEST 21ST ST
NEW YORK, NY 10011

Site 2 of 3 in cluster BP

AST U003387093
HIST AST N/A

Relative:
Lower

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-091677
 Program Type: PBS
 UTM X: 584608.74451999995
 UTM Y: 4510787.8002199996
 Expiration Date: 2014/11/30

Actual:
23 ft.

Affiliation Records:
 Site Id: 2315
 Affiliation Type: Mail Contact
 Company Name: EMPIRE MANAGEMENT
 Contact Type: Not reported
 Contact Name: RAMIN SHALOM
 Address1: 347 FIFTH AVE., #1600
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10016
 Country Code: 001
 Phone: (212) 686-5252
 Phone Ext: Not reported
 Email: RAMINEMPIRE@AOL.COM
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/15/2007

Site Id: 2315
 Affiliation Type: Emergency Contact
 Company Name: CHELSEA 8TH AVENUE, LLC

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 WEST 21ST ST (Continued)

U003387093

Contact Type: Not reported
Contact Name: ESPERANZA POLANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (347) 234-0761
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/15/2007

Site Id: 2315
Affiliation Type: On-Site Operator
Company Name: 261 WEST 21ST ST
Contact Type: Not reported
Contact Name: ESPERANZA POLANCO
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 255-6021
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/15/2007

Site Id: 2315
Affiliation Type: Owner
Company Name: CHELSEA 8TH AVENUE, LLC
Contact Type: PROPERTY MANAGER
Contact Name: RAMIN SHALOM
Address1: 347 FIFTH AVE., #1600
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 686-5252
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/15/2007

Equipment Records:

A00 - Tank Internal Protection - None
E00 - Piping Secondary Containment - None
J02 - Dispenser - Suction
H00 - Tank Leak Detection - None
K00 - Spill Prevention - None

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 WEST 21ST ST (Continued)

U003387093

D01 - Pipe Type - Steel/Carbon Steel/Iron
B00 - Tank External Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Tank Number: 001
Tank Id: 11254
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1960
Capacity Gallons: 5000
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: dxliving
Last Modified: 8/27/2009

HIST AST:

PBS Number: 2-091677
SWIS Code: 6201
Operator: HELMSLEY SPEAR INC
Facility Phone: (212) 243-8884
Facility Addr2: 261 WEST 21ST ST
Facility Type: APARTMENT BUILDING
Emergency: ESPERANZA POLANCO
Emergency Tel: (212) 243-7464
Old PBSNO: Not reported
Date Inspected: Not reported
Inspector: Not reported
Result of Inspection: Not reported
Owner Name: 48 WEST 138TH ST CORP
Owner Address: 60 EAST 42ND ST C/O HELMSLEY SPEAR INC
Owner City,St,Zip: NEW YORK, NY 10165
Federal ID: Not reported
Owner Tel: (212) 880-0120
Owner Type: Private Resident
Owner Subtype: Not reported
Mailing Contact: L.S. POLL
Mailing Name: ABRAHAM LEVENSON
Mailing Address: 60 EAST 42ND ST C/O HELMSLEY SPEAR INC
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10165
Mailing Telephone: (212) 880-0120
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

261 WEST 21ST ST (Continued)

U003387093

Certification Flag: False
 Certification Date: 08/01/1997
 Expiration: 07/07/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

 Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 5 OR 6 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

BN359
East
1/8-1/4
0.249 mi.
1314 ft.

143 W 29TH
143 W 29 ST
NY, NY 10001
Site 3 of 4 in cluster BN

HIST UST **U000403620**
N/A

Relative:
Higher

HIST UST:
 PBS Number: 2-244732
 SPDES Number: Not reported
 Emergency Contact: RAMNAUTH MAHENDRANAUTH
 Emergency Telephone: (718) 657-8309
 Operator: BERIK MANAGEMENT
 Operator Telephone: (212) 563-4479
 Owner Name: 143 WEST 29TH STREET OWNERS CORP

Actual:
38 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

143 W 29TH (Continued)

U000403620

Owner Address: % BERIK MANAGEMENT/39 WEST 32ND ST #1603
Owner City,St,Zip: NY, NY 10001
Owner Telephone: (212) 695-9040
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: BRERIK MANAGEMENT,INC.
Mailing Address: 143 WEST 29TH STREET OWNERS CORP
Mailing Address 2: 39 WEST 32ND STREET #1603
Mailing City,St,Zip: NY, NY 10001
Mailing Contact: RIKIN SHETH
Mailing Telephone: (212) 695-9040
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 143 W 29 ST
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 08/12/1997
Expiration Date: 08/26/2002
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 4000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
Tank Status: In Service
Install Date: Not reported
Capacity (gals): 4000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: STEEL/IRON
Pipe Internal: Not reported
Pipe External: Not reported
Second Containment: Diking
Leak Detection: None
Overfill Prot: Product Level Gauge
Dispenser: Suction

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

143 W 29TH (Continued)

U000403620

Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: False
Lat/long: Not reported

BN360
East
1/8-1/4
0.249 mi.
1314 ft.

143 W 29TH
143 WEST 29TH STREET
NEW YORK, NY 10001
Site 4 of 4 in cluster BN

UST U004077389
N/A

Relative:
Higher

Actual:
38 ft.

UST:
Facility Id: 2-244732
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/08/26
UTM X: 585193.8161499997
UTM Y: 4511194.06403

Affiliation Records:
Site Id: 9489
Affiliation Type: On-Site Operator
Company Name: 143 W 29TH
Contact Type: Not reported
Contact Name: BERIK MANAGEMENT
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 563-4479
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9489
Affiliation Type: Emergency Contact
Company Name: 143 WEST 29TH STREET OWNERS CORP % BERIK MGMT.
Contact Type: Not reported
Contact Name: RAMNAUTH MAHENDRANAUTH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (516) 285-1313
Phone Ext: Not reported
Email: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

143 W 29TH (Continued)

U004077389

Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 9489
Affiliation Type: Mail Contact
Company Name: 143 WEST 29TH OWNERS CORP.
Contact Type: Not reported
Contact Name: MR. RIKIN SHETH
Address1: % BERIK MANAGEMENT
Address2: 381 PARK AVENUE SOUTH, #1515
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 679-8222
Phone Ext: Not reported
Email: RIKIN@BERIK.COM
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/26/2007

Site Id: 9489
Affiliation Type: Owner
Company Name: 143 WEST 29TH STREET OWNERS CORP % BERIK MGMT.
Contact Type: PROPERTY MANAGER
Contact Name: MR. RIKIN SHETH
Address1: 381 PARK AVENUE SOUTH
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10016
Country Code: 001
Phone: (212) 679-8222
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 6/26/2007

Equipment Records:

A00 - Tank Internal Protection - None
J02 - Dispenser - Suction
L09 - Piping Leak Detection - Exempt Suction Piping
D01 - Pipe Type - Steel/Carbon Steel/Iron
H00 - Tank Leak Detection - None
B00 - Tank External Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
C00 - Pipe Location - No Piping
I04 - Overfill - Product Level Gauge (A/G)
F00 - Pipe External Protection - None

Tank Info:

Site ID: 9489

Tank Number: 001
Tank ID: 19759

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

143 W 29TH (Continued)

U004077389

Tank Status: In Service
 Tank Model: Not reported
 Pipe Model: Not reported
 Install Date: 1/1/1911
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Tank Location: 6
 Tank Type: Steel/carbon steel
 Date Test: Not reported
 Register: True
 Modified By: DXLIVING
 Last Modified: 6/26/2007

**BP361
 SSW
 1/8-1/4
 0.249 mi.
 1317 ft.**

**CHELSEA 21ST STREET CORP.
 264/266/268 WEST 21ST STREET
 NEW YORK, NY 10011**

**AST A100166650
 N/A**

Site 3 of 3 in cluster BP

**Relative:
 Lower**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-604504
 Program Type: PBS
 UTM X: 584542.87905999995
 UTM Y: 4510794.9860800002
 Expiration Date: 2005/05/11

**Actual:
 23 ft.**

Affiliation Records:
 Site Id: 26376
 Affiliation Type: On-Site Operator
 Company Name: CHELSEA 21ST STREET CORP.
 Contact Type: Not reported
 Contact Name: MARTY VAN ORD
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 675-3916
 Phone Ext: Not reported
 Email: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 26376
 Affiliation Type: Owner
 Company Name: CHELSEA 21ST STREET CORP.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 264-268 WEST 21ST STREET
 Address2: Not reported
 City: NEW YORK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA 21ST STREET CORP. (Continued)

A100166650

State: NY
Zip Code: 10011
Country Code: 001
Phone: (212) 508-7343
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26376
Affiliation Type: Emergency Contact
Company Name: CHELSEA 21ST STREET CORP.
Contact Type: Not reported
Contact Name: MARTY VAN ORD
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 675-3916
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 26376
Affiliation Type: Mail Contact
Company Name: C/O SWIG BURRIS
Contact Type: Not reported
Contact Name: CHELSEA 21ST STREET CORP.
Address1: 770 LEXINGTON AVE.
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10021
Country Code: 001
Phone: (212) 508-7200
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Equipment Records:

J02 - Dispenser - Suction
A00 - Tank Internal Protection - None
L09 - Piping Leak Detection - Exempt Suction Piping
B99 - Tank External Protection - Other
D01 - Pipe Type - Steel/Carbon Steel/Iron
F00 - Pipe External Protection - None
G00 - Tank Secondary Containment - None
I05 - Overfill - Vent Whistle
H00 - Tank Leak Detection - None
C03 - Pipe Location - Aboveground/Underground Combination

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA 21ST STREET CORP. (Continued)

A100166650

Tank Info:

Tank Number: 001
Tank Id: 58026
Tank Location: 1
Tank Type: Steel/Carbon Steel/Iron
Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 1500
Tightness Test Method: NN
Date Test: Not reported
Next Test Date: Not reported
Date Tank Closed: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

BQ362
West
1/8-1/4
0.250 mi.
1319 ft.

ONE HOUR MARTINIZING
232 9TH AVE
NEW YORK, NY 10001
Site 1 of 2 in cluster BQ

RCRA-SQG 1000117351
NYD981492663

Relative:
Lower

RCRA-SQG:

Date form received by agency: 01/01/2007
Facility name: ONE HOUR MARTINIZING
Facility address: 232 9TH AVE
NEW YORK, NY 10001
EPA ID: NYD981492663
Mailing address: 9TH AVE
NEW YORK, NY 10001
Contact: Not reported
Contact address: 9TH AVE
NEW YORK, NY 10001
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Land type: Facility is not located on Indian land. Additional information is not known.
Classification: Small Small Quantity Generator
Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Actual:
19 ft.

Owner/Operator Summary:

Owner/operator name: CLIFF MADANER
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ONE HOUR MARTINIZING (Continued)

1000117351

Owner/Op end date: Not reported

Owner/operator name: CLIFF MADANER
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999

Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ONE HOUR MARTINIZING
Classification: Small Quantity Generator

Date form received by agency: 07/14/1999
Facility name: ONE HOUR MARTINIZING
Classification: Small Quantity Generator

Date form received by agency: 07/09/1986
Facility name: ONE HOUR MARTINIZING
Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/16/1993
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Not reported
Date achieved compliance: Not reported
Evaluation lead agency: EPA Contractor/Grantee

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BQ363
West
1/8-1/4
0.250 mi.
1319 ft.

OXFORD/CLIFF'S 1 HR DRY CLEANERS
232 9TH AVE.
NEW YORK, NY 10001

MANIFEST **S106435820**
DRYCLEANERS **N/A**

Site 2 of 2 in cluster BQ

Relative:
Lower

NY MANIFEST:
EPA ID: NYD981492663
Country: USA
Mailing Name: OXFORD CLEANERS
Mailing Contact: OXFORD CLEANERS
Mailing Address: 232 9TH AVE
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10001
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-243-9464

Actual:
19 ft.

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-05-10
Trans1 Recv Date: 2010-05-10
Trans2 Recv Date: 2010-05-14
TSD Site Recv Date: 2010-05-14
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006657117JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-01-19
Trans1 Recv Date: 2010-01-19
Trans2 Recv Date: 2010-01-21
TSD Site Recv Date: 2010-01-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662513JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-05-10
Trans1 Recv Date: 2010-05-10
Trans2 Recv Date: 2010-05-14
TSD Site Recv Date: 2010-05-14
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006657117JJK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-06-09
Trans1 Recv Date: 2010-06-09
Trans2 Recv Date: 2010-06-10
TSD Site Recv Date: 2010-06-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006657318JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-04-16
Trans1 Recv Date: 2010-04-16
Trans2 Recv Date: 2010-04-23
TSD Site Recv Date: 2010-04-24

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662887JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-05-10
Trans1 Recv Date: 2010-05-10
Trans2 Recv Date: 2010-05-14
TSD Site Recv Date: 2010-05-14
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006657117JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-02-23
Trans1 Recv Date: 2010-02-23
Trans2 Recv Date: 2010-02-25
TSD Site Recv Date: 2010-02-26
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662665JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-01-19
Trans1 Recv Date: 2010-01-19
Trans2 Recv Date: 2010-01-21
TSD Site Recv Date: 2010-01-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Waste Code: Not reported
Quantity: 120.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662513JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-06-09
Trans1 Recv Date: 2010-06-09
Trans2 Recv Date: 2010-06-10
TSD Site Recv Date: 2010-06-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006657318JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-01-19
Trans1 Recv Date: 2010-01-19
Trans2 Recv Date: 2010-01-21
TSD Site Recv Date: 2010-01-22
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 260.0
Units: P - Pounds
Number of Containers: 2.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662513JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-02-23
Trans1 Recv Date: 2010-02-23
Trans2 Recv Date: 2010-02-25
TSD Site Recv Date: 2010-02-26
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Year: 2010
Manifest Tracking Num: 006662665JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-06-09
Trans1 Recv Date: 2010-06-09
Trans2 Recv Date: 2010-06-10
TSD Site Recv Date: 2010-06-11
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 80.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0

Year: 2010
Manifest Tracking Num: 006657318JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD000564906
Trans2 State ID: MIK814262374
Generator Ship Date: 2010-04-16
Trans1 Recv Date: 2010-04-16

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OXFORD/CLIFF'S 1 HR DRY CLEANERS (Continued)

S106435820

Trans2 Recv Date: 2010-04-23
TSD Site Recv Date: 2010-04-24
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981492663
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: CDX107000000
Waste Code: Not reported
Quantity: 130.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: DM - Metal drums, barrels
Handling Method: R Material recovery of more than 75 percent of the total material.
Specific Gravity: 1.0
Year: 2010
Manifest Tracking Num: 006662887JJK
Import Ind: N
Export Ind: Y
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H020

DRYCLEANERS:

Facility ID: 2-6205-00294
Owner: Not reported
Phone Number: Not reported
Region: 2
Registration Effective Date: 5/28/2003 11:41:46:823
Inspection Date: 07MAY18
Drop Shop: Not reported
Shutdown: Not reported
Alternate Solvent: Not reported
Current Business: PERC DRY CLEANER

BO364
ESE
1/4-1/2
0.251 mi.
1324 ft.

APARTMENT
115 WEST 27TH STREET
NEW YORK, NY
Site 2 of 4 in cluster BO

LTANKS **S107658772**
N/A

Relative:
Higher

LTANKS:

Site ID: 360982
Spill No: 0514291
Spill Date: 3/14/2006
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/28/2006
Facility Addr2: Not reported

Actual:
39 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT (Continued)

S107658772

Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 3/14/2006
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/14/2006
Spill Record Last Update: 4/28/2006
Spiller Name: MARLIN JOSEPH
Spiller Company: APARTMENT
Spiller Address: 115 WEST 27TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: MARLIN JOSEPH
Spiller Phone: (646) 772-7949
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 311164
DEC Memo: Owner: Joel Berman, 780 3rd Ave - 14th Flr, New York, NY 10017
3/21/2006 - Sangesland spoke to PTC. They have been hired to drain
the tank and run an isolation test. This will be done in the next day
or two. 4/28/2006 PTC submitted documents saying that the tank was
isolated and passed a "tank only" test. The fill line was replaced
and then the whole system was retested and passed. No contamination
was found Spill Closed

Remarks: ABOVE LIQUID LEAK

Material:

Site ID: 360982
Operable Unit ID: 1118083
Operable Unit: 01
Material ID: 2108596
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 360982
Spill Tank Test: 1549800
Tank Number: 1
Tank Size: 3000
Test Method: 03
Leak Rate: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT (Continued)

S107658772

Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 3/14/2006
Test Method: Horner EZ Check I or II

365
North
1/4-1/2
0.254 mi.
1341 ft.

UPSCALE DEVELOPMENT
349 WEST 30TH ST 1ST FL
MANHATTAN, NY

LTANKS **S104276873**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
32 ft.

Site ID: 121309
Spill No: 9612243
Spill Date: 1/10/1997
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/1997
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Reported to Dept: 1/13/1997
CID: 351
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/13/1997
Spill Record Last Update: 1/6/1998
Spiller Name: Not reported
Spiller Company: CAPITOL FUEL
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: MAXINE WALDRON
Spiller Phone: (212) 594-2515
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 105295
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN" TANK OVERFILL, RUPTURED TANK. TOLD PROPERTY OWNER TO CONTACT OIL COMPANY IN REGARDS TO REPLACING TANK. OIL COMPANY DID CLEANUP.
Remarks: SPILL IS IN SUB BASEMENT OF BUILDING AND ODOR HAS TRAVELED THROUGH THE BUILDING - HAZ MAT IS BEING NOTIFIED

Material:

Site ID: 121309
Operable Unit ID: 1043759

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UPSCALE DEVELOPMENT (Continued)

S104276873

Operable Unit: 01
Material ID: 340898
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 50
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9612243
Spill Date: 01/10/1997
Spill Time: 17:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/31/97
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/13/97
Reported to Department Time: 10:54
SWIS: 62
Spiller Contact: MAXINE WALDRON
Spiller Phone: (212) 594-2515
Spiller Extention: Not reported
Spiller Name: CAPITOL FUEL
Spiller Address: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

UPSCALE DEVELOPMENT (Continued)

S104276873

Spiller City,St,Zip: Not reported
 Spiller Cleanup Date: / /
 Facility Contact: Not reported
 Facility Phone: (718) 984-5600
 Facility Extention: Not reported
 Spill Notifier: Local Agency
 PBS Number: Not reported
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 01/13/97
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 01/06/98
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 50
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: TANK OVERFILL, RUPTURED TANK. TOLD PROPERTY OWNER TO CONTACT OIL COMPANY IN REGARDS TO REPLACING TANK. OIL COMPANY DID CLEANUP.
 Spill Cause: SPILL IS IN SUB BASEMENT OF BUILDING AND ODOR HAS TRAVELED THROUGH THE BUILDING - HAZ MAT IS BEING NOTIFIED

BO366
ESE
1/4-1/2
0.255 mi.
1345 ft.

115 WEST 27TH ST
115 WEST 27TH ST
MANHATTEN, NY
Site 3 of 4 in cluster BO

LTANKS 1001586379
HIST LTANKS N/A

Relative:
Higher

LTANKS:
 Site ID: 152351
 Spill No: 9808491
 Spill Date: 10/8/1998
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
39 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 WEST 27TH ST (Continued)

1001586379

Spill Closed Dt: 10/20/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Reported to Dept: 10/8/1998
CID: 257
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/8/1998
Spill Record Last Update: 10/20/1998
Spiller Name: MR MUNGRA
Spiller Company: 115 WEST 27TH ST
Spiller Address: 115 WEST 27TH ST
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: MR MUNGRA
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 129332
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN" ACTIVE UNDER SPILL # 9808374.
Remarks: owner wasn't sure what problem was caller company found that tank was leaking and are making plan to start the cleanup

Material:
Site ID: 152351
Operable Unit ID: 1065893
Operable Unit: 01
Material ID: 315995
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 WEST 27TH ST (Continued)

1001586379

Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9808491
Spill Date: 10/08/1998
Spill Time: 14:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/20/98
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/08/98
Reported to Department Time: 16:42
SWIS: 62
Spiller Contact: MR MUNGRA
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
Spiller Name: 115 WEST 27TH ST
Spiller Address: 115 WEST 27TH ST
Spiller City,St,Zip: MANHATTEN, NY
Spiller Cleanup Date: / /
Facility Contact: MR MUNGRA
Facility Phone: (718) 624-4842
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/08/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/20/98
Is Updated: False

Tank:
PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 WEST 27TH ST (Continued)

1001586379

Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: ACTIVE UNDER SPILL 9808374.
Spill Cause: owner wasnt t sure what rproblem was caller company found that tank was leaking and are making plan to start the cleanup

BO367
ESE
1/4-1/2
0.255 mi.
1345 ft.

115 W 27TH ST CO
115 W 27TH ST
MANHATTAN, NY

LTANKS S103557942
HIST LTANKS N/A

Site 4 of 4 in cluster BO

Relative:
Higher

LTANKS:

Site ID: 255553
Spill No: 9808374
Spill Date: 10/7/1998
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/30/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: HRPATEL
Referred To: Not reported
Reported to Dept: 10/7/1998
CID: 270
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: 10/9/1998
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/7/1998
Spill Record Last Update: 5/30/2006
Spiller Name: JOE BERMAN (BLG MANAGER)
Spiller Company: UNKNOWN
Spiller Address: 115 WEST 27TH STREET
Spiller City,St,Zip: ZZ
Spiller County: 001

Actual:
39 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 W 27TH ST CO (Continued)

S103557942

Spiller Contact: JUAN GOMEZ (SUPER)
Spiller Phone: (212) 989-3450
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 209304
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN" OVERFILL SPILL ON SIDEWALK. CLEAN UP IN PROGRESS, AFTER OVERFILL TANK WAS OBSERVED TO BE LEAKING. SEE ALSO SPILL # 9808491 AND 95-09100. 10/09/98 mmm:INPSECTED LOCATION WITH SUPER, JUAN GOMEZ. TANK LEAKING INTO BOILER ROOM. SUMP IN BOILER ROOM IMPACTED AND PUMP WAS DISCONNECTED. PTC DID INITIAL CLEANUP. 3K TANK COMPLETELY ENCASED IN CONCRETE. OIL WEEPING OUT OF CONCRETE. CENTER OF TANK BEING USED TO SUPPORT CEILING (1ST FLOOR OF BLDG), AND IS SAGGING IN THE CENTER. COULD NOT FIND PBS REGISTRATION. 10/20/98 CALLED JOE BERMAN FOR UPDATE. See also Spill 9815385 2/7/06 - Austin - Spill transferred from Mulqueen to Patel for site inspection/possible closure - end 02/21/06-Hiralkumar Patel. Data from Spill# 9815385 Spill date: 03/27/1999

----- Caller
remarks: driver filling tank and vent alarm not operating, spill from vent to sidewalk - spill contained and cleanup crew enroute DEC
remarks: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL" 10/28/03 closed - to be investigated and remediated under spill 9808374. Rommel

----- From
Property Shark, Owner of the Property Stephen J Swain Early Lear President 400 East 52ND Street New York, NY 10022 and notice address: Joel S Berman 1140 6TH Ave Fl 17 New York NY 10036-5803 From Reverse phone directory phone number for Stephen is (212) 308-1062. this number is not working number. Spoke with Mr. Gomez, super at building. as per him building owner is Mr. Joel Berman. Right now owner is in California for two weeks. Super will give my number to owner as he denied giving owner's number. Phone number on report for Mr. Berman is out of service. 03/03/06-Hiralkumar Patel. Got Mr. Berman's number (212-583-0005) from super. Left message for Mr. Berman. Received call from Mr. Berman. as per him, they don't have any records on oil spill. and he doesn't know anything. he told me that the building is on solid concrete. as he is from law firm he was talking legal language. he is blaming DEC for harassment. 03/08/06-Hiralkumar Patel. spoke with super and property has 3000 gal of tank. they have permit from fire department. got pbs registration certificate from super. PBS# 2-603898. as per PBS certificate, this tank was installed on Nov. 1st 1998 and spill happened on Oct. 7 1998. from PBS registration, mailing address for owner is: General Partner of 115 W 27th Street Co 1140 Ave of the Americas 17th Floor New York, NY 10036 From Reverse Phone Directory, the address for phone number 212-583-0005 is as follow which was confirmed by Mr. Berman also. send letter at this address: 780 Third Ave New York, NY 10017-2024 Berman's FAX no.: 212-583-0072 03/09/06-Hiralkumar Patel. CSL sent out to Berman by mail and by fax. (forgot to send pbs registration form and instruction) 03/14/06-Hiralkumar Patel. Received fax from Mr. Berman. "...The company has no record of the petroleum release which we believe was no more than a minor ordinary oil delivery spill which occurred when our supplier/delivery company inadvertently overfilled the tank. the fill port is outside the building and whatever minor amount spilled would have been on the sidewalk. we have no notice of any violation. if you could please

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 W 27TH ST CO (Continued)

S103557942

supply me with a copy of the violation, including the name of the delivery/supplier company, it may be helpful in resolving this matter expeditiously" Discuss with Jeff. he is suggesting to take site visit. Left message for Mr. Berman. visited site. spoke with Mr. Gomez, super at site. there is no odor in boiler room as well as in tank vault. tank is partially buried in concrete and tank is enclosed in concrete vault. but concrete vault is opened at one side. water was flowing out from tank vault. few oil stains on concrete floor in boiler room, but very little. poor concrete floor in boiler room. water was standing all over floor. little shine on top of water in sump. no leaking from boiler. suggested following to Mr. Berman afterwards: - repairing of floor in boiler room. - keeping area clean and dry - replacing old corroded pipings to/from tank. - closing tank vault as it is being used as secondary containment. they can keep small window at elevated level to get access to tank. and as this tank in concrete vault, tank test every five years. - updating PBS records with current address, phone number and product information, as PBS records shows #2 oil in use. but as per super they are using #4 oil all the time. - submitting tank test results and copy of invoices for every work done. as i discussed with Mr. Berman, he is agree to all above suggestions. the company who did tank test will replace those pipings. he will submit tank test results and copy of invoices for any work done. i asked him to call me with contractor's name and number who will work to close tank access and repairing of floor. Got copy of work proposal from Petroleum to Owner. Spoke with Joe Ostrowski (718-624-4842) and he told me that the whole system failed in tank test. now they are waiting to get permission from owner for isolation test. Mr. Joe doesn't know how bad the leak was as the person, who did tank test, was not there. Left message for Mr. Berman. Spoke with Mr. Berman. i told him about tank test failure as i spoke with Joe at Petroleum. Mr. Berman was upset as contractor gave test results directly to me without concerning hiring person. i have asked Mr. Berman to work out on further testing of individual parts to find out leaking portion of system. asked him to call back with date on which they plan for isolation test. 03/21/06-Hiralkumar Patel. Left message for Mr. Berman. Received call from Mr. Berman. he was blaming me for harrasing him. he told me that Petroleum has done individual test and found problem at vent pipe. i have asked him to send me copy of report. he will call back tomorrow. 03/24/06-Hiralkumar Patel. REceived certified mail receipt. 04/06/06-Hiralkumar Patel. Received letter from Mr. Berman. received contract copies which was signed by Joe Ostrowski from Petroleum and by Mr. Berman. as per contract copies, petroleum has proposed following work: - will open manhole cover on one 3000 gal fuel oil storage tank - pump out all existing fuel, water and sludge from bottom and sides of tank. - pressure test all lines-suction, return, vent and fill to make sure they are not leaking. - men will enter tank and squeegee clan all remaining sludge and residue - examine tank shell for signs of deterioration and make a full report to person in charge. - if a line fails test, we will then plug up bad lines and perform "tank only" tank test to make sure tank is good. - all sludge will be disposed of to a legal facility - seal tank making a watertight closure. - excavate concrete, remove old fill line and vent line - install 40 ft of new 3" fill line from tank top to outside the building wall. - install 50 ft of new 2" vent line with vent alarm - re-cement area. 04/07/06-Hiralkumar Patel. Received letter from Mr. Berman. this includes copy of tank test results.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 W 27TH ST CO (Continued)

S103557942

result shows tank only passed in test. 04/18/06-Hiralkumar Patel.
Spoke with Mr. Berman. he has got bill from Petroleum. once he pay
it, he will get final report and will forward it to Department. Mr.
Berman will be out of office for this whole week now.
05/02/06-Hiralkumar Patel. REceived tank test results which shows
whole system passed the test. based on site visit and tank test
result, case closed.

Remarks: unknown reason for spill at this time

Material:

Site ID: 255553
Operable Unit ID: 1069550
Operable Unit: 01
Material ID: 558000
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9808374
Spill Date: 10/07/1998
Spill Time: 08:15
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 W 27TH ST CO (Continued)

S103557942

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/07/98
Reported to Department Time: 08:25
SWIS: 62
Spiller Contact: JUAN GOMEZ (SUPER)
Spiller Phone: (212) 989-3450
Spiller Extension: Not reported
Spiller Name: UNKNOWN
Spiller Address: 115 WEST 27TH STREET
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: JOE BERMAN (BLG MANAGER)
Facility Phone: (212) 354-4990
Facility Extension: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: 10/09/98
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/07/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/05/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 6
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: OVERFILL SPILL ON SIDEWALK. CLEAN UP IN PROGRESS, AFTER OVERFILL TANK WAS OBSERVED TO BE LEAKING. SEE ALSO SPILL 9808491 AND 95-09100. 10/09/98
mmm:INPSECTED LOCATION WITH SUPER, JUAN GOMEZ. TANK LEAKING INTO BOILER ROOM. SUMP IN BOILER ROOM IMPACTED AND PUMP WAS DISCONNECTED. PTC DID INITIAL CLEANUP. 3K TANK COMPLETELY ENCASED IN CONCRETE. OIL WEEPING OUT OF CONCRETE. CENTER OF TANK BEING USED TO SUPPORT CEILING 1ST FLOOR OF BLDG), AND IS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

115 W 27TH ST CO (Continued)

S103557942

SAGGING IN THE CENTER. COULD NOT FIND PBS REGISTRATION. 10/20/98 CALLED JOE BERMAN FOR UPDATE.

Spill Cause: unknown reason for spill at this time

368
NW
1/4-1/2
0.257 mi.
1359 ft.

303 9TH AV/DEPT OF HEALTH
303 9TH AVENUE
NEW YORK CITY, NY

LTANKS S100167612
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
26 ft.

Site ID: 67824
Spill No: 8807152
Spill Date: 11/29/1988
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/5/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: ADMIN. CLOSED
Referred To: Not reported
Reported to Dept: 11/29/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/29/1988
Spill Record Last Update: 3/19/2003
Spiller Name: Not reported
Spiller Company: DEPT OF HEALTH CENTER
Spiller Address: 303 9TH AVENUE
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 64752
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ADMIN.CLOSED" 03/05/2003- Closed Due To The Nature / Extent Of The Spill Report
Remarks: TANK FAILED WITH A LEAK RATE OF -.318GPH, WILL EXCAVATE & ISOLATE. CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS.

Material:

Site ID: 67824
Operable Unit ID: 922484
Operable Unit: 01
Material ID: 455497

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

303 9TH AV/DEPT OF HEALTH (Continued)

S100167612

Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 67824
Spill Tank Test: 1534940
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8807152
Spill Date: 11/29/1988
Spill Time: 14:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/29/88
Reported to Department Time: 20:15
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: DEPT OF HEALTH CENTER
Spiller Address: 303 9TH AVENUE
Spiller City,St,Zip: NEW YORK, N.Y.
Spiller Cleanup Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

303 9TH AV/DEPT OF HEALTH (Continued)

S100167612

Facility Contact: Not reported
Facility Phone: (212) 566-3268
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-219029
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/29/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/27/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK FAILED WITH A LEAK RATE OF -.318GPH, WILL EXCAVATE ISOLATE.

369
SSE
1/4-1/2
0.263 mi.
1390 ft.

160 W. 22ND STREET
160 W 22ND STREET
MANHATTAN, NY

LTANKS **S104782255**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Site ID: 193473
Spill No: 0006798
Spill Date: 9/8/2000
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/2/2001
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False

Actual:
30 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

160 W. 22ND STREET (Continued)

S104782255

SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 9/8/2000
CID: 389
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 9/8/2000
Spill Record Last Update: 7/20/2005
Spiller Name: UNKNOWN
Spiller Company: UNKNOWN
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN, NY
Spiller County: 999
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 275891
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" Sangesland responded to the site of a reported contaminated soil location. Owner of the site is excavating what was a parking lot in order to install footings for a new building. Upon excavation, the southwest corner of the property at 160 west 22nd St was found to have petroleum contaminated soil. After contacting DEC rep Mark Tibbe, it was determined that the property directly to the south (161 west 21st st) was a taxi company with an ongoing state PIN cleanup project. Mr. Tibbe stated that the parking lot at 160 west 22nd st did have 3 monitoring wells associated with the ongoing clean up. AKRF rep Mimi Sotiriou (212-340-9790) stated that all contaminated soil would be dug out, sorted, and shipped out with manifest for proper disposal. Since the contamination was only in the extreme southwest corner of 160 west 22nd st, directly adjacent to the property line of the taxi company and within 15 feet of the remediation equipment, it was clear where the source of the contamination was from. 11/1/2000 AKRF sent a letter to DEC stating that 228.75 tons of contaminated soil was removed from the site. AKRF stated that "Petroleum contaminated soil was removed from along the southwest border of the property until no petroleum-like odors were observed...." "...Soil was transported to Mt. Hope Recycling of Wharton, New Jersey" Since all contaminated soil was removed from this site, this spill number was closed out. IT SHOULD BE NOTED THAT EXISTING CONTAMINATION FROM THE PROPERTY AT 161 WEST 21ST STREET MAY HAVE AN IMPACT ON THE NEW BASEMENT WALL INSTALLED ON THE SOUTHWEST CORNER OF 160 WEST 22ND STREET. Spill closed 1/2/2001
Remarks: CALLER REPORTING A SPILL OF MATERIAL FROM A POSSIBLE TANK FAILURE ODORS OF GAS ARE BEING REPORTED SPILL WAS DETECTED ON THE SOIL NO CALLBACK AND CLEAN UP CREW IS ON SCENE.

Material:
Site ID: 193473
Operable Unit ID: 827710
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

160 W. 22ND STREET (Continued)

S104782255

Material ID: 547905
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0006798
Spill Date: 09/08/2000
Spill Time: 10:56
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/02/01
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/08/00
Reported to Department Time: 10:56
SWIS: 62
Spiller Contact: CALLER
Spiller Phone: () -
Spiller Extention: Not reported
Spiller Name: UNK
Spiller Address: UNK
Spiller City,St,Zip: UNK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

160 W. 22ND STREET (Continued)

S104782255

Spiller Cleanup Date: / /
Facility Contact: UNK
Facility Phone: (000) 000-0000
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/08/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/02/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: Sangesland responded to the site of a reported contaminated soil location. Owner of the site is excavating what was a parking lot in order to install footings for a new building. Upon excavation, the southwest corner of the property at 160 west 22nd St was found to have petroleum contaminated soil. After contacting DEC rep Mark Tibbe, it was determined that the property directly to the south (161 west 21st st) was a taxi company with an ongoing state PIN cleanup project. Mr. Tibbe stated that the parking lot at 160 west 22nd st did have 3 monitoring wells associated with the ongoing clean up. AKRF rep Mimi Sotiriou (212-340-9790) stated that all contaminated soil would be dug out, sorted, and shipped out with manifest for proper disposal. Since the contamination was only in the extreme southwest corner of 160 west 22nd st, directly adjacent to the property line of the taxi company and within 15 feet of the remediation equipment, it was clear where the source of the contamination was from. 11/1/2000 AKRF sent a letter to DEC stating that 228.75 tons of contaminated soil was removed from the site. AKRF stated that Petroleum contaminated soil was removed from along the southwest border of the property until no petroleum-like odors were observed.... ..Soil was transported to Mt. Hope Recycling of Wharton, New Jersey Since all contaminated soil was removed from this site, this spill number was closed out. IT SHOULD BE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

160 W. 22ND STREET (Continued)

S104782255

NOTED THAT EXISTING CONTAMINATION FROM THE PROPERTY AT 161 WEST 21ST STREET MAY HAVE AN IMPACT ON THE NEW BASEMENT WALL INSTALLED ON THE SOUTHWEST CORNER OF 160 WEST 22ND STREET. Spill closed 1/2/2001
Spill Cause: CALLER REPORTING A SPILL OF MATERIAL FROM A POSSIBLE TANK FAILURE ODORS OF GAS ARE BEING REPORTED SPILL WAS DETECTED ON THE SOIL NO CALLBACK AND CLEAN UP CREW IS ON SCENE.

370
ENE
1/4-1/2
0.264 mi.
1396 ft.

MANH EAST SUITE HOTEL
371 7TH AVENUE
NEW YORK CITY, NY

LTANKS S102671390
HIST LTANKS N/A

Relative:
Higher

Actual:
37 ft.

LTANKS:
Site ID: 76531
Spill No: 8900752
Spill Date: 4/25/1989
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 4/25/1989
Facility Addr2: Not reported
Cleanup Ceased: 4/25/1989
Cleanup Meets Standard: True
SWIS: 3101
Investigator: FINGER
Referred To: Not reported
Reported to Dept: 4/25/1989
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/25/1989
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: AMERADA HESS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 71534
DEC Memo: Not reported
Remarks: CLEANING UP SPILL WITH SPEEDY DRY, SPILL CONTAINED ON SIDEWALK.

Material:

Site ID: 76531
Operable Unit ID: 927323
Operable Unit: 01
Material ID: 452080
Material Code: 0003
Material Name: #6 Fuel Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANH EAST SUITE HOTEL (Continued)

S102671390

Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8900752
Spill Date: 04/25/1989
Spill Time: 07:55
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Not reported
Spill Closed Dt: 04/25/89
Cleanup Ceased: 04/25/89
Cleanup Meets Standard: True
Investigator: FINGER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/25/89
Reported to Department Time: 08:54
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: AMERADA HESS
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 563-1800
Facility Extention: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANH EAST SUITE HOTEL (Continued)

S102671390

Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/25/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 04/25/89: DEC CALLED TO CONFIRM CLEAN UP, MINOR SPILL, NO AFFECT ON SEWER DRAINS.
Spill Cause: CLEANING UP SPILL WITH SPEEDY DRY, SPILL CONTAINED ON SIDEWALK.

371
NW
1/4-1/2
0.272 mi.
1437 ft.

ELLIOTT HOUSES
426 WEST 27TH ST
MANHATTAN, NY

LTANKS **U002034297**
HIST LTANKS **N/A**
HIST UST

Relative:
Lower

LTANKS:

Site ID: 246287
Spill No: 9002184
Spill Date: 5/25/1990
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/6/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SWKRASZE

Actual:
21 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

Referred To: Not reported
Reported to Dept: 5/25/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/31/1990
Spill Record Last Update: 2/6/2006
Spiller Name: Not reported
Spiller Company: NYCHA
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 202268
DEC Memo: 12/14/05: This spill transferred from J.Kolleeny to S.Kraszewski.
02/06/06: This spill closed to consolidate with open spill #8908401.
- SK
Remarks: VISIBLE LEAKS AT GAUGES & (2) MANHOLE COVERS, MANIFOLD TANKS (2) 20K
FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL REPAIR & RETEST.

Material:

Site ID: 246287
Operable Unit ID: 940253
Operable Unit: 01
Material ID: 436943
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 246287
Spill Tank Test: 1537127
Tank Number: 001
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown
Site ID: 246287
Spill Tank Test: 1537128
Tank Number: 002

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Site ID: 309346
Spill No: 9602200
Spill Date: 5/15/1996
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/6/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SWKRASZE
Referred To: Not reported
Reported to Dept: 5/15/1996
CID: 257
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/15/1996
Spill Record Last Update: 2/6/2006
Spiller Name: FRANK OCELLO
Spiller Company: NYCHA
Spiller Address: 250 BRAODWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: SEBASTIN LOREFICE
Spiller Phone: (212) 306-3229
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 202268
DEC Memo: 12/14/05: This spill transferred from J.Kolleeny to S.Kraszewski.
02/06/06: This spill closed to consolidate with open spill #8908401.

Remarks: - SK
going to isolate and retest

Material:
Site ID: 309346
Operable Unit ID: 1033758
Operable Unit: 01
Material ID: 352001
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9602200
Spill Date: 05/15/1996
Spill Time: 14:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/15/96
Reported to Department Time: 15:53
SWIS: 62
Spiller Contact: SEBASTIN LOREFICE
Spiller Phone: (212) 306-3229
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: 250 BRAODWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: FRANK OCELLO
Facility Phone: (212) 306-3229
Facility Extention: Not reported
Spill Notifier: Affected Persons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/15/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/30/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: going to isolate and retest

Region of Spill: 2
Spill Number: 9002184
Spill Date: 05/25/1990
Spill Time: 11:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

Notifier Extension: Not reported
Reported to Department Date: 05/25/90
Reported to Department Time: 11:43
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: NYCHA
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 306-3142
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-601955
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/31/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/29/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported
PBS Number: Not reported
Tank Number: 002
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: VISIBLE LEAKS AT GAUGES 2) MANHOLE COVERS, MANIFOLD TANKS 2) 20K FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL REPAIR RETEST.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

HIST UST:

PBS Number: 2-601955
SPDES Number: Not reported
Emergency Contact: EMERGENCY SERVICE DEPT.
Emergency Telephone: (718) 289-3940
Operator: LUIS PONCE
Operator Telephone: (718) 707-5725
Owner Name: NYC HOUSING AUTHORITY
Owner Address: 23-02 49TH AVENUE
Owner City,St,Zip: LONG ISLAND CITY, NY 11101
Owner Telephone: (718) 707-5725
Owner Type: Local Government
Owner Subtype: 51
Mailing Name: NYC HOUSING AUTHORITY
Mailing Address: 23-02 49TH AVENUE
Mailing Address 2: Not reported
Mailing City,St,Zip: LONG ISLAND CITY, NY 11101
Mailing Contact: LUIS PONCE
Mailing Telephone: (718) 707-5725
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 430 WEST 26TH STREET (MANAGEMENT OFFICE)
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: APARTMENT BUILDING
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 01/05/2001
Expiration Date: 09/02/2004
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 25000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY
County Code: 62
Town or City: 01
Region: 2

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970501
Capacity (gals): 25000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Fiberglass coated steel
Tank Internal: None
Tank External: Fiberglass

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

Pipe Location: Underground
Pipe Type: FIBERGLASS REINFORCED PLASTIC
Pipe Internal: Other
Pipe External: Other
Second Containment: Vault (w/access)
Leak Detection: 14
Overfill Prot: High Level Alarm, Catch Basin
Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 001
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19471201
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None
Pipe External: Wrapped (Piping)
Second Containment: None
Leak Detection: None
Overfill Prot: None
Dispenser: Suction
Date Tested: 05/01/1991
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 05/01/1997
Test Method: Horner EZ Check
Deleted: False
Updated: True
Lat/long: Not reported

Tank Id: 002
Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19970401
Capacity (gals): 20000
Product Stored: NOS 1,2, OR 4 FUEL OIL
Tank Type: Steel/carbon steel
Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON
Pipe Internal: None

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ELLIOTT HOUSES (Continued)

U002034297

Pipe External: Wrapped (Piping)
 Second Containment: None
 Leak Detection: None
 Overfill Prot: None
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 04/01/1997
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: OLD 001
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: 19970501
 Capacity (gals): 20000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Fiberglass coated steel
 Tank Internal: None
 Tank External: Fiberglass
 Pipe Location: Underground
 Pipe Type: OTHER
 Pipe Internal: Other
 Pipe External: Other
 Second Containment: Vault (w/access)
 Leak Detection: 14
 Overfill Prot: High Level Alarm, Catch Basin
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

**372
 SE
 1/4-1/2
 0.279 mi.
 1471 ft.**

**734-754 AVE OF AMERICAS
 750 6TH AVE
 NEW YORK, NY**

**LTANKS S105230167
 HIST LTANKS N/A**

**Relative:
 Higher**

LTANKS:
 Site ID: 287804
 Spill No: 8912052
 Spill Date: 3/20/1990
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates a file or hazard. (Highly Improbable)
 Spill Closed Dt: 12/31/2001
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False

**Actual:
 38 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

734-754 AVE OF AMERICAS (Continued)

S105230167

SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 3/20/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 3/20/1990
Spill Record Last Update: 3/13/2002
Spiller Name: MATT FRANKENBERRY
Spiller Company: SPAUROS PARKING
Spiller Address: 736 6TH AVENUE
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: ANDY RUDKO, AKRF
Spiller Phone: (212) 340-9815
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 233121
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT" Re-assigned from Tomasello. 10/23/01 Letters re-submitted from AKRF, Inc. R. Austin to contact Transit Authority to have section of tunnel inspected for evidence of gasoline seeps. M.J. Hinton Region 9, on temp assignment to R2 12/31/2001 Randy Austin reported that the Transit Authority had gotten back to him after doing an inspection earlier this month in the subway tunnel in the area of this property. No problems were found. A letter dated Dec 24, 2001 from Andy Rudko of AKRF described the excavation. A phase 1 report and phase 2 letter were received Dec 26, 2001. A Site Remediation Report was submitted in 1999. Gasoline tanks and associated contam soil were removed from the SW corner of the property in 1999. Contaminated soil was also removed from the north side of the property. The entire site was excavated for construction of a high-rise. The owner is Chelsea Assoc LLC, 1050 Franklin Ave, Garden City, NY 11530. SMM.

Remarks: PERFORMED AIR PRESSURE TEST, BROKEN FITTING, REPLACED FITTING,RETESTED& STILL FAILED, WILL DIG UP TANK.

Material:
Site ID: 287804
Operable Unit ID: 938901
Operable Unit: 01
Material ID: 441531
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

734-754 AVE OF AMERICAS (Continued)

S105230167

Tank Test:

Site ID: 287804
Spill Tank Test: 1536873
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8912052
Spill Date: 03/20/1990
Spill Time: 09:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates a file or hazard. (Highly Improbable)
Spill Closed Dt: 12/31/01
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/20/90
Reported to Department Time: 11:23
SWIS: 62
Spiller Contact: ANDY RUDKO, AKRF
Spiller Phone: (212) 340-9815
Spiller Extention: Not reported
Spiller Name: SPAUROS PARKING
Spiller Address: 736 6TH AVENUE
Spiller City,St,Zip: NEW YORK , N.Y.
Spiller Cleanup Date: / /
Facility Contact: MATT FRANKENBERRY
Facility Phone: (516) 746-6000
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

734-754 AVE OF AMERICAS (Continued)

S105230167

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 03/20/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/31/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: Re-assigned from Tomasello. 10/23/01 Letters re-submitted from AKRF, Inc. R. Austin to contact Transit Authority to have section of tunnel inspected for evidence of gasoline seeps. M.J. Hinton Region 9, on temp assignment to R2 12/31/2001 Randy Austin reported that the Transit Authority had gotten back to him after doing an inspection earlier this month in the subway tunnel in the area of this property. No problems were found. A letter dated Dec 24, 2001 from Andy Rudko of AKRF described the excavation. A phase 1 report and phase 2 letter were received Dec 26, 2001. A Site Remediation Report was submitted in 1999. Gasoline tanks and associated contam soil were removed from the SW corner of the property in 1999. Contaminated soil was also removed from the north side of the property. The entire site was excavated for construction of a high-rise. The owner is Chelsea Assoc LLC, 1050 Franklin Ave, Garden City, NY 11530. SMM.

Spill Cause: PERFORMED AIR PRESSURE TEST, BROKEN FITTING, REPLACED FITTING, RETESTED STILL FAILED, WILL DIG UP TANK.

373
NNW
1/4-1/2
0.279 mi.
1473 ft.

**MANHATTAN GENERAL MAIL FACILITY
WEST 29TH & 9TH AVE
NEW YORK, NY 10001**

**CERC-NFRAP 1003864514
NY6180000352**

**Relative:
Higher**

CERC-NFRAP:
Site ID: 0203777
Federal Facility: Federal Facility
NPL Status: Not on the NPL
Non NPL Status: NFRAP

**Actual:
29 ft.**

CERCLIS-NFRAP Site Contact Name(s):
Contact Title: RPM/OSC
Contact Name: ALIDA KARAS

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MANHATTAN GENERAL MAIL FACILITY (Continued)

1003864514

Contact Tel: (212) 637-4328

Contact Title: Not reported
Contact Name: JOHN MALLECK
Contact Tel: (212) 637-4332

Contact Title: RPM/OSC
Contact Name: HELEN SHANNON
Contact Tel: (212) 637-4323

CERCLIS-NFRAP Site Alias Name(s):

Alias Name: MANHATTAN GENERAL MAIL FACILITY
Alias Address: WEST 29TH ST AND 9TH AVE
NEW YORK, NY 10001

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY
Date Started: Not reported
Date Completed: 07/17/1992
Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT
Date Started: Not reported
Date Completed: 09/15/1993
Priority Level: NFRAP: No further Remedial Action planned

Action: ARCHIVE SITE
Date Started: Not reported
Date Completed: 09/15/1993
Priority Level: Not reported

374
SSE
1/4-1/2
0.285 mi.
1502 ft.

BUSINESS
119 W 23RD ST
MANHATTAN, NY

LTANKS **S103824078**
HIST LTANKS **N/A**

Relative:
Higher

Actual:
33 ft.

LTANKS:
Site ID: 303587
Spill No: 9813461
Spill Date: 2/2/1999
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/7/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 2/3/1999
CID: 270
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUSINESS (Continued)

S103824078

Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/3/1999
Spill Record Last Update: 5/10/2005
Spiller Name: BOB SUSSMAN
Spiller Company: BUSINESS
Spiller Address: 119 W 23RD ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: BOB SUSSMAN
Spiller Phone: (212) 986-8880
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 245272
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" 2/5/99 Spoke to Joe Ostrowski from Eastman. They recovered a total of 1100 gallons - 300 gallon on floor and 800 gallon still in tank. As per Joe, tank is wrapped in concrete and oil is probably still between steel and concrete. Sump immediately next to tank - unk if oil discharged to sewer. Eastman set up temp tank. Three manholes on sidewalk of 24th Street open right to the boiler room. Building is located between 6th and 7th Avenues and spans the block between 23rd and 24th Streets. 2/10/99 Met Ralph (super) and Rudy Sorocco (Bob Sussman's associate) at the site. Oil was fairly well cleaned up. Very faint odor. They are collecting bids to remove old tank and install a new tank. They will keep me apprised of tank closure scheduling. Tank probably installed in the 20's. Sump pump is directly south of the failed tank. Sheening on standing water in sump. According to Ralph, the sump pump only goes on when the slop sink (located within 5 ft of the sump) is used. Areas of concern: There is a trench across the entire floor that appears to have a soil bottom and behind the tank seems to be soil where the leak was first detected. Told Rudy Sorocco that borings will be required to determine the impact to the subsurface and that this can be done in conjunction with the tank replacement. 2/12/99 Spoke to Robert Sussman. Sent him letter with requirements as well as contractors list. 3/22/99 On site, couldn't observe floor, standing water, little product (1/4abpad). As per Niel, eastman, he surmised that the tank rotted out from the bottom since there was no saddle or dunnage, He will break through in area of tank and grab soil sample, and clean out trench and grab compo soil sample and 8021 8270. 3/29/99 Spoke to Niel, he said they brought a hammer drill with a 12" reach to collect samples through the concrete floor and trench. He said the concrete floor was more than 12" thick and was clean. He said the trench was 12" of clean brick. He will submit a narrative of Eastman's findings and submit it to my attention. 01/26/04 Reassigned from Rommel to Austin 02/17/04: Reassigned from AUSTIN to KRIMGOLD. 5/7/04. J.Krimgold spoke to AL Edmond. They have no records saved regarding this site. However, confirmed that no contamination was found during floor drilling. NFA.

Remarks: LEAKING TANK DUE TO TANK AGE ALL CLEANED UP

Material:
Site ID: 303587
Operable Unit ID: 1070837
Operable Unit: 01

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUSINESS (Continued)

S103824078

Material ID: 310181
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 300
Units: Gallons
Recovered: 300
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9813461
Spill Date: 02/02/1999
Spill Time: 00:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/03/99
Reported to Department Time: 12:21
SWIS: 62
Spiller Contact: BOB SUSSMAN
Spiller Phone: (212) 986-8880
Spiller Extention: Not reported
Spiller Name: BUSINESS
Spiller Address: 119 W 23RD ST
Spiller City,St,Zip: MANHATTAN, NY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BUSINESS (Continued)

S103824078

Spiller Cleanup Date: / /
Facility Contact: BOB SUSSMAN
Facility Phone: (212) 986-8880
Facility Extension: Not reported
Spill Notifier: Affected Persons
PBS Number: 2-510068
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/03/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/29/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 300
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 300
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205

DEC Remarks: 2/5/99 Spoke to Joe Ostrowski from Eastman. They recovered a total of 1100 gallons - 300 gallon on floor and 800 gallon still in tank. As per Joe, tank is wrapped in concrete and oil is probably still between steel and concrete. Sump immediately next to tank - unk if oil discharged to sewer. Eastman set up temp tank. Three manholes on sidewalk of 24th Street open right to the boiler room. Building is located between 6th and 7th Avenues and spans the block between 23rd and 24th Streets. 2/10/99 Met Ralph (super) and Rudy Sorocco (Bob Sussman's associate) at the site. Oil was fairly well cleaned up. Very faint odor. They are collecting bids to remove old tank and install a new tank. They will keep me apprised of tank closure scheduling. Tank probably installed in the 20 s. Sump pump is directly south of the failed tank. Sheening on standing water in sump. According to Ralph, the sump pump only goes on when the slop sink (located within 5 ft of the sump) is used. Areas of concern: There is a trench across the entire floor that appears to have a soil bottom and behind the tank seems to be soil where the leak was first detected. Told Rudy Sorocco that borings will be required to determine the impact to the subsurface and that this can be done in conjunction with the tank replacement. 2/12/99 Spoke to Robert Sussman. Sent him letter with requirements as well as contractors list. 3/22/99 On site, couldn't observe floor, standing water,

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BUSINESS (Continued)

S103824078

little product 1/4abpad). As per Niel, eastman, he surmised that the tank rotted out from the bottom since there was no saddle or dunnage, He will break through in area of tank and grab soil sample, and clean out trench and grab compo soil sample and 8021 8270. 3/29/99Spoke to Niel, he said they brought a hammer drill with a 12 inch reach to collect samples through the concrete floor and trench. He said the concrete floor was more than 12 inch thick and was clean. He said the trench was 12 inch of clean brick. He will submit a narrative of Eastman's findings and submit it to my attention.

Spill Cause: LEAKING TANK DUE TO TANK AGE ALL CLEANED UP

**375
 SW
 1/4-1/2
 0.285 mi.
 1504 ft.**

**UNKNOWN APARTMNT BUILDING
 204 8 AV
 MANHATTAN, NY**

**LTANKS S100145554
 HIST LTANKS N/A**

**Relative:
 Lower**

LTANKS:

**Actual:
 21 ft.**

Site ID: 304456
 Spill No: 8905180
 Spill Date: 8/25/1989
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/15/1997
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SULLIVAN
 Referred To: Not reported
 Reported to Dept: 8/25/1989
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 9/1/1989
 Spill Record Last Update: 3/25/2004
 Spiller Name: Not reported
 Spiller Company: UNK
 Spiller Address: Not reported
 Spiller City,St,Zip: ***UPDATE***, ZZ
 Spiller County: 999
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 274947
 DEC Memo: Not reported
 Remarks: TWO 275 GALLON TANKS LEAKING. NYFD ATTEMPTING TO PLUG LEAK.

Material:

Site ID: 304456
 Operable Unit ID: 932917

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNKNOWN APARTMNT BUILDING (Continued)

S100145554

Operable Unit: 01
Material ID: 559415
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8905180
Spill Date: 08/25/1989
Spill Time: 08:50
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/15/97
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/25/89
Reported to Department Time: 09:14
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNK
Spiller Address: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

UNKNOWN APARTMNT BUILDING (Continued)

S100145554

Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/01/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/23/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: CHANGED BY RP.
Spill Cause: TWO 275 GALLON TANKS LEAKING. NYFD ATTEMPTING TO PLUG LEAK.

**BR376
ENE
1/4-1/2
0.293 mi.
1547 ft.**

**TRAPER'S INCORPORATED
135 WEST 30TH STREET
NEW YORK, NY**

Site 1 of 2 in cluster BR

**LTANKS S100144990
HIST LTANKS N/A**

**Relative:
Higher**

LTANKS:

Site ID: 91075
Spill No: 8709868
Spill Date: 2/22/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/7/1992
Facility Addr2: Not reported

**Actual:
39 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRAPER'S INCORPORATED (Continued)

S100144990

Cleanup Ceased: 10/7/1992
Cleanup Meets Standard: False
SWIS: 3101
Investigator: BATTISTA
Referred To: Not reported
Reported to Dept: 2/22/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/23/1988
Spill Record Last Update: 2/15/1994
Spiller Name: Not reported
Spiller Company: SIDNEY J. BURNSTEIN INC.
Spiller Address: /DANNY ACOSTA
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 82101
DEC Memo: Not reported
Remarks: A 1,500. GALLON SYSTEM FAILED THE PETRO-TITE TANK TEST. THE LEAK RATE WAS DETECTED AT -0.768 GALLONS PER HR. THE TANK IS LOCATED IN A BASEMENT UNDER THE FLOOR, THE OWNER TO EXCAVATE, AND RETEST.

Material:

Site ID: 91075
Operable Unit ID: 914806
Operable Unit: 01
Material ID: 461662
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 91075
Spill Tank Test: 1533291
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRAPER'S INCORPORATED (Continued)

S100144990

HIST LTANKS:

Region of Spill: 2
Spill Number: 8709868
Spill Date: 02/22/1988
Spill Time: 15:30
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/07/92
Cleanup Ceased: 10/07/92
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/22/88
Reported to Department Time: 16:42
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SIDNEY J. BURNSTEIN INC.
Spiller Address: /DANNY ACOSTA
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 594-1414
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-097934
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/23/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/15/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TRAPER'S INCORPORATED (Continued)

S100144990

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: -1

Unkonwn Quantity Spilled: False

Units: Gallons

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: #4 FUEL OIL

Class Type: #4 FUEL OIL

Times Material Entry In File: 1751

CAS Number: Not reported

Last Date: 19941205

DEC Remarks: Not reported

Spill Cause: A 1,500. GALLON SYSTEM FAILED THE PETRO-TITE TANK TEST. THE LEAK RATE WAS DETECTED AT -0.768 GALLONS PER HR. THE TANK IS LOCATED IN A BASEMENT UNDER THE FLOOR, THE OWNER TO EXCAVATE, AND RETEST.

BR377
ENE
1/4-1/2
0.295 mi.
1558 ft.

FISHKIN HOME
130 WEST 30TH STREET
MANHATTAN, NY
Site 2 of 2 in cluster BR

LTANKS S106868747
N/A

Relative:
Higher

Actual:
39 ft.

LTANKS:

Site ID: 337914

Spill No: 0412444

Spill Date: 2/23/2005

Spill Cause: Tank Test Failure

Spill Source: Private Dwelling

Spill Class: Not reported

Spill Closed Dt: 3/15/2006

Facility Addr2: Not reported

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 3101

Investigator: SFRAHMAN

Referred To: Not reported

Reported to Dept: 2/23/2005

CID: 444

Water Affected: Not reported

Spill Notifier: Tank Tester

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 2/23/2005

Spill Record Last Update: 3/15/2006

Spiller Name: EIAN FISHKIN

Spiller Company: FISHKIN HOME

Spiller Address: 130 WEST 30TH STREET

Spiller City,St,Zip: MANHATTEN, NY

Spiller County: 001

Spiller Contact: EIAN FISHKIN

Spiller Phone: (212) 695-0962

Spiller Extention: Not reported

DEC Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

FISHKIN HOME (Continued)

S106868747

DER Facility ID: 273250
DEC Memo: sharif sent a ttf ltr On 2/24/05. 06/21/05-SR: Spoke with Stuart Smoller of Andrews Building Corp. who is the managing agent now for the building. They are going to convert the oil heating system to gas burn heating system. So, tank will be abandoned and documentation will be sent to DEC. 10.06.05 //Sharif- rec'd tank test failure report from Eastmond and Sons Boiler. The fillline and the return line failed. Apparently, oil leaked through the pipeline and contaminated the surrounding environment. Needs subsurface investigation around the tank. Tried to contact Mr. John Wellmann of Andrews Corp.212-529-5688* 276. He is on vacation. 12/21/05 Sharif//I spoke with Rene Lewis of EastMond. He said they pumped out the tank, cleaned it and later on they found oil water mix coming into the tank. So they installed a monitoring well to identify if any oil has escaped from the tank to the surrounding environment. They checked the well again and found only water coming into the well, a sample was taken from the well. Contaminated soil around the return line was removed and manifest will be sent to DEC along with closure report. 03/15/06 Sharif Rahman- Rec'd waste disposal manifest, analytical result for the water sample from the well.VOC/SVOC non detect. Spill is closed.
Remarks: PBS No: 2-151726

Material:

Site ID: 337914
Operable Unit ID: 1099925
Operable Unit: 01
Material ID: 580200
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 337914
Spill Tank Test: 1548622
Tank Number: Not reported
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 2/23/2005
Test Method: Horner EZ Check I or II

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

378
South
1/4-1/2
0.302 mi.
1592 ft.

ANN SERVICE CORP
161 W 21ST ST
NEW YORK, NY 10011

RCRA-NonGen 1000911999
FINDS NY0000376079
LTANKS
HIST LTANKS
MANIFEST

Relative:
Higher

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: ANN SERVICE CORP
Facility address: 161 W 21ST ST
NEW YORK, NY 100113201
EPA ID: NY0000376079
Mailing address: W 21ST ST
NEW YORK, NY 10011
Contact: Not reported
Contact address: W 21ST ST
NEW YORK, NY 10011
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Actual:
29 ft.

Owner/Operator Summary:

Owner/operator name: ARLOU PARKING CORP
Owner/operator address: 161 W 21ST ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 929-3678
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: ARLOU PARKING CORP
Owner/operator address: 161 W 21ST ST
NEW YORK, NY 10011
Owner/operator country: US
Owner/operator telephone: (212) 929-3678
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: Unknown
Furnace exemption: Unknown
Used oil fuel burner: No
Used oil processor: No
Used oil refiner: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANN SERVICE CORP (Continued)

1000911999

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No
Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: ANN SERVICE CORP
Classification: Not a generator, verified

Date form received by agency: 07/08/1999
Facility name: ANN SERVICE CORP
Classification: Not a generator, verified

Date form received by agency: 06/23/1994
Facility name: ANN SERVICE CORP
Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004316678

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LTANKS:

Site ID: 178963
Spill No: 9400302
Spill Date: 4/7/1994
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/4/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 4/7/1994
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANN SERVICE CORP (Continued)

1000911999

Date Entered In Computer: 12/27/1948
Spill Record Last Update: 7/20/2005
Spiller Name: KEN MARKS
Spiller Company: ANN'S CAB
Spiller Address: 161 WEST 21ST STREET
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: KEN
Spiller Phone: (212) 929-3678
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 275891
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" refer to 9313932 & SP93529. see also 0006798, 8701597 (SP97155).
Remarks: Not reported

Material:

Site ID: 178963
Operable Unit ID: 997801
Operable Unit: 01
Material ID: 387623
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 178963
Spill Tank Test: 1542599
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown
Site ID: 178963
Spill Tank Test: 1542600
Tank Number: 001-006
Tank Size: 550
Test Method: 01
Leak Rate: -0.27000000000000002
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Petro-Tite/Petro Comp

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANN SERVICE CORP (Continued)

1000911999

HIST LTANKS:

Region of Spill: 2
Spill Number: 9400302
Spill Date: 04/07/1994
Spill Time: 12:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/07/94
Reported to Department Time: Not reported
SWIS: 62
Spiller Contact: KEN
Spiller Phone: (212) 929-3678
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/27/48
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/01/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001-006
Tank Size: 550
Test Method: Petro-Tite
Leak Rate Failed Tank: -0.27

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ANN SERVICE CORP (Continued)

1000911999

Gross Leak Rate: Not reported
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: Not reported

NY MANIFEST:

EPA ID: NY0000376079
Country: USA
Mailing Name: ANN SERVICE
Mailing Contact: ANN SERVICE
Mailing Address: 161 W 21ST STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10011
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-929-3676

Document ID: NYB6610239
Manifest Status: Completed copy
Trans1 State ID: PD9938
Trans2 State ID: Not reported
Generator Ship Date: 940804
Trans1 Recv Date: 940804
Trans2 Recv Date: Not reported
TSD Site Recv Date: 940804
Part A Recv Date: 940816
Part B Recv Date: 940811
Generator EPA ID: NY0000376079
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID: NYD082785429
Waste Code: D001 - NON-LISTED IGNITABLE WASTES
Quantity: 00600
Units: P - Pounds
Number of Containers: 001
Container Type: DM - Metal drums, barrels

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ANN SERVICE CORP (Continued)

1000911999

Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 94

379
SSW
1/4-1/2
0.306 mi.
1615 ft.

APARTMENT
214 WEST 20TH STREET
NEW YORK, NY

LTANKS **S107789299**
N/A

Relative:
Lower

LTANKS:

Actual:
26 ft.

Site ID: 363391
 Spill No: 0601208
 Spill Date: 5/2/2006
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 7/20/2006
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SFRAHMAN
 Referred To: Not reported
 Reported to Dept: 5/2/2006
 CID: 444
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 5/2/2006
 Spill Record Last Update: 7/20/2006
 Spiller Name: MARK
 Spiller Company: COMBINE OIL
 Spiller Address: 1479 WILLAIMS BRIDGE
 Spiller City,St,Zip: BRONX, NY 001
 Spiller Contact: KINSEY CORP -LYNN
 Spiller Phone: (212) 255-3579
 Spiller Extention: 209
 DEC Region: 2
 DER Facility ID: 313572
 DEC Memo: 05/11/06 Sharif Rahman- I left a messege for Lynn to call DEC back regarding the clean up. 07/20/06 Rahman- Rec'd clean up letter from North East Environmental. The spill was a minor one and came out of the vent line. Spill was on the side walk concrete, nothing went to sewer/soil.NFA required.

Remarks: oil is contained and speedi dri is being placed down: northeast enviormebtal enrout : is on sidewalk and some may have gotten into storm drain

Material:

Site ID: 363391
 Operable Unit ID: 1121446

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT (Continued)

S107789299

Operable Unit: 01
Material ID: 2110943
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

380
SSE
1/4-1/2
0.332 mi.
1754 ft.

CONSTRUCTION SITE
56-74 W 23RD ST
NEW YORK, NY

LTANKS **S104782449**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
35 ft.

Site ID: 184746
Spill No: 0007926
Spill Date: 10/5/2000
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/27/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 10/5/2000
CID: 390
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/5/2000
Spill Record Last Update: 5/27/2003
Spiller Name: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSTRUCTION SITE (Continued)

S104782449

Spiller Company: UNKNOWN
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN, NY
Spiller County: 999
Spiller Contact: RAY BARRON
Spiller Phone: (646) 638-2137
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 154580
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" 10-10-00 TIPPLE TOOK SITE / PREVIOUS SPILL ON SAME SITE BELONGING TO TIPPLE/ SITE MEETING 10-10 5/27/03 database updated/tipple
Remarks: CALLER REPORTS UNDERGROUND TANK LEAKING - TANK WILL BE REMOVED - SOIL WILL BE STOCKPILED FROM AROUND TANK

Material:
Site ID: 184746
Operable Unit ID: 830412
Operable Unit: 01
Material ID: 545445
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 0007926
Spill Date: 10/05/2000
Spill Time: 13:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSTRUCTION SITE (Continued)

S104782449

Cleanup Ceased: //
Cleanup Meets Standard: False
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/05/00
Reported to Department Time: 13:43
SWIS: 62
Spiller Contact: RAY BARRON
Spiller Phone: (646) 638-2137
Spiller Extension: Not reported
Spiller Name: UNK
Spiller Address: UNK
Spiller City,St,Zip: UNK
Spiller Cleanup Date: //
Facility Contact: UNK
Facility Phone: (000) 000-0000
Facility Extension: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: //
Recommended Penalty: Penalty Not Recommended
Enforcement Date: //
Investigation Complete: //
UST Involvement: False
Date Region Sent Summary to Central Office: //
Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 10/05/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/11/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CONSTRUCTION SITE (Continued)

S104782449

Last Date: 19941207
DEC Remarks: 10-10-00 TIPPLE TOOK SITE / PREVIOUS SPILL ON SAME SITE BELONGING TO TIPPLE/
SITE MEETING 10-10
Spill Cause: CALLER REPORTS UNDERGROUND TANK LEAKING - TANK WILL BE REMOVED - SOIL WILL BE
STOCKPILED FROM AROUND TANK

381
ENE
1/4-1/2
0.340 mi.
1797 ft.

120 WEST 31ST ST
NEW YORK, NY

LTANKS S104620378
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
40 ft.

Site ID: 308695
Spill No: 9905948
Spill Date: 8/18/1999
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/5/2006
Facility Addr2: Not reported
Cleanup Ceased: 1/10/2006
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KGHale
Referred To: Not reported
Reported to Dept: 8/18/1999
CID: 388
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/18/1999
Spill Record Last Update: 4/5/2006
Spiller Name: SUE
Spiller Company: COLUMBUS FASHIONS
Spiller Address: 120 W 31ST ST
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: (516) 321-4670
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 249293
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
"SANGESLAND"
Remarks: caller reports tested tank and tank failed.

Material:

Site ID: 308695
Operable Unit ID: 1084392
Operable Unit: 01
Material ID: 302226
Material Code: 0001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620378

Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 308695
Spill Tank Test: 1547499
Tank Number: 1
Tank Size: 1500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9905948
Spill Date: 08/18/1999
Spill Time: 11:09
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/18/99
Reported to Department Time: 11:09
SWIS: 62
Spiller Contact: CALLER
Spiller Phone: (516) 321-4670
Spiller Extention: Not reported
Spiller Name: COLUMBUS FASHIONS
Spiller Address: 120 W 31ST ST
Spiller City,St,Zip: NEW YORK, NY
Spiller Cleanup Date: / /
Facility Contact: SUE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620378

Facility Phone: (212) 564-1780
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/18/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/04/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 1500
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: caller reports tested tank and tank failed.

BS382
SSW
1/4-1/2
0.342 mi.
1804 ft.

264 W. 19TH ST
MANHATTAN, NY
Site 1 of 2 in cluster BS

LTANKS S105997759
N/A

Relative:
Lower

LTANKS:
Site ID: 147581
Spill No: 0209894
Spill Date: 12/30/2002
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/26/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101

Actual:
23 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S105997759

Investigator: JMROMMEL
Referred To: Not reported
Reported to Dept: 12/30/2002
CID: 322
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/30/2002
Spill Record Last Update: 3/26/2003
Spiller Name: Not reported
Spiller Company: HESS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller County: 001
Spiller Contact: UNITED CHELSE
Spiller Phone: (212) 686-2002
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 125638
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL" see spill 0209889
Remarks: tank overfill resulted in 10 gal inside house & 10 gal outside the house - just on land - caller on the way to do the clean up

Material:
Site ID: 147581
Operable Unit ID: 863114
Operable Unit: 01
Material ID: 513312
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

BS383
SSW
1/4-1/2
0.342 mi.
1806 ft.

251 W. 19TH ST
MANHATTAN, NY
Site 2 of 2 in cluster BS

LTANKS **S104877546**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Site ID: 267564
 Spill No: 0010929
 Spill Date: 1/3/2000
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Actual:
24 ft.

Spill Closed Dt: 7/29/2003
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 1/4/2001
 CID: 322
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/4/2001
 Spill Record Last Update: 7/29/2003
 Spiller Name: HERB
 Spiller Company: Not reported
 Spiller Address: 251 W. 19TH ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 217968
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND"

Remarks: tank test failure - leaking manhole cover and this has been repaired already

Material:

Site ID: 267564
 Operable Unit ID: 832315
 Operable Unit: 01
 Material ID: 544803
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104877546

Oxygenate: False

Tank Test:
Site ID: 267564
Spill Tank Test: 1526042
Tank Number: 1
Tank Size: 3000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 0010929
Spill Date: 01/03/2000
Spill Time: 14:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/04/01
Reported to Department Time: 15:48
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 251 W. 19TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: HERB
Facility Phone: (212) 829-4531
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104877546

Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/04/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/08/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 3000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: tank test failure - leaking manhole cover and this has been repaired already

384
ESE
1/4-1/2
0.346 mi.
1828 ft.

COMMERCIAL BLDG
55 W 26TH ST
MANHATTAN, NY

LTANKS S103940786
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Site ID: 154854
Spill No: 9900203
Spill Date: 4/6/1999
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/29/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 4/6/1999
CID: 252
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported

Actual:
40 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG (Continued)

S103940786

Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/6/1999
Spill Record Last Update: 11/29/2002
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: DAVE PELLETIER
Spiller Phone: (212) 631-9000
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 131263
DEC Memo: Not reported
Remarks: TANK IS ENCASED IN CONCRETE. UNKNOWN IF ANY SPILL AT THIS TIME.

Material:

Site ID: 154854
Operable Unit ID: 1078993
Operable Unit: 01
Material ID: 307343
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 154854
Spill Tank Test: 1547040
Tank Number: 001
Tank Size: 2500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9900203
Spill Date: 04/06/1999
Spill Time: 10:20
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG (Continued)

S103940786

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: //
Cleanup Ceased: //
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/06/99
Reported to Department Time: 11:42
SWIS: 62
Spiller Contact: DAVE PELLETIER
Spiller Phone: (212) 631-9000
Spiller Extension: Not reported
Spiller Name: UNK
Spiller Address: UNK
Spiller City,St,Zip: UNK
Spiller Cleanup Date: //
Facility Contact: UNK
Facility Phone: () -
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: 0-000000
Last Inspection: //
Recommended Penalty: Penalty Not Recommended
Enforcement Date: //
Investigation Complete: //
UST Involvement: False
Date Region Sent Summary to Central Office: //
Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 04/06/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/06/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 2500
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL BLDG (Continued)

S103940786

Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: DID NOT FOUND PBS REGISTRATION AT ABOVE ADDRESS.
Spill Cause: TANK IS ENCASED IN CONCRETE. UNKNOWN IF ANY SPILL AT THIS TIME.

**BT385
ESE
1/4-1/2
0.348 mi.
1836 ft.**

**STORE
48 WEST 27TH STREET
NEW YORK, NY**

**LTANKS S103824889
HIST LTANKS N/A**

Site 1 of 2 in cluster BT

**Relative:
Higher**

LTANKS:

Site ID: 187497
Spill No: 9815530
Spill Date: 3/30/1999
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

**Actual:
41 ft.**

Spill Closed Dt: 8/4/2000
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SACCACIO
Referred To: Not reported
Reported to Dept: 3/30/1999
CID: 282
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 3/30/1999
Spill Record Last Update: 8/4/2000
Spiller Name: JOHN RAGUSSO
Spiller Company: JOHN RAGUSSO
Spiller Address: 48 WEST 27TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: JOHN RAGUSSO
Spiller Phone: (212) 631-9000
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 156653
DEC Memo: Not reported
Remarks: TANK TEST THERE WERE 2 (275 GALLON TANKS MOLDED TOGETHER TO FORM 1 TANK) UNKNOWN THE NAME ON THE STORE

Material:

Site ID: 187497
Operable Unit ID: 1073535
Operable Unit: 01
Material ID: 308636
Material Code: 0001

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STORE (Continued)

S103824889

Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 187497
Spill Tank Test: 1547002
Tank Number: 1
Tank Size: 550
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9815530
Spill Date: 03/30/1999
Spill Time: 15:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 08/04/00
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/30/99
Reported to Department Time: 17:21
SWIS: 62
Spiller Contact: JOHN RAGUSSO
Spiller Phone: (212) 631-9000
Spiller Extention: Not reported
Spiller Name: JOHN RAGUSSO
Spiller Address: 48 WEST 27TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller Cleanup Date: / /
Facility Contact: JOHN RAGUSSO

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

STORE (Continued)

S103824889

Facility Phone: Not reported
 Facility Extension: Not reported
 Spill Notifier: Tank Tester
 PBS Number: Not reported
 Last Inspection: / /
 Recommended Penalty: Penalty Not Recommended
 Enforcement Date: / /
 Investigation Complete: / /
 UST Involvement: False
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 03/30/99
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 08/04/00
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: 1
 Tank Size: 550
 Test Method: Horner EZ Check
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: 8/4/00 - Saccacio Recvied report - Clean post excavation samples - Closed
 Spill Cause: TANK TEST THERE WERE 2 275 GALLON TANKS MOLDED TOGETHER TO FORM 1 TANK)
 UNKNOWN THE NAME ON THE STORE

386
NNW
1/4-1/2
0.350 mi.
1848 ft.

HELIPORT W 30TH ST/MANH
HELIPORT/WEST 30TH STREET
NEW YORK CITY, NY

LTANKS **S100145501**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Site ID: 116887
 Spill No: 8903684
 Spill Date: 7/13/1989
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: Not reported
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False

Actual:
24 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELIPORT W 30TH ST/MANH (Continued)

S100145501

SWIS: 3101
Investigator: LXZIELIN
Referred To: Not reported
Reported to Dept: 7/13/1989
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 1
Date Entered In Computer: 7/14/1989
Spill Record Last Update: 6/30/2010
Spiller Name: Not reported
Spiller Company: PORT AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 101690
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MILLER" DEC SIGONA REASSIGNED TO MILLER ON 1/23/98 3/5/10 - Austin - Reassigned as TTF to Jake Krimgold for further investigation. - end
Remarks: 550 GALLON TANK FAILED HORNER EZY CHECK WITH A LEAK RATE OF .179GPH, TANK #8, PARTIALLY PUMPED OUT TANK, WILL FINISH PUMPING TANK LATER TODAY.

Material:
Site ID: 116887
Operable Unit ID: 931312
Operable Unit: 01
Material ID: 447763
Material Code: 0011
Material Name: Jet Fuel
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 116887
Spill Tank Test: 1535707
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELIPORT W 30TH ST/MANH (Continued)

S100145501

HIST LTANKS:

Region of Spill: 2
Spill Number: 8903684
Spill Date: 07/13/1989
Spill Time: 03:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MILLER
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 07/13/89
Reported to Department Time: 04:32
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: PORT AUTHORITY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 07/14/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/23/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

HELIPORT W 30TH ST/MANH (Continued)

S100145501

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Quantity Spilled: -1

Unkonwn Quantity Spilled: False

Units: Pounds

Quantity Recovered: 0

Unkonwn Quantity Recovered: False

Material: JET FUEL

Class Type: JET FUEL

Times Material Entry In File: 1264

CAS Number: Not reported

Last Date: 19940728

DEC Remarks: DEC SIGONA REASSIGNED TO MILLER ON 1/23/98

Spill Cause: 550 GALLON TANK FAILED HORNER EZY CHECK WITH A LEAK RATE OF .179GPH, TANK 8, PARTIALLY PUMPED OUT TANK, WILL FINISH PUMPING TANK LATER TODAY.

BU387
SSW
1/4-1/2
0.356 mi.
1880 ft.

EXXONMOBIL
153-169 SEVENTH AVE
NEW YORK, NY
Site 1 of 3 in cluster BU

LTANKS **S104880835**
NY Hist Spills **N/A**

Relative:
Equal

LTANKS:

Site ID: 188430

Spill No: 0009966

Spill Date: 12/4/2000

Spill Cause: Tank Failure

Spill Source: Gasoline Station

Spill Class: Known release that creates a file or hazard. DEC Response. Unknown Responsible Party. Corrective action taken. (ISR)

Spill Closed Dt: 7/11/2003

Facility Addr2: Not reported

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 3101

Investigator: SIGONA

Referred To: Not reported

Reported to Dept: 12/4/2000

CID: 389

Water Affected: Not reported

Spill Notifier: Affected Persons

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True

Remediation Phase: 0

Date Entered In Computer: 12/4/2000

Spill Record Last Update: 12/11/2003

Spiller Name: Not reported

Spiller Company: EXXONMOBIL

Spiller Address: Not reported

Spiller City,St,Zip: NY

Spiller County: 999

Spiller Contact: Not reported

Spiller Phone: Not reported

Spiller Extention: Not reported

DEC Region: 2

Actual:
27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXONMOBIL (Continued)

S104880835

DER Facility ID: 157383
DEC Memo: Not reported
Remarks: CALLER REPORTING A SMELL OF GAS IN THE AIR WHICH CALLER STATES HAS BEEN GOING ON FOR A COUPLE OF WEEKS UNK WHAT CAUSED THE SPILL AND UNK WHAT IS BEING DONE ABOUT IT.

Material:

Site ID: 188430
Operable Unit ID: 830930
Operable Unit: 01
Material ID: 543890
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 0009966
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 12/04/2000 10:00
Reported to Dept Date/Time: 12/04/00 10:52
SWIS: 62
Spiller Name: UNK
Spiller Contact: UNK
Spiller Phone: () -
Spiller Address: UNK
Spiller City,St,Zip: UNK
Spill Cause: Unknown
Reported to Dept: Air
Water Affected: Not reported
Spill Source: 05

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EXXONMOBIL (Continued)

S104880835

Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/04/00
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/18/00
Is Updated: False
Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: MOBIL STATION, TANK REMOVAL AND SUBSEQUENT EXCAVATION.
Remark: CALLER REPORTING A SMELL OF GAS IN THE AIR WHICH CALLER STATES HAS BEEN GOING ON FOR A COUPLE OF WEEKS UNK WHAT CAUSED THE SPILL AND UNK WHAT IS BEING DONE ABOUT IT.

BU388
SSW
1/4-1/2
0.356 mi.
1880 ft.

MOBIL STATION #17Q53
153-169 SEVENTH AVE
NEW YORK, NY
Site 2 of 3 in cluster BU

LTANKS **S106703048**
HIST LTANKS **N/A**

Relative:
Equal

LTANKS:
Site ID: 188433
Spill No: 9911365
Spill Date: 12/28/1999
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
27 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL STATION #17Q53 (Continued)

S106703048

Spill Closed Dt: 9/24/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 12/28/1999
CID: 388
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 12/28/1999
Spill Record Last Update: 1/8/2003
Spiller Name: Not reported
Spiller Company: EXXONMOBIL
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: CALLER
Spiller Phone: (800) 666-2605
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 157383
DEC Memo: Not reported
Remarks: used vacutec method tested tank and tank failed. will do a helium pinpoint.

Material:

Site ID: 188433
Operable Unit ID: 1085978
Operable Unit: 01
Material ID: 560624
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 188433
Spill Tank Test: 1547964
Tank Number: 1
Tank Size: 4000
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MOBIL STATION #17Q53 (Continued)

S106703048

Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9911365
Spill Date: 12/28/1999
Spill Time: 14:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/28/99
Reported to Department Time: 16:12
SWIS: 62
Spiller Contact: CALLER
Spiller Phone: (800) 666-2605
Spiller Extention: Not reported
Spiller Name: MOBIL
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: () -
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/28/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/26/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

MOBIL STATION #17Q53 (Continued)

S106703048

Tank Size: 4000
 Test Method: Unknown
 Leak Rate Failed Tank: 0.00
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 0
 Unkonwn Quantity Spilled: True
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: GASOLINE
 Class Type: GASOLINE
 Times Material Entry In File: 21329
 CAS Number: Not reported
 Last Date: 19940929

DEC Remarks: Reassigned from O Dowd to Sigona on July 21, 2000. Received Remediation Plan from GES dated June 23, 2000 submitted by Sive Paget and Riesel on July 18, 2000. Also see spill nos. 9710292 and 99-11365

Spill Cause: used vacutec method tested tank and tank failed. will do a helium pinpoint.

BU389
SSW
1/4-1/2
0.357 mi.
1884 ft.

153 7TH AVE
153 7TH AVE
MANHATTAN, NY

LTANKS **S106703644**
HIST LTANKS **N/A**

Site 3 of 3 in cluster BU

Relative:
Equal

LTANKS:

Site ID: 188431
 Spill No: 9209472
 Spill Date: 11/13/1992
 Spill Cause: Tank Test Failure
 Spill Source: Gasoline Station
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
27 ft.

Spill Closed Dt: 12/7/1992
 Facility Addr2: Not reported
 Cleanup Ceased: 12/7/1992
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 11/13/1992
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 11/18/1992
 Spill Record Last Update: 12/11/2003
 Spiller Name: Not reported
 Spiller Company: EXXONMOBIL
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

153 7TH AVE (Continued)

S106703644

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 157383
DEC Memo: Not reported
Remarks: PROBABLE FITTING PROBLEM NO CALL BACK NECESSARY

Material:

Site ID: 188431
Operable Unit ID: 976076
Operable Unit: 01
Material ID: 406516
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 188431
Spill Tank Test: 1540850
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9209472
Spill Date: 11/13/1992
Spill Time: 15:00
Spill Cause: Tank Test Failure
Resource Affectd: Air
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/07/92
Cleanup Ceased: 12/07/92
Cleanup Meets Standard: True
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

153 7TH AVE (Continued)

S106703644

Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/13/92
Reported to Department Time: 17:00
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/18/92
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/26/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Pounds
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: DEC Sigona reassigned form O Dowd on 7/21/2000 also see spill nos. 9911365 and 9710292
Spill Cause: PROBABLE FITTING PROBLEM NO CALL BACK NECESSARY

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

BV390 **415 W. 21ST STREET**
WSW **415 W. 21ST STREET**
1/4-1/2 **MANHATTAN, NY**
0.366 mi.
1932 ft. **Site 1 of 2 in cluster BV**

LTANKS **S102672732**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
15 ft.

Site ID: 267931
 Spill No: 9412289
 Spill Date: 12/14/1994
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/14/1994
 Facility Addr2: Not reported
 Cleanup Ceased: 12/14/1994
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 12/14/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/30/1995
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: WHALECO
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 218276
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was
 "KRIMGOLD"
 Remarks: SPILL CONTAINED ON CONCRETE WALKWAY-SERVICE TO DO CLEANUP

Material:

Site ID: 267931
 Operable Unit ID: 1010003
 Operable Unit: 01
 Material ID: 374612
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

415 W. 21ST STREET (Continued)

S102672732

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9412289
Spill Date: 12/14/1994
Spill Time: 09:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/14/94
Cleanup Ceased: 12/14/94
Cleanup Meets Standard: True
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/14/94
Reported to Department Time: 09:47
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: WHALECO
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

415 W. 21ST STREET (Continued)

S102672732

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/30/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: SPILL CONTAINED ON CONCRETE WALKWAY-SERVICE TO DO CLEANUP

**BV391
WSW
1/4-1/2
0.366 mi.
1932 ft.**

**DR. SERSINI
415 WEST 21ST STREET
NEW YORK CITY, NY**

**LTANKS S104275721
HIST LTANKS N/A**

Site 2 of 2 in cluster BV

**Relative:
Lower**

LTANKS:

Site ID: 151614
Spill No: 9411689
Spill Date: 12/2/1994
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/2/1994
Facility Addr2: Not reported
Cleanup Ceased: 12/2/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 12/2/1994
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False

**Actual:
15 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DR. SERSINI (Continued)

S104275721

Remediation Phase: 0
Date Entered In Computer: 1/12/1995
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: WHALECO FUEL
Spiller Address: 1 COFFEY STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 128850
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"
Remarks: TANK WAS ALREADY FULL. WHALECO WENT TO FILL AND IT OVERFILLED. IN PROCESS OF CLEANING UP. NCB.

Material:

Site ID: 151614
Operable Unit ID: 1009558
Operable Unit: 01
Material ID: 374028
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 2
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9411689
Spill Date: 12/02/1994
Spill Time: 07:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DR. SERSINI (Continued)

S104275721

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/02/94
Cleanup Ceased: 12/02/94
Cleanup Meets Standard: True
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/02/94
Reported to Department Time: 08:12
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: WHALECO FUEL
Spiller Address: 1 COFFEY STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 852-7000
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/12/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 2
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DR. SERSINI (Continued)

S104275721

Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: TANK WAS ALREADY FULL. WHALECO WENT TO FILL AND IT OVERFILLED. IN PROCESS OF CLEANING UP. NCB.

392
West
1/4-1/2
0.366 mi.
1935 ft.

MINICK HOME
440 WEST 22ND STREET
MANHATTAN, NY

LTANKS S107523558
N/A

Relative:
Lower

LTANKS:

Actual:
15 ft.

Site ID: 359128
Spill No: 0512757
Spill Date: 2/3/2006
Spill Cause: Tank Failure
Spill Source: Private Dwelling
Spill Class: Not reported
Spill Closed Dt: 3/10/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: mxferoze
Referred To: Not reported
Reported to Dept: 2/3/2006
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/3/2006
Spill Record Last Update: 3/10/2006
Spiller Name: MINICK HOME
Spiller Company: MINICK HOME
Spiller Address: 440 WEST 22ND STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: MARK SALAMACK
Spiller Phone: (917) 559-5519
Spiller Extention: CELL
DEC Region: 2
DER Facility ID: 309129
DEC Memo: 02/03/06 Feroze talked with Mr. Minick (owner) 212-604-9898. He informed that there was a leak in the tank, they have closed the leak and pumped the oil out. It is above ground tank, floor is made of concrete. An environmental company is working for them. TTF is sent to : Mr. Minick 440 west 22nd Street New york, NY 10011. 02/10/06 Mr. Minick called and told me that they will close the tank by PTC. He will submit DEC the documents soon. 03/02/06 Feroze,; Mr.Minick told me that PTC has taken soil sample. He will submit soil analysis result and tank closer report to DEC soon.It was 275 gallon tank. 03/10/06 Feroze received a certificate and soil analysis result. The result shows that VOC and SVOC are within accepptable limit. They also

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MINICK HOME (Continued)

S107523558

submitted a manifest for removal of contaminated soil. The spill is closed.
Remarks: ruptured tank in basement:

Material:
Site ID: 359128
Operable Unit ID: 1116352
Operable Unit: 01
Material ID: 2106499
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 8
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

**BT393
ESE
1/4-1/2
0.367 mi.
1936 ft.**

**OFFICE BUILDING
45 WEST 27TH STREET
MANHATTAN, NY
Site 2 of 2 in cluster BT**

**LTANKS S106737702
N/A**

**Relative:
Higher**

**Actual:
41 ft.**

LTANKS:
Site ID: 335726
Spill No: 0410691
Spill Date: 12/22/2004
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 8/10/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: qxabidi
Referred To: Not reported
Reported to Dept: 12/29/2004
CID: 409
Water Affected: Not reported
Spill Notifier: Local Agency

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OFFICE BUILDING (Continued)

S106737702

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/29/2004
Spill Record Last Update: 9/29/2006
Spiller Name: PAMELA
Spiller Company: OFFICE BUILDING
Spiller Address: 45 WEST 27TH STREET
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: PAMELA
Spiller Phone: (212) 765-1655
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 271007
DEC Memo: Contact- Walter H 212-685-3389 There is a crack in the fill line, there is a sidewalk bridge over the fill line. There will be no more fills using the cracked line, PTC to conduct cleanup once the site is secure. 1/5/05 tipple sent letter requiring action. 1/6/04 tipple informed that Eastmond will be doing the fill line replacement only at this time. 08/03/06: This spill is transferred from Mr. Koon Tang to Q.Abidi. called Mr. Mark Salamick at (917)559-5519 he said he will find out information about the spill and he will call me back. Mr. Mark salamick called me back and said he has never done this job he said to contact FM Ring Management Company. Called Ms. Reeba at (212)765-1655 she said, she is working on it she will find the status of the spill and she will call me back. -QA 08/04/06: Recieved fax from Ms. Reba Dickstein (F.M.Ring Associates). Called Ms.Reba she said there was a minor problem Gauge messed up so Eastmond company changed the gauge. Therefore, the problem cured. -QA 08/10/06: Recieved a closing confirmation letter by fax from Ms. Reba Dickstein (F.M. Ring associates, INC.). She mentioned in her letter that oil fill line was replaced by Eastmond company. That is a freestanding line at the ceiling of the basement. Floor of the basement is concrete floor that is in good condition and without cracks. Therefore, According to the letter of Ms. Reba Dickstein this spill is closed. -QA

Remarks: Not reported

Material:
Site ID: 335726
Operable Unit ID: 1097790
Operable Unit: 01
Material ID: 577888
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

OFFICE BUILDING (Continued)

S106737702

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

**394
 ENE
 1/4-1/2
 0.368 mi.
 1941 ft.**

**COMMERCIAL LOCATION
 875 6TH AV
 MANHATTAN, NY**

**LTANKS S104782219
 HIST LTANKS N/A**

**Relative:
 Higher**

LTANKS:

Site ID: 79832
 Spill No: 0006542
 Spill Date: 9/1/2000
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

**Actual:
 42 ft.**

Spill Closed Dt: 8/21/2008
 Facility Addr2: 875 SIXTH AVE
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: VXBREVDO
 Referred To: Not reported
 Reported to Dept: 9/1/2000
 CID: 323
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 9/1/2000
 Spill Record Last Update: 12/11/2008
 Spiller Name: WILLIAM VANLOAN
 Spiller Company: COMMERCIAL LOCATION
 Spiller Address: 875 6TH AV
 Spiller City,St,Zip: MANHATTAN, ZZ
 Spiller County: 001
 Spiller Contact: WILLIAM VANLOAN
 Spiller Phone: (212) 826-4330
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 74076
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIPPLE" SIERRA REALTY COPR. PLANS TO ISOLATE AND RETEST MIKE DELPERCIO FROM LIEBLICH AT 718-585-5200 DOING WORK 11/15/2000 SITE VISIT REQUESTED UPON ARRIVAL AT SITE THE EXCAVATION REVEALED 8"+- OF PRODUCT IN THE DIRT EXCAVATION, THE FILL LINE WAS REMOVED, AND THE

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL LOCATION (Continued)

S104782219

TANK WAS STILL IN SERVICE. THEY WERE TOLD TO CLEAN THE PETROLEUM, ISOLATE AND RETEST THE TANK, REMOVE FROM SERVICE IMMEDIATELY IF IT DID NOT TEST TIGHT. KEEP THE DEC APPRISED OF THE PROGRESS. 1/9/03
Roux env. cleaning tank to observe if there is any additional product. wells have shown no product.// will update DEC when info is gathered 9/28/04 tippie called Josh Levine....Clean wells soon, and I would like to witness the last baling next quarter. 10/20/05 - Raphael Ketani. I spoke to Joshua Levine at Roux (rooo) Associates ((631) 232-2600) regarding the site. He said Sierra Realty Management is the owner of the property. He said the UST was punctured repeatedly and used as a receptacle for collecting the oil and water. Once it was no longer usefue, it was abandoned in place with foam. A new AST was put in it's place. Mr. Levine will call me back regarding the status of the site. There is no PBS case for the site, even though they abandoned one tank and installed another. I will send them a letter instructing them to register the two tanks and close the abandoned one. 10/25/05 - Perry Parker of Sierra Realty called me today to tell me that the 10,000 gal. active tank had been registered and that the 11,200 gal. one had been closed. Mr. Parker sent me the paper work showing the tank closure and registration. The PBS case is #2-045187. 12/2/05 - Raphael Ketani. Joshua Levine called to say that the 11,200 gal. tank was abandoned in place and that the owners got a certificate from the FDNY. He wanted to set up a conference call with Perry Parker to discuss what contamination was found and where the owners go from here. He suggested 12/5 at 3 PM. I agreed. 12/5/05 - Raphael Ketani. I had the conference call with Joshua Levine and Perry Parker. Mr. Levine gave me a chronological run-down of how the remediation and oil recovery went since the inception of the spill. Mr. Levine mentioned that no product had been seen in the monitoring wells on 6/11/04 and 7/20/04. However, on 10/04 about a foot of product was found and bailed. On 12/04 Roux went back and bailed product. Mr. Levine added that on 11/11/05, about 30 inches of oil was found in well MW-2, which is at the location of the former UST. All of the other wells had been dry or didn't have product. I asked Mr. Levine how much product had been recovered. He said about 500 gals. I told Mr. Levine a system or method has to be used to continue to recover product. He agreed and said he would send me a letter stating how they will recover the remainder of the oil and proceed with the method. 1/23/06 - Raphael Ketani. I called Mr. Levine regarding any progress in finding a redesign that will allow for more oil recovery. He said that they will redrill MW-2 and enlarge it from a 1" diam. well to a 2" diam. well. He said that Zebra Environmental will do the drilling on 1/27/06. 4/3/06 - Raphael Ketani. Today I received a progress report letter dated March 30, 2006, from Roux Associates, Inc. Several inches of #6 oil is still appearing in MW-2A and MW-5. They will try to recover more oil later. 03/21/07 - Spoke with Mr. Levine of Roux. I requested submission of the Final Spill Closure report to evaluate merits of spill closure Mr. Levine is requesting. V. Brevdo 02/01/08 - Mr. Lavine of Roux telephoned and advised that he is sending spill closure work plan and it is dated 02/01/08 which will describe hot spots soil excavation and free product recovery surrounding the closed in place 11,000 gallon No. 6 oil UST. VB 08/21/08 Review of the Spill Closure Summary Report prepared by ROUX and dated July 21, 2008 indicates the following: The excavation and offsite disposal of localized petroleum impacted soil and free product adjacent to the abandoned 11,000-gallon No. 6 oil UST within the subbasement of 875 Sixth Avenue, Manhattan, New York

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL LOCATION (Continued)

S104782219

has been completed. Excavation sidewall and bottom end-point samples were collected from two separate excavations. No soil samples exceeded the TAGM 4046 RSCOs for VOCs and only one SVOC, chrysene, was detected in excess of the RSCOs from three of the 10 end-point samples. A total of 45 drums of petroleum-impacted soil and rock was excavated and disposed of offsite as nonhazardous waste. In addition, seven drums of free product/water mixture were disposed offsite as non-hazardous waste. The excavations were backfilled with 6 cubic yards of clean offsite sand. Free-product has been removed to the extent practicable. No free product has returned to the two monitoring wells, MW-2A and MW-5, since the February 2008 excavation and restoration. There is no indication of offsite migration of free product since the historic spill was contained within the bedrock depression directly surrounding the UST. The post-remediation water sample collected from MW-2A contained no exceedances of the AWQSGVs. This Spill Closure Report provides documentation of the remedial activities conducted to close out NYSDEC spill number 0006542. On behalf of Sierra Realty, Roux Associates has requested closure of NYSDEC spill number 0006542. Based upon review of the Spill Closure Summary Report and taking into consideration aforementioned findings, I decided it is appropriate to close spill. Spill is closed on August 21, 2008 (VB)

Remarks: WILL AWAIT ACTION FROM DEC.

Material:

Site ID: 79832
Operable Unit ID: 829374
Operable Unit: 01
Material ID: 547655
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 79832
Spill Tank Test: 1525870
Tank Number: 1
Tank Size: 11000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 0006542
Spill Date: 09/01/2000

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL LOCATION (Continued)

S104782219

Spill Time: 12:30
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIPPLE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/01/00
Reported to Department Time: 14:12
SWIS: 62
Spiller Contact: WILLIAM VANLOAN
Spiller Phone: (212) 826-4330
Spiller Extention: Not reported
Spiller Name: COMMERCIAL LOCATION
Spiller Address: 875 6TH AV
Spiller City,St,Zip: MANHATTAN
Spiller Cleanup Date: / /
Facility Contact: WILLIAM VANLOAN
Facility Phone: (212) 826-4330
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/01/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/15/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 11000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Tank Test Failures only pass or fail

Material:

Material Class Type: Petroleum
Quantity Spilled: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERCIAL LOCATION (Continued)

S104782219

Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: SIERRA REALTY COPR. PLANS TO ISOLATE AND RETEST MIKE DELPERCIO FROM LIEBLICH AT 718-585-5200 DOING WORK 11/15/2000 SITE VISIT REQUESTED UPON ARRIVAL AT SITE THE EXCAVATION REVEALED 8 +- OF PRODUCT IN THE DIRT EXCAVATION, THE FILL LINE WAS REMOVED, AND THE TANK WAS STILL IN SERVICE. THEY WERE TOLD TO CLEAN THE PETROLEUM, ISOLATE AND RETEST THE TANK, REMOVE FROM SERVICE IMMEDIATELY IF IT DID NOT TEST TIGHT. KEEP THE DEC APPRISED OF THE PROGRESS.
Spill Cause: WILL AWAIT ACTION FROM DEC.

395
SE
1/4-1/2
0.373 mi.
1968 ft.

50 W 23RD ST
50 W 23RD ST
MANHATTAN, NY

LTANKS S102233305
HIST LTANKS N/A

Relative:
Higher

Actual:
36 ft.

LTANKS:
Site ID: 284960
Spill No: 9600169
Spill Date: 4/4/1996
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/5/2000
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 4/4/1996
CID: 351
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/4/1996
Spill Record Last Update: 1/5/2000
Spiller Name: UNKNOWN
Spiller Company: UNKNOWN
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN, NY
Spiller County: 999
Spiller Contact: DAVID YUDELSON
Spiller Phone: (212) 421-2150
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 231085

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

50 W 23RD ST (Continued)

S102233305

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"
Remarks: caller was removing an abandoned tank from site and found contaminated soil - attn chris tomasello

Material:
Site ID: 284960
Operable Unit ID: 1031612
Operable Unit: 01
Material ID: 353570
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9600169
Spill Date: 04/04/1996
Spill Time: 08:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/05/00
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

50 W 23RD ST (Continued)

S102233305

Reported to Department Date: 04/04/96
Reported to Department Time: 09:32
SWIS: 62
Spiller Contact: DAVID YUDELSON
Spiller Phone: (212) 421-2150
Spiller Extention: Not reported
Spiller Name: UNKNOWN
Spiller Address: UNKNOWN
Spiller City,St,Zip: UNKNOWN
Spiller Cleanup Date: / /
Facility Contact: UNKNOWN
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/04/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/05/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: caller was removing an abandoned tank from site and found contaminated soil -
attn chris tomasello

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

396
WSW
1/4-1/2
0.373 mi.
1972 ft.

**166-35 9TH AVE/
 166-35 9TH AVENUE
 NEW YORK CITY, NY**

LTANKS S104275518
HIST LTANKS N/A

**Relative:
 Lower**

LTANKS:

**Actual:
 16 ft.**

Site ID: 237710
 Spill No: 8803864
 Spill Date: 8/2/1988
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/30/1992
 Facility Addr2: Not reported
 Cleanup Ceased: 9/30/1992
 Cleanup Meets Standard: False
 SWIS: 4101
 Investigator: BATTISTA
 Referred To: Not reported
 Reported to Dept: 8/2/1988
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 8/2/1988
 Spill Record Last Update: 5/12/1994
 Spiller Name: Not reported
 Spiller Company: LEHARVE OWNER CORP
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 195792
 DEC Memo: Not reported
 Remarks: 3K TANK FAILED HORNER EZY CHECK, GROSS FAILURE IN STANDPIPE, WILL EXCAVATE AND INVESTIGATE.

Material:

Site ID: 237710
 Operable Unit ID: 921049
 Operable Unit: 01
 Material ID: 459392
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Not reported
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166-35 9TH AVE/ (Continued)

S104275518

Tank Test:

Site ID: 237710
Spill Tank Test: 1534386
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8803864
Spill Date: 08/02/1988
Spill Time: 14:15
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/30/92
Cleanup Ceased: 09/30/92
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/02/88
Reported to Department Time: 15:33
SWIS: 63
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: LEHARVE OWNER CORP
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 767-7200
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-158275
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

166-35 9TH AVE/ (Continued)

S104275518

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/02/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/12/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: / / : 3105 3195 1 0 4 2 N.T.R1 T2-057053 0041112/47+ 3105 3195 1 0 4 2 N.T.R1
T2-057061 0011112/47+ 3105 3195 1 0 4 2 N.T.R1 T.
Spill Cause: 3K TANK FAILED HORNER EZY CHECK, GROSS FAILURE IN STANDPIPE, WILL EXCAVATE AND INVESTIGATE.

BW397
SE
1/4-1/2
0.374 mi.
1974 ft.

ACE ATLAS
48 WEST 25TH STREET
MANHATTAN, NY
Site 1 of 2 in cluster BW

LTANKS S108298747
N/A

Relative:
Higher

LTANKS:

Site ID: 372815
Spill No: 0608788
Spill Date: 10/31/2006
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Spill Closed Dt: 3/22/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: rvketani
Referred To: Not reported
Reported to Dept: 10/31/2006
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended

Actual:
39 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ACE ATLAS (Continued)

S108298747

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/31/2006
Spill Record Last Update: 3/22/2007
Spiller Name: FRANK
Spiller Company: ACE ATLAS
Spiller Address: 48 WEST 25TH STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: FRANK
Spiller Phone: (718) 497-3000
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 322544

DEC Memo: 10/31/06 - Raphael Ketani. I went to the site today. The building houses offices of various companies and some wholesale stores. There were no odors in the lobby, which is directly above the tank room. I went down the stairs to the maintenance office where the tank room and boiler room are. This was the basement. I didn't smell any odors until I was at the bottom of the stairs. There was a slight odor and the basement was warm. The vapors measured about 1100 ppb with the PID meter. The boiler room was clean and had only a few very small spots from where the oil filters are changed. As I walked to the tank room the vapors got stronger. They were about 1300 ppb to 1400 ppb. I met the super, Frank Gutierrez (718) 497-3000. He let me into the tank room. Petroleum Tank Cleaners (718) 624-4842 had already emptied the tank and had been inside. There was oil on the floor and most of it was covered with absorbent. I estimated about 300 gallons of #6 oil had spilled. I did not see any drains or sumps in the room as I walked around the tank. There was no oil outside of the tank room in any direction. The floors outside of the tank room were solid with no cracks at all. Perhaps the floor in the tank room was the same way. The vapors in the tank room were 32 ppm. I told Mr. Gutierrez to keep the tank room door closed to keep the vapors to a minimum in the basement. He said he would do this. The people from PTC had come back. They were starting to set up temporary piping for the temporary 275 gallon tanks. The PBS case is #2-240419 and shows a 3,000 gal. tank with #6 oil. 11/13/06 - Raphael Ketani. I returned a message from John Benvegna (bin-ve~na) of Legget Brashers and Graham (914) 694-5711. He said he saw the tank room just recently and the tank had been removed, the absorbent cleaned up, and the vapors were low. He asked what DEC wanted in the way of an investigation and cleanup. I told him that if he can see the tank room floor and it looks to be in as good condition as the floor outside the tank room, then no investigation will be needed. I added that all the DEC would want is power washing of the floor, good ventilation, a small report describing the cleanup and incident, and a revised PBS form. He said he will do this. 3/1/07 - Raphael Ketani. I called up Frank Cassano of Ace Atlas (718) 497-3003/(917) 376-5416 to inquire as to the status of the cleanup and remediation, but could only leave a message. 3/6/07 - Raphael Ketani. I called up Mr. Benvegna and asked him about the cleanup. He said that LBG was not involved as they worked for the insurance company and the insurance company determined that Ace Atlas was not covered. He told me to contact Carmine Casale, the building manager from, Bernstein Real Estate(212) 594-1414, ext 413. I tried calling Mr. Casale, but could only leave a message. 3/7/07 - Raphael Ketani. Mr. Cassano called me back. He said he had

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

ACE ATLAS (Continued)

S108298747

spoken to Mr. Salamack and had been informed that the documentation regarding the cleanup had already been sent to DEC. I told him that we had nothing in our records. He said he would get back in touch with Mr. Salamack. 3/22/07 - Raphael Ketani. I received a FAXed closure report from Mr. Salamack. The report contained the cover letter describing the problem and cleanup, diagrams of the tank and the room, site map, plot plan, manifests for soil and tank removal, and end-point sample analytical results. I reviewed the closure report. There were 5 sets of sample data. All of the VOCs, except for one hit of naphthalene, were non-detect. Each set had many SVOC hits and some exceedences, specifically those of the benzo series and chrysene. The exceedences were typically several times the TAGM limit, but were still low concentrations. These low exceedences are more likely the result of ash and cinders that are mixed in with the fill soil that was originally in place. Based upon this closure report, I am closing the spill case.

Remarks: 3000 GALLON TANK IS LEAKING AND ABOUT 400- GALLONS ON FLOOR IN A CONTAINMENT AREA PUMPING TANK AT THIS TIME

Material:

Site ID: 372815
Operable Unit ID: 1130548
Operable Unit: 01
Material ID: 2120219
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 400
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

EDR ID Number
EPA ID Number

Site

Database(s)

BX398
ESE
1/4-1/2
0.377 mi.
1992 ft.

28 WEST 27TH ST
MANHATTAN, NY
Site 1 of 2 in cluster BX

LTANKS **S105997450**
N/A

Relative:
Higher

LTANKS:

Actual:
41 ft.

Site ID: 104111
Spill No: 0208979
Spill Date: 12/2/2002
Spill Cause: Tank Overfill
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/3/2002
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JBVOUGHT
Referred To: Not reported
Reported to Dept: 12/2/2002
CID: 205
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/2/2002
Spill Record Last Update: 12/2/2002
Spiller Name: CALLER
Spiller Company: T AND S TRUCKING
Spiller Address: 53 2ND AV
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: CALLER
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 92037
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "VOUGHT" 12/2/2002 - Sangesland on Desk Duty got the following info: T&S Trucking was subcontracted by Castle Oil to make this delivery. The original delivery was set for 4,000 gal #4 oil. At the building, no super was found, T&S called Castle, who gave T&S authority to deliver 3,000 gal. At 2,100 gal, oil shot out the vent line. After the spill, further searching of the records at Castle showed this building got a delivery for 3,500 gallons on Friday. According to Jim Carey (718-579-3410) at Castle Oil, approx 20-25 gal shot out the vent line and onto the adjacent building and sidewalk (no dirt, or drains were impacted). In addition, approx 50 gallons spilled from the top of the tank (manway? broken gauge opening?) Spill pooled around the tank in the basement. Area around the tank was filled with boxes of clothing which has absorbed a major portion of the oil. No sump or drains are impacted. 11AM- Castle Oil has hired Petroleum Tank Cleaners (718-624-4842) to do the clean up. Issac of PTC will send a crew over ASAP. 11:45AM- Sangesland spoke with Felix Silva building super (212-448-9498) He said PTC just pulled up and was

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S105997450

Remarks: unloading gear. "Robert" from Castle Oil is on site and said the spill was only from the vent line. Oil spilled out of the vent line and poured 20-30 gal down an adjacent "gateway" directly into the basement. He said the tank and tank room are separate and did not appear to be impacted. 3PM Issac at PTC says the job is 80% done. All oil was removed from basement floor. Floor was painted cement, so the floor was easy to clean up. PTC will return tomorrow with a steam cleaner to finish up on the sidewalk and the basement wall. 12/3/2002 PTC says all work was done. Spill Closed - OK'd by Vought delivered too much fuel. cleanup crew enroute.

Material:

Site ID: 104111
 Operable Unit ID: 862158
 Operable Unit: 01
 Material ID: 515969
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 15
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

BY399
ESE
1/4-1/2
0.383 mi.
2023 ft.

28-28 WEST 28TH ST
28-28 WEST 28TH STREET
BROOKLYN, NY
Site 1 of 3 in cluster BY

LTANKS **S106703270**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Site ID: 216726
 Spill No: 8805273
 Spill Date: 9/19/1988
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/30/1992
 Facility Addr2: Not reported
 Cleanup Ceased: 9/30/1992
 Cleanup Meets Standard: False

Actual:
42 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

28-28 WEST 28TH ST (Continued)

S106703270

SWIS: 2401
Investigator: BATTISTA
Referred To: Not reported
Reported to Dept: 9/19/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/19/1988
Spill Record Last Update: 2/19/2004
Spiller Name: Not reported
Spiller Company: SPEW MGNT
Spiller Address: 28-28 WEST 28TH STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 179447
DEC Memo: Not reported
Remarks: 10K TANK WOULDN'T STABILIZE, WILL EXCAVATE, ISOLATE AND RETEST.

Material:

Site ID: 216726
Operable Unit ID: 922358
Operable Unit: 01
Material ID: 457180
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 216726
Spill Tank Test: 1534631
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

28-28 WEST 28TH ST (Continued)

S106703270

Spill Number: 8805273
Spill Date: 09/19/1988
Spill Time: 09:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/30/92
Cleanup Ceased: 09/30/92
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/19/88
Reported to Department Time: 12:51
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SPEW MGNT
Spiller Address: 28-28 WEST 28TH STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 266-5060
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/19/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/12/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

28-28 WEST 28TH ST (Continued)

S106703270

Material Class Type: Petroleum
 Quantity Spilled: -1
 Unkonwn Quantity Spilled: False
 Units: Not reported
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #2 FUEL OIL
 Class Type: #2 FUEL OIL
 Times Material Entry In File: 24464
 CAS Number: Not reported
 Last Date: 19941207
 DEC Remarks: / / : 313 2136 0 0 6 2 / 12/872 T2-056413 0014100/00+ P 3106 3106 0 0 4 2
 12/871 T2-056421 0014100/00+ 31 1 1 0 4 2 12/872 2-056448.
 Spill Cause: 10K TANK WOULDN T STABILIZE, WILL EXCAVATE, ISOLATE AND RETEST.

**BY400
 ESE
 1/4-1/2
 0.383 mi.
 2023 ft.**

**28-28 WEST 28TH ST
 28-28 WEST 28TH STREET
 NEW YORK CITY, NY
 Site 2 of 3 in cluster BY**

**LTANKS S106703271
 HIST LTANKS N/A**

**Relative:
 Higher**

LTANKS:

**Actual:
 42 ft.**

Site ID: 216727
 Spill No: 8805274
 Spill Date: 9/19/1988
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/30/1992
 Facility Addr2: Not reported
 Cleanup Ceased: 9/30/1992
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: BATTISTA
 Referred To: Not reported
 Reported to Dept: 9/19/1988
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 9/19/1988
 Spill Record Last Update: 2/19/2004
 Spiller Name: Not reported
 Spiller Company: SPEW MGNT
 Spiller Address: 28-28 WEST 28TH STREET
 Spiller City,St,Zip: BROOKLYN, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 179447
 DEC Memo: Not reported
 Remarks: 15K TANK WOULDN'T STABILIZE, WILL EXCAVATE, ISOLATE AND RETEST.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

28-28 WEST 28TH ST (Continued)

S106703271

Material:

Site ID: 216727
Operable Unit ID: 922359
Operable Unit: 01
Material ID: 457181
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 216727
Spill Tank Test: 1534632
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8805274
Spill Date: 09/19/1988
Spill Time: 10:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/30/92
Cleanup Ceased: 09/30/92
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/19/88
Reported to Department Time: 12:51
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

28-28 WEST 28TH ST (Continued)

S106703271

Spiller Extention: Not reported
Spiller Name: SPEW MGNT
Spiller Address: 28-28 WEST 28TH STREET
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 266-5060
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/19/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 05/12/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: 15K TANK WOULDN T STABILIZE, WILL EXCAVATE, ISOLATE AND RETEST.

**BW401
SE
1/4-1/2
0.384 mi.
2029 ft.**

**CHELSEA HOUSES
41 WEST 25TH ST
MANHATTAN, NY
Site 2 of 2 in cluster BW**

**LTANKS S103478255
HIST LTANKS N/A**

**Relative:
Higher**

LTANKS:
Site ID: 158080
Spill No: 9806339
Spill Date: 8/21/1998
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

**Actual:
39 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA HOUSES (Continued)

S103478255

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: jkkann
Referred To: Not reported
Reported to Dept: 8/21/1998
CID: 312
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 1
Date Entered In Computer: 8/21/1998
Spill Record Last Update: 9/15/2009
Spiller Name: FRANK OCELLO
Spiller Company: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MAHATTAN, NY
Spiller County: 001
Spiller Contact: FRANK OCELLO
Spiller Phone: (212) 306-3229
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 70246
DEC Memo: 12/06/05: This spill transferred from J.Kolleeny to S.Kraszewski.
02/06/06: This spill transferred from S.Kraszewski to Q.Abidi.
03/17/06: SK Reviewed Site Assessment Report completed on Nov. 30, 2000 by State Environmental Services, Inc. One 30K tank, which stored #2 Fuel Oil was removed. Six post-excavation samples were taken from the pit and submitted for laboratory analysis. About 900 tons of soil was removed and disposed of. All soil samples were tested for VOCs and SVOCs. None of the samples detected any VOC contaminants. All samples recorded exceedances of the same SVOC compounds: Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(k)fluoranthene, Benzo(g,h,i)perylene, Chrysene, Dibenzo(a,h)anthracene. The concentrations ranged from 1950 ppb to 498 ppb, which are relatively low. Four of the six samples had SVOC exceedance concentrations of 1000 ppb or less. No samples were taken from the fill lines or fill port. Report lacks a site plan with area of excavation and sample locations. No lab analysis summary table provided either. SK spoke with Chris Sawyer from NYCHA Fuel Oil Remediation. I informed him that they would need to take soil samples from the former fill lines and fill port area. Chris said that Harborview Houses would be included when performed additional soil borings. Sent Chris Email requesting additional soil borings along the fuel lines and next to the fill port. - SK 04/04/06: This spill Transferred from Q. Abidi to Koon Tang. 07/03/09: J.kann - spill transferred to J.Kann. Site assessment report submitted on 2/5/07. Investigative work plan submitted in March 2009. Additional wells to be installed to evaluate groundwater at the site, which is acceptable. One comment was sent on 7/3/09 to GF "- A second round of groundwater sampling is proposed one month after the initial sampling is performed. What is the reasoning behind this? Typically two or more months is used."

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA HOUSES (Continued)

S103478255

09/15/09: J.kann - Sampling to be performed two months after initial
Remarks: sampling. Work Plan approved via email on 7/6/09.
will isolate and retest

Material:

Site ID: 158080
Operable Unit ID: 1067520
Operable Unit: 01
Material ID: 317502
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 158080
Spill Tank Test: 1546182
Tank Number: 001
Tank Size: 30000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 9806339
Spill Date: 08/21/1998
Spill Time: 13:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/21/98

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CHELSEA HOUSES (Continued)

S103478255

Reported to Department Time: 14:35
SWIS: 62
Spiller Contact: FRANK OCELLO
Spiller Phone: (212) 306-3229
Spiller Extention: Not reported
Spiller Name: NYC HOUSING AUTHORITY
Spiller Address: 250 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: FRANK OCELLO
Facility Phone: (212) 306-3229
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: -475483
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/21/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 06/04/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 001
Tank Size: 30000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: will isolate and retest

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

402
SE
1/4-1/2
0.385 mi.
2032 ft.

49/51 W. 24TH ST
MANHATTAN, NY

LTANKS **S104620918**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:

Actual:
38 ft.

Site ID: 207823
 Spill No: 9914234
 Spill Date: 3/16/2000
 Spill Cause: Tank Overfill
 Spill Source: Commercial Vehicle
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 3/20/2000
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 3/16/2000
 CID: 322
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/16/2000
 Spill Record Last Update: 3/20/2000
 Spiller Name: PABLO
 Spiller Company: MYSTIC BULK TANSPO
 Spiller Address: 19/01 STEINWAY ST
 Spiller City,St,Zip: LONG ISLAND CITY, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 172455
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" CLEANED BY SPILLER.
 Remarks: driver overfilled tank - spill contained around the fill pipe - clean up crew on the way

Material:

Site ID: 207823
 Operable Unit ID: 1088757
 Operable Unit: 01
 Material ID: 292519
 Material Code: 0003
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 7
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104620918

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9914234
Spill Date: 03/16/2000
Spill Time: 21:25
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/20/00
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 03/16/00
Reported to Department Time: 21:41
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MYSTIC BULK TANSPORT
Spiller Address: 19/01 STEINWAY ST
Spiller City,St,Zip: LONG ISLAND CITY, NY
Spiller Cleanup Date: / /
Facility Contact: PABLO
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

(Continued)

S104620918

Investigation Complete: / /
 UST Involvement: False
 Date Region Sent Summary to Central Office: / /
 Corrective Action Plan Submitted: / /
 Date Spill Entered In Computer Data File: 03/16/00
 Time Spill Entered In Computer Data File: Not reported
 Spill Record Last Update: 03/20/00
 Is Updated: False

Tank:

PBS Number: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate Failed Tank: Not reported
 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
 Quantity Spilled: 7
 Unkonwn Quantity Spilled: False
 Units: Gallons
 Quantity Recovered: 0
 Unkonwn Quantity Recovered: False
 Material: #6 FUEL OIL
 Class Type: #6 FUEL OIL
 Times Material Entry In File: 2190
 CAS Number: Not reported
 Last Date: 19940728
 DEC Remarks: CLEANED BY SPILLER.
 Spill Cause: driver overfilled tank - spill contained around the fill pipe - clean up crew on the way

BZ403
East
1/4-1/2
0.392 mi.
2068 ft.

1204 BROADWAY MANHATTAN LLC
1204 BROADWAY
NEW YORK, NY 10001
Site 1 of 2 in cluster BZ

LTANKS **U001330116**
UST **N/A**
HIST UST

Relative:
Higher

LTANKS:
 Site ID: 400526
 Spill No: 0803745
 Spill Date: 6/30/2008
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/1/2008
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: vszhune
 Referred To: Not reported
 Reported to Dept: 6/30/2008
 CID: 72
 Water Affected: Not reported
 Spill Notifier: Tank Tester

Actual:
42 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1204 BROADWAY MANHATTAN LLC (Continued)

U001330116

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 6/30/2008
Spill Record Last Update: 12/1/2008
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ZZ -
Spiller County: 001
Spiller Contact: MARLON JOSEPH
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 349801
DEC Memo: TTF Letter sent - copy in eDocs Piper spoke with PTC. They explained owner wants to do repairs on his own and doesn't want to remove contaminated soil. CSL needs to be sent along with ttf. ***** Anil-
1204 Broadway LLC. 22 west 32nd st. 100001 12/01/08-Zhune. I received a letter from 1204, Broadway Manhattan LLC. Enclosed are the letter from Effective Plumbing Corporation, the tightness test results both the failed and the passed test, and the invoices for the work performed. They say in the letter that on 9/3/08 PTC performed test again and tank passed tightness test. Originally on 6/30/08 PTC performed tightness test and the tank failed the test, the serviceman gave us recommendation to change fill line lines, which we did. We hired Effective Plumbing Corporation and completed the required work as recommended. there was no contamination or any kind of spill. The letters from Effective Plumbing Corporation say pe our porpoasal we replaced the existing 2" vent line with 60 feet of 2" black pipe. We run the pipe from the tank up to the building side wall. We installed the 2" black pipe with all necessary coupling and fittings. Per our proposal we removed the old oil line and replaced the remaining 3" oil fill line from the new pipe coonctions to the oil fill tank. We installed 40 feet of black pipe and (19)-3" fitting. Case Closed
Remarks: Fill line connected to oil tank, as well as the feed line appear to be bad.

Material:
Site ID: 400526
Operable Unit ID: 1157347
Operable Unit: 01
Material ID: 2148368
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1204 BROADWAY MANHATTAN LLC (Continued)

U001330116

Tank Test:

Site ID: 400526
Spill Tank Test: 2486396
Tank Number: 1
Tank Size: 3000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Watchdog
Last Modified: 6/30/2008
Test Method: Horner EZ Check I or II

UST:

Facility Id: 2-601423
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2012/05/03
UTM X: 585427.80573999998
UTM Y: 4511075.74725

Affiliation Records:

Site Id: 23389
Affiliation Type: Emergency Contact
Company Name: 1204 BROADWAY MANHATTAN LLC
Contact Type: Not reported
Contact Name: PINDY VAID
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 999
Phone: (917) 656-7839
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/24/2008

Site Id: 23389
Affiliation Type: Mail Contact
Company Name: 1204 BROADWAY MANHATTAN LLC
Contact Type: Not reported
Contact Name: RAIZADA S. VAID
Address1: 22 WEST 32ND ST., 8TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 714-0008
Phone Ext: Not reported
Email: ACCESS9263@AOL.COM
Fax Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1204 BROADWAY MANHATTAN LLC (Continued)

U001330116

Modified By: dxliving
Date Last Modified: 9/24/2008

Site Id: 23389
Affiliation Type: On-Site Operator
Company Name: 1204 BROADWAY MANHATTAN LLC
Contact Type: Not reported
Contact Name: RICKY SODHI
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 714-0008
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/24/2008

Site Id: 23389
Affiliation Type: Owner
Company Name: 1204 BROADWAY MANHATTAN LLC
Contact Type: MEMBER
Contact Name: RAIZADA S. VAID
Address1: 1204 BROADWAY
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10001
Country Code: 001
Phone: (212) 714-0008
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 9/24/2008

Equipment Records:

A00 - Tank Internal Protection - None
G03 - Tank Secondary Containment - Vault (w/o access)
D01 - Pipe Type - Steel/Carbon Steel/Iron
L09 - Piping Leak Detection - Exempt Suction Piping
C01 - Pipe Location - Aboveground
F01 - Pipe External Protection - Painted/Asphalt Coating
H00 - Tank Leak Detection - None
J02 - Dispenser - Suction
I05 - Overfill - Vent Whistle
B05 - Tank External Protection - Jacketed

Tank Info:

Site ID: 23389

Tank Number: 001
Tank ID: 45961
Tank Status: In Service

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1204 BROADWAY MANHATTAN LLC (Continued)

U001330116

Tank Model: Not reported
Pipe Model: Not reported
Install Date: 1/1/1968
Capacity Gallons: 3000
Tightness Test Method: 21
Next Test Date: 12/31/2007
Date Tank Closed: Not reported
Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: 12/31/2002
Register: True
Modified By: dxliving
Last Modified: 9/24/2008

HIST UST:

PBS Number: 2-601423
SPDES Number: Not reported
Emergency Contact: ROBERT CAROLAN
Emergency Telephone: (914) 962-1467
Operator: JAMES BOFIL
Operator Telephone: (212) 685-4141
Owner Name: THE HADDAD ORGANIZATION, LTD
Owner Address: 1178 BROADWAY
Owner City,St,Zip: NEW YORK, NY 10001
Owner Telephone: (212) 685-4141
Owner Type: Corporate/Commercial
Owner Subtype: Not reported
Mailing Name: THE HADDAD ORGANIZATION, LTD
Mailing Address: 1178 BROADWAY
Mailing Address 2: Not reported
Mailing City,St,Zip: NEW YORK, NY 10001
Mailing Contact: ROBERT CAROLAN
Mailing Telephone: (212) 685-4141
Owner Mark: First Owner
Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Facility Addr2: 1204 BROADWAY
SWIS ID: 6201
Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False
Certification Date: 04/02/1998
Expiration Date: 03/31/2003
Renew Flag: False
Renewal Date: Not reported
Total Capacity: 3000
FAMT: True
Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: No Missing Data
Dead Letter: False
CBS Number: Not reported

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

1204 BROADWAY MANHATTAN LLC (Continued)

U001330116

Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: Jacketed
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Vent Whistle
 Dispenser: Suction
 Date Tested: 01/01/1998
 Next Test Date: 01/01/2003
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Horner EZ Check
 Deleted: False
 Updated: True
 Lat/long: Not reported

BZ404
East
1/4-1/2
0.393 mi.
2073 ft.

1200 BROADWAY
1200 BROADWAY
MANHATTAN, NY
Site 2 of 2 in cluster BZ

LTANKS **S102660119**
HIST LTANKS **N/A**
NY Spills
NY Hist Spills

Relative:
Higher

LTANKS:
 Site ID: 166855
 Spill No: 9706587
 Spill Date: 9/2/1997
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 9/3/1997
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMMARTIN
 Referred To: Not reported
 Reported to Dept: 9/2/1997
 CID: 211
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended

Actual:
43 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1200 BROADWAY (Continued)

S102660119

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 9/2/1997
Spill Record Last Update: 9/3/1997
Spiller Name: LOUIS SANDBURG
Spiller Company: Not reported
Spiller Address: 1200 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: LOUIS SANDBURG
Spiller Phone: (212) 268-0494
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 140592
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"
Remarks: CALLER IS PROPERTY MANAGER AND WAS NOTIFIED THAT TANK IS LEAKING - SPILL IS CONTAINED WITH SAND - NO CLEAN UP - REPAIR WILL BE MADE 9-3-97

Material:

Site ID: 166855
Operable Unit ID: 1049939
Operable Unit: 01
Material ID: 332174
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9706587
Spill Date: 09/02/1997
Spill Time: 16:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1200 BROADWAY (Continued)

S102660119

Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 09/03/97
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 09/02/97
Reported to Department Time: 16:05
SWIS: 62
Spiller Contact: LOUIS SANDBURG
Spiller Phone: (212) 268-0494
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 1200 BROADWAY
Spiller City,St,Zip: MANHATTEN, NY
Spiller Cleanup Date: / /
Facility Contact: LOUIS SANDBURG
Facility Phone: (212) 268-0494
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 09/02/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/03/97
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1200 BROADWAY (Continued)

S102660119

Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: CALLER IS PROPERTY MANAGER AND WAS NOTIFIED THAT TANK IS LEAKING - SPILL IS CONTAINED WITH SAND - NO CLEAN UP - REPAIR WILL BE MADE 9-3-97

NY Spills:

Site ID: 166856
Facility Addr2: Not reported
Facility ID: 9712402
Spill Number: 9712402
Facility Type: ER
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Spill Date: 2/6/1998
Reported to Dept: 2/6/1998
CID: 312
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/17/1998
Remediation Phase: 0
Date Entered In Computer: 2/6/1998
Spill Record Last Update: 2/17/1998
Spiller Name: CHARLIE
Spiller Company: MYSTIC OIL
Spiller Address: 19-01 STEINWAY ST
Spiller City,St,Zip: ASTORIA, ZZ
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 140592
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN"
Remarks: fitting popped out of ground - poss faulty fill box - cleanup in progress

Material:

Site ID: 166856
Operable Unit ID: 1055168
Operable Unit: 01
Material ID: 327007
Material Code: 0002
Material Name: #4 Fuel Oil

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1200 BROADWAY (Continued)

S102660119

Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9712402
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 02/06/1998 06:50
Reported to Dept Date/Time: 02/06/98 06:59
SWIS: 62
Spiller Name: MYSTIC OIL
Spiller Contact: CHARLIE
Spiller Phone: Not reported
Spiller Phone: () -
Spiller Address: 19-01 STEINWAY ST
Spiller City,St,Zip: ASTORIA, NY
Spill Cause: Equipment Failure
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01
Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1200 BROADWAY (Continued)

S102660119

Spill Closed Dt: 02/17/98
Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/06/98
Date Spill Entered In Computer Data File: Not reported
Update Date: 02/17/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Remark: fitting popped out of ground - poss faulty fill box - cleanup in progress

BY405
ESE
1/4-1/2
0.393 mi.
2077 ft.

1170 BROADWAY
1170 BROADWAY
MANHATTAN, NY
Site 3 of 3 in cluster BY

LTANKS S105997769
N/A

Relative:
Higher

LTANKS:

Site ID: 322320
Spill No: 0209935
Spill Date: 12/31/2002
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/11/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 12/31/2002
CID: 211
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False

Actual:
42 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

1170 BROADWAY (Continued)

S105997769

Remediation Phase: 0
Date Entered In Computer: 12/31/2002
Spill Record Last Update: 5/11/2005
Spiller Name: BOB CAROLAN
Spiller Company: Not reported
Spiller Address: 1170 BROADWAY
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: BOB CAROLAN
Spiller Phone: (212) 685-4141
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 259656
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" TANK TEST FAILURE LETTER WAS PREPARED AND SENT. E.R.
Remarks: BAD VENT - REPLACE AND RETEST

Material:
Site ID: 322320
Operable Unit ID: 863148
Operable Unit: 01
Material ID: 513351
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 322320
Spill Tank Test: 1527887
Tank Number: 1
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

CA406 **APRT**
SSW **213 WEST 18TH STREET**
1/4-1/2 **NEW YORK, NY**
0.395 mi.
2086 ft. **Site 1 of 3 in cluster CA**

LTANKS **S109064236**
N/A

Relative: **LTANKS:**
Lower Site ID: 396095
Spill No: 0800354
Actual: Spill Date: 4/9/2008
26 ft. Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT (Continued)

S109064236

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 4/13/2010
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: LXZIELIN
Referred To: Not reported
Reported to Dept: 4/9/2008
CID: 474
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/9/2008
Spill Record Last Update: 4/13/2010
Spiller Name: MARLIN JOSEPH
Spiller Company: APRT
Spiller Address: 213 WEST 18TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: MARLIN JOSEPH
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 345584
DEC Memo: 04/13/10 - LZ Reviewed a TT report and and a letter from Approved Oil Co.(eDocs), asserting that the fill and vent lines have been repaired, and the tank system has passed the tightness test. The spill case is closed. 03/29/10 - LZ Sent a certified TTF letter(eDocs) to Friedman Mgt. Corp at 225 West 34th Street New York, NY 10122 4/23/08 bf: sent ttf letter to: Adam Stryker Chelrae Estates, Inc. 225 West 18th St., Suite 2010 New York, NY 10122 4/30/08 Received call from Steve Braun (718)238-1050. Tank is AST. He wanted to know if tank still needs retest. Tank probably failed because of fillbox. I told him tank system needs retest. He will also prepare letter/report and include contasmiation findings. bf

Remarks: DRY PORTION LEAK

Material:
Site ID: 396095
Operable Unit ID: 1153042
Operable Unit: 01
Material ID: 2143820
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT (Continued)

S109064236

Tank Test:
Site ID: 396095
Spill Tank Test: 2384995
Tank Number: Not reported
Tank Size: 1500
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 4/9/2008
Test Method: Horner EZ Check I or II

BX407
ESE
1/4-1/2
0.396 mi.
2090 ft.

12 W 27TH ST
NEW YORK, NY
Site 2 of 2 in cluster BX

LTANKS S104619927
HIST LTANKS N/A

Relative:
Higher

LTANKS:
Site ID: 266625
Spill No: 9812742
Spill Date: 1/16/1999
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Actual:
41 ft.

Spill Closed Dt: 1/18/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 1/16/1999
CID: 365
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/16/1999
Spill Record Last Update: 10/25/1999
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: 12 W 27TH ST
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: (212) 645-7575
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 217183
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" MINOR SPILL TO SIDEWALK - OIL COMPANY CLEANING UP DRIVE BY INSPECTION ON 1/18 SHOWED CLEAN UP IS COMPLETE.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619927

Remarks: AUTOMATIC ACCOUNT AT THE BUSINESS - THEY ARE HAVING PROBLEMS WITH THEIR TANK - DRIVER ON SCENE & CLEAN UP CREW ENROUTE - ALL CONTAINED ON THE SIDEWALK

Material:

Site ID: 266625
Operable Unit ID: 1070005
Operable Unit: 01
Material ID: 313026
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9812742
Spill Date: 01/16/1999
Spill Time: 08:35
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/18/99
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SANGESLAND
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/16/99

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619927

Reported to Department Time: 08:47
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: (212) 645-7575
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: 12 W 27TH ST
Spiller City,St,Zip: NEW YORK, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 645-7575
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/16/99
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/25/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: MINOR SPILL TO SIDEWALK - OIL COMPANY CLEANING UP DRIVE BY INSPECTION ON 1/18
SHOWED CLEAN UP IS COMPLETE.
Spill Cause: AUTOMATIC ACCOUNT AT THE BUSINESS - THEY ARE HAVING PROBLEMS WITH THEIR TANK -
DRIVER ON SCENE CLEAN UP CREW ENROUTE - ALL CONTAINED ON THE SIDEWALK

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

408
East
1/4-1/2
0.396 mi.
2093 ft.

30TH ST & BROADWAY/MANH
30TH ST & BROADWAY
NEW YORK CITY, NY

LTANKS S105053973
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
43 ft.

Site ID: 115376
Spill No: 9010217
Spill Date: 12/20/1990
Spill Cause: Tank Overfill
Spill Source: Unknown
Spill Class: Not reported
Spill Closed Dt: 12/20/1990
Facility Addr2: Not reported
Cleanup Ceased: 12/20/1990
Cleanup Meets Standard: True
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 12/20/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/2/1991
Spill Record Last Update: 1/8/1991
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 100537
DEC Memo: Not reported
Remarks: TANK OVERFILL, #6 FUEL OIL, SORBENTS BEING USED & SCRUB RESIDUALS ON STREET, NO PRODUCT IN SEWER, NYCDEP HAZMAT RESPONDING, DEC CONFIRMED CLEAN UP WITH WITH NYCDEP.

Material:

Site ID: 115376
Operable Unit ID: 950673
Operable Unit: 01
Material ID: 430379
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 75
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

30TH ST & BROADWAY/MANH (Continued)

S105053973

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9010217
Spill Date: 12/20/1990
Spill Time: 10:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Unknown
Spill Class: Not reported
Spill Closed Dt: 12/20/90
Cleanup Ceased: 12/20/90
Cleanup Meets Standard: True
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/20/90
Reported to Department Time: 10:45
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

30TH ST & BROADWAY/MANH (Continued)

S105053973

Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/02/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/08/91
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 75
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 12/20/90: EAGLE FUEL TRANSPORT CLEANED UP SPILL.
Spill Cause: TANK OVERFILL, 6 FUEL OIL, SORBENTS BEING USED SCRUB RESIDUALS ON STREET, NO PRODUCT IN SEWER, NYCDEP HAZMAT RESPONDING, DEC CONFIRMED CLEAN UP WITH WITH NYCDEP.

CB409
SW
1/4-1/2
0.396 mi.
2093 ft.

308 WEST 18TH ST
308 WEST 18TH ST
MANHATTAN, NY
Site 1 of 2 in cluster CB

LTANKS **S102673112**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
20 ft.

Site ID: 233856
Spill No: 9511332
Spill Date: 12/7/1995
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/8/1995
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 12/8/1995
CID: 312
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

308 WEST 18TH ST (Continued)

S102673112

UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/8/1995
Spill Record Last Update: 1/4/1996
Spiller Name: Not reported
Spiller Company: BAERENKLAU
Spiller Address: 740 JAMAICA AVE
Spiller City,St,Zip: BROOKLYN, NY 11208-001
Spiller County: 001
Spiller Contact: HOFFMAN
Spiller Phone: (212) 924-0972
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 192678
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" GET THE ROOM OPENED AT 12/08/95 - 1 GALLON SPILLED - CLEANED BY BAERENKLAU FUEL.
Remarks: DRIVER OVERFILLED TANK - COULD NOT GET IN TO CLEANUP THE 1 QUART SPILL DUE TO THE ROOM BEING LOCKED

Material:

Site ID: 233856
Operable Unit ID: 1025557
Operable Unit: 01
Material ID: 358681
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9511332
Spill Date: 12/07/1995
Spill Time: 13:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

308 WEST 18TH ST (Continued)

S102673112

Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/08/95
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/08/95
Reported to Department Time: 09:13
SWIS: 62
Spiller Contact: HOFFMAN
Spiller Phone: (212) 924-0972
Spiller Extention: Not reported
Spiller Name: BAERENKLAU
Spiller Address: 740 JAMAICA AVE
Spiller City,St,Zip: BROOKLYN, NY 11208-
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/08/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/04/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

308 WEST 18TH ST (Continued)

S102673112

Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: GET THE ROOM OPENED AT 12/08/95 - 1 GALLON SPILLED - CLEANED BY BAERENKLAU FUEL.
Spill Cause: DRIVER OVERFILLED TANK - COULD NOT GET IN TO CLEANUP THE 1 QUART SPILL DUE TO THE ROOM BEING LOCKED

CA410
SSW
1/4-1/2
0.397 mi.
2094 ft.

VERIZON
210 W. 18TH ST
MANHATTAN, NY
Site 2 of 3 in cluster CA

LTANKS S105999363
N/A

Relative:
Lower

LTANKS:
Site ID: 207814
Spill No: 0303667
Spill Date: 7/8/2003
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/8/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 7/8/2003
CID: 257
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 7/8/2003
Spill Record Last Update: 7/8/2003
Spiller Name: SAME
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: LLOYD
Spiller Phone: (914) 450-7239
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 172446
DEC Memo: Not reported
Remarks: contained in a tank room clean up has started

Actual:
26 ft.

Material:
Site ID: 207814
Operable Unit ID: 871702
Operable Unit: 01

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

VERIZON (Continued)

S105999363

Material ID: 504532
 Material Code: 0012
 Material Name: Kerosene (#1 Fuel Oil)
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 30
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

CB411 **310 WEST 18TH STREET**
SW **310 WEST 18TH STREET**
1/4-1/2 **NEW YORK CITY, NY**
0.397 mi.
2098 ft. **Site 2 of 2 in cluster CB**

LTANKS **S102238235**
HIST LTANKS **N/A**
NY Spills
NY Hist Spills

Relative:
Lower

LTANKS:

Actual:
20 ft.

Site ID: 163174
 Spill No: 9612959
 Spill Date: 2/1/1997
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/9/2000
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: ADZHITOM
 Referred To: Not reported
 Reported to Dept: 2/1/1997
 CID: 282
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/1/1997
 Spill Record Last Update: 2/9/2000
 Spiller Name: Not reported
 Spiller Company: UNKNOWN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 WEST 18TH STREET (Continued)

S102238235

Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: N/A
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 282988
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMIRSKY"
Remarks: APPARENTLY OIL TANK WAS OVERFILLED IN THE APARTMENT COMPLEX CASTLE OIL MADE A DELIVERY THERE UNKNOWN IF THEY DID IT ABSORBENT WAS PUT DOWN BUT THERE IS PRODUCT STILL ON THE OUTSIDE OF BUILDING.

Material:
Site ID: 163174
Operable Unit ID: 1044498
Operable Unit: 01
Material ID: 341608
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9612959
Spill Date: 02/01/1997
Spill Time: 15:20
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/09/00
Cleanup Ceased: / /
Cleanup Meets Standard: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 WEST 18TH STREET (Continued)

S102238235

Investigator: ZHITOMIRSKY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 02/01/97
Reported to Department Time: 15:28
SWIS: 62
Spiller Contact: N/A
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Local Agency
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/01/97
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/09/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 WEST 18TH STREET (Continued)

S102238235

Spill Cause: APPARENTLY OIL TANK WAS OVERFILLED IN THE APARTMENT COMPLEX CASTLE OIL MADE A DELIVERY THERE UNKNOWN IF THEY DID IT ABSORBENT WAS PUT DOWN BUT THERE IS PRODUCT STILL ON THE OUTSIDE OF BUILDING.

NY Spills:

Site ID: 163173
Facility Addr2: Not reported
Facility ID: 9510451
Spill Number: 9510451
Facility Type: ER
SWIS: 3101
Investigator: MMMULQUE
Referred To: Not reported
Spill Date: 4/1/1995
Reported to Dept: 11/20/1995
CID: 205
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Citizen
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/1995
Remediation Phase: 0
Date Entered In Computer: 11/20/1995
Spill Record Last Update: 12/12/1995
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: DAVID FERGUSON
Contact Phone: (212) 924-9407
DEC Region: 2
DER Facility ID: 137622
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN" Mulqueen inspected the site which is a multi sory brownstone which is a COOP. The COOP had a vote and moved the piping of the vent to the side of the building, under Mr. Furgenson's window. No evidence of a spill, just poor judgement.

Remarks: ODOR COMMING IN THROUGH WINDOW-MAY BE COMMING FROM VENT PIPE.CAN CONTACT FERGUSON ON MONDAY OR TUESDAY.CALL FAXED FROM REGION

Material:

Site ID: 163173
Operable Unit ID: 1020979
Operable Unit: 01
Material ID: 357815
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 WEST 18TH STREET (Continued)

S102238235

Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

NY Hist Spills:

Region of Spill: 2
Spill Number: 9510451
Investigator: MULQUEEN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 04/01/1995 10:50
Reported to Dept Date/Time: 11/20/95 10:46
SWIS: 62
Spiller Name: UNKNOWN
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: DAVID FERGUSON
Spiller Phone: (212) 924-9407
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Unknown
Reported to Dept: Air
Water Affected: Not reported
Spill Source: 12
Spill Notifier: Citizen
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/12/95

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

310 WEST 18TH STREET (Continued)

S102238235

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 11/20/95
Date Spill Entered In Computer Data File: Not reported
Update Date: 12/12/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: Mulqueen inspected the site which is a multi sory brownstone which is a COOP.
The COOP had a vote and moved the piping of the vent to the side of the building, under Mr. Furgenson s window. No evidence of a spill, just poor judgement.

Remark: ODOR COMMING IN THROUGH WINDOW-MAY BE COMMING FROM VENT PIPE.CAN CONTACT FERGUSON ON MONDAY OR TUESDAY.CALL FAXED FROM REGION

CA412 200 WEST 18TH ST/MANH
SSW 200 WEST 18TH STREET
1/4-1/2 NEW YORK CITY, NY
0.401 mi.
2119 ft. Site 3 of 3 in cluster CA

LTANKS S104275589
HIST LTANKS N/A

Relative:
Equal

LTANKS:

Actual:
27 ft.

Site ID: 306974
Spill No: 9004954
Spill Date: 8/3/1990
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/6/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: ADMIN. CLOSED
Referred To: Not reported
Reported to Dept: 8/3/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

200 WEST 18TH ST/MANH (Continued)

S104275589

Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/8/1990
Spill Record Last Update: 3/6/2003
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 247909
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ADMIN.CLOSED" 03/06/2003- Closed Due To The Nature / Extent Of The Spill Report
Remarks: 4K TANK FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL EXCAVATE, ISOLATE & RETEST.CLOSED DUE TO LACK OF ANY RECENT INFO- DOES NOT MEET ANY CLEAN UP REQUIREMENTS.

Material:

Site ID: 306974
Operable Unit ID: 945447
Operable Unit: 01
Material ID: 436027
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 306974
Spill Tank Test: 1537403
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9004954
Spill Date: 08/03/1990
Spill Time: 12:00

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

200 WEST 18TH ST/MANH (Continued)

S104275589

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: BATTISTA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/03/90
Reported to Department Time: 14:01
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/08/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/27/92
Is Updated: False

Tank:
PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:
Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

200 WEST 18TH ST/MANH (Continued)

S104275589

Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: 4K TANK FAILED HORNER EZY CHECK WITH A GROSS LEAK, WILL EXCAVATE, ISOLATE RETEST.

**413
ESE
1/4-1/2
0.411 mi.
2170 ft.**

**APARTMENT BUILDING
1141 BROADWAY
NEW YORK, NY**

**LTANKS S106124025
N/A**

**Relative:
Higher**

LTANKS:

**Actual:
41 ft.**

Site ID: 303589
Spill No: 0311861
Spill Date: 1/22/2004
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/10/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 1/22/2004
CID: 404
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/22/2004
Spill Record Last Update: 9/10/2004
Spiller Name: MR. TALLINGER
Spiller Company: APARTMENT BUILDING
Spiller Address: 1141 BROADWAY
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: MR. TALLINGER
Spiller Phone: (914) 694-9600
Spiller Extention: 340
DEC Region: 2
DER Facility ID: 245274
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE" sent TTF letter 9/10/04 tipple reviewed submittal//nfa
Remarks: EZ3 LOCATOR PLUS WAS THE TEST METHOD USED. TANK FAILED.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

APARTMENT BUILDING (Continued)

S106124025

Material:

Site ID: 303589
 Operable Unit ID: 879453
 Operable Unit: 01
 Material ID: 497104
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 303589
 Spill Tank Test: 1528931
 Tank Number: 1
 Tank Size: 3000
 Test Method: 00
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Unknown

**414
 NNE
 1/4-1/2
 0.415 mi.
 2189 ft.**

**BASEMENT OF
 333 WEST 34TH ST
 MANHATTAN, NY**

**LTANKS S105999768
 N/A**

**Relative:
 Higher**

LTANKS:

Site ID: 285598
 Spill No: 0305833
 Spill Date: 9/2/2003
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/14/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: LJALDEN
 Referred To: Not reported
 Reported to Dept: 9/2/2003
 CID: 199
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0

**Actual:
 39 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BASEMENT OF (Continued)

S105999768

Date Entered In Computer: 9/2/2003
Spill Record Last Update: 11/14/2005
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: UDNAUTH MATHURA
Spiller Phone: (212) 615-9365
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 284732
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" Sent TTF letter to consultant: Maria Ramirez, GZA, 65 Willowbrook Blvd, Wayne, NJ 07470 11/5/2003 Sangesland spoke with Maria Ramirez at GZA. She says the building is converting to natural gas and the 10,000 gal tank will be abandoned in place. Tank is below the basement floor under an electrical utility room. They cleaned out the tank and found holes in the top 1/3 of the tank. They will take borings through the bottom of the tank to determine if the area is contaminated. 12/4/2003 e-mail message from Maria Ramirez said the soil borings through the bottom of the tank would take place around 12/12/03. 12/11/2003 Sangesland reviewed a submittal from Maria Ramirez of GZA dated Nov 19, 2003. This outlined the the work discussed above and stated that 4 holes will be drilled through the bottom of the tank and samples will be collected for testing (if possible-it may be in cement). If the samples are clean, the tank will be abandoned in place with foam. 12/22/2003 Sangesland spoke with Fran Schultz of GZA about this site. They made 4 holes in the bottom and sides of this tank and hit cement. Water is entering the tank. To date approx 700 gal of water has entered the tank. They believe the water is from a broken water main. Sangesland asked GZA to test the water for VOC and SVOC. GZA said they would also test for Floride and Clorine to determine if this water is city tap water or groundwater. If the water samples come back clean, then GZA will prepare an arguement that the tank is in a subbasement vault. All records of the building (blueprints) are gone (they were in 7 World Trade Center). There are lots of utilities nearby. The tank is being abandoned in place. GZA will request closure of the spill number. 3/15/2004 Sangesland reviewed a report from Maria Ramirez of GZA. Based on the description of the tank location (below ConEd electrical equipment), the drilling of holes through the bottom and sides of the tank (all into cement), results of water tests on the water that came into the tank after drilling (no petroleum but did have Floride & Chlorine). Based on all of this information, the DEC will allow GZA to go ahead with abandonment of the tank. After proper abandonment is complete, GZA will submit a final report with a request for spill closure. 11/14/05 - Larry Alden - Reviewed file and concur with assessment of Sangesland (3/15/04). Reviewed PBS# 2-606121, which showed that 10,000-gallon tank was closed in-place on 7/8/04. With absence of any contamination, and tank subsequently closed, this spill can be closed.

Remarks: failed a tightness test but could not isolate a specific pipe - test was performed as part of a closure.

Material:
Site ID: 285598

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

BASEMENT OF (Continued)

S105999768

Operable Unit ID: 872431
Operable Unit: 01
Material ID: 555298
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 285598
Spill Tank Test: 1528632
Tank Number: 1
Tank Size: 10000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

**CC415
WNW
1/4-1/2
0.419 mi.
2210 ft.**

**GETTY GAS STATION
239 10 AV
NYC, NY
Site 1 of 3 in cluster CC**

**LTANKS S106703285
HIST LTANKS N/A**

**Relative:
Lower**

LTANKS:

Site ID: 315130
Spill No: 8806159
Spill Date: 10/20/1988
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/29/1994
Facility Addr2: Not reported
Cleanup Ceased: 7/29/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SULLIVAN
Referred To: Not reported
Reported to Dept: 10/21/1988
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 11/2/1988
Spill Record Last Update: 3/14/2005

**Actual:
13 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GETTY GAS STATION (Continued)

S106703285

Spiller Name: TOM DIXON(CONTACT)
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 254062
DEC Memo: Not reported
Remarks: 2 4K TKS BOTH L R'S UNREADABLE. GETTY WILL EXCAV & INVES.

Material:

Site ID: 315130
Operable Unit ID: 921327
Operable Unit: 01
Material ID: 454514
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 315130
Spill Tank Test: 1534794
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8806159
Spill Date: 10/20/1988
Spill Time: 15:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/29/94
Cleanup Ceased: 07/29/94
Cleanup Meets Standard: True
Investigator: SULLIVAN

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GETTY GAS STATION (Continued)

S106703285

Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/21/88
Reported to Department Time: 08:41
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 729-6500
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-287504
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/02/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/01/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 08/01/94: SEE EPS LETTER DATED 7/29/94 AND CROSS REFERENCE TO SPILL 8806160.
LATEST PRECISION RESULTS GIVEN TO PBS UNIT.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

GETTY GAS STATION (Continued)

S106703285

Spill Cause: 2 4K TKS BOTH L R S UNREADABLE. GETTY WILL EXCAV INVES.

CC416 239 10TH AVE/MANH/GETTY
WNW 239 10TH AVENUE
1/4-1/2 NEW YORK CITY, NY
0.419 mi.
2210 ft. **Site 2 of 3 in cluster CC**

LTANKS **S100167969**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
13 ft.

Site ID: 86010
Spill No: 9005116
Spill Date: 8/8/1990
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/16/1992
Facility Addr2: Not reported
Cleanup Ceased: 7/16/1992
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SULLIVAN
Referred To: Not reported
Reported to Dept: 8/8/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 8/14/1990
Spill Record Last Update: 7/28/1992
Spiller Name: Not reported
Spiller Company: GETTY
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 78946
DEC Memo: Not reported
Remarks: 4K TANK FAILED AN AIR PRESSURE TEST.

Material:

Site ID: 86010
Operable Unit ID: 942717
Operable Unit: 01
Material ID: 436177
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

239 10TH AVE/MANH/GETTY (Continued)

S100167969

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 86010
Spill Tank Test: 1537408
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9005116
Spill Date: 08/08/1990
Spill Time: 11:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Gas Station
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/16/92
Cleanup Ceased: 07/16/92
Cleanup Meets Standard: True
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/08/90
Reported to Department Time: 15:17
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: GETTY
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (718) 729-6500
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

239 10TH AVE/MANH/GETTY (Continued)

S100167969

Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/14/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 07/28/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: 4K TANK FAILED AN AIR PRESSURE TEST.

CC417 239 10TH AVENUE/GETTY
WNW 239 10TH AVENUE
1/4-1/2 NEW YORK CITY, NY
0.419 mi.
2210 ft. Site 3 of 3 in cluster CC

LTANKS S100167595
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 86009
Spill No: 8806160
Spill Date: 10/20/1988
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 7/29/1994
Facility Addr2: Not reported
Cleanup Ceased: 7/29/1994
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SULLIVAN
Referred To: Not reported
Reported to Dept: 10/21/1988
CID: Not reported
Water Affected: Not reported

Actual:
13 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

239 10TH AVENUE/GETTY (Continued)

S100167595

Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 12/5/1988
Spill Record Last Update: 8/1/1994
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 78946
DEC Memo: Not reported
Remarks: (2) 4K TANKS FAILED.

Material:

Site ID: 86009
Operable Unit ID: 922990
Operable Unit: 01
Material ID: 454515
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 86009
Spill Tank Test: 1534795
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 8806160
Spill Date: 10/20/1988
Spill Time: 15:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

239 10TH AVENUE/GETTY (Continued)

S100167595

Spill Source: Gas Station
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 07/29/94
Cleanup Ceased: 07/29/94
Cleanup Meets Standard: True
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/21/88
Reported to Department Time: 08:41
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-151270
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/88
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/01/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

239 10TH AVENUE/GETTY (Continued)

S100167595

Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: 08/01/94: SEE EPS LETTER DATED 7/29/94 CROSS REFERENCE TO SPILL 8806159.
Spill Cause: 2) 4K TANKS FAILED.

418
WNW
1/4-1/2
0.428 mi.
2260 ft.

DEL. SPILL /W.28ST.&10AV
W.26ST&10 AVE.
NEW YORK CITY, NY

LTANKS S102671130
HIST LTANKS N/A

Relative:
Lower

Actual:
14 ft.

LTANKS:
Site ID: 295262
Spill No: 8605584
Spill Date: 12/4/1986
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 12/4/1986
Facility Addr2: Not reported
Cleanup Ceased: 12/4/1986
Cleanup Meets Standard: True
SWIS: 3101
Investigator: UNASSIGNED
Referred To: Not reported
Reported to Dept: 12/4/1986
CID: Not reported
Water Affected: NONE
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/6/1986
Spill Record Last Update: 3/26/2002
Spiller Name: Not reported
Spiller Company: ONDPR TRUCKING
Spiller Address: 702 OAK ST.
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 238927
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was " "
Not reported
Remarks: NYCFD CONTAINED SPILL WITH SORBENT PADS. UNKNOWN NOTIFIER.

Material:
Site ID: 295262
Operable Unit ID: 902966
Operable Unit: 01
Material ID: 474759

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DEL. SPILL /W.28ST.&10AV (Continued)

S102671130

Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 400
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8605584
Spill Date: 12/04/1986
Spill Time: 01:42
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: NONE
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 12/04/86
Cleanup Ceased: 12/04/86
Cleanup Meets Standard: True
Investigator: Not reported
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/04/86
Reported to Department Time: 02:39
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: ONDPR TRUCKING
Spiller Address: 702OAK ST.
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

DEL. SPILL /W.28ST.&10AV (Continued)

S102671130

Facility Phone: (718) 769-860
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/06/86
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 09/01/87
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 400
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: NYCFD CONTAINED SPILL WITH SORBENT PADS. UNKNOWN NOTIFIER.

419
NW
1/4-1/2
0.433 mi.
2287 ft.

**CENTRAL IRON
505 WEST 27TH STREET
NEW YORK, NY**

**LTANKS S106703590
HIST LTANKS N/A**

**Relative:
Lower**

LTANKS:

Site ID: 172881
Spill No: 9109614
Spill Date: 12/10/1991
Spill Cause: Tank Overfill
Spill Source: Non Major Facility > 1,100 gal
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/15/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101

**Actual:
15 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL IRON (Continued)

S106703590

Investigator: SIGONA
Referred To: Not reported
Reported to Dept: 12/10/1991
CID: Not reported
Water Affected: Not reported
Spill Notifier: DEC
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/13/1991
Spill Record Last Update: 12/15/2003
Spiller Name: Not reported
Spiller Company: CENTRAL IRON
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 145487
DEC Memo: Not reported
Remarks: 2-550 GAL TANKS/500 HEATING OIL.

Material:

Site ID: 172881
Operable Unit ID: 959724
Operable Unit: 01
Material ID: 570445
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9109614

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL IRON (Continued)

S106703590

Spill Date: 12/10/1991
Spill Time: 09:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Non Major Facility > 1,100 gallons
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/10/91
Reported to Department Time: 09:30
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: CENTRAL IRON
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 947-2985
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/13/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/21/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CENTRAL IRON (Continued)

S106703590

Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: / / : ORDERED FACILITY TO CLEAN UP.
Spill Cause: 2-550 GAL TANKS/500 HEATING OIL.

CD420
North
1/4-1/2
0.442 mi.
2333 ft.

ST MICHEAL'S SCHOOL
425 WEST 33RD STREET
MANHATTAN, NY

LTANKS **S108131307**
N/A

Site 1 of 2 in cluster CD

Relative:
Higher

LTANKS:

Actual:
44 ft.

Site ID: 369290
Spill No: 0606006
Spill Date: 8/24/2006
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 9/11/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: rmpiper
Referred To: Not reported
Reported to Dept: 8/24/2006
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/24/2006
Spill Record Last Update: 9/11/2006
Spiller Name: SISTER KATHLEEN
Spiller Company: ST MICHEAL'S SCHOOL
Spiller Address: 425 WEST 33RD STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: SISTER KATHLEEN
Spiller Phone: (212) 594-9056
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 319177
DEC Memo: DEC Piper spoke w/ Charles Rose. Assistant to the principal. As per conversation, they were getting ready for winter and noticed a leak. When the janitor inspected found approx 200 gal in vaulted area.

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

ST MICHEAL'S SCHOOL (Continued)

S108131307

Remarks: Spill is contained and in vault. PTC to respond today and pump out remaining oil and oil on floor. No drains, sewers effected. PTC to contact DEC upon completion of emergency cleanup. School is not in session and no children are present. Odors present in basement only and not in school. 9/11/06- DEC Piper spoke w/ Sister Katheleen, PTC had cleaned up emergency spill. Piper spoke w/ PTC, tank was above ground on concrete. Concrete was in good shape. School is going to replace tank. 6 drums of oil soaked speedy dry removed. CLOsed.
 TANK IS LEAKING IN THE TANK ROOM OF SCHOOL: CREW ENROUTE TO PUMP OUT TANK AND CLEAN UP SPILL: NO DRAINS EFFECTED:

Material:
 Site ID: 369290
 Operable Unit ID: 1127130
 Operable Unit: 01
 Material ID: 2116713
 Material Code: 0002
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 200
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

CD421
North
1/4-1/2
0.442 mi.
2333 ft.

425 WEST 33RD ST
425 WEST 33RD ST
MANHATTAN, NY
Site 2 of 2 in cluster CD

LTANKS **S106703793**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
 Site ID: 240388
 Spill No: 9608649
 Spill Date: 10/11/1996
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 10/11/1996
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False

Actual:
44 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

425 WEST 33RD ST (Continued)

S106703793

SWIS: 3101
Investigator: SMMARTIN
Referred To: Not reported
Reported to Dept: 10/11/1996
CID: 257
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/11/1996
Spill Record Last Update: 6/3/2004
Spiller Name: JIM CAREY
Spiller Company: CASTLE OIL
Spiller Address: 290 LOCUST AVE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: (212) 563-2575
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 197687
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"
Remarks: overfill of storage tank cleanup crew on the way

Material:

Site ID: 240388
Operable Unit ID: 1039859
Operable Unit: 01
Material ID: 344379
Material Code: 0002
Material Name: #4 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 25
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

425 WEST 33RD ST (Continued)

S106703793

HIST LTANKS:

Region of Spill: 2
Spill Number: 9608649
Spill Date: 10/11/1996
Spill Time: 09:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/11/96
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: MARTINKAT
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/11/96
Reported to Department Time: 09:50
SWIS: 61
Spiller Contact: Not reported
Spiller Phone: (212) 563-2575
Spiller Extention: Not reported
Spiller Name: CASTLE OIL
Spiller Address: 290 LOCUST AVE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller Cleanup Date: / /
Facility Contact: JIM CAREY
Facility Phone: (718) 579-3414
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/11/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 12/10/96
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

425 WEST 33RD ST (Continued)

S106703793

Gross Leak Rate: Not reported
Material:
Material Class Type: Petroleum
Quantity Spilled: 25
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #4 FUEL OIL
Class Type: #4 FUEL OIL
Times Material Entry In File: 1751
CAS Number: Not reported
Last Date: 19941205
DEC Remarks: Not reported
Spill Cause: overfill of storage tank cleanup crew on the way

422
NE
1/4-1/2
0.450 mi.
2378 ft.

237 WEST 35TH ST
237 WEST 35TH ST
MANHATTAN, NY

LTANKS S103558837
HIST LTANKS N/A

Relative:
Higher

Actual:
39 ft.

LTANKS:
Site ID: 117113
Spill No: 9811630
Spill Date: 12/16/1998
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 2/11/1999
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: CAENGELH
Referred To: Not reported
Reported to Dept: 12/16/1998
CID: 216
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/16/1998
Spill Record Last Update: 5/20/2002
Spiller Name: LEE POWERS
Spiller Company: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY AVE
Spiller City,St,Zip: ASTORIA, NY 11105-
Spiller County: 001
Spiller Contact: LEE POWERS
Spiller Phone: (718) 932-9075
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 101888

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

237 WEST 35TH ST (Continued)

S103558837

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ENGELHARDT" Engelhardt was off hour responder. Spoke to Lee Powers - Spill to cement outside house. No sewers or drains affected. Cleanup being performed by Mystic crew.

Remarks: IT APPEARS THAT A OIL DELIVERY WAS DONE TWICE TO THE SAME RESIDENCE CAUSING A SPILL THEY ARE IN THE PROCESS OF CLEANING UP THE SPILL AT THIS TIME

Material:

Site ID: 117113
Operable Unit ID: 1068924
Operable Unit: 01
Material ID: 311914
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 15
Units: Gallons
Recovered: 15
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9811630
Spill Date: 12/16/1998
Spill Time: 00:15
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 02/11/99
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

237 WEST 35TH ST (Continued)

S103558837

Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/16/98
Reported to Department Time: 00:30
SWIS: 62
Spiller Contact: LEE POWERS
Spiller Phone: (718) 932-9075
Spiller Extention: Not reported
Spiller Name: MYSTIC TRANSPORTATION
Spiller Address: 1901 STEINWAY AVE
Spiller City,St,Zip: ASTORIA, NY 11105-
Spiller Cleanup Date: / /
Facility Contact: LEE POWERS
Facility Phone: (718) 932-9075
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/16/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/11/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 15
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 15
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728

DEC Remarks: Engelhardt was off hour responder. Spoke to Lee Powers - Spill to cement outside house. No sewers or drains affected. Cleanup being performed by Mystic crew.

Spill Cause: IT APPEARS THAT A OIL DELIVERY WAS DONE TWICE TO THE SAME RESIDENCE CAUSING A SPILL THEY ARE IN THE PROCESS OF CLEANING UP THE SPILL AT THIS TIME

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

423
West
1/4-1/2
0.464 mi.
2449 ft.

193 10TH AVE
193 10TH AVE
MANHATTAN, NY

LTANKS S102672077
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
11 ft.

Site ID: 163796
Spill No: 9211918
Spill Date: 1/19/1993
Spill Cause: Tank Overfill
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/19/1993
Facility Addr2: Not reported
Cleanup Ceased: 1/19/1993
Cleanup Meets Standard: True
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 1/19/1993
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/28/1993
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: GOTHAM PETRO
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 138144
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: CONTAINED ON CONCRETE-CLEANUP IS DONE BY SPILLER CREW

Material:

Site ID: 163796
Operable Unit ID: 976484
Operable Unit: 01
Material ID: 405301
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

193 10TH AVE (Continued)

S102672077

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9211918
Spill Date: 01/19/1993
Spill Time: 12:45
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 01/19/93
Cleanup Ceased: 01/19/93
Cleanup Meets Standard: True
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/19/93
Reported to Department Time: 13:37
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: GOTHAM PETRO
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

193 10TH AVE (Continued)

S102672077

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/28/93
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CONTAINED ON CONCRETE-CLEANUP IS DONE BY SPILLER CREW

424
NNW
1/4-1/2
0.464 mi.
2450 ft.

STUART DEAN COMPANY
366 10TH AV
MANHATTAN, NY

LTANKS S105997685
N/A

Relative:
Lower

LTANKS:

Site ID: 287180
Spill No: 0209637
Spill Date: 12/19/2002
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/31/2006
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 12/19/2002
CID: 365
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False

Actual:
20 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STUART DEAN COMPANY (Continued)

S105997685

Remediation Phase: 0
Date Entered In Computer: 12/19/2002
Spill Record Last Update: 5/31/2006
Spiller Name: PEDRO LUGO
Spiller Company: STUART DEAN, INC
Spiller Address: 366 10TH AV
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: PEDRO LUGO
Spiller Phone: (212) 695-3180
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 232628
DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHAO/DO" 12/19/02 - AUSTIN, DDO - TTF LETTER SENT 1/11/06- DEC Piper spoke w/ Eugene Degan, (PRev. Owner Rep 845.294.7509) regarding tank test. He could not be sure though he thinks the tanks are still empty. He will look into this. Piper then contacted new owner Dov Hertz, Extell Group. 212.712.0633. He knows nothing and will have previous owner get info. Galden Frankel performed Phase I and II on property. Left message at GF requesting call back. 1/18/06- DEC Piper spoke w/ property manager, Rob Scharf 212.712.6111. Stewart Dean Co. -212.695.3180. He will fax info. DEC Piper to review and inform Rob of additional work if warranted. 2/6/06- DEC Piper spoke w/ Rob S. I explained to him that he was still in violation of PBS code. I have received analytical suggesting that there was no release at the site. The tank test results indicated a dry ullage leak. The tank is empty and still needs to be removed or closed in place. As per Rob, he will be sending in the new application this week. I instructed him to include a line item that that due to the razing of the building, that they will remove the tank when the activities have been completed. Afterwards, he will need to update the PBS records to insicate that the tank has been removed. Upon review of a limited phase II investigation of the site performed by Galden Frankel, of the six soil samples taken from various locations throughout the site, no elevated constituents were detected. However, three GW samples were collected. The results indicate 1,040 ppb of MtBE and slightly elevated levels of PERC and its byproducts. 5/15/06- DEC Piper. Referred to Remediation. 5/31/06 - reviewed file: MTBE was detected without other VOCs usually present in a petroleum release. The MTBE is likely the leading edge of an off-site impact. Low level of CVOCs are also detected. These CVOCs are only detected in GW with no soil contamination or other sources on site. Spill is closed, no NFA issued since no remediation was ever conducted at site. - KST they are going to abandoned the tank

Remarks:

Material:

Site ID: 287180
Operable Unit ID: 862851
Operable Unit: 01
Material ID: 513064
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

STUART DEAN COMPANY (Continued)

S105997685

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 287180
Spill Tank Test: 1527857
Tank Number: 1
Tank Size: 3000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

425
NNE
1/4-1/2
0.465 mi.
2454 ft.

APRT
505 8TH AVE
NY, NY 10018

LTANKS S108131253
N/A

Relative:
Higher

Actual:
37 ft.

LTANKS:
Site ID: 368946
Spill No: 0605725
Spill Date: 8/17/2006
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/26/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: BKFALVEY
Referred To: Not reported
Reported to Dept: 8/17/2006
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 8/17/2006
Spill Record Last Update: 3/26/2007
Spiller Name: MARLIN JOSEPH
Spiller Company: APRT
Spiller Address: 505 8TH AVE
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: MARLIN JOSEPH
Spiller Phone: (718) 624-4842
Spiller Extention: 109
DEC Region: 2

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APRT (Continued)

S108131253

DER Facility ID: 9237
DEC Memo: 8/31/06 - ttf letter sent. bf. 10/16/06 received a letter from Anthony Lara of Petroleum Tank. tank was encased in concrete (#6 fuel oil). tank was pumped out and cleaned. fill line was cemented tank was removed from site. bf 11/8/06 spoke to Anthony Lara. needs to send disposal manifests. bf 1/31/07 spoke with A. Lara. He will fax manifest for waste tomorrow morning. According to him, there was one drum of material. bf 3/14/07 Spoke with A. Lara. He said it was two drums of material. Sent me a copy of invoice to show this. No closure application received. This case can not proceed without closure of the tank. Called A. Lara back and told him this. Faxed PBS closure application to him. fax: (718)858-4268. bf 3/26/07 On 3/21/07, received letter and closure application for tank. NFA. bf
Remarks: TANK WAS LEAKING AND HAS BEEN PUMPED OUT

Material:

Site ID: 368946
Operable Unit ID: 1126798
Operable Unit: 01
Material ID: 2116364
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 368946
Spill Tank Test: 1550202
Tank Number: 1
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 8/17/2006
Test Method: Horner EZ Check I or II

426
ESE
1/4-1/2
0.469 mi.
2475 ft.

**H B S A IND VISUCRAFT
205 5TH AVE
NEW YORK, NY 10010**

**CERC-NFRAP 1000994338
RCRA-NonGen NYD982271835**

**Relative:
Higher**

CERC-NFRAP:
Site ID: 0203800
Federal Facility: Not a Federal Facility
NPL Status: Not on the NPL
Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

**Actual:
40 ft.**

CERCLIS-NFRAP Assessment History:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

H B S A IND VISUCRAFT (Continued)

1000994338

Action: REMOVAL ASSESSMENT
Date Started: 05/21/1993
Date Completed: 11/10/1994
Priority Level: Not reported

Action: ARCHIVE SITE
Date Started: Not reported
Date Completed: 09/30/2001
Priority Level: Not reported

RCRA-NonGen:

Date form received by agency: 01/01/2007
Facility name: H B S A IND VISUCRAFT
Facility address: 205 5TH AVE
NEW YORK, NY 10010
EPA ID: NYD982271835
Mailing address: PO BOX 400
JAMESTOWN, NY 14702
Contact: Not reported
Contact address: PO BOX 400
JAMESTOWN, NY 14702
Contact country: US
Contact telephone: Not reported
Contact email: Not reported
EPA Region: 02
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: UNKNOWN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: UNKNOWN
Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999
Owner/operator country: US
Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibility indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown
Mixed waste (haz. and radioactive): Unknown
Recycler of hazardous waste: No
Transporter of hazardous waste: Unknown
Treater, storer or disposer of HW: No

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

H B S A IND VISUCRAFT (Continued)

1000994338

Underground injection activity: No
 On-site burner exemption: Unknown
 Furnace exemption: Unknown
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No
 Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: H B S A IND VISUCRAFT
 Classification: Not a generator, verified

Date form received by agency: 04/25/1995
 Facility name: H B S A IND VISUCRAFT
 Classification: Not a generator, verified

Date form received by agency: 07/23/1987
 Facility name: H B S A IND VISUCRAFT
 Classification: Small Quantity Generator

Violation Status: No violations found

427
 NW
 1/4-1/2
 0.472 mi.
 2492 ft.

**PARKING LOT OF
 515 WEST 28TH ST
 MANHATTAN, NY**

**LTANKS S103558674
 HIST LTANKS N/A**

**Relative:
 Lower**

LTANKS:

Site ID: 86623
 Spill No: 9811167
 Spill Date: 12/5/1998
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 12/7/1998
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 12/5/1998
 CID: 384
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/5/1998
 Spill Record Last Update: 5/14/2002

**Actual:
 14 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKING LOT OF (Continued)

S103558674

Spiller Name: ANTHONY MILANESE
Spiller Company: EAST COAST PETRO INC
Spiller Address: 340 JACKSON AVE
Spiller City,St,Zip: BRONX, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 79443
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" CLEANED BY RP.
Remarks: OVERFILL DUE TO ORDERING BY CUSTOMER. PETRO WILL BE DOING CLEAN UP.

Material:
Site ID: 86623
Operable Unit ID: 1068562
Operable Unit: 01
Material ID: 315017
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: 10
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9811167
Spill Date: 12/05/1998
Spill Time: 07:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKING LOT OF (Continued)

S103558674

Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/05/98
Reported to Department Time: 08:01
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: EAST COAST PETRO INC
Spiller Address: 340 JACKSON AVE
Spiller City,St,Zip: BRONX, NY
Spiller Cleanup Date: / /
Facility Contact: ANTHONY MILANESE
Facility Phone: (718) 402-5107
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/05/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/08/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 10
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 10
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PARKING LOT OF (Continued)

S103558674

Spill Cause: OVERFILL DUE TO ORDERING BY CUSTOMER. PETRO WILL BE DOING CLEAN UP.

428
East
1/4-1/2
0.474 mi.
2502 ft.

APARTMENT
11 WEST 30TH STREET
NEW YORK, NY

LTANKS **S106971890**
N/A

Relative:
Higher

LTANKS:

Actual:
44 ft.

Site ID: 346481
Spill No: 0502173
Spill Date: 5/24/2005
Spill Cause: Tank Test Failure
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/23/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: MXTIPPLE
Referred To: Not reported
Reported to Dept: 5/24/2005
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 5/24/2005
Spill Record Last Update: 6/23/2005
Spiller Name: AC REALTY-BILL HARA
Spiller Company: APARTMENT
Spiller Address: 11 WEST 30TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: AC REALTY-BILL HARA
Spiller Phone: (212) 307-0500
Spiller Extention: 226
DEC Region: 2
DER Facility ID: 292741
DEC Memo: 05/24/05 SR// Sent a ttf letter. 6/23/05 Tipple
updating/////Petrometer repaired/ minor seals repaired/replaced by
Eastmond/subsequent tank test passed//vaulted tank//No further action
necessary//

Remarks: RECOMMEND- CLEAN ISOLATE AND RETEST

Material:

Site ID: 346481
Operable Unit ID: 1104253
Operable Unit: 01
Material ID: 584418
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT (Continued)

S106971890

Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 346481
Spill Tank Test: 1548938
Tank Number: 6
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Watchdog
Last Modified: 5/24/2005
Test Method: Horner EZ Check I or II

429
WNW
1/4-1/2
0.474 mi.
2504 ft.

**VACANT LOT
511 WEST 24TH STREET
MANHATTAN, NY**

**LTANKS S106868700
N/A**

**Relative:
Lower**

LTANKS:

Site ID: 337632
Spill No: 0412228
Spill Date: 2/16/2005
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/16/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 2/16/2005
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/16/2005
Spill Record Last Update: 3/16/2005
Spiller Name: TIM SIMMONS
Spiller Company: VACANT LOT
Spiller Address: 511 WEST 24TH STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: TIM SIMMONS

**Actual:
11 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

VACANT LOT (Continued)

S106868700

Spiller Phone: (917) 353-7604
Spiller Extension: CELL
DEC Region: 2
DER Facility ID: 272958
DEC Memo: Sangesland spoke with Roux Assoc. Tank excavation with some spillage around tanks. (Tanks had been previously abandoned in place). Now tanks are being pulled. Sangesland asked for several end point soil samples taken from tank grave after removal. Test for VOC & SVOC. 3/16/2005 Sangesland reviewed a report from Roux Assoc. dated 3/9/05 On 2/18/05 Roux collected 6 post-ex samples. One per each side & 2 bottom VOC's - All samples contained low levels of VOC's, but they were ALL BELOW RSCO Stds. SVOC's - Some minor "Hits" on PAHs consistant with historical fill levels. Results show some contaminants exceed regulatory standards. Samples taken on removed (waste) soils showed much higher VOC & SVOC levels. Roux conclusion says that the contamination "source" has been removed and the site should be closed out. Based on the soil sampling work performed on the site and the report prepared by Roux Assoc., the NYSDEC agrees with the conclusion and the spill case is closed with: "No Further Action - Does Not Meet Standards"
Remarks: REMOVING TANK, JUST AN ODOR IN THE SOIL: NOT SURE HOW TO MOVE FORWARD WITH PROJECT:

Material:
Site ID: 337632
Operable Unit ID: 1099574
Operable Unit: 01
Material ID: 579908
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

430
ESE
1/4-1/2
0.475 mi.
2510 ft.

OFFICE BUILDING
245 5TH AVE
MANHATTAN, NY

LTANKS **S106124081**
N/A

Relative:
Higher

LTANKS:

Site ID: 198614
Spill No: 0312186
Spill Date: 2/2/2004
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Actual:
41 ft.

Spill Closed Dt: 8/15/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KPSARNOW
Referred To: Not reported
Reported to Dept: 2/2/2004
CID: 444
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 2/2/2004
Spill Record Last Update: 8/15/2005
Spiller Name: FRANK
Spiller Company: OFFICE BUILDING
Spiller Address: 245 5TH AVE
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: FRANK
Spiller Phone: (212) 689-3472
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 165292
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" Send TTF letter Spilled closed on 8/15/05. Invoice was received for replaced tank. Soil was removed and tank was pressure tested.

Remarks: WILL BE REPAIRING TANK:

Material:

Site ID: 198614
Operable Unit ID: 877414
Operable Unit: 01
Material ID: 562764
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

OFFICE BUILDING (Continued)

S106124081

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 198614
Spill Tank Test: 1528954
Tank Number: 1
Tank Size: 5000
Test Method: 03
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

CE431 530 WEST 27TH ST/MANH
NW 530 WEST 27TH STREET
1/4-1/2 NEW YORK CITY, NY
0.478 mi.
2522 ft. Site 1 of 2 in cluster CE

HIST LTANKS S104275540
NY Spills N/A

Relative:
Lower

HIST LTANKS:

Actual:
13 ft.

Region of Spill: 2
Spill Number: 8901381
Spill Date: 05/11/1989
Spill Time: 14:30
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Non Major Facility > 1,100 gallons
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SIGONA
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/11/89
Reported to Department Time: 14:30
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: RICHARD BRESLOW
Spiller Address: 559 WEST 45TH STREET
Spiller City,St,Zip: NEW YORK, N.Y.
Spiller Cleanup Date: / /
Facility Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

530 WEST 27TH ST/MANH (Continued)

S104275540

Facility Phone: (212) 265-4023
Facility Extension: Not reported
Spill Notifier: Federal Government
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 05/18/89
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/15/94
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 05/11/89: DEC TO REQUEST SUBSURFACE OR EXPLORATORY INVESTIGATION AROUND TANK TOP.
Spill Cause: BURIED UNDERGROUND TANK FILLED WITH WATER BUT SURFACE SOIL AROUND TANKTOP CEMENT IS SEEPING WITH OIL, OIL WAS SAMPLED.

NY Spills:

Site ID: 155911
Facility Addr2: Not reported
Facility ID: 8901381
Spill Number: 8901381
Facility Type: ER
SWIS: 3101
Investigator: HRAHMED
Referred To: Not reported
Spill Date: 5/11/1989
Reported to Dept: 5/11/1989
CID: Not reported
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Non Major Facility > 1,100 gal
Spill Notifier: Federal Government

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

530 WEST 27TH ST/MANH (Continued)

S104275540

Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Trust: False
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/6/2008
Remediation Phase: 0
Date Entered In Computer: 5/18/1989
Spill Record Last Update: 11/6/2008
Spiller Name: Not reported
Spiller Company: RICHARD BRESLOW
Spiller Address: 559 WEST 45TH STREET
Spiller City,St,Zip: NEW YORK, NY
Spiller Company: 001
Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 131980
DEC Memo: letter to be sent Last update by JBMCCULL on 12/20/05 - transferred back to R-2 3/5/08 - Austin - Assigned to Ketani for further investigation - end 4/21/08 - Raphael Ketani. The spill occurred on 5/11/89. The UST was filled with water and the top of the tank and the cement were seeping oil. The tank holds #6 oil. Richard Breslow, 559 W. 45 Street, NY (212) 265-4023 was on the original spill report as the spiller. There is no file for the case. I checked Property Shark, NYC Property Tax listings, and ACRIS and found the owners as: 27th Street Property, LLC, c/o Centaur Properties, LLC, 35 E. 21 Street, 3rd Floor, NY, 10010; and Gaiety Investments, Ltd., c/o Hartman & Craven, LLP, 488 Madison Avenue, NY, 10022. The PBS registration is for 536 W. 27 Street. The number is #2-476560. It shows a 5000 gal. tank that was closed, but used to contain #6 oil. I sent CSLs to both 27th Street Property and Gaiety Investments, Ltd. 4/23/08 - Raphael Ketani. Joe Graceson of Centaur Properties (212) 308-4443 called and left his phone number in a voice mail message. I made contact with Mr. Graceson. He said that Centaur is the sole owner. He said that the building uses gas only. The building was bought from Gaiety a little while ago. Centaur has had little cooperation from Gaiety in obtaining old records. He asked for any records that DEC has. I told him we have nothing. He asked what the next step would be if he can't find any information regarding the cleanup. I told him that Centaur will have to hire an environmental company to do an investigation and cleanup. I told him that DEC will need to receive the investigation plan, the site investigation report, the remediation plan, and the remediation report. He said he understood. With that, the conversation ended. 4/28/08 - Raphael Ketani. Steve O'Connell of Hartman & Craven (212) 836-4933 called. He said he represents Gaiety. He said that his company was involved when Gaiety first purchased the property and when they recently sold it. He said that Gaiety has no involvement with the site. 5/28/08 - Raphael Ketani. Mohammed Ahmed of Fleming Lei Shue called and said that he can't find any records or plans showing where the fuel tank used to be. He asked whether DEC had any records. I told him "No." He said he will try to put together an investigation plan. He said that he thinks he has a general idea of where the tank used to be. I told him that it may "boil down" to just doing some geoprobing all over

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

530 WEST 27TH ST/MANH (Continued)

S104275540

the basement. He said that may be what will happen. 5/29/08 - Raphael Ketani. Mr. Ahmed called. He said that he found a 1 page document from the NYFD stating that the tank was removed. I told him to send the document to me. I also told him that this doesn't preclude doing a soil investigation. He said he understood and that he will send a proposal for the work to be done. I received the Fire Department document by FAX from Mr. Ahmed. 6/3/08 - Raphael Ketani. Today I received the site investigation plan dated 5/29/08 via e-mail from Mr. Ahmed. I reviewed the plan, found it acceptable and e-mail Mr. Ahmed to go ahead with the work. 8/15/08 - Raphael Ketani. In preparation for case transfer, I am annotating the database as regards what needs to be done at the site to resolve the alleged or known environmental contamination. Followup is needed to see whether Fleming Lei Shue conducted the investigation and to get a copy of the report. Mr. Ahmed (212) 675-3225 called me. He said that the report is complete. He said he will send it, but only a little contamination was found on the concrete slab that used to support the tank. He said the groundwater has a little benzene, but this is not from the tank as it had #6 oil. He said the benzene levels are in the single digits to about 19 ppb. 09/02/08-HRAHMED-Returned Mohamed of Flemming Lee Sue call and left a message to call back. 09/03/08-HRAHMED-Mohamed sent me Limited Site Assessment Report with end point sample analyticles. As per the report, "New York City Fire Department (FDNY) records have indicated that the UST has been removed from the Site". 09/24/08-HRAHMED-Met with Mohamed of Flemming Lee Sue. No visual sign of affected drain or pit, no odor noticed. The opening of the basement is small. The base floor is a concrete finished basement. It used to be a club. this case is closed.

Remarks: BURIED UNDERGROUND TANK FILLED WITH WATER BUT SURFACE SOIL AROUND TANKTOP & CEMENT IS SEEPING WITH OIL, OIL WAS SAMPLED.

Material:

Site ID: 155911
Operable Unit ID: 927510
Operable Unit: 01
Material ID: 449130
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Not reported
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

CF432
SSW
1/4-1/2
0.482 mi.
2544 ft.

240 WEST 16TH AT
MANHATTAN, NY

Site 1 of 2 in cluster CF

LTANKS S104619486
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Actual:
25 ft.

Site ID: 84991
Spill No: 9800017
Spill Date: 4/1/1998
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 4/1/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KSTANG
Referred To: Not reported
Reported to Dept: 4/1/1998
CID: 270
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/1/1998
Spill Record Last Update: 4/2/1998
Spiller Name: Not reported
Spiller Company: SUZUKI ASSOCIATES
Spiller Address: 240 WEST 16TH AT
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: (212) 255-9340
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 78119
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
Remarks: top of tank was open causing overfill

Material:

Site ID: 84991
Operable Unit ID: 1060400
Operable Unit: 01
Material ID: 325578
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 6
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619486

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9800017
Spill Date: 04/01/1998
Spill Time: 10:30
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/01/98
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TANG
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/01/98
Reported to Department Time: 11:12
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: (212) 255-9340
Spiller Extention: Not reported
Spiller Name: SUZUKI ASSOCIATES
Spiller Address: 240 WEST 16TH AT
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: (212) 255-9340
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619486

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/01/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/02/98
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 6
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: top of tank was open causing overflow

CF433
SSW
1/4-1/2
0.482 mi.
2544 ft.

240 WEST 16TH ST
NEW YORK CITY, NY
Site 2 of 2 in cluster CF

LTANKS S104619852
HIST LTANKS N/A

Relative:
Lower

LTANKS:

Site ID: 320054
Spill No: 9811171
Spill Date: 12/5/1998
Spill Cause: Tank Overfill
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/7/1998
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: MCTIBBE
Referred To: Not reported
Reported to Dept: 12/5/1998
CID: 384
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False

Actual:
25 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619852

Remediation Phase: 0
Date Entered In Computer: 12/5/1998
Spill Record Last Update: 5/20/2002
Spiller Name: JIM CAREY
Spiller Company: CASTLE OIL CORPORATION
Spiller Address: 290 LOCUST AVENUE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller County: 001
Spiller Contact: SUZUKI
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 283382
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" CLEANED BY CASTLE.
Remarks: CALLER STATED TANK WAS OVERFILLED. CLEAN UP IS BEING COMPLETED BY CASTLE.

Material:
Site ID: 320054
Operable Unit ID: 1068570
Operable Unit: 01
Material ID: 569316
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: 5
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 9811171
Spill Date: 12/05/1998
Spill Time: 09:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Private Dwelling
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619852

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: //
Cleanup Ceased: //
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/05/98
Reported to Department Time: 10:26
SWIS: 62
Spiller Contact: SUZUKI
Spiller Phone: Not reported
Spiller Extension: Not reported
Spiller Name: CASTLE OIL CORPORATION
Spiller Address: 290 LOCUST AVENUE
Spiller City,St,Zip: BRONX, NY 10454-
Spiller Cleanup Date: //
Facility Contact: JIM CAREY
Facility Phone: (718) 579-3414
Facility Extension: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: //
Recommended Penalty: Penalty Not Recommended
Enforcement Date: //
Investigation Complete: //
UST Involvement: False
Date Region Sent Summary to Central Office: //
Corrective Action Plan Submitted: //
Date Spill Entered In Computer Data File: 12/05/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 01/08/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 5
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104619852

Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: Not reported
Spill Cause: CALLER STATED TANK WAS OVERFILLED. CLEAN UP IS BEING COMPLETED BY CASTLE.

434
South
1/4-1/2
0.483 mi.
2551 ft.

APARTMENT BLDG.- TTF
135 W. 17TH ST.
NEW YORK, NY

LTANKS S106869275
N/A

Relative:
Higher

LTANKS:

Actual:
30 ft.

Site ID: 344227
Spill No: 0501089
Spill Date: 4/26/2005
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/2/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: SFRAHMAN
Referred To: Not reported
Reported to Dept: 4/26/2005
CID: 406
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/26/2005
Spill Record Last Update: 11/2/2005
Spiller Name: JOHN HETLAND
Spiller Company: APARTMENT BLDG.
Spiller Address: 135 W. 17TH ST.
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: JOHN HETLAND
Spiller Phone: (212) 989-7806
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 290866
DEC Memo: 4/27/05-Vought-Spill assigned to Rahman to send out tank test letter. 04/27/05-SR// A TTF ltr was sent. 5/26/2005 Joe Ostrowski,(914)777-1930 Northeast Environmental asked for a 5 day time extension to submit the paperwork on this site. The tank was isolated and passed a retest. The problem was found in the fill line. Sangesland told Mr. Ostrowski to repair the fill line, take photos of the fill line area and submit copies of the tank test passing. 06/01/05- SR// Received copies of tank test pass. 10.18.05 Sharif-Spoke with A1 crown. They were hired to retest the tank and it passed.I left a messege for Joe, Northeast Environmental to call back

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

APARTMENT BLDG.- TTF (Continued)

S106869275

Remarks: DEC cause' we did not receive any documentation about the fill line repair. Also sent a letter to Andrews Building Corp. 11.02.05 Sharif- The fixed the line and the boiler is back on operation.
 Tank test Failure.

Material:
 Site ID: 344227
 Operable Unit ID: 1102881
 Operable Unit: 01
 Material ID: 583101
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: 344227
 Spill Tank Test: 1548845
 Tank Number: Not reported
 Tank Size: 1500
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Watchdog
 Last Modified: 4/26/2005
 Test Method: Horner EZ Check I or II

CG435
ESE
1/4-1/2
0.486 mi.
2566 ft.

PRIVATE RESIDENCE
261 5TH AVE
MANHATTAN, NY
Site 1 of 2 in cluster CG

LTANKS S106971654
N/A

Relative:
Higher

LTANKS:
 Site ID: 334049
 Spill No: 0409184
 Spill Date: 11/11/2004
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 11/29/2005
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: rmpiper
 Referred To: Not reported
 Reported to Dept: 11/11/2004
 CID: 407
 Water Affected: Not reported

Actual:
42 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S106971654

Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/19/2004
Spill Record Last Update: 12/5/2005
Spiller Name: ANTHONY LANE
Spiller Company: PRIVATE RESIDENCE
Spiller Address: 261 5TH AVE
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: ANTHONY LANE
Spiller Phone: (718) 624-4840
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 269256
DEC Memo: 11/23/2004 Tipple updating//Due to a communication problem with the hotline, a second spill number 04-09482 was generated for this site and is being used by both the RP and the cleanup company for their disposal records. 11/18/05- DEC Piper contacted PTC. They indicated the only performed surface cleanup. 11/28/05- DEC Piper spoke w/ super Lou Fiore cell 646-721-2560 office 212 679 4759. and Manager Randy Seider 212 583 0474. MANaging comp[any bought building in Aug 2005. As per Lou, the tank was replaced. Old tank was pumped,cleaned, cut and removed. Soil contamination was removed and new tank was set in place. Lou will send info by mail >24 pages of receipts.....
11/29/05- DEC Piper received info from management co. Sufficient info provided.
Remarks: Not reported

Material:

Site ID: Not reported
Operable Unit ID: Not reported
Operable Unit: Not reported
Material ID: Not reported
Material Code: Not reported
Material Name: Not reported
Case No.: Not reported
Material FA: Not reported
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: Not reported

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

PRIVATE RESIDENCE (Continued)

S106971654

Test Method: Not reported

CG436
ESE
1/4-1/2
0.487 mi.
2571 ft.

261 5TH AVE //ALSO SEE 0409184
261 5TH AVE
NEW YORK, NY
Site 2 of 2 in cluster CG

LTANKS S106971684
N/A

Relative:
Higher

LTANKS:

Actual:
42 ft.

Site ID: 334231
Spill No: 0409482
Spill Date: 11/11/2004
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 12/13/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: CESAWYER
Referred To: Not reported
Reported to Dept: 11/23/2004
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/23/2004
Spill Record Last Update: 12/13/2004
Spiller Name: HENRY
Spiller Company: Not reported
Spiller Address: 261 5TH AVE
Spiller City,St,Zip: NEW YORK, NY
Spiller County: 001
Spiller Contact: HENRY
Spiller Phone: (212) 807-1717
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 269424
DEC Memo: SEE SPILL # 0409184 for original spill New number generated by
hotline due to a communication problem 12/13/04 Refer to spill number
0409184. Closed.
Remarks: TANK RUPTURED:

Material:

Site ID: 334231
Operable Unit ID: 1096377
Operable Unit: 01
Material ID: 576253
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

261 5TH AVE //ALSO SEE 0409184 (Continued)

S106971684

Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

CH437
North
1/4-1/2
0.488 mi.
2576 ft.

NYPD MIDTOWN SOUTH
357 WEST 35TH ST
MANHATTAN, NY
Site 1 of 2 in cluster CH

LTANKS S105054624
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
39 ft.

Site ID: 79052
Spill No: 0100463
Spill Date: 3/22/2001
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 1/10/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JAKOLLEE
Referred To: Not reported
Reported to Dept: 4/12/2001
CID: 403
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 4/12/2001
Spill Record Last Update: 1/10/2005
Spiller Name: SGT MICHAEL SMITH
Spiller Company: NYPD MIDTOWN SOUTH
Spiller Address: 357 WEST 35TH ST
Spiller City,St,Zip: MANHATTAN, NY 10001-001
Spiller County: 001
Spiller Contact: SGT MICHAEL SMITH

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYPD MIDTOWN SOUTH (Continued)

S105054624

Spiller Phone: (718) 476-6828
Spiller Extension: Not reported
DEC Region: 2
DER Facility ID: 270762
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KOLLEENY" TYREE REMOVED A 550-GALLON STEEL SINGLE-WALLED EMERGENCY GENERATOR DIESEL TANK. SOIL HAD PETROLEUM ODOR AND SHEEN. CONTAMINATED SOIL WAS OVER-EXCAVATED AND STOCKPILED; POST-EXCAVATION SAMPLES WERE TAKEN. J. KOLLEENY OF DEC SPOKE WITH LAURIE JODICE OF TYREE ON 4/12/01; SHE WILL FORWARD COPY OF CLOSURE REPORT WHEN AVAILABLE. ACCORDING TO LJ, MOST CONTAMINATION WAS REMOVED AND THE SOIL LEFT IN THE PIT WAS RELATIVELY CLEAN. THE TANK LOCATION WAS VERY CLOSE TO WHERE O'BRIEN-KREITZBERG IS INSTALLING AN SVE SYSTEM TO REMEDIATE GASOLINE CONTAMINATION. KOLLEENY WILL FOLLOW UP TO ENSURE THAT RESIDUAL CONTAMINATION FROM THE EMERG. GEN. TANK (IF ANY) IS ADDRESSED, EITHER BY THE SVE SYSTEM OR IN SOME OTHER WAY. This spill is referred to spill # 9512583 and is closed today by II (01/10/05).
Remarks: WHEN TANK WAS REMOVED THERE WAS AN ODOR OF PETROLEUM. [SEE DEC NOTES.]
Not reported

Material:
Site ID: 79052
Operable Unit ID: 837375
Operable Unit: 01
Material ID: 568852
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 0100463
Spill Date: 03/22/2001
Spill Time: 10:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYPD MIDTOWN SOUTH (Continued)

S105054624

Spill Source: Other Non Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KOLLEENY
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 04/12/01
Reported to Department Time: 13:22
SWIS: 62
Spiller Contact: SGT MICHAEL SMITH
Spiller Phone: (718) 476-6828
Spiller Extention: Not reported
Spiller Name: NYPD MIDTOWN SOUTH
Spiller Address: 357 WEST 35TH ST
Spiller City,St,Zip: MANHATTAN, NY 10001-
Spiller Cleanup Date: / /
Facility Contact: SGT MICHAEL SMITH
Facility Phone: (718) 476-6828
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 04/12/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 04/16/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

NYPD MIDTOWN SOUTH (Continued)

S105054624

Material: UNKNOWN PETROLEUM
Class Type: UNKNOWN PETROLEUM
Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: TYREE REMOVED A 550-GALLON STEEL SINGLE-WALLED EMERGENCY GENERATOR DIESEL TANK. SOIL HAD PETROLEUM ODOR AND SHEEN. CONTAMINATED SOIL WAS OVER-EXCAVATED AND STOCKPILED; POST-EXCAVATION SAMPLES WERE TAKEN. J. KOLLEENY OF DEC SPOKE WITH LAURIE JODICE OF TYREE ON 4/12/01; SHE WILL FORWARD COPY OF CLOSURE REPORT WHEN AVAILABLE. ACCORDING TO LJ, MOST CONTAMINATION WAS REMOVED AND THE SOIL LEFT IN THE PIT WAS RELATIVELY CLEAN. THE TANK LOCATION WAS VERY CLOSE TO WHERE O BRIEN-KREITZBERG IS INSTALLING AN SVE SYSTEM TO REMEDIATE GASOLINE CONTAMINATION. KOLLEENY WILL FOLLOW UP TO ENSURE THAT RESIDUAL CONTAMINATION FROM THE EMERG. GEN. TANK (IF ANY) IS ADDRESSED, EITHER BY THE SVE SYSTEM OR IN SOME OTHER WAY.
Spill Cause: WHEN TANK WAS REMOVED THERE WAS AN ODOR OF PETROLEUM. SEE DEC NOTES.

CH438
North
1/4-1/2
0.488 mi.
2576 ft.

357 W 35TH ST/NYPD
357 W 35TH ST
NYC, NY
Site 2 of 2 in cluster CH

LTANKS **S102671776**
HIST LTANKS **N/A**

Relative:
Higher

LTANKS:
Site ID: 187720
Spill No: 9109281
Spill Date: 12/1/1991
Spill Cause: Tank Overfill
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Not reported
Spill Closed Dt: 12/1/1991
Facility Addr2: Not reported
Cleanup Ceased: 12/1/1991
Cleanup Meets Standard: True
SWIS: 3101
Investigator: O'DOWD
Referred To: Not reported
Reported to Dept: 12/1/1991
CID: Not reported
Water Affected: Not reported
Spill Notifier: Responsible Party
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 12/6/1991
Spill Record Last Update: 9/30/2004
Spiller Name: Not reported
Spiller Company: ISLAND TRANS
Spiller Address: Not reported
Spiller City,St,Zip: ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 156854
DEC Memo: Not reported

Actual:
39 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

357 W 35TH ST/NYPD (Continued)

S102671776

Remarks: FD NOTIFIED.

Material:

Site ID: 187720
Operable Unit ID: 959452
Operable Unit: 01
Material ID: 417918
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 5
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 9109281
Spill Date: 12/01/1991
Spill Time: 13:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 12/01/91
Cleanup Ceased: 12/01/91
Cleanup Meets Standard: True
Investigator: O'DOWD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/01/91
Reported to Department Time: 13:34
SWIS: 62
Spiller Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

357 W 35TH ST/NYPD (Continued)

S102671776

Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: ISLAND TRANS
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Responsible Party
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/06/91
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: / /
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 5
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: / / : FD HOSED AWAY FUEL.
Spill Cause: FD NOTIFIED.

**CE439
NW
1/4-1/2
0.489 mi.
2583 ft.**

**COMMERICAL PROPERTY
537-545 WEST 27TH STREET
NEW YORK, NY
Site 2 of 2 in cluster CE**

**LTANKS S108467893
N/A**

**Relative:
Lower**

LTANKS:
Site ID: 378471
Spill No: 0613440
Spill Date: 3/14/2007
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial

**Actual:
13 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

COMMERICAL PROPERTY (Continued)

S108467893

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: Not reported
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: rmpiper
Referred To: Not reported
Reported to Dept: 3/14/2007
CID: 410
Water Affected: Not reported
Spill Notifier: Local Agency
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 1
Date Entered In Computer: 3/14/2007
Spill Record Last Update: 9/10/2008
Spiller Name: WILLIAM CIRILLO
Spiller Company: WILLIAM CIRILLO
Spiller Address: 33 TIERS ST APT F
Spiller City,St,Zip: BRONX, NY 10464
Spiller County: 001
Spiller Contact: WILLIAM CIRILLO
Spiller Phone: (718) 885-3255
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 328004
DEC Memo: Sangesland spoke with Carol Owings of Key Environmental. She said the site is an industrial building that had several buried tanks removed. There is contaminated soil on the site that can not be removed, so the area will be treated in place. Key Enviornmental will work on a plan to submit to the DEC for review. Sangesland wrote a CSL letter and listed Ryan Piper as the contact for the site. CSL sent to one of the owners: William Cirillo, 33 Tiers St, Apt F, Bronx, NY 10464 5-31-07- EWMA- new contractor. will contact me. 2/6/08- DEC Piper reivewed RAWP addendum and approves. 05/20/08-Hiralkumar Patel. another spill reported (Spill #: 0801913) as found more tanks from site. during excavation, found three approx. 1000 gal size tanks, in middle of property. one tank was found empty and has been removed from ground. multiple holes noted on that tank. another two tanks sitting next to each other and has product in it. contractor will remove tank properly and will take endpoint samples. 09/10/08-Hiralkumar Patel. another spill reported (spill #: 0806482) as found oil coming out from ground in excavated area.

Remarks: TANKS WERE REMOVED: REMEDIATION PENDING:

Material:
Site ID: 378471
Operable Unit ID: 1135976
Operable Unit: 01
Material ID: 2125907
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum

Map ID
 Direction
 Distance
 Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
 EPA ID Number

COMMERICAL PROPERTY (Continued)

S108467893

Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: Not reported
 Spill Tank Test: Not reported
 Tank Number: Not reported
 Tank Size: Not reported
 Test Method: Not reported
 Leak Rate: Not reported
 Gross Fail: Not reported
 Modified By: Not reported
 Last Modified: Not reported
 Test Method: Not reported

CI440
WNW
1/4-1/2
0.491 mi.
2590 ft.

MENDEN LEASING
523 W 23RD ST
NY, NY
Site 1 of 5 in cluster CI

LTANKS **S104276716**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Site ID: 216215
 Spill No: 9513588
 Spill Date: 1/26/1996
 Spill Cause: Tank Test Failure
 Spill Source: Tank Truck
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 2/22/2001
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 1/26/1996
 CID: 349
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 1/26/1996
 Spill Record Last Update: 8/10/2005
 Spiller Name: TOM FASINI
 Spiller Company: MENDEN LEASING
 Spiller Address: 523 W 23RD ST
 Spiller City,St,Zip: NY, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: (212) 675-8906

Actual:
9 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MENDEN LEASING (Continued)

S104276716

Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 197
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE" TRANSFERED FROM O'DOWD TO TIBBE ON 02/22/01. REFER TO 96-05688. SEE ALSO 95-11782, 98-08740, 86-05564.
Remarks: tested w/water - visual leak - 5 tanks all 550 gallons/ possibility of a 6th tank that is buried

Material:

Site ID: 216215
Operable Unit ID: 1028074
Operable Unit: 01
Material ID: 357304
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 216215
Spill Tank Test: 1544374
Tank Number: 1-5
Tank Size: 550
Test Method: 01
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Petro-Tite/Petro Comp

HIST LTANKS:

Region of Spill: 2
Spill Number: 9513588
Spill Date: 01/26/1996
Spill Time: 12:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Tank Truck
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 02/22/01
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MENDEN LEASING (Continued)

S104276716

Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/26/96
Reported to Department Time: 14:07
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: (212) 675-8906
Spiller Extension: Not reported
Spiller Name: MENDEN LEASING
Spiller Address: 523 W 23RD ST
Spiller City,St,Zip: NY, NY
Spiller Cleanup Date: / /
Facility Contact: TOM FASINI
Facility Phone: (212) 675-8906
Facility Extension: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/26/96
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/22/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1-5
Tank Size: 550
Test Method: Petro-Tite
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: TRANSFERED FROM O DOWD TO TIBBE ON 02/22/01. REFER TO 96-05688. SEE ALSO 95-11782, 98-08740, 86-05564.
Spill Cause: tested w/water - visual leak - 5 tanks all 550 gallons/ possibilty of a 6th tank that is buried

MAP FINDINGS

Map ID
Direction
Distance
Elevation

Site

Database(s)

EDR ID Number
EPA ID Number

441
SSW
1/4-1/2
0.492 mi.
2597 ft.

**201 WEST 16TH ST CORP.
201 WEST 16TH ST
MANHATTEN, NY**

**LTANKS S104877040
HIST LTANKS N/A**

**Relative:
Equal**

LTANKS:

Site ID: 304546
Spill No: 0008506
Spill Date: 10/20/2000
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

**Actual:
27 ft.**

Spill Closed Dt: 12/22/2005
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JBTAMBE
Referred To: Not reported
Reported to Dept: 10/20/2000
CID: 281
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/20/2000
Spill Record Last Update: 12/22/2005
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller County: 999
Spiller Contact: PAUL MORTON
Spiller Phone: (212) 557-3600
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 245998
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" 01/26/04 Transferred from Rommel to Austin 02/17/04: Reassigned from AUSTIN to KRIMGOLD. 12/22/05: Jacob- Tank was closed-in-place around 12/3/01. See file

Remarks:

TANK TEST FAILURE AT ABOVE LOCATION. PROEPRTY OWNER HAS BEEN ADVISED OF TEST RESULTS. AT TIME OF CALL UNKNOWN WHAT FURTHER STEPS WILL BE TAKEN. NO CALL BACK REQUESTED.

Material:

Site ID: 304546
Operable Unit ID: 830955
Operable Unit: 01
Material ID: 571846
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

201 WEST 16TH ST CORP. (Continued)

S104877040

Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 304546
Spill Tank Test: 1525943
Tank Number: 1
Tank Size: 8000
Test Method: 03
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Horner EZ Check I or II

HIST LTANKS:

Region of Spill: 2
Spill Number: 0008506
Spill Date: 10/20/2000
Spill Time: 14:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: ROMMEL
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/20/00
Reported to Department Time: 15:44
SWIS: 62
Spiller Contact: PAUL MORTON
Spiller Phone: (212) 557-3600
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: () -
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

201 WEST 16TH ST CORP. (Continued)

S104877040

Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/20/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 10/23/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1
Tank Size: 8000
Test Method: Horner EZ Check
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: Not reported
Spill Cause: TANK TEST FAILURE AT ABOVE LOCATION. PROEPRTY OWNER HAS BEEN ADVISED OF TEST RESULTS. AT TIME OF CALL UNKNOWN WHAT FURTHER STEPS WILL BE TAKEN. NO CALL BACK REQUESTED.

**442
NW
1/4-1/2
0.495 mi.
2613 ft.**

**524 WEST 29TH ST/MANH
524 WEST 29TH STREET
NEW YORK CITY, NY**

**LTANKS S104275619
HIST LTANKS N/A**

**Relative:
Lower**

LTANKS:

Site ID: 235183
Spill No: 9008960
Spill Date: 11/14/1990
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/4/2003
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: ADMIN. CLOSED
Referred To: Not reported

**Actual:
15 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

524 WEST 29TH ST/MANH (Continued)

S104275619

Reported to Dept: 11/15/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 11/19/1990
Spill Record Last Update: 7/21/2005
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 148161
DEC Memo: Not reported
Remarks: 4K TANK FAILED HORNER EZY CHECK WITH A LEAK RATE RATE OF -.16GPH,WILL EXCAVATE & ISOLATE, POSSIBLE LINE FAILURE. CLOSED DUE TO LACK OF ANY RECENT INFO - DOES NOT MEET ANY CLEANUP REQUIREMENTS.

Material:

Site ID: 235183
Operable Unit ID: 946159
Operable Unit: 01
Material ID: 554502
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Pounds
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: 235183
Spill Tank Test: 1537886
Tank Number: Not reported
Tank Size: 0
Test Method: 00
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2
Spill Number: 9008960

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

524 WEST 29TH ST/MANH (Continued)

S104275619

Spill Date: 11/14/1990
Spill Time: 15:00
Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SULLIVAN
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 11/15/90
Reported to Department Time: 10:29
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 11/19/90
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 11/13/92
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

524 WEST 29TH ST/MANH (Continued)

S104275619

Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: 4K TANK FAILED HORNER EZY CHECK WITH A LEAK RATE RATE OF -.16GPH,WILL EXCAVATE ISOLATE, POSSIBLE LINE FAILURE.

CI443
WNW
1/4-1/2
0.495 mi.
2614 ft.

537 -541 W. 24TH ST
MANHATTAN, NY
Site 2 of 5 in cluster CI

LTANKS S104782023
HIST LTANKS N/A

Relative:
Lower
Actual:
10 ft.

LTANKS:
Site ID: 229980
Spill No: 0005393
Spill Date: 8/5/2000
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 6/8/2007
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: kkchanda
Referred To: Not reported
Reported to Dept: 8/5/2000
CID: 322
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 8/5/2000
Spill Record Last Update: 6/11/2007
Spiller Name: KRIS MAIN
Spiller Company: Not reported
Spiller Address: 537 -541 W. 24TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller County: 001
Spiller Contact: KRIS MAIN
Spiller Phone: (732) 390-5858
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 189550
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER" 4/22/03 SAMUEL- RCVD TANK CLOSURE & SITE ASSESSMENT REPORT. CONTACT PERSON:- HUGH J FREUND 212 705 7000- ATTORNEY FOR THE MARY

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104782023

BOONE GALLERY (R.P) 2/9/06- DEC Piper spoke w/ LEE WESTCHOTT at Whitman CO. As per conversation there was free floating product discovered at the property. There is a monitoring well network. It has been recently sampled and Lee will forward a summary status report to the dept. including analytical summaries within the next month. Case referred to Koon Tang. 06/08/06: This spill transferred to S.Kraszewski. - SK 08/14/06: Received a voicemail from Ira Whitman, concerning the status of the site. He gave no callback number. SK reviewed the Tank Closure Report from Fall 2001. It is evident that high levels of VOCs were detected around the fuel oil UST. Lower exceedances were also found around the gasoline USTs and the Oil/Water separator. No mention if GW was encountered; the site lies next to the Hudson River so GW is probably shallow. No MWs were installed during the investigation. Must know the GW condition above all else at this point. - SK 08/15/06: Called Ira Whitman (732-553-4333) after he left a voicemail. He is no longer the consultant involved with this site, in fact he believes that no firm is involved at all. He was involved on a site project adjacent from this one: Dynamic Delivery was the contractor involved with the clean-up. He said this site already received an NFA. I said, based on the report, the GW condition must be established. He said it might be worth-while to review the reports from the neighboring site, which is also downgradient from this one (closer to the Hudson.) He said to contact a John Houshmand, of Clark Construction, who discovered the tanks during renovation work on the property. - SK 08/18/06: Left a message for John Houshmand (917-553-4333). - SK 08/22/06: John Houshmand called back. He gave me the contact info for Mary Boone, owner of the gallery. Gallery: 212-753-2929, Cell: 917-861-2929. She is not the property owner of the site, she only rents the space. According to John, contractor for the building and several others nearby, after the abatement of the gasoline tanks, fuel oil tank and sump pit the entire area was covered in concrete and established as the Mary Boone Gallery. He also mentioned the adjacent site which supposedly has GW wells and may be useful in characterizing the GW condition for this site. I told John I would look into this other site and get back to him, since he regularly deals with the owner. - SK 08/29/06: I discussed the site situation with JK. The site needs a GW investigation, unfortunately there is no access to the interior so the MWs need to be placed on the sidewalk next to the former gasoline USTs and oil/water separator pit. Also, a soil boring next to the gasoline fill port will be needed. I called John Houshmand (917-553-4333) and explained what work would need to be done. I also asked him for the property owner's contact info since it is not on file. He will find out, plus he asked about other consultants to do the work since The Whitman company had a falling out with Mary Boone. I said to convince her that he seems like a reputable company based on the report. Letter was sent out asking for two MWs, a soil boring and sub-slab soilgas sampling. Property owner is a Samuel Weinberg. - SK 11/09/06: Reassigned from Stephen Kraszewski to Chanda. (Chanda) 01/02/07: Kartik Chnada of DEC sent a letter to Property Owner (Mr. Samuel Weinberg), requiring that an additional investigation of GW and additional monitoring wells at the site. A work plan is mandated by 03/02/07 for approval. 01/10/07: Chanda received an e-mail from John Houshmand, Clark Construction Corp. He said that the RP will be retained Long Island Analytical Laboratories (LIAL), Inc. to perform this work. 2/27/07: Chanda received a limited subsurface investigation work plan prepared by LIAL dated on 2/26/07. 2/28/07:

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104782023

Chnada reviewed the limited subsurface investigation work plan. on 2/28/07, the Department conditionally approves this work plan. On 2/28/07, Chanda sent a letter to RP(Samuel Weingberg)and his consultant (John Hushmand), Michael Veraldi (LIAL), requiring that an investigation summary report be submitted to DEC for review by April 16, 2007. 4/19/07: Chnada received a phone call from Michael Veraldi, LIAL concerning the status of the site. He explained to me the cause of the delay on the investigation work report. 4/23/07: Chanda received a letter from Michael veraldi, LIAL regarding an extension to complete the approved work plan at the site. 4/24/07: Chanda sent a time extension approval letter to the RP(Samuel Weingberg) and his consultant (John Hushmand), Michael Veraldi (LIAL). An Investigation Summary Report must be submitted to the Department by May 4, 2007. (Chanda) 5/24/07: Chanda called John Hushmand (Clark Construction Corp.)and Micheael Veraldi (LIAL) regarding the investigation Summary Report and present site status. Micheal told me all work has been done and he is wating for analytical results. The report will be submitted to DEC for review by 5/31/07. 6/6/07: On 6/5/07, Chanda received a Limited sub-surface site investigation report prepared by LIAL dated May 30, 2007. 6/8/07:Kartik Chanda of DEC reviewed the imited sub-surface site investigation report regarding this spill. The soil samples, grondwater samples and soil vapor samples showed that results is not exceed our NYSDEC and NYSDOH guideline. Chanda discussed with Joe Sun (NYSDEC) regarding the results of soil, groundwater, and soil vapor samples. Based on the information presented to the Department DEC closed this spill case. 6/11/07: Chanda sent a NFA letter to Samual Weinberg, Weinberg Properties and his consultants (John Houshmand, and Miciael Vrraldi) regarding closed this spill case.

Remarks: while removing tanks contaminated soil found -

Material:

Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 2125257
Material Code: 0032A
Material Name: METHANOL
Case No.: 00067561
Material FA: Hazardous Material
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: True
Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 550119
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104782023

Oxygenate: True
Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 2125258
Material Code: 2645A
Material Name: BTEX
Case No.: Not reported
Material FA: Oxygenates
Quantity: Not reported
Units: Not reported
Recovered: Not reported
Resource Affected: Not reported
Oxygenate: True
Site ID: 229980
Operable Unit ID: 826450
Operable Unit: 01
Material ID: 550118
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: True

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:
Region of Spill: 2
Spill Number: 0005393
Spill Date: 08/05/2000
Spill Time: 10:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: SACCACIO

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104782023

Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 08/05/00
Reported to Department Time: 12:35
SWIS: 62
Spiller Contact: KRIS MAIN
Spiller Phone: (732) 390-5858
Spiller Extension: Not reported
Spiller Name: Not reported
Spiller Address: 537 -541 W. 24TH ST
Spiller City,St,Zip: MANHATTAN, NY
Spiller Cleanup Date: / /
Facility Contact: KRIS MAIN
Facility Phone: (732) 390-5858
Facility Extension: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/05/00
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/07/00
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
Material Class Type: Petroleum
Quantity Spilled: 0

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

(Continued)

S104782023

Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929
DEC Remarks: Not reported
Spill Cause: while removing tanks contaminated soil found -

444
NNE
1/4-1/2
0.497 mi.
2626 ft.

APARTMENT BUILDING
261 WEST 36TH STREET
MANHATTAN, NY

LTANKS S104950889
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
38 ft.

Site ID: 76906
Spill No: 0011776
Spill Date: 1/31/2001
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 3/22/2001
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: JMKRIMGO
Referred To: Not reported
Reported to Dept: 1/31/2001
CID: 282
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 1/31/2001
Spill Record Last Update: 3/22/2001
Spiller Name: N/A
Spiller Company: NEWMARK AND COMPANY
Spiller Address: N/A
Spiller City,St,Zip: N/A, ZZ
Spiller County: 001
Spiller Contact: ISAAC MUNGRA
Spiller Phone: (718) 624-4842
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 71815
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD" PETROLEUM TANK CLEANERS ON SITE. FIXED THE TANK AND CLEANED UP THE SPILL.
Remarks: THE TANK (5,000 GALLON) LEAKED ABOUT 20 GALLONS WAS SPILLED.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S104950889

Material:

Site ID: 76906
Operable Unit ID: 833715
Operable Unit: 01
Material ID: 542073
Material Code: 0001
Material Name: #2 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: 20
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 0011776
Spill Date: 01/31/2001
Spill Time: 16:30
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Non Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 03/22/01
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: KRIMGOLD
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 01/31/01
Reported to Department Time: 17:34
SWIS: 62
Spiller Contact: ISAAC MUNGRA
Spiller Phone: (718) 624-4842

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

APARTMENT BUILDING (Continued)

S104950889

Spiller Extention: Not reported
Spiller Name: NEWMARK AND COMPANY
Spiller Address: N/A
Spiller City,St,Zip: N/A
Spiller Cleanup Date: / /
Facility Contact: N/A
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 01/31/01
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 03/22/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 20
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 20
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: PETROLEUM TANK CLEANERS ON SITE. FIXED THE TANK AND CLEANED UP THE SPILL.
Spill Cause: THE TANK 5,000 GALLON) LEAKED ABOUT 20 GALLONS WAS SPILLED.

445
SSE
1/4-1/2
0.497 mi.
2627 ft.

RETAIL BUSINESS
36 WEST 20TH STREET
MANHATTAN, NY

LTANKS S106971602
N/A

Relative:
Higher

LTANKS:

Site ID: 333814
Spill No: 0409245
Spill Date: 11/18/2004
Spill Cause: Tank Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Actual:
37 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RETAIL BUSINESS (Continued)

S106971602

Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 11/19/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: True
SWIS: 3101
Investigator: SMSANGES
Referred To: Not reported
Reported to Dept: 11/18/2004
CID: 444
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 11/18/2004
Spill Record Last Update: 11/19/2004
Spiller Name: MARK SALAMACK
Spiller Company: RETAIL BUSINESS
Spiller Address: 36 WEST 20TH STREET
Spiller City,St,Zip: MANHATTEN, NY
Spiller County: 001
Spiller Contact: MARK STRONG
Spiller Phone: (607) 639-1909
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 269056
DEC Memo: 11/19/2004 Sangesland spoke to Mark at PTC. PTC cleaned out a tank on 11/18. Overnight a small leak started. PTC was called back and found a small hole. minor spill to a cement floor - 1 bag of speedie dry - all cleaned by PTC temp tank installed - old tank is being removed & replaced
Remarks: Not reported

Material:
Site ID: 333814
Operable Unit ID: 1095960
Operable Unit: 01
Material ID: 575960
Material Code: 0003
Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: Not reported
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

RETAIL BUSINESS (Continued)

S106971602

Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

446
NNE
1/4-1/2
0.498 mi.
2631 ft.

240 WEST 36TH ST./COMMERC
240 WEST 36TH ST.
NEW YORK CITY, NY

LTANKS S104275484
HIST LTANKS N/A

Relative:
Higher

LTANKS:

Actual:
39 ft.

Site ID: 197832
Spill No: 8705735
Spill Date: 10/7/1987
Spill Cause: Tank Overfill
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/7/1987
Facility Addr2: Not reported
Cleanup Ceased: 10/7/1987
Cleanup Meets Standard: True
SWIS: 3101
Investigator: TOMASELLO
Referred To: Not reported
Reported to Dept: 10/7/1987
CID: Not reported
Water Affected: Not reported
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: False
Remediation Phase: 0
Date Entered In Computer: 10/30/1987
Spill Record Last Update: 8/4/1995
Spiller Name: Not reported
Spiller Company: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: ***Update***, ZZ
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 164632
DEC Memo: Not reported
Remarks: OVERFLOW IN BASEMENT BUT WAS CONTAINED.

Material:

Site ID: 197832
Operable Unit ID: 911796
Operable Unit: 01
Material ID: 468313
Material Code: 0003

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

240 WEST 36TH ST./COMMERC (Continued)

S104275484

Material Name: #6 Fuel Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 500
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

HIST LTANKS:

Region of Spill: 2
Spill Number: 8705735
Spill Date: 10/07/1987
Spill Time: 10:00
Spill Cause: Tank Overfill
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 10/07/87
Cleanup Ceased: 10/07/87
Cleanup Meets Standard: True
Investigator: TOMASELLO
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/07/87
Reported to Department Time: 17:24
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: Not reported
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spiller Cleanup Date: / /
Facility Contact: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

240 WEST 36TH ST./COMMERC (Continued)

S104275484

Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/30/87
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 08/04/95
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 500
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #6 FUEL OIL
Class Type: #6 FUEL OIL
Times Material Entry In File: 2190
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: / / : CLEANED UP, EPA NOTIFIED, SOME OIL MAY BE IN SEWERS.
Spill Cause: OVERFLOW IN BASEMENT BUT WAS CONTAINED.

**CI447
WNW
1/4-1/2
0.499 mi.
2633 ft.**

**TANKFAILED MENDON LEASING
527 W. 23 ST.
NEW YORK CITY, NY
Site 3 of 5 in cluster CI**

**LTANKS S104275477
HIST LTANKS N/A**

**Relative:
Lower**

LTANKS:
Site ID: 301566
Spill No: 8605564
Spill Date: 12/3/1986
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 12/3/1986
Facility Addr2: Not reported
Cleanup Ceased: 12/3/1986
Cleanup Meets Standard: True
SWIS: 3101
Investigator: MCTIBBE

**Actual:
9 ft.**

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKFAILED MENDON LEASING (Continued)

S104275477

Referred To: Not reported
Reported to Dept: 12/3/1986
CID: Not reported
Water Affected: GROUND WATER
Spill Notifier: Affected Persons
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 12/6/1986
Spill Record Last Update: 8/10/2005
Spiller Name: Not reported
Spiller Company: MENDON LEASING
Spiller Address: 527 W. 23 ST.
Spiller City,St,Zip: NEW YORK, NY 12211
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 197
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks: ONGOING FOR APPROX. 5 MONTHS & GROUND APPEARS TO BE SATURATED NEAR HUDSON RIVER. REPORTED BY USCG(PO BLYDEN)(212)668-7920

Material:
Site ID: 301566
Operable Unit ID: 902510
Operable Unit: 01
Material ID: 474740
Material Code: 0009
Material Name: Gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: -1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported
Modified By: Not reported
Last Modified: Not reported
Test Method: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKFAILED MENDON LEASING (Continued)

S104275477

HIST LTANKS:

Region of Spill: 2
Spill Number: 8605564
Spill Date: 12/03/1986
Spill Time: 11:55
Spill Cause: Tank Failure
Resource Affectd: Groundwater
Water Affected: GROUND WATER
Spill Source: Other Commercial/Industrial
Spill Class: Not reported
Spill Closed Dt: 12/03/86
Cleanup Ceased: 12/03/86
Cleanup Meets Standard: True
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/03/86
Reported to Department Time: 12:15
SWIS: 62
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: MENDON LEASING
Spiller Address: 527 W. 23 ST.
Spiller City,St,Zip: NEW YORK N.Y. 12211
Spiller Cleanup Date: / /
Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Affected Persons
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/06/86
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/12/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

TANKFAILED MENDON LEASING (Continued)

S104275477

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: GASOLINE
Class Type: GASOLINE
Times Material Entry In File: 21329
CAS Number: Not reported
Last Date: 19940929

DEC Remarks: 10/10/95: This is additional information about material spilled from the translation of the old spill file: UNK AMT. SPILLED REFER TO 96-05688. SEE ALSO 95-11782 AND 98-08740.

Spill Cause: ONGOING FOR APPROX. 5 MONTHS GROUND APPEARS TO BE SATURATED NEAR HUDSON RIVER. REPORTED BY USCG PO BLYDEN) 212)668-7920

CI448
WNW
1/4-1/2
0.499 mi.
2633 ft.

**MENDON LEASING CORP
527 WEST 23RD STREET
MANHATTAN, NY
Site 4 of 5 in cluster CI**

**LTANKS S104073234
HIST LTANKS N/A**

Relative:
Lower

LTANKS:

Site ID: 301889
Spill No: 9511782
Spill Date: 12/18/1995
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Spill Closed Dt: 5/27/2004
Facility Addr2: Not reported
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: KMFOLEY
Referred To: Not reported
Reported to Dept: 12/18/1995
CID: 311
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: Penalty Not Recommended
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 12/18/1995
Spill Record Last Update: 8/10/2005
Spiller Name: TOM MASINI
Spiller Company: MENDON LEASING CORP
Spiller Address: 362 KINGSLAND AV
Spiller City,St,Zip: BROOKLYN, NY
Spiller County: 001
Spiller Contact: RICH RICTHO
Spiller Phone: (212) 675-8906
Spiller Extention: Not reported

Actual:
9 ft.

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

S104073234

DEC Region: 2
DER Facility ID: 197
DEC Memo: 8/15/96 SEE ALSO 96-05688, 98-08740, 86-05564. (MARK TIBBE) SPILL
ORIGINALLY ASSIGNED TO MARTINKAT - FILE TRANSFERRED TO MULQUEEN.
TRNSFERED TO TIBBE ON 2/12/01. 4/12/04-Vought-Spill transferred from
Tibbe to Rommel as per Rommel. 4/19/04 Reassigned from Rommel to K.
Foley. 5/27/04 Remediation work to be performed under spill #96-05688.
Not reported
Remarks: TEST CONDUCTED AND RESULTS RECORDED.

Material:
Site ID: 301889
Operable Unit ID: 1022460
Operable Unit: 01
Material ID: 359107
Material Code: 0008
Material Name: Diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 301889
Spill Tank Test: 1544328
Tank Number: 1-4
Tank Size: 550
Test Method: 01
Leak Rate: 0
Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Petro-Tite/Petro Comp

HIST LTANKS:
Region of Spill: 2
Spill Number: 9511782
Spill Date: 12/18/1995
Spill Time: 10:30
Spill Cause: Tank Test Failure
Resource Affected: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.
Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

MENDON LEASING CORP (Continued)

S104073234

Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 12/18/95
Reported to Department Time: 11:58
SWIS: 62
Spiller Contact: RICH RICTHO
Spiller Phone: (212) 675-8906
Spiller Extention: Not reported
Spiller Name: MENDON LEASING CORP
Spiller Address: 362 KINGSLAND AV
Spiller City,St,Zip: BROOKLYN, NY
Spiller Cleanup Date: / /
Facility Contact: TOM MASINI
Facility Phone: (718) 389-2100
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended
Enforcement Date: / /
Investigation Complete: / /
UST Involvement: True
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 12/18/95
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/12/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: 1-4
Tank Size: 550
Test Method: Petro-Tite
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: True
Material: DIESEL
Class Type: DIESEL
Times Material Entry In File: 10625
CAS Number: Not reported
Last Date: 19940728
DEC Remarks: 8/15/96 SEE ALSO 96-05688, 98-08740, 86-05564. MARK TIBBE) SPILL ORIGINALLY
ASSIGNED TO MARTINKAT - FILE TRANSFERRED TO MULQUEEN. TRNSFERED TO TIBBE ON
2/12/01.
Spill Cause: TEST CONDUCTED AND RESULTS RECORDED.

MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Site

Database(s)

EDR ID Number
 EPA ID Number

CI449 **EDISON PARKING GARAGE**
WNW **527 WEST 23RD ST**
1/4-1/2 **NY, NY**
0.499 mi.
2633 ft. **Site 5 of 5 in cluster CI**

LTANKS **S104277387**
HIST LTANKS **N/A**

Relative:
Lower

LTANKS:

Actual:
9 ft.

Site ID: 103493
 Spill No: 9808740
 Spill Date: 10/14/1998
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Spill Closed Dt: 5/27/2004
 Facility Addr2: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: KMFOLEY
 Referred To: Not reported
 Reported to Dept: 10/14/1998
 CID: 270
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: Penalty Not Recommended
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/14/1998
 Spill Record Last Update: 8/10/2005
 Spiller Name: FRANK BROCKERAHOFF
 Spiller Company: EDISON PARKING GARAGE
 Spiller Address: 527 WEST 23RD ST
 Spiller City,St,Zip: NY, NY
 Spiller County: 001
 Spiller Contact: FRANK BROCKERAHOFF
 Spiller Phone: (516) 921-9393
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 297702
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "K FOLEY" SEE ALSO 86-05564, 95-11782, 96-05688. 5/27/04 Reassigned from Tibbe to K Foley. Remediation work to be performed under spill #96-05688.
 Remarks: POSS REMOTE

Material:

Site ID: 103493
 Operable Unit ID: 1069928
 Operable Unit: 01
 Material ID: 316229
 Material Code: 0001
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDISON PARKING GARAGE (Continued)

S104277387

Resource Affected: Not reported
Oxygenate: False

Tank Test:
Site ID: 103493
Spill Tank Test: 1546388
Tank Number: Not reported
Tank Size: 8000
Test Method: 14
Leak Rate: 0
Gross Fail: F
Modified By: Spills
Last Modified: 10/1/2004
Test Method: VacuTest

HIST LTANKS:
Region of Spill: 2
Spill Number: 9808740
Spill Date: 10/14/1998
Spill Time: 10:00
Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported
Spill Source: Other Commercial/Industrial
Spill Class: Known release that creates potential for fire or hazard. DEC Response.
Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /
Cleanup Ceased: / /
Cleanup Meets Standard: False
Investigator: TIBBE
Caller Name: Not reported
Caller Agency: Not reported
Caller Phone: Not reported
Caller Extension: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 10/14/98
Reported to Department Time: 11:58
SWIS: 62
Spiller Contact: FRANK BROCKERAHOFF
Spiller Phone: (516) 921-9393
Spiller Extention: Not reported
Spiller Name: EDISON PARKING GARAGE
Spiller Address: 527 WEST 23RD ST
Spiller City,St,Zip: NY, NY
Spiller Cleanup Date: / /
Facility Contact: FRANK BROCKERAHOFF
Facility Phone: (516) 921-9393
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: Not reported
Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Map ID
Direction
Distance
Elevation

MAP FINDINGS

Site

Database(s)

EDR ID Number
EPA ID Number

EDISON PARKING GARAGE (Continued)

S104277387

Enforcement Date: / /
Investigation Complete: / /
UST Involvement: False
Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 10/14/98
Time Spill Entered In Computer Data File: Not reported
Spill Record Last Update: 02/12/01
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 8000
Test Method: Tankology [Vacutect]
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Talk Test Failures only pass or fail

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207
DEC Remarks: SEE ALSO 86-05564, 95-11782, 96-05688.
Spill Cause: POSS REMOTE

450
West
1/2-1
0.560 mi.
2957 ft.

**CON EDISON - WEST 18TH ST. GAS WORKS MGP
WEST 16TH - WEST 20TH STS.
NEW YORK, NY 10011**

**Manufactured Gas Plants 1008407994
N/A**

**Relative:
Lower**

Manufactured Gas Plants:
No additional information available

**Actual:
10 ft.**

451
West
1/2-1
0.618 mi.
3263 ft.

**CON EDISON - 19TH ST. WORKS MGP
11TH AVE BETWEEN W 19TH AND W 20TH STS
NEW YORK, NY 10011**

**Manufactured Gas Plants 1008407976
N/A**

**Relative:
Lower**

Manufactured Gas Plants:
No additional information available

**Actual:
5 ft.**

Count: 20 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
NEW YORK	1000457448	AMTRAK - PENN STATION	NY IMPROVMNTS 33RD / 8TH AVE	10001	FINDS,RCRA-NLR,MANIFEST
NEW YORK	1004761308	NYCDEP TUNNEL 1 DIST CHAMBER	W 25TH ST S BETW 5TH AVE &	10010	FINDS,RCRA-NLR
NEW YORK	1007205804	BELL ATLANTIC-NY	KINGS HWY E 12	10016	RCRA-NLR
FREEPORT	1007205959	VERIZON NEW YORK INC	37 GUY LOMBARDO & SUNRISE HWY	10016	RCRA-NLR
FREEPORT	1007252448	VERIZON NEW YORK INC	37 GUY LOMBARDO / SUNRISE HW	10016	FINDS,MANIFEST
NEW YORK	1009238433	CONSOLIDATED EDISON	10819-RONALDS AVE / KINGS HW	10003	MANIFEST
NEW YORK	1009238515	CONSOLIDATED EDISON	MH10820-NEW HWY / MAIN ST	10001	MANIFEST
NEW YORK	1012187134	NYS DOT BIN 1077069	RTE 907L OVER 34TH ST	10010	RCRA-LQG
NEW YORK	2009917448	W59TH ST AND WEST SIDE HWY	W59TH ST AND WEST SIDE HWY	10001	ERNS
NEW YORK	92263314	INTERSTATE I 295 WEST BOUND	INTERSTATE I 295 WEST BOUND		ERNS
NEW YORK	92283202	PIERS 35-40 WEST SIDE HWY AND	PIERS 35-40 WEST SIDE HWY AND		ERNS
NEW YORK	93348656	WEST SIDE HWY	WEST SIDE HWY		ERNS
NEW YORK	S105912830	NYC DOS WEST 30TH STREET RECYCLING	WEST 30TH STREET / WEST SIDE	10001	LF
NORTH BRUNSWICK	S106589105	IDEAL DRY CLEANERS (FORMER)/THE SH	2219 RTE 1 S	10017	VCP
NEW YORK	S109064422	BELL ATLANTIC NY	30TH ST / WESTSIDE HWY SE MA		MANIFEST
NEW YORK	S109064446	BELL ATLANTIC NY	W 31ST ST / WESTSIDE HWY MAN		MANIFEST
NEW YORK	S109584950	VERIZON NEW YORK INC. MANHOLE	ROUTE 110 E/S	10016	MANIFEST
NEW YORK	S109942993	59TH GENERATION STATION	59TH ST OFF THE WEST SIDE HIGH		SPILLS
NEW YORK	U003241876	SUNOCO STATION (CAVANT)	14TH STREET / WEST SIDE HIGH	10014	HIST UST
NEW YORK	U004078196	SUNOCO STATION (CAVANT)	14TH STREET & WEST SIDE HIGHWA	10014	UST NCFM

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/31/2010	Source: EPA
Date Data Arrived at EDR: 01/13/2011	Telephone: N/A
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/13/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/31/2010	Source: EPA
Date Data Arrived at EDR: 01/13/2011	Telephone: N/A
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/13/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 11/22/2010
Number of Days to Update: 56	Next Scheduled EDR Contact: 02/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/31/2010	Source: EPA
Date Data Arrived at EDR: 01/13/2011	Telephone: N/A
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/13/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 09/30/2010	Source: EPA
Date Data Arrived at EDR: 10/01/2010	Telephone: 703-412-9810
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 12/30/2010
Number of Days to Update: 119	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA's Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/23/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/15/2010	Telephone: 703-603-8704
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 01/11/2011
Number of Days to Update: 26	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 06/23/2009	Source: EPA
Date Data Arrived at EDR: 09/02/2009	Telephone: 703-412-9810
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 12/01/2010
Number of Days to Update: 19	Next Scheduled EDR Contact: 03/14/2011
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/25/2010
Date Data Arrived at EDR: 06/02/2010
Date Made Active in Reports: 10/04/2010
Number of Days to Update: 124

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 11/22/2010
Next Scheduled EDR Contact: 02/28/2011
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/05/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/14/2011	Telephone: 703-603-0695
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 12/10/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/05/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/14/2011	Telephone: 703-603-0695
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 12/10/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 07/09/2010	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 07/09/2010	Telephone: 202-267-2180
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 01/07/2011
Number of Days to Update: 39	Next Scheduled EDR Contact: 04/18/2011
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9622
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 09/14/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/24/2010	Telephone: 518-402-9814
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/24/2010
Number of Days to Update: 23	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 01/12/2011
Date Data Arrived at EDR: 01/14/2011
Date Made Active in Reports: 02/04/2011
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 518-457-2051
Last EDR Contact: 01/10/2011
Next Scheduled EDR Contact: 04/25/2011
Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 11/23/2010
Date Data Arrived at EDR: 11/23/2010
Date Made Active in Reports: 12/17/2010
Number of Days to Update: 24

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 11/23/2010
Next Scheduled EDR Contact: 03/07/2011
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 08/27/2010
Date Data Arrived at EDR: 08/30/2010
Date Made Active in Reports: 10/04/2010
Number of Days to Update: 35

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 01/31/2011
Next Scheduled EDR Contact: 05/16/2011
Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 11/19/2010
Date Data Arrived at EDR: 11/19/2010
Date Made Active in Reports: 01/28/2011
Number of Days to Update: 70

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 01/31/2011
Next Scheduled EDR Contact: 05/16/2011
Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/12/2010	Source: EPA Region 10
Date Data Arrived at EDR: 11/12/2010	Telephone: 206-553-2857
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 77	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 09/01/2010	Source: EPA Region 1
Date Data Arrived at EDR: 11/05/2010	Telephone: 617-918-1313
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 02/03/2011
Number of Days to Update: 84	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 11/04/2010	Source: EPA Region 6
Date Data Arrived at EDR: 11/05/2010	Telephone: 214-665-6597
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 84	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/04/2009	Source: EPA Region 7
Date Data Arrived at EDR: 05/04/2010	Telephone: 913-551-7003
Date Made Active in Reports: 07/07/2010	Last EDR Contact: 05/04/2010
Number of Days to Update: 64	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 11/16/2010	Source: EPA Region 8
Date Data Arrived at EDR: 11/19/2010	Telephone: 303-312-6271
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 70	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: Petroleum Bulk Storage (PBS) Database
Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 10/05/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/06/2010	Telephone: 518-402-9549
Date Made Active in Reports: 11/19/2010	Last EDR Contact: 01/06/2011
Number of Days to Update: 44	Next Scheduled EDR Contact: 04/18/2011
	Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database
Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002	Source: NYSDEC
Date Data Arrived at EDR: 02/20/2002	Telephone: 518-402-9549
Date Made Active in Reports: 03/22/2002	Last EDR Contact: 10/24/2005
Number of Days to Update: 30	Next Scheduled EDR Contact: 01/23/2006
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 10/05/2010
Date Data Arrived at EDR: 10/06/2010
Date Made Active in Reports: 11/19/2010
Number of Days to Update: 44

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 01/04/2011
Date Data Arrived at EDR: 01/06/2011
Date Made Active in Reports: 02/04/2011
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/04/2011
Date Data Arrived at EDR: 01/06/2011
Date Made Active in Reports: 02/04/2011
Number of Days to Update: 29

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 11/10/2010	Source: EPA Region 6
Date Data Arrived at EDR: 12/01/2010	Telephone: 214-665-7591
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 58	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/11/2010	Source: EPA Region 5
Date Data Arrived at EDR: 02/11/2010	Telephone: 312-886-6136
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 01/31/2011
Number of Days to Update: 60	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 08/27/2010	Source: EPA Region 4
Date Data Arrived at EDR: 08/30/2010	Telephone: 404-562-9424
Date Made Active in Reports: 10/04/2010	Last EDR Contact: 01/31/2011
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 11/19/2010	Source: EPA Region 9
Date Data Arrived at EDR: 11/19/2010	Telephone: 415-972-3368
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 70	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 11/16/2010	Source: EPA Region 8
Date Data Arrived at EDR: 11/19/2010	Telephone: 303-312-6137
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 70	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 11/01/2010	Source: EPA Region 7
Date Data Arrived at EDR: 12/02/2010	Telephone: 913-551-7003
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 02/03/2011
Number of Days to Update: 57	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 11/12/2010	Source: EPA Region 10
Date Data Arrived at EDR: 11/12/2010	Telephone: 206-553-2857
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 01/31/2011
Number of Days to Update: 77	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 09/01/2010	Source: EPA, Region 1
Date Data Arrived at EDR: 11/05/2010	Telephone: 617-918-1313
Date Made Active in Reports: 01/28/2011	Last EDR Contact: 02/03/2011
Number of Days to Update: 84	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 01/17/2011
Number of Days to Update: 55	Next Scheduled EDR Contact: 05/02/2011
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9553
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9553
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 12/31/1992	Source: NYC Department of City Planning
Date Data Arrived at EDR: 01/31/2007	Telephone: 212-720-3401
Date Made Active in Reports: 04/19/2007	Last EDR Contact: 12/22/2010
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9711
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 04/02/2008	Source: EPA, Region 1
Date Data Arrived at EDR: 04/22/2008	Telephone: 617-918-1102
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 01/05/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 04/18/2011
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

State and tribal Brownfields sites

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9622
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Quarterly

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9764
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 06/24/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 06/25/2010	Telephone: 202-566-2777
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 12/30/2010
Number of Days to Update: 53	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985	Source: Environmental Protection Agency
Date Data Arrived at EDR: 08/09/2004	Telephone: 800-424-9346
Date Made Active in Reports: 09/17/2004	Last EDR Contact: 06/09/2004
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009	Source: EPA, Region 9
Date Data Arrived at EDR: 05/07/2009	Telephone: 415-947-4219
Date Made Active in Reports: 09/21/2009	Last EDR Contact: 12/22/2010
Number of Days to Update: 137	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: No Update Planned

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/15/2006	Telephone: 518-402-8694
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 01/28/2011
Number of Days to Update: 15	Next Scheduled EDR Contact: 05/09/2011
	Data Release Frequency: Annually

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 01/12/2011	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/14/2011	Telephone: 518-402-8705
Date Made Active in Reports: 02/04/2011	Last EDR Contact: 01/10/2011
Number of Days to Update: 21	Next Scheduled EDR Contact: 01/25/2011
	Data Release Frequency: Semi-Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998

Date Data Arrived at EDR: 12/03/2007

Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245

Last EDR Contact: 11/09/2010

Next Scheduled EDR Contact: 02/21/2011

Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/07/2010

Date Data Arrived at EDR: 06/18/2010

Date Made Active in Reports: 08/17/2010

Number of Days to Update: 60

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 12/08/2010

Next Scheduled EDR Contact: 03/21/2011

Data Release Frequency: Quarterly

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 08/24/2010

Date Data Arrived at EDR: 08/25/2010

Date Made Active in Reports: 09/24/2010

Number of Days to Update: 30

Source: Department of Environmental Conservation

Telephone: 518-402-9622

Last EDR Contact: 11/23/2010

Next Scheduled EDR Contact: 03/07/2011

Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007

Date Data Arrived at EDR: 11/19/2008

Date Made Active in Reports: 03/30/2009

Number of Days to Update: 131

Source: Drug Enforcement Administration

Telephone: 202-307-1000

Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009

Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002

Date Data Arrived at EDR: 06/02/2006

Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549

Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007

Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 06/02/2006	Telephone: 518-402-9549
Date Made Active in Reports: 07/20/2006	Last EDR Contact: 10/23/2006
Number of Days to Update: 48	Next Scheduled EDR Contact: 01/22/2007
	Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 05/06/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 05/11/2010	Telephone: 202-564-6023
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 01/31/2011
Number of Days to Update: 90	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005	Source: Department of the Navy
Date Data Arrived at EDR: 12/11/2006	Telephone: 843-820-7326
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 11/22/2010
Number of Days to Update: 31	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 04/06/2010	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 04/07/2010	Telephone: 202-366-4555
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 01/05/2011
Number of Days to Update: 50	Next Scheduled EDR Contact: 04/18/2011
	Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 11/23/2010	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/23/2010	Telephone: 518-402-9549
Date Made Active in Reports: 12/17/2010	Last EDR Contact: 11/23/2010
Number of Days to Update: 24	Next Scheduled EDR Contact: 03/07/2011
	Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 01/06/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/12/2010
Date Data Arrived at EDR: 02/09/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 62

Source: Department of Transportation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 11/09/2010
Next Scheduled EDR Contact: 02/21/2011
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 703-692-8801
Last EDR Contact: 01/21/2011
Next Scheduled EDR Contact: 05/02/2011
Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 08/12/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 112

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 12/13/2010
Next Scheduled EDR Contact: 03/28/2011
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 10/01/2010
Date Data Arrived at EDR: 10/29/2010
Date Made Active in Reports: 01/28/2011
Number of Days to Update: 91

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 01/03/2011
Next Scheduled EDR Contact: 04/18/2011
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 06/01/2010	Source: EPA
Date Data Arrived at EDR: 06/16/2010	Telephone: 703-416-0223
Date Made Active in Reports: 08/17/2010	Last EDR Contact: 02/03/2011
Number of Days to Update: 62	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 12/14/2009	Source: Department of Energy
Date Data Arrived at EDR: 09/29/2010	Telephone: 505-845-0011
Date Made Active in Reports: 10/04/2010	Last EDR Contact: 11/29/2010
Number of Days to Update: 5	Next Scheduled EDR Contact: 03/14/2011
	Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/04/2010	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 09/09/2010	Telephone: 303-231-5959
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 09/09/2010
Number of Days to Update: 84	Next Scheduled EDR Contact: 03/21/2011
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2008	Source: EPA
Date Data Arrived at EDR: 01/13/2010	Telephone: 202-566-0250
Date Made Active in Reports: 02/18/2010	Last EDR Contact: 12/17/2010
Number of Days to Update: 36	Next Scheduled EDR Contact: 03/14/2011
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 12/29/2010
Number of Days to Update: 64	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 11/29/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/14/2011
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 11/29/2010
Number of Days to Update: 25	Next Scheduled EDR Contact: 03/14/2011
	Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2008	Source: EPA
Date Data Arrived at EDR: 01/06/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 01/31/2011
Number of Days to Update: 35	Next Scheduled EDR Contact: 05/16/2011
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 04/24/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 04/29/2010	Telephone: 202-564-5088
Date Made Active in Reports: 05/17/2010	Last EDR Contact: 12/23/2010
Number of Days to Update: 18	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 02/01/2010	Source: EPA
Date Data Arrived at EDR: 04/22/2010	Telephone: 202-566-0500
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 01/21/2011
Number of Days to Update: 109	Next Scheduled EDR Contact: 05/02/2011
	Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/18/2010	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 04/06/2010	Telephone: 301-415-7169
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 12/13/2010
Number of Days to Update: 51	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/13/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/14/2010	Telephone: 202-343-9775
Date Made Active in Reports: 08/09/2010	Last EDR Contact: 01/13/2011
Number of Days to Update: 26	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010	Source: EPA
Date Data Arrived at EDR: 04/16/2010	Telephone: (212) 637-3000
Date Made Active in Reports: 05/27/2010	Last EDR Contact: 12/10/2010
Number of Days to Update: 41	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 02/25/2010
Date Made Active in Reports: 05/12/2010
Number of Days to Update: 76

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 11/30/2010
Next Scheduled EDR Contact: 03/07/2011
Data Release Frequency: Biennially

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 10/28/2010
Date Data Arrived at EDR: 11/09/2010
Date Made Active in Reports: 12/17/2010
Number of Days to Update: 38

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 11/09/2010
Next Scheduled EDR Contact: 02/21/2011
Data Release Frequency: Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 12/21/2010
Date Data Arrived at EDR: 12/29/2010
Date Made Active in Reports: 02/04/2011
Number of Days to Update: 37

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 12/17/2010
Next Scheduled EDR Contact: 04/04/2011
Data Release Frequency: Varies

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 11/16/2010
Date Data Arrived at EDR: 11/19/2010
Date Made Active in Reports: 12/17/2010
Number of Days to Update: 28

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 01/17/2011
Next Scheduled EDR Contact: 05/02/2011
Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 11/02/2010
Date Made Active in Reports: 12/17/2010
Number of Days to Update: 45

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 01/31/2011
Next Scheduled EDR Contact: 05/16/2011
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 10/13/2010	Source: New York City Department of City Planning
Date Data Arrived at EDR: 12/30/2010	Telephone: 718-595-6658
Date Made Active in Reports: 02/04/2011	Last EDR Contact: 12/22/2010
Number of Days to Update: 36	Next Scheduled EDR Contact: 04/11/2011
	Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 12/08/2006	Telephone: 202-208-3710
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/21/2011
Number of Days to Update: 34	Next Scheduled EDR Contact: 05/02/2011
	Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 08/31/2010	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/01/2010	Telephone: 615-532-8599
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 01/24/2011
Number of Days to Update: 92	Next Scheduled EDR Contact: 05/09/2011
	Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 11/09/2009	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/18/2009	Telephone: N/A
Date Made Active in Reports: 02/10/2010	Last EDR Contact: 12/21/2010
Number of Days to Update: 54	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005	Source: U.S. Geological Survey
Date Data Arrived at EDR: 02/06/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/21/2011
Number of Days to Update: 339	Next Scheduled EDR Contact: 05/02/2011
	Data Release Frequency: N/A

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 01/18/2011
Next Scheduled EDR Contact: 05/02/2011
Data Release Frequency: Varies

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 10/14/2010
Date Data Arrived at EDR: 10/14/2010
Date Made Active in Reports: 11/15/2010
Number of Days to Update: 32

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 01/10/2011
Next Scheduled EDR Contact: 04/25/2011
Data Release Frequency: Varies

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008
Date Data Arrived at EDR: 11/25/2008
Date Made Active in Reports: 12/11/2008
Number of Days to Update: 16

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 01/10/2011
Next Scheduled EDR Contact: 04/25/2011
Data Release Frequency: Varies

FINANCIAL ASSURANCE: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 01/12/2011
Date Data Arrived at EDR: 01/14/2011
Date Made Active in Reports: 02/04/2011
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 01/10/2011
Next Scheduled EDR Contact: 04/25/2011
Data Release Frequency: Quarterly

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008
Date Data Arrived at EDR: 02/18/2009
Date Made Active in Reports: 05/29/2009
Number of Days to Update: 100

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 02/04/2011
Next Scheduled EDR Contact: 05/16/2011
Data Release Frequency: Varies

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR Historical Auto Stations: EDR Proprietary Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR Historical Cleaners: EDR Proprietary Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 09/10/2010	Source: Cortland County Health Department
Date Data Arrived at EDR: 09/14/2010	Telephone: 607-753-5035
Date Made Active in Reports: 11/19/2010	Last EDR Contact: 11/22/2010
Number of Days to Update: 66	Next Scheduled EDR Contact: 02/21/2011
	Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 09/10/2010	Source: Cortland County Health Department
Date Data Arrived at EDR: 09/14/2010	Telephone: 607-753-5035
Date Made Active in Reports: 11/19/2010	Last EDR Contact: 11/22/2010
Number of Days to Update: 66	Next Scheduled EDR Contact: 02/21/2011
	Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 01/10/2011
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 11/19/2010	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 11/30/2010	Telephone: 516-572-1000
Date Made Active in Reports: 12/15/2010	Last EDR Contact: 11/08/2010
Number of Days to Update: 15	Next Scheduled EDR Contact: 02/21/2011
	Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003	Source: Nassau County Health Department
Date Data Arrived at EDR: 05/27/2003	Telephone: 516-571-3314
Date Made Active in Reports: 06/09/2003	Last EDR Contact: 01/10/2011
Number of Days to Update: 13	Next Scheduled EDR Contact: 04/25/2011
	Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 11/19/2010	Source: Nassau County Office of the Fire Marshal
Date Data Arrived at EDR: 11/30/2010	Telephone: 516-572-1000
Date Made Active in Reports: 12/14/2010	Last EDR Contact: 11/08/2010
Number of Days to Update: 14	Next Scheduled EDR Contact: 02/21/2011
	Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 06/25/2010	Source: Rockland County Health Department
Date Data Arrived at EDR: 06/25/2010	Telephone: 914-364-2605
Date Made Active in Reports: 08/10/2010	Last EDR Contact: 12/13/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 06/25/2010	Source: Rockland County Health Department
Date Data Arrived at EDR: 06/25/2010	Telephone: 914-364-2605
Date Made Active in Reports: 08/10/2010	Last EDR Contact: 12/13/2010
Number of Days to Update: 46	Next Scheduled EDR Contact: 03/28/2011
	Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006	Source: Suffolk County Department of Health Services
Date Data Arrived at EDR: 01/11/2007	Telephone: 631-854-2521
Date Made Active in Reports: 02/07/2007	Last EDR Contact: 11/08/2010
Number of Days to Update: 27	Next Scheduled EDR Contact: 02/21/2011
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006
Date Data Arrived at EDR: 01/11/2007
Date Made Active in Reports: 02/07/2007
Number of Days to Update: 27

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 11/08/2010
Next Scheduled EDR Contact: 02/21/2011
Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/08/2010
Next Scheduled EDR Contact: 02/21/2011
Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005
Date Data Arrived at EDR: 05/31/2005
Date Made Active in Reports: 06/30/2005
Number of Days to Update: 30

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/08/2010
Next Scheduled EDR Contact: 02/21/2011
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007
Date Data Arrived at EDR: 08/26/2009
Date Made Active in Reports: 09/11/2009
Number of Days to Update: 16

Source: Department of Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 12/01/2010
Next Scheduled EDR Contact: 03/07/2011
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 07/22/2010
Date Made Active in Reports: 08/26/2010
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/21/2011
Next Scheduled EDR Contact: 05/02/2011
Data Release Frequency: Annually

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/2008
Date Data Arrived at EDR: 12/01/2009
Date Made Active in Reports: 12/14/2009
Number of Days to Update: 13

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 11/22/2010
Next Scheduled EDR Contact: 03/07/2011
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 07/19/2010
Date Made Active in Reports: 08/26/2010
Number of Days to Update: 38

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 11/29/2010
Next Scheduled EDR Contact: 03/14/2011
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 03/29/2010
Date Data Arrived at EDR: 05/14/2010
Date Made Active in Reports: 06/22/2010
Number of Days to Update: 39

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/24/2011
Next Scheduled EDR Contact: 05/09/2011
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 07/06/2010
Date Made Active in Reports: 07/26/2010
Number of Days to Update: 20

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 12/16/2010
Next Scheduled EDR Contact: 04/04/2011
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.

Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

260 WEST 26TH STREET
260 WEST 26TH STREET
NEW YORK, NY 10001

TARGET PROPERTY COORDINATES

Latitude (North): 40.74670 - 40° 44' 48.1"
Longitude (West): 73.996 - 73° 59' 45.6"
Universal Tranverse Mercator: Zone 18
UTM X (Meters): 584763.3
UTM Y (Meters): 4510912.5
Elevation: 27 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 40073-F8 BROOKLYN, NY
Most Recent Revision: 1995

North Map: 40073-G8 CENTRAL PARK, NY
Most Recent Revision: 1995

West Map: 40074-F1 JERSEY CITY, NJ
Most Recent Revision: 1981

Northwest Map: 40074-G1 WEEHAWKEN, NJ
Most Recent Revision: 1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WSW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

<u>Target Property County</u>	FEMA Flood <u>Electronic Data</u>
NEW YORK, NY	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 360497 - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

NATIONAL WETLAND INVENTORY

<u>NWI Quad at Target Property</u>	NWI Electronic <u>Data Coverage</u>
BROOKLYN	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1/4 - 1/2 Mile NNW
Site Name:	MANHATTAN GENERAL MAIL FACILITY
Site EPA ID Number:	NY6180000352
Groundwater Flow Direction:	NOT AVAILABLE.
Inferred Depth to Water:	not available. Saturated layers impacted by salt water intrusion are present in the overburden. It is generally inferred that the depth to the uppermost 'aquifer' is greater than 70 feet at the surface of the bedrock/sediment interface.
Hydraulic Connection:	Detailed hydraulic connection information is not available. Glacial till and outwash deposit sediments overlie the Manhattan Schist, the uppermost bedrock unit at the site. The surface elevation of bedrock decreases to the southwest of the site.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION</u> <u>FROM TP</u>	<u>GENERAL DIRECTION</u> <u>GROUNDWATER FLOW</u>
Not Reported		

* ©1996 Site-specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovician
Series: Lower Ordovician and Cambrian carbonate rocks
Code: OC (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
_____	_____	_____

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
1	USGS2137231	1/8 - 1/4 Mile North
2	USGS2137232	1/4 - 1/2 Mile WNW
3	USGS2137230	1/4 - 1/2 Mile WNW
4	USGS2116755	1/2 - 1 Mile ESE
A5	USGS2137238	1/2 - 1 Mile NNW
A6	USGS2137239	1/2 - 1 Mile NNW
7	USGS2137211	1/2 - 1 Mile SSW
8	USGS2116426	1/2 - 1 Mile East
B9	USGS2137242	1/2 - 1 Mile North
B10	USGS2137243	1/2 - 1 Mile North
12	USGS2137236	1/2 - 1 Mile NW
13	USGS2137212	1/2 - 1 Mile SW
14	USGS2116618	1/2 - 1 Mile ESE
15	USGS2137209	1/2 - 1 Mile SW
C16	USGS2137208	1/2 - 1 Mile SW
17	USGS2116457	1/2 - 1 Mile East
18	USGS2116546	1/2 - 1 Mile ESE
C19	USGS2137207	1/2 - 1 Mile SW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
11	NY0022417	1/2 - 1 Mile NE

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	NYOG60000000129	1/8 - 1/4 Mile ESE
A2	NYOG60000000125	1/8 - 1/4 Mile SE
3	NYOG60000000152	1/8 - 1/4 Mile North
4	NYOG60000000150	1/4 - 1/2 Mile ENE
B5	NYOG60000000128	1/4 - 1/2 Mile WSW
B6	NYOG60000000123	1/4 - 1/2 Mile WSW
B7	NYOG60000000131	1/4 - 1/2 Mile WSW
B8	NYOG60000000119	1/4 - 1/2 Mile WSW
B9	NYOG60000000134	1/4 - 1/2 Mile WSW
B10	NYOG60000000136	1/4 - 1/2 Mile WSW
B11	NYOG60000000120	1/4 - 1/2 Mile WSW
B12	NYOG60000000138	1/4 - 1/2 Mile West
B13	NYOG60000000121	1/4 - 1/2 Mile WSW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE OIL/GAS WELL INFORMATION


MAP ID	WELL ID	LOCATION FROM TP
B14	NYOG60000000122	1/4 - 1/2 Mile WSW
B15	NYOG60000000124	1/4 - 1/2 Mile WSW
B16	NYOG60000000142	1/4 - 1/2 Mile West
B17	NYOG60000000126	1/4 - 1/2 Mile WSW
C18	NYOG60000000139	1/4 - 1/2 Mile West
19	NYOG60000000151	1/4 - 1/2 Mile WNW
C20	NYOG60000000130	1/4 - 1/2 Mile WSW
C21	NYOG60000000147	1/4 - 1/2 Mile West
C22	NYOG60000000135	1/4 - 1/2 Mile West
C23	NYOG60000000149	1/4 - 1/2 Mile West
C24	NYOG60000000140	1/4 - 1/2 Mile West
25	NYOG60000000148	1/4 - 1/2 Mile East
C26	NYOG60000000146	1/4 - 1/2 Mile West
C27	NYOG60000000141	1/4 - 1/2 Mile West
C28	NYOG60000000145	1/4 - 1/2 Mile West
C29	NYOG60000000143	1/4 - 1/2 Mile West
30	NYOG60000000114	1/2 - 1 Mile SW
D31	NYOG60000000105	1/2 - 1 Mile South
D32	NYOG60000000104	1/2 - 1 Mile South
33	NYOG60000000155	1/2 - 1 Mile NNW
34	NYOG60000000127	1/2 - 1 Mile East
E35	NYOG60000000112	1/2 - 1 Mile WSW
36	NYOG60000000156	1/2 - 1 Mile North
F37	NYOG60000000108	1/2 - 1 Mile SW
E38	NYOG60000000113	1/2 - 1 Mile WSW
F39	NYOG60000000110	1/2 - 1 Mile SW
E40	NYOG60000000111	1/2 - 1 Mile WSW
F41	NYOG60000000109	1/2 - 1 Mile SW
F42	NYOG60000000107	1/2 - 1 Mile SW
G43	NYOG60000000118	1/2 - 1 Mile East
44	NYOG60000000106	1/2 - 1 Mile SE
G45	NYOG60000000117	1/2 - 1 Mile East
46	NYOG60000000103	1/2 - 1 Mile SW
47	NYOG60000000099	1/2 - 1 Mile SSW
48	NYOG60000000144	1/2 - 1 Mile East
49	NYOG60000000115	1/2 - 1 Mile ESE
50	NYOG60000000098	1/2 - 1 Mile SSW
51	NYOG60000000159	1/2 - 1 Mile North

PHYSICAL SETTING SOURCE MAP - 2983980.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells



SITE NAME: 260 West 26th Street
 ADDRESS: 260 West 26th Street
 New York NY 10001
 LAT/LONG: 40.7467 / 73.9960

CLIENT: CA Rich Consultants, Inc.
 CONTACT: Jessica Proscia
 INQUIRY #: 2983980.2s
 DATE: February 04, 2011 3:32 pm

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
North
1/8 - 1/4 Mile
Higher

FED USGS USGS2137231

Agency cd:	USGS	Site no:	404459073594501
Site name:	NY 227	EDR Site id:	USGS2137231
Latitude:	404459.07	Dec lat:	40.74984335
Longitude:	0735945.58	Coor meth:	S
Dec lon:	-73.99557822	Latlong datum:	NAD27
Coor accr:	T	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported		
Altitude:	31.45		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	600.00	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	2004-01-07	Ground water data end date:	2005-02-09
Ground water data count:	13		

Ground-water levels, Number of Measurements: 13

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-09		9.03	2004-11-29		9.18
2004-11-10		9.16	2004-07-21		9.80
2004-06-28		9.69	2004-06-16		9.54
2004-04-21		9.82	2004-04-12		9.75
2004-03-15		9.74	2004-03-03		10.04
2004-03-03		9.64	2004-02-18		10.12
2004-01-07		10.09			

2
WNW
1/4 - 1/2 Mile
Lower

FED USGS USGS2137232

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404459074001301
Site name:	NY 176	EDR Site id:	USGS2137232
Latitude:	404459	Dec lat:	40.74982388
Longitude:	0740013	Coor meth:	U
Dec lon:	-74.00319511	Latlong datum:	NAD27
Coor accr:	M	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported		
Altitude:	13.25		
Altitude method:	Unknown		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	19990902
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	596.30	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	2002-01-09	Ground water data end date:	2002-10-09
Ground water data count:	4		

Ground-water levels, Number of Measurements: 4

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2002-10-09		3.54	2002-06-25		3.48
2002-04-03		4.09	2002-01-09		4.00

3

**WNW
1/4 - 1/2 Mile
Lower**

FED USGS USGS2137230

Agency cd:	USGS	Site no:	404458074001801
Site name:	NY 154	EDR Site id:	USGS2137230
Latitude:	404458	Dec lat:	40.74954611
Longitude:	0740018	Coor meth:	M
Dec lon:	-74.00458403	Latlong datum:	NAD27
Coor accr:	R	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	JERSEY CITY S-24-2		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	63	Hole depth:	Not Reported
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

4
ESE
1/2 - 1 Mile
Higher

FED USGS USGS2116755

Agency cd:	USGS	Site no:	404432073591501
Site name:	NY 161. 1		
Latitude:	404432	EDR Site id:	USGS2116755
Longitude:	0735915	Dec lat:	40.74232408
Dec lon:	-73.98708352	Coor meth:	M
Coor accr:	S	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	BROOKLYN S-25-1	Map scale:	Not Reported
Altitude:	30.0		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Northern Long Island. New York. Area = 915 sq.mi.		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Test hole, not completed as a well		
Aquifer Type:	Not Reported		
Aquifer:	Not Reported		
Well depth:	23	Hole depth:	23.
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: Not Reported
 Water quality data end date: Not Reported
 Ground water data begin date: Not Reported
 Ground water data count: Not Reported

Water quality data begin date: Not Reported
 Water quality data count: Not Reported
 Ground water data end date: Not Reported

Ground-water levels, Number of Measurements: 0

**A5
 NNW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2137238

Agency cd:	USGS	Site no:	404516073595901
Site name:	NY 168	EDR Site id:	USGS2137238
Latitude:	404516.89	Dec lat:	40.75479326
Longitude:	0735959.03	Coor meth:	U
Dec lon:	-73.99931442	Latlong datum:	NAD27
Coor accr:	H	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported		
Altitude:	40.27		
Altitude method:	Unknown		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	625.70	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A6
 NNW
 1/2 - 1 Mile
 Higher**

FED USGS USGS2137239

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404517073595901
Site name:	NY 219		
Latitude:	404516.89	EDR Site id:	USGS2137239
Longitude:	0735959.03	Dec lat:	40.75479326
Dec lon:	-73.99931442	Coor meth:	S
Coor accr:	T	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	40.27		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	625.70	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

7
SSW
1/2 - 1 Mile
Lower

FED USGS USGS2137211

Agency cd:	USGS	Site no:	404421074000901
Site name:	NY 117		
Latitude:	404421	EDR Site id:	USGS2137211
Longitude:	0740009	Dec lat:	40.73926855
Dec lon:	-74.00208395	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	JERSEY CITY S-24-2	Map scale:	Not Reported
Altitude:	25		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	10		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	39	Hole depth:	40
Source of depth data:	driller		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**8
East
1/2 - 1 Mile
Higher**

FED USGS USGS2116426

Agency cd:	USGS	Site no:	404442073590501
Site name:	NY 224		
Latitude:	404442.32	EDR Site id:	USGS2116426
Longitude:	0735905.90	Dec lat:	40.74519069
Dec lon:	-73.98455567	Coor meth:	S
Coor accr:	T	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	38.54		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	606.00	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00
Peak flow data count:	0	Water quality data begin date:	0000-00-00
Water quality data end date:	0000-00-00	Water quality data count:	0
Ground water data begin date:	2004-02-27	Ground water data end date:	2005-02-15
Ground water data count:	6		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-15		-2.58	2004-11-10		-2.56
2004-07-21		-2.85	2004-04-21		-3.71
2004-03-29		-2.98	2004-02-27		-3.44

B9
North
1/2 - 1 Mile
Higher

FED USGS USGS2137242

Agency cd:	USGS	Site no:	404523073595201
Site name:	NY 191	EDR Site id:	USGS2137242
Latitude:	404523.36	Dec lat:	40.75659045
Longitude:	0735952.54	Coor meth:	U
Dec lon:	-73.99751158	Latlong datum:	NAD27
Coor accr:	H	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	Not Reported		
Altitude:	41.32		
Altitude method:	Unknown		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	651.41	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

B10
North
1/2 - 1 Mile
Higher

FED USGS USGS2137243

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404523073595241
Site name:	NY 220		
Latitude:	404523.36	EDR Site id:	USGS2137243
Longitude:	0735952.54	Dec lat:	40.75659045
Dec lon:	-73.99751158	Coor meth:	S
Coor accr:	T	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	41.32		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	651.41	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

11
NE
1/2 - 1 Mile
Higher

FRDS PWS NY0022417

PWS ID: NY0022417
 Date Initiated: Not Reported Date Deactivated: Not Reported
 PWS Name: BREWSTER SQUARE
 RT 6
 BREWSTER, NY 10509

Addressee / Facility: System Owner/Responsible Party
 GOSTFRAND DAVID
 C/O DAVID GOSTFRAND
 463 7TH AVENUE, SUITE 703
 NEW YORK, NY 10018

Facility Latitude: 40 45 18 Facility Longitude: 073 59 18
 City Served: SOUTHEAST (T)
 Treatment Class: Not Reported Population: Not Reported

Violations information not reported.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

12
NW
1/2 - 1 Mile
Lower

FED USGS USGS2137236

Agency cd:	USGS	Site no:	404513074002501
Site name:	NY 83	EDR Site id:	USGS2137236
Latitude:	404513	Dec lat:	40.7537127
Longitude:	0740025	Coor meth:	M
Dec lon:	-74.00652852	Latlong datum:	NAD27
Coor accr:	R	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	WEEHAWKEN R-24-3		
Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND AND GRAVEL		
Well depth:	25	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Peak flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data count:	Not Reported	Peak flow data end date:	Not Reported
Water quality data end date:	Not Reported	Water quality data begin date:	Not Reported
Ground water data begin date:	Not Reported	Water quality data count:	Not Reported
Ground water data count:	Not Reported	Ground water data end date:	Not Reported

Ground-water levels, Number of Measurements: 0

13
SW
1/2 - 1 Mile
Lower

FED USGS USGS2137212

Agency cd:	USGS	Site no:	404425074002801
Site name:	NY 96	EDR Site id:	USGS2137212
Latitude:	404425	Dec lat:	40.74037962
Longitude:	0740028	Coor meth:	M
Dec lon:	-74.00736188	Latlong datum:	NAD27
Coor accr:	R	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	JERSEY CITY S-24-2		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	33	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**14
ESE
1/2 - 1 Mile
Higher**

FED USGS USGS2116618

Agency cd:	USGS	Site no:	404439073585201
Site name:	NY 233		
Latitude:	404439.43	EDR Site id:	USGS2116618
Longitude:	0735852.11	Dec lat:	40.74438794
Dec lon:	-73.980725	Coor meth:	S
Coor accr:	T	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	30.29		
Altitude method:	Level or other surveying method		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	BEDROCK		
Well depth:	553.60	Hole depth:	Not Reported
Source of depth data:	owner		
Project number:	Not Reported		
Real time data flag:	0	Daily flow data begin date:	0000-00-00
Daily flow data end date:	0000-00-00	Daily flow data count:	0
Peak flow data begin date:	0000-00-00	Peak flow data end date:	0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 2004-02-27
 Ground water data count: 6

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 2005-02-15

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-15		-28.96	2004-11-10		-27.38
2004-07-21		-24.73	2004-04-21		-23.68
2004-04-12		-22.10	2004-02-27		4.21

**15
SW
1/2 - 1 Mile
Lower**

FED USGS USGS2137209

Agency cd:	USGS	Site no:	404416074002701
Site name:	NY 33	EDR Site id:	USGS2137209
Latitude:	404416	Dec lat:	40.73787967
Longitude:	0740027	Coor meth:	M
Dec lon:	-74.00708409	Latlong datum:	NAD27
Coor accr:	R	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	JERSEY CITY S-24-2		
Altitude:	15		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	40	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data end date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**C16
SW
1/2 - 1 Mile
Lower**

FED USGS USGS2137208

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Agency cd:	USGS	Site no:	404415074003201
Site name:	NY 166		
Latitude:	404415	EDR Site id:	USGS2137208
Longitude:	0740032	Dec lat:	40.7376019
Dec lon:	-74.00847302	Coor meth:	M
Coor accr:	R	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	JERSEY CITY S-24-2	Map scale:	Not Reported
Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	PLEISTOCENE SERIES		
Well depth:	40	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data begin date:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

**17
East
1/2 - 1 Mile
Higher**

FED USGS USGS2116457

Agency cd:	USGS	Site no:	404444073584301
Site name:	NY 198		
Latitude:	404444.93	EDR Site id:	USGS2116457
Longitude:	0735843.56	Dec lat:	40.74591569
Dec lon:	-73.97834994	Coor meth:	U
Coor accr:	H	Latlong datum:	NAD27
Dec latlong datum:	NAD83	District:	36
State:	36	County:	061
Country:	US	Land net:	Not Reported
Location map:	Not Reported	Map scale:	Not Reported
Altitude:	31.15		
Altitude method:	Unknown		
Altitude accuracy:	0.1		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Local standard time flag: N
 Type of ground water site: Single well, other than collector or Ranney type
 Aquifer Type: Not Reported
 Aquifer: BEDROCK
 Well depth: 635.00 Hole depth: Not Reported
 Source of depth data: owner
 Project number: Not Reported
 Real time data flag: 0
 Daily flow data end date: 0000-00-00 Daily flow data begin date: 0000-00-00
 Daily flow data count: 0
 Peak flow data begin date: 0000-00-00 Peak flow data end date: 0000-00-00
 Peak flow data count: 0
 Water quality data begin date: 0000-00-00
 Water quality data end date: 0000-00-00 Water quality data count: 0
 Ground water data begin date: 2002-04-03 Ground water data end date: 2005-02-15
 Ground water data count: 16

Ground-water levels, Number of Measurements: 16

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-15	-14.80		2004-11-10	-15.04	
2004-07-21	-14.66		2004-04-21	-14.34	
2004-02-18	-14.53		2004-01-07	-15.03	
2003-11-21	-15.22		2003-10-08	-15.45	
2003-09-17	-15.39		2003-09-10	-15.78	
2003-08-27	-10.67		2003-06-24	-11.94	
2002-10-09	-12.81		2002-07-08	-14.13	
2002-06-25	-13.79		2002-04-03	-12.69	

18
ESE
1/2 - 1 Mile
Higher

FED USGS USGS2116546

Agency cd: USGS Site no: 404433073584501
 Site name: NY 226
 Latitude: 404433.77 EDR Site id: USGS2116546
 Longitude: 0735845.58 Dec lat: 40.74281575
 Dec lon: -73.97891106 Coord meth: S
 Coord acc: T Latlong datum: NAD27
 Dec latlong datum: NAD83 District: 36
 State: 36 County: 061
 Country: US Land net: Not Reported
 Location map: Not Reported Map scale: Not Reported
 Altitude: 37.93
 Altitude method: Level or other surveying method
 Altitude accuracy: 0.1
 Altitude datum: National Geodetic Vertical Datum of 1929
 Hydrologic: Not Reported
 Topographic: Not Reported
 Site type: Ground-water other than Spring Date construction: Not Reported
 Date inventoried: Not Reported Mean greenwich time offset: EST
 Local standard time flag: N
 Type of ground water site: Single well, other than collector or Ranney type
 Aquifer Type: Not Reported
 Aquifer: BEDROCK
 Well depth: 595.00 Hole depth: Not Reported
 Source of depth data: owner
 Project number: Not Reported
 Real time data flag: 0
 Daily flow data end date: 0000-00-00 Daily flow data begin date: 0000-00-00
 Daily flow data count: 0
 Peak flow data begin date: 0000-00-00 Peak flow data end date: 0000-00-00

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Peak flow data count: 0
 Water quality data end date: 0000-00-00
 Ground water data begin date: 2004-02-27
 Ground water data count: 6

Water quality data begin date: 0000-00-00
 Water quality data count: 0
 Ground water data end date: 2005-02-15

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-15		-43.11	2004-11-10		-42.80
2004-07-21		-42.76	2004-04-21		-42.23
2004-03-29		-42.12	2004-02-27		-20.67

C19
SW
1/2 - 1 Mile
Lower

FED USGS USGS2137207

Agency cd:	USGS	Site no:	404413074003401
Site name:	NY 62	EDR Site id:	USGS2137207
Latitude:	404413	Dec lat:	40.73704635
Longitude:	0740034	Coor meth:	M
Dec lon:	-74.00902859	Latlong datum:	NAD27
Coor accr:	R	District:	36
Dec latlong datum:	NAD83	County:	061
State:	36	Land net:	Not Reported
Country:	US	Map scale:	Not Reported
Location map:	JERSEY CITY S-24-2		
Altitude:	10		
Altitude method:	Interpolated from topographic map		
Altitude accuracy:	5		
Altitude datum:	National Geodetic Vertical Datum of 1929		
Hydrologic:	Not Reported		
Topographic:	Not Reported		
Site type:	Ground-water other than Spring	Date construction:	Not Reported
Date inventoried:	Not Reported	Mean greenwich time offset:	EST
Local standard time flag:	N		
Type of ground water site:	Single well, other than collector or Ranney type		
Aquifer Type:	Not Reported		
Aquifer:	SAND		
Well depth:	90	Hole depth:	Not Reported
Source of depth data:	other reported		
Project number:	Not Reported		
Real time data flag:	Not Reported		
Daily flow data end date:	Not Reported	Daily flow data begin date:	Not Reported
Daily flow data count:	Not Reported	Daily flow data count:	Not Reported
Peak flow data begin date:	Not Reported	Peak flow data end date:	Not Reported
Peak flow data count:	Not Reported	Water quality data begin date:	Not Reported
Water quality data end date:	Not Reported	Water quality data count:	Not Reported
Ground water data begin date:	Not Reported	Ground water data end date:	Not Reported
Ground water data count:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

**A1
ESE**

1/8 - 1/4 Mile

OIL_GAS NYOG60000000129

Api wellno:	31061237640000	Cnty:	New York
Hole:	23764	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 1		
Coname:	Ancona, Jack		
Opno:	2426		
Dt approv:	05/07/2008	Dt spud:	08/19/2008
Dt comp:	10/31/2008	Well typ:	Not Listed
Dtd:	1120		
WI status:	Temporarily Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99289		
Yloc:	40.74526		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	15
Dt mod:	06/16/2010	Site id:	NYOG60000000129

**A2
SE**

1/8 - 1/4 Mile

OIL_GAS NYOG60000000125

Api wellno:	31061237650000	Cnty:	New York
Hole:	23765	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 2		
Coname:	Ancona, Jack		
Opno:	2426		
Dt approv:	05/07/2008	Dt spud:	08/20/2008
Dt comp:	10/31/2008	Well typ:	Not Listed
Dtd:	1100		
WI status:	Temporarily Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.993		
Yloc:	40.74513		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	15
Dt mod:	06/16/2010	Site id:	NYOG60000000125

3

**North
1/8 - 1/4 Mile**

OIL_GAS NYOG60000000152

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210540000	Cnty:	New York
Hole:	21054	Sidetrck:	0
Completion:	0		
Well nm:	W. 30 St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	10/08/2003	Dt spud:	10/16/2003
Dt comp:	11/14/2003	Well typ:	Stratigraphic
Dtd:	600		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99592		
Yloc:	40.74985		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	35
Dt mod:	06/26/2009	Site id:	NYOG60000000152

4

ENE

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000150

Api wellno:	31061210550000	Cnty:	New York
Hole:	21055	Sidetrck:	0
Completion:	0		
Well nm:	W. 30 St. - C		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	10/08/2003	Dt spud:	04/05/2004
Dt comp:	04/22/2004	Well typ:	Stratigraphic
Dtd:	600		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99151		
Yloc:	40.74801		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	39
Dt mod:	04/20/2006	Site id:	NYOG60000000150

B5

WSW

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000128

Api wellno:	31061237060000	Cnty:	New York
Hole:	23706	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 9		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00262		
Yloc:	40.74524		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000128

B6
WSW
1/4 - 1/2 Mile

OIL_GAS NYOG60000000123

Api wellno:	31061237070000	Cnty:	New York
Hole:	23707	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 10		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00259		
Yloc:	40.74501		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000123

B7
WSW
1/4 - 1/2 Mile

OIL_GAS NYOG60000000131

Api wellno:	31061237050000	Cnty:	New York
Hole:	23705	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 8		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00277		
Yloc:	40.74534		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000131

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

B8

WSW

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000119

Api wellno:	31061237080000	Cnty:	New York
Hole:	23708	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 11		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00275		
Yloc:	40.74478		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	02/23/2010	Site id:	NYOG60000000119

B9

WSW

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000134

Api wellno:	31061237040000	Cnty:	New York
Hole:	23704	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 7		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00306		
Yloc:	40.74547		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000134

B10

WSW

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000136

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237030000	Cnty:	New York
Hole:	23703	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 6		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Geothermal
Dtd:	1510		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00315		
Yloc:	40.7455		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000136

B11
WSW
1/4 - 1/2 Mile

OIL_GAS NYOG60000000120

Api wellno:	31061237090000	Cnty:	New York
Hole:	23709	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 12		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00302		
Yloc:	40.74484		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000120

B12
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000138

Api wellno:	31061237020000	Cnty:	New York
Hole:	23702	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 5		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/14/2007
Dt comp:	02/12/2008	Well typ:	Geothermal
Dtd:	1510		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.0034		
Yloc:	40.74561		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000138

B13

WSW

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000121

Api wellno:	31061237100000	Cnty:	New York
Hole:	23710	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 13		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00329		
Yloc:	40.74495		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000121

B14

WSW

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000122

Api wellno:	31061237080001	Cnty:	New York
Hole:	23708	Sidetrck:	0
Completion:	1		
Well nm:	Geothermal 11		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	04/23/2010	Dt spud:	08/12/2010
Dt comp:	09/09/2010	Well typ:	Not Listed
Dtd:	1500		
WI status:	Application Received to Drill/Plug/Convert	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00338		
Yloc:	40.74497		
Confid:	A		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	19
Dt mod:	02/23/2010	Site id:	NYOG60000000122

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

B15
WSW
1/4 - 1/2 Mile

OIL_GAS NYOG60000000124

Api wellno:	31061237110000	Cnty:	New York
Hole:	23711	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 14		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00351		
Yloc:	40.74504		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/08/2008	Site id:	NYOG60000000124

B16
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000142

Api wellno:	31061237010000	Cnty:	New York
Hole:	23701	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 4		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	10/12/2007
Dt comp:	05/30/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00377		
Yloc:	40.74577		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/17/2008	Site id:	NYOG60000000142

B17
WSW
1/4 - 1/2 Mile

OIL_GAS NYOG60000000126

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237120000	Cnty:	New York
Hole:	23712	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 15		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00384		
Yloc:	40.74518		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	12/08/2008	Site id:	NYOG60000000126

**C18
West
1/4 - 1/2 Mile**

OIL_GAS NYOG60000000139

Api wellno:	31061237000000	Cnty:	New York
Hole:	23700	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 3		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	10/12/2007
Dt comp:	05/30/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00408		
Yloc:	40.74562		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/17/2008	Site id:	NYOG60000000139

**19
WNW
1/4 - 1/2 Mile**

OIL_GAS NYOG60000000151

Api wellno:	31061237400000	Cnty:	New York
Hole:	23740	Sidetrck:	0
Completion:	0		
Well nm:	W26 St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	09/02/1999
Dt comp:	10/01/1999	Well typ:	Stratigraphic
Dtd:	596		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Fordham Gneiss

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00318		
Yloc:	40.74983		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	07/20/2007	Site id:	NYOG60000000151

C20
WSW
1/4 - 1/2 Mile

OIL_GAS NYOG60000000130

Api wellno:	31061237130000	Cnty:	New York
Hole:	23713	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 16		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00418		
Yloc:	40.74533		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/17/2008	Site id:	NYOG60000000130

C21
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000147

Api wellno:	31061236990000	Cnty:	New York
Hole:	23699	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 2		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	10/12/2007
Dt comp:	05/30/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00454		
Yloc:	40.7461		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/17/2008	Site id:	NYOG60000000147

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

C22

West

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000135

Api wellno:	31061237140000	Cnty:	New York
Hole:	23714	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 17		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00461		
Yloc:	40.7455		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/17/2008	Site id:	NYOG60000000135

C23

West

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000149

Api wellno:	31061236980000	Cnty:	New York
Hole:	23698	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 1		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	10/12/2007
Dt comp:	05/30/2008	Well typ:	Geothermal
Dtd:	1510		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00507		
Yloc:	40.74623		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000149

C24

West

1/4 - 1/2 Mile

OIL_GAS

NYOG60000000140

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237150000	Cnty:	New York
Hole:	23715	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 18		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/10/2007
Dt comp:	02/12/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00499		
Yloc:	40.74566		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	14
Dt mod:	09/17/2008	Site id:	NYOG60000000140

25
East
1/4 - 1/2 Mile

OIL_GAS NYOG60000000148

Api wellno:	31061210650000	Cnty:	New York
Hole:	21065	Sidetrck:	0
Completion:	0		
Well nm:	W. 30 St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	10/31/2001	Dt spud:	10/20/2003
Dt comp:	01/20/2004	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.98685		
Yloc:	40.74614		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	40
Dt mod:	12/08/2008	Site id:	NYOG60000000148

C26
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000146

Api wellno:	31061237190000	Cnty:	New York
Hole:	23719	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 22		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	08/14/2007
Dt comp:	05/30/2008	Well typ:	Geothermal
Dtd:	1510		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	NA - Geoexchange

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00517		
Yloc:	40.74609		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000146

C27
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000141

Api wellno:	31061237160000	Cnty:	New York
Hole:	23716	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 19		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	10/05/2007
Dt comp:	04/29/2008	Well typ:	Geothermal
Dtd:	1460		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	NA - Geoexchange
Xloc:	-74.00518		
Yloc:	40.74574		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000141

C28
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000145

Api wellno:	31061237180000	Cnty:	New York
Hole:	23718	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 21		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	08/27/2007
Dt comp:	05/30/2008	Well typ:	Geothermal
Dtd:	1800		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00526		
Yloc:	40.74596		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000145

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

C29
West
1/4 - 1/2 Mile

OIL_GAS NYOG60000000143

Api wellno:	31061237170000	Cnty:	New York
Hole:	23717	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 20		
Coname:	General Theological Seminary		
Opno:	2327		
Dt approv:	07/27/2007	Dt spud:	09/24/2007
Dt comp:	04/29/2008	Well typ:	Geothermal
Dtd:	1510		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00535		
Yloc:	40.74584		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	14
Dt mod:	07/08/2009	Site id:	NYOG60000000143

30
SW
1/2 - 1 Mile

OIL_GAS NYOG60000000114

Api wellno:	31061236890000	Cnty:	New York
Hole:	23689	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 1		
Coname:	Chelsea Ventura LLC		
Opno:	2304		
Dt approv:	04/26/2006	Dt spud:	01/09/2006
Dt comp:	03/09/2006	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00329		
Yloc:	40.7419		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	15
Dt mod:	09/08/2008	Site id:	NYOG60000000114

D31
South
1/2 - 1 Mile

OIL_GAS NYOG60000000105

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237260000	Cnty:	New York
Hole:	23726	Sidetrck:	0
Completion:	0		
Well nm:	Valhalla 1		
Coname:	Terrapin Industries, LLC		
Opno:	2356		
Dt approv:	01/11/2007	Dt spud:	02/27/2007
Dt comp:	03/12/2007	Well typ:	Geothermal
Dtd:	640		
WI status:	Inactive	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Unknown
Xloc:	-73.99751		
Yloc:	40.73852		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	18
Dt mod:	07/06/2009	Site id:	NYOG60000000105

D32
South
1/2 - 1 Mile

OIL_GAS NYOG60000000104

Api wellno:	31061237270000	Cnty:	New York
Hole:	23727	Sidetrck:	0
Completion:	0		
Well nm:	Valhalla 2		
Coname:	Terrapin Industries, LLC		
Opno:	2356		
Dt approv:	01/11/2007	Dt spud:	03/12/2007
Dt comp:	03/16/2007	Well typ:	Geothermal
Dtd:	960		
WI status:	Inactive	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Unknown
Xloc:	-73.99745		
Yloc:	40.73849		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	18
Dt mod:	07/06/2009	Site id:	NYOG60000000104

33
NNW
1/2 - 1 Mile

OIL_GAS NYOG60000000155

Api wellno:	31061237410000	Cnty:	New York
Hole:	23741	Sidetrck:	0
Completion:	0		
Well nm:	W34 St - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	09/17/1998
Dt comp:	10/13/1998	Well typ:	Confidential
Dtd:	626		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.99931		
Yloc:	40.75479		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Central Park	Quadsec:	C
Deepestfor:	Confidential	Elevation:	Not Reported
Dt mod:	07/20/2007	Site id:	NYOG60000000155

**34
East
1/2 - 1 Mile**

OIL_GAS NYOG60000000127

Api wellno:	31061210530000	Cnty:	New York
Hole:	21053	Sidetrck:	0
Completion:	0		
Well nm:	E. 30 St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	10/09/2003	Dt spud:	10/20/2003
Dt comp:	11/10/2003	Well typ:	Stratigraphic
Dtd:	606		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Fordham Gneiss
Xloc:	-73.98454		
Yloc:	40.74519		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	39
Dt mod:	10/30/2007	Site id:	NYOG60000000127

**E35
WSW
1/2 - 1 Mile**

OIL_GAS NYOG60000000112

Api wellno:	31061236760000	Cnty:	New York
Hole:	23676	Sidetrck:	0
Completion:	0		
Well nm:	GW-2		
Coname:	Diane Von Furstenberg Studio, L.P.		
Opno:	2293		
Dt approv:	05/03/2006	Dt spud:	06/28/2006
Dt comp:	01/25/2007	Well typ:	Geothermal
Dtd:	1500		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00717		
Yloc:	40.74158		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	12
Dt mod:	02/10/2009	Site id:	NYOG60000000112

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

36
North
1/2 - 1 Mile

OIL_GAS NYOG60000000156

Api wellno:	31061237420000	Cnty:	New York
Hole:	23742	Sidetrck:	0
Completion:	0		
Well nm:	W37 St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	10/15/1998
Dt comp:	11/16/1998	Well typ:	Stratigraphic
Dtd:	651		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-73.9975		
Yloc:	40.75659		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Central Park	Quadsec:	G
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	07/20/2007	Site id:	NYOG60000000156

F37
SW
1/2 - 1 Mile

OIL_GAS NYOG60000000108

Api wellno:	31061210820000	Cnty:	New York
Hole:	21082	Sidetrck:	0
Completion:	0		
Well nm:	Gans St - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	08/12/2004	Dt spud:	08/26/2004
Dt comp:	09/13/2004	Well typ:	Stratigraphic
Dtd:	590		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00489		
Yloc:	40.73938		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	20
Dt mod:	04/26/2006	Site id:	NYOG60000000108

E38
WSW
1/2 - 1 Mile

OIL_GAS NYOG60000000113

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061236770000	Cnty:	New York
Hole:	23677	Sidetrck:	0
Completion:	0		
Well nm:	GW-3		
Coname:	Diane Von Furstenberg Studio, L.P.		
Opno:	2293		
Dt approv:	05/03/2006	Dt spud:	07/10/2006
Dt comp:	01/26/2007	Well typ:	Geothermal
Dtd:	1350		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00731		
Yloc:	40.74164		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	12
Dt mod:	02/10/2009	Site id:	NYOG60000000113

F39

SW

1/2 - 1 Mile

OIL_GAS

NYOG60000000110

Api wellno:	31061237390000	Cnty:	New York
Hole:	23739	Sidetrck:	0
Completion:	0		
Well nm:	W13 St - C		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	07/10/1996
Dt comp:	07/30/1996	Well typ:	Stratigraphic
Dtd:	577		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	North Collins	Prodform:	Manhattan Schist
Xloc:	-74.00586		
Yloc:	40.74007		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	17
Dt mod:	10/30/2007	Site id:	NYOG60000000110

E40

WSW

1/2 - 1 Mile

OIL_GAS

NYOG60000000111

Api wellno:	31061236750000	Cnty:	New York
Hole:	23675	Sidetrck:	0
Completion:	0		
Well nm:	GW-1		
Coname:	Diane Von Furstenberg Studio, L.P.		
Opno:	2293		
Dt approv:	05/03/2006	Dt spud:	07/05/2006
Dt comp:	01/26/2007	Well typ:	Geothermal
Dtd:	1300		
WI status:	Active	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00725		
Yloc:	40.74146		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	12
Dt mod:	02/10/2009	Site id:	NYOG60000000111

F41
SW
1/2 - 1 Mile

OIL_GAS NYOG60000000109

Api wellno:	31061237380000	Cnty:	New York
Hole:	23738	Sidetrck:	0
Completion:	0		
Well nm:	W13 St - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	06/19/1996
Dt comp:	07/10/1996	Well typ:	Stratigraphic
Dtd:	573		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.00589		
Yloc:	40.74002		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	17
Dt mod:	10/30/2007	Site id:	NYOG60000000109

F42
SW
1/2 - 1 Mile

OIL_GAS NYOG60000000107

Api wellno:	31061210810000	Cnty:	New York
Hole:	21081	Sidetrck:	0
Completion:	0		
Well nm:	Gans St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	08/12/2004	Dt spud:	08/06/2004
Dt comp:	08/26/2004	Well typ:	Stratigraphic
Dtd:	590		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.0051		
Yloc:	40.73937		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Manhattan Schist	Elevation:	-20
Dt mod:	10/26/2005	Site id:	NYOG60000000107

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

G43
East
1/2 - 1 Mile

OIL_GAS NYOG60000000118

Api wellno:	31061236780000	Cnty:	New York
Hole:	23678	Sidetck:	0
Completion:	0		
Well nm:	GEO-1		
Coname:	Bishop of North American Region of Sukyo Mahikari		
Opno:	2296		
Dt approv:	03/17/2006	Dt spud:	02/22/2006
Dt comp:	10/12/2006	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-73.98204		
Yloc:	40.74459		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Confidential	Elevation:	75
Dt mod:	09/08/2008	Site id:	NYOG60000000118

44
SE
1/2 - 1 Mile

OIL_GAS NYOG60000000106

Api wellno:	31061236120000	Cnty:	New York
Hole:	23612	Sidetck:	0
Completion:	0		
Well nm:	E. 22 St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	03/21/2005	Dt spud:	10/31/2002
Dt comp:	11/14/2002	Well typ:	Stratigraphic
Dtd:	600		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-73.9851		
Yloc:	40.73873		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	27
Dt mod:	10/30/2007	Site id:	NYOG60000000106

G45
East
1/2 - 1 Mile

OIL_GAS NYOG60000000117

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210660000	Cnty:	New York
Hole:	21066	Sidetrck:	0
Completion:	0		
Well nm:	E. 31 St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	10/31/2003	Dt spud:	11/10/2003
Dt comp:	01/20/2004	Well typ:	Stratigraphic
Dtd:	554		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Fordham Gneiss
Xloc:	-73.98071		
Yloc:	40.74439		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	30
Dt mod:	10/30/2007	Site id:	NYOG60000000117

**46
SW
1/2 - 1 Mile**

OIL_GAS NYOG60000000103

Api wellno:	31061237370000	Cnty:	New York
Hole:	23737	Sidetrck:	0
Completion:	0		
Well nm:	W12 St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	06/25/1997
Dt comp:	07/16/1997	Well typ:	Confidential
Dtd:	576		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential
Xloc:	-74.00559		
Yloc:	40.73729		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	Not Reported
Dt mod:	07/19/2007	Site id:	NYOG60000000103

**47
SSW
1/2 - 1 Mile**

OIL_GAS NYOG60000000099

Api wellno:	31061237870000	Cnty:	New York
Hole:	23787	Sidetrck:	0
Completion:	0		
Well nm:	1		
Coname:	Perry Street Associates, LLC		
Opno:	2459		
Dt approv:	07/21/2008	Dt spud:	09/24/2008
Dt comp:	11/19/2008	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field 1:	Confidential	Prodform:	Confidential

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00241		
Yloc:	40.73567		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	15
Dt mod:	01/26/2010	Site id:	NYOG60000000099

48
East
1/2 - 1 Mile

OIL_GAS NYOG60000000144

Api wellno:	31061236060000	Cnty:	New York
Hole:	23606	Sidetrck:	0
Completion:	0		
Well nm:	E. 34 St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/28/2005	Dt spud:	02/27/2002
Dt comp:	03/15/2002	Well typ:	Stratigraphic
Dtd:	635		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.97834		
Yloc:	40.74584		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	None Specified	Elevation:	31
Dt mod:	04/26/2006	Site id:	NYOG60000000144

49
ESE
1/2 - 1 Mile

OIL_GAS NYOG60000000115

Api wellno:	31061210580000	Cnty:	New York
Hole:	21058	Sidetrck:	0
Completion:	0		
Well nm:	E. 30 St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	09/17/2003	Dt spud:	10/17/2003
Dt comp:	11/11/2003	Well typ:	Stratigraphic
Dtd:	595		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.97844		
Yloc:	40.74254		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	38
Dt mod:	10/26/2005	Site id:	NYOG60000000115

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

50
SSW
1/2 - 1 Mile

OIL_GAS NYOG6000000098

Api wellno:	31061237490000	Cnty:	New York
Hole:	23749	Sidetrck:	0
Completion:	0		
Well nm:	Charles - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	07/27/1997
Dt comp:	08/11/1997	Well typ:	Stratigraphic
Dtd:	576		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.00602		
Yloc:	40.73455		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	07/20/2007	Site id:	NYOG6000000098

51
North
1/2 - 1 Mile

OIL_GAS NYOG60000000159

Api wellno:	31061237430000	Cnty:	New York
Hole:	23743	Sidetrck:	0
Completion:	0		
Well nm:	W44 St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	01/29/2007	Dt spud:	03/25/1997
Dt comp:	04/10/1997	Well typ:	Stratigraphic
Dtd:	564		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field 1:	Not Applicable	Prodform:	Fordham Gneiss
Xloc:	-73.99469		
Yloc:	40.76109		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Central Park	Quadsec:	G
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	07/20/2007	Site id:	NYOG60000000159

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
NEW YORK	NYC (BRONX)	88	1.62	0.85	16
NEW YORK	NYC (KINGS)	391	1.97	1.22	28.2
NEW YORK	NYC (NEW YORK)	102	2.11	0.95	49.5
NEW YORK	NYC (QUEENS)	478	1.25	0.78	23.8
NEW YORK	NYC (RICHMOND)	221	1.41	0.75	14.1

Federal EPA Radon Zone for NEW YORK County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8072

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX C

Supplemental Information



February 16, 2011

New York City Department of Environmental Protection
59-17 Junction Blvd.
Corona, New York 11368

Attention: Rena Bryant, Records Access Officer

Re: Freedom Of Information Law
Request for the property located at:
260 West 26th Street
New York, NY
Block 775, Lots 4, 80, 79, 78, 77, and 69

Dear Ms. Bryant:

CA Rich Consultants, Inc. requests a search of the files maintained by the Department for any and all environmental violations, actions, investigations, or documentation relating to the above-referenced property. If any records are discovered by the Department, we respectfully request the opportunity to review them.

CA Rich makes this request to satisfy, in part, an environmental due diligence being performed on behalf of our client who has an interest in the environmental history of the property.


If you require additional information to carry out the search, please contact the undersigned. Thank you for your attention to this matter.

Respectfully submitted,

CA RICH CONSULTANTS, INC.

A handwritten signature in cursive script that reads 'Jessica Proscia'.

Jessica Proscia
Environmental Scientist



CA RICH
ENVIRONMENTAL SPECIALISTS

February 16, 2011

New York City Department of Health
125 Worth Street
Room 604
New York, New York 10013

Re: Freedom Of Information Law (FOIL) Request
for the property located at:
260 West 26th Street
New York, NY
Block: 775; Lots: 4, 80, 79, 78, 77, and 69

Freedom of Information Officer:

CA Rich Consultants, Inc. requests a search of the files maintained by the Department for any and all environmental violations, actions, investigations, or documentation relating to the above-referenced property. If any records are discovered by the Department, we respectfully request the opportunity to review them.

CA Rich makes this request to satisfy, in part, an environmental due diligence being performed on behalf of our client who has an interest in the environmental history of the property.

If you require additional information to carry out the search, please contact the undersigned.

Thank you for your attention to this matter.

Respectfully submitted,

CA RICH CONSULTANTS, INC.

Jessica Proscia
Environmental Scientist

New York City Department of Finance
Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:

Borough: MANHATTAN / NEW YORK
Block: 775
Lot: 78
Date Range: To Current Date
Document Class: All Document Classes

Search Results By Parcel Identifier

Records 1 - 16 << previous next >> Max Rows 25 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Recorded / Filed	Document Type	Pages	Party1	Party2	Party More Party 3/ Other 1/2 Names	Corrected/ Remarks	Doc Amount
DET IMG		2009000067742	78	ENTIRE LOT	3/9/2009 3:03:11 PM	AGREEMENT	24	NEW YORK COMMUNITY BANK	8-26 REALTY CORP	✓		0
DET IMG		2005000702581	78	ENTIRE LOT	12/22/2005 9:30:55 AM	DEED, OTHER	4	262-264 W. 26TH STREET, LLC	264 WEST 26TH STREET, LLC	✓		2,796,532
DET IMG		2005000583602	78	ENTIRE LOT	10/19/2005 4:31:49 PM	ASSIGNMENT OF LEASES AND RENTS	15	NEW YORK COMMUNITY BANK	26 & EIGHTH AVENUE, LLC	✓		0
DET IMG		2005000583601	78	ENTIRE LOT	10/19/2005 4:31:48 PM	MORTGAGE	18	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		6,400,000
DET IMG		2005000580937	78	ENTIRE LOT	10/19/2005 1:06:30 PM	INITIAL UCC1	6	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		0
DET IMG	3568/1672		78	ENTIRE LOT	7/25/2002	DEED	4	TSUCALAS, THEODORE	262-264 W. 26TH MGT.LLC			0
DET IMG	2390/184		78	ENTIRE LOT	11/7/1996	POWER OF ATTORNEY	4	AMERICAN SAVINGS ANDLOAN ASSOCIATION	FIRST NATIONAL BANKOF CHICAGO TRUSTEE			0
DET IMG	91PN00799		78	ENTIRE LOT	1/8/1991	INITIAL UCC1	1	TSUCALAS, THEODORE	AMERICAN SAVINGS ANDLOAN ASSOCIATION			0
DET IMG	9101/799		78	ENTIRE LOT	1/8/1991	UNIFORM COMMERCIAL CODE 1	0	TSUCALAS, THEODORE	AMERICAN S&L ASSN			0
DET IMG	1755/33		78	ENTIRE LOT	1/8/1991	ASSIGNMENT,	6	TSUCALAS,	AMERICAN SVGS &			0

Parcel ID	Image	Lot	Date	Mortgage	Entity	LN ASSOC	Value
1755/18		78 ENTIRE LOT	1/8/1991	MORTGAGE	EODORE TSUCALAS, THEODORE	AMERICAN SVGS & LN ASSN	81,394
1484/1214		78 ENTIRE LOT	10/26/1988	DEED	T.T. LEASEHOLDING CORP	TSUCALAS, THEODORE	0
8501/55150		78 ENTIRE LOT	10/30/1985	UNIFORM COMMERCIAL CODE 1	T.T. LEASEHOLDING CORP	AMERICAN SVGS & LN ASSN	0
978/1986		78 ENTIRE LOT	10/30/1985	SATISFACTION OF MORTGAGE	T.T. LEASEHOLDING CORP	MASPETH FED SVG/LN ASSOC	0
978/1941		78 ENTIRE LOT	10/30/1985	MORTGAGE	T.T. LEASEHOLDING CORP	AMERICAN SVGS & LN ASSN	375,000
567/1669		78 ENTIRE LOT	5/28/1981	MORTGAGE	T.T. LEASEHOLDING CORP	MASPETH FDRL S/LAS	0

[Search Options](#) [New Parcel Identifier Search](#) [Edit Current Search](#) [View Tax Map](#)

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)

New York City Department of Finance
Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:

Borough: MANHATTAN / NEW YORK
Block: 775
Lot: 77
Date Range: To Current Date
Document Class: All Document Classes

Search Results By Parcel Identifier

Records 1 - 19 << previous next >> Max Rows 25 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Recorded / Filed	Document Type	Pages	Party1	Party2	Party More Party 3/ Other 1/2 Names	Corrected/ Remarks	Doc Amount
DET IMG		2009000067742	77	ENTIRE LOT	3/9/2009 3:03:11 PM	AGREEMENT	24	NEW YORK COMMUNITY BANK	8-26 REALTY CORP	✓		0
DET IMG		2005000594855	77	ENTIRE LOT	10/25/2005 11:22:59 AM	DEED, OTHER	4	262-264 W. 26TH STREET, LLC	262 WEST 26TH STREET, LLC	✓		1,693,313
DET IMG		2005000583602	77	ENTIRE LOT	10/19/2005 4:31:49 PM	ASSIGNMENT OF LEASES AND RENTS	15	NEW YORK COMMUNITY BANK	26 & EIGHTH AVENUE, LLC	✓		0
DET IMG		2005000583601	77	ENTIRE LOT	10/19/2005 4:31:48 PM	MORTGAGE	18	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		6,400,000
DET IMG		2005000580937	77	ENTIRE LOT	10/19/2005 1:06:30 PM	INITIAL UCC1	6	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		0
DET IMG	3568/1672		77	ENTIRE LOT	7/25/2002	DEED	4	TSUCALAS, THEODORE	262-264 W. 26TH MGT.LLC			0
DET IMG	2859/2471		77	ENTIRE LOT	4/21/1999	SATISFACTION OF MORTGAGE	7	T.T. AMERICAN LEASEHOLDING CORP., A NY CORPORATION	AMERICAN SAVINGS AND LOAN			0
DET IMG	2611/1093		77	ENTIRE LOT	7/7/1998	ASSIGNMENT, MORTGAGE	6	AMERICAN SAVINGS AND LOAN ASSOCIATION	MIDLAND DATA SYSTEMS, INC.			0
DET IMG	2390/184		77	ENTIRE LOT	11/7/1996	POWER OF ATTORNEY	4	AMERICAN SAVINGS AND LOAN ASSOCIATION	FIRST NATIONAL BANK OF CHICAGO TRUSTEE			0

91PN00799	 	77	ENTIRE LOT	1/8/1991	INITIAL UCC1	1	TSUCALAS, THEODORE	AMERICAN SAVINGS AND LOAN ASSOCIATION AMERICAN S&L ASSN	0
9101/799	 	77	ENTIRE LOT	1/8/1991	UNIFORM COMMERCIAL CODE 1	0	TSUCALAS, THEODORE	AMERICAN SVGS & LN ASSOC	0
1755/33	 	77	ENTIRE LOT	1/8/1991	ASSIGNMENT, MORTGAGE	6	TSUCALAS, THEODORE	AMERICAN SVGS & LN ASSOC	0
1755/18	 	77	ENTIRE LOT	1/8/1991	MORTGAGE	15	TSUCALAS, THEODORE	AMERICAN SVGS & LN ASSN	81,394
1484/1214	 	77	ENTIRE LOT	10/26/1988	DEED	2	T.T. LEASEHOLDING CORP	TSUCALAS, THEODORE	0
1017/1967	 	77	ENTIRE LOT	1/24/1986	SATISFACTION OF MORTGAGE	2	TSUCALAS, ELECTRA	GOLDOME/NKA	0
8501/55150	 	77	ENTIRE LOT	10/30/1985	UNIFORM COMMERCIAL CODE 1	0	T.T. LEASEHOLDING CORP	AMERICAN SVGS & LN ASSN	0
978/1984	 	77	ENTIRE LOT	10/30/1985	SATISFACTION OF MORTGAGE	2	T.T. LEASEHOLDING CORP	ESTMEND PROPERTIES INC	0
978/1941	 	77	ENTIRE LOT	10/30/1985	MORTGAGE	9	T.T. LEASEHOLDING CORP	AMERICAN SVGS & LN ASSN	375,000
484/727	 	77	ENTIRE LOT	6/12/1979	MORTGAGE	2	TSUCALAS, ELECTRA	UNION DIME SAVINGS BANK	0

Search Options New Parcel Identifier Search Edit Current Search View Tax Map

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)

New York City Department of Finance
Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:

Borough: MANHATTAN / NEW YORK
Block: 775
Lot: 4
Date Range: To Current Date
Document Class: All Document Classes

Search Results By Parcel Identifier

Records 1 - 25 << previous [next](#) >> Max Rows 25 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Recorded / Filed	Document Type	Pages	Party1	Party2	Party More Party 3/ Other 1/2 Names	Corrected/ Remarks	Doc Amount
DET IMG		2007000430382	4	ENTIRE LOT	8/20/2007 4:05:14 PM	DEED, OTHER	4	306 EIGHTH AVENUE REALTY CORP.	26-10 CORP.			2,500,000
DET IMG		2003000115654	4	ENTIRE LOT	5/5/2003 10:02:59 AM	DEED, OTHER	6	LIEBERMAN, MARYLYN REALTY CORP.	306 8TH AVENUE REALTY CORP			0
DET IMG	2598/1465		4	ENTIRE LOT	6/23/1998	SATISFACTION OF MORTGAGE	3	8-26 REALTY CORP.	AMANUENSIS, LTD.			0
DET IMG	2247/51		4	PARTIAL LOT	9/27/1995	MORTGAGE	8	8-26 REALTY CORP.	AMANUENSIS LTD.			350,000
DET IMG	2247/46		4	ENTIRE LOT	9/27/1995	DEED	3	EIGHT AVENUE REALTYASSOCIATES	8-26 REALTY CORP.			0
DET IMG	2128/1727		4	ENTIRE LOT	8/12/1994	ASSIGNMENT, MORTGAGE	3	MARINE MIDLAND BANK, N.A.	CITIBANK, N.A.			0
DET IMG	2128/1706		4	ENTIRE LOT	8/12/1994	AGREEMENT	21	EIGHTH AVE. REALTY ASSOCIATES	CITIBANK, N.A.			0
DET IMG	94PN29287		4	ENTIRE LOT	6/20/1994	INITIAL UCC1	4	EIGHTH AVENUE REALTYASSOCIATES	CITIBANK, N.A.			0
DET IMG	1739/1140		4	ENTIRE LOT	10/26/1990	MORTGAGE	51	CITIBANK, N.A.	EIGHTH AVE RLTY ASSOCS			64,000
DET IMG	1739/1133		4	ENTIRE LOT	10/26/1990	ASSIGNMENT, MORTGAGE	7	MARINE MIDLAND BANK, N.A.	CITIBANK, N.A.			0
DET IMG	90PN49868		4	ENTIRE LOT	10/23/1990	UCC3	8	EIGHTH AVE REALTY CORP	CITIBANK, N.A.			0
DET IMG	90PN49867		4	ENTIRE LOT	10/23/1990	ASSIGNMENT UCC3	10	EIGHTH AVE REALTY CORP	CITIBANK, N.A.			0

Parcel ID	Image	Lot	Assignment	Count	Party	Count	Party
9003/49868		4 ENTIRE LOT	ASSIGNMENT UNIFORM COMMERCIAL CODE 3	0	REALTY CORP EIGHTH AVE RLTY CORP	0	CITIBANK N.A.
9003/49867		4 ENTIRE LOT	ASSIGNMENT UNIFORM COMMERCIAL CODE 3	0	EIGHTH AVE REALTY CORP	0	CITIBANK N.A.
1626/2308		4 ENTIRE LOT	SATISFACTION OF MORTGAGE	0	LIEBERMAN, MARYLYN	0	EIGHTH AVE RLTY CORP
1626/2267		4 ENTIRE LOT	ASSIGNMENT, MORTGAGE	2	BANK LEUMI TRUST COMPANY	0	EIGHT AVE REALTY CO,
1621/1197		4 ENTIRE LOT	ASSIGNMENT, MORTGAGE	6	MARINE MIDLAND BANK A	0	EIGHTH AVE REALTY ASSOC
1501/1115		4 ENTIRE LOT	DEED	3	EIGHTH AVE RLTY CORP	0	EIGHTH AVE RLTY ASC
1501/1112		4 ENTIRE LOT	DEED	3	EIGHTH AVE RLTY CORP	0	EIGHTH AVE RLTY ASSOCS
1484/2191		4 ENTIRE LOT	SUNDRY AGREEMENT	3	LIEBERMAN, MARYLYN	0	
1484/2188		4 ENTIRE LOT	SUNDRY AGREEMENT	3	MARINE MIDLAND BANK	0	
1477/1241		4 ENTIRE LOT	SUNDRY AGREEMENT	4	EIGHTH AVE RLTY CORP	0	
1474/1687		4 ENTIRE LOT	SUNDRY AGREEMENT	4	EIGHTH AVE REALTY CORP	0	
1431/736		4 ENTIRE LOT	DEED	2	EIGHTH AVE REALTY CORP	0	EIGHTH AVE REALTY CORP
1431/734		4 ENTIRE LOT	DEED	2	EIGHTH AVE REALTY CORP	0	EIGHTH AVE REALTY CORP

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)

New York City Department of Finance
Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:

Borough: MANHATTAN / NEW YORK
Block: 775
Lot: 80
Date Range: To Current Date
Document Class: All Document Classes

Search Results By Parcel Identifier

Records 1 - 25 << previous [next](#) >> Max Rows 25 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Recorded / Filed	Document Type	Pages	Party1	Party2	Party More Party 3/ Other 1/2 Names	Corrected/ Remarks	Doc Amount
DET IMG	2009000067742	80	ENTIRE LOT		3/9/2009 3:03:11 PM	AGREEMENT	24	NEW YORK COMMUNITY BANK	8-26 REALTY CORP	✓		0
DET IMG	2005000583602	80	ENTIRE LOT		10/19/2005 4:31:49 PM	ASSIGNMENT OF LEASES AND RENTS	15	NEW YORK COMMUNITY BANK	26 & EIGHTH AVENUE, LLC	✓		0
DET IMG	2005000583601	80	ENTIRE LOT		10/19/2005 4:31:48 PM	MORTGAGE	18	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		6,400,000
DET IMG	2005000580937	80	ENTIRE LOT		10/19/2005 1:06:30 PM	INITIAL UCC1	6	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		0
DET IMG	2598/1465	80	ENTIRE LOT		6/23/1998	SATISFACTION OF MORTGAGE	3	8-26 REALTY CORP.	AMANUENSIS, LTD.			0
DET IMG	2247/51	80	ENTIRE LOT		9/27/1995	MORTGAGE	8	8-26 REALTY CORP.	AMANUENSIS LTD.			350,000
DET IMG	2247/46	80	ENTIRE LOT		9/27/1995	DEED	3	EIGHT AVENUE REALTY ASSOCIATES	8-26 REALTY CORP.			0
DET IMG	2128/1727	80	ENTIRE LOT		8/12/1994	ASSIGNMENT, MORTGAGE	3	MARINE MIDLAND BANK, N.A.	CITIBANK, N.A.			0
DET IMG	2128/1706	80	ENTIRE LOT		8/12/1994	AGREEMENT	21	EIGHTH AVE. REALTY ASSOCIATES	CITIBANK, N.A.			0
DET IMG	94PN29287	80	ENTIRE LOT		6/20/1994	INITIAL UCC1	4	EIGHTH AVENUE REALTY ASSOCIATES	CITIBANK, N.A.			0
DET IMG	1739/1140	80	ENTIRE LOT		10/26/1990	MORTGAGE	51	CITIBANK, N.A.	EIGHTH AVE			64,000

	1739/1133	80	ENTIRE LOT	10/26/1990	ASSIGNMENT, MORTGAGE DEED	7	MARINE MIDLAND BANK, N.A.	RLTY ASSOCS CITIBANK, N.A.	0
	1739/1131	80	ENTIRE LOT	10/26/1990	DEED	2	EIGHTH AVE REALTY CORP	EIGHTH AVE REALTY ASSOCS	0
	9003/49868	80	ENTIRE LOT	10/23/1990	UNIFORM COMMERCIAL CODE 3	0	EIGHTH AVE RLTY CORP	CITIBANK N.A.	0
	9003/49867	80	ENTIRE LOT	10/23/1990	UNIFORM COMMERCIAL CODE 3	0	EIGHTH AVE REALTY CORP	CITIBANK N.A.	0
	1501/1112	80	ENTIRE LOT	12/2/1988	DEED	3	EIGHTH AVE RLTY CORP	EIGHTH AVE RLTY ASSOCS	0
	1484/2191	80	ENTIRE LOT	10/26/1988	SUNDRY AGREEMENT	3	LIEBERMAN, MARILYN		0
	1484/2188	80	ENTIRE LOT	10/26/1988	SUNDRY AGREEMENT	3	MARINE MIDLAND BANK		0
	1477/1241	80	ENTIRE LOT	10/12/1988	SUNDRY AGREEMENT	4	EIGHTH AVE RLTY CORP		0
	1474/1687	80	ENTIRE LOT	10/5/1988	SUNDRY AGREEMENT	4	EIGHTH AVE REALTY CORP		0
	1431/734	80	ENTIRE LOT	7/14/1988	DEED	2	EIGHTH AVE REALTY CORP	EIGHTH AVE REALTY CORP	0
	1407/1872	80	ENTIRE LOT	5/26/1988	ASSIGNMENT, MORTGAGE	7	BANK LEUMI TR CO NY	MARINE MIDLAND BANK	0
	1407/1859	80	ENTIRE LOT	5/26/1988	ASSIGNMENT, MORTGAGE	13	EIGHTH AVE REALTY CORP	MARINE MIDLAND BANK	0
	1407/1849	80	ENTIRE LOT	5/26/1988	AGREEMENT	10	MARINE MIDLAND BANK	EIGHTH AVE RLTY CORP	0
	1407/1814	80	ENTIRE LOT	5/26/1988	MORTGAGE	35	EIGHTH AVE REALTY CORP	MARINE MIDLAND BANK	328,856

[Search Options](#)

[New Parcel Identifier Search](#)

[Edit Current Search](#)

[View Tax Map](#)

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)

New York City Department of Finance
Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:	
Borough:	MANHATTAN / NEW YORK
Block:	775
Lot:	79
Date Range:	To Current Date
Document Class:	All Document Classes

Search Results By Parcel Identifier

Records 1 - 10 << previous next >> Max Rows 25 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Recorded / Filed	Document Type	Pages	Party1	Party2	Party 3/ Other	More Party Corrected/ 1/2 Names Remarks	Doc Amount
DEL IMG		2009000067742	79	ENTIRE LOT	3/9/2009 3:03:11 PM	AGREEMENT	24	NEW YORK COMMUNITY BANK	8-26 REALTY CORP	✓		0
DEL IMG		2005000631394	79	ENTIRE LOT	11/14/2005 4:46:27 PM	TERMINATION OF ASSIGN OF L&R	4	AMALGAMATED BANK	320 8TH AVENUE CORP.	✓		0
DEL IMG		2005000631393	79	ENTIRE LOT	11/14/2005 4:46:26 PM	SATISFACTION OF MORTGAGE	4	320 8TH AVE. CORP.	AMALGAMATED BANK	✓		0
DEL IMG		2005000594636	79	ENTIRE LOT	10/25/2005 11:06:23 AM	DEED, OTHER	4	320-8TH AVE. CORP.	26TH AND EIGHTH AVENUE, LLC	✓		1,667,657
DEL IMG		2005000583602	79	ENTIRE LOT	10/19/2005 4:31:49 PM	ASSIGNMENT OF LEASES AND RENTS	15	NEW YORK COMMUNITY BANK	26 & EIGHTH AVENUE, LLC	✓		0
DEL IMG		2005000583601	79	ENTIRE LOT	10/19/2005 4:31:48 PM	MORTGAGE	18	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		6,400,000
DEL IMG		2005000580937	79	ENTIRE LOT	10/19/2005 1:06:30 PM	INITIAL UCC1	6	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓		0
DEL IMG	3003/1405		79	ENTIRE LOT	12/7/1999	ASSIGNMENT, MORTGAGE	11	320 8TH AVENUE CORP.	AMALGAMATED BANK OF NEW YORK	✓		0
DEL IMG	3003/1372		79	ENTIRE LOT	12/7/1999	AGREEMENT	33	320 8TH AVENUE CORP.	AMALGAMATED BANK OF NEW YORK	✓		0
DEL IMG	1588/1729		79	ENTIRE LOT	6/14/1989	MORTGAGE	7	320 8 AVE CP	AMALGAMATED BANK NY	✓		250,000

Search Options New Parcel Identifier Search Edit Current Search View Tax Map

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)

New York City Department of Finance
Office of the City Register

HELP

[Click help for additional instructions]
Selecting a help option will open new window

Current Search Criteria:

Borough: MANHATTAN / NEW YORK
Block: 775
Lot: 69
Date Range: To Current Date
Document Class: All Document Classes

Search Results By Parcel Identifier

Records 1 - 12 << previous next >> Max Rows 25 [Search Options] [New BBL Search] [Edit Current Search] [View Tax Map] [Print Index]

View	Reel/Pg/File	CRFN	Lot	Partial	Recorded / Filed	Document Type	Pages	Party1	Party2	Party 3/ Other	More Party Names	Corrected/ Remarks	Doc Amount
DET IMG	2009000067742	69	ENTIRE LOT		3/9/2009 3:03:11 PM	AGREEMENT	24	NEW YORK COMMUNITY BANK	8-26 REALTY CORP	✓			0
DET IMG	2005000583602	69	ENTIRE LOT		10/19/2005 4:31:49 PM	ASSIGNMENT OF LEASES AND RENTS	15	NEW YORK COMMUNITY BANK	26 & EIGHTH AVENUE, LLC	✓			0
DET IMG	2005000583601	69	ENTIRE LOT		10/19/2005 4:31:48 PM	MORTGAGE	18	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓			6,400,000
DET IMG	2005000580937	69	ENTIRE LOT		10/19/2005 1:06:30 PM	INITIAL UCC1	6	26 & EIGHTH AVENUE, LLC	NEW YORK COMMUNITY BANK	✓			0
DET IMG	2598/1465	69	ENTIRE LOT		6/23/1998	SATISFACTION OF MORTGAGE	3	8-26 REALTY CORP.	AMANUENSIS, LTD.				0
DET IMG	2247/51	69	ENTIRE LOT		9/27/1995	MORTGAGE	8	8-26 REALTY CORP.	AMANUENSIS LTD.				350,000
DET IMG	2247/46	69	ENTIRE LOT		9/27/1995	DEED	3	EIGHT AVENUE REALTY ASSOCIATES	8-26 REALTY CORP.				0
DET IMG	2128/1727	69	ENTIRE LOT		8/12/1994	ASSIGNMENT, MORTGAGE	3	MARINE MIDLAND BANK, N.A.	CITIBANK, N.A.				0
DET IMG	2128/1706	69	ENTIRE LOT		8/12/1994	AGREEMENT	21	EIGHTH AVE. REALTY ASSOCIATES	CITIBANK, N.A.				0
DET IMG	94PN29287	69	ENTIRE LOT		6/20/1994	INITIAL UCC1	4	EIGHTH AVENUE REALTY ASSOCIATES	CITIBANK, N.A.				0
DET IMG	1739/1140	69	ENTIRE LOT		10/26/1990	MORTGAGE	51	CITIBANK, N.A.	EIGHTH AVE				64,000



1739/1133

LOT 69 ENTIRE LOT

10/26/1990

ASSIGNMENT, MORTGAGE

7 MARINE MIDLAND BANK, N.A.

RLTY ASSOCS CITIBANK, N.A.

0

Search Options

New Parcel Identifier Search

Edit Current Search

View Tax Map

Go To: [Finance Home Page](#) | [NYC.gov Home Page](#) | [Contact NYC.gov](#) | [FAQs](#) | [Privacy Statement](#) | [Site Map](#)



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

306 8 AVENUE	306 - 306	MANHATTAN 10001	BIN# 1014195
8 AVENUE		Health Area : 5200	Tax Block : 775
		Census Tract : 91	Tax Lot : 4
		Community Board : 104	Condo : NO
		Buildings on Lot : 1	Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 25 STREET, WEST 26 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO

SRO Restricted: NO

UB Restricted: NO

Little 'E' Restricted: N/A

Legal Adult Use: NO

Additional BINs for Building: NONE

Special Status: N/A

Loft Law: NO

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

Special District: NONE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: K2-STORE BUILDING

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

Complaints	Total	8	Open	0
			Elevator Records	Electrical Applications

Violations-DOB	7	0	Permits In-Process / Issued
Violations-ECB (DOB)	2	1	Illuminated Signs Annual Permits
Jobs/Filings	2		Plumbing Inspections
ARA / LAA Jobs	0		Open Plumbing Jobs / Work Types
Total Jobs	2		Facades
Actions	36		Marquee Annual Permits

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

252 WEST 26 STREET
WEST 26 STREET 252 - 252

MANHATTAN 10001
Health Area :
Census Tract :
Community Board : 104

BIN# 1805794

Tax Block : 775
Tax Lot : 69

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law:

SRO Restricted:

UB Restricted:

Little 'E' Restricted:

Legal Adult Use:

Additional BINs for Building:

Special Status: N/A

Loft Law: NO

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

NO

NO

NO

HAZMAT

NO

NONE

Special District: NONE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification:

G6-GARAGE/GAS STATN

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open
Complaints	0	0
Violations-DOB	2	2

[Elevator Records](#)
[Electrical Applications](#)
[Permits In-Process / Issued](#)
[Illuminated Signs Annual Permits](#)

Violations-ECB (DOB)	0	0	Plumbing Inspections
<u>Jobs/Filings</u>	3		<u>Open Plumbing Jobs / Work Types</u>
ARA / LAA Jobs	0		<u>Facades</u>
Total Jobs	3		<u>Marquee Annual Permits</u>
<u>Actions</u>	27		<u>Boiler Records</u>
OR Enter Action Type:			<u>DEP Boiler Information</u>
OR Select from List:			<u>After Hours Variance Permits</u>
Select...			

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

DEPARTMENT OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

CERTIFICATE OF OCCUPANCY No. 22858-~~7~~ 1937

Supersedes Certificate of Occupancy No.

To the owner or owners of the building:

New York Oct. 6, 1937

THIS CERTIFIES that the building located on Block 776, Lot 68-69
 known as 252-4 West 23th Street
 40' front

under a permit, Application No. 945 alt of 1937, conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of nonfireproof construction within the meaning of the building code and may be used and occupied as a business building as hereinafter qualified, in an unrestricted district under the building zone resolution, subject to all the privileges, requirements, limitations and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar					Storage
1st story	100	15		15	Store (front) Factory (rear)
2nd "	55	8	2	10	Offices
3rd to 5th story					To remain vacant

This certificate is issued to E. H. Michaels, Inc.,
 1141 Broadway, City.

, for the owner or owners.

The superimposed, uniformly distributed loads, or their equivalent concentrated loads in any story shall not exceed the live loads specified above; the number of persons of either sex in any story shall not exceed that specified when sex is indicated, nor shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

Unless specifically stated above, the building or any part thereof, if certified as a public building, shall not be used as a building in which persons are harbored to receive medical, charitable or other care or treatment, such as a hospital, asylum, etc., or in which persons are held or detained under legal restraint, such as a police station, jail, etc.; nor shall it be used as a motion picture theatre as defined in section 30, chapter 3, Code of Ordinances; nor as a theatre or opera house or other building intended to be used for theatrical or operatic purposes, or for public entertainment of any kind, for the accommodation of more than 300 persons.

Unless specifically stated above, the building or any part thereof, if certified as a residence building, shall not be used as a tenement house as defined in the tenement house law; nor shall it be used as any form of residence building having more than 15 sleeping rooms; nor shall it be used as a lodging house within the meaning of Sec. 1305 of the Greater New York Charter.

Unless specifically stated above, the building or any part thereof, if certified as a business building, shall not be used as a garage, motor vehicle repair shop or oil selling station as defined in section 1, chapter 10, Code of Ordinances; nor shall it be used for the generation or compression of acetylene; nor as a factory building as defined in the labor law; nor as a grain elevator; nor as a coal pocket.

Except as otherwise noted above, the building, or any part thereof, if located elsewhere than in an unrestricted district, shall not be used for any of the purposes enumerated in paragraph (a) of section 4 of the building zone resolution; nor for any trade, industry or use that is noxious or offensive by reason of the emission of odor, dust, smoke, gas or noise; nor for any kind of manufacturing not already prohibited, except that, if located in a business district, not more than twenty-five per cent. of the total floor space may be so used, or space equal to the area of the lot in any case.

Except as otherwise noted above, the building, if certified as a garage, may not be used for more than five cars on any portion of a street between two intersecting streets, in which portion there exists an exit from or an entrance to a public school, or in which portion there exists any hospital maintained as a charitable institution; and in no case within a distance of 200 feet from the nearest exit from or entrance to a public school; nor within two hundred feet of any hospital maintained as a charitable institution.

If the building has, at any time previous to the issuance of this certificate, been the subject of an appeal to the board of appeals or of a petition to the board of standards and appeals resulting in modification or variation of law or any lawful requirement, the construction and arrangement of the building as specified in the resolution granting such modification or variation, must be maintained, and all conditions imposed by either board must be observed.

No change or re-arrangement in the structural parts of the building, or affecting the lighting or ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located, until an approval of the same has been obtained from the commissioner of buildings.

This certificate supersedes each and every previously issued certificate of occupancy for this building or any part thereof, and each and every such previously issued certificate shall be null and void; and this certificate in turn becomes null and void upon the issuance of any new lawful certificate.

This certificate does not in any way relieve the owner or owners, or any other person or persons in possession or control of the building, or any part thereof, from obtaining such other permits or licenses as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

This certificate does not authorize the use or operation of any elevator in the building without the special certificate required by section 563 of the building code.

If the building is or is required to be equipped with standpipes or other fire extinguishing or gas shut off appliances, this certificate is not complete until such standpipes or other appliances have been inspected by the fire department (or by the Tenement House Department in the case of a gas shut off in a tenement house) and approved in writing, either in a separate certificate or by endorsement upon this certificate. (Space for such endorsement is provided on page 4 of this certificate.)

If this certificate is marked "Temporary," it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to a tenement house unless also approved by the tenement house commissioner; and it must be replaced by a full certificate as soon as the entire building is completed according to law and ready for occupancy.

The word "class" as used in this certificate refers to the classification of buildings in the building code (section 70).

This certificate is issued in accordance with the provisions of section 411-a of the Greater New York Charter and of section 5 of chapter 5 (Building Code) of the Code of Ordinances of the City of New York.

Examined. (4)


Commissioner of Buildings, Borough of Manhattan.

Additional copies of this certificate will be issued, upon written request, to persons having a proprietary interest in the building.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF: **MANHATTAN** , CITY OF NEW YORK

No. **43497**

Date **December 16, 1954**

CERTIFICATE OF OCCUPANCY

(Standard form adopted by the Board of Standards and Appeals and issued pursuant to Section 246 of the New York Charter, and Sections C26-181.0 to C26-187.0 inclusive Administrative Code 2.1.3.1. to 2.1.3.7. Building Code.)

This certificate supersedes C. O. No. **34640**

To the owner or owners of the building or premises:

THIS CERTIFIES that the ~~221~~ altered ~~1111~~ building—premises located at

252-258 West 26th Street

Block **775** Lot **68, 70, 73**

, conforms substantially to the approved plans and specifications, and to the requirements of the building code and all other laws and ordinances, and of the rules and regulations of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646F of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

~~XXXX~~ Aft. No. **1536-1954**

Construction classification—**nonfireproof**

Occupancy classification—**Commercial Bldg.** . Height **1** stories, **10** feet.

Date of completion—**December 1, 1954** . Located in **manufacturing** Use District.

B Area **1A** . Height Zone at time of issuance of permit **2350-1954**

This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals: (Cite the numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
1st story on ground		5		5	Garage for more than five (5) motor vehicles and parking lot for more than five (5) motor vehicles on vacant portion of lot. Garage Use approved by Fire Department November 8, 1954.

SUPERSEDED
B. C. O.

[Signature]
Borough Superintendent

DEPARTMENT OF HOUSING AND BUILDINGS

CITY OF NEW YORK BOROUGH OF MANHATTAN

18107

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT

Unless an approval for the same has been obtained from the Borough Superintendent, no change or rearrangement in the structural parts of the building, or affecting the light and ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located.

The building, or any part thereof shall not be used for any purpose other than that for which it is certified.

The superimposed, uniformly distributed loads, or concentrated loads producing the same stresses in the construction in any story shall not exceed the live loads specified on reverse side; the number of persons of either sex in any story shall not exceed that specified when sex is indicated; nor shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

This certificate does not in any way relieve the owner or owners or any other person or persons in possession or control of the building, or any part thereof from obtaining such other permits, licenses or approvals as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from obtaining the special certificates required for the use and operation of elevators; nor from the installation of fire alarm systems where required by law; nor from complying with any lawful order for additional fire extinguishing appliances under the discretionary powers of the fire commissioner; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

If this certificate is marked "Temporary", it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to any building under the jurisdiction of the Housing Division unless it is also approved and endorsed by them, and it must be replaced by a full certificate at the date of expiration.

If this certificate is for an existing building, erected prior to March 14, 1916, it has been duly inspected and it has been found to have been occupied or arranged to be occupied prior to March 14, 1916; as noted on the reverse side, and that on information and belief, since that date there has been no alteration or conversion to a use that changed its classification as defined in the Building Code, or that would necessitate compliance with some special requirement or with the State Labor Law or any other law or ordinance; that there are no notices of violations or orders pending in the Department of Housing and Buildings at this time; that Section 646F of the New York City Charter has been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent, and that, so long as the building is not altered, except by permission of the Borough Superintendent, the existing use and occupancy may be continued.

No certificate of occupancy shall be issued for any building, structure, enclosure, place or premises wherein containers for combustibles, chemicals, explosives, inflammables and other dangerous substances, articles, compounds or mixtures are stored, or wherein automatic or other fire alarm systems or fire extinguishing equipment are required by law to be or are installed, until the fire commissioner has tested and inspected and has certified his approval in writing of the installation of such containers, systems or equipment to the Borough Superintendent of the borough in which the installation has been made. Such approval shall be recorded on the certificate of occupancy."

Additional copies of this certificate will be furnished to persons having an interest in the building or premises, upon payment of a fee of fifty cents per copy.

DEPARTMENT OF BUILDINGS
BOROUGH OF MANHATTAN, THE CITY OF NEW YORK

No. 51772
 Date January 26, 1960

CERTIFICATE OF OCCUPANCY

(Standard form adopted by the Board of Standards and Appeals and issued pursuant to Section 646 of the New York Charter, and Sections C26-181.0 to C26-187.0 inclusive Administrative Code 2.1.3.1. to 2.1.3.7. Building Code.)

This certificate supersedes C. O. No. 43497

To the owner or owners of the building or premises:

THIS CERTIFIES that the ~~new~~ ~~altered~~ ~~existing~~ building—premises located at

312 Eighth Avenue; 252-260 West 26th Street Block 775 Lot 68 & 82

, conforms substantially to the approved plans and specifications, and to the requirements of the building code and all other laws and ordinances, and of the rules and regulations of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646F of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

~~1957~~ Alt. No. 1688-1959

Construction classification— -----

Occupancy classification—Commercial

Height --- stories, --- feet.

Date of completion—January 22, 1960

Located in Retail & manufacturing Use District.

B Area 1 1/2

Height Zone at time of issuance of permit 2578-1959

This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals: (Calendar numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

STORY	LIVE LOADS <small>(lbs. per Sq. Ft.)</small>	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
On ground					Parking lot for more than five (5) motor vehicles.

[Faint, illegible text, possibly bleed-through from the reverse side of the page.]

[Signature]
 Borough Superintendent

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT.

Unless an approval for the same has been obtained from the Borough Superintendent, no change or rearrangement in the structural parts of the building, or affecting the light and ventilation of any part thereof, or in the exit facilities, shall be made; no enlargement, whether by extending on any side or by increasing in height shall be made; nor shall the building be moved from one location or position to another; nor shall there be any reduction or diminution of the area of the lot or plot on which the building is located.

The building or any part thereof shall not be used for any purpose other than that for which it is certified.

The superimposed, uniformly distributed loads, or concentrated loads producing the same stresses in the construction in any story shall not exceed the live loads specified on reverse side; the number of persons of either sex in any story shall not exceed that specified when sex is indicated, nor shall the aggregate number of persons in any story exceed the specified total; and the use to which any story may be put shall be restricted to that fixed by this certificate except as specifically stated.

This certificate does not in any way relieve the owner or owners or any other person or persons in possession or control of the building, or any part thereof from obtaining such other permits, licenses or approvals as may be prescribed by law for the uses or purposes for which the building is designed or intended; nor from obtaining the special certificates required for the use and operation of elevators; nor from the installation of fire alarm systems where required by law; nor from complying with any lawful order for additional fire extinguishing appliances under the discretionary powers of the fire commissioner; nor from complying with any lawful order issued with the object of maintaining the building in a safe or lawful condition; nor from complying with any authorized direction to remove encroachments into a public highway or other public place, whether attached to or part of the building or not.

If this certificate is marked "Temporary", it is applicable only to those parts of the building indicated on its face, and certifies to the legal use and occupancy of only such parts of the building; it is subject to all the provisions and conditions applying to a final or permanent certificate; it is not applicable to any building under the jurisdiction of the Housing Division unless it is also approved and endorsed by them, and it must be replaced by a full certificate at the date of expiration.

If this certificate is for an existing building, erected prior to March 14, 1916, it has been duly inspected and it has been found to have been occupied or arranged to be occupied prior to March 14, 1916, as noted on the reverse side, and that on information and belief, since that date there has been no alteration or conversion to a use that changed its classification as defined in the Building Code, or that would necessitate compliance with some special requirement or with the State Labor Law or any other law or ordinance; that there are no notices of violations or orders pending in the Department of Buildings at this time; that Section 646P of the New York City Charter has been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent, and that, so long as the building is not altered, except by permission of the Borough Superintendent, the existing use and occupancy may be continued.

"§ 646 P. No certificate of occupancy shall be issued for any building, structure, enclosure, place or premises wherein containers for combustibles, chemicals, explosives, inflammables and other dangerous substances, articles, compounds or mixtures are stored, or wherein automatic or other fire alarm systems or fire extinguishing equipment are required by law to be or are installed, until the fire commissioner has tested and inspected and has certified his approval in writing of the installation of such containers, systems or equipment to the Borough Superintendent of the borough in which the installation has been made. Such approval shall be recorded on the certificate of occupancy."

Additional copies of this certificate will be furnished to persons having an interest in the building or premises, upon payment of a fee of fifty cents per copy.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

262 WEST 26 STREET	262 - 262	MANHATTAN 10001	BIN# 1014207
WEST 26 STREET		Health Area : 5200	Tax Block : 775
		Census Tract : 91	Tax Lot : 77
		Community Board : 104	Condo : NO
		Buildings on Lot : 1	Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): 7 AVENUE, 8 AVENUE

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO

SRO Restricted: NO

UB Restricted: NO

Little 'E' Restricted: N/A

Legal Adult Use: NO

Additional BINs for Building: NONE

Special Status: N/A

Loft Law: NO

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

Special District: NONE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G6-GARAGE/GAS STATN

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

Complaints	Total	Open	Elevator Records	Electrical Applications
	6	0		

<u>Violations-DOB</u>	8	3	<u>Permits In-Process / Issued</u>
<u>Violations-ECB (DOB)</u>	2	1	<u>Illuminated Signs Annual Permits</u>
<u>Jobs/Filings</u>	1		<u>Plumbing Inspections</u>
ARA / LAA Jobs	0		<u>Open Plumbing Jobs / Work Types</u>
Total Jobs	1		<u>Facades</u>
<u>Actions</u>	11		<u>Marquee Annual Permits</u>

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

316 8 AVENUE
8 AVENUE 316 - 318

BIN# 1014210
Tax Block : 775
Tax Lot : 80
Condo : NO
Vacant : NO

MANHATTAN 10001
Health Area : 5200
Census Tract : 91
Community Board : 104
Buildings on Lot : 1

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 25 STREET, WEST 26 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO

SRO Restricted: NO

UB Restricted: NO

Little 'E' Restricted: N/A

Legal Adult Use: NO

Additional BINs for Building: NONE

Special Status: N/A

Loft Law: YES

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

Special District: NONE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G6-GARAGE/GAS STATN

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records	Electrical Applications
Complaints	1	0		

<u>Violations-DOB</u>	28	8	<u>Permits In-Process / Issued</u>
<u>Violations-ECB (DOB)</u>	8	5	<u>Illuminated Signs Annual Permits</u>
This property has 2 open ECB "Work Without A Permit" Violations and may be subject to DOB civil penalties upon application for a permit. After obtaining the permit, a certificate of correction must be filed on the ECB violations.			
<u>Jobs/Filings</u>	0		<u>Plumbing Inspections</u>
<u>ARA / LAA Jobs</u>	0		<u>Open Plumbing Jobs / Work Types</u>
<u>Total Jobs</u>	0		<u>Facades</u>
<u>Actions</u>	41		<u>Marquee Annual Permits</u>
			<u>Boiler Records</u>
			<u>DEP Boiler Information</u>
			<u>After Hours Variance Permits</u>

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these Frequently Asked Questions, the Glossary, or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

264 WEST 26 STREET
WEST 26 STREET 264 - 264

MANHATTAN 10001
Health Area : 5200
Census Tract : 91
Community Board : 104
Buildings on Lot : 1

BIN# 1014208
Tax Block : 775
Tax Lot : 78
Condo : NO
Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): 7 AVENUE, 8 AVENUE

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law: NO

SRO Restricted: NO

UB Restricted: NO

Little 'E' Restricted: N/A

Legal Adult Use: NO

Additional BINs for Building: NONE

Special Status: N/A

Loft Law: NO

TA Restricted: NO

Grandfathered Sign: NO

City Owned: NO

Special District: NONE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G6-GARAGE/GAS STATN

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

Complaints	Total	Open	Elevator Records	Electrical Applications
	1	0		

<u>Violations-DOB</u>	12	9	<u>Permits In-Process / Issued</u>
<u>Violations-ECB (DOB)</u>	1	1	<u>Illuminated Signs Annual Permits</u>
<u>Jobs/Filings</u>	1		<u>Plumbing Inspections</u>
<u>ARA / LAA Jobs</u>	0		<u>Open Plumbing Jobs / Work Types</u>
<u>Total Jobs</u>	1		<u>Facades</u>
<u>Actions</u>	21		<u>Marquee Annual Permits</u>

OR Enter Action Type:

OR Select from List:

Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

DEPARTMENT OF BUILDINGS

BOROUGH OF **MANHATTAN**, THE CITY OF NEW YORK
 Date **December 6, 1973** No. **74043**

CERTIFICATE OF OCCUPANCY

NO CHANGES OF USE OR OCCUPANCY NOT CONSISTENT WITH THIS CERTIFICATE SHALL BE MADE UNLESS FIRST APPROVED BY THE BOROUGH SUPERINTENDENT

This certificate supersedes C. O. No. ~~XXXXX~~
 THIS CERTIFIES that the ~~new~~ ^{altered} ~~existing~~ ^{XXXXX} building—premises located at **Block 775 Lot 78**
204 West 26th Street

That the zoning lot and premises above referred to are situated, bounded and described as follows:
 BEGINNING at a point on the **south** side of **West 26th Street**
 distant **60** feet **east** from the corner formed by the intersection of
West 26th Street and **Eighth Avenue**
 running thence **east 20** feet; thence **south 49 1/2** feet;
 thence **west 20** feet; thence **north 49 1/2** feet;
 running thence _____ feet; thence _____ feet;

to the point or place of beginning, conforms substantially to the approved plans and specifications, and to the requirements of the Building Code, the Zoning Resolution and all other laws and ordinances, and of the rules of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646a of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent. **Class 3**
 No. or Alt. No.— **44-72** Construction classification— **nonfireproof**
 Occupancy classification— **Heretofore Converted**. Height **3 & Bsmt.** stories, **38** feet.
 Date of completion— **Class "B" Mult. Dwell.** Located in **C 6-2** Zoning District.
 at time of issuance of permit. **October 29, 1973**

This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals: _____ } (Calendar numbers to be inserted here)
 and The City Planning Commission: _____

PERMISSIBLE USE AND OCCUPANCY

Off-Street Parking Spaces _____
 Off-Street Loading Berths _____

STORY	LIVE LOADS Lib. per Sq. Ft.	PERSONS ACCOMMODATED	USE
Cellar	on ground		Boiler room and storage.
Bsmt.	75	5	Store, Use Group 6.
1st	40		Two (2) apartments.
2nd	40		Two (2) apartments.
3rd	40		Two (2) apartments.
			Sprinkler in public halls.

THIS CERTIFICATE IS VALID WITHIN THE BOROUGH OF THE DISTRICT OF

BE POSTED WITH THE RULF IN DIST. 1957



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

320 8 AVENUE
8 AVENUE
WEST 26 STREET

320 - 320
266 - 266

[View DCP Addresses...](#) [Browse Block](#)

MANHATTAN 10001
Health Area : 5200
Census Tract : 91
Community Board : 104
Buildings on Lot : 1

BIN# 1014209
Tax Block : 775
Tax Lot : 79
Condo : NO
Vacant : NO

[View Zoning Documents](#)

[View Challenge Results](#)

[View Certificates of Occupancy](#)

Cross Street(s): WEST 25 STREET, WEST 26 STREET

DOB Special Place Name:

DOB Building Remarks:

Landmark Status:

Local Law:

SRO Restricted:

UB Restricted:

Little 'E' Restricted:

Legal Adult Use:

Additional BINs for Building:

Special Status: N/A
Loft Law: NO
TA Restricted: NO
Grandfathered Sign: NO
City Owned: NO

Special District: NONE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: G6-GARAGE/GAS STATN

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

Complaints	Total	7	Elevator Records
	Open	0	

Violations-DOB	13	4	Permits In-Process / Issued
Violations-ECB (DOB)	8	3	Illuminated Signs Annual Permits
Jobs/Filings	6		Plumbing Inspections
ARA / LAA Jobs	0		Open Plumbing Jobs / Work Types
Total Jobs	6		Facades
Actions	37		Marquee Annual Permits

OR Enter Action Type:
 OR Select from List:
 Select...

AND

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



260 West 26th Street

260 West 26th Street

New York, NY 10001

Inquiry Number: 2983980.5

February 04, 2011

The EDR Aerial Photo Decade Package



440 Wheelers Farms Road
Milford, CT 06461
800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography February 04, 2011

Target Property:

260 West 26th Street

New York, NY 10001

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1943	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: December 21, 1943	EDR
1953	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: December 05, 1953	EDR
1966	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: February 23, 1966	EDR
1975	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: April 01, 1975	EDR
1984	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: April 27, 1984	EDR
1995	Aerial Photograph. Scale: 1"=750'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: March 13, 1995	EDR
2006	Aerial Photograph. Scale: 1"=604'	Panel #: 40073-F8, Brooklyn, NY;/Flight Date: January 01, 2006	EDR



INQUIRY #: 2983980.5

YEAR: 1943

 = 750'





713


INQUIRY #: 2983980.5

YEAR: 1953

| = 750'



ESRI Environmental Data Resources Inc.



INQUIRY #: 2983980.5

YEAR: 1966

| = 750'





INQUIRY #: 2983980.5

YEAR: 1975

| = 750'



-27-84

10-4-13



INQUIRY #: 2983980.5

YEAR: 1984

| = 750'



3-19



INQUIRY #: 2983980.5

YEAR: 1995

| = 750'





INQUIRY #: 2983980.5

YEAR: 2006

 = 604'





260 West 26th Street

260 West 26th Street

New York, NY 10001

Inquiry Number: 2983980.4

February 04, 2011

EDR Historical Topographic Map Report

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.


Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map




	TARGET QUAD	SITE NAME: 260 West 26th Street	CLIENT: CA Rich Consultants, Inc.
	NAME: BROOKLYN	ADDRESS: 260 West 26th Street New York, NY 10001	CONTACT: Jessica Proscia
	MAP YEAR: 1900	LAT/LONG: 40.7467 / -73.996	INQUIRY#: 2983980.4
	SERIES: 15		RESEARCH DATE: 02/04/2011
	SCALE: 1:62500		

Historical Topographic Map




	TARGET QUAD NAME: BROOKLYN MAP YEAR: 1947	SITE NAME: 260 West 26th Street ADDRESS: 260 West 26th Street New York, NY 10001 LAT/LONG: 40.7467 / -73.996	CLIENT: CA Rich Consultants, Inc. CONTACT: Jessica Proscia INQUIRY#: 2983980.4 RESEARCH DATE: 02/04/2011
	SERIES: 7.5 SCALE: 1:25000		

Historical Topographic Map




<p>N</p>	<p>TARGET QUAD</p> <p>NAME: BROOKLYN</p> <p>MAP YEAR: 1956</p>	<p>SITE NAME: 260 West 26th Street</p> <p>ADDRESS: 260 West 26th Street New York, NY 10001</p> <p>LAT/LONG: 40.7467 / -73.996</p>	<p>CLIENT: CA Rich Consultants, Inc.</p> <p>CONTACT: Jessica Proscia</p> <p>INQUIRY#: 2983980.4</p> <p>RESEARCH DATE: 02/04/2011</p>
	<p>SERIES: 7.5</p> <p>SCALE: 1:24000</p>		

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: BROOKLYN MAP YEAR: 1967</p>	<p>SITE NAME: 260 West 26th Street ADDRESS: 260 West 26th Street New York, NY 10001 LAT/LONG: 40.7467 / -73.996</p>	<p>CLIENT: CA Rich Consultants, Inc. CONTACT: Jessica Proscia INQUIRY#: 2983980.4 RESEARCH DATE: 02/04/2011</p>
	<p>SERIES: 7.5</p>		
	<p>SCALE: 1:24000</p>		

Historical Topographic Map



<p>N ↑</p>	TARGET QUAD	SITE NAME: 260 West 26th Street	CLIENT: CA Rich Consultants, Inc.
	NAME: BROOKLYN	ADDRESS: 260 West 26th Street	CONTACT: Jessica Proscia
	MAP YEAR: 1979	NEW YORK, NY 10001	INQUIRY#: 2983980.4
	PHOTOREVISED: 1967	LAT/LONG: 40.7467 / -73.996	RESEARCH DATE: 02/04/2011
	SERIES: 7.5		
	SCALE: 1:24000		

Historical Topographic Map




N 	TARGET QUAD	SITE NAME: 260 West 26th Street	CLIENT: CA Rich Consultants, Inc.
	NAME: BROOKLYN	ADDRESS: 260 West 26th Street	CONTACT: Jessica Proscia
	MAP YEAR: 1995	NEW YORK, NY 10001	INQUIRY#: 2983980.4
	SERIES: 7.5	LAT/LONG: 40.7467 / -73.996	RESEARCH DATE: 02/04/2011
	SCALE: 1:24000		

Historical Topographic Map



<p>N</p> 	ADJOINING QUAD	SITE NAME: 260 West 26th Street	CLIENT: CA Rich Consultants, Inc.
	NAME: STATEN ISLAND	ADDRESS: 260 West 26th Street	CONTACT: Jessica Proscia
	MAP YEAR: 1891	NEW YORK, NY 10001	INQUIRY#: 2983980.4
	SERIES: 15	LAT/LONG: 40.7467 / -73.996	RESEARCH DATE: 02/04/2011
	SCALE: 1:62500		

Historical Topographic Map



N 	ADJOINING QUAD		CLIENT: CA Rich Consultants, Inc. CONTACT: Jessica Proscia INQUIRY#: 2983980.4 RESEARCH DATE: 02/04/2011
	NAME: HARLEM	SITE NAME: 260 West 26th Street	
	MAP YEAR: 1897	ADDRESS: 260 West 26th Street New York, NY 10001	
	SERIES: 15	LAT/LONG: 40.7467 / -73.996	
	SCALE: 1:62500		

Historical Topographic Map




<p>N</p>	<p>ADJOINING QUAD</p> <p>NAME: STATEN ISLAND</p> <p>MAP YEAR: 1900</p>	<p>SITE NAME: 260 West 26th Street</p> <p>ADDRESS: 260 West 26th Street New York, NY 10001</p> <p>LAT/LONG: 40.7467 / -73.996</p>	<p>CLIENT: CA Rich Consultants, Inc.</p> <p>CONTACT: Jessica Proscia</p> <p>INQUIRY#: 2983980.4</p> <p>RESEARCH DATE: 02/04/2011</p>
	<p>SERIES: 15</p> <p>SCALE: 1:62500</p>		

Historical Topographic Map



	ADJOINING QUAD		
	NAME:	PASSAIC	SITE NAME: 260 West 26th Street
	MAP YEAR:	1900	ADDRESS: 260 West 26th Street New York, NY 10001
	SERIES:	30	LAT/LONG: 40.7467 / -73.996
	SCALE:	1:125000	CLIENT: CA Rich Consultants, Inc.
			CONTACT: Jessica Proscia
			INQUIRY#: 2983980.4
			RESEARCH DATE: 02/04/2011

Historical Topographic Map



	ADJOINING QUAD						
	NAME:	PATERSON		SITE NAME:	260 West 26th Street	CLIENT:	CA Rich Consultants, Inc.
	MAP YEAR:	1903		ADDRESS:	260 West 26th Street New York, NY 10001	CONTACT:	Jessica Proscia
	SERIES:	15		LAT/LONG:	40.7467 / -73.996	INQUIRY#:	2983980.4
	SCALE:	1:62500		RESEARCH DATE:	02/04/2011		

Historical Topographic Map



	ADJOINING QUAD			
	NAME:	PASSAIC	SITE NAME:	260 West 26th Street
	MAP YEAR:	1905	ADDRESS:	260 West 26th Street New York, NY 10001
	SERIES:	30	LAT/LONG:	40.7467 / -73.996
	SCALE:	1:125000	CLIENT:	CA Rich Consultants, Inc.
		CONTACT:	Jessica Proscia	
		INQUIRY#:	2983980.4	
		RESEARCH DATE:	02/04/2011	

Historical Topographic Map



ADJOINING QUAD


NAME: CENTRAL PARK
 MAP YEAR: 1947

SERIES: 7.5
 SCALE: 1:25000

SITE NAME: 260 West 26th Street
 ADDRESS: 260 West 26th Street
 New York, NY 10001
 LAT/LONG: 40.7467 / -73.996


CLIENT: CA Rich Consultants, Inc.
 CONTACT: Jessica Proscia
 INQUIRY#: 2983980.4
 RESEARCH DATE: 02/04/2011

Historical Topographic Map



	ADJOINING QUAD			
	NAME:	WEEHAWKEN	SITE NAME:	260 West 26th Street
	MAP YEAR:	1947	ADDRESS:	260 West 26th Street New York, NY 10001
	SERIES:	7.5	LAT/LONG:	40.7467 / -73.996
	SCALE:	1:25000		
			CLIENT:	CA Rich Consultants, Inc.
			CONTACT:	Jessica Proscia
			INQUIRY#:	2983980.4
			RESEARCH DATE:	02/04/2011

Historical Topographic Map



	ADJOINING QUAD		SITE NAME: 260 West 26th Street ADDRESS: 260 West 26th Street New York, NY 10001 LAT/LONG: 40.7467 / -73.996	CLIENT: CA Rich Consultants, Inc. CONTACT: Jessica Proscia INQUIRY#: 2983980.4 RESEARCH DATE: 02/04/2011
	NAME: JERSEY CITY			
	MAP YEAR: 1947			
	SERIES: 7.5			
SCALE: 1:25000				

Historical Topographic Map




ADJOINING QUAD

NAME: JERSEY CITY
 MAP YEAR: 1955
 SERIES: 7.5
 SCALE: 1:24000

SITE NAME: 260 West 26th Street
 ADDRESS: 260 West 26th Street
 New York, NY 10001
 LAT/LONG: 40.7467 / -73.996


CLIENT: CA Rich Consultants, Inc.
 CONTACT: Jessica Proscia
 INQUIRY#: 2983980.4
 RESEARCH DATE: 02/04/2011

Historical Topographic Map




<p>N</p>	ADJOINING QUAD	SITE NAME:	CLIENT:
	NAME: PATERSON AND VICINITY	260 West 26th Street	CA Rich Consultants, Inc.
	MAP YEAR: 1955	ADDRESS: 260 West 26th Street New York, NY 10001	CONTACT: Jessica Proscia
	SERIES: 7.5	LAT/LONG: 40.7467 / -73.996	INQUIRY#: 2983980.4
	SCALE: 1:24000		RESEARCH DATE: 02/04/2011

Historical Topographic Map




	ADJOINING QUAD			
	NAME:	WEEHAWKEN	SITE NAME:	260 West 26th Street
	MAP YEAR:	1967	ADDRESS:	260 West 26th Street New York, NY 10001
	SERIES:	7.5	LAT/LONG:	40.7467 / -73.996
	SCALE:	1:24000	CLIENT:	CA Rich Consultants, Inc.
			CONTACT:	Jessica Proscia
			INQUIRY#:	2983980.4
			RESEARCH DATE:	02/04/2011

Historical Topographic Map




	ADJOINING QUAD		SITE NAME: 260 West 26th Street ADDRESS: 260 West 26th Street New York, NY 10001 LAT/LONG: 40.7467 / -73.996	CLIENT: CA Rich Consultants, Inc. CONTACT: Jessica Proscia INQUIRY#: 2983980.4 RESEARCH DATE: 02/04/2011
	NAME: JERSEY CITY			
	MAP YEAR: 1967			
	SERIES: 7.5			
	SCALE: 1:24000			

Historical Topographic Map



<p>N ↑</p>	ADJOINING QUAD	SITE NAME: 260 West 26th Street	CLIENT: CA Rich Consultants, Inc.
	NAME: CENTRAL PARK	ADDRESS: 260 West 26th Street	CONTACT: Jessica Proscia
	MAP YEAR: 1979	New York, NY 10001	INQUIRY#: 2983980.4
	PHOTOREVISED: 1966	LAT/LONG: 40.7467 / -73.996	RESEARCH DATE: 02/04/2011
	SERIES: 7.5		
	SCALE: 1:24000		


Historical Topographic Map



1 SKYWAY 0.8 MI. 2'30" 81 1 990 000 FEET (N. Y.) INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA-1982 719


	ADJOINING QUAD			
	NAME:	WEEHAWKEN		SITE NAME: 260 West 26th Street
	MAP YEAR:	1981		ADDRESS: 260 West 26th Street
	PHOTOREVISED:	1967		New York, NY 10001
	SERIES:	7.5		LAT/LONG: 40.7467 / -73.996
	SCALE:	1:24000		CLIENT: CA Rich Consultants, Inc.
		CONTACT: Jessica Proscia		
		INQUIRY#: 2983980.4		
		RESEARCH DATE: 02/04/2011		

Historical Topographic Map



	ADJOINING QUAD	SITE NAME: 260 West 26th Street	CLIENT: CA Rich Consultants, Inc.
	NAME: CENTRAL PARK	ADDRESS: 260 West 26th Street	CONTACT: Jessica Proscia
	MAP YEAR: 1995	New York, NY 10001	INQUIRY#: 2983980.4
	SERIES: 7.5	LAT/LONG: 40.7467 / -73.996	RESEARCH DATE: 02/04/2011
	SCALE: 1:24000		

Historical Topographic Map



	ADJOINING QUAD		SITE NAME: 260 West 26th Street ADDRESS: 260 West 26th Street New York, NY 10001 LAT/LONG: 40.7467 / -73.996	CLIENT: CA Rich Consultants, Inc. CONTACT: Jessica Proscia INQUIRY#: 2983980.4 RESEARCH DATE: 02/04/2011
	NAME: WEEHAWKEN			
	MAP YEAR: 1995			
	SERIES: 7.5			
	SCALE: 1:24000			



260 West 26th Street

260 West 26th Street

New York, NY 10001

Inquiry Number: 2983980.3

February 04, 2011

Certified Sanborn® Map Report

Certified Sanborn® Map Report

2/04/11

Site Name:

260 West 26th Street
260 West 26th Street
New York, NY 10001

Client Name:

CA Rich Consultants, Inc.
17 Dupont Street
Plainview, NY 11803



EDR Inquiry # 2983980.3

Contact: Jessica Proscia

The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by CA Rich Consultants, Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: 260 West 26th Street
Address: 260 West 26th Street
City, State, Zip: New York, NY 10001
Cross Street:
P.O. # 11-Artimus-2A
Project: NA
Certification # E965-442D-A65C



Sanborn® Library search results
Certification # E965-442D-A65C

Maps Provided:

2005	1995	1987	1950
2004	1994	1985	1930
2003	1993	1982	1911
2002	1992	1980	1899
2001	1991	1979	1890
1996	1988	1976	

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

CA Rich Consultants, Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



2005 Source Sheets




Volume 5S, Sheet 9




Volume 5S, Sheet 10


2004 Source Sheets



Volume 5S, Sheet 8




Volume 5S, Sheet 9




Volume 5S, Sheet 10

2003 Source Sheets




Volume 5S, Sheet 9




Volume 5S, Sheet 10

2002 Source Sheets




Volume 5S, Sheet 9




Volume 5S, Sheet 10

2001 Source Sheets




Volume 5S, Sheet 9




Volume 5S, Sheet 10


1996 Source Sheets



Volume 5S, Sheet 8



Volume 5S, Sheet 9




Volume 5S, Sheet 10

1995 Source Sheets



Volume 5S, Sheet 8



Volume 5S, Sheet 9




Volume 5S, Sheet 10

1994 Source Sheets



Volume 5S, Sheet 10




Volume 5S, Sheet 9

1993 Source Sheets



Volume 5S, Sheet 10



Volume 5S, Sheet 8



Volume 5S, Sheet 9

1992 Source Sheets



Volume 5S, Sheet 9



Volume 5S, Sheet 10

1991 Source Sheets



Volume 5S, Sheet 9



Volume 5S, Sheet 10


1988 Source Sheets




Volume 5S, Sheet 9



Volume 5S, Sheet 10




Volume 5S, Sheet 7




Volume 5S, Sheet 8


1987 Source Sheets



Volume 5S, Sheet 9




Volume 5S, Sheet 10




Volume 5S, Sheet 8

1985 Source Sheets




Volume 5S, Sheet 9




Volume 5S, Sheet 10

1982 Source Sheets



Volume 5S, Sheet 10




Volume 5S, Sheet 9


1980 Source Sheets



Volume 1S, Sheet xxxx




Volume 5S, Sheet 9




Volume 5S, Sheet 10


1979 Source Sheets




Volume 5S, Sheet 9



Volume 5S, Sheet 10




Volume 5S, Sheet 7




Volume 5S, Sheet 8


1976 Source Sheets




Volume 5S, Sheet 8



Volume 5S, Sheet 9




Volume 5S, Sheet 10




Volume 5S, Sheet 12


1950 Source Sheets



Volume 5S, Sheet 8




Volume 5S, Sheet 9




Volume 5S, Sheet 10

1930 Source Sheets




Volume 5S, Sheet 8




Volume 5S, Sheet 10

1911 Source Sheets




Volume 5N, Sheet 9




Volume 5N, Sheet 10

1899 Source Sheets



Volume 5N, Sheet 86

1890 Source Sheets



Volume 5N, Sheet 86

2004 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 2004



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 8
 Volume 5S, Sheet 9
 Volume 5S, Sheet 10



2003 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 2003



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10



2002 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 2002



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10



2001 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 2001



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10



1996 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1996



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 8
 Volume 5S, Sheet 9
 Volume 5S, Sheet 10



1995 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1995



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 5S, Sheet 8
- Volume 5S, Sheet 9
- Volume 5S, Sheet 10



1994 Certified Sanborn Map


The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C


Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1994



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 10
 Volume 5S, Sheet 9



1993 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrf.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1993



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 5S, Sheet 10
- Volume 5S, Sheet 8
- Volume 5S, Sheet 9



1992 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1992



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10



1991 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1991




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10



1988 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A66C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A66C
 Copyright: 1988



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 5S, Sheet 9
- Volume 5S, Sheet 10
- Volume 5S, Sheet 7
- Volume 5S, Sheet 8



1987 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1987



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10
 Volume 5S, Sheet 8



1985 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1985



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 9
 Volume 5S, Sheet 10



1982 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1982



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 10
 Volume 5S, Sheet 9



1980 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1980



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 1S, Sheet xxxx
 Volume 5S, Sheet 9
 Volume 5S, Sheet 10



1979 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1979



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 5S, Sheet 9
- Volume 5S, Sheet 10
- Volume 5S, Sheet 7
- Volume 5S, Sheet 8



1976 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1976



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 5S, Sheet 8
- Volume 5S, Sheet 9
- Volume 5S, Sheet 10
- Volume 5S, Sheet 12



1950 Certified Sanborn Map



The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C



Copyright: 1950

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 5S, Sheet 8
- Volume 5S, Sheet 9
- Volume 5S, Sheet 10



1930 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources, Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E065-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E065-442D-A65C
 Copyright: 1930




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 5S, Sheet 8
 Volume 5S, Sheet 10

1911 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1911




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 5N, Sheet 9
 Volume 5N, Sheet 10



1890 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # E965-442D-A65C

Site Name: 260 West 26th Street
 Address: 260 West 26th Street
 City, ST, ZIP: New York NY 10001
 Client: CA Rich Consultants, Inc.
 EDR Inquiry: 2983980.3
 Order Date: 2/4/2011 4:53:01 PM
 Certification #: E965-442D-A65C
 Copyright: 1890



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 5N, Sheet 86



APPENDIX D

Local Directory

260 West 26th Street

260 West 26th Street
New York, NY 10001

Inquiry Number: 2983980.6
February 04, 2011

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2006. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2006	Hill-Donnelly Information Services	X	X	X	-
2000	Cole Information Services	-	X	X	-
1998	NYNEX Telephone	-	X	X	-
1996	NYNEX	-	-	-	-
1993	NYNEX Telephone	X	X	X	-
1988	NYNEX Telephone	-	X	X	-
1983	New York Telephone	-	X	X	-
1978	New York Telephone	-	X	X	-
1973	New York Telephone	-	X	X	-
1968	New York Telephone	-	X	X	-
1963	New York Telephone	-	X	X	-
1958	New York Telephone	-	X	X	-
1956	New York Telephone	-	X	X	-
1950	New York Telephone	X	X	X	-
1947	New York Telephone	-	X	X	-
1942	New York Telephone	-	X	X	-
1938	New York Telephone	-	X	X	-
1934	R. L. Polk & Co.	-	-	-	-
1931	Manhattan and Bronx Directory Publishing Company Residential Directory	-	X	X	-
1927	New York Telephone	X	X	X	-
1923	R. L. Polk & Co.	-	-	-	-
1920	R. L. Polk & Co.	-	-	-	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

260 West 26th Street
New York, NY 10001

FINDINGS DETAIL

Target Property research detail.

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Intercontinental Tag & Label	Hill-Donnelly Information Services
1993	APPLE BELTS & NOVELITES INC	NYNEX Telephone
1950	PRICE LEO MD B	New York Telephone
1927	TRUE ART DRESS CO	New York Telephone
	True Art Dress Co	New York Telephone

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

W 246 ST

258 W 246 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1931	BERGELSEN OTTO C	Manhattan and Bronx Directory Publishing Company Residential Directory

W 26 ST

250 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	ANTONIADES ANDREW ARCHT	NYNEX Telephone
	ARGUS CONSTRUCTION CORP	NYNEX Telephone
	CENTER FOR HEALTH CARE INITIATIVES	NYNEX Telephone
	COMMERCIAL HOUSE THE	NYNEX Telephone
	CORE PRODUCTIONS INC	NYNEX Telephone
	FREE RANGE ARTS	NYNEX Telephone
	HOUSE FILMS	NYNEX Telephone
	NOVELL JOSEPH ASA	NYNEX Telephone
	PM SYSTEMS	NYNEX Telephone
	PRO GOFF USA INC	NYNEX Telephone
	STEVEN WEILL PRODUCTIONS	NYNEX Telephone
	WEST 26TH REALTY CORP	NYNEX Telephone
	1993	ALLSTAR INSTALLATION INC
ANTONIADES ANDREW ARCHT		NYNEX Telephone
ARGUS CONSTR CORP		NYNEX Telephone
CENTER FOR HEALTH CARE INITIATIVES		NYNEX Telephone
COMMERCIAL HOUSE THE		NYNEX Telephone
FIVE BOROUGH RENTAL & SUPPLY LTD		NYNEX Telephone
FRENCH MODE KITCHENS		NYNEX Telephone
FUR LABEL AUTHORITY		NYNEX Telephone
FUR MFG INDSTRY HEALTH & RETIREMENT FUNDS	NYNEX Telephone	
HOUSE FILMS	NYNEX Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1993	KELLEY & KELY BROKERAGE INC	NYNEX Telephone
	M P E CONTRACTING CORP	NYNEX Telephone
	MARSHALL ELIZABETH	NYNEX Telephone
	MIDTOWN CONTRCTNG CORP	NYNEX Telephone
	NOVELLI JOSEPH ASA	NYNEX Telephone
	P M SYSTEMS	NYNEX Telephone
	PLANNED SYSTEMS INTERIORS	NYNEX Telephone
	RETIREMENT & HEALTH FUNDS OF THE FUR MFG INDSTRY	NYNEX Telephone
	UNITED & LOCAL # 70 INS TRUST & RETIREMENT FUNDS	NYNEX Telephone
1988	ANTONIADES ANDREW ARCHT	NYNEX Telephone
	ARGUS CONSTR CORP	NYNEX Telephone
	BUXBAUM DAVID	NYNEX Telephone
	DELSOL MICHEL	NYNEX Telephone
	F M C ASSOCIATES	NYNEX Telephone
	FRENCH MODE KITCHENS	NYNEX Telephone
	FUR LABEL AUTHORITY	NYNEX Telephone
	FUR MFG INDSTRY HEALTH & RETIREMENT FUNDS	NYNEX Telephone
	FURRIERS JOINT COUNCIL OF NY	NYNEX Telephone
	HEALTH & RETIREMENT FUNDS OF THE FUR MFG INDUSTRY	NYNEX Telephone
	MARSHALL ELIZABETH	NYNEX Telephone
	MENARD NORMAN	NYNEX Telephone
	MENARD NORMAND PHOTGR	NYNEX Telephone
	P M SYSTEMS	NYNEX Telephone
	P M SYSTEMS	NYNEX Telephone
	RETIREMENT & HEALTH FUNDS OF THE FUR MFG INDSTRY	NYNEX Telephone
UNITED & LOCAL 70 INS TRUST & RETIREMENT FUNDS	NYNEX Telephone	
1983	FUR LABEL AUTHORITY	New York Telephone
	FUR MFG INDSTRY HEALTH & RETIREMENT FUNDS	New York Telephone
	HEALTH & RETIREMENT FUNDS OF THE FUR MFG INDUSTRY	New York Telephone
	RETIREMENT & HEALTH FUNDS OF THE FUR MFG INDSTRY	New York Telephone
	UNITED & LOCAL 70 INS TRUST & RETIREMENT FUNDS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	AMALGAMATED MEAT CUTTENR & BUTCHERS WORKING OF N A LOCAL 251	New York Telephone
	FUR LABEL AUTHORITY	New York Telephone
	FUR MFG INDSTRY HEALTH & RETIREMENT FUNDS	New York Telephone
	FUR SALESMENS GUILD-LOCAL 333 F & L	New York Telephone
	FURRIERS JOINT COUNCIL OF N Y	New York Telephone
	FURRIERS UNION OF N Y	New York Telephone
	HEALTH & RETIREMENT FUNDS OF THE FUR MFG INDUSTRY	New York Telephone
	LOCAL 251 AMC & BW OF NA	New York Telephone
	RETIREMENT & HEALTH FUNDS OF THE FUR MFG INDSTRY	New York Telephone
	TRAINING COMMITTEE OF THE FUR MFG INDUSTRY	New York Telephone
	UNITED & LOCAL # 70 INS TRUST & RETIREMENT FUNDS	New York Telephone
	WINOGRADSKY JOS B	New York Telephone
1973	AMALGAMATED MEAT CUTTERS & BUTCHERS WORKING OF NA LOCAL 251	New York Telephone
	FUR SALESMENS GUILD LOCAL 333 F & L	New York Telephone
	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	FURRIERS UNION OF N Y	New York Telephone
	LOCAL 251 AMC & BW OF NA	New York Telephone
	WINOGRADSKY JOS B	New York Telephone
1968	AMALGAMATED MEAT CUTTERS & BUTCHERS WORKMEN OF NA LOCAL 251	New York Telephone
	FUR SALESMENS GUILD-LOCAL 333 F & L	New York Telephone
	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	FURRIERS UNION OF NY	New York Telephone
	LOCAL 251 AMC & BW OF NA	New York Telephone
1963	FUR SALESMENS GUILD-LOCAL 333 F & L	New York Telephone
	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	FURRIERS UNION OF NY	New York Telephone
	WINOGRADLSKY JOS B	New York Telephone
1958	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	FURRIERS UNION OF N Y	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1958	GEISMER ABRAHAM DDS OFC	New York Telephone
	WITE LAKE LODGE	New York Telephone
	WINOGRADSKY JOS B	New York Telephone
1956	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	FURRIERS UNION OF NY	New York Telephone
	GEISMER A DDS OFC	New York Telephone
	WHITE LAKE LODGE	New York Telephone
1950	WINOGRADSKY JOS B	New York Telephone
	BISK FRANK DDS OFC	New York Telephone
	FURRIERS JOINT COUNCIL OF NY	New York Telephone
1947	WINOGRADSKY JOS B	New York Telephone
	BEGOON H B	New York Telephone
	FUR DESIGNERS & PATTERN MAKERS UNION LOCAL 120	New York Telephone
	FUR FLOOR & SHIPPING CLERKS UNION LOCAL 125 CIO	New York Telephone
1942	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	WINOGRADSKY JOS B	New York Telephone
	BEGOON H B	New York Telephone
1938	FUR FLOOR & SHIPPING CLERKS UNION LOCAL 125 CIO	New York Telephone
	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	FUR FLOOR BOYS UNION	New York Telephone
	FUR WORKERS UNION OF AF OF L	New York Telephone
1927	FURRIERS JOINT COUNCIL OF NY	New York Telephone
	RABBIT WORKERS UNION LOCAL 85	New York Telephone
	AMER RAILWAY EXPRESS CO-	New York Telephone
	AMER RAILWAY EXPRESS CO-	New York Telephone

251 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	PRO SIGNS	NYNEX Telephone
1993	PRO SIGNS	NYNEX Telephone
1988	BAKER C	NYNEX Telephone
	COLANGELO MICHAEL	NYNEX Telephone
	DURHAM A	NYNEX Telephone
	EGGLESTON ALLAN	NYNEX Telephone
	GASH KENT	NYNEX Telephone
	JONES RUSTY	NYNEX Telephone
	NAUGHTON J MICHAEL	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	OLIVERI MICHAEL J	NYNEX Telephone
	PRO SIGNS	NYNEX Telephone
	ROBERTS JOHN	NYNEX Telephone
	SOBIESKI JOHN F JR	NYNEX Telephone
	TILLMAN MILTON	NYNEX Telephone
1983	BOBROWSKI L	New York Telephone
	CLARK B	New York Telephone
	COLANGELO MICHAEL	New York Telephone
	DURHAM A	New York Telephone
	EGGLESTON ALLAN	New York Telephone
	ESSWEIN CRAIG	New York Telephone
	HERNANDEZ RAYMOND	New York Telephone
	HEROUX ROBERT	New York Telephone
	JONES MACK	New York Telephone
	JONES RUSTY	New York Telephone
	MAJCHERSKI C	New York Telephone
	MORRIS H	New York Telephone
	NAUGHTON J MICHAEL	New York Telephone
	OLIVERI MICHAEL J	New York Telephone
	PARKS M K	New York Telephone
PRO SIGNS	New York Telephone	
SOBIESKI JOHN F JR	New York Telephone	
1973	APONTE FEDERICO	New York Telephone
	HELLMAN C H SKINS	New York Telephone
	MATZNER ISSAC FUR	New York Telephone
	MERA AURORA	New York Telephone
1968	APONTE FEDERICO	New York Telephone
	DE JESUS HIRAM	New York Telephone
	HELLMAN C H SKINS	New York Telephone
	ILARRAZA ANSUNCION	New York Telephone
	MATZNER GITLA FUR	New York Telephone
1963	VELEZ JOSE	New York Telephone
	BAEZ ELISA	New York Telephone
	HAREM PASTRIES	New York Telephone
	ILARRAZA ANSUNCION	New York Telephone
	KALT PRNTNG CO	New York Telephone
	ANGELO	New York Telephone
	TEJADA CARMEN	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	VERA GALO A	New York Telephone
1958	BIANCHUTTE LOUIS	New York Telephone
	GIMENEZ JULIO	New York Telephone
	HAREM ORIENTAL PASTRY CO	New York Telephone
	KALT PRNTNG CO	New York Telephone
	MARTINEZ ELSIE	New York Telephone
	PIZZAGUERRA JOHN	New York Telephone
	QUINONES JOSEFA MRS	New York Telephone
	TANNER MARTIN	New York Telephone
1956	BIANCHETTO LOUIS	New York Telephone
	HAREM ORIENTAL PASTRY CO	New York Telephone
	KALT PRNTNG CO	New York Telephone
	MARTINEZ EDMUNDO	New York Telephone
	NATOLE CONCETTA	New York Telephone
	PIZZAGUERRA JOHN	New York Telephone
	QUINONES JOSEFA MRS	New York Telephone
	ROBERTS HANNAH P MRS	New York Telephone
1950	TANNER MARTIN	New York Telephone
	GROHMANN HANNAH P	New York Telephone
	HAREM ORIENTAL PASTRY CO	New York Telephone
	KERTESZ FRIEDERICKCE MRS	New York Telephone
	NATOLE CONCETTA	New York Telephone
	PIZZAGUERRA JOHN	New York Telephone
	STONE FRANCIS	New York Telephone
	TANNER MARTIN	New York Telephone
1947	VOGL GRACE MRS	New York Telephone
	BENTLEY NOVELTY FOOTWEAR INC	New York Telephone
1927	TANNER MARTIN	New York Telephone
	BIANCHETTO STELLA MISS R	New York Telephone
	CHAIKIN JACOB FURS	New York Telephone
	MOOS JOS M DRSES	New York Telephone

252 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	SQUARE PLUS OPERATING CORP	NYNEX Telephone
	SQUARE PLUS OPERATING CORP	NYNEX Telephone
1993	SQUARE PLUS OPERATING CORP	NYNEX Telephone
1988	MEYERS PARKING SYSTEM INC	NYNEX Telephone
1968	TRI CORNER SVCE CNTR INC	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	TRI CORNER SVCE CNTR INC	New York Telephone
1958	TRI-CORNER SVCE CNTR INC	New York Telephone
1950	ACME PRNTNG MACHY CO	New York Telephone
	ACME PRNTNG MACHY CO	New York Telephone
	GREEK FUR WORKERS UNION LOCAL 70	New York Telephone
	PRINTING MACHY TRUCKING CO	New York Telephone
1947	ACME PRNTNG MACHY CO	New York Telephone
	FUR MFG INDUSTRY HEALTH FUND & RETIREMENT FUND	New York Telephone
	GREEK FUR WORKERS UNION LOCAL 70	New York Telephone
	HEALTH FUND & RETIREMENT FUND OF THE FUR MFG INDUSTRY	New York Telephone
	RETIREMENT FUND & HEALTH FUND OF THE FUR MFG INDUSTRY	New York Telephone
1942	SKAPERDAS &DOUMAS FURS	New York Telephone
	TYPHOON FAN CO	New York Telephone
	TYPHOON AIR CONDITIONING CO	New York Telephone
	CHIPLAKES MICHL FURS	New York Telephone
	ICE AIR CONDITIONING CO	New York Telephone
1938	ICE AIR CONDITIONING CO	New York Telephone
	TYPHOON AIR CONDITIONING CO	New York Telephone
	TYPHOON FAN CO	New York Telephone
1927	DAVISON FUR CO	New York Telephone
	LINDER FURS	New York Telephone
	TENZER BROS INC TINSMITHS & RACKEMEN	New York Telephone
	VICTORY PRINTING CO	New York Telephone

253 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	BLUE ROCK SPORTSWR INC	NYNEX Telephone
	NEWMARK & CO REAL ESTATE INC-	NYNEX Telephone
1993	BLUE ROCK SPORTSWR INC	NYNEX Telephone
	NEWMARK & CO REAL ESTATE INC	NYNEX Telephone
1988	BLUE ROCK SPORTSWR INC	NYNEX Telephone
	NEWMARKS ADVTNG AGENCY INC	NYNEX Telephone
1983	ABC MAILING	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	CARACCIO K	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	FALBER PRNTNG CORP	New York Telephone
	HENRI-MONIQ ENTERPRISES	New York Telephone
	HEWITT HORTENSE B INC GARTRS	New York Telephone
	JEROME CUTTING CORP	New York Telephone
	LABDART PRNTNG CORP	New York Telephone
	LANGNICKEL A INC ARIST BRSHS	New York Telephone
	LEGI JEWELRY MFG CORP RINGS	New York Telephone
	METRO TAG & LABEL CO INC	New York Telephone
	PERFECT IDEAS CO	New York Telephone
	PERFECT SHOULDER CO INC PADS	New York Telephone
	RAPIER PRNTNG & LITHO INC	New York Telephone
	REFORMA SPORTSWEAR	New York Telephone
	SHANNON RODGERS FOUNDATION	New York Telephone
	SHIENTAG AL B	New York Telephone
	SICO PMTNG CO	New York Telephone
	SIMMONS KING INC ARTIST BRSHS	New York Telephone
	SNAP N WEAR PRODS DIV OF JEROME CUTTING CORP	New York Telephone
	SURNAMER S J PRNTNG	New York Telephone
	SURNAMER S J CO INC PRNTNG	New York Telephone
	1978	ABC MAILING
BENEZRA CO		New York Telephone
BLUE ROCK SPORTSWR INC		New York Telephone
BLUE ROCK SPORTSWR INC		New York Telephone
CARACCIO K		New York Telephone
CARLTON CO		New York Telephone
CATHY HARDWICK & FRIENDS LTD-		New York Telephone
FALBER PRNTNG CORP 53 W 6		New York Telephone
HARDWICK CATHY B 3		New York Telephone
HARDWICK CATHY & FRIENDS LTD		New York Telephone
HEWLTT HORTENSE B INC GARTRS		New York Telephone
INTAGLIO EDITIONS CO		New York Telephone
JEROME CUTTING CORP		New York Telephone
KLPNES JACK APPRL		New York Telephone
LABELART PRNTNG CORP		New York Telephone
LOVELY BELLE CO		New York Telephone
LUCIA DRESS CORP		New York Telephone
METRO TAG & LABEL CO INC		New York Telephone
PERFECT IDEAS CO		New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1978	PERFECT SHOULDER COLNC PADS	New York Telephone
	RAINDEER UMBRELLA CO INC	New York Telephone
	RAPIER PRNTNG & LITHO INC	New York Telephone
	REFORMA SPORTSWEAR	New York Telephone
	SHICRTAG AL B	New York Telephone
	SICO PRNTNG CO	New York Telephone
	SNAP `N WEAR PRODS DIV OF JEROME CUTTING CORP	New York Telephone
	SURNAMER S J PRNTNG	New York Telephone
	SURNAMER S J CO INC PRNTNG	New York Telephone
	TAILORED FROCKS INC	New York Telephone
1973	ACCURATE TYPESETTIG INC	New York Telephone
	BATTANI BOUTIQUE RETAIL	New York Telephone
	BELLA JANE FASLINS INC	New York Telephone
	BENEZRA CO	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	CARLTON CO	New York Telephone
	ELLIE JEAN MFG CO INC	New York Telephone
	FASHION CRAFT BELT OF N Y INC	New York Telephone
	HEWITT HORTENSE B INC GARTRS	New York Telephone
	JACKMEYER CORP THE	New York Telephone
	JEROME CUTTING CORP	New York Telephone
	KIP ORIGINALS INC	New York Telephone
	LABELART PRNTNG CORP	New York Telephone
	LUCIA DROSS CORP	New York Telephone
	PERFECT SHOULDER COINC PADS	New York Telephone
	PRESTIGE ACCESSORIES CORP	New York Telephone
	PYRAMID COMPOSITION COLNC	New York Telephone
	R & B MFG CO	New York Telephone
	RAPIER PRNTNG & LITHOGRAPH CO INC	New York Telephone
	RICHARD ROOD INC	New York Telephone
	SNAP N WEAR PRODS DIV OF JEROME CUTTING CORP	New York Telephone
	SURNAMER S J PRNTNG	New York Telephone
	SURNAMIER S J COLNC PRNTNG	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	TAILORED FROCKS INC	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	WINSTON HARLEA CO INC PRNTRS	New York Telephone
	WINSTON PRNTNG CO	New York Telephone
1968	ACCURATE TYPESETTING INC	New York Telephone
	ANN JAMES DRESS COINC	New York Telephone
	BARBIE LYNN DRESS CO INC	New York Telephone
	BATTANI LTD	New York Telephone
	BELLA JANE FASHNS INC	New York Telephone
	BESEZRA CO	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	C & T SPORTSWR INC	New York Telephone
	C & T SPORTSWR INC	New York Telephone
	CARNTON CO	New York Telephone
	ELLIE JEAN MFG CO INC	New York Telephone
	FASHION CRAFT BELT OF NY INC	New York Telephone
	HAMBERGER JOS DRSES	New York Telephone
	HEWITT HORTENSE B INC GARTRS	New York Telephone
	JACKMEYER CORP TNE	New York Telephone
	JEROME CUTNG CORP	New York Telephone
	KAZ NATHL	New York Telephone
	KIP ORIGINALS INC	New York Telephone
	LABEL PROCESSING CORP	New York Telephone
	LABELART PRNTNG CORP	New York Telephone
	MUSI CORP FCTY	New York Telephone
	NELLY DRESS CO	New York Telephone
	OLYMPIC BEVERAGES INC	New York Telephone
	OLYMPIC WINES & LIQUORS	New York Telephone
	PENN BLOUSE CO	New York Telephone
	PERFECT SHOULDER COLNC PADS	New York Telephone
	PRESTIGE ACCESSORIES CORP	New York Telephone
	PYRAMID COMPOSITION CO INC	New York Telephone
	R & B MFG CO	New York Telephone
	SHASO LTD	New York Telephone
	SIMON MURRAY ASSOCS INC JWLRY	New York Telephone
	SNAP N WEAR PRODS DIV OF JEROME CUTNO CORP	New York Telephone
	SURNAMER S J PRNTNG	New York Telephone
	SURNAMER S J CO INE PRNTNG	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1968	TAILORED FROCKS INC	New York Telephone
	VJ PACKAGING CO	New York Telephone
	VATCO FABRIC LABEL CORP	New York Telephone
	WHITEROSE DRESS CO	New York Telephone
	WINSTON PRNTNG CO	New York Telephone
	YANK TOGS INC	New York Telephone
1963	ACCURATE TYPESETTING INC	New York Telephone
	BATTAN LTD	New York Telephone
	BLUE ROCK SPORTSWR INC	New York Telephone
	C & T SPORTSWR INC	New York Telephone
	CONTRESS COLOR STREAK	New York Telephone
	DOROTHY MODES	New York Telephone
	EDITH DESIGNS RBES & DRSES	New York Telephone
	EDYTHE DRESS CO INC	New York Telephone
	EPSTEIN SAML B	New York Telephone
	EXCELLENT BELT & NOVELTY CORP	New York Telephone
	FASHION CRAFT BELT OF NY INC	New York Telephone
	FLOKAS E A FURS	New York Telephone
	G & L PLEATING CO INC	New York Telephone
	HAMBERGER JOS DRSES	New York Telephone
	HEWITT HORTENSE B INC GARTRS	New York Telephone
	IDEAL FROCKS INC	New York Telephone
	JAY-ME PLEATING INC	New York Telephone
	JAY-ME PLEATING INC	New York Telephone
	JAY-ME PLEATING INC	New York Telephone
	KIP ORIGINALS INNC	New York Telephone
	LABEL PROCESSING CORP	New York Telephone
	LABELART PRNTNG CORP	New York Telephone
	LURCH PRESS	New York Telephone
	COAL CO	New York Telephone
	MUSI CORP BUKLS	New York Telephone
	NELLY DRESS CO	New York Telephone
	NELSON MORRIS DRSES	New York Telephone
	OLYMPIC BEVERAGES INC	New York Telephone
	OLYMPIC WINES & LIQUORS	New York Telephone
	PARKER DIESS INC	New York Telephone
	PENNA BLOUSE CO	New York Telephone
	PERFECT SHOULDER CO PADS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	PRESTIGE ACCESSORIES CORP	New York Telephone
	PYRAMID COMPOSITION CO INC	New York Telephone
	R & B MFG CO	New York Telephone
	RALLIS BROS FURS	New York Telephone
	RANCH VETERINARY LABS	New York Telephone
	RANDY PLEATING CORP	New York Telephone
	SANDHAUSE IRVING	New York Telephone
	SCHULDENFREI I & CO FURS	New York Telephone
	SKIRTOWN INC	New York Telephone
	STANDARD PHARMACEUTICAL CO INC	New York Telephone
	STANDARD VLTAMOIN CO	New York Telephone
	SUCCSSORIES INC CAPES	New York Telephone
	SURNAMER S J PRNTNG	New York Telephone
	SURNAMER S J CO INC PRNTNG	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	VATCO FABRIC LABEL CORP	New York Telephone
	WHITEROSE DRESS CO	New York Telephone
	WINSTON PRNTNG CO	New York Telephone
	1958	ACCURATE TYPESETTING INC
BAB ICH MAX COATS		New York Telephone
BELLE SPORTSWR CORN		New York Telephone
BENEZRA MAX ACCTNT		New York Telephone
ROCK SPORTSWR INC		New York Telephone
BOBRY DRESS CO INC		New York Telephone
CELE MFG CO SPORTSNR		New York Telephone
DOROTHY MODES		New York Telephone
DUCHESS NOVELTY CORP		New York Telephone
DUVAL SPORTSWR		New York Telephone
EDYTHE DRESS CO		New York Telephone
EXCELLENT BELT & NOVELTY CORP		New York Telephone
FLOKAS EA FURS		New York Telephone
FLORENCE SPORTSWR INC		New York Telephone
FOUR STAR FROCKS		New York Telephone
FREED COAT HOUSE		New York Telephone
FUTURAMA SPORTSWR INC		New York Telephone
GOLDIN COAT CO		New York Telephone
HELVENA COSTUME CO		New York Telephone
JAY & ESS GARMONT CO INC		New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>	
1958	M & S COAT CO	New York Telephone	
	MADEWELL SPORTSWR CO	New York Telephone	
	MARTIN FROCKS INC	New York Telephone	
	NELLY DRESS CO	New York Telephone	
	NELSON MORRIS DRSES	New York Telephone	
	OLYMPIC WINES & LIQUORS	New York Telephone	
	PARKER DRESS INC	New York Telephone	
	PENNA BLOUSE CO	New York Telephone	
	PHILIP HARRY FUR	New York Telephone	
	PYRAMID COMPOSITION CO INC	New York Telephone	
	R & B MFG CO	New York Telephone	
	RALLIS BROS FURS	New York Telephone	
	RANCH VETERINARY LABS	New York Telephone	
	RIFKIN & BRAUN DRSES	New York Telephone	
	RO-AL DRESS CORP	New York Telephone	
	SAFIR HARRY COATS	New York Telephone	
	SANDHAUSE IRVING	New York Telephone	
	SCHNEIDER W B	New York Telephone	
	SCHULDENFREI I & CO FURS	New York Telephone	
	SEFRI KNITWEAR OF DISTINCTION SHWRM	New York Telephone	
	SIMON FURS	New York Telephone	
	SKIRTOWN INC	New York Telephone	
	STANDARD PHARMACEUTICAL COINC	New York Telephone	
	STANDARD VITAMIN CO	New York Telephone	
	SUPER TOGS INC SKIRTS	New York Telephone	
	SUMER S J PRNITNG	New York Telephone	
	SURNAMER S J CO INC PRNTNG	New York Telephone	
	TAILORED FROCKS INC	New York Telephone	
	TSUCAL THEO B	New York Telephone	
	WIEN JACK DRSES	New York Telephone	
	1956	BELLE SPORTSWR CORP	New York Telephone
		BENZ JOHN J B	New York Telephone
		BLUE ROCK SPORTSWR INC	New York Telephone
BOBRY DRESS CO INC		New York Telephone	
DOROTHY MODES		New York Telephone	
EDYTHE DRESS CO		New York Telephone	
EMBROIDERY CRAFT STUDIOS		New York Telephone	
EXCELLENT BELT & NOVELTY CORP	New York Telephone		

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1956	FEIN ART BUTTON HOLE & EYELET CO	New York Telephone
	FLOKAS EA FUR	New York Telephone
	FLOKAS E A FURS	New York Telephone
	FLORENCE SPORTSWR INC	New York Telephone
	FOUR STAR FROCKS	New York Telephone
	FSEED CCAT HOUSE	New York Telephone
	GOLDEN NEEDLE CORP TOYS	New York Telephone
	GOLDIN COAT CO	New York Telephone
	HALOFF JOS STITCHNG	New York Telephone
	HELVENA COSTUME CO	New York Telephone
	JAY & ESS GARMENT CO INC	New York Telephone
	KIDSKIRTS INC	New York Telephone
	LINDA ANN FASHIONS INC	New York Telephone
	LOUIS SPORTWR	New York Telephone
	M & S COAT CO	New York Telephone
	MACHSON DAVE CTS	New York Telephone
	MARTIN FROCKS INC	New York Telephone
	MASSOW FROCKS CO	New York Telephone
	MELINDA FASHIONS	New York Telephone
	MISS LEE FASHIONS INC	New York Telephone
	MOYSSIADIS JAS FURS	New York Telephone
	NATZIS & CO FURS	New York Telephone
	NATZIS JAS FURS	New York Telephone
	NELLY DRESS CO	New York Telephone
	NELSON MORRIS DRSES	New York Telephone
	OLYMPIC WINES & LIQUORS	New York Telephone
	PARKER DRESS INC	New York Telephone
	PENNA BLOUSE CO	New York Telephone
	PHILIP HARRY FUR	New York Telephone
	R & B MFG CO	New York Telephone
	RAINBOW STITCHING CO	New York Telephone
	RALLIS BROS FURS	New York Telephone
	RIFKIN & BRAUN DRSES	New York Telephone
	RO-AL DRESS CORP	New York Telephone
	SAFIR HARRY COATS	New York Telephone
	SANDHAUSE IRVING	New York Telephone
	SAPERSTEIN J DRSES	New York Telephone
	SCHNEIDER W B	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1956	SCHULDENFREI I & CO FURS	New York Telephone
	SIMON FURS	New York Telephone
	SKIRTOWN INC	New York Telephone
	STANDARD PHARMACEUTICAL CO INC	New York Telephone
	STANDARD VITAMIN CO	New York Telephone
	SUPER TOGS INC SKIRTS	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	TSUCALAS THEO B	New York Telephone
	VASSILION N FURS	New York Telephone
VEE-JAY DRESS CO	New York Telephone	
1950	A & P FURS	New York Telephone
	ALEXANDER & POMERANTZ INC FURS	New York Telephone
	BAKALIS BROS FURS	New York Telephone
	BELLE SPORTSWR CORP	New York Telephone
	BELMAR FUR CO	New York Telephone
	BENZ JOHN J B	New York Telephone
	BERG HARRY B	New York Telephone
	BITIS TOM B	New York Telephone
	BOBRY DRESS CO INC	New York Telephone
	CORONET FURS INC	New York Telephone
	DE SARETZ SAUL JWLRY	New York Telephone
	DOROTHY MODES	New York Telephone
	EDELSTEIN MORRIS DRSES	New York Telephone
	EDYTHE DRESS CO	New York Telephone
	EMBROIDERY CRAFT STUDIO	New York Telephone
	FEIN ART BUTTON HOLE & EYELET CO	New York Telephone
	FINEMORE DRESS INC	New York Telephone
	FLOKAS E A FUR	New York Telephone
	FOUR STAR FROCKS	New York Telephone
	FREED COAT HOUSE	New York Telephone
	GARDEN COATS CO	New York Telephone
	GOLDIN COAT CO	New York Telephone
	HELENA DRESS CO	New York Telephone
	HELVENE COSTUME CO	New York Telephone
	HIRSCHORN & WOLFSON FURS	New York Telephone
	INTEGRITY CLOAK CO	New York Telephone
	JANET DRESS CO	New York Telephone
KIDSKIRTS INC	New York Telephone	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1950	KITTMIR DRESS CO	New York Telephone
	LOUIS SPORTWR	New York Telephone
	MACHSOZN DAVE CTS	New York Telephone
	MADEWELL PLEATING & STICHING CO	New York Telephone
	MADOPOULOS BROS FURS	New York Telephone
	MARTIN FROCKS INC	New York Telephone
	MAYBROOK SPORLSWR CO	New York Telephone
	MOYSSIADIS JAS FURS	New York Telephone
	NATL HANGER CO INC	New York Telephone
	NATZIS & CO FURS	New York Telephone
	NATZIS JAS FURS	New York Telephone
	NELLY DRESS CO	New York Telephone
	NELSON MORRIS DRSES	New York Telephone
	NY SPOOL CO	New York Telephone
	NICOL SERAPHINA DRSES	New York Telephone
	PARKER DRESS INC	New York Telephone
	PENNA BLOUSE GO INC	New York Telephone
	PHLLIP HARRY FUR	New York Telephone
	PRICE S L B	New York Telephone
	R & B MFG CO	New York Telephone
	RALLIS BROS FURS	New York Telephone
	REVEIIA DRESS CO INC	New York Telephone
	RIFKIN & BRAUN DRSES	New York Telephone
	SAFIR HARRY COATS	New York Telephone
	SANDHAUSE SAML B	New York Telephone
	SAPERSTEIN J DRSES	New York Telephone
	SCHULDENFREI L & CO FURS	New York Telephone
	SIMON FURS	New York Telephone
	SOTERAK S IMPT & EXPT	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	TELLER M & CO FURS	New York Telephone
	VASSILION N FURS	New York Telephone
	VE-JAY DRESS CO	New York Telephone
WELT HAROLD L RL EST	New York Telephone	
WELT HAROLD L & CO INS	New York Telephone	
WOLFSON & HLRSCHORN FURS	New York Telephone	
1947	ALEXANDER & POMERANTZ FURS	New York Telephone
	BAKALIS BROS FURS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1947	BELLE SPORTSWR CORP	New York Telephone
	BELMAR FUR CO	New York Telephone
	BENZ JOHN J B	New York Telephone
	BERG HARRY B	New York Telephone
	BITIS TOM B	New York Telephone
	CORONET FUR CO	New York Telephone
	DOROTHY MODES	New York Telephone
	EDELSTEIN MORRIS DRSES	New York Telephone
	EDYTHE DRESS CO	New York Telephone
	EMBROIDERY CRAFT STUDIO	New York Telephone
	FEIN ART BUTTON HOLE & EYELET CO	New York Telephone
	FINEMORE DRESS INC	New York Telephone
	FLOKAS E A FUR	New York Telephone
	FOUR STAR FROCKRS	New York Telephone
	FREED COAT HOUSE	New York Telephone
	GARDEN COATS & SUITS CO	New York Telephone
	GERTINE DRESS CO INC	New York Telephone
	GOLDIN & SAFIR COATS	New York Telephone
	HELENA DRESS CO	New York Telephone
	HELVENA COSTUME CO	New York Telephone
	HIRSCHORN & WOLFSON FURS	New York Telephone
	INTEGRITY CLOAK CO	New York Telephone
	JANET DRESS CO INC	New York Telephone
	KIDSKIRTS INC	New York Telephone
	KITTMIR DRESS CO	New York Telephone
	LANKOFSKY DAVIS FURS	New York Telephone
	LEIBENBERG FUR SHOP	New York Telephone
	LIPTON HENRY H CPA	New York Telephone
	LOUIS SPORTWR	New York Telephone
	MACHSON DAVE CTS	New York Telephone
	MADEWELL PLEATING & STITCHING CO	New York Telephone
	MARTIN FROCKS INC	New York Telephone
	MAYBROOK SPORTSWR CO	New York Telephone
	MOYSIADIS JAS FURS	New York Telephone
	MURWIN TRADING CO TEXTLS	New York Telephone
	NATL HANGER CO INC	New York Telephone
	NATL HANGER CO INC	New York Telephone
	NATZIS & CO FURS	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1947	NATZIS JAS FURS	New York Telephone
	NELLY DRESS CO	New York Telephone
	NELSON MORRIS DRSES	New York Telephone
	NY SPORT CO	New York Telephone
	PANTAGES GEO FURS	New York Telephone
	PARKER DRESS INC	New York Telephone
	PENNA BLOUSE CO INC	New York Telephone
	PHILIP HARRY FUR	New York Telephone
	PRICE S L B	New York Telephone
	R & B MFG CO	New York Telephone
	REVENA DRESS CO INC	New York Telephone
	RIFKIN & BRAUN DRSES	New York Telephone
	SH FUR NOVELTIES	New York Telephone
	SAFIR HARRY COATS	New York Telephone
	SALO FASHION CO	New York Telephone
	SANDHAUSE SAML B	New York Telephone
	SCHULDENFREI I & CO FURS	New York Telephone
	SHAPIRO ISIDORE DRSES	New York Telephone
	SIMON FURS	New York Telephone
	SYLVIA DRESS CO	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	TELLER M & CO FURS	New York Telephone
	VASSILION N & PETRAS FURS	New York Telephone
	VASSILION NICHOLAS N	New York Telephone
	WELT HAROLD L RL EST & INS	New York Telephone
	WOLFSON & HIRSCHORN FURS	New York Telephone
1942	ACKERMAN L CO DRSES	New York Telephone
	APEX FUR MFG CO	New York Telephone
	ARTCRAFT COAT CO INC	New York Telephone
	ATLAS ERASMUS INC	New York Telephone
	BAKALIS BROS FURS	New York Telephone
	BELMAR FUR CO	New York Telephone
	BENZ JOHN J B	New York Telephone
	BERG HARRY B	New York Telephone
	BITIS TOM B	New York Telephone
	BLACK & WOLFSON FURS	New York Telephone
	BRAUNSTEIN & BREGER FURS	New York Telephone
	CORONET FUR CO	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1942	CUSTOM-CRAFT FUR BLENDERS	New York Telephone
	DOROTHY MODES	New York Telephone
	EDYTHE ORESS CO	New York Telephone
	EMBROIDERY CRAFT STUDIO	New York Telephone
	ERASMUS ATLAS INC	New York Telephone
	FEIN ART BUTTON HOLE&EYELET CO	New York Telephone
	FINEMORE DRESS INC	New York Telephone
	FOUR STAR FROCKS	New York Telephone
	FREED COAT HOUSE	New York Telephone
	GARDEN COATS & SUITS CO	New York Telephone
	GAUER HARRY FURS	New York Telephone
	GOLDIN &SAFIR COATS	New York Telephone
	HELENA DRESS CO	New York Telephone
	HELVENA COSTUME CO	New York Telephone
	INTEGRITY CLOAK CO	New York Telephone
	JANET DRESS CO INC	New York Telephone
	KITTMIR DRESS CO	New York Telephone
	KOVAKAS D FURS	New York Telephone
	LECAKES A WINES	New York Telephone
	LEIBENBERG FUR SHOP	New York Telephone
	LEO ROSE DRESS CO	New York Telephone
	LYRIC DANCE FROCKS INC	New York Telephone
	MACHSON DAVE CTS	New York Telephone
	MADEWELL PLEATING & STITCHING CO	New York Telephone
	MARTIN FROCKS INC	New York Telephone
	MAYBROOK SPORTSWR CS WI SCONSR 7-4023	New York Telephone
	MOYSSIADIS JAS FURS	New York Telephone
	NATZIS & CO FURS	New York Telephone
	NATZIS JAS FURS	New York Telephone
	NELLY DRESS CO	New York Telephone
	NELSON MORRIS DRSES	New York Telephone
	NY SPORT CO	New York Telephone
	NUWAY MFG CO	New York Telephone
	PARKER DRESS INC	New York Telephone
	PRICE S L B	New York Telephone
	PRINCESS DANCE FROCKS	New York Telephone
	R &B MFG CO	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1942	RABINOWITZ FUR CO	New York Telephone
	REVENA DRESS CO INC	New York Telephone
	ROSENHECK & RIFEIN DRSES	New York Telephone
	ROYAL FUR CO	New York Telephone
	ROYAL IMPORT CO WINES	New York Telephone
	SAFIR HARRY COATS	New York Telephone
	SANDHAUSE SAML B	New York Telephone
	SCHULDENFREI I & CO FURS	New York Telephone
	SHAPIRO ISIDORE DRSES	New York Telephone
	SOMERSTEIN PHILIP FUR	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	TELLER M & CO FURS	New York Telephone
	VISIONI DRESS CO	New York Telephone
	WOHL HATTIE B	New York Telephone
1938	AS DRESS CO	New York Telephone
	ACKERMAN J & L DRSES	New York Telephone
	ARTCRAFT COAT CO INC	New York Telephone
	BENDER C B	New York Telephone
	BENDER TRIMNG CO	New York Telephone
	BEREZA PRODS LTD COSMTICS	New York Telephone
	BERKSHIRE CLEAK & SUIT CO INC	New York Telephone
	COOPER M EMBRDY	New York Telephone
	DALLEN SOPHIE ARTST	New York Telephone
	DOROTHY MODES	New York Telephone
	DUN-RITE DRESS CO	New York Telephone
	FINEMORE DRESS INC	New York Telephone
	FREED COAT HOUSE	New York Telephone
	GARDEN COATS & SUITS CO	New York Telephone
	GLORIA DRESS CO	New York Telephone
	GOLDIN & SAFIR COATS	New York Telephone
	GOODMAN & KAUFMAN CLKS	New York Telephone
	HELENA DRESS CO	New York Telephone
	HOOK BROWN CO FURS	New York Telephone
	HOOK HAROLD W FURS	New York Telephone
	INTEGRITY CLOAK CO	New York Telephone
	JANET DRESS CO	New York Telephone
	KAY DEL DRESSES INC	New York Telephone
	KITTMIR DRESS CO	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1938	KLEINMAN & WALDMAN DRSES	New York Telephone
	KOENIG JOS DRSES	New York Telephone
	LEBOFF B COATS	New York Telephone
	LECAKES A WINES	New York Telephone
	LEIBENBERG FUR SHOP	New York Telephone
	LEO ROSE DRESS CO	New York Telephone
	MACHSON DAVE CTS	New York Telephone
	MADEWELL PLEATING & STITCHING CO	New York Telephone
	MARTIN FROCKS INC	New York Telephone
	NATZIS & CO FURS	New York Telephone
	NATZIS JAS FURS	New York Telephone
	NELLY DRESS CO	New York Telephone
	NY SPORT CO	New York Telephone
	PAULINE DRESS CO	New York Telephone
	PRINCESS DANCE FROCKS INC	New York Telephone
	R & B MFG CO	New York Telephone
	RABINOWITZ FUR CO	New York Telephone
	REBRO DRESS CO	New York Telephone
	REVENA DRESS CO INC	New York Telephone
	ROSENHECK & RIFKIN DRSES	New York Telephone
	ROTHFELD ISAAC DRSES	New York Telephone
	ROXY BUTTON HOLE & EYELET CO	New York Telephone
	ROYAL IMPORT CO WINES	New York Telephone
	SAFIR HARRY COATS	New York Telephone
	SANDHAUSE SAML B	New York Telephone
	SCHWALBAUM MURRAY DRSES	New York Telephone
	SHAPIRO ISIDORE DRSES	New York Telephone
	TAILORED FROCKS INC	New York Telephone
	TELLER & BIRKEN FURS	New York Telephone
	VISIONI GUIDO DRSES	New York Telephone
	W & L DRESS CO	New York Telephone

254 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1947	BRONSTEIN HYMAN SUPLS	New York Telephone
	ABC SHOULDER PAD & NOVELTY CO	New York Telephone
1942	PERKIOMEN TRANSFER INC	New York Telephone
1938	WESTSIDE FUR SHOP	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1938	PERKIOMEN TRANSFER CO INC	New York Telephone
	EISENKRAFT JOS FURS	New York Telephone
1927	MOSKOWITZ & GOLDSTEIN MFR FURS	New York Telephone
	ROSENKRANZ & WOLFF EMBDRY	New York Telephone
	SELIG GLANTZ & ADLER FUR TRIMINGS	New York Telephone
	HASS BRESSLER & GROSS MFG FURRIERS	New York Telephone

255 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	A E P	NYNEX Telephone
	FRANK & MARCOTULLIO DESIGN ASSOC INC	NYNEX Telephone
	HALSBAND FRANCES ARCT	NYNEX Telephone
	KIMENT R M & FRANCES HALSBAND ARCHTS	NYNEX Telephone
1993	MASTER COPY PRODUCTS INC	NYNEX Telephone
	L D L GROUP INC THE	NYNEX Telephone
	LORCOTT PRODCNTNS INC	NYNEX Telephone
	M J M CREATIVE SERVICES INC	NYNEX Telephone
	MASTER COPY PRODUCTS INC	NYNEX Telephone
	MENDED DREAMS INC	NYNEX Telephone
	MORTON WOLKOWITZ	NYNEX Telephone
	THOMAS LENNON PRODCNTNS	NYNEX Telephone
	FRANK A MARCOTUILLO DESIGN ASSOC INC	NYNEX Telephone
	HALSBAND FRANCES ARCHT	NYNEX Telephone
	KLIMENT R M & FRANCES HALSBAND ARCHTS	NYNEX Telephone
	L D L GROUP INC THE	NYNEX Telephone
1988	ACME ENGINEERING & MFG CORP	NYNEX Telephone
	AIR MONITOR CORP	NYNEX Telephone
	BLAZER	NYNEX Telephone
	ECOLYZER	NYNEX Telephone
	HALSBAND FRANCES ARCHT	NYNEX Telephone
	HARRINGTON PLASTIC INC	NYNEX Telephone
	INDUSTRIAL AIR PRODUCTS	NYNEX Telephone
	JOY MFG	NYNEX Telephone
	KLIMENT R M & FRANCES HALSBAND ARCHTS	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	M J M CREATIVE SERVICES INC	NYNEX Telephone
	MASTER COPY PRODUCTS INC	NYNEX Telephone
	TURNAROUND ADVTNG INC	NYNEX Telephone
	TWIN CITY FAN CO	NYNEX Telephone
1978	CHAKLAI SAM FURS	New York Telephone
	DE LAIRE INC	New York Telephone
1973	DELAIRE INC	New York Telephone
	FOLEY WM G	New York Telephone
	HERLING PRESS	New York Telephone
1968	DELAIRE INC	New York Telephone
	FOLEY WM G B	New York Telephone
	REISMAA COFFEE SHOP	New York Telephone
1963	REISMAA COFFEE SHOP	New York Telephone
	VANITY FAIR BELT & NOVELTY CO INC	New York Telephone
1958	RAY S LUNCHNET	New York Telephone
1956	D & D LUNCHEONETTE	New York Telephone
1950	SMITH ZEL LUNCHEONETTE	New York Telephone
1947	GORMAN J J INCHNET	New York Telephone
1942	GORMAN J J IINCHNET	New York Telephone
1938	SHRACK J LUNCH	New York Telephone

257 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1938	GOODMAN BENJ BIAS BINDG	New York Telephone

261 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1950	SEYMOUR DRESS&BLOUSE CO	New York Telephone
1927	MORGENSTERN G FURS	New York Telephone
	MORGENSTERN & STEIN INC FURS	New York Telephone

262 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	CARROLL JEAN	NYNEX Telephone
	EMERSON JOHN	NYNEX Telephone
	FORMAN DANIEL	NYNEX Telephone
1983	DEVER DANIEL M	New York Telephone
	KUHNE BRET	New York Telephone
	WOLF KEN	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	MENDOZA JUAN	New York Telephone
1968	NEW FALIRON RESTRNT	New York Telephone
	EVERITT SATES CO PRNTNG	New York Telephone
	DWORZAN PAT O	New York Telephone
	DWORZAN ELIZ MRS	New York Telephone
	DACTYLIDIS ANGELO RESTRNT	New York Telephone
1963	D ACUNTO ANGELO RESTRNT	New York Telephone
	MORALES IRMA	New York Telephone
1958	DACTYLIDIS ANGELO RESTRNT	New York Telephone
	BROWN GLORIA	New York Telephone
1956	AFFILIATED ELEC SVCE CO	New York Telephone
	ANT-ROACH POWDR CO	New York Telephone
	ARPCO PRODS & EXTERM CO	New York Telephone
	DACTYLIDIS ANGELO RESTRNT	New York Telephone
	DOLLY CYRIL S	New York Telephone
	MENDEL E EXTRMTR	New York Telephone
1950	ANT-ROACH POWDR CO	New York Telephone
	ARPEO PRODS & EXTERM CO	New York Telephone
	INTERNATL DEALERS INC EXPT & IMPT	New York Telephone
	LETTIES TRAVEL AGENCY	New York Telephone
	MENDEL E EXTRMTR	New York Telephone
	MESSITE MAX CO PRNTNG	New York Telephone
1947	ANT ROACH POWDR CO	New York Telephone
	ARPCO PRODS & EXTERM CO	New York Telephone
	FRIEDMAN E FURIER	New York Telephone
	MENDEL E EXTRMTR	New York Telephone
	MESSITE MAX CO PRNTNG	New York Telephone
	WEXLER S & G & CO FURS	New York Telephone
1942	WORLD S PRESS	New York Telephone
	ANT ROACH POWDR CO	New York Telephone
	ARPCO PRODS & EXTERMINATING CO	New York Telephone
	BRITENALL MFG CO INC METL POLSHS	New York Telephone
	FRIEDMAN E FUR	New York Telephone
	MENDEL EEXTRRNT	New York Telephone
	MESSITE MAX CO PRNTNG	New York Telephone
1938	STUPAR VLADIMIR CARPNTR	New York Telephone
1927	ANT ROACH POWDER CO	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	MENDEL E EXTERMINATOR	New York Telephone
	SCUDI MICHAEL A INS	New York Telephone
	WALZ JACOB F PLMBR	New York Telephone

264 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	EVELLY RUSSELL	NYNEX Telephone
	HERNANDEZ WILBERTO	NYNEX Telephone
	MALONEY ROBERT	NYNEX Telephone
	MORALES DENICE	NYNEX Telephone
	SARTORO N	NYNEX Telephone
1983	BOYLE S	New York Telephone
	DELGAUDIO STE VEN	New York Telephone
	DOMINEY K	New York Telephone
	EVELIY RUSSELL	New York Telephone
	HERNANDEZ WILBERTO	New York Telephone
	VAUGHN TINA M	New York Telephone
1978	APONTE A R	New York Telephone
	FLORES MERINO ANTONIO	New York Telephone
	GARCIA EDGARDO	New York Telephone
1973	TOT VENDING INC	New York Telephone
1968	ANDROS INC	New York Telephone
	TAT VENDING INC	New York Telephone
1963	GLLIS ALLEDA	New York Telephone
	RODRIGUEZ ENVAGELISTA	New York Telephone
1938	AAA ANT ROACH POWDR CO	New York Telephone
	ANT ROACH POWDR CO	New York Telephone
	ANTROACH POWDR CO	New York Telephone
	ARPCO PRODS & EXTERMINATING CO	New York Telephone
	BRETTNER HENRIETTA MRS	New York Telephone
	ESTMEND PROPERTIES INC	New York Telephone
	MENDEL E EXTERMINATOR	New York Telephone
1927	RODRIGUEZ FELIPE TAILOR	New York Telephone

265 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	JACOBSON-RECHT CO INC MFG FURRIERS	New York Telephone

FINDINGS

266 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	TEVIIN KYLE	NYNEX Telephone
	GILLESPIE MICHAEL	NYNEX Telephone
	BELLMAN JERROLD M	NYNEX Telephone
1983	SUAREZ ELIZABETH	New York Telephone
	MORITZ GABRIELE	New York Telephone
1978	ESCALONA M	New York Telephone
1973	HERNANDEZ A	New York Telephone
1968	HARGREAVES C E	New York Telephone
1963	TAT VENDING INC	New York Telephone
1958	ROSARIO CARMEN L	New York Telephone
	FERNANDEZ SALVADOR LUNCHNET	New York Telephone
1956	LIMNOS RESTRNT	New York Telephone
1950	TSIKOURIS HARRY FURS	New York Telephone
	FRANK JOHN G RESTRNT	New York Telephone
1947	ATHENS RESTRNT	New York Telephone
1927	GRIMES EDMUND V RSTRNT	New York Telephone

267 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1963	BROWN ANNA MRS	New York Telephone

268 W 26 ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1956	BELMONTE LUNCHEONETTE	New York Telephone
1950	TSUCALAS THEO B	New York Telephone
	OLYMPIA WLNES & LLQUORS	New York Telephone
	TSUCALAS THEO B	New York Telephone
1947	OLYMPIA WINES & LIQUORS	New York Telephone
	TSUCALAS THEO B	New York Telephone
1927	CRESPIN HYMAN DERSSSES	New York Telephone

W 26TH

250 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Amer Railway Express Co	New York Telephone
	Claim dept	New York Telephone

FINDINGS

251 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Moos Jos M drses	New York Telephone
	Chaikin Jacob furs	New York Telephone
	Bianchetto Stella Miss r	New York Telephone

252 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Linder furs	New York Telephone
	Davison Fur Co	New York Telephone
	Tenzer Bros Inc tinsmiths & rackemen	New York Telephone
	Victory Printing Co	New York Telephone

254 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Rosenkranz & Wolff embdry	New York Telephone
	Moskowitz & Goldstein mfr furs	New York Telephone
	Hass Bressler & Gross mfg furriers	New York Telephone
	Selig Glantz & Adler fur trimings	New York Telephone

261 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Morgenstern G furs	New York Telephone
	Morgenstern & Stein Inc furs	New York Telephone

262 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Walz Jacob F plmbr	New York Telephone
	Scudi Michael A ins	New York Telephone
	Mendel E exterminator	New York Telephone
	Ant Roach Powder Co	New York Telephone

264 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Rodriguez Felipe tailor	New York Telephone

265 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Jacobson Recht Co Inc mfg furriers	New York Telephone

FINDINGS

266 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Grimes Edmund V rstrnt	New York Telephone

268 W 26TH

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Crespin Hyman dersses	New York Telephone

W 26TH ST

250 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Multi Unit Address	Hill-Donnelly Information Services
	Abe Controls Inc o	Hill-Donnelly Information Services
	Able Fire Extinguishers	Hill-Donnelly Information Services
	Arthur Lasky Architects I P o	Hill-Donnelly Information Services
	Bikram Yoga Chelsea	Hill-Donnelly Information Services
	Bikram Yoga Chelsea	Hill-Donnelly Information Services
	Calixto Chinchilla 7 os	Hill-Donnelly Information Services
	Chest Njcu	Hill-Donnelly Information Services
	h Grama Nathan	Hill-Donnelly Information Services
	Gsi Systems lo	Hill-Donnelly Information Services
	Number 200 Holwell Nancy B P o	Hill-Donnelly Information Services
	Midtown Contracting 1 s	Hill-Donnelly Information Services
	Mumbai Inc	Hill-Donnelly Information Services
	Nalip National Assoc Latin	Hill-Donnelly Information Services
	Nutech Construction lo	Hill-Donnelly Information Services
	Novelli James v	Hill-Donnelly Information Services
	P M Systems	Hill-Donnelly Information Services
	P M Systems	Hill-Donnelly Information Services
	Paddles Nyc n Ft	Hill-Donnelly Information Services
	Pandoras Box is	Hill-Donnelly Information Services
	PB Films 2s	Hill-Donnelly Information Services
	Pro Golf USA Inc I R	Hill-Donnelly Information Services
	Number 3 PTV Prime Inc	Hill-Donnelly Information Services
	Number 4114 Razorhead Music I s	Hill-Donnelly Information Services
	Number 2 Silberstang Architects i P o	Hill-Donnelly Information Services
	Silberstang Barry	Hill-Donnelly Information Services
	Total Parking Control is	Hill-Donnelly Information Services
2000	ABLE FR EXTNGSHRS	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	ANTNDS ANDRW ARCHT	Cole Information Services
	ARGUS CONST CORP	Cole Information Services
	ASSCTN HSPNC ARTS	Cole Information Services
	CENTER HEALTH CR	Cole Information Services
	CORE PRDCTNS INC	Cole Information Services
	FREE RANGE ARTS	Cole Information Services
	HOUSE FILMS	Cole Information Services
	LUZ TRD CMMNCTNS	Cole Information Services
	P M SYSTEMS	Cole Information Services
	STEVEN WLL PRDCTNS	Cole Information Services
	TOTAL PARK CONTRL	Cole Information Services
1983	Retirement & Health Funds Of The Fur Mfg Indstry	New York Telephone
	Lubin Geo M CPA	New York Telephone
	Fur Label Authority	New York Telephone
	Fur Mfg Indstry Health & Retirement Funds	New York Telephone
	Health & Retirement Funds Of The Fur Mfg Industry	New York Telephone

251 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	h Hung Benjamin vo	Hill-Donnelly Information Services
	h Figueroa Jeorge oo	Hill-Donnelly Information Services
	h Naughton 3 Michael K s	Hill-Donnelly Information Services
	h Stein Dennis	Hill-Donnelly Information Services
2000	2D FRANK DELCONTE	Cole Information Services
	GEORGE FIGUEROA	Cole Information Services
	MATTHEW FITE	Cole Information Services
	4A DANIEL GARDNER	Cole Information Services
	5D WILLIAM HEDBERG	Cole Information Services
	NOELLE HOLCK	Cole Information Services
	BENJAMIN HUNG	Cole Information Services
	ROBERT JOHNSON	Cole Information Services
	MARIA MARROCCHINO	Cole Information Services
	J M NAUGHTON	Cole Information Services
	JOSEPH SIMKO	Cole Information Services
2B DENNIS STEIN	Cole Information Services	
2A DAN STEVENS	Cole Information Services	
LIGHT SITE	Cole Information Services	

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Sobieski John F Jr	New York Telephone
	Parks M K	New York Telephone
	Oliveri Michael J	New York Telephone
	Blackwood Productions Inc	New York Telephone
	Bobrowski L	New York Telephone
	Clark B	New York Telephone
	Colangelo Michael	New York Telephone
	Durham A	New York Telephone
	Eggleston Allan	New York Telephone
	Esswein Craig	New York Telephone
	Hernandez Raymond	New York Telephone
	Heroux Robert	New York Telephone
	Jones Mack	New York Telephone
	Jones Rusty	New York Telephone
	Majcherski C	New York Telephone
	Morris H	New York Telephone
	Naughton J Michael	New York Telephone

252 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	No Current Listing	Hill-Donnelly Information Services
2000	SQUARE PLS OPG CRP	Cole Information Services

253 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Newmark & Co Real Estate Inc	Hill-Donnelly Information Services
	Blue Rock Sportswear Inc	Hill-Donnelly Information Services
2000	BLUE ROCK SPRTSWR	Cole Information Services
	NEWMARK & CO BLDNGS	Cole Information Services
1983	Surnamer S J Co Inc prntng	New York Telephone
	Surnamer S J prntng	New York Telephone
	Snap N Wear Prods Div Of Jerome Cutting Corp	New York Telephone
	Sico Pmtng Co	New York Telephone
	Shientag Al b	New York Telephone
	Reforma Sportswear	New York Telephone
	Rapier Prntng & Litho Inc	New York Telephone
	Perfect Shoulder Co Inc pads	New York Telephone
	Perfect Ideas Co	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Metro Tag & Label Co Inc	New York Telephone
	Legi Jewelry Mfg Corp rings	New York Telephone
	ABC Mailing	New York Telephone
	Blue Rock Sportswr Inc	New York Telephone
	Caraccio K	New York Telephone
	Falber Prntng Corp	New York Telephone
	Henri Moniq Enterprises	New York Telephone
	Hewitt Hortense B Inc gartrs	New York Telephone
	Jerome Cutting Corp	New York Telephone
	Labdart Prntng Corp	New York Telephone
	Langnickel A Inc arist brshs	New York Telephone

255 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Oakwood Express R	Hill-Donnelly Information Services
	Frank & Marcotullio Design	Hill-Donnelly Information Services
	Halsband Frances I P	Hill-Donnelly Information Services
	Kliment & Halsband 2 p	Hill-Donnelly Information Services
2000	HLSBND FRNCS ARCHT	Cole Information Services
	KLIMENT R M & FRNCS	Cole Information Services
	MASTER CPY PRDCTS	Cole Information Services

262 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Barrett Ron	Hill-Donnelly Information Services
	Bodyworks Center o	Hill-Donnelly Information Services
2000	ESTELLE IRRGTN CRP	Cole Information Services
	ESTELLE IRRGTN CRP	Cole Information Services
	DK IRRIGATION	Cole Information Services
	JAMES D SZCZEPANEK	Cole Information Services
	NATHANIEL SELDON	Cole Information Services
	TONY SALMERI	Cole Information Services
	VICTOR REEVE	Cole Information Services
	TOM BOY	Cole Information Services
1983	Wolf Ken	New York Telephone
	Kuhne Bret	New York Telephone
	Dever Daniel M	New York Telephone

FINDINGS

264 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Schwanz Doris A 05os	Hill-Donnelly Information Services
	Boy Tom o	Hill-Donnelly Information Services
	Estelle Irrigation Corp n	Hill-Donnelly Information Services
	Napalan Tomboy o	Hill-Donnelly Information Services
2000	APARTMENTS	Cole Information Services
	COLT DUPONT	Cole Information Services
	CHANDRA JAYAKODY	Cole Information Services
	N SARTORO	Cole Information Services
	ADAM VETRI	Cole Information Services
	1 STACEY WILLIAMS	Cole Information Services
1983	Boyle S	New York Telephone
	Delgaudio Ste Ven	New York Telephone
	Dominey K	New York Telephone
	Eveliy Russell	New York Telephone
	Hernandez Wilberto	New York Telephone
	Vaughn Tina M	New York Telephone

266 W 26TH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Schwanz Doris A 05os	Hill-Donnelly Information Services
	Schwanz Doris A 05os	Hill-Donnelly Information Services
	Leon Marcos v	Hill-Donnelly Information Services
2000	CARMEN E ALEMAN	Cole Information Services
	PETER CONLON	Cole Information Services
	RAFAEL SCUR	Cole Information Services
	ANGEL A SOJA	Cole Information Services
1983	Suarez Elizabeth	New York Telephone
	Moritz Gabriele	New York Telephone

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

260 West 26th Street

Address Not Identified in Research Source

2000, 1998, 1996, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1923, 1920

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched

250 W 26 ST

Address Not Identified in Research Source

2006, 2000, 1996, 1934, 1931, 1923, 1920

250 W 26TH

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

250 W 26TH ST

1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

251 W 26 ST

2006, 2000, 1996, 1978, 1942, 1938, 1934, 1931, 1923, 1920

251 W 26TH

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

251 W 26TH ST

1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

252 W 26 ST

2006, 2000, 1996, 1983, 1978, 1973, 1956, 1934, 1931, 1923, 1920

252 W 26TH

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

252 W 26TH ST

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

253 W 26 ST

2006, 2000, 1996, 1934, 1931, 1927, 1923, 1920

253 W 26TH ST

1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

254 W 26 ST

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1934, 1931, 1923, 1920

254 W 26TH

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

255 W 26 ST

2006, 2000, 1996, 1983, 1934, 1931, 1927, 1923, 1920

255 W 26TH ST

1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

257 W 26 ST

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1934, 1931, 1927, 1923, 1920

258 W 246 ST

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1927, 1923, 1920

261 W 26 ST

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1947, 1942, 1938, 1934, 1931, 1923, 1920

FINDINGS

Address Researched

261 W 26TH

262 W 26 ST

262 W 26TH

262 W 26TH ST

264 W 26 ST

264 W 26TH

264 W 26TH ST

265 W 26 ST

265 W 26TH

266 W 26 ST

266 W 26TH

266 W 26TH ST

267 W 26 ST

268 W 26 ST

268 W 26TH

Address Not Identified in Research Source

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1978, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1958, 1956, 1950, 1947, 1942, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1942, 1938, 1934, 1931, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

APPENDIX E

Qualifications of Environmental Professionals

QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS (EP's)

Jessica E. Proscia, EP

Ms. Proscia is Project Environmental Scientist with CA RICH Consultants, Inc. Jessica received her Bachelor of Science degree in Health Science for Environmental Health from NY State University at Stony Brook, NY. Her professional Phase I and Phase II ESA experience includes obtaining, coordinating and reviewing historical and regulatory database searches; physical inspection of properties within the tri-state area; collecting air, soil, groundwater, surface water and sediment and materials samples for chemical analyses; and design, preparation/compilation and authoring/co-authoring of draft and final CA RICH ESA reports.

Deborah Shapiro, EP

Ms. Shapiro serves as a Project Manager with CA Rich Consultants, Inc. Deborah received her Bachelor of Arts in Environmental Studies, from The American University, Washington, DC in 1998; and her Master of Science degree in Environmental Science from the same University in 2001. She has over 10 years experience in the environmental field and has performed field investigations and remedial activities at numerous sites in Long Island and New York City (NYC). Ms. Shapiro has assisted in the design and construction of remediation systems and is currently performing operations and maintenance of remediation systems on a regular basis. In addition, Ms. Shapiro conducts Phase I and Phase II Environmental Site Assessments of commercial and industrial properties, as well as other non-industrial properties to facilitate real estate property transfers, loan workouts, and refinances. Ms. Shapiro is also currently working with several developers of 'E' designated and other properties in NYC that need to comply with CEQR on obtaining the "Notice to Proceed" and "Notice of Satisfaction" documents.

APPENDIX C

**Laboratory Analytical Results for Soil and Groundwater Samples
(electronic file)**

Tuesday, March 01, 2011

Jessica Proscia
CA Rich Consultants Inc.
17 Dupont Street
Plainview, NY 11803

TEL: (516) 576-8844

FAX (516) 576-0093

RE: 260 West 26th St., NY, NY

Order No.: 1102168

Dear Jessica Proscia:

American Analytical Laboratories, LLC. received 12 sample(s) on 2/18/2011 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.


The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 140 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director



CLIENT: CA Rich Consultants Inc.
Project: 260 West 26th St., NY, NY
Lab Order: 1102168

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
1102168-01A	SB-1 (0-2ft)	2/17/2011 7:56:00 AM	2/18/2011
1102168-01B	SB-1 (0-2ft)	2/17/2011 7:56:00 AM	2/18/2011
1102168-02A	SB-1 (10-12ft)	2/17/2011 8:00:00 AM	2/18/2011
1102168-02B	SB-1 (10-12ft)	2/17/2011 8:00:00 AM	2/18/2011
1102168-03A	SB-2 (0-2ft)	2/17/2011 8:17:00 AM	2/18/2011
1102168-03B	SB-2 (0-2ft)	2/17/2011 8:17:00 AM	2/18/2011
1102168-04A	SB-2 (6-8ft)	2/17/2011 8:30:00 AM	2/18/2011
1102168-04B	SB-2 (6-8ft)	2/17/2011 8:30:00 AM	2/18/2011
1102168-05A	SB-3 (0-2ft)	2/17/2011 8:40:00 AM	2/18/2011
1102168-05B	SB-3 (0-2ft)	2/17/2011 8:40:00 AM	2/18/2011
1102168-06A	SB-3 (6-8ft)	2/17/2011 8:44:00 AM	2/18/2011
1102168-06B	SB-3 (6-8ft)	2/17/2011 8:44:00 AM	2/18/2011
1102168-07A	SB-4 (0-2ft)	2/17/2011 9:30:00 AM	2/18/2011
1102168-07B	SB-4 (0-2ft)	2/17/2011 9:30:00 AM	2/18/2011
1102168-08A	SB-4 (16-18ft)	2/17/2011 10:00:00 AM	2/18/2011
1102168-08B	SB-4 (16-18ft)	2/17/2011 10:00:00 AM	2/18/2011
1102168-09A	SB-5 (0-2ft)	2/17/2011 10:30:00 AM	2/18/2011
1102168-09B	SB-5 (0-2ft)	2/17/2011 10:30:00 AM	2/18/2011
1102168-10A	SB-5 (12-14ft)	2/17/2011 10:40:00 AM	2/18/2011
1102168-10B	SB-5 (12-14ft)	2/17/2011 10:40:00 AM	2/18/2011
1102168-11A	SB-6 (0-2ft)	2/17/2011 11:00:00 AM	2/18/2011
1102168-11B	SB-6 (0-2ft)	2/17/2011 11:00:00 AM	2/18/2011
1102168-12A	SB-6 (12-14ft)	2/17/2011 11:25:00 AM	2/18/2011
1102168-12B	SB-6 (12-14ft)	2/17/2011 11:25:00 AM	2/18/2011



CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

CLIENT NAME/ADDRESS: **Car Rio Consultants, Inc**
15 Dupont Street
Plainville, NY 14033

CONTACT: **Jessica Poscia**

PROJECT LOCATION: **200 West 26th Street**
NY, NY

LABORATORY ID# LAB USE ONLY	MATRIX/ TYPE	NO. OF CONTAINERS	SAMPLING DATE	SAMPLING TIME	SAMPLE # - LOCATION	ANALYSIS REQUIRED	SAMPLER (SIGNATURE)	SAMPLER NAME (PRINT)	SAMPLE(S) SEALED	YES / NO
1102168-01AB	S	2	2/17/11	7:56am	SB-1 (0-2ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-02AB	S	2	2/17/11	8:00am	SB-1 (10-12ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-03AB	S	2	2/17/11	8:12am	SB-2 (0-2ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-04AB	S	2	2/17/11	8:30am	SB-2 (6-8ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-05AB	S	2	2/17/12	8:40am	SB-3 (0-2ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-06AB	S	2	2/17/11	8:44am	SB-3 (6-8ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-07AB	S	2	2/17/11	9:30am	SB-4 (0-2ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-08AB	S	2	2/17/11	10:00am	SB-4 (16-18ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-09AB	S	2	2/17/11	11:00am	SB-5 (0-2ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-10AB	S	2	2/17/11	10:12am	SB-5 (12-14ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-11AB	S	2	2/12/11	11:00am	SB-6 (0-2ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES
-12AB	S	2	2/12/11	11:25am	SB-6 (11-14ft)	X	Jessica Poscia	Jessica Poscia	(circled)	YES

Comments / Instructions: **Samples must be on ICE (<6° C)**

MATRIX S=SOIL; W=WATER; SL=SLUDGE; A=AIR; M=MISCELLANEOUS
 TYPE G=GRAB; C=COMPOSITE

TURNAROUND REQUIRED: STANDARD STAT BY / /

E-MAIL ADDRESS FOR RESULTS: **JPoscia@CarRio.com**

RELIQUISHED BY (SIGNATURE): *[Signature]* DATE: **2-18-11** TIME: **3:04** PRINTED NAME: **Jessica Poscia**

RELIQUISHED BY (SIGNATURE): *[Signature]* DATE: **2-18-11** TIME: **3:40** PRINTED NAME: **Jessica Poscia**

RECEIVED BY LAB (SIGNATURE): *[Signature]* DATE: **2/18/11** TIME: **1:54** PRINTED NAME: **CDLynn**

RECEIVED BY LAB (SIGNATURE): *[Signature]* DATE: **2/18/11** TIME: **1:54** PRINTED NAME: **CDLynn**

WHITE-OFFICE / CANARY-LAB / PINK-SAMPLE CUSTODIAN / GOLDENROD-CLIENT

American Analytical Laboratories, LLC.

Sample Receipt Checklist

Client Name CA RICH

Date and Time Receive 2/18/2011 3:51:38 PM

Work Order Numbe 1102168

RcptNo: 1

Received by CD

COC_ID:

CoolerID:

Checklist completed by

[Signature]
Signature

2/18/11
Date

Reviewed by

[Signature]
Initials

2/18/11
Date

Matrix:

Carrier name AAL

- Shipping container/cooler in good condition? Yes No Not Presen
- Custody seals intact on shipping container/cooler? Yes No Not Presen
- Custody seals intact on sample bottles? Yes No Not Presen
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No
- Water - VOA vials have zero headspace? Yes No VOA vials submitted Yes No
- Water - pH acceptable upon receipt? Yes No N/A

Adjusted? _____ Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments: Cooler with ice @ 4.4C

Corrective Action _____

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-01A

Client Sample ID: SB-1 (0-2ft)
 Collection Date: 2/17/2011 7:56:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1,1-Trichloroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1,2,2-Tetrachloroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1,2-Trichloroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1-Dichloroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1-Dichloroethene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,1-Dichloropropene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2,3-Trichlorobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2,3-Trichloropropane	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2,4,5-Tetramethylbenzene	0.53	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2,4-Trichlorobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2,4-Trimethylbenzene	0.56	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2-Dibromo-3-chloropropane	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2-Dibromoethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2-Dichlorobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2-Dichloroethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,2-Dichloropropane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,3,5-Trimethylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,3-Dichlorobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,3-dichloropropane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,4-Dichlorobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
1,4-Dioxane	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
2,2-Dichloropropane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
2-Butanone	U	0.83	5.6	C	µg/Kg-dry	1	2/21/2011 1:15:00 PM
2-Chloroethyl vinyl ether	U	0.44	5.6	C	µg/Kg-dry	1	2/21/2011 1:15:00 PM
2-Chlorotoluene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
2-Hexanone	U	0.83	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
2-Propanol	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
4-Chlorotoluene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
4-Isopropyltoluene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
4-Methyl-2-pentanone	U	0.83	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Acetone	U	0.83	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-01A

Client Sample ID: SB-1 (0-2ft)
 Collection Date: 2/17/2011 7:56:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Acrolein	U	1.7	28		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Acrylonitrile	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Benzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Bromobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Bromochloromethane	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Bromodichloromethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Bromoform	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Bromomethane	U	0.33	5.6	C	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Carbon disulfide	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Carbon tetrachloride	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Chlorobenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Chlorodifluoromethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Chloroethane	U	0.33	5.6	C	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Chloroform	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Chloromethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
cis-1,2-Dichloroethene	1.4	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
cis-1,3-Dichloropropene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Dibromochloromethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Dibromomethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Dichlorodifluoromethane	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Diisopropyl ether	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Ethanol	U	1.7	28		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Ethyl acetate	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Ethylbenzene	0.46	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Freon-114	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Hexachlorobutadiene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Isopropyl acetate	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Isopropylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
m,p-Xylene	1.7	0.67	11	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Methyl Acetate	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Methyl tert-butyl ether	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Methylene chloride	9.1	0.33	5.6	BC	µg/Kg-dry	1	2/21/2011 1:15:00 PM
n-Amyl acetate	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-01A

Client Sample ID: SB-1 (0-2ft)
 Collection Date: 2/17/2011 7:56:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	1.4	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
n-Butyl acetate	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
n-Butylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
n-Propyl acetate	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
n-Propylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
o-Xylene	0.93	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
p-Diethylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
p-Ethyltoluene	0.51	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
sec-Butylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Styrene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
t-Butyl alcohol	U	1.7	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
tert-Butylbenzene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Tetrachloroethene	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Toluene	1.3	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
trans-1,2-Dichloroethene	U	0.44	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
trans-1,3-Dichloropropene	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Trichloroethene	1.8	0.33	5.6	J	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Trichlorofluoromethane	U	0.33	5.6	C	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Vinyl acetate	U	0.44	5.6	C	µg/Kg-dry	1	2/21/2011 1:15:00 PM
Vinyl chloride	U	0.33	5.6		µg/Kg-dry	1	2/21/2011 1:15:00 PM
Surr: 4-Bromofluorobenzene	89.5	0	64-132		%REC	1	2/21/2011 1:15:00 PM
Surr: Dibromofluoromethane	107	0	66-131		%REC	1	2/21/2011 1:15:00 PM
Surr: Toluene-d8	92.0	0	54-132		%REC	1	2/21/2011 1:15:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-01B

Client Sample ID: SB-1 (0-2ft)
 Collection Date: 2/17/2011 7:56:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	0.910	0.03	0.0508		mg/Kg-dry	5	2/23/2011 11:22:45 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
Aroclor 1016	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1221	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1232	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1242	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1248	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1254	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1260	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1262	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Aroclor 1268	U	7.45	89		µg/Kg-dry	1	2/25/2011 11:31:00 AM
Surr: TCX	86.0	0	16-148		%REC	1	2/25/2011 11:31:00 AM
Surr: DCB	108	0	15-174		%REC	1	2/25/2011 11:31:00 AM
PESTICIDES SW-846 METHOD 8081							
4,4'-DDD	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
4,4'-DDE	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
4,4'-DDT	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Aldrin	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
alpha-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
beta-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Chlordane	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Chlorobenzilate	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
DBCP	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
delta-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Dieldrin	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Endosulfan I	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Endosulfan II	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Endosulfan sulfate	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Endrin	U	0.74	2.2	C	µg/Kg-dry	1	2/24/2011 5:46:00 PM
Endrin aldehyde	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Endrin ketone	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
gamma-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-1 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 7:56:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-01B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Heptachlor epoxide	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Hexachlorobenzene	0.99	0.74	2.2	J	µg/Kg-dry	1	2/24/2011 5:46:00 PM
Hexachlorocyclopentadiene	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Methoxychlor	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Toxaphene	U	3.71	44		µg/Kg-dry	1	2/24/2011 5:46:00 PM
Surr: DCB	93.7	0	28-147		%REC	1	2/24/2011 5:46:00 PM
Surr: TCX	95.4	0	20-138		%REC	1	2/24/2011 5:46:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	12.2	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	5600	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Antimony	0.293	0.23	0.563	J	mg/Kg-dry	1	2/22/2011 10:49:09 AM
Arsenic	4.03	0.23	0.563		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Barium	114	0.23	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Beryllium	U	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Cadmium	0.990	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Calcium	1220	0.23	0.563		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Chromium	12.2	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Cobalt	0.495	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Copper	88.9	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Iron	11800	2.25	4.50		mg/Kg-dry	10	2/22/2011 11:43:48 AM
Lead	387	0.23	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Magnesium	1960	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Manganese	237	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Nickel	11.5	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Potassium	1040	0.23	0.563		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Selenium	0.518	0.23	0.563	J	mg/Kg-dry	1	2/22/2011 10:49:09 AM
Silver	0.225	0.11	0.450	J	mg/Kg-dry	1	2/22/2011 10:49:09 AM
Sodium	142	0.23	0.563		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Thallium	2.41	0.34	0.563		mg/Kg-dry	1	2/22/2011 10:49:09 AM
Vanadium	17.4	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-1 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 7:56:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	289	0.11	0.450		mg/Kg-dry	1	2/22/2011 10:49:09 AM
SEMIVOLATILE SW-846 METHOD 8270							
1,2,4-Trichlorobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
1,2-Dichlorobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
1,3-Dichlorobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
1,4-Dichlorobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,4,5-Trichlorophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,4,6-Trichlorophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,4-Dichlorophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,4-Dimethylphenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,4-Dinitrophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,4-Dinitrotoluene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2,6-Dinitrotoluene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2-Chloronaphthalene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2-Chlorophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2-Methylnaphthalene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2-Methylphenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2-Nitroaniline	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
2-Nitrophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
3,3'-Dichlorobenzidine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
3+4-Methylphenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
3-Nitroaniline	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4,6-Dinitro-2-methylphenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4-Bromophenyl phenyl ether	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4-Chloro-3-methylphenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4-Chloroaniline	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4-Chlorophenyl phenyl ether	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4-Nitroaniline	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
4-Nitrophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Acenaphthene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Acenaphthylene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Acetophenone	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-1 (0-2ft)

Lab Order: 1102168

Collection Date: 2/17/2011 7:56:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Anthracene	160	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Atrazine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Azobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzaldehyde	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzdine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzo(a)anthracene	81	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzo(a)pyrene	69	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzo(b)fluoranthene	66	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzo(g,h,i)perylene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzo(k)fluoranthene	140	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzoic acid	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Benzyl alcohol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Biphenyl	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Bis(2-chloroethoxy)methane	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Bis(2-chloroethyl)ether	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Bis(2-chloroisopropyl)ether	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Bis(2-ethylhexyl)phthalate	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Butyl benzyl phthalate	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Caprolactam	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Carbazole	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Chrysene	85	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Dibenzo(a,h)anthracene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Dibenzofuran	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Diethyl phthalate	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Dimethyl phthalate	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Di-n-butyl phthalate	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Di-n-octyl phthalate	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Fluoranthene	160	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Fluorene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Hexachlorobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Hexachlorobutadiene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Hexachlorocyclopentadiene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-1 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 7:56:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-01B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Indeno(1,2,3-c,d)pyrene	29	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Isophorone	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Naphthalene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Nitrobenzene	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
N-Nitrosodimethylamine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
N-Nitrosodi-n-propylamine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
N-Nitrosodiphenylamine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Parathion	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Pentachlorophenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Phenanthrene	160	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Phenol	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Pyrene	210	28.4	280	J	µg/Kg-dry	1	2/24/2011 5:07:00 AM
Pyridine	U	28.4	280		µg/Kg-dry	1	2/24/2011 5:07:00 AM
Surr: 2,4,6-Tribromophenol	58.1	0	23-121		%REC	1	2/24/2011 5:07:00 AM
Surr: 2-Fluorobiphenyl	64.3	0	23-120		%REC	1	2/24/2011 5:07:00 AM
Surr: 2-Fluorophenol	32.0	0	12-111		%REC	1	2/24/2011 5:07:00 AM
Surr: 4-Terphenyl-d14	98.4	0	23-128		%REC	1	2/24/2011 5:07:00 AM
Surr: Nitrobenzene-d5	70.6	0	18-116		%REC	1	2/24/2011 5:07:00 AM
Surr: Phenol-d6	37.7	0	11-112		%REC	1	2/24/2011 5:07:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-02A

Client Sample ID: SB-1 (10-12ft)
 Collection Date: 2/17/2011 8:00:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1,1-Trichloroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1,2,2-Tetrachloroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1,2-Trichloroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1-Dichloroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1-Dichloroethene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,1-Dichloropropene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2,3-Trichlorobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2,3-Trichloropropane	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2,4,5-Tetramethylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2,4-Trichlorobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2,4-Trimethylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2-Dibromo-3-chloropropane	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2-Dibromoethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2-Dichlorobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2-Dichloroethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,2-Dichloropropane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,3,5-Trimethylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,3-Dichlorobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,3-dichloropropane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,4-Dichlorobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
1,4-Dioxane	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
2,2-Dichloropropane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
2-Butanone	U	0.81	5.4	C	µg/Kg-dry	1	2/21/2011 1:46:00 PM
2-Chloroethyl vinyl ether	U	0.43	5.4	C	µg/Kg-dry	1	2/21/2011 1:46:00 PM
2-Chlorotoluene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
2-Hexanone	U	0.81	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
2-Propanol	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
4-Chlorotoluene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
4-Isopropyltoluene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
4-Methyl-2-pentanone	U	0.81	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Acetone	U	0.81	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
Lab Order: 1102168
Project: 260 West 26th St., NY, NY
Lab ID: 1102168-02A

Client Sample ID: SB-1 (10-12ft)
Collection Date: 2/17/2011 8:00:00 AM
Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Acrolein	U	1.6	27		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Acrylonitrile	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Benzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Bromobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Bromochloromethane	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Bromodichloromethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Bromoform	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Bromomethane	U	0.33	5.4	C	µg/Kg-dry	1	2/21/2011 1:46:00 PM
Carbon disulfide	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Carbon tetrachloride	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Chlorobenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Chlorodifluoromethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Chloroethane	U	0.33	5.4	C	µg/Kg-dry	1	2/21/2011 1:46:00 PM
Chloroform	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Chloromethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
cis-1,2-Dichloroethene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
cis-1,3-Dichloropropene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Dibromochloromethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Dibromomethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Dichlorodifluoromethane	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Diisopropyl ether	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Ethanol	U	1.6	27		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Ethyl acetate	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Ethylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Freon-114	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Hexachlorobutadiene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Isopropyl acetate	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Isopropylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
m,p-Xylene	U	0.65	11		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Methyl Acetate	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Methyl tert-butyl ether	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Methylene chloride	5.7	0.33	5.4	BC	µg/Kg-dry	1	2/21/2011 1:46:00 PM
n-Amyl acetate	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-1 (10-12ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-02A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
n-Butyl acetate	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
n-Butylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
n-Propyl acetate	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
n-Propylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
o-Xylene	0.34	0.33	5.4	J	µg/Kg-dry	1	2/21/2011 1:46:00 PM
p-Diethylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
p-Ethyltoluene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
sec-Butylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Styrene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
t-Butyl alcohol	U	1.6	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
tert-Butylbenzene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Tetrachloroethene	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Toluene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
trans-1,2-Dichloroethene	U	0.43	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
trans-1,3-Dichloropropene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Trichloroethene	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Trichlorofluoromethane	U	0.33	5.4	C	µg/Kg-dry	1	2/21/2011 1:46:00 PM
Vinyl acetate	U	0.43	5.4	C	µg/Kg-dry	1	2/21/2011 1:46:00 PM
Vinyl chloride	U	0.33	5.4		µg/Kg-dry	1	2/21/2011 1:46:00 PM
Surr: 4-Bromofluorobenzene	90.7	0	64-132		%REC	1	2/21/2011 1:46:00 PM
Surr: Dibromofluoromethane	102	0	66-131		%REC	1	2/21/2011 1:46:00 PM
Surr: Toluene-d8	87.7	0	54-132		%REC	1	2/21/2011 1:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-1 (10-12ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-02B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
			SW7471B		SW7471B		Analyst: AH
Mercury	U	0.005	0.0108		mg/Kg-dry	1	2/23/2011 10:11:41 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
			SW8082A		SW3550		Analyst: SB
Aroclor 1016	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1221	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1232	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1242	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1248	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1254	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1260	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1262	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Aroclor 1268	U	6.72	80		µg/Kg-dry	1	2/25/2011 11:54:00 AM
Surr: TCX	72.6	0	16-148		%REC	1	2/25/2011 11:54:00 AM
Surr: DCB	100	0	15-174		%REC	1	2/25/2011 11:54:00 AM
PESTICIDES SW-846 METHOD 8081							
			SW8081B		SW3550		Analyst: SB
4,4'-DDD	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
4,4'-DDE	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
4,4'-DDT	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Aldrin	U	0.67	2.0	P	µg/Kg-dry	1	2/24/2011 6:00:00 PM
alpha-BHC	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
beta-BHC	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Chlordane	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Chlorobenzilate	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
DBCP	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
delta-BHC	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Dieldrin	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Endosulfan I	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Endosulfan II	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Endosulfan sulfate	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Endrin	U	0.67	2.0	C	µg/Kg-dry	1	2/24/2011 6:00:00 PM
Endrin aldehyde	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Endrin ketone	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
gamma-BHC	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-1 (10-12ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-02B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Heptachlor epoxide	0.78	0.67	2.0	J	µg/Kg-dry	1	2/24/2011 6:00:00 PM
Hexachlorobenzene	0.83	0.67	2.0	JP	µg/Kg-dry	1	2/24/2011 6:00:00 PM
Hexachlorocyclopentadiene	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Methoxychlor	U	0.67	2.0		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Toxaphene	U	3.35	40		µg/Kg-dry	1	2/24/2011 6:00:00 PM
Surr: DCB	91.4	0	28-147		%REC	1	2/24/2011 6:00:00 PM
Surr: TCX	82.7	0	20-138		%REC	1	2/24/2011 6:00:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	9.12	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	3890	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Antimony	U	0.22	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Arsenic	0.953	0.22	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Barium	55.4	0.22	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Beryllium	U	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Cadmium	U	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Calcium	3450	0.22	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Chromium	14.9	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Cobalt	U	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Copper	10.7	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Iron	10000	2.17	4.33		mg/Kg-dry	10	2/22/2011 11:45:52 AM
Lead	6.41	0.22	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Magnesium	2940	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Manganese	230	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Nickel	21.7	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Potassium	2050	0.22	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Selenium	U	0.22	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Silver	U	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Sodium	121	0.22	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Thallium	4.35	0.32	0.542		mg/Kg-dry	1	2/22/2011 10:51:12 AM
Vanadium	18.0	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-1 (10-12ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-02B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	21.6	0.11	0.433		mg/Kg-dry	1	2/22/2011 10:51:12 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
1,2-Dichlorobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
1,3-Dichlorobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
1,4-Dichlorobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,4,5-Trichlorophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,4,6-Trichlorophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,4-Dichlorophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,4-Dimethylphenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,4-Dinitrophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,4-Dinitrotoluene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2,6-Dinitrotoluene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2-Chloronaphthalene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2-Chlorophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2-Methylnaphthalene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2-Methylphenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2-Nitroaniline	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
2-Nitrophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
3,3'-Dichlorobenzidine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
3+4-Methylphenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
3-Nitroaniline	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4,6-Dinitro-2-methylphenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4-Bromophenyl phenyl ether	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4-Chloro-3-methylphenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4-Chloroaniline	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4-Chlorophenyl phenyl ether	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4-Nitroaniline	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
4-Nitrophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Acenaphthene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Acenaphthylene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Acetophenone	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-1 (10-12ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-02B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Anthracene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Atrazine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Azobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzaldehyde	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzidine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzo(a)anthracene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzo(a)pyrene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzo(b)fluoranthene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzo(g,h,i)perylene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzo(k)fluoranthene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzoic acid	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Benzyl alcohol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Biphenyl	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Bis(2-chloroethoxy)methane	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Bis(2-chloroethyl)ether	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Bis(2-chloroisopropyl)ether	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Bis(2-ethylhexyl)phthalate	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Butyl benzyl phthalate	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Caprolactam	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Carbazole	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Chrysene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Dibenzo(a,h)anthracene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Dibenzofuran	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Diethyl phthalate	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Dimethyl phthalate	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Di-n-butyl phthalate	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Di-n-octyl phthalate	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Fluoranthene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Fluorene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Hexachlorobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Hexachlorobutadiene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Hexachlorocyclopentadiene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-1 (10-12ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-02B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D	SW3550C	Analyst: LDS		
Hexachloroethane	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Indeno(1,2,3-c,d)pyrene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Isophorone	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Naphthalene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Nitrobenzene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
N-Nitrosodimethylamine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
N-Nitrosodi-n-propylamine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
N-Nitrosodiphenylamine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Parathion	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Pentachlorophenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Phenanthrene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Phenol	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Pyrene	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Pyridine	U	27.4	270		µg/Kg-dry	1	2/24/2011 5:32:00 AM
Surr: 2,4,6-Tribromophenol	61.5	0	23-121		%REC	1	2/24/2011 5:32:00 AM
Surr: 2-Fluorobiphenyl	78.9	0	23-120		%REC	1	2/24/2011 5:32:00 AM
Surr: 2-Fluorophenol	34.8	0	12-111		%REC	1	2/24/2011 5:32:00 AM
Surr: 4-Terphenyl-d14	107	0	23-128		%REC	1	2/24/2011 5:32:00 AM
Surr: Nitrobenzene-d5	60.3	0	18-116		%REC	1	2/24/2011 5:32:00 AM
Surr: Phenol-d6	36.6	0	11-112		%REC	1	2/24/2011 5:32:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-2 (0-2ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:17:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1,1-Trichloroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1,2,2-Tetrachloroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1,2-Trichloroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1-Dichloroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1-Dichloroethene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,1-Dichloropropene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2,3-Trichlorobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2,3-Trichloropropane	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2,4,5-Tetramethylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2,4-Trichlorobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2,4-Trimethylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2-Dibromo-3-chloropropane	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2-Dibromoethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2-Dichlorobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2-Dichloroethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,2-Dichloropropane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,3,5-Trimethylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,3-Dichlorobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,3-dichloropropane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,4-Dichlorobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
1,4-Dioxane	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
2,2-Dichloropropane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
2-Butanone	U	0.9	6.0	C	µg/Kg-dry	1	2/21/2011 2:18:00 PM
2-Chloroethyl vinyl ether	U	0.48	6.0	C	µg/Kg-dry	1	2/21/2011 2:18:00 PM
2-Chlorotoluene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
2-Hexanone	U	0.9	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
2-Propanol	U	0.48	60		µg/Kg-dry	1	2/21/2011 2:18:00 PM
4-Chlorotoluene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
4-isopropyltoluene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
4-Methyl-2-pentanone	U	0.9	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Acetone	U	0.9	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-2 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 8:17:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-03A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Acrolein	U	1.8	30		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Acrylonitrile	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Benzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Bromobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Bromochloromethane	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Bromodichloromethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Bromoform	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Bromomethane	U	0.36	6.0	C	µg/Kg-dry	1	2/21/2011 2:18:00 PM
Carbon disulfide	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Carbon tetrachloride	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Chlorobenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Chlorodifluoromethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Chloroethane	U	0.36	6.0	C	µg/Kg-dry	1	2/21/2011 2:18:00 PM
Chloroform	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Chloromethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
cis-1,2-Dichloroethene	0.89	0.36	6.0	J	µg/Kg-dry	1	2/21/2011 2:18:00 PM
cis-1,3-Dichloropropene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Dibromochloromethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Dibromomethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Dichlorodifluoromethane	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Diisopropyl ether	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Ethanol	U	1.8	30		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Ethyl acetate	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Ethylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Freon-114	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Hexachlorobutadiene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Isopropyl acetate	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Isopropylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
m,p-Xylene	1.1	0.72	12	J	µg/Kg-dry	1	2/21/2011 2:18:00 PM
Methyl Acetate	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Methyl tert-butyl ether	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Methylene chloride	7.7	0.36	6.0	BC	µg/Kg-dry	1	2/21/2011 2:18:00 PM
n-Amyl acetate	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-2 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:17:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-03A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Naphthalene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
n-Butyl acetate	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
n-Butylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
n-Propyl acetate	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
n-Propylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
o-Xylene	0.59	0.36	6.0	J	µg/Kg-dry	1	2/21/2011 2:18:00 PM
p-Diethylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
p-Ethyltoluene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
sec-Butylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Styrene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
t-Butyl alcohol	U	1.8	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
tert-Butylbenzene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Tetrachloroethene	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Toluene	0.84	0.36	6.0	J	µg/Kg-dry	1	2/21/2011 2:18:00 PM
trans-1,2-Dichloroethene	U	0.48	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
trans-1,3-Dichloropropene	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Trichloroethene	1.3	0.36	6.0	J	µg/Kg-dry	1	2/21/2011 2:18:00 PM
Trichlorofluoromethane	U	0.36	6.0	C	µg/Kg-dry	1	2/21/2011 2:18:00 PM
Vinyl acetate	U	0.48	6.0	C	µg/Kg-dry	1	2/21/2011 2:18:00 PM
Vinyl chloride	U	0.36	6.0		µg/Kg-dry	1	2/21/2011 2:18:00 PM
Surr: 4-Bromofluorobenzene	86.1	0	64-132		%REC	1	2/21/2011 2:18:00 PM
Surr: Dibromofluoromethane	99.3	0	66-131		%REC	1	2/21/2011 2:18:00 PM
Surr: Toluene-d8	87.5	0	54-132		%REC	1	2/21/2011 2:18:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-2 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:17:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-03B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	0.524	0.006	0.0114		mg/Kg-dry	1	2/23/2011 10:13:48 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
Aroclor 1016	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1221	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1232	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1242	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1248	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1254	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1260	20	7.25	87	J	µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1262	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Aroclor 1268	U	7.25	87		µg/Kg-dry	1	2/25/2011 12:18:00 PM
Surr: TCX	78.8	0	16-148		%REC	1	2/25/2011 12:18:00 PM
Surr: DCB	95.9	0	15-174		%REC	1	2/25/2011 12:18:00 PM
PESTICIDES SW-846 METHOD 8081							
4,4'-DDD	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
4,4'-DDE	3.5	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
4,4'-DDT	15	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Aldrin	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
alpha-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
beta-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Chlordane	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Chlorobenzilate	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
DBCP	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
delta-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Dieldrin	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Endosulfan I	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Endosulfan II	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Endosulfan sulfate	2.5	0.72	2.2	P	µg/Kg-dry	1	2/24/2011 6:14:00 PM
Endrin	U	0.72	2.2	C	µg/Kg-dry	1	2/24/2011 6:14:00 PM
Endrin aldehyde	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Endrin ketone	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
gamma-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-2 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:17:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-03B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Heptachlor epoxide	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Hexachlorobenzene	0.81	0.72	2.2	JP	µg/Kg-dry	1	2/24/2011 6:14:00 PM
Hexachlorocyclopentadiene	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Methoxychlor	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Toxaphene	U	3.61	43		µg/Kg-dry	1	2/24/2011 6:14:00 PM
Surr: DCB	86.8	0	28-147		%REC	1	2/24/2011 6:14:00 PM
Surr: TCX	90.9	0	20-138		%REC	1	2/24/2011 6:14:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	15.8	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	3910	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Antimony	U	0.23	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Arsenic	17.7	0.23	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Barium	109	0.23	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Beryllium	U	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Cadmium	0.277	0.12	0.462	J	mg/Kg-dry	1	2/22/2011 10:53:15 AM
Calcium	27300	0.23	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Chromium	10.5	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Cobalt	0.116	0.12	0.462	J	mg/Kg-dry	1	2/22/2011 10:53:15 AM
Copper	26.2	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Iron	9710	2.31	4.62		mg/Kg-dry	10	2/22/2011 11:47:56 AM
Lead	511	0.23	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Magnesium	5350	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Manganese	237	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Nickel	9.03	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Potassium	1960	0.23	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Selenium	0.647	0.23	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Silver	0.277	0.12	0.462	J	mg/Kg-dry	1	2/22/2011 10:53:15 AM
Sodium	288	0.23	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Thallium	2.75	0.35	0.578		mg/Kg-dry	1	2/22/2011 10:53:15 AM
Vanadium	23.3	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-2 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:17:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-03B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	97.5	0.12	0.462		mg/Kg-dry	1	2/22/2011 10:53:15 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
1,2-Dichlorobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
1,3-Dichlorobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
1,4-Dichlorobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,4,5-Trichlorophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,4,6-Trichlorophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,4-Dichlorophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,4-Dimethylphenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,4-Dinitrophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,4-Dinitrotoluene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2,6-Dinitrotoluene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2-Chloronaphthalene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2-Chlorophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2-Methylnaphthalene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2-Methylphenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2-Nitroaniline	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
2-Nitrophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
3,3'-Dichlorobenzidine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
3+4-Methylphenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
3-Nitroaniline	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4,6-Dinitro-2-methylphenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4-Bromophenyl phenyl ether	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4-Chloro-3-methylphenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4-Chloroaniline	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4-Chlorophenyl phenyl ether	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4-Nitroaniline	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
4-Nitrophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Acenaphthene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Acenaphthylene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Acetophenone	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-03B

Client Sample ID: SB-2 (0-2ft)
 Collection Date: 2/17/2011 8:17:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Anthracene	170	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Atrazine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Azobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzaldehyde	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzidine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzo(a)anthracene	170	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzo(a)pyrene	150	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzo(b)fluoranthene	200	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzo(g,h,i)perylene	98	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzo(k)fluoranthene	320	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzoic acid	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Benzyl alcohol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Biphenyl	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Bis(2-chloroethoxy)methane	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Bis(2-chloroethyl)ether	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Bis(2-chloroisopropyl)ether	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Bis(2-ethylhexyl)phthalate	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Butyl benzyl phthalate	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Caprolactam	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Carbazole	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Chrysene	190	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Dibenzo(a,h)anthracene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Dibenzofuran	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Diethyl phthalate	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Dimethyl phthalate	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Di-n-butyl phthalate	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Di-n-octyl phthalate	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Fluoranthene	210	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Fluorene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Hexachlorobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Hexachlorobutadiene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Hexachlorocyclopentadiene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-2 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:17:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-03B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Indeno(1,2,3-c,d)pyrene	75	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Isophorone	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Naphthalene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Nitrobenzene	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
N-Nitrosodimethylamine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
N-Nitrosodi-n-propylamine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
N-Nitrosodiphenylamine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Parathion	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Pentachlorophenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Phenanthrene	170	29.5	300	J	µg/Kg-dry	1	2/24/2011 5:57:00 AM
Phenol	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Pyrene	410	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Pyridine	U	29.5	300		µg/Kg-dry	1	2/24/2011 5:57:00 AM
Surr: 2,4,6-Tribromophenol	61.2	0	23-121		%REC	1	2/24/2011 5:57:00 AM
Surr: 2-Fluorobiphenyl	68.4	0	23-120		%REC	1	2/24/2011 5:57:00 AM
Surr: 2-Fluorophenol	28.0	0	12-111		%REC	1	2/24/2011 5:57:00 AM
Surr: 4-Terphenyl-d14	90.6	0	23-128		%REC	1	2/24/2011 5:57:00 AM
Surr: Nitrobenzene-d5	59.2	0	18-116		%REC	1	2/24/2011 5:57:00 AM
Surr: Phenol-d6	41.1	0	11-112		%REC	1	2/24/2011 5:57:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-04A

Client Sample ID: SB-2 (6-8ft)
 Collection Date: 2/17/2011 8:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1,1-Trichloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1,2,2-Tetrachloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1,2-Trichloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1-Dichloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1-Dichloroethene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,1-Dichloropropene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2,3-Trichlorobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2,3-Trichloropropane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2,4,5-Tetramethylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2,4-Trichlorobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2,4-Trimethylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2-Dibromo-3-chloropropane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2-Dibromoethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2-Dichlorobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2-Dichloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,2-Dichloropropane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,3,5-Trimethylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,3-Dichlorobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,3-dichloropropane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,4-Dichlorobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
1,4-Dioxane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
2,2-Dichloropropane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
2-Butanone	U	1.7	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
2-Chloroethyl vinyl ether	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
2-Chlorotoluene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
2-Hexanone	U	1.7	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
2-Propanol	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
4-Chlorotoluene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
4-isopropyltoluene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
4-Methyl-2-pentanone	U	1.7	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Acetone	U	1.7	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-2 (6-8ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:30:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-04A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Acrolein	U	2.83	11		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Acrylonitrile	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Benzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Bromobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Bromochloromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Bromodichloromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Bromoform	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Bromomethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Carbon disulfide	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Carbon tetrachloride	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Chlorobenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Chlorodifluoromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Chloroethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Chloroform	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Chloromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
cis-1,2-Dichloroethene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
cis-1,3-Dichloropropene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Dibromochloromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Dibromomethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Dichlorodifluoromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Diisopropyl ether	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Ethanol	U	2.83	11		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Ethyl acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Ethylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Freon-114	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Hexachlorobutadiene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Isopropyl acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Isopropylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
m,p-Xylene	U	1.13	11		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Methyl Acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Methyl tert-butyl ether	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Methylene chloride	7.2	0.57	5.7	B	µg/Kg-dry	1	2/22/2011 3:02:00 PM
n-Amyl acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-2 (6-8ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:30:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-04A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Naphthalene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
n-Butyl acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
n-Butylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
n-Propyl acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
n-Propylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
o-Xylene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
p-Diethylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
p-Ethyltoluene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
sec-Butylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Styrene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
t-Butyl alcohol	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
tert-Butylbenzene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Tetrachloroethene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Toluene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
trans-1,2-Dichloroethene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
trans-1,3-Dichloropropene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Trichloroethene	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Trichlorofluoromethane	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Vinyl acetate	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Vinyl chloride	U	0.57	5.7		µg/Kg-dry	1	2/22/2011 3:02:00 PM
Surr: 4-Bromofluorobenzene	88.3	0	64-132		%REC	1	2/22/2011 3:02:00 PM
Surr: Dibromofluoromethane	73.6	0	66-131		%REC	1	2/22/2011 3:02:00 PM
Surr: Toluene-d8	99.4	0	54-132		%REC	1	2/22/2011 3:02:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-2 (6-8ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:30:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-04B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	0.558	0.01	0.0222		mg/Kg-dry	2	2/23/2011 11:24:53 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
							Analyst: AH
Aroclor 1016	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1221	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1232	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1242	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1248	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1254	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1260	180	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1262	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Aroclor 1268	U	7.38	88		µg/Kg-dry	1	2/25/2011 12:42:00 PM
Surr: TCX	66.1	0	16-148		%REC	1	2/25/2011 12:42:00 PM
Surr: DCB	49.7	0	15-174		%REC	1	2/25/2011 12:42:00 PM
PESTICIDES SW-846 METHOD 8081							
							Analyst: SB
4,4'-DDD	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
4,4'-DDE	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
4,4'-DDT	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Aldrin	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
alpha-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
beta-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Chlordane	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Chlorobenzilate	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
DBCP	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
delta-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Dieldrin	6.3	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Endosulfan I	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Endosulfan II	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Endosulfan sulfate	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Endrin	26	0.74	2.2	C	µg/Kg-dry	1	2/24/2011 6:28:00 PM
Endrin aldehyde	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Endrin ketone	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
gamma-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-2 (6-8ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:30:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-04B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Heptachlor epoxide	3.5	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Hexachlorobenzene	1.8	0.74	2.2	J	µg/Kg-dry	1	2/24/2011 6:28:00 PM
Hexachlorocyclopentadiene	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Methoxychlor	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Toxaphene	U	3.69	44		µg/Kg-dry	1	2/24/2011 6:28:00 PM
Surr: DCB	68.9	0	28-147		%REC	1	2/24/2011 6:28:00 PM
Surr: TCX	75.4	0	20-138		%REC	1	2/24/2011 6:28:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	14.1	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	9440	1.07	4.28		mg/Kg-dry	10	2/22/2011 12:12:31 PM
Antimony	U	0.21	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Arsenic	5.52	0.21	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Barium	212	0.21	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Beryllium	U	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Cadmium	0.535	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Calcium	6550	0.21	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Chromium	18.8	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Cobalt	U	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Copper	28.3	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Iron	16800	2.14	4.28		mg/Kg-dry	10	2/22/2011 12:12:31 PM
Lead	528	0.21	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Magnesium	3470	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Manganese	164	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Nickel	15.4	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Potassium	2690	0.21	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Selenium	U	0.21	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Silver	0.171	0.11	0.428	J	mg/Kg-dry	1	2/22/2011 10:55:17 AM
Sodium	219	0.21	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Thallium	4.92	0.32	0.535		mg/Kg-dry	1	2/22/2011 10:55:17 AM
Vanadium	28.7	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-04B

Client Sample ID: SB-2 (6-8ft)
 Collection Date: 2/17/2011 8:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	273	0.11	0.428		mg/Kg-dry	1	2/22/2011 10:55:17 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
1,2-Dichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
1,3-Dichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
1,4-Dichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,4,5-Trichlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,4,6-Trichlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,4-Dichlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,4-Dimethylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,4-Dinitrophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,4-Dinitrotoluene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2,6-Dinitrotoluene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2-Chloronaphthalene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2-Chlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2-Methylnaphthalene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2-Methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2-Nitroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
2-Nitrophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
3,3'-Dichlorobenzidine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
3+4-Methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
3-Nitroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4,6-Dinitro-2-methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4-Bromophenyl phenyl ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4-Chloro-3-methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4-Chloroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4-Chlorophenyl phenyl ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4-Nitroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
4-Nitrophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Acenaphthene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Acenaphthylene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Acetophenone	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-04B

Client Sample ID: SB-2 (6-8ft)
 Collection Date: 2/17/2011 8:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Anthracene	98	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Atrazine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Azobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzaldehyde	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benidine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzo(a)anthracene	90	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzo(a)pyrene	95	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzo(b)fluoranthene	130	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzo(g,h,i)perylene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzo(k)fluoranthene	190	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzoic acid	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Benzyl alcohol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Biphenyl	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Bis(2-chloroethoxy)methane	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Bis(2-chloroethyl)ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Bis(2-chloroisopropyl)ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Bis(2-ethylhexyl)phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Butyl benzyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Caprolactam	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Carbazole	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Chrysene	100	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Dibenzo(a,h)anthracene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Dibenzofuran	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Diethyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Dimethyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Di-n-butyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Di-n-octyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Fluoranthene	120	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Fluorene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Hexachlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Hexachlorobutadiene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Hexachlorocyclopentadiene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
Lab Order: 1102168
Project: 260 West 26th St., NY, NY
Lab ID: 1102168-04B

Client Sample ID: SB-2 (6-8ft)
Collection Date: 2/17/2011 8:30:00 AM
Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Indeno(1,2,3-c,d)pyrene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Isophorone	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Naphthalene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Nitrobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
N-Nitrosodimethylamine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
N-Nitrosodi-n-propylamine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
N-Nitrosodiphenylamine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Parathion	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Pentachlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Phenanthrene	100	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Phenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Pyrene	170	29.0	290	J	µg/Kg-dry	1	2/24/2011 6:22:00 AM
Pyridine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:22:00 AM
Surr: 2,4,6-Tribromophenol	66.7	0	23-121		%REC	1	2/24/2011 6:22:00 AM
Surr: 2-Fluorobiphenyl	77.6	0	23-120		%REC	1	2/24/2011 6:22:00 AM
Surr: 2-Fluorophenol	38.8	0	12-111		%REC	1	2/24/2011 6:22:00 AM
Surr: 4-Terphenyl-d14	93.8	0	23-128		%REC	1	2/24/2011 6:22:00 AM
Surr: Nitrobenzene-d5	58.4	0	18-116		%REC	1	2/24/2011 6:22:00 AM
Surr: Phenol-d6	48.5	0	11-112		%REC	1	2/24/2011 6:22:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-3 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 8:40:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-05A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1,1-Trichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1,2,2-Tetrachloroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1,2-Trichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1-Dichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1-Dichloroethene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,1-Dichloropropene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2,3-Trichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2,3-Trichloropropane	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2,4,5-Tetramethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2,4-Trichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2,4-Trimethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2-Dibromo-3-chloropropane	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2-Dibromoethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2-Dichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2-Dichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,2-Dichloropropane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,3,5-Trimethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,3-Dichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,3-dichloropropane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,4-Dichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
1,4-Dioxane	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
2,2-Dichloropropane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
2-Butanone	U	0.86	5.7	C	µg/Kg-dry	1	2/21/2011 3:21:00 PM
2-Chloroethyl vinyl ether	U	0.46	5.7	C	µg/Kg-dry	1	2/21/2011 3:21:00 PM
2-Chlorotoluene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
2-Hexanone	U	0.86	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
2-Propanol	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
4-Chlorotoluene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
4-Isopropyltoluene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
4-Methyl-2-pentanone	U	0.86	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Acetone	U	0.86	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC columns
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-3 (0-2ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:40:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-05A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Acrolein	U	1.7	29		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Acrylonitrile	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Benzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Bromobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Bromochloromethane	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Bromodichloromethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Bromoform	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Bromomethane	U	0.34	5.7	C	µg/Kg-dry	1	2/21/2011 3:21:00 PM
Carbon disulfide	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Carbon tetrachloride	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Chlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Chlorodifluoromethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Chloroethane	U	0.34	5.7	C	µg/Kg-dry	1	2/21/2011 3:21:00 PM
Chloroform	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Chloromethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
cis-1,2-Dichloroethene	0.43	0.34	5.7	J	µg/Kg-dry	1	2/21/2011 3:21:00 PM
cis-1,3-Dichloropropene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Dibromochloromethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Dibromomethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Dichlorodifluoromethane	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Diisopropyl ether	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Ethanol	U	1.7	29		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Ethyl acetate	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Ethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Freon-114	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Hexachlorobutadiene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Isopropyl acetate	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Isopropylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
m,p-Xylene	0.85	0.69	11	J	µg/Kg-dry	1	2/21/2011 3:21:00 PM
Methyl Acetate	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Methyl tert-butyl ether	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Methylene chloride	6.2	0.34	5.7	BC	µg/Kg-dry	1	2/21/2011 3:21:00 PM
n-Amyl acetate	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-3 (0-2ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:40:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-05A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	0.51	0.34	5.7	J	µg/Kg-dry	1	2/21/2011 3:21:00 PM
n-Butyl acetate	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
n-Butylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
n-Propyl acetate	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
n-Propylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
o-Xylene	0.53	0.34	5.7	J	µg/Kg-dry	1	2/21/2011 3:21:00 PM
p-Diethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
p-Ethyltoluene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
sec-Butylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Styrene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
t-Butyl alcohol	U	1.7	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
tert-Butylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Tetrachloroethene	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Toluene	0.64	0.34	5.7	J	µg/Kg-dry	1	2/21/2011 3:21:00 PM
trans-1,2-Dichloroethene	U	0.46	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
trans-1,3-Dichloropropene	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Trichloroethene	0.73	0.34	5.7	J	µg/Kg-dry	1	2/21/2011 3:21:00 PM
Trichlorofluoromethane	U	0.34	5.7	C	µg/Kg-dry	1	2/21/2011 3:21:00 PM
Vinyl acetate	U	0.46	5.7	C	µg/Kg-dry	1	2/21/2011 3:21:00 PM
Vinyl chloride	U	0.34	5.7		µg/Kg-dry	1	2/21/2011 3:21:00 PM
Surr: 4-Bromofluorobenzene	88.8	0	64-132		%REC	1	2/21/2011 3:21:00 PM
Surr: Dibromofluoromethane	103	0	66-131		%REC	1	2/21/2011 3:21:00 PM
Surr: Toluene-d8	88.0	0	54-132		%REC	1	2/21/2011 3:21:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-3 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 8:40:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-05B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							Analyst: AH
Mercury	0.0367	0.006	0.0113		mg/Kg-dry	1	2/23/2011 10:21:40 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							Analyst: SB
Aroclor 1016	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1221	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1232	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1242	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1248	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1254	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1260	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1262	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Aroclor 1268	U	7.18	86		µg/Kg-dry	1	2/25/2011 1:06:00 PM
Surr: TCX	73.9	0	16-148		%REC	1	2/25/2011 1:06:00 PM
Surr: DCB	72.5	0	15-174		%REC	1	2/25/2011 1:06:00 PM
PESTICIDES SW-846 METHOD 8081							Analyst: SB
4,4'-DDD	U	0.72	2.1	P	µg/Kg-dry	1	2/24/2011 6:42:00 PM
4,4'-DDE	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
4,4'-DDT	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Aldrin	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
alpha-BHC	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
beta-BHC	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Chlordane	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Chlorobenzilate	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
DBCP	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
delta-BHC	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Dieldrin	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Endosulfan I	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Endosulfan II	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Endosulfan sulfate	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Endrin	U	0.72	2.1	C	µg/Kg-dry	1	2/24/2011 6:42:00 PM
Endrin aldehyde	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Endrin ketone	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
gamma-BHC	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC columns
 S Spike Recovery outside accepted recovery limits U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-3 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:40:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-05B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Heptachlor epoxide	1.8	0.72	2.1	JP	µg/Kg-dry	1	2/24/2011 6:42:00 PM
Hexachlorobenzene	1.5	0.72	2.1	JP	µg/Kg-dry	1	2/24/2011 6:42:00 PM
Hexachlorocyclopentadiene	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Methoxychlor	U	0.72	2.1		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Toxaphene	U	3.57	43		µg/Kg-dry	1	2/24/2011 6:42:00 PM
Surr: DCB	84.7	0	28-147		%REC	1	2/24/2011 6:42:00 PM
Surr: TCX	69.1	0	20-138		%REC	1	2/24/2011 6:42:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	14.0	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	10400	1.07	4.26		mg/Kg-dry	10	2/22/2011 12:14:34 PM
Antimony	U	0.21	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Arsenic	1.51	0.21	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Barium	35.9	0.21	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Beryllium	U	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Cadmium	U	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Calcium	771	0.21	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Chromium	13.1	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Cobalt	U	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Copper	9.18	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Iron	12200	2.13	4.26		mg/Kg-dry	10	2/22/2011 12:14:34 PM
Lead	15.3	0.21	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Magnesium	1870	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Manganese	96.0	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Nickel	9.78	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Potassium	724	0.21	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Selenium	U	0.21	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Silver	U	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Sodium	306	0.21	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Thallium	3.00	0.32	0.533		mg/Kg-dry	1	2/22/2011 10:57:20 AM
Vanadium	19.0	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-3 (0-2ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:40:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-05B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	24.3	0.11	0.426		mg/Kg-dry	1	2/22/2011 10:57:20 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
1,2-Dichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
1,3-Dichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
1,4-Dichlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,4,5-Trichlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,4,6-Trichlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,4-Dichlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,4-Dimethylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,4-Dinitrophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,4-Dinitrotoluene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2,6-Dinitrotoluene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2-Chloronaphthalene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2-Chlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2-Methylnaphthalene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2-Methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2-Nitroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
2-Nitrophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
3,3'-Dichlorobenzidine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
3+4-Methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
3-Nitroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4,6-Dinitro-2-methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4-Bromophenyl phenyl ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4-Chloro-3-methylphenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4-Chloroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4-Chlorophenyl phenyl ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4-Nitroaniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
4-Nitrophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Acenaphthene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Acenaphthylene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Acetophenone	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-3 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:40:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-05B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Anthracene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Atrazine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Azobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzaldehyde	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzidine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzo(a)anthracene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzo(a)pyrene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzo(b)fluoranthene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzo(g,h,i)perylene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzo(k)fluoranthene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzoic acid	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Benzyl alcohol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Biphenyl	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Bis(2-chloroethoxy)methane	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Bis(2-chloroethyl)ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Bis(2-chloroisopropyl)ether	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Bis(2-ethylhexyl)phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Butyl benzyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Caprolactam	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Carbazole	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Chrysene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Dibenzo(a,h)anthracene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Dibenzofuran	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Diethyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Dimethyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Di-n-butyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Di-n-octyl phthalate	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Fluoranthene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Fluorene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Hexachlorobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Hexachlorobutadiene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Hexachlorocyclopentadiene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-3 (0-2ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:40:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-05B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Indeno(1,2,3-c,d)pyrene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Isophorone	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Naphthalene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Nitrobenzene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
N-Nitrosodimethylamine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
N-Nitrosodi-n-propylamine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
N-Nitrosodiphenylamine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Parathion	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Pentachlorophenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Phenanthrene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Phenol	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Pyrene	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Pyridine	U	29.0	290		µg/Kg-dry	1	2/24/2011 6:46:00 AM
Surr: 2,4,6-Tribromophenol	47.2	0	23-121		%REC	1	2/24/2011 6:46:00 AM
Surr: 2-Fluorobiphenyl	73.0	0	23-120		%REC	1	2/24/2011 6:46:00 AM
Surr: 2-Fluorophenol	31.8	0	12-111		%REC	1	2/24/2011 6:46:00 AM
Surr: 4-Terphenyl-d14	94.2	0	23-128		%REC	1	2/24/2011 6:46:00 AM
Surr: Nitrobenzene-d5	66.5	0	18-116		%REC	1	2/24/2011 6:46:00 AM
Surr: Phenol-d6	40.6	0	11-112		%REC	1	2/24/2011 6:46:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-3 (6-8ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:44:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-06A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1,1-Trichloroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1,2,2-Tetrachloroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1,2-Trichloroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1-Dichloroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1-Dichloroethene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,1-Dichloropropene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2,3-Trichlorobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2,3-Trichloropropane	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2,4,5-Tetramethylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2,4-Trichlorobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2,4-Trimethylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2-Dibromo-3-chloropropane	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2-Dibromoethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2-Dichlorobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2-Dichloroethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,2-Dichloropropane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,3,5-Trimethylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,3-Dichlorobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,3-dichloropropane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,4-Dichlorobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
1,4-Dioxane	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
2,2-Dichloropropane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
2-Butanone	U	0.86	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
2-Chloroethyl vinyl ether	U	0.46	5.8	C	µg/Kg-dry	1	2/21/2011 11:14:00 PM
2-Chlorotoluene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
2-Hexanone	U	0.86	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
2-Propanol	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
4-Chlorotoluene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
4-Isopropyltoluene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
4-Methyl-2-pentanone	U	0.86	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Acetone	U	0.86	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-3 (6-8ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:44:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-06A		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Acrolein	U	1.73	29		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Acrylonitrile	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Benzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Bromobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Bromochloromethane	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Bromodichloromethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Bromoform	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Bromomethane	U	0.35	5.8	C	µg/Kg-dry	1	2/21/2011 11:14:00 PM
Carbon disulfide	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Carbon tetrachloride	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Chlorobenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Chlorodifluoromethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Chloroethane	U	0.35	5.8	C	µg/Kg-dry	1	2/21/2011 11:14:00 PM
Chloroform	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Chloromethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
cis-1,2-Dichloroethene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
cis-1,3-Dichloropropene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Dibromochloromethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Dibromomethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Dichlorodifluoromethane	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Diisopropyl ether	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Ethanol	U	1.73	29		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Ethyl acetate	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Ethylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Freon-114	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Hexachlorobutadiene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Isopropyl acetate	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Isopropylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
m,p-Xylene	U	0.69	12		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Methyl Acetate	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Methyl tert-butyl ether	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Methylene chloride	6.1	0.35	5.8	BC	µg/Kg-dry	1	2/21/2011 11:14:00 PM
n-Amyl acetate	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-3 (6-8ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:44:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-06A		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Naphthalene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
n-Butyl acetate	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
n-Butylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
n-Propyl acetate	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
n-Propylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
o-Xylene	0.37	0.35	5.8	J	µg/Kg-dry	1	2/21/2011 11:14:00 PM
p-Diethylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
p-Ethyltoluene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
sec-Butylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Styrene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
t-Butyl alcohol	U	1.73	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
tert-Butylbenzene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Tetrachloroethene	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Toluene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
trans-1,2-Dichloroethene	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
trans-1,3-Dichloropropene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Trichloroethene	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Trichlorofluoromethane	U	0.35	5.8	C	µg/Kg-dry	1	2/21/2011 11:14:00 PM
Vinyl acetate	U	0.46	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Vinyl chloride	U	0.35	5.8		µg/Kg-dry	1	2/21/2011 11:14:00 PM
Surr: 4-Bromofluorobenzene	90.8	0	64-132		%REC	1	2/21/2011 11:14:00 PM
Surr: Dibromofluoromethane	108	0	66-131		%REC	1	2/21/2011 11:14:00 PM
Surr: Toluene-d8	87.5	0	54-132		%REC	1	2/21/2011 11:14:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: - CA Rich Consultants Inc.	Client Sample ID: SB-3 (6-8ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:44:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-06B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	0.0132	0.006	0.0114		mg/Kg-dry	1	2/23/2011 10:23:48 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
							Analyst: AH
Aroclor 1016	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1221	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1232	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1242	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1248	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1254	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1260	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1262	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Aroclor 1268	U	7.57	90		µg/Kg-dry	1	2/25/2011 1:30:00 PM
Surr: TCX	74.2	0	16-148		%REC	1	2/25/2011 1:30:00 PM
Surr: DCB	71.2	0	15-174		%REC	1	2/25/2011 1:30:00 PM
PESTICIDES SW-846 METHOD 8081							
							Analyst: SB
4,4'-DDD	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
4,4'-DDE	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
4,4'-DDT	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Aldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
alpha-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
beta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Chlordane	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Chlorobenzilate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
DBCP	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
delta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Dieldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Endosulfan I	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Endosulfan II	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Endosulfan sulfate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Endrin	U	0.76	2.3	C	µg/Kg-dry	1	2/24/2011 6:56:00 PM
Endrin aldehyde	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Endrin ketone	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
gamma-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-3 (6-8ft)
Lab Order:	1102168	Collection Date:	2/17/2011 8:44:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-06B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	2.1	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 6:56:00 PM
Heptachlor epoxide	0.83	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 6:56:00 PM
Hexachlorobenzene	1.4	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 6:56:00 PM
Hexachlorocyclopentadiene	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Methoxychlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Toxaphene	U	3.77	45		µg/Kg-dry	1	2/24/2011 6:56:00 PM
Surr: DCB	78.5	0	28-147		%REC	1	2/24/2011 6:56:00 PM
Surr: TCX	72.5	0	20-138		%REC	1	2/24/2011 6:56:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	13.4	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	11400	1.09	4.34		mg/Kg-dry	10	2/22/2011 12:16:38 PM
Antimony	U	0.22	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Arsenic	1.50	0.22	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Barium	35.2	0.22	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Beryllium	U	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Cadmium	U	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Calcium	620	0.22	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Chromium	16.9	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Cobalt	U	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Copper	8.23	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Iron	11700	2.17	4.34		mg/Kg-dry	10	2/22/2011 12:16:38 PM
Lead	8.94	0.22	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Magnesium	1970	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Manganese	146	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Nickel	11.9	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Potassium	1010	0.22	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Selenium	U	0.22	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Silver	U	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Sodium	295	0.22	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Thallium	2.93	0.33	0.543		mg/Kg-dry	1	2/22/2011 10:59:24 AM
Vanadium	19.5	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-3 (6-8ft)
Lab Order: 1102168	Collection Date: 2/17/2011 8:44:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-06B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	25.1	0.11	0.434		mg/Kg-dry	1	2/22/2011 10:59:24 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
1,2-Dichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
1,3-Dichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
1,4-Dichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,4,5-Trichlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,4,6-Trichlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,4-Dichlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,4-Dimethylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,4-Dinitrophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,4-Dinitrotoluene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2,6-Dinitrotoluene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2-Chloronaphthalene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2-Chlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2-Methylnaphthalene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2-Methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2-Nitroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
2-Nitrophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
3,3'-Dichlorobenzidine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
3+4-Methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
3-Nitroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4,6-Dinitro-2-methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4-Bromophenyl phenyl ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4-Chloro-3-methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4-Chloroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4-Chlorophenyl phenyl ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4-Nitroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
4-Nitrophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Acenaphthene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Acenaphthylene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Acetophenone	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-06B

Client Sample ID: SB-3 (6-8ft)
 Collection Date: 2/17/2011 8:44:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D	SW3550C	Analyst: LDS		
Aniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Anthracene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Atrazine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Azobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzaldehyde	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzdine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzo(a)anthracene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzo(a)pyrene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzo(b)fluoranthene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzo(g,h,i)perylene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzo(k)fluoranthene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzoic acid	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Benzyl alcohol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Biphenyl	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Bis(2-chloroethoxy)methane	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Bis(2-chloroethyl)ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Bis(2-chloroisopropyl)ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Bis(2-ethylhexyl)phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Butyl benzyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Caprolactam	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Carbazole	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Chrysene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Dibenzo(a,h)anthracene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Dibenzofuran	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Diethyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Dimethyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Di-n-butyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Di-n-octyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Fluoranthene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Fluorene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Hexachlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Hexachlorobutadiene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Hexachlorocyclopentadiene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-3 (6-8ft)

Lab Order: 1102168

Collection Date: 2/17/2011 8:44:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-06B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Indeno(1,2,3-c,d)pyrene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Isophorone	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Naphthalene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Nitrobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
N-Nitrosodimethylamine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
N-Nitrosodi-n-propylamine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
N-Nitrosodiphenylamine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Parathion	140	28.6	290	J	µg/Kg-dry	1	2/24/2011 7:12:00 AM
Pentachlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Phenanthrene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Phenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Pyrene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Pyridine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:12:00 AM
Surr: 2,4,6-Tribromophenol	40.3	0	23-121		%REC	1	2/24/2011 7:12:00 AM
Surr: 2-Fluorobiphenyl	73.1	0	23-120		%REC	1	2/24/2011 7:12:00 AM
Surr: 2-Fluorophenol	29.7	0	12-111		%REC	1	2/24/2011 7:12:00 AM
Surr: 4-Terphenyl-d14	96.8	0	23-128		%REC	1	2/24/2011 7:12:00 AM
Surr: Nitrobenzene-d5	66.0	0	18-116		%REC	1	2/24/2011 7:12:00 AM
Surr: Phenol-d6	36.9	0	11-112		%REC	1	2/24/2011 7:12:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-07A

Client Sample ID: SB-4 (0-2ft)
 Collection Date: 2/17/2011 9:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1,1-Trichloroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1,2,2-Tetrachloroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1,2-Trichloroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1-Dichloroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1-Dichloroethene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,1-Dichloropropene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2,3-Trichlorobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2,3-Trichloropropane	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2,4,5-Tetramethylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2,4-Trichlorobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2,4-Trimethylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2-Dibromo-3-chloropropane	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2-Dibromoethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2-Dichlorobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2-Dichloroethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,2-Dichloropropane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,3,5-Trimethylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,3-Dichlorobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,3-dichloropropane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,4-Dichlorobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
1,4-Dioxane	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
2,2-Dichloropropane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
2-Butanone	U	0.78	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
2-Chloroethyl vinyl ether	U	0.42	5.2	C	µg/Kg-dry	1	2/21/2011 11:46:00 PM
2-Chlorotoluene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
2-Hexanone	U	0.78	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
2-Propanol	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
4-Chlorotoluene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
4-Isopropyltoluene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
4-Methyl-2-pentanone	U	0.78	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Acetone	U	0.78	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 9:30:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-07A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Acrolein	U	1.56	26		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Acrylonitrile	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Benzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Bromobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Bromochloromethane	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Bromodichloromethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Bromoform	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Bromomethane	U	0.31	5.2	C	µg/Kg-dry	1	2/21/2011 11:46:00 PM
Carbon disulfide	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Carbon tetrachloride	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Chlorobenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Chlorodifluoromethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Chloroethane	U	0.31	5.2	C	µg/Kg-dry	1	2/21/2011 11:46:00 PM
Chloroform	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Chloromethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
cis-1,2-Dichloroethene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
cis-1,3-Dichloropropene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Dibromochloromethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Dibromomethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Dichlorodifluoromethane	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Diisopropyl ether	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Ethanol	U	1.56	26		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Ethyl acetate	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Ethylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Freon-114	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Hexachlorobutadiene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Isopropyl acetate	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Isopropylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
m,p-Xylene	U	0.62	10		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Methyl Acetate	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Methyl tert-butyl ether	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Methylene chloride	4.9	0.31	5.2	JBC	µg/Kg-dry	1	2/21/2011 11:46:00 PM
n-Amyl acetate	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-07A

Client Sample ID: SB-4 (0-2ft)
 Collection Date: 2/17/2011 9:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Naphthalene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
n-Butyl acetate	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
n-Butylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
n-Propyl acetate	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
n-Propylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
o-Xylene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
p-Diethylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
p-Ethyltoluene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
sec-Butylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Styrene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
t-Butyl alcohol	U	1.56	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
tert-Butylbenzene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Tetrachloroethene	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Toluene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
trans-1,2-Dichloroethene	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
trans-1,3-Dichloropropene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Trichloroethene	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Trichlorofluoromethane	U	0.31	5.2	C	µg/Kg-dry	1	2/21/2011 11:46:00 PM
Vinyl acetate	U	0.42	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Vinyl chloride	U	0.31	5.2		µg/Kg-dry	1	2/21/2011 11:46:00 PM
Surr: 4-Bromofluorobenzene	90.5	0	64-132		%REC	1	2/21/2011 11:46:00 PM
Surr: Dibromofluoromethane	104	0	66-131		%REC	1	2/21/2011 11:46:00 PM
Surr: Toluene-d8	90.6	0	54-132		%REC	1	2/21/2011 11:46:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-4 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 9:30:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-07B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
			SW7471B		SW7471B		Analyst: AH
Mercury	0.0750	0.005	0.00932		mg/Kg-dry	1	2/23/2011 10:25:55 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
			SW8082A		SW3550		Analyst: SB
Aroclor 1016	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1221	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1232	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1242	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1248	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1254	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1260	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1262	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Aroclor 1268	U	7.01	84		µg/Kg-dry	1	2/25/2011 1:54:00 PM
Surr: TCX	55.4	0	16-148		%REC	1	2/25/2011 1:54:00 PM
Surr: DCB	60.6	0	15-174		%REC	1	2/25/2011 1:54:00 PM
PESTICIDES SW-846 METHOD 8081							
			SW8081B		SW3550		Analyst: SB
4,4'-DDD	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
4,4'-DDE	2.7	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
4,4'-DDT	7.5	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Aldrin	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
alpha-BHC	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
beta-BHC	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Chlordane	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Chlorobenzilate	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
DBCP	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
delta-BHC	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Dieldrin	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Endosulfan I	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Endosulfan II	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Endosulfan sulfate	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Endrin	U	0.70	2.1	C	µg/Kg-dry	1	2/24/2011 7:10:00 PM
Endrin aldehyde	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Endrin ketone	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
gamma-BHC	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
Lab Order: 1102168
Project: 260 West 26th St., NY, NY
Lab ID: 1102168-07B

Client Sample ID: SB-4 (0-2ft)
Collection Date: 2/17/2011 9:30:00 AM
Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B	SW3550			Analyst: SB
Heptachlor	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Heptachlor epoxide	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Hexachlorobenzene	2.2	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Hexachlorocyclopentadiene	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Methoxychlor	U	0.70	2.1		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Toxaphene	U	3.49	42		µg/Kg-dry	1	2/24/2011 7:10:00 PM
Surr: DCB	85.5	0	28-147		%REC	1	2/24/2011 7:10:00 PM
Surr: TCX	63.1	0	20-138		%REC	1	2/24/2011 7:10:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	5.85	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B	SW3050A			Analyst: JP
Aluminum	9510	0.98	3.93		mg/Kg-dry	10	2/22/2011 12:18:41 PM
Antimony	U	0.2	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Arsenic	1.02	0.2	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Barium	64.3	0.2	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Beryllium	U	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Cadmium	U	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Calcium	7620	0.2	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Chromium	13.4	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Cobalt	U	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Copper	24.1	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Iron	15800	1.97	3.93		mg/Kg-dry	10	2/22/2011 12:18:41 PM
Lead	19.5	0.2	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Magnesium	3730	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Manganese	90.4	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Nickel	14.4	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Potassium	3780	0.2	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Selenium	U	0.2	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Silver	U	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Sodium	132	0.2	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Thallium	6.88	0.3	0.492		mg/Kg-dry	1	2/22/2011 11:01:27 AM
Vanadium	17.9	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-07B

Client Sample ID: SB-4 (0-2ft)
 Collection Date: 2/17/2011 9:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	57.6	0.1	0.393		mg/Kg-dry	1	2/22/2011 11:01:27 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW6010B		SW3050A		Analyst: JP
1,2,4-Trichlorobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
1,2-Dichlorobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
1,3-Dichlorobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
1,4-Dichlorobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,4,5-Trichlorophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,4,6-Trichlorophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,4-Dichlorophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,4-Dimethylphenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,4-Dinitrophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,4-Dinitrotoluene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2,6-Dinitrotoluene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2-Chloronaphthalene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2-Chlorophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2-Methylnaphthalene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2-Methylphenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2-Nitroaniline	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
2-Nitrophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
3,3'-Dichlorobenzidine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
3+4-Methylphenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
3-Nitroaniline	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4,6-Dinitro-2-methylphenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4-Bromophenyl phenyl ether	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4-Chloro-3-methylphenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4-Chloroaniline	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4-Chlorophenyl phenyl ether	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4-Nitroaniline	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
4-Nitrophenol	69	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Acenaphthene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Acenaphthylene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Acetophenone	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-07B

Client Sample ID: SB-4 (0-2ft)
 Collection Date: 2/17/2011 9:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Anthracene	U	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Atrazine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Azobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzaldehyde	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzidine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzo(a)anthracene	140	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzo(a)pyrene	170	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzo(b)fluoranthene	300	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzo(g,h,i)perylene	150	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzo(k)fluoranthene	340	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzoic acid	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Benzyl alcohol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Biphenyl	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Bis(2-chloroethoxy)methane	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Bis(2-chloroethyl)ether	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Bis(2-chloroisopropyl)ether	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Bis(2-ethylhexyl)phthalate	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Butyl benzyl phthalate	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Caprolactam	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Carbazole	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Chrysene	190	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Dibenzo(a,h)anthracene	29	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Dibenzofuran	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Diethyl phthalate	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Dimethyl phthalate	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Di-n-butyl phthalate	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Di-n-octyl phthalate	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Fluoranthene	360	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Fluorene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Hexachlorobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Hexachlorobutadiene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Hexachlorocyclopentadiene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 9:30:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-07B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Indeno(1,2,3-c,d)pyrene	120	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Isophorone	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Naphthalene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Nitrobenzene	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
N-Nitrosodimethylamine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
N-Nitrosodi-n-propylamine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
N-Nitrosodiphenylamine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Parathion	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Pentachlorophenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Phenanthrene	180	26.4	260	J	µg/Kg-dry	1	2/24/2011 5:04:00 PM
Phenol	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Pyrene	340	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Pyridine	U	26.4	260		µg/Kg-dry	1	2/24/2011 5:04:00 PM
Surr: 2,4,6-Tribromophenol	45.8	0	23-121		%REC	1	2/24/2011 5:04:00 PM
Surr: 2-Fluorobiphenyl	66.9	0	23-120		%REC	1	2/24/2011 5:04:00 PM
Surr: 2-Fluorophenol	45.4	0	12-111		%REC	1	2/24/2011 5:04:00 PM
Surr: 4-Terphenyl-d14	77.9	0	23-128		%REC	1	2/24/2011 5:04:00 PM
Surr: Nitrobenzene-d5	60.3	0	18-116		%REC	1	2/24/2011 5:04:00 PM
Surr: Phenol-d6	57.3	0	11-112		%REC	1	2/24/2011 5:04:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-4 (16-18ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-08A		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1,1-Trichloroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1,2,2-Tetrachloroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1,2-Trichloroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1-Dichloroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1-Dichloroethene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,1-Dichloropropene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2,3-Trichlorobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2,3-Trichloropropane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2,4,5-Tetramethylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2,4-Trichlorobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2,4-Trimethylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2-Dibromo-3-chloropropane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2-Dibromoethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2-Dichlorobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2-Dichloroethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,2-Dichloropropane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,3,5-Trimethylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,3-Dichlorobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,3-dichloropropane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,4-Dichlorobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
1,4-Dioxane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
2,2-Dichloropropane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
2-Butanone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
2-Chloroethyl vinyl ether	U	0.47	5.9	C	µg/Kg-dry	1	2/22/2011 12:17:00 AM
2-Chlorotoluene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
2-Hexanone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
2-Propanol	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
4-Chlorotoluene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
4-Isopropyltoluene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
4-Methyl-2-pentanone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Acetone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (16-18ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-08A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Acrolein	U	1.78	30		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Acrylonitrile	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Benzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Bromobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Bromochloromethane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Bromodichloromethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Bromoform	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Bromomethane	U	0.36	5.9	C	µg/Kg-dry	1	2/22/2011 12:17:00 AM
Carbon disulfide	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Carbon tetrachloride	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Chlorobenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Chlorodifluoromethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Chloroethane	U	0.36	5.9	C	µg/Kg-dry	1	2/22/2011 12:17:00 AM
Chloroform	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Chloromethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
cis-1,2-Dichloroethene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
cis-1,3-Dichloropropene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Dibromochloromethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Dibromomethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Dichlorodifluoromethane	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Diisopropyl ether	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Ethanol	U	1.78	30		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Ethyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Ethylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Freon-114	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Hexachlorobutadiene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Isopropyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Isopropylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
m,p-Xylene	U	0.71	12		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Methyl Acetate	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Methyl tert-butyl ether	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Methylene chloride	6.5	0.36	5.9	BC	µg/Kg-dry	1	2/22/2011 12:17:00 AM
n-Amyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (16-18ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-08A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	2.8	0.36	5.9	J	µg/Kg-dry	1	2/22/2011 12:17:00 AM
n-Butyl acetate	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
n-Butylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
n-Propyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
n-Propylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
o-Xylene	0.40	0.36	5.9	J	µg/Kg-dry	1	2/22/2011 12:17:00 AM
p-Diethylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
p-Ethyltoluene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
sec-Butylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Styrene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
t-Butyl alcohol	U	1.78	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
tert-Butylbenzene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Tetrachloroethene	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Toluene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
trans-1,2-Dichloroethene	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
trans-1,3-Dichloropropene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Trichloroethene	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Trichlorofluoromethane	U	0.36	5.9	C	µg/Kg-dry	1	2/22/2011 12:17:00 AM
Vinyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Vinyl chloride	U	0.36	5.9		µg/Kg-dry	1	2/22/2011 12:17:00 AM
Surr: 4-Bromofluorobenzene	91.5	0	64-132		%REC	1	2/22/2011 12:17:00 AM
Surr: Dibromofluoromethane	105	0	66-131		%REC	1	2/22/2011 12:17:00 AM
Surr: Toluene-d8	89.5	0	54-132		%REC	1	2/22/2011 12:17:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-4 (16-18ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 10:00:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-08B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	1.81	0.03	0.0575		mg/Kg-dry	5	2/23/2011 11:27:01 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
Aroclor 1016	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1221	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1232	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1242	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1248	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1254	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1260	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1262	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Aroclor 1268	U	7.36	88		µg/Kg-dry	1	2/25/2011 2:17:00 PM
Surr: TCX	80.3	0	16-148		%REC	1	2/25/2011 2:17:00 PM
Surr: DCB	85.0	0	15-174		%REC	1	2/25/2011 2:17:00 PM
PESTICIDES SW-846 METHOD 8081							
4,4'-DDD	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
4,4'-DDE	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
4,4'-DDT	2.6	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Aldrin	2.3	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
alpha-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
beta-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Chlordane	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Chlorobenzilate	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
DBCP	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
delta-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Dieldrin	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Endosulfan I	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Endosulfan II	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Endosulfan sulfate	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Endrin	U	0.74	2.2	C	µg/Kg-dry	1	2/24/2011 7:24:00 PM
Endrin aldehyde	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Endrin ketone	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
gamma-BHC	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (16-18ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-08B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Heptachlor epoxide	2.3	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Hexachlorobenzene	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Hexachlorocyclopentadiene	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Methoxychlor	U	0.74	2.2		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Toxaphene	U	3.66	44		µg/Kg-dry	1	2/24/2011 7:24:00 PM
Surr: DCB	85.1	0	28-147		%REC	1	2/24/2011 7:24:00 PM
Surr: TCX	103	0	20-138		%REC	1	2/24/2011 7:24:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	16.4	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	11700	1.18	4.71		mg/Kg-dry	10	2/22/2011 12:20:43 PM
Antimony	U	0.24	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Arsenic	3.44	0.24	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Barium	166	0.24	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Beryllium	U	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Cadmium	U	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Calcium	6270	0.24	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Chromium	21.2	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Cobalt	1.79	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Copper	38.7	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Iron	19700	2.36	4.71		mg/Kg-dry	10	2/22/2011 12:20:43 PM
Lead	331	0.24	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Magnesium	4930	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Manganese	306	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Nickel	19.7	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Potassium	5440	0.24	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Selenium	U	0.24	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Silver	0.118	0.12	0.471	J	mg/Kg-dry	1	2/22/2011 11:24:41 AM
Sodium	239	0.24	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Thallium	10.8	0.35	0.589		mg/Kg-dry	1	2/22/2011 11:24:41 AM
Vanadium	31.9	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (16-18ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-08B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	190	0.12	0.471		mg/Kg-dry	1	2/22/2011 11:24:41 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW6010B		SW3050A		Analyst: JP
1,2,4-Trichlorobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
1,2-Dichlorobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
1,3-Dichlorobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
1,4-Dichlorobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,4,5-Trichlorophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,4,6-Trichlorophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,4-Dichlorophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,4-Dimethylphenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,4-Dinitrophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,4-Dinitrotoluene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2,6-Dinitrotoluene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2-Chloronaphthalene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2-Chlorophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2-Methylnaphthalene	46	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
2-Methylphenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2-Nitroaniline	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
2-Nitrophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
3,3'-Dichlorobenzidine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
3+4-Methylphenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
3-Nitroaniline	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4,6-Dinitro-2-methylphenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4-Bromophenyl phenyl ether	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4-Chloro-3-methylphenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4-Chloroaniline	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4-Chlorophenyl phenyl ether	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4-Nitroaniline	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
4-Nitrophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Acenaphthene	49	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Acenaphthylene	32	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Acetophenone	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-08B

Client Sample ID: SB-4 (16-18ft)
 Collection Date: 2/17/2011 10:00:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Anthracene	1100	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Atrazine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Azobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzaldehyde	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzidine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzo(a)anthracene	440	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzo(a)pyrene	370	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzo(b)fluoranthene	640	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzo(g,h,i)perylene	230	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzo(k)fluoranthene	700	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzoic acid	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Benzyl alcohol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Biphenyl	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Bis(2-chloroethoxy)methane	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Bis(2-chloroethyl)ether	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Bis(2-chloroisopropyl)ether	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Bis(2-ethylhexyl)phthalate	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Butyl benzyl phthalate	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Caprolactam	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Carbazole	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Chrysene	450	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Dibenzo(a,h)anthracene	96	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Dibenzofuran	89	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Diethyl phthalate	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Dimethyl phthalate	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Di-n-butyl phthalate	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Di-n-octyl phthalate	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Fluoranthene	1200	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Fluorene	98	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Hexachlorobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Hexachlorobutadiene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Hexachlorocyclopentadiene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-4 (16-18ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-08B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Indeno(1,2,3-c,d)pyrene	220	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Isophorone	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Naphthalene	100	29.8	300	J	µg/Kg-dry	1	2/24/2011 6:19:00 PM
Nitrobenzene	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
N-Nitrosodimethylamine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
N-Nitrosodi-n-propylamine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
N-Nitrosodiphenylamine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Parathion	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Pentachlorophenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Phenanthrene	1100	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Phenol	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Pyrene	1000	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Pyridine	U	29.8	300		µg/Kg-dry	1	2/24/2011 6:19:00 PM
Surr: 2,4,6-Tribromophenol	74.7	0	23-121		%REC	1	2/24/2011 6:19:00 PM
Surr: 2-Fluorobiphenyl	72.8	0	23-120		%REC	1	2/24/2011 6:19:00 PM
Surr: 2-Fluorophenol	45.3	0	12-111		%REC	1	2/24/2011 6:19:00 PM
Surr: 4-Terphenyl-d14	78.2	0	23-128		%REC	1	2/24/2011 6:19:00 PM
Surr: Nitrobenzene-d5	64.6	0	18-116		%REC	1	2/24/2011 6:19:00 PM
Surr: Phenol-d6	56.4	0	11-112		%REC	1	2/24/2011 6:19:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-09A

Client Sample ID: SB-5 (0-2ft)
 Collection Date: 2/17/2011 10:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1,1-Trichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1,2,2-Tetrachloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1,2-Trichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1-Dichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1-Dichloroethene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,1-Dichloropropene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2,3-Trichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2,3-Trichloropropane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2,4,5-Tetramethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2,4-Trichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2,4-Trimethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2-Dibromo-3-chloropropane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2-Dibromoethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2-Dichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2-Dichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,2-Dichloropropane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,3,5-Trimethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,3-Dichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,3-dichloropropane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,4-Dichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
1,4-Dioxane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
2,2-Dichloropropane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
2-Butanone	U	0.88	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
2-Chloroethyl vinyl ether	U	0.47	5.9	C	µg/Kg-dry	1	2/22/2011 12:49:00 AM
2-Chlorotoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
2-Hexanone	U	0.88	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
2-Propanol	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
4-Chlorotoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
4-Isopropyltoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
4-Methyl-2-pentanone	U	0.88	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Acetone	U	0.88	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-09A

Client Sample ID: SB-5 (0-2ft)
 Collection Date: 2/17/2011 10:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Acrolein	U	1.76	29		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Acrylonitrile	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Benzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Bromobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Bromochloromethane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Bromodichloromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Bromoform	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Bromomethane	U	0.35	5.9	C	µg/Kg-dry	1	2/22/2011 12:49:00 AM
Carbon disulfide	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Carbon tetrachloride	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Chlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Chlorodifluoromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Chloroethane	U	0.35	5.9	C	µg/Kg-dry	1	2/22/2011 12:49:00 AM
Chloroform	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Chloromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
cis-1,2-Dichloroethene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
cis-1,3-Dichloropropene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Dibromochloromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Dibromomethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Dichlorodifluoromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Diisopropyl ether	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Ethanol	U	1.76	29		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Ethyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Ethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Freon-114	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Hexachlorobutadiene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Isopropyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Isopropylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
m,p-Xylene	0.79	0.70	12	J	µg/Kg-dry	1	2/22/2011 12:49:00 AM
Methyl Acetate	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Methyl tert-butyl ether	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Methylene chloride	6.9	0.35	5.9	BC	µg/Kg-dry	1	2/22/2011 12:49:00 AM
n-Amyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-5 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:30:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-09A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B		Analyst: LA		
Naphthalene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
n-Butyl acetate	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
n-Butylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
n-Propyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
n-Propylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
o-Xylene	0.60	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 12:49:00 AM
p-Diethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
p-Ethyltoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
sec-Butylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Styrene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
t-Butyl alcohol	U	1.76	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
tert-Butylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Tetrachloroethene	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Toluene	0.53	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 12:49:00 AM
trans-1,2-Dichloroethene	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
trans-1,3-Dichloropropene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Trichloroethene	0.68	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 12:49:00 AM
Trichlorofluoromethane	U	0.35	5.9	C	µg/Kg-dry	1	2/22/2011 12:49:00 AM
Vinyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Vinyl chloride	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 12:49:00 AM
Surr: 4-Bromofluorobenzene	96.4	0	64-132		%REC	1	2/22/2011 12:49:00 AM
Surr: Dibromofluoromethane	107	0	66-131		%REC	1	2/22/2011 12:49:00 AM
Surr: Toluene-d8	92.2	0	54-132		%REC	1	2/22/2011 12:49:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-5 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:30:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-09B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	0.130	0.006	0.0115		mg/Kg-dry	1	2/23/2011 10:37:42 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
							Analyst: AH
Aroclor 1016	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1221	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1232	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1242	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1248	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1254	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1260	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1262	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Aroclor 1268	U	7.24	87		µg/Kg-dry	1	2/25/2011 2:41:00 PM
Surr: TCX	67.3	0	16-148		%REC	1	2/25/2011 2:41:00 PM
Surr: DCB	69.6	0	15-174		%REC	1	2/25/2011 2:41:00 PM
PESTICIDES SW-846 METHOD 8081							
							Analyst: SB
4,4'-DDD	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
4,4'-DDE	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
4,4'-DDT	6.8	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Aldrin	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
alpha-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
beta-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Chlordane	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Chlorobenzilate	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
DBCP	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
delta-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Dieldrin	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Endosulfan I	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Endosulfan II	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Endosulfan sulfate	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Endrin	U	0.72	2.2	C	µg/Kg-dry	1	2/24/2011 7:38:00 PM
Endrin aldehyde	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Endrin ketone	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
gamma-BHC	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-09B

Client Sample ID: SB-5 (0-2ft)
 Collection Date: 2/17/2011 10:30:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Heptachlor epoxide	0.95	0.72	2.2	J	µg/Kg-dry	1	2/24/2011 7:38:00 PM
Hexachlorobenzene	2.5	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Hexachlorocyclopentadiene	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Methoxychlor	U	0.72	2.2		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Toxaphene	U	3.61	43		µg/Kg-dry	1	2/24/2011 7:38:00 PM
Surr: DCB	79.7	0	28-147		%REC	1	2/24/2011 7:38:00 PM
Surr: TCX	77.3	0	20-138		%REC	1	2/24/2011 7:38:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	14.0	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	4280	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Antimony	U	0.22	0.551		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Arsenic	3.74	0.22	0.551		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Barium	236	0.22	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Beryllium	U	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Cadmium	0.242	0.11	0.441	J	mg/Kg-dry	1	2/22/2011 11:26:45 AM
Calcium	36800	2.20	5.51		mg/Kg-dry	10	2/22/2011 12:22:46 PM
Chromium	9.45	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Cobalt	U	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Copper	8.61	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Iron	6520	2.20	4.41		mg/Kg-dry	10	2/22/2011 12:22:46 PM
Lead	221	0.22	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Magnesium	1480	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Manganese	143	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Nickel	6.17	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Potassium	1150	0.22	0.551		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Selenium	U	0.22	0.551		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Silver	U	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Sodium	419	0.22	0.551		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Thallium	2.03	0.33	0.551		mg/Kg-dry	1	2/22/2011 11:26:45 AM
Vanadium	13.7	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-5 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 10:30:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-09B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
			SW6010B		SW3050A		Analyst: JP
Zinc	134	0.11	0.441		mg/Kg-dry	1	2/22/2011 11:26:45 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
1,2-Dichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
1,3-Dichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
1,4-Dichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,4,5-Trichlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,4,6-Trichlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,4-Dichlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,4-Dimethylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,4-Dinitrophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,4-Dinitrotoluene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2,6-Dinitrotoluene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2-Chloronaphthalene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2-Chlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2-Methylnaphthalene	110	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
2-Methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2-Nitroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
2-Nitrophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
3,3'-Dichlorobenzidine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
3+4-Methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
3-Nitroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4,6-Dinitro-2-methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4-Bromophenyl phenyl ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4-Chloro-3-methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4-Chloroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4-Chlorophenyl phenyl ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4-Nitroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
4-Nitrophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Acenaphthene	140	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
Acenaphthylene	82	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
Acetophenone	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



- | | | |
|--------------------|---|--|
| Qualifiers: | B Analyte detected in the associated Method Blank | C Calibration %RSD/%D exceeded for non-CCC analytes |
| | E Value above quantitation range | H Holding times for preparation or analysis exceeded |
| | J Analyte detected below quantitation limits | LOD Limit of Detection |
| | LOQ Limit of Quantitation | P >40% diff for detected conc between the two GC columns |
| | S Spike Recovery outside accepted recovery limits | U Indicates the compound was analyzed but not detected. |

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-5 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 10:30:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-09B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Anthracene	3000	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Atrazine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Azobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzaldehyde	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzdine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzo(a)anthracene	1300	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzo(a)pyrene	1100	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzo(b)fluoranthene	1800	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzo(g,h,i)perylene	980	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzo(k)fluoranthene	2000	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzoic acid	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Benzyl alcohol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Biphenyl	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Bis(2-chloroethoxy)methane	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Bis(2-chloroethyl)ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Bis(2-chloroisopropyl)ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Bis(2-ethylhexyl)phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Butyl benzyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Caprolactam	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Carbazole	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Chrysene	1200	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Dibenzo(a,h)anthracene	200	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
Dibenzofuran	240	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
Diethyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Dimethyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Di-n-butyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Di-n-octyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Fluoranthene	3200	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Fluorene	210	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
Hexachlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Hexachlorobutadiene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Hexachlorocyclopentadiene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-5 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:30:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-09B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Indeno(1,2,3-c,d)pyrene	660	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Isophorone	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Naphthalene	210	28.9	290	J	µg/Kg-dry	1	2/24/2011 6:44:00 PM
Nitrobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
N-Nitrosodimethylamine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
N-Nitrosodi-n-propylamine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
N-Nitrosodiphenylamine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Parathion	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Pentachlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Phenanthrene	3000	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Phenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Pyrene	2800	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Pyridine	U	28.9	290		µg/Kg-dry	1	2/24/2011 6:44:00 PM
Surr: 2,4,6-Tribromophenol	66.1	0	23-121		%REC	1	2/24/2011 6:44:00 PM
Surr: 2-Fluorobiphenyl	59.4	0	23-120		%REC	1	2/24/2011 6:44:00 PM
Surr: 2-Fluorophenol	35.5	0	12-111		%REC	1	2/24/2011 6:44:00 PM
Surr: 4-Terphenyl-d14	71.1	0	23-128		%REC	1	2/24/2011 6:44:00 PM
Surr: Nitrobenzene-d5	47.7	0	18-116		%REC	1	2/24/2011 6:44:00 PM
Surr: Phenol-d6	45.5	0	11-112		%REC	1	2/24/2011 6:44:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-10A

Client Sample ID: SB-5 (12-14ft)
 Collection Date: 2/17/2011 10:40:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1,1-Trichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1,2,2-Tetrachloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1,2-Trichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1-Dichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1-Dichloroethene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,1-Dichloropropene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2,3-Trichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2,3-Trichloropropane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2,4,5-Tetramethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2,4-Trichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2,4-Trimethylbenzene	0.45	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2-Dibromo-3-chloropropane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2-Dibromoethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2-Dichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2-Dichloroethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,2-Dichloropropane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,3,5-Trimethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,3-Dichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,3-dichloropropane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,4-Dichlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
1,4-Dioxane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
2,2-Dichloropropane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
2-Butanone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
2-Chloroethyl vinyl ether	U	0.47	5.9	C	µg/Kg-dry	1	2/22/2011 1:20:00 AM
2-Chlorotoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
2-Hexanone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
2-Propanol	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
4-Chlorotoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
4-Isopropyltoluene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
4-Methyl-2-pentanone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Acetone	U	0.89	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-10A

Client Sample ID: SB-5 (12-14ft)
 Collection Date: 2/17/2011 10:40:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Acrolein	U	1.77	30		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Acrylonitrile	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Benzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Bromobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Bromochloromethane	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Bromodichloromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Bromoform	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Bromomethane	U	0.35	5.9	C	µg/Kg-dry	1	2/22/2011 1:20:00 AM
Carbon disulfide	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Carbon tetrachloride	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Chlorobenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Chlorodifluoromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Chloroethane	U	0.35	5.9	C	µg/Kg-dry	1	2/22/2011 1:20:00 AM
Chloroform	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Chloromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
cis-1,2-Dichloroethene	1.1	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
cis-1,3-Dichloropropene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Dibromochloromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Dibromomethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Dichlorodifluoromethane	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Diisopropyl ether	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Ethanol	U	1.77	30		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Ethyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Ethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Freon-114	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Hexachlorobutadiene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Isopropyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Isopropylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
m,p-Xylene	1.1	0.71	12	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
Methyl Acetate	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Methyl tert-butyl ether	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Methylene chloride	8.6	0.35	5.9	BC	µg/Kg-dry	1	2/22/2011 1:20:00 AM
n-Amyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-5 (12-14ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:40:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-10A		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	4.3	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
n-Butyl acetate	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
n-Butylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
n-Propyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
n-Propylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
o-Xylene	0.72	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
p-Diethylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
p-Ethyltoluene	0.40	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
sec-Butylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Styrene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
t-Butyl alcohol	U	1.77	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
tert-Butylbenzene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Tetrachloroethene	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Toluene	0.77	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
trans-1,2-Dichloroethene	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
trans-1,3-Dichloropropene	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Trichloroethene	1.1	0.35	5.9	J	µg/Kg-dry	1	2/22/2011 1:20:00 AM
Trichlorofluoromethane	U	0.35	5.9	C	µg/Kg-dry	1	2/22/2011 1:20:00 AM
Vinyl acetate	U	0.47	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Vinyl chloride	U	0.35	5.9		µg/Kg-dry	1	2/22/2011 1:20:00 AM
Surr: 4-Bromofluorobenzene	92.9	0	64-132		%REC	1	2/22/2011 1:20:00 AM
Surr: Dibromofluoromethane	99.4	0	66-131		%REC	1	2/22/2011 1:20:00 AM
Surr: Toluene-d8	93.8	0	54-132		%REC	1	2/22/2011 1:20:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-5 (12-14ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:40:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-10B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
			SW7471B		SW7471B		Analyst: AH
Mercury	0.705	0.01	0.0201		mg/Kg-dry	2	2/23/2011 11:29:10 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
			SW8082A		SW3550		Analyst: SB
Aroclor 1016	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1221	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1232	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1242	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1248	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1254	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1260	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1262	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Aroclor 1268	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:05:00 PM
Surr: TCX	63.9	0	16-148		%REC	1	2/25/2011 3:05:00 PM
Surr: DCB	72.0	0	15-174		%REC	1	2/25/2011 3:05:00 PM
PESTICIDES SW-846 METHOD 8081							
			SW8081B		SW3550		Analyst: SB
4,4'-DDD	6.3	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
4,4'-DDE	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
4,4'-DDT	13	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Aldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
alpha-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
beta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Chlordane	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Chlorobenzilate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
DBCP	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
delta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Dieldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Endosulfan I	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Endosulfan II	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Endosulfan sulfate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Endrin	U	0.76	2.3	C	µg/Kg-dry	1	2/24/2011 7:52:00 PM
Endrin aldehyde	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Endrin ketone	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
gamma-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-5 (12-14ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:40:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-10B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Heptachlor epoxide	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Hexachlorobenzene	2.2	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 7:52:00 PM
Hexachlorocyclopentadiene	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Methoxychlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Toxaphene	U	3.79	45		µg/Kg-dry	1	2/24/2011 7:52:00 PM
Surr: DCB	77.7	0	28-147		%REC	1	2/24/2011 7:52:00 PM
Surr: TCX	89.9	0	20-138		%REC	1	2/24/2011 7:52:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	15.2	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	4950	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Antimony	U	0.23	0.582		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Arsenic	4.91	0.23	0.582		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Barium	258	0.23	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Beryllium	U	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Cadmium	U	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Calcium	29100	2.33	5.82		mg/Kg-dry	10	2/22/2011 12:24:50 PM
Chromium	10.9	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Cobalt	U	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Copper	13.7	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Iron	15700	2.33	4.66		mg/Kg-dry	10	2/22/2011 12:24:50 PM
Lead	547	0.23	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Magnesium	3820	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Manganese	283	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Nickel	7.27	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Potassium	1300	0.23	0.582		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Selenium	U	0.23	0.582		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Silver	U	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Sodium	486	0.23	0.582		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Thallium	2.14	0.35	0.582		mg/Kg-dry	1	2/22/2011 11:28:48 AM
Vanadium	18.2	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-10B

Client Sample ID: SB-5 (12-14ft)
 Collection Date: 2/17/2011 10:40:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS			SW6010B	SW3050A	Analyst: JP		
Zinc	153	0.12	0.466		mg/Kg-dry	1	2/22/2011 11:28:48 AM
SEMIVOLATILE SW-846 METHOD 8270			SW8270D	SW3550C	Analyst: LDS		
1,2,4-Trichlorobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
1,2-Dichlorobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
1,3-Dichlorobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
1,4-Dichlorobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,4,5-Trichlorophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,4,6-Trichlorophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,4-Dichlorophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,4-Dimethylphenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,4-Dinitrophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,4-Dinitrotoluene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2,6-Dinitrotoluene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2-Chloronaphthalene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2-Chlorophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2-Methylnaphthalene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2-Methylphenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2-Nitroaniline	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
2-Nitrophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
3,3'-Dichlorobenzidine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
3+4-Methylphenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
3-Nitroaniline	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4,6-Dinitro-2-methylphenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4-Bromophenyl phenyl ether	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4-Chloro-3-methylphenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4-Chloroaniline	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4-Chlorophenyl phenyl ether	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4-Nitroaniline	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
4-Nitrophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Acenaphthene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Acenaphthylene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Acetophenone	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: SB-5 (12-14ft)

Lab Order: 1102168

Collection Date: 2/17/2011 10:40:00 AM

Project: 260 West 26th St., NY, NY

Matrix: SOIL

Lab ID: 1102168-10B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Anthracene	100	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Atrazine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Azobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzaldehyde	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzdine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzo(a)anthracene	44	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzo(a)pyrene	46	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzo(b)fluoranthene	74	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzo(g,h,i)perylene	410	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzo(k)fluoranthene	79	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzoic acid	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Benzyl alcohol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Biphenyl	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Bis(2-chloroethoxy)methane	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Bis(2-chloroethyl)ether	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Bis(2-chloroisopropyl)ether	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Bis(2-ethylhexyl)phthalate	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Butyl benzyl phthalate	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Caprolactam	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Carbazole	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Chrysene	46	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Dibenzo(a,h)anthracene	62	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Dibenzofuran	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Diethyl phthalate	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Dimethyl phthalate	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Di-n-butyl phthalate	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Di-n-octyl phthalate	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Fluoranthene	98	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Fluorene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Hexachlorobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Hexachlorobutadiene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Hexachlorocyclopentadiene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-5 (12-14ft)
Lab Order:	1102168	Collection Date:	2/17/2011 10:40:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-10B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Indeno(1,2,3-c,d)pyrene	71	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Isophorone	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Naphthalene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Nitrobenzene	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
N-Nitrosodimethylamine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
N-Nitrosodi-n-propylamine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
N-Nitrosodiphenylamine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Parathion	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Pentachlorophenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Phenanthrene	100	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Phenol	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Pyrene	94	29.3	290	J	µg/Kg-dry	1	2/24/2011 7:09:00 PM
Pyridine	U	29.3	290		µg/Kg-dry	1	2/24/2011 7:09:00 PM
Surr: 2,4,6-Tribromophenol	58.9	0	23-121		%REC	1	2/24/2011 7:09:00 PM
Surr: 2-Fluorobiphenyl	59.2	0	23-120		%REC	1	2/24/2011 7:09:00 PM
Surr: 2-Fluorophenol	32.6	0	12-111		%REC	1	2/24/2011 7:09:00 PM
Surr: 4-Terphenyl-d14	69.6	0	23-128		%REC	1	2/24/2011 7:09:00 PM
Surr: Nitrobenzene-d5	51.1	0	18-116		%REC	1	2/24/2011 7:09:00 PM
Surr: Phenol-d6	38.0	0	11-112		%REC	1	2/24/2011 7:09:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-11A

Client Sample ID: SB-6 (0-2ft)
 Collection Date: 2/17/2011 11:00:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1,1-Trichloroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1,2,2-Tetrachloroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1,2-Trichloroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1-Dichloroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1-Dichloroethene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,1-Dichloropropene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2,3-Trichlorobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2,3-Trichloropropane	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2,4,5-Tetramethylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2,4-Trichlorobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2,4-Trimethylbenzene	0.39	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2-Dibromo-3-chloropropane	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2-Dibromoethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2-Dichlorobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2-Dichloroethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,2-Dichloropropane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,3,5-Trimethylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,3-Dichlorobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,3-dichloropropane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,4-Dichlorobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
1,4-Dioxane	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
2,2-Dichloropropane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
2-Butanone	U	0.84	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
2-Chloroethyl vinyl ether	U	0.45	5.6	C	µg/Kg-dry	1	2/22/2011 1:52:00 AM
2-Chlorotoluene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
2-Hexanone	U	0.84	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
2-Propanol	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
4-Chlorotoluene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
4-Isopropyltoluene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
4-Methyl-2-pentanone	U	0.84	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Acetone	U	0.84	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-6 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 11:00:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-11A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Acrolein	U	1.69	28		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Acrylonitrile	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Benzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Bromobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Bromochloromethane	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Bromodichloromethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Bromoform	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Bromomethane	U	0.34	5.6	C	µg/Kg-dry	1	2/22/2011 1:52:00 AM
Carbon disulfide	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Carbon tetrachloride	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Chlorobenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Chlorodifluoromethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Chloroethane	U	0.34	5.6	C	µg/Kg-dry	1	2/22/2011 1:52:00 AM
Chloroform	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Chloromethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
cis-1,2-Dichloroethene	1.4	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
cis-1,3-Dichloropropene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Dibromochloromethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Dibromomethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Dichlorodifluoromethane	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Diisopropyl ether	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Ethanol	U	1.69	28		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Ethyl acetate	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Ethylbenzene	0.35	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
Freon-114	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Hexachlorobutadiene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Isopropyl acetate	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Isopropylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
m,p-Xylene	1.1	0.68	11	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
Methyl Acetate	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Methyl tert-butyl ether	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Methylene chloride	8.5	0.34	5.6	BC	µg/Kg-dry	1	2/22/2011 1:52:00 AM
n-Amyl acetate	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-6 (0-2ft)
Lab Order: 1102168	Collection Date: 2/17/2011 11:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-11A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	0.55	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
n-Butyl acetate	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
n-Butylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
n-Propyl acetate	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
n-Propylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
o-Xylene	0.64	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
p-Diethylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
p-Ethyltoluene	0.36	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
sec-Butylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Styrene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
t-Butyl alcohol	U	1.69	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
tert-Butylbenzene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Tetrachloroethene	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Toluene	1.2	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
trans-1,2-Dichloroethene	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
trans-1,3-Dichloropropene	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Trichloroethene	1.6	0.34	5.6	J	µg/Kg-dry	1	2/22/2011 1:52:00 AM
Trichlorofluoromethane	U	0.34	5.6	C	µg/Kg-dry	1	2/22/2011 1:52:00 AM
Vinyl acetate	U	0.45	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Vinyl chloride	U	0.34	5.6		µg/Kg-dry	1	2/22/2011 1:52:00 AM
Surr: 4-Bromofluorobenzene	96.2	0	64-132		%REC	1	2/22/2011 1:52:00 AM
Surr: Dibromofluoromethane	99.4	0	66-131		%REC	1	2/22/2011 1:52:00 AM
Surr: Toluene-d8	93.7	0	54-132		%REC	1	2/22/2011 1:52:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-6 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 11:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-11B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
			SW7471B		SW7471B		Analyst: AH
Mercury	0.523	0.01	0.0215		mg/Kg-dry	2	2/23/2011 11:31:19 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
			SW8082A		SW3550		Analyst: SB
Aroclor 1016	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1221	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1232	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1242	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1248	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1254	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1260	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1262	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Aroclor 1268	U	7.64	91		µg/Kg-dry	1	2/25/2011 3:29:00 PM
Surr: TCX	73.3	0	16-148		%REC	1	2/25/2011 3:29:00 PM
Surr: DCB	74.6	0	15-174		%REC	1	2/25/2011 3:29:00 PM
PESTICIDES SW-846 METHOD 8081							
			SW8081B		SW3550		Analyst: SB
4,4'-DDD	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
4,4'-DDE	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
4,4'-DDT	19	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Aldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
alpha-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
beta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Chlordane	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Chlorobenzilate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
DBCP	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
delta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Dieldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Endosulfan I	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Endosulfan II	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Endosulfan sulfate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Endrin	U	0.76	2.3	C	µg/Kg-dry	1	2/24/2011 8:06:00 PM
Endrin aldehyde	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Endrin ketone	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
gamma-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-11B

Client Sample ID: SB-6 (0-2ft)
 Collection Date: 2/17/2011 11:00:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3550		Analyst: SB
Heptachlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Heptachlor epoxide	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Hexachlorobenzene	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Hexachlorocyclopentadiene	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Methoxychlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Toxaphene	U	3.80	46		µg/Kg-dry	1	2/24/2011 8:06:00 PM
Surr: DCB	77.6	0	28-147		%REC	1	2/24/2011 8:06:00 PM
Surr: TCX	83.3	0	20-138		%REC	1	2/24/2011 8:06:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	13.0	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B		SW3050A		Analyst: JP
Aluminum	4340	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Antimony	U	0.21	0.536		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Arsenic	3.88	0.21	0.536		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Barium	152	0.21	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Beryllium	U	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Cadmium	0.171	0.11	0.429	J	mg/Kg-dry	1	2/22/2011 11:30:51 AM
Calcium	28000	2.14	5.36		mg/Kg-dry	10	2/22/2011 12:26:53 PM
Chromium	7.33	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Cobalt	U	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Copper	38.8	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Iron	14600	2.14	4.29		mg/Kg-dry	10	2/22/2011 12:26:53 PM
Lead	169	0.21	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Magnesium	1890	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Manganese	209	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Nickel	6.97	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Potassium	969	0.21	0.536		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Selenium	U	0.21	0.536		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Silver	0.129	0.11	0.429	J	mg/Kg-dry	1	2/22/2011 11:30:51 AM
Sodium	546	0.21	0.536		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Thallium	1.26	0.32	0.536		mg/Kg-dry	1	2/22/2011 11:30:51 AM
Vanadium	10.8	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-11B

Client Sample ID: SB-6 (0-2ft)
 Collection Date: 2/17/2011 11:00:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS			SW6010B	SW3050A	Analyst: JP		
Zinc	108	0.11	0.429		mg/Kg-dry	1	2/22/2011 11:30:51 AM
SEMIVOLATILE SW-846 METHOD 8270			SW8270D	SW3550C	Analyst: LDS		
1,2,4-Trichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
1,2-Dichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
1,3-Dichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
1,4-Dichlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,4,5-Trichlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,4,6-Trichlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,4-Dichlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,4-Dimethylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,4-Dinitrophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,4-Dinitrotoluene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2,6-Dinitrotoluene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2-Chloronaphthalene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2-Chlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2-Methylnaphthalene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2-Methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2-Nitroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
2-Nitrophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
3,3'-Dichlorobenzidine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
3+4-Methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
3-Nitroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4,6-Dinitro-2-methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4-Bromophenyl phenyl ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4-Chloro-3-methylphenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4-Chloroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4-Chlorophenyl phenyl ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4-Nitroaniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
4-Nitrophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Acenaphthene	49	28.6	290	J	µg/Kg-dry	1	2/24/2011 7:34:00 PM
Acenaphthylene	240	28.6	290	J	µg/Kg-dry	1	2/24/2011 7:34:00 PM
Acetophenone	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc. Client Sample ID: SB-6 (0-2ft)
 Lab Order: 1102168 Collection Date: 2/17/2011 11:00:00 AM
 Project: 260 West 26th St., NY, NY Matrix: SOIL
 Lab ID: 1102168-11B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D	SW3550C	Analyst: LDS		
Aniline	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Anthracene	410	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Atrazine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Azobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzaldehyde	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzdine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzo(a)anthracene	1600	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzo(a)pyrene	1400	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzo(b)fluoranthene	2700	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzo(g,h,i)perylene	1400	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzo(k)fluoranthene	2900	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzoic acid	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Benzyl alcohol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Biphenyl	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Bis(2-chloroethoxy)methane	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Bis(2-chloroethyl)ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Bis(2-chloroisopropyl)ether	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Bis(2-ethylhexyl)phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Butyl benzyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Caprolactam	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Carbazole	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Chrysene	1900	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Dibenzo(a,h)anthracene	350	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Dibenzofuran	160	28.6	290	J	µg/Kg-dry	1	2/24/2011 7:34:00 PM
Diethyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Dimethyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Di-n-butyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Di-n-octyl phthalate	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Fluoranthene	4300	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Fluorene	240	28.6	290	J	µg/Kg-dry	1	2/24/2011 7:34:00 PM
Hexachlorobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Hexachlorobutadiene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Hexachlorocyclopentadiene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-6 (0-2ft)
Lab Order:	1102168	Collection Date:	2/17/2011 11:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-11B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D	SW3550C	Analyst: LDS		
Hexachloroethane	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Indeno(1,2,3-c,d)pyrene	960	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Isophorone	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Naphthalene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Nitrobenzene	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
N-Nitrosodimethylamine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
N-Nitrosodi-n-propylamine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
N-Nitrosodiphenylamine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Parathion	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Pentachlorophenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Phenanthrene	3300	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Phenol	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Pyrene	3600	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Pyridine	U	28.6	290		µg/Kg-dry	1	2/24/2011 7:34:00 PM
Surr: 2,4,6-Tribromophenol	54.2	0	23-121		%REC	1	2/24/2011 7:34:00 PM
Surr: 2-Fluorobiphenyl	51.6	0	23-120		%REC	1	2/24/2011 7:34:00 PM
Surr: 2-Fluorophenol	29.0	0	12-111		%REC	1	2/24/2011 7:34:00 PM
Surr: 4-Terphenyl-d14	61.7	0	23-128		%REC	1	2/24/2011 7:34:00 PM
Surr: Nitrobenzene-d5	46.0	0	18-116		%REC	1	2/24/2011 7:34:00 PM
Surr: Phenol-d6	34.5	0	11-112		%REC	1	2/24/2011 7:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-12A

Client Sample ID: SB-6 (12-14ft)
 Collection Date: 2/17/2011 11:25:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1,1-Trichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1,2,2-Tetrachloroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1,2-Trichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1-Dichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1-Dichloroethene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,1-Dichloropropene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2,3-Trichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2,3-Trichloropropane	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2,4,5-Tetramethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2,4-Trichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2,4-Trimethylbenzene	0.34	0.34	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2-Dibromo-3-chloropropane	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2-Dibromoethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2-Dichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2-Dichloroethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,2-Dichloropropane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,3,5-Trimethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,3-Dichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,3-dichloropropane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,4-Dichlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
1,4-Dioxane	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
2,2-Dichloropropane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
2-Butanone	U	0.85	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
2-Chloroethyl vinyl ether	U	0.45	5.7	C	µg/Kg-dry	1	2/22/2011 2:24:00 AM
2-Chlorotoluene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
2-Hexanone	U	0.85	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
2-Propanol	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
4-Chlorotoluene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
4-Isopropyltoluene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
4-Methyl-2-pentanone	U	0.85	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Acetone	U	0.85	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1102168
 Project: 260 West 26th St., NY, NY
 Lab ID: 1102168-12A

Client Sample ID: SB-6 (12-14ft)
 Collection Date: 2/17/2011 11:25:00 AM
 Matrix: SOIL

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Acrolein	U	1.7	28		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Acrylonitrile	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Benzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Bromobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Bromochloromethane	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Bromodichloromethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Bromoform	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Bromomethane	U	0.34	5.7	C	µg/Kg-dry	1	2/22/2011 2:24:00 AM
Carbon disulfide	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Carbon tetrachloride	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Chlorobenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Chlorodifluoromethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Chloroethane	U	0.34	5.7	C	µg/Kg-dry	1	2/22/2011 2:24:00 AM
Chloroform	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Chloromethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
cis-1,2-Dichloroethene	2.1	0.34	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
cis-1,3-Dichloropropene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Dibromochloromethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Dibromomethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Dichlorodifluoromethane	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Diisopropyl ether	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Ethanol	U	1.7	28		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Ethyl acetate	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Ethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Freon-114	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Hexachlorobutadiene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Isopropyl acetate	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Isopropylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
m,p-Xylene	0.81	0.68	11	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
Methyl Acetate	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Methyl tert-butyl ether	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Methylene chloride	12	0.34	5.7	BC	µg/Kg-dry	1	2/22/2011 2:24:00 AM
n-Amyl acetate	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-6 (12-14ft)
Lab Order: 1102168	Collection Date: 2/17/2011 11:25:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-12A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260B			Analyst: LA	
Naphthalene	0.72	0.34	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
n-Butyl acetate	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
n-Butylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
n-Propyl acetate	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
n-Propylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
o-Xylene	0.54	0.34	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
p-Diethylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
p-Ethyltoluene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
sec-Butylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Styrene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
t-Butyl alcohol	U	1.7	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
tert-Butylbenzene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Tetrachloroethene	1.1	0.45	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
Toluene	1.4	0.34	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
trans-1,2-Dichloroethene	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
trans-1,3-Dichloropropene	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Trichloroethene	1.9	0.34	5.7	J	µg/Kg-dry	1	2/22/2011 2:24:00 AM
Trichlorofluoromethane	U	0.34	5.7	C	µg/Kg-dry	1	2/22/2011 2:24:00 AM
Vinyl acetate	U	0.45	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Vinyl chloride	U	0.34	5.7		µg/Kg-dry	1	2/22/2011 2:24:00 AM
Surr: 4-Bromofluorobenzene	87.7	0	64-132		%REC	1	2/22/2011 2:24:00 AM
Surr: Dibromofluoromethane	108	0	66-131		%REC	1	2/22/2011 2:24:00 AM
Surr: Toluene-d8	89.1	0	54-132		%REC	1	2/22/2011 2:24:00 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-6 (12-14ft)
Lab Order: 1102168	Collection Date: 2/17/2011 11:25:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-12B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY							
Mercury	0.336	0.005	0.0107		mg/Kg-dry	1	2/23/2011 10:49:19 AM
PCB'S AS AROCLORS SW-846 METHOD 8082							
Aroclor 1016	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1221	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1232	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1242	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1248	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1254	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1260	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1262	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Aroclor 1268	U	7.62	91		µg/Kg-dry	1	2/25/2011 3:53:00 PM
Surr: TCX	48.6	0	16-148		%REC	1	2/25/2011 3:53:00 PM
Surr: DCB	51.4	0	15-174		%REC	1	2/25/2011 3:53:00 PM
PESTICIDES SW-846 METHOD 8081							
4,4'-DDD	1.0	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 8:48:00 PM
4,4'-DDE	3.1	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
4,4'-DDT	3.7	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Aldrin	1.5	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 8:48:00 PM
alpha-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
beta-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Chlordane	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Chlorobenzilate	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
DBCP	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
delta-BHC	1.8	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 8:48:00 PM
Dieldrin	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Endosulfan I	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Endosulfan II	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Endosulfan sulfate	1.6	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 8:48:00 PM
Endrin	0.82	0.76	2.3	JC	µg/Kg-dry	1	2/24/2011 8:48:00 PM
Endrin aldehyde	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Endrin ketone	1.0	0.76	2.3	J	µg/Kg-dry	1	2/24/2011 8:48:00 PM
gamma-BHC	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-6 (12-14ft)
Lab Order: 1102168	Collection Date: 2/17/2011 11:25:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-12B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B	SW3550			Analyst: SB
Heptachlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Heptachlor epoxide	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Hexachlorobenzene	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Hexachlorocyclopentadiene	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Methoxychlor	U	0.76	2.3		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Toxaphene	U	3.78	45		µg/Kg-dry	1	2/24/2011 8:48:00 PM
Surr: DCB	82.7	0	28-147		%REC	1	2/24/2011 8:48:00 PM
Surr: TCX	72.1	0	20-138		%REC	1	2/24/2011 8:48:00 PM
PERCENT MOISTURE			D2216				Analyst: CB
Percent Moisture	14.4	0	0		wt%	1	2/22/2011
TARGET ANALYTE LIST METALS			SW6010B	SW3050A			Analyst: JP
Aluminum	5140	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Antimony	U	0.22	0.559		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Arsenic	3.07	0.22	0.559		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Barium	125	0.22	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Beryllium	U	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Cadmium	U	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Calcium	41400	2.24	5.59		mg/Kg-dry	10	2/22/2011 12:28:57 PM
Chromium	12.3	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Cobalt	U	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Copper	25.9	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Iron	18700	2.24	4.48		mg/Kg-dry	10	2/22/2011 12:28:57 PM
Lead	74.7	0.22	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Magnesium	3690	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Manganese	281	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Nickel	12.8	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Potassium	3640	0.22	0.559		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Selenium	U	0.22	0.559		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Silver	U	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Sodium	201	0.22	0.559		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Thallium	6.56	0.34	0.559		mg/Kg-dry	1	2/22/2011 11:32:54 AM
Vanadium	22.0	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	SB-6 (12-14ft)
Lab Order:	1102168	Collection Date:	2/17/2011 11:25:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	SOIL
Lab ID:	1102168-12B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
TARGET ANALYTE LIST METALS							
Zinc	83.2	0.11	0.448		mg/Kg-dry	1	2/22/2011 11:32:54 AM
SEMIVOLATILE SW-846 METHOD 8270							
			SW8270D		SW3550C		Analyst: LDS
1,2,4-Trichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
1,2-Dichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
1,3-Dichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
1,4-Dichlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,4,5-Trichlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,4,6-Trichlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,4-Dichlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,4-Dimethylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,4-Dinitrophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,4-Dinitrotoluene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2,6-Dinitrotoluene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2-Chloronaphthalene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2-Chlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2-Methylnaphthalene	41	28.9	290	J	µg/Kg-dry	1	2/24/2011 7:59:00 PM
2-Methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2-Nitroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
2-Nitrophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
3,3'-Dichlorobenzidine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
3+4-Methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
3-Nitroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4,6-Dinitro-2-methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4-Bromophenyl phenyl ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4-Chloro-3-methylphenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4-Chloroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4-Chlorophenyl phenyl ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4-Nitroaniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
4-Nitrophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Acenaphthene	130	28.9	290	J	µg/Kg-dry	1	2/24/2011 7:59:00 PM
Acenaphthylene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Acetophenone	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-6 (12-14ft)
Lab Order: 1102168	Collection Date: 2/17/2011 11:25:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-12B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Aniline	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Anthracene	1200	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Atrazine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Azobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzaldehyde	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benidine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzo(a)anthracene	480	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzo(a)pyrene	520	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzo(b)fluoranthene	850	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzo(g,h,i)perylene	440	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzo(k)fluoranthene	890	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzoic acid	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Benzyl alcohol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Biphenyl	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Bis(2-chloroethoxy)methane	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Bis(2-chloroethyl)ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Bis(2-chloroisopropyl)ether	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Bis(2-ethylhexyl)phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Butyl benzyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Caprolactam	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Carbazole	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Chrysene	480	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Dibenzo(a,h)anthracene	90	28.9	290	J	µg/Kg-dry	1	2/24/2011 7:59:00 PM
Dibenzofuran	84	28.9	290	J	µg/Kg-dry	1	2/24/2011 7:59:00 PM
Diethyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Dimethyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Di-n-butyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Di-n-octyl phthalate	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Fluoranthene	1200	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Fluorene	110	28.9	290	J	µg/Kg-dry	1	2/24/2011 7:59:00 PM
Hexachlorobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Hexachlorobutadiene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Hexachlorocyclopentadiene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: SB-6 (12-14ft)
Lab Order: 1102168	Collection Date: 2/17/2011 11:25:00 AM
Project: 260 West 26th St., NY, NY	Matrix: SOIL
Lab ID: 1102168-12B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3550C		Analyst: LDS
Hexachloroethane	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Indeno(1,2,3-c,d)pyrene	340	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Isophorone	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Naphthalene	53	28.9	290	J	µg/Kg-dry	1	2/24/2011 7:59:00 PM
Nitrobenzene	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
N-Nitrosodimethylamine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
N-Nitrosodi-n-propylamine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
N-Nitrosodiphenylamine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Parathion	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Pentachlorophenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Phenanthrene	1200	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Phenol	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Pyrene	1300	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Pyridine	U	28.9	290		µg/Kg-dry	1	2/24/2011 7:59:00 PM
Surr: 2,4,6-Tribromophenol	69.0	0	23-121		%REC	1	2/24/2011 7:59:00 PM
Surr: 2-Fluorobiphenyl	85.3	0	23-120		%REC	1	2/24/2011 7:59:00 PM
Surr: 2-Fluorophenol	47.7	0	12-111		%REC	1	2/24/2011 7:59:00 PM
Surr: 4-Terphenyl-d14	95.0	0	23-128		%REC	1	2/24/2011 7:59:00 PM
Surr: Nitrobenzene-d5	58.5	0	18-116		%REC	1	2/24/2011 7:59:00 PM
Surr: Phenol-d6	58.1	0	11-112		%REC	1	2/24/2011 7:59:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B Analyte detected in the associated Method Blank	C Calibration %RSD/%D exceeded for non-CCC analytes
	E Value above quantitation range	H Holding times for preparation or analysis exceeded
	J Analyte detected below quantitation limits	LOD Limit of Detection
	LOQ Limit of Quantitation	P >40% diff for detected conc between the two GC columns
	S Spike Recovery outside accepted recovery limits	U Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 01-Mar-11

CLIENT: CA Rich Consultants Inc.

Work Order: 1102168

Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DRY_TAL_MET

Sample ID: PBS-022111A	SampType: MBLK	TestCode: DRY_TAL_M	Units: mg/Kg	Prep Date: 2/21/2011	RunNo: 56248						
Client ID: PBS	Batch ID: 31379	TestNo: SW6010B	SW3050A	Analysis Date: 2/22/2011	SeqNo: 789781						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	U	0.400									
Antimony	U	0.500									
Arsenic	U	0.500									
Barium	U	0.400									
Beryllium	U	0.400									
Cadmium	U	0.400									
Calcium	U	0.500									
Chromium	U	0.400									
Cobalt	U	0.400									
Copper	U	0.400									
Iron	U	0.400									
Lead	U	0.400									
Magnesium	U	0.400									
Manganese	U	0.400									
Nickel	U	0.400									
Potassium	U	0.500									
Selenium	U	0.500									
Silver	U	0.400									
Sodium	U	0.500									
Thallium	U	0.500									
Vanadium	U	0.400									
Zinc	U	0.400									

Sample ID: LCSS-022111A	SampType: LCS	TestCode: DRY_TAL_M	Units: mg/Kg	Prep Date: 2/21/2011	RunNo: 56248						
Client ID: LCSS	Batch ID: 31379	TestNo: SW6010B	SW3050A	Analysis Date: 2/22/2011	SeqNo: 789783						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	38.9	0.400	40.00	0	97.2	85	115				
Antimony	36.6	0.500	40.00	0	91.5	85	120				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DRY_TAL_MET

Sample ID: LCSS-022111A	Batch ID: 31379	TestCode: DRY_TAL_M	Units: mg/Kg	Prep Date: 2/21/2011	RunNo: 56248						
Client ID: LCSS	Batch ID: 31379	TestNo: SW6010B	SW3050A	Analysis Date: 2/22/2011	SeqNo: 789783						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	37.3	0.500	40.00	0	93.4	82	118				
Barium	39.1	0.400	40.00	0	97.8	87	114				
Beryllium	38.9	0.400	40.00	0	97.2	87	115				
Cadmium	38.1	0.400	40.00	0	95.4	88	112				
Calcium	40.2	0.500	40.00	0	101	84	116				
Chromium	39.9	0.400	40.00	0	99.7	89	113				
Cobalt	39.4	0.400	40.00	0	98.5	89	113				
Copper	39.1	0.400	40.00	0	97.8	88	112				
Iron	38.8	0.400	40.00	0	97.1	80	120				
Lead	38.6	0.400	40.00	0	96.5	81	119				
Magnesium	39.1	0.400	40.00	0	97.6	89	113				
Manganese	38.1	0.400	40.00	0	95.3	84	114				
Nickel	40.8	0.400	40.00	0	102	85	117				
Potassium	385	0.500	400.0	0	96.4	82	120				
Selenium	40.5	0.500	40.00	0	101	84	118				
Silver	40.3	0.400	40.00	0	101	83	115				
Sodium	39.2	0.500	40.00	0	98.1	81	119				
Thallium	36.7	0.500	40.00	0	91.7	83	116				
Vanadium	39.3	0.400	40.00	0	98.3	88	112				
Zinc	40.0	0.400	40.00	0	100	86	114				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8081_Soil

Sample ID: LCS-31386	SampType: LCS	TestCode: Dry8081_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56316
Client ID: LCSS	Batch ID: 31386	TestNo: SW8081B	SW3550	Analysis Date: 2/24/2011	SeqNo: 791372

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDD	7.3	2.0	9.990	0	73.4	28	162				
4,4'-DDE	7.7	2.0	9.990	0	77.5	25	145				
4,4'-DDT	6.7	2.0	9.990	0	66.8	26	143				
Aldrin	9.7	2.0	9.990	0	96.8	25	137				
alpha-BHC	8.8	2.0	9.990	0	87.8	29	154				
beta-BHC	14	2.0	9.990	0	138	28	152				
Chlorobenzilate	8.4	2.0	9.990	0	84.3	28	164				
DBCP	6.9	2.0	9.990	0	68.7	22	147				
delta-BHC	8.3	2.0	9.990	0	82.9	22	158				
Dieldrin	7.7	2.0	9.990	0	77.5	21	148				
Endosulfan I	7.5	2.0	9.990	0	74.8	12	153				
Endosulfan II	6.0	2.0	9.990	0	59.7	15	143				
Endosulfan sulfate	8.2	2.0	9.990	0	81.8	18	155				
Endrin	7.2	2.0	9.990	0	71.8	22	155				C
Endrin aldehyde	9.0	2.0	9.990	0	89.8	19	149				
Endrin ketone	6.4	2.0	9.990	0	64.2	25	150				
gamma-BHC	9.5	2.0	9.990	0	95.5	23	150				
Heptachlor	7.0	2.0	9.990	0	70.1	20	152				
Heptachlor epoxide	8.6	2.0	9.990	0	86.3	19	157				
Hexachlorobenzene	6.5	2.0	9.990	0	65.2	15	152				
Hexachlorocyclopentadiene	6.1	2.0	9.990	0	61.4	28	133				
Methoxychlor	7.2	2.0	9.990	0	72.4	25	150				
Surr: DCB	38		49.98		76.4	28	147				
Surr: TCX	34		49.98		68.2	20	138				

Sample ID: MB-31386	SampType: MBLK	TestCode: Dry8081_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56316
Client ID: PBS	Batch ID: 31386	TestNo: SW8081B	SW3550	Analysis Date: 2/25/2011	SeqNo: 791387

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDD	U	2.0									
4,4'-DDE	U	2.0									

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8081_Soil

Sample ID: MB-31386	SampType: MBLK	TestCode: Dry8081_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56316						
Client ID: PBS	Batch ID: 31386	TestNo: SW8081B	SW3550	Analysis Date: 2/25/2011	SeqNo: 791387						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

4,4'-DDT	U	2.0									
Aldrin	U	2.0									
alpha-BHC	U	2.0									
beta-BHC	U	2.0									
Chlordane	U	2.0									
Chlorobenzilate	U	2.0									
DBCP	U	2.0									
delta-BHC	U	2.0									
Dieldrin	U	2.0									
Endosulfan I	U	2.0									
Endosulfan II	U	2.0									
Endosulfan sulfate	U	2.0									
Endrin	U	2.0									
Endrin aldehyde	U	2.0									
Endrin ketone	U	2.0									
gamma-BHC	U	2.0									
Heptachlor	U	2.0									
Heptachlor epoxide	U	2.0									
Hexachlorobenzene	U	2.0									
Hexachlorocyclopentadiene	U	2.0									
Methoxychlor	U	2.0									
Toxaphene	U	40									
Surr: DCB	45		49.98		89.9	28	147				
Surr: TCX	47		49.98		93.6	20	138				

C

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8082_Soil

Sample ID: LCS-31385	Sample Type: LCS	TestCode: Dry8082_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56317						
Client ID: LCSS	Batch ID: 31385	TestNo: SW8082A	SW3550	Analysis Date: 2/24/2011	SeqNo: 791388						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	110	80	99.99	0	108	30	143				
Aroclor 1260	110	80	99.99	0	114	32	148				
Surr: TCX	45		49.95		90.8	16	148				
Surr: DCB	56		49.95		112	15	174				

Sample ID: MB-31385	Sample Type: MBLK	TestCode: Dry8082_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56317						
Client ID: PBS	Batch ID: 31385	TestNo: SW8082A	SW3550	Analysis Date: 2/24/2011	SeqNo: 791389						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	U	80									
Aroclor 1221	U	80									
Aroclor 1232	U	80									
Aroclor 1242	U	80									
Aroclor 1248	U	80									
Aroclor 1254	U	80									
Aroclor 1260	U	80									
Aroclor 1262	U	80									
Aroclor 1268	U	80									
Surr: TCX	51		49.95		102	16	148				
Surr: DCB	60		49.95		121	15	174				

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: MB-31395	SampType: MBLK	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: PBS	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791701						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	U	250									
1,2-Dichlorobenzene	U	250									
1,3-Dichlorobenzene	U	250									
1,4-Dichlorobenzene	U	250									
2,4,5-Trichlorophenol	U	250									
2,4,6-Trichlorophenol	U	250									
2,4-Dichlorophenol	U	250									
2,4-Dimethylphenol	U	250									
2,4-Dinitrophenol	U	250									
2,4-Dinitrotoluene	U	250									
2,6-Dinitrotoluene	U	250									
2-Chloronaphthalene	U	250									
2-Chlorophenol	U	250									
2-Methylnaphthalene	U	250									
2-Methylphenol	U	250									
2-Nitroaniline	U	250									
2-Nitrophenol	U	250									
3,3'-Dichlorobenzidine	U	250									
3+4-Methylphenol	U	250									
3-Nitroaniline	U	250									
4,6-Dinitro-2-methylphenol	U	250									
4-Bromophenyl phenyl ether	U	250									
4-Chloro-3-methylphenol	U	250									
4-Chloroaniline	U	250									
4-Chlorophenyl phenyl ether	U	250									
4-Nitroaniline	U	250									
4-Nitrophenol	U	250									
Acenaphthene	U	250									
Acenaphthylene	U	250									
Acetophenone	U	250									
Aniline	U	250									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: MB-31395	SampType: MBLK	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: PBS	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791701						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Anthracene	U	250									
Atrazine	U	250									
Azobenzene	U	250									
Benzaldehyde	U	250									
Benzidine	U	250									
Benzo(a)anthracene	U	250									
Benzo(a)pyrene	U	250									
Benzo(b)fluoranthene	U	250									
Benzo(g,h,i)perylene	U	250									
Benzo(k)fluoranthene	U	250									
Benzoic acid	U	250									
Benzyl alcohol	U	250									
Biphenyl	U	250									
Bis(2-chloroethoxy)methane	U	250									
Bis(2-chloroethyl)ether	U	250									
Bis(2-chloroisopropyl)ether	U	250									
Bis(2-ethylhexyl)phthalate	U	250									
Butyl benzyl phthalate	U	250									
Caprolactam	U	250									
Carbazole	U	250									
Chrysene	U	250									
Dibenzo(a,h)anthracene	U	250									
Dibenzofuran	U	250									
Diethyl phthalate	U	250									
Dimethyl phthalate	U	250									
Di-n-butyl phthalate	U	250									
Di-n-octyl phthalate	U	250									
Fluoranthene	U	250									
Fluorene	U	250									
Hexachlorobenzene	U	250									
Hexachlorobutadiene	U	250									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: MB-31395	SampType: MBLK	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: PBS	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791701						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Hexachlorocyclopentadiene	U	250									
Hexachloroethane	U	250									
Indeno(1,2,3-c,d)pyrene	U	250									
Isophorone	U	250									
Naphthalene	U	250									
Nitrobenzene	U	250									
N-Nitrosodimethylamine	U	250									
N-Nitrosodi-n-propylamine	U	250									
N-Nitrosodiphenylamine	U	250									
Parathion	U	250									
Pentachlorophenol	U	250									
Phenanthrene	U	250									
Phenol	U	250									
Pyrene	U	250									
Pyridine	U	250									
Surr: 2,4,6-Tribromophenol	1500		2000		76.5	23		121			
Surr: 2-Fluorobiphenyl	800		1000		79.8	23		120			
Surr: 2-Fluorophenol	950		2000		47.5	12		111			
Surr: 4-Terphenyl-d14	880		1000		87.8	23		128			
Surr: Nitrobenzene-d5	720		1000		71.6	18		116			
Surr: Phenol-d6	1100		2000		54.7	11		112			

Sample ID: LCS-31395	SampType: LCS	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: LCSS	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791702						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2,4-Trichlorobenzene	1600	250	2000	0	78.3	38		128			
1,2-Dichlorobenzene	1400	250	2000	0	71.6	44		124			
1,3-Dichlorobenzene	1500	250	2000	0	75.4	46		118			
1,4-Dichlorobenzene	1500	250	2000	0	76.0	38		118			
2,4,5-Trichlorophenol	1600	250	2000	0	79.6	42		122			

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: LCS-31395	SampType: LCS	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/24/2011	RunNo: 56354
Client ID: LCSS	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791702

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2,4,6-Trichlorophenol	1700	250	2000	0	86.3	40	124				
2,4-Dichlorophenol	1700	250	2000	0	82.9	37	124				
2,4-Dimethylphenol	1600	250	2000	0	78.8	35	127				
2,4-Dinitrophenol	490	250	2000	0	24.3	16	102				
2-Chloronaphthalene	1700	250	2000	0	83.0	41	117				
2-Chlorophenol	1300	250	2000	0	67.3	37	115				
2-Methylphenol	1500	250	2000	0	77.2	30	130				
2-Nitrophenol	1500	250	2000	0	75.7	10	128				
3+4-Methylphenol	3300	250	4000	0	82.6	30	130				
4,6-Dinitro-2-methylphenol	1200	250	2000	0	61.5	13	127				
4-Bromophenyl phenyl ether	1700	250	2000	0	87.1	47	123				
4-Chloro-3-methylphenol	1600	250	2000	0	80.9	31	135				
4-Chlorophenyl phenyl ether	1600	250	2000	0	82.0	20	130				
4-Nitrophenol	1700	250	2000	0	86.8	11	115				
Aniline	1300	250	2000	0	65.6	27	83				
Benzoic acid	930	250	2000	0	46.5	15	130				
Benzyl alcohol	1500	250	2000	0	76.2	20	130				
Bis(2-chloroethoxy)methane	1600	250	2000	0	79.2	50	121				
Bis(2-chloroethyl)ether	1300	250	2000	0	66.9	41	116				
Bis(2-chloroisopropyl)ether	1600	250	2000	0	79.5	30	130				
Hexachlorobenzene	1700	250	2000	0	85.3	40	133				
Hexachlorobutadiene	1600	250	2000	0	77.6	38	135				
Hexachlorocyclopentadiene	1700	250	2000	0	85.9	10	128				
Hexachloroethane	1600	250	2000	0	78.0	21	138				
Pentachlorophenol	1600	250	2000	0	79.9	21	124				
Phenol	1100	250	2000	0	56.5	21	106				
Surr: 2,4,6-Tribromophenol	1900		2000		93.1	23	121				
Surr: 2-Fluorobiphenyl	790		1000		79.1	23	120				
Surr: 2-Fluorophenol	920		2000		45.8	12	111				
Surr: 4-Terphenyl-d14	830		1000		82.7	23	128				
Surr: Nitrobenzene-d5	750		1000		74.6	18	116				

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: LCS-31395	SampType: LCS	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: LCSS	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791702						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Phenol-d6	1100		2000		55.1	11	112				

Sample ID: MB-31387	SampType: MBLK	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56354						
Client ID: PBS	Batch ID: 31387	TestNo: SW8270D	SW3550C	Analysis Date: 2/23/2011	SeqNo: 791924						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2,4-Trichlorobenzene	U	250									
1,2-Dichlorobenzene	U	250									
1,3-Dichlorobenzene	U	250									
1,4-Dichlorobenzene	U	250									
2,4,5-Trichlorophenol	U	250									
2,4,6-Trichlorophenol	U	250									
2,4-Dichlorophenol	U	250									
2,4-Dimethylphenol	U	250									
2,4-Dinitrophenol	U	250									
2,4-Dinitrotoluene	U	250									
2,6-Dinitrotoluene	U	250									
2-Chloronaphthalene	U	250									
2-Chlorophenol	U	250									
2-Methylnaphthalene	U	250									
2-Methylphenol	U	250									
2-Nitroaniline	U	250									
2-Nitrophenol	U	250									
3,3'-Dichlorobenzidine	U	250									
3+4-Methylphenol	U	250									
3-Nitroaniline	U	250									
4,6-Dinitro-2-methylphenol	U	250									
4-Bromophenyl phenyl ether	U	250									
4-Chloro-3-methylphenol	U	250									
4-Chloroaniline	U	250									
4-Chlorophenyl phenyl ether	U	250									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: Dry8270_Soil

Sample ID: MB-31387	SampType: MBLK	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56354						
Client ID: PBS	Batch ID: 31387	TestNo: SW8270D	SW 3550C	Analysis Date: 2/23/2011	SeqNo: 791924						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

4-Nitroaniline	U	250									
4-Nitrophenol	U	250									
Acenaphthene	U	250									
Acenaphthylene	U	250									
Acetophenone	U	250									
Aniline	U	250									
Anthracene	U	250									
Atrazine	U	250									
Azobenzene	U	250									
Benzaldehyde	U	250									
Benzidine	U	250									
Benzo(a)anthracene	U	250									
Benzo(a)pyrene	U	250									
Benzo(b)fluoranthene	U	250									
Benzo(g,h,i)perylene	U	250									
Benzo(k)fluoranthene	U	250									
Benzoic acid	U	250									
Benzyl alcohol	U	250									
Biphenyl	U	250									
Bis(2-chloroethoxy)methane	U	250									
Bis(2-chloroethyl)ether	U	250									
Bis(2-chloroisopropyl)ether	U	250									
Bis(2-ethylhexyl)phthalate	U	250									
Butyl benzyl phthalate	U	250									
Caprolactam	U	250									
Carbazole	U	250									
Chrysene	U	250									
Dibenzo(a,h)anthracene	U	250									
Dibenzofuran	U	250									
Diethyl phthalate	U	250									
Dimethyl phthalate	U	250									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: MB-31387	SampType: MBLK	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56354						
Client ID: PBS	Batch ID: 31387	TeslNo: SW8270D	SW3550C	Analysis Date: 2/23/2011	SeqNo: 791924						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Di-n-butyl phthalate	U	250									
Di-n-octyl phthalate	U	250									
Fluoranthene	U	250									
Fluorene	U	250									
Hexachlorobenzene	U	250									
Hexachlorobutadiene	U	250									
Hexachlorocyclopentadiene	U	250									
Hexachloroethane	U	250									
Indeno(1,2,3-c,d)pyrene	U	250									
Isophorone	U	250									
Naphthalene	U	250									
Nitrobenzene	U	250									
N-Nitrosodimethylamine	U	250									
N-Nitrosodi-n-propylamine	U	250									
N-Nitrosodiphenylamine	U	250									
Parathion	U	250									
Pentachlorophenol	U	250									
Phenanthrene	U	250									
Phenol	U	250									
Pyrene	U	250									
Pyridine	U	250									
Surr: 2,4,6-Tribromophenol	1300		2000		67.1	23		121			
Surr: 2-Fluorobiphenyl	770		1000		76.7	23		120			
Surr: 2-Fluorophenol	830		2000		41.6	12		111			
Surr: 4-Terphenyl-d14	960		1000		95.9	23		128			
Surr: Nitrobenzene-d5	690		1000		69.5	18		116			
Surr: Phenol-d6	1000		2000		52.0	11		112			

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: Dry8270_Soil

Sample ID: LCS-31387	SampType: LCS	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56354						
Client ID: LCSS	Batch ID: 31387	TestNo: SW8270D	SW3550C	Analysis Date: 2/23/2011	SeqNo: 791925						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1500	250	2000	0	72.7	38	128				
1,2-Dichlorobenzene	1200	250	2000	0	59.9	44	124				
1,3-Dichlorobenzene	1300	250	2000	0	66.6	46	118				
1,4-Dichlorobenzene	1200	250	2000	0	58.7	38	118				
2,4,5-Trichlorophenol	1300	250	2000	0	67.0	42	122				
2,4,6-Trichlorophenol	1300	250	2000	0	66.3	40	124				
2,4-Dichlorophenol	1500	250	2000	0	75.8	37	124				
2,4-Dimethylphenol	1300	250	2000	0	66.1	35	127				
2,4-Dinitrophenol	670	250	2000	0	33.4	16	102				
2-Chloronaphthalene	1300	250	2000	0	67.1	41	117				
2-Chlorophenol	1100	250	2000	0	53.1	37	115				
2-Methylphenol	1100	250	2000	0	55.9	30	130				
2-Nitrophenol	1500	250	2000	0	73.6	10	128				
3+4-Methylphenol	2700	250	4000	0	68.7	30	130				
4,6-Dinitro-2-methylphenol	1500	250	2000	0	73.2	13	127				
4-Bromophenyl phenyl ether	1500	250	2000	0	75.4	47	123				
4-Chloro-3-methylphenol	1400	250	2000	0	71.9	31	135				
4-Chlorophenyl phenyl ether	1400	250	2000	0	69.8	20	130				
4-Nitrophenol	930	250	2000	0	46.5	11	115				
Aniline	890	250	2000	0	44.7	27	83				
Benzoic acid	1500	250	2000	0	72.7	15	130				
Bis(2-chloroethoxy)methane	1400	250	2000	0	71.6	50	121				
Bis(2-chloroethyl)ether	1200	250	2000	0	61.5	41	116				
Bis(2-chloroisopropyl)ether	1200	250	2000	0	62.4	30	130				
Hexachlorobenzene	1500	250	2000	0	72.7	40	133				
Hexachlorobutadiene	1400	250	2000	0	67.8	38	135				
Hexachlorocyclopentadiene	1400	250	2000	0	71.2	10	128				
Hexachloroethane	1300	250	2000	0	66.1	21	138				
Pentachlorophenol	1400	250	2000	0	68.9	21	124				
Phenol	800	250	2000	0	40.1	21	106				
Surr: 2,4,6-Tribromophenol	1500	250	2000	2000	73.3	23	121				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: LCS-31387	SampType: LCS	TestCode: Dry8270_Soil	Units: µg/Kg	Prep Date: 2/23/2011	RunNo: 56354						
Client ID: LCSS	Batch ID: 31387	TestNo: SW8270D	SW3550C	Analysis Date: 2/23/2011	SeqNo: 791925						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 2-Fluorobiphenyl	690		1000		69.4	23	120				
Surr: 2-Fluorophenol	600		2000		30.1	12	111				
Surr: 4-Terphenyl-d14	980		1000		97.7	23	128				
Surr: Nitrobenzene-d5	650		1000		64.8	18	116				
Surr: Phenol-d6	960		2000		47.9	11	112				

Qualifiers:

- B Analyte detected in the associated Method Blank
- C Calibration %RSD/%D exceeded for non-CCC analytes
- E Value above quantitation range
- H Holding times for preparation or analysis exceeded
- J Analyte detected below quantitation limits
- LOQ Limit of Quantitation
- P >40% diff for detected conc between the two GC column
- R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DryFull8260_Soil

Sample ID: V624LCS-02211HS	SampType: LCS	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: LCSS	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789601

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	48	5.0	50.00	0	96.2	26	120				
1,1,2,2-Tetrachloroethane	46	5.0	50.00	0	92.2	30	130				
1,1,2-Trichloroethane	42	5.0	50.00	0	84.0	26	126				
1,1-Dichloroethane	53	5.0	50.00	0	107	20	129				
1,1-Dichloroethene	51	5.0	50.00	0	103	25	130				
1,2-Dichlorobenzene	40	5.0	50.00	0	81.0	21	120				
1,2-Dichloroethane	50	5.0	50.00	0	99.4	20	120				
1,2-Dichloropropane	46	5.0	50.00	0	91.0	22	126				
1,3-Dichlorobenzene	43	5.0	50.00	0	85.1	23	120				
1,4-Dichlorobenzene	41	5.0	50.00	0	82.7	26	123				
2-Chloroethyl vinyl ether	24	5.0	50.00	0	47.0	20	125				C
Benzene	46	5.0	50.00	0	91.2	30	130				
Bromodichloromethane	44	5.0	50.00	0	88.3	30	130				
Bromoform	51	5.0	50.00	0	101	20	123				
Bromomethane	26	5.0	50.00	0	51.4	35	133				C
Carbon tetrachloride	48	5.0	50.00	0	95.4	25	125				
Chlorobenzene	43	5.0	50.00	0	85.0	21	133				C
Chloroethane	53	5.0	50.00	0	105	40	144				
Chloroform	50	5.0	50.00	0	99.9	26	124				
Chloromethane	44	5.0	50.00	0	88.6	36	140				
cis-1,3-Dichloropropene	46	5.0	50.00	0	92.0	22	122				
Dibromochloromethane	40	5.0	50.00	0	79.1	22	124				
Ethylbenzene	36	5.0	50.00	0	72.8	15	130				
Methylene chloride	41	5.0	50.00	0	82.1	30	149				
Tetrachloroethene	37	5.0	50.00	0	73.9	20	120				
Toluene	41	5.0	50.00	0	82.2	20	119				
trans-1,2-Dichloroethene	49	5.0	50.00	0	97.3	20	120				
trans-1,3-Dichloropropene	40	5.0	50.00	0	80.0	14	115				
Trichloroethene	47	5.0	50.00	0	94.2	23	121				
Trichlorofluoromethane	58	5.0	50.00	0	115	38	142				C
Vinyl chloride	58	5.0	50.00	0	116	40	145				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: V624LCS-022111HS	SampType: LCS	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: LCSS	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789601

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	48		50.00		95.0	64	132				
Surr: Dibromofluoromethane	56		50.00		111	66	131				
Surr: Toluene-d8	46		50.00		92.7	54	132				

Sample ID: VBLK-022111HS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: PBS	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789602

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
1,4-Dioxane	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: VBLK-022111HS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: PBS	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789602

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									C
2-Chloroethyl vinyl ether	U	5.0									C
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
2-Propanol	U	50									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									C
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									C
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: VBLK-022111HS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: PBS	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789602

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl Acetate	U	5.0									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	4.4	5.0									JC
n-Amyl acetate	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									C
Trichlorofluoromethane	U	5.0									C
Vinyl acetate	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

TestCode: DryFull8260_Soil

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

Sample ID: VBLK-022111HS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235						
Client ID: PBS	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789602						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Vinyl chloride	U	5.0									
Surr: 4-Bromofluorobenzene	46		50.00		92.5	64	132				
Surr: Dibromofluoromethane	57		50.00		115	66	131				
Surr: Toluene-d8	45		50.00		89.4	54	132				

Sample ID: V624LCS-022111aH	SampType: LCS	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235						
Client ID: LCSS	Batch ID: R56235A	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789669						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	46	5.0	50.00	0	91.9	26	120				
1,1,1,2,2-Tetrachloroethane	40	5.0	50.00	0	80.8	30	130				
1,1,1,2-Trichloroethane	41	5.0	50.00	0	81.4	26	126				
1,1-Dichloroethane	53	5.0	50.00	0	107	20	129				
1,1-Dichloroethene	52	5.0	50.00	0	104	25	130				
1,2-Dichlorobenzene	39	5.0	50.00	0	78.5	21	120				
1,2-Dichloroethane	46	5.0	50.00	0	92.5	20	120				
1,2-Dichloropropane	43	5.0	50.00	0	85.3	22	126				
1,3-Dichlorobenzene	41	5.0	50.00	0	82.3	23	120				
1,4-Dichlorobenzene	39	5.0	50.00	0	78.2	26	123				
2-Chloroethyl vinyl ether	29	5.0	50.00	0	58.5	20	125				C
Benzene	43	5.0	50.00	0	86.7	30	130				
Bromodichloromethane	42	5.0	50.00	0	84.1	30	130				
Bromoform	42	5.0	50.00	0	84.9	20	123				
Bromomethane	34	5.0	50.00	0	67.0	35	133				
Carbon tetrachloride	46	5.0	50.00	0	91.3	25	125				C
Chlorobenzene	41	5.0	50.00	0	82.4	21	133				
Chloroethane	43	5.0	50.00	0	86.6	40	144				C
Chloroform	47	5.0	50.00	0	94.8	26	124				
Chloromethane	49	5.0	50.00	0	97.6	36	140				
cis-1,3-Dichloropropene	43	5.0	50.00	0	85.4	22	122				
Dibromochloromethane	40	5.0	50.00	0	79.4	22	124				

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

TestCode: DryFull8260_Soil

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

Sample ID: V624LCS-022111aH	SampType: LCS	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: LCSS	Batch ID: R56235A	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789669

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Ethylbenzene	37	5.0	50.00	0	74.3	15	130				
Methylene chloride	42	5.0	50.00	0	85.0	30	149				BC
Tetrachloroethene	37	5.0	50.00	0	73.8	20	120				
Toluene	42	5.0	50.00	0	84.2	20	119				
trans-1,2-Dichloroethene	47	5.0	50.00	0	94.2	20	120				
trans-1,3-Dichloropropene	37	5.0	50.00	0	74.3	14	115				
Trichloroethene	45	5.0	50.00	0	89.4	23	121				
Trichlorofluoromethane	61	5.0	50.00	0	122	38	142				C
Vinyl chloride	61	5.0	50.00	0	121	40	145				
Surr: 4-Bromofluorobenzene	51		50.00		102	64	132				
Surr: Dibromofluoromethane	55		50.00		110	66	131				
Surr: Toluene-d8	49		50.00		97.4	54	132				

Sample ID: VBLK-022111aHS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: PBS	Batch ID: R56235A	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789670

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: VBLK-022111aHS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235
Client ID: PBS	Batch ID: R56235A	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789670

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
1,4-Dioxane	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									C
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
2-Propanol	U	50									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	25									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									
Bromomethane	U	5.0									C
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT
TestCode: DryFull8260_Soil

Sample ID: VBLK-022111aHS SampType: MBLK TestCode: DryFull8260_ Units: µg/Kg Prep Date: 2/21/2011 RunNo: 56235
 Client ID: PBS Batch ID: R56235A TestNo: SW8260B %REC LowLimit HighLimit RPD RefVal %RPD RPDLimit Qual

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Chloroethane	U	5.0									C
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	25									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl Acetate	U	5.0									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	3.8	5.0									JC
n-Amyl acetate	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									
n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: VBLK-022111aHS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/21/2011	RunNo: 56235						
Client ID: PBS	Batch ID: R56235A	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789670						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									
Surr: 4-Bromofluorobenzene	46		50.00		92.6	64	132				
Surr: Dibromofluoromethane	59		50.00		117	66	131				
Surr: Toluene-d8	45		50.00		89.4	54	132				

C

Sample ID: V624LCS-022211LS	SampType: LCS	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/22/2011	RunNo: 56235						
Client ID: LCSS	Batch ID: R56235B	TestNo: SW8260B		Analysis Date: 2/22/2011	SeqNo: 790358						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	40	5.0	50.00	0	80.0	26	120				
1,1,2,2-Tetrachloroethane	44	5.0	50.00	0	87.6	30	130				
1,1,2-Trichloroethane	40	5.0	50.00	0	79.0	26	126				
1,1-Dichloroethane	40	5.0	50.00	0	79.3	20	129				
1,1-Dichloroethene	40	5.0	50.00	0	79.4	25	130				
1,2-Dichlorobenzene	41	5.0	50.00	0	82.0	21	120				
1,2-Dichloroethane	39	5.0	50.00	0	77.7	20	120				
1,2-Dichloropropane	42	5.0	50.00	0	83.8	22	126				
1,3-Dichlorobenzene	41	5.0	50.00	0	82.8	23	120				
1,4-Dichlorobenzene	39	5.0	50.00	0	77.2	26	123				
2-Chloroethyl vinyl ether	38	5.0	50.00	0	76.6	20	125				
Benzene	38	5.0	50.00	0	76.4	30	130				
Bromodichloromethane	42	5.0	50.00	0	83.5	30	130				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%d exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: V624LCS-022211LS	SampType: LCS	TestCode: DryFull8260_	Units: µg/Kg
Client ID: LCSS	Batch ID: R56235B	Prep Date: 2/22/2011	RunNo: 56235
		Analysis Date: 2/22/2011	SeqNo: 790358

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromoform	44	5.0	50.00	0	87.6	20	123				
Bromomethane	36	5.0	50.00	0	71.8	35	133				
Carbon tetrachloride	44	5.0	50.00	0	87.4	25	125				
Chlorobenzene	41	5.0	50.00	0	82.2	21	133				
Chloroethane	48	5.0	50.00	0	95.7	40	144				
Chloroform	41	5.0	50.00	0	81.5	26	124				
Chloromethane	48	5.0	50.00	0	96.9	36	140				
Dibromochloromethane	39	5.0	50.00	0	77.6	22	124				
Ethylbenzene	41	5.0	50.00	0	81.2	15	130				
Methylene chloride	44	5.0	50.00	0	87.9	30	149				B
Tetrachloroethene	44	5.0	50.00	0	88.1	20	120				
Toluene	41	5.0	50.00	0	81.1	20	119				
trans-1,2-Dichloroethene	41	5.0	50.00	0	82.1	20	120				
trans-1,3-Dichloropropene	41	5.0	50.00	0	82.2	14	115				
Trichloroethene	45	5.0	50.00	0	89.7	23	121				
Trichlorofluoromethane	52	5.0	50.00	0	104	38	142				
Vinyl chloride	52	5.0	50.00	0	105	40	145				
Surr: 4-Bromofluorobenzene	50		50.00		99.9	64	132				
Surr: Dibromofluoromethane	43		50.00		85.5	66	131				
Surr: Toluene-d8	50		50.00		99.0	54	132				

Sample ID: VBLK-022211LS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg
Client ID: PBS	Batch ID: R56235B	Prep Date: 2/22/2011	RunNo: 56235
		Analysis Date: 2/22/2011	SeqNo: 790359

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	5.0									
1,1,1-Trichloroethane	U	5.0									
1,1,2,2-Tetrachloroethane	U	5.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	5.0									
1,1,2-Trichloroethane	U	5.0									
1,1-Dichloroethane	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID:	VBLK-022211LS	Samp Type:	MBLK	TestCode:	DryFull8260_	Units:	µg/Kg	Prep Date:	2/22/2011	RunNo:	56235
Client ID:	PBS	Batch ID:	R56235B	TestNo:	SW8260B			Analysis Date:	2/22/2011	SeqNo:	790359
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	U	5.0									
1,1-Dichloropropene	U	5.0									
1,2,3-Trichlorobenzene	U	5.0									
1,2,3-Trichloropropane	U	5.0									
1,2,4,5-Tetramethylbenzene	U	5.0									
1,2,4-Trichlorobenzene	U	5.0									
1,2,4-Trimethylbenzene	U	5.0									
1,2-Dibromo-3-chloropropane	U	5.0									
1,2-Dibromoethane	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,2-Dichloroethane	U	5.0									
1,2-Dichloropropane	U	5.0									
1,3,5-Trimethylbenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,3-dichloropropane	U	5.0									
1,4-Dichlorobenzene	U	5.0									
1,4-Dioxane	U	5.0									
2,2-Dichloropropane	U	5.0									
2-Butanone	U	5.0									
2-Chloroethyl vinyl ether	U	5.0									
2-Chlorotoluene	U	5.0									
2-Hexanone	U	5.0									
2-Propanol	U	5.0									
4-Chlorotoluene	U	5.0									
4-Isopropyltoluene	U	5.0									
4-Methyl-2-pentanone	U	5.0									
Acetone	U	5.0									
Acrolein	U	10									
Acrylonitrile	U	5.0									
Benzene	U	5.0									
Bromobenzene	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: VBLK-022211LS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/22/2011	RunNo: 56235
Client ID: PBS	Batch ID: R56235B	TestNo: SW8260B		Analysis Date: 2/22/2011	SeqNo: 790359

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromochloromethane	U	5.0									
Bromodichloromethane	U	5.0									
Bromoform	U	5.0									
Bromomethane	U	5.0									
Carbon disulfide	U	5.0									
Carbon tetrachloride	U	5.0									
Chlorobenzene	U	5.0									
Chlorodifluoromethane	U	5.0									
Chloroethane	U	5.0									
Chloroform	U	5.0									
Chloromethane	U	5.0									
cis-1,2-Dichloroethene	U	5.0									
cis-1,3-Dichloropropene	U	5.0									
Dibromochloromethane	U	5.0									
Dibromomethane	U	5.0									
Dichlorodifluoromethane	U	5.0									
Diisopropyl ether	U	5.0									
Ethanol	U	10									
Ethyl acetate	U	5.0									
Ethylbenzene	U	5.0									
Freon-114	U	5.0									
Hexachlorobutadiene	U	5.0									
Isopropyl acetate	U	5.0									
Isopropylbenzene	U	5.0									
m,p-Xylene	U	10									
Methyl Acetate	U	5.0									
Methyl tert-butyl ether	U	5.0									
Methylene chloride	4.5	5.0									
n-Amyl acetate	U	5.0									
Naphthalene	U	5.0									
n-Butyl acetate	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

TestCode: DryFull8260_Soil

Sample ID: VBLK-022211LS	SampType: MBLK	TestCode: DryFull8260_	Units: µg/Kg	Prep Date: 2/22/2011	RunNo: 56235						
Client ID: PBS	Batch ID: R56235B	TestNo: SW8260B		Analysis Date: 2/22/2011	SeqNo: 790359						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

n-Butylbenzene	U	5.0									
n-Propyl acetate	U	5.0									
n-Propylbenzene	U	5.0									
o-Xylene	U	5.0									
p-Diethylbenzene	U	5.0									
p-Ethyltoluene	U	5.0									
sec-Butylbenzene	U	5.0									
Styrene	U	5.0									
t-Butyl alcohol	U	5.0									
tert-Butylbenzene	U	5.0									
Tetrachloroethene	U	5.0									
Toluene	U	5.0									
trans-1,2-Dichloroethene	U	5.0									
trans-1,3-Dichloropropene	U	5.0									
Trichloroethene	U	5.0									
Trichlorofluoromethane	U	5.0									
Vinyl acetate	U	5.0									
Vinyl chloride	U	5.0									
Surr: 4-Bromofluorobenzene	49		50.00		97.5	64		132			
Surr: Dibromofluoromethane	48		50.00		95.5	66		131			
Surr: Toluene-d8	48		50.00		95.9	54		132			

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

TestCode: DRYHG_S

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

Sample ID: LCSS-022311A	SampType: LCS	TestCode: DRYHG_S	Units: mg/Kg	Prep Date: 2/23/2011	RunNo: 56250						
Client ID: LCSS	Batch ID: 31389	TestNo: SW7471B	SW7471B	Analysis Date: 2/23/2011	SeqNo: 789885						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.194	0.0100	0.2000	0	96.8	80	120				

Sample ID: PBS-022311A	SampType: MBLK	TestCode: DRYHG_S	Units: mg/Kg	Prep Date: 2/23/2011	RunNo: 56250						
Client ID: PBS	Batch ID: 31389	TestNo: SW7471B	SW7471B	Analysis Date: 2/23/2011	SeqNo: 789929						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	U	0.0100									

Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

American Analytical Laboratories, LLC.

Date: 01-Mar-11

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168

Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DRY_TAL_MET

Sample ID: 1102168-12B-MS	SampType: MS	TestCode: DRY_TAL_M	Units: mg/Kg-dry	Prep Date: 2/21/2011	RunNo: 56248						
Client ID: SB-6 (12-14ft)	Batch ID: 31379	TestNo: SW6010B	SW3050A	Analysis Date: 2/22/2011	SeqNo: 789799						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	5110	0.449	23.36	5145	-136	68	124				S
Antimony	16.9	0.562	23.36	0	72.2	62	122				
Arsenic	19.5	0.562	23.36	3.066	70.3	66	126				
Barium	139	0.449	23.36	125.0	58.3	65	125				S
Beryllium	16.2	0.449	23.36	0	69.4	64	124				
Cadmium	16.8	0.449	23.36	0	71.8	66	124				
Calcium	22700	0.562	23.36	22470	1140	64	124				S
Chromium	28.4	0.449	23.36	12.31	68.9	66	128				
Cobalt	8.65	0.449	23.36	0	37.0	65	123				S
Copper	43.6	0.449	23.36	25.94	75.8	67	130				
Iron	7500	0.449	23.36	7537	-145	70	125				S
Lead	80.3	0.449	23.36	74.72	23.7	64	124				S
Magnesium	3670	0.449	23.36	3692	-73.8	56	132				S
Manganese	293	0.449	23.36	281.3	50.8	65	125				S
Nickel	27.8	0.449	23.36	12.84	64.2	63	125				S
Potassium	3730	0.562	23.36	3643	36.8	75	125				S
Selenium	17.7	0.562	23.36	0	75.6	66	124				
Silver	18.7	0.449	23.36	0	80.0	67	123				
Sodium	217	0.562	23.36	201.1	69.7	75	125				S
Thallium	21.9	0.562	23.36	6.557	65.5	65	125				
Vanadium	38.3	0.449	23.36	21.97	69.9	63	126				
Zinc	97.2	0.449	23.36	83.24	59.5	62	130				S

Sample ID: 1102168-12B-MSD	SampType: MSD	TestCode: DRY_TAL_M	Units: mg/Kg-dry	Prep Date: 2/21/2011	RunNo: 56248						
Client ID: SB-6 (12-14ft)	Batch ID: 31379	TestNo: SW6010B	SW3050A	Analysis Date: 2/22/2011	SeqNo: 789800						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	5080	0.446	23.36	5145	-275	68	124	5113	0.635	20	S
Antimony	16.6	0.557	23.36	0	71.2	60	126	16.87	1.43	20	

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

TestCode: DRY_TAL_MET

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

Sample ID: 1102168-12B-MSD	SampType: MSD	TestCode: DRY_TAL_M	Units: mg/Kg-dry	Prep Date: 2/21/2011	RunNo: 56248						
Client ID: SB-6 (12-14ft)	Batch ID: 31379	TestNo: SW6010B	SW3050A	Analysis Date: 2/22/2011	SeqNo: 789800						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	20.2	0.557	23.36	3.066	73.4	63	120	19.50	3.63	20	
Barium	138	0.446	23.36	125.0	53.8	65	125	138.7	0.766	20	S
Beryllium	15.6	0.446	23.36	0	67.0	64	124	16.22	3.58	20	
Cadmium	16.7	0.446	23.36	0	71.5	66	124	16.78	0.499	20	
Calcium	22000	0.557	23.36	22470	-1850	64	124	22730	3.12	20	S
Chromium	28.2	0.446	23.36	12.31	68.0	66	128	28.39	0.687	20	
Cobalt	8.20	0.446	23.36	0	35.1	65	123	8.648	5.28	20	S
Copper	43.3	0.446	23.36	25.94	74.2	67	130	43.65	0.869	20	
Iron	7450	0.446	23.36	7537	-371	67	123	7503	0.706	20	S
Lead	80.3	0.446	23.36	74.72	23.8	64	124	80.26	0.0143	20	S
Magnesium	3640	0.446	23.36	3692	-213	56	132	3675	0.889	20	S
Manganese	292	0.446	23.36	281.3	46.0	65	125	293.1	0.384	20	S
Nickel	27.5	0.446	23.36	12.84	62.9	63	125	27.83	1.09	20	S
Potassium	3700	0.557	233.6	3643	26.5	62	121	3729	0.646	20	S
Selenium	17.5	0.557	23.36	0	74.7	60	122	17.66	1.15	20	
Silver	18.5	0.446	23.36	0	79.4	67	123	18.69	0.766	20	
Sodium	216	0.557	23.36	201.1	64.0	62	128	217.3	0.611	20	
Thallium	21.8	0.557	23.36	6.557	65.4	54	125	21.86	0.152	20	
Vanadium	38.0	0.446	23.36	21.97	68.6	63	126	38.30	0.766	20	
Zinc	96.5	0.446	23.36	83.24	56.6	62	130	97.15	0.720	20	S

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8081_Soil

Sample ID:	1102168-12B-MS	SampType:	MS	TestCode:	Dry8081_Soil	Units:	µg/Kg-dry	Prep Date:	2/23/2011	RunNo:	56316
Client ID:	SB-6 (12-14ft)	Batch ID:	31386	TestNo:	SW8081B	SW3550		Analysis Date:	2/24/2011	SeqNo:	791384
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDD	5.7	2.3	11.67	1,035	39.7	28	162				
4,4'-DDE	8.5	2.3	11.67	3,054	46.8	25	145				
4,4'-DDT	8.3	2.3	11.67	3,694	39.6	26	143				
Aldrin	11	2.3	11.67	1,506	82.5	25	137				
alpha-BHC	8.0	2.3	11.67	0	68.7	29	154				
beta-BHC	11	2.3	11.67	0	93.9	28	152				
Chlorobenzilate	9.7	2.3	11.67	0	83.1	28	164				
DBCP	8.1	2.3	11.67	0	69.6	22	147				
delta-BHC	15	2.3	11.67	1,766	113	22	158				
Dieldrin	5.9	2.3	11.67	0	50.9	21	148				
Endosulfan I	6.6	2.3	11.67	0	56.9	12	153				
Endosulfan II	4.8	2.3	11.67	0	40.8	15	143				
Endosulfan sulfate	5.7	2.3	11.67	1,572	35.2	18	155				
Endrin	5.1	2.3	11.67	0,8219	36.7	22	155				C
Endrin aldehyde	5.1	2.3	11.67	0	44.1	19	149				
Endrin ketone	5.6	2.3	11.67	1,033	39.1	25	150				
gamma-BHC	9.1	2.3	11.67	0	77.6	23	150				
Heptachlor	9.4	2.3	11.67	0	80.8	20	152				
Heptachlor epoxide	9.3	2.3	11.67	0	79.9	19	157				
Hexachlorobenzene	6.2	2.3	11.67	0	53.4	15	152				
Hexachlorocyclopentadiene	5.5	2.3	11.67	0	46.9	28	133				
Methoxychlor	6.9	2.3	11.67	0	58.9	25	150				
Surr: DCB	42		58.38		71.7	28	147				
Surr: TCX	31		58.38		52.2	20	138				

Sample ID:	1102168-12B-MSD	SampType:	MSD	TestCode:	Dry8081_Soil	Units:	µg/Kg-dry	Prep Date:	2/23/2011	RunNo:	56316
Client ID:	SB-6 (12-14ft)	Batch ID:	31386	TestNo:	SW8081B	SW3550		Analysis Date:	2/24/2011	SeqNo:	791385
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDD	8.2	2.3	11.67	1,035	61.4	28	162	5.672	36.5	0	
4,4'-DDE	9.4	2.3	11.67	3,054	54.5	25	145	8.512	10.1	20	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8081_Soil

Sample ID:	1102168-12B-MSD	SampType:	MSD	TestCode:	Dry8081_Soil	Units:	µg/Kg-dry	Prep Date:	2/23/2011	RumNo:	56316
Client ID:	SB-6 (12-14ft)	Batch ID:	31386	TestNo:	SW8081B	SW3550		Analysis Date:	2/24/2011	SeqNo:	791385
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDT	14	2.3	11.67	3.694	89.0	26	143	8.312	51.5	20	R
Aldrin	11	2.3	11.67	1.506	78.7	25	137	11.13	3.97	20	R
alpha-BHC	13	2.3	11.67	0	109	29	154	8.012	45.3	20	R
beta-BHC	14	2.3	11.67	0	120	28	152	10.96	24.1	20	R
Chlorobenzilate	10	2.3	11.67	0	87.5	28	164	9.694	5.19	20	R
DBCP	11	2.3	11.67	0	94.0	22	147	8.117	29.9	20	R
delta-BHC	15	2.3	11.67	1.766	109	22	158	14.99	3.18	20	R
Dieldrin	8.3	2.3	11.67	0	70.8	21	148	5.936	32.7	20	R
Endosulfan I	8.5	2.3	11.67	0	72.7	12	153	6.635	24.5	20	R
Endosulfan II	6.6	2.3	11.67	0	56.8	15	143	4.762	32.8	20	R
Endosulfan sulfate	8.2	2.3	11.67	1.572	56.7	18	155	5.676	36.2	20	R
Endrin	7.3	2.3	11.67	0.8219	55.6	22	155	5.108	35.5	20	RC
Endrin aldehyde	8.7	2.3	11.67	0	74.2	19	149	5.145	50.9	20	R
Endrin ketone	7.9	2.3	11.67	1.033	58.8	25	150	5.597	34.0	20	R
gamma-BHC	12	2.3	11.67	0	102	23	150	9.056	27.6	20	R
Heptachlor	12	2.3	11.67	0	103	20	152	9.431	24.6	20	R
Heptachlor epoxide	9.7	2.3	11.67	0	83.4	19	157	9.328	4.19	20	R
Hexachlorobenzene	9.6	2.3	11.67	0	82.5	15	152	6.228	42.9	20	R
Hexachlorocyclopentadiene	7.2	2.3	11.67	0	61.5	28	133	5.469	27.1	20	R
Methoxychlor	8.6	2.3	11.67	0	73.5	25	150	6.877	22.0	20	R
Surr: DCB	46		58.38		78.5	28	147		0	0	
Surr: TCX	45		58.38		77.1	20	138		0	0	

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8082_Soil

Sample ID: 1102168-01B-MS	SampType: MS	TestCode: Dry8082_Soil	Units: µg/Kg-dry	Prep Date: 2/23/2011	RunNo: 56317						
Client ID: SB-1 (0-2ft)	Batch ID: 31385	TestNo: SW8082A	SW3550	Analysis Date: 2/24/2011	SeqNo: 791390						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	120	84	104.5	0	111	30	143				
Aroclor 1260	130	84	104.5	0	126	32	148				
Surr: TCX	47		52.19		89.5	16	148				
Surr: DCB	62		52.19		119	15	174				

Sample ID: 1102168-01B-MSD	SampType: MSD	TestCode: Dry8082_Soil	Units: µg/Kg-dry	Prep Date: 2/23/2011	RunNo: 56317						
Client ID: SB-1 (0-2ft)	Batch ID: 31385	TestNo: SW8082A	SW3550	Analysis Date: 2/25/2011	SeqNo: 791404						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	110	85	106.6	0	106	30	143	115.6	1.95	20	
Aroclor 1260	81	85	106.6	0	75.9	32	148	131.2	0	20	J
Surr: TCX	48		53.27		89.5	16	148		0	0	
Surr: DCB	54		53.27		102	15	174		0	0	

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: 1102168-07B-MS	SampType: MS	TestCode: Dry8270_Soil	Units: µg/Kg-dry	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: SB-4 (0-2ft)	Batch ID: 31395	TestNo: SW8270D	SW3350C	Analysis Date: 2/24/2011	SeqNo: 791704						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual

1,2,4-Trichlorobenzene	1400	260	2110	0	67.4	38	128				
1,2-Dichlorobenzene	1300	260	2110	0	60.3	44	124				
1,3-Dichlorobenzene	1200	260	2110	0	54.6	46	118				
1,4-Dichlorobenzene	1200	260	2110	0	56.0	38	118				
2,4,5-Trichlorophenol	1200	260	2110	0	57.3	42	122				
2,4,6-Trichlorophenol	1100	260	2110	0	51.9	40	124				
2,4-Dichlorophenol	1400	260	2110	0	67.0	37	124				
2,4-Dimethylphenol	1500	260	2110	0	72.9	35	127				
2,4-Dinitrophenol	390	260	2110	0	18.4	16	102				
2-Chloronaphthalene	1500	260	2110	0	71.6	41	117				
2-Chlorophenol	1200	260	2110	0	57.8	37	115				
2-Methylphenol	1300	260	2110	0	63.1	30	130				
2-Nitrophenol	1100	260	2110	0	51.3	10	128				
3+4-Methylphenol	2700	260	4219	0	63.5	30	130				
4,6-Dinitro-2-methylphenol	930	260	2110	0	43.9	13	127				
4-Bromophenyl phenyl ether	1600	260	2110	0	77.2	47	123				
4-Chloro-3-methylphenol	1500	260	2110	0	69.3	31	135				
4-Chlorophenyl phenyl ether	1500	260	2110	0	71.0	20	130				
4-Nitrophenol	1100	260	2110	68.92	48.2	11	115				
Aniline	1100	260	2110	0	52.8	27	83				
Benzyl alcohol	1300	260	2110	0	62.4	20	130				
Bis(2-chloroethoxy)methane	1400	260	2110	0	64.5	50	121				
Bis(2-chloroethyl)ether	1100	260	2110	0	53.9	41	116				
Bis(2-chloroisopropyl)ether	1200	260	2110	0	59.0	30	130				
Hexachlorobenzene	1700	260	2110	0	79.0	40	133				
Hexachlorobutadiene	1400	260	2110	0	65.2	38	135				
Hexachlorocyclopentadiene	1200	260	2110	0	54.6	10	128				
Hexachloroethane	1300	260	2110	0	61.0	21	138				
Pentachlorophenol	820	260	2110	0	39.0	17	116				
Phenol	1200	260	2110	0	54.8	21	106				
Surr: 2,4,6-Tribromophenol	1100		2110		53.8	23	121				

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

Sample ID: 1102168-07B-MS	SampType: MS	TestCode: Dry8270_Soil	Units: µg/Kg-dry	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: SB-4 (0-2ft)	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791704						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 2-Fluorobiphenyl	770		1055		72.7	23	120				
Surr: 2-Fluorophenol	970		2110		45.8	12	111				
Surr: 4-Terphenyl-d14	880		1055		83.5	23	128				
Surr: Nitrobenzene-d5	590		1055		56.2	18	116				
Surr: Phenol-d6	1300		2110		60.0	11	112				

Sample ID: 1102168-07B-MSD	SampType: MSD	TestCode: Dry8270_Soil	Units: µg/Kg-dry	Prep Date: 2/24/2011	RunNo: 56354						
Client ID: SB-4 (0-2ft)	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791705						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	1300	260	2115	0	61.4	38	128	1421	9.07	20	
1,2-Dichlorobenzene	1200	260	2115	0	59.1	44	124	1272	1.76	20	
1,3-Dichlorobenzene	1200	260	2115	0	58.8	46	118	1151	7.64	20	
1,4-Dichlorobenzene	1200	260	2115	0	55.4	38	118	1182	0.806	20	
2,4,5-Trichlorophenol	1000	260	2115	0	47.4	42	122	1208	18.5	20	
2,4,6-Trichlorophenol	910	260	2115	0	43.1	40	124	1096	18.3	20	
2,4-Dichlorophenol	1300	260	2115	0	59.9	37	124	1414	10.9	20	
2,4-Dimethylphenol	1300	260	2115	0	59.1	35	127	1537	20.6	20	R
2,4-Dinitrophenol	290	260	2115	0	13.6	16	102	387.1	29.7	20	SR
2-Chloronaphthalene	1200	260	2115	0	59.0	41	117	1511	19.0	20	
2-Chlorophenol	1100	260	2115	0	53.7	37	115	1219	7.07	20	
2-Methylphenol	1200	260	2115	0	55.9	30	130	1332	11.9	20	
2-Nitrophenol	1100	260	2115	0	54.1	10	128	1083	5.51	20	
3+4-Methylphenol	2400	260	4230	0	57.1	30	130	2680	10.4	20	
4,6-Dinitro-2-methylphenol	810	260	2115	0	38.1	13	127	926.5	13.8	20	
4-Bromophenyl phenyl ether	1400	260	2115	0	68.0	47	123	1628	12.4	20	
4-Chloro-3-methylphenol	1200	260	2115	0	57.5	31	135	1462	18.3	20	
4-Chlorophenyl phenyl ether	1300	260	2115	0	59.6	20	130	1497	17.1	20	
4-Nitrophenol	880	260	2115	68.92	38.6	11	115	1086	20.5	20	R
Aniline	1100	260	2115	0	50.2	27	83	1115	4.95	20	
Benzyl alcohol	1200	260	2115	0	55.2	20	130	1315	11.9	20	

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Dry8270_Soil

Sample ID: 1102168-07B-MSD	Samp Type: MSD	TestCode: Dry8270_Soil	Units: µg/Kg-dry	Prep Date: 2/24/2011	RunNo: 56354
Client ID: SB-4 (0-2ft)	Batch ID: 31395	TestNo: SW8270D	SW3550C	Analysis Date: 2/24/2011	SeqNo: 791705

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bis(2-chloroethoxy)methane	1300	260	2115	0	61.9	50	121	1360	3.87	20	
Bis(2-chloroethyl)ether	1100	260	2115	0	51.2	41	116	1138	4.95	20	
Bis(2-chloroisopropyl)ether	1200	260	2115	0	56.4	30	130	1245	4.34	20	
Hexachlorobenzene	1300	260	2115	0	63.7	40	133	1666	21.2	20	R
Hexachlorobutadiene	1300	260	2115	0	61.2	38	135	1375	5.96	20	
Hexachlorocyclopentadiene	930	260	2115	0	43.8	10	128	1152	21.8	20	R
Hexachloroethane	1300	260	2115	0	59.2	21	138	1287	2.76	20	
Pentachlorophenol	680	260	2115	0	32.0	17	116	823.1	19.6	20	
Phenol	1000	260	2115	0	47.6	21	106	1157	13.9	20	
Surr: 2,4,6-Tribromophenol	1000		2115		48.3	23	121		0	0	
Surr: 2-Fluorobiphenyl	650		1057		61.5	23	120		0	0	
Surr: 2-Fluorophenol	850		2115		40.3	12	111		0	0	
Surr: 4-Terphenyl-d14	730		1057		68.8	23	128		0	0	
Surr: Nitrobenzene-d5	620		1057		58.6	18	116		0	0	
Surr: Phenol-d6	1000		2115		48.5	11	112		0	0	

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT
TestCode: DryFull8260_Soil

Sample ID: 1102168-05AMS SampType: MS TestCode: DryFull8260_ Units: µg/Kg-dry Prep Date: RunNo: 56235
 Client ID: SB-3 (0-2ft) Batch ID: R56235 TestNo: SW8260B Analysis Date: 2/21/2011 SeqNo: 789607

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	47	5.8	58.16	0	80.3	26	120				
1,1,2,2-Tetrachloroethane	30	5.8	58.16	0	51.2	30	130				
1,1,2-Trichloroethane	27	5.8	58.16	0	47.2	26	126				
1,1-Dichloroethane	47	5.8	58.16	0	80.6	20	129				
1,1-Dichloroethene	49	5.8	58.16	0	84.2	25	130				
1,2-Dichlorobenzene	34	5.8	58.16	0	58.1	21	120				
1,2-Dichloroethane	35	5.8	58.16	0	60.0	20	120				
1,2-Dichloropropane	36	5.8	58.16	0	61.9	22	126				
1,3-Dichlorobenzene	40	5.8	58.16	0	68.5	23	120				
1,4-Dichlorobenzene	39	5.8	58.16	0	66.2	26	123				
2-Chloroethyl vinyl ether	14	5.8	58.16	0	24.0	20	125				C
Benzene	41	5.8	58.16	0	70.3	30	130				
Bromodichloromethane	35	5.8	58.16	0	59.6	30	130				
Bromoform	34	5.8	58.16	0	58.1	20	123				
Bromomethane	27	5.8	58.16	0	46.0	35	133				C
Carbon tetrachloride	47	5.8	58.16	0	80.1	25	125				
Chlorobenzene	40	5.8	58.16	0	68.1	21	133				
Chloroethane	57	5.8	58.16	0	97.5	40	144				C
Chloroform	44	5.8	58.16	0	75.7	26	124				
Chloromethane	40	5.8	58.16	0	68.8	36	140				
cis-1,3-Dichloropropene	35	5.8	58.16	0	60.0	22	122				
Dibromochloromethane	27	5.8	58.16	0	46.8	22	124				
Ethylbenzene	38	5.8	58.16	0	65.0	15	130				B
Methylene chloride	36	5.8	58.16	6.216	51.3	30	149				C
Tetrachloroethene	35	5.8	58.16	0	59.6	20	120				
Toluene	38	5.8	58.16	0.6399	64.6	20	119				
trans-1,2-Dichloroethene	44	5.8	58.16	0	76.5	20	120				
trans-1,3-Dichloropropene	30	5.8	58.16	0	52.1	14	115				
Trichloroethene	46	5.8	58.16	0.7313	77.6	23	121				
Trichlorofluoromethane	62	5.8	58.16	0	106	38	142				C
Vinyl chloride	55	5.8	58.16	0	94.3	40	145				

Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DryFull8260_Soil

Sample ID: 1102168-05AMS	SampType: MS	TestCode: DryFull8260_	Units: µg/Kg-dry	Prep Date:	RunNo: 56235						
Client ID: SB-3 (0-2ft)	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789607						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: 4-Bromofluorobenzene	52		58.16		89.8	64	132				
Surr: Dibromofluoromethane	60		58.16		103	66	131				
Surr: Toluene-d8	53		58.16		91.4	54	132				

Sample ID: 1102168-05AMSD	SampType: MSD	TestCode: DryFull8260_	Units: µg/Kg-dry	Prep Date:	RunNo: 56235						
Client ID: SB-3 (0-2ft)	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789608						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,1,1-Trichloroethane	47	5.8	58.16	0	80.6	26	120	46.73	0.373	20	
1,1,2,2-Tetrachloroethane	28	5.8	58.16	0	47.3	30	130	29.77	7.84	20	
1,1,2-Trichloroethane	29	5.8	58.16	0	49.4	26	126	27.44	4.68	20	
1,1-Dichloroethane	51	5.8	58.16	0	86.9	20	129	46.88	7.50	20	
1,1-Dichloroethene	54	5.8	58.16	0	92.1	25	130	48.95	9.01	20	
1,2-Dichlorobenzene	35	5.8	58.16	0	60.3	21	120	33.79	3.72	20	
1,2-Dichloroethane	36	5.8	58.16	0	61.3	20	120	34.90	2.18	20	
1,2-Dichloropropane	37	5.8	58.16	0	63.5	22	126	35.99	2.58	20	
1,3-Dichlorobenzene	40	5.8	58.16	0	68.6	23	120	39.84	0.117	20	
1,4-Dichlorobenzene	39	5.8	58.16	0	66.3	26	123	38.50	0.211	20	
2-Chloroethyl vinyl ether	14	5.8	58.16	0	23.6	20	125	13.97	1.68	20	C
Benzene	42	5.8	58.16	0	71.4	30	130	40.86	1.64	20	
Bromodichloromethane	36	5.8	58.16	0	61.9	30	130	34.65	3.85	20	
Bromoform	29	5.8	58.16	0	50.7	20	123	33.81	13.8	20	
Bromomethane	25	5.8	58.16	0	42.2	35	133	26.77	8.61	20	C
Carbon tetrachloride	48	5.8	58.16	0	82.0	25	125	46.57	2.34	20	
Chlorobenzene	41	5.8	58.16	0	70.9	21	133	39.62	4.06	20	
Chloroethane	65	5.8	58.16	0	112	40	144	56.72	13.4	20	C
Chloroform	46	5.8	58.16	0	79.1	26	124	44.03	4.34	20	
Chloromethane	47	5.8	58.16	0	81.6	36	140	40.04	16.9	20	
cis-1,3-Dichloropropene	37	5.8	58.16	0	62.8	22	122	34.87	4.60	20	
Dibromochloromethane	29	5.8	58.16	0	49.2	22	124	27.23	4.88	20	
Ethylbenzene	41	5.8	58.16	0	70.0	15	130	37.78	7.53	20	

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%d exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1102168
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DryFull8260_Soil

Sample ID: 1102168-05AMSD	SampType: MSD	TestCode: DryFull8260_	Units: µg/Kg-dry	Prep Date:	RunNo: 56235
Client ID: SB-3 (0-2ft)	Batch ID: R56235	TestNo: SW8260B		Analysis Date: 2/21/2011	SeqNo: 789608

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methylene chloride	38	5.8	58.16	6.216	54.8	30	149	36.06	5.49	20	BC
Tetrachloroethene	37	5.8	58.16	0	63.0	20	120	34.65	5.52	20	
Toluene	41	5.8	58.16	0.6399	69.8	20	119	38.19	7.67	20	
trans-1,2-Dichloroethene	47	5.8	58.16	0	81.5	20	120	44.49	6.28	20	
trans-1,3-Dichloropropene	32	5.8	58.16	0	54.6	14	115	30.31	4.65	20	
Trichloroethene	47	5.8	58.16	0.7313	78.9	23	121	45.86	1.64	20	
Trichlorofluoromethane	69	5.8	58.16	0	119	38	142	61.91	10.8	20	C
Vinyl chloride	63	5.8	58.16	0	109	40	145	54.86	14.1	20	
Surr: 4-Bromofluorobenzene	56		58.16		96.8	64	132		0	0	
Surr: Dibromofluoromethane	62		58.16		107	66	131		0	0	
Surr: Toluene-d8	55		58.16		95.0	54	132		0	0	

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1102168
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: DRYHG_S

Sample ID: 1102169-08B-MS	SampType: MS	TestCode: DRYHG_S	Units: mg/Kg-dry	Prep Date: 2/23/2011	RunNo: 56250						
Client ID: ZZZZZZ	Batch ID: 31389	TestNo: SW7471B	SW7471B	Analysis Date: 2/23/2011	SeqNo: 789911						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.345	0.00963	0.1925	0.1328	110	70	129				

Sample ID: 1102169-08B-MSD	SampType: MSD	TestCode: DRYHG_S	Units: mg/Kg-dry	Prep Date: 2/23/2011	RunNo: 56250						
Client ID: ZZZZZZ	Batch ID: 31389	TestNo: SW7471B	SW7471B	Analysis Date: 2/23/2011	SeqNo: 789912						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.331	0.00963	0.1925	0.1328	103	70	129	0.3451	4.13	20	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

Friday, April 08, 2011

Jessica Proscia
CA Rich Consultants Inc.
17 Dupont Street
Plainview, NY 11803

TEL: (516) 576-8844

FAX (516) 576-0093

RE: 260 West 26th St., NY, NY

Order No.: 1104007

Dear Jessica Proscia:

American Analytical Laboratories, LLC. received 2 sample(s) on 4/1/2011 for the analyses presented in the following report.

Samples were analyzed in accordance with the test procedures documented on the chain of custody and detailed throughout the text of this report.


The results reported herein relate only to the items tested or to the samples as received by the laboratory. This report may not be reproduced, except in full, without the approval of American Analytical Laboratories, LLC and is not considered complete without a cover page and chain of custody documentation. The limits (LOQ) provided in the data package are analytical reporting limits and not Federal or Local mandated values to which the sample results should be compared.

There were no problems with the analyses and all data for associated QC met laboratory specifications. If there are any exceptions a Case Narrative is provided in the report or the data is qualified. This package has been reviewed by American Analytical Laboratories' QA Department/Laboratory Director to comply with NELAC standards prior to report submittal. This report consists of 52 pages.

If you have any questions regarding these tests results, please do not hesitate to call (631) 454-6100 or email me directly at lbeyer@american-analytical.com.

Sincerely,

Lori Beyer
Lab Director



American Analytical Laboratories, LLC.

Date: 08-Apr-11

CLIENT: CA Rich Consultants Inc.
Project: 260 West 26th St., NY, NY
Lab Order: 1104007

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date Collected	Date Received
1104007-01A	GW-1	3/31/2011 11:00:00 AM	4/1/2011
1104007-01B	GW-1	3/31/2011 11:00:00 AM	4/1/2011
1104007-01C	GW-1	3/31/2011 11:00:00 AM	4/1/2011
1104007-01D	GW-1	3/31/2011 11:00:00 AM	4/1/2011
1104007-01E	GW-1	3/31/2011 11:00:00 AM	4/1/2011
1104007-01F	GW-1	3/31/2011 11:00:00 AM	4/1/2011
1104007-02A	GW-2	3/31/2011 2:00:00 PM	4/1/2011
1104007-02B	GW-2	3/31/2011 2:00:00 PM	4/1/2011
1104007-02C	GW-2	3/31/2011 2:00:00 PM	4/1/2011
1104007-02D	GW-2	3/31/2011 2:00:00 PM	4/1/2011
1104007-02E	GW-2	3/31/2011 2:00:00 PM	4/1/2011
1104007-02F	GW-2	3/31/2011 2:00:00 PM	4/1/2011

Sample Receipt Checklist

Client Name CA RICH

Date and Time Receive 4/1/2011 10:56:38 AM

Work Order Numbe 1104007

RcptNo: 1

Received by CD

COC_ID:

CoolerID:

Checklist completed by

Signature: *OBan* Date: 4/1/11

Reviewed by

Initials: *SB* Date: 4/1/11

Matrix:

Carrier name AAL

- Shipping container/cooler in good condition? Yes No Not Presen
 - Custody seals intact on shipping container/cooler? Yes No Not Presen
 - Custody seals intact on sample bottles? Yes No Not Presen
 - Chain of custody present? Yes No
 - Chain of custody signed when relinquished and received? Yes No
 - Chain of custody agrees with sample labels? Yes No
 - Samples in proper container/bottle? Yes No
 - Sample containers intact? Yes No
 - Sufficient sample volume for indicated test? Yes No
 - All samples received within holding time? Yes No
 - Container/Temp Blank temperature in compliance? Yes No
 - Water - VOA vials have zero headspace? No VOA vials submitted Yes No
 - Water - pH acceptable upon receipt? Yes No N/A
- Adjusted? _____ Checked b _____

Any No and/or NA (not applicable) response must be detailed in the comments section be

Client contacted _____ Date contacted: _____ Person contacted _____

Contacted by: _____ Regarding: _____

Comments:

Corrective Action _____

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1104007
 Project: 260 West 26th St., NY, NY
 Lab ID: 1104007-01A

Client Sample ID: GW-1
 Collection Date: 3/31/2011 11:00:00 AM
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260C			Analyst: LA	
1,1,1,2-Tetrachloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1,1-Trichloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1,2,2-Tetrachloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1,2-Trichloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1-Dichloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1-Dichloroethene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,1-Dichloropropene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2,3-Trichlorobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2,3-Trichloropropane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2,4,5-Tetramethylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2,4-Trichlorobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2,4-Trimethylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2-Dibromo-3-chloropropane	U	1	2.0		µg/L	1	4/5/2011 3:39:00 PM
1,2-Dibromoethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2-Dichlorobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2-Dichloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,2-Dichloropropane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,3,5-Trimethylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,3-Dichlorobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,3-dichloropropane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,4-Dichlorobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
1,4-Dioxane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
2,2-Dichloropropane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
2-Butanone	U	1.2	2.5		µg/L	1	4/5/2011 3:39:00 PM
2-Chloroethyl vinyl ether	U	1	2.0		µg/L	1	4/5/2011 3:39:00 PM
2-Chlorotoluene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
2-Hexanone	U	1.2	2.5		µg/L	1	4/5/2011 3:39:00 PM
2-Propanol	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
4-Chlorotoluene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
4-Isopropyltoluene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
4-Methyl-2-pentanone	U	1.2	2.5		µg/L	1	4/5/2011 3:39:00 PM
Acetone	U	1.2	2.5		µg/L	1	4/5/2011 3:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: GW-1
Lab Order: 1104007	Collection Date: 3/31/2011 11:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: LIQUID
Lab ID: 1104007-01A	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260C			Analyst: LA	
Acrolein	U	2.5	5.0		µg/L	1	4/5/2011 3:39:00 PM
Acrylonitrile	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Benzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Bromobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Bromochloromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Bromodichloromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Bromoform	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Bromomethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Carbon disulfide	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Carbon tetrachloride	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Chlorobenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Chlorodifluoromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Chloroethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Chloroform	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Chloromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
cis-1,2-Dichloroethene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
cis-1,3-Dichloropropene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Dibromochloromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Dibromomethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Dichlorodifluoromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Diisopropyl ether	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Ethanol	U	2.5	5.0		µg/L	1	4/5/2011 3:39:00 PM
Ethyl acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Ethylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Freon-114	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Hexachlorobutadiene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Isopropyl acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Isopropylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
m,p-Xylene	U	1	2.0		µg/L	1	4/5/2011 3:39:00 PM
Methyl Acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Methyl tert-butyl ether	U	0.5	1.0	C	µg/L	1	4/5/2011 3:39:00 PM
Methylene chloride	6.3	0.5	1.0	B	µg/L	1	4/5/2011 3:39:00 PM
n-Amyl acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	GW-1
Lab Order:	1104007	Collection Date:	3/31/2011 11:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	LIQUID
Lab ID:	1104007-01A		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260C				Analyst: LA
Naphthalene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
n-Butyl acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
n-Butylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
n-Propyl acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
n-Propylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
o-Xylene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
p-Diethylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
p-Ethyltoluene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
sec-Butylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Styrene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
t-Butyl alcohol	U	0.5	1.0	C	µg/L	1	4/5/2011 3:39:00 PM
tert-Butylbenzene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Tetrachloroethene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Toluene	1.0	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
trans-1,2-Dichloroethene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
trans-1,3-Dichloropropene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Trichloroethene	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Trichlorofluoromethane	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Vinyl acetate	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Vinyl chloride	U	0.5	1.0		µg/L	1	4/5/2011 3:39:00 PM
Surr: 4-Bromofluorobenzene	95.7	0	60-130		%REC	1	4/5/2011 3:39:00 PM
Surr: Dibromofluoromethane	97.2	0	63-127		%REC	1	4/5/2011 3:39:00 PM
Surr: Toluene-d8	96.6	0	61-128		%REC	1	4/5/2011 3:39:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	GW-1
Lab Order:	1104007	Collection Date:	3/31/2011 11:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	LIQUID
Lab ID:	1104007-01B		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3510		Analyst: LDS
1,2,4-Trichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
1,2-Dichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
1,3-Dichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
1,4-Dichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2,4,5-Trichlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2,4,6-Trichlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2,4-Dichlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2,4-Dimethylphenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2,4-Dinitrophenol	U	0.5	10	C	µg/L	1	4/6/2011 4:34:00 PM
2,4-Dinitrotoluene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2,6-Dinitrotoluene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2-Chloronaphthalene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2-Chlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2-Methylnaphthalene	3.7	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
2-Methylphenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2-Nitroaniline	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
2-Nitrophenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
3,3'-Dichlorobenzidine	U	1	10		µg/L	1	4/6/2011 4:34:00 PM
3+4-Methylphenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
3-Nitroaniline	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
4,6-Dinitro-2-methylphenol	U	1	10	C	µg/L	1	4/6/2011 4:34:00 PM
4-Bromophenyl phenyl ether	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
4-Chloro-3-methylphenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
4-Chloroaniline	U	1	10		µg/L	1	4/6/2011 4:34:00 PM
4-Chlorophenyl phenyl ether	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
4-Nitroaniline	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
4-Nitrophenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Acenaphthene	6.3	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Acenaphthylene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Acetophenone	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Aniline	U	1	10		µg/L	1	4/6/2011 4:34:00 PM
Anthracene	1.8	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Atrazine	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: GW-1

Lab Order: 1104007

Collection Date: 3/31/2011 11:00:00 AM

Project: 260 West 26th St., NY, NY

Matrix: LIQUID

Lab ID: 1104007-01B

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3510		Analyst: LDS
Azobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Benzaldehyde	U	0.5	5.0	C	µg/L	1	4/6/2011 4:34:00 PM
Benzidine	U	1	10	C	µg/L	1	4/6/2011 4:34:00 PM
Benzo(a)anthracene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Benzo(a)pyrene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Benzo(b)fluoranthene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Benzo(g,h,i)perylene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Benzo(k)fluoranthene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Benzoic acid	U	1	10		µg/L	1	4/6/2011 4:34:00 PM
Benzyl alcohol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Biphenyl	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Bis(2-chloroethoxy)methane	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Bis(2-chloroethyl)ether	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Bis(2-chloroisopropyl)ether	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Bis(2-ethylhexyl)phthalate	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Butyl benzyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Caprolactam	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Carbazole	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Chrysene	0.53	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Dibenzo(a,h)anthracene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Dibenzofuran	1.5	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Diethyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Dimethyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Di-n-butyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Di-n-octyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Fluoranthene	1.5	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Fluorene	1.2	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Hexachlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Hexachlorobutadiene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Hexachlorocyclopentadiene	U	0.5	5.0	C	µg/L	1	4/6/2011 4:34:00 PM
Hexachloroethane	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Indeno(1,2,3-c,d)pyrene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Isophorone	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: GW-1
Lab Order: 1104007	Collection Date: 3/31/2011 11:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: LIQUID
Lab ID: 1104007-01B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3510		Analyst: LDS
Naphthalene	1.6	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Nitrobenzene	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
N-Nitrosodimethylamine	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
N-Nitrosodi-n-propylamine	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
N-Nitrosodiphenylamine	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Parathion	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Pentachlorophenol	U	1	10		µg/L	1	4/6/2011 4:34:00 PM
Phenanthrene	1.8	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Phenol	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Pyrene	1.5	0.5	5.0	J	µg/L	1	4/6/2011 4:34:00 PM
Pyridine	U	0.5	5.0		µg/L	1	4/6/2011 4:34:00 PM
Surr: 2,4,6-Tribromophenol	83.6	0	36-133		%REC	1	4/6/2011 4:34:00 PM
Surr: 2-Fluorobiphenyl	70.8	0	20-131		%REC	1	4/6/2011 4:34:00 PM
Surr: 2-Fluorophenol	35.8	0	16-103		%REC	1	4/6/2011 4:34:00 PM
Surr: 4-Terphenyl-d14	78.6	0	22-132		%REC	1	4/6/2011 4:34:00 PM
Surr: Nitrobenzene-d5	71.5	0	19-133		%REC	1	4/6/2011 4:34:00 PM
Surr: Phenol-d6	22.2	0	12-98		%REC	1	4/6/2011 4:34:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: GW-1
Lab Order: 1104007	Collection Date: 3/31/2011 11:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: LIQUID
Lab ID: 1104007-01C	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3510B		Analyst: SB
4,4'-DDD	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
4,4'-DDE	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
4,4'-DDT	0.018	0.002	0.040	J	µg/L	1	4/4/2011 2:48:00 PM
Aldrin	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
alpha-BHC	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
beta-BHC	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Chlordane	U	0.02	0.10		µg/L	1	4/4/2011 2:48:00 PM
Chlorobenzilate	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
DBCP	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
delta-BHC	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Dieldrin	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Endosulfan I	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Endosulfan II	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Endosulfan sulfate	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Endrin	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Endrin aldehyde	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Endrin ketone	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
gamma-BHC	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Heptachlor	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Heptachlor epoxide	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Hexachlorobenzene	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Hexachlorocyclopentadiene	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Methoxychlor	U	0.002	0.040		µg/L	1	4/4/2011 2:48:00 PM
Toxaphene	U	0.02	1.0		µg/L	1	4/4/2011 2:48:00 PM
Surr: DCB	35.6	0	12-102		%REC	1	4/4/2011 2:48:00 PM
Surr: DCB	43.2	0	12-102		%REC	1	4/7/2011 1:49:00 PM
Surr: TCX	46.1	0	14-110		%REC	1	4/7/2011 1:49:00 PM
Surr: TCX	55.2	0	14-110		%REC	1	4/4/2011 2:48:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	GW-1
Lab Order:	1104007	Collection Date:	3/31/2011 11:00:00 AM
Project:	260 West 26th St., NY, NY	Matrix:	LIQUID
Lab ID:	1104007-01D		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PCB'S AS AROCLORS SW-846 METHOD 8082			SW8082A		SW3510B		Analyst: SB
Aroclor 1016	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1221	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1232	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1242	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1248	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1254	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1260	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1262	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Aroclor 1268	U	0.02	0.10		µg/L	1	4/4/2011 4:18:00 PM
Surr: DCB	37.4	0	15-147		%REC	1	4/8/2011 9:48:00 AM
Surr: DCB	37.7	0	15-147		%REC	1	4/4/2011 4:18:00 PM
Surr: TCX	49.0	0	19-135		%REC	1	4/8/2011 9:48:00 AM
Surr: TCX	60.6	0	19-135		%REC	1	4/4/2011 4:18:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: GW-1
Lab Order: 1104007	Collection Date: 3/31/2011 11:00:00 AM
Project: 260 West 26th St., NY, NY	Matrix: LIQUID
Lab ID: 1104007-01E	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY			E245.1				Analyst: AH
Mercury	0.0252	0.0006	0.00125		mg/L	5	4/5/2011 12:43:33 PM
TARGET ANALYTE LIST METALS			E200.7		SW3010A		Analyst: JP
Aluminum	8.87	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Antimony	U	0.01	0.0250		mg/L	1	4/4/2011 3:50:44 PM
Arsenic	0.0320	0.01	0.0250		mg/L	1	4/4/2011 3:50:44 PM
Barium	2.20	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Beryllium	U	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Cadmium	U	0.005	0.0100		mg/L	1	4/4/2011 3:50:44 PM
Calcium	244	0.005	0.0250		mg/L	1	4/4/2011 3:50:44 PM
Chromium	0.0610	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Cobalt	U	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Copper	0.397	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Iron	32.4	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Lead	2.49	0.005	0.0150		mg/L	1	4/4/2011 3:50:44 PM
Magnesium	102	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Manganese	0.768	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Nickel	0.0290	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Potassium	53.9	0.05	0.100		mg/L	1	4/4/2011 3:50:44 PM
Selenium	U	0.01	0.0250		mg/L	1	4/4/2011 3:50:44 PM
Silver	U	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Sodium	42.1	0.005	0.0300		mg/L	1	4/4/2011 3:50:44 PM
Thallium	U	0.01	0.0150		mg/L	1	4/4/2011 3:50:44 PM
Vanadium	0.0230	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM
Zinc	2.25	0.005	0.0200		mg/L	1	4/4/2011 3:50:44 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
Lab Order: 1104007
Project: 260 West 26th St., NY, NY
Lab ID: 1104007-01F

Client Sample ID: GW-1
Collection Date: 3/31/2011 11:00:00 AM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY-DISSOLVED			E245.1		SW3005A		Analyst: AH
Mercury	U	0.0001	0.000200		mg/L	1	4/5/2011 10:53:21 AM
TARGET ANALYTE LIST METALS-DISSOLVED			E200.7		SW3005A		Analyst: JP
Aluminum	0.0290	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Antimony	U	0.01	0.0250		mg/L	1	4/4/2011 3:20:36 PM
Arsenic	U	0.01	0.0250		mg/L	1	4/4/2011 3:20:36 PM
Barium	0.360	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Beryllium	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Cadmium	U	0.005	0.0100		mg/L	1	4/4/2011 3:20:36 PM
Calcium	230	0.005	0.0250		mg/L	1	4/4/2011 3:20:36 PM
Chromium	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Cobalt	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Copper	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Iron	0.0950	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Lead	0.00800	0.005	0.0150	J	mg/L	1	4/4/2011 3:20:36 PM
Magnesium	107	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Manganese	0.298	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Nickel	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Potassium	56.8	0.05	0.100		mg/L	1	4/4/2011 3:20:36 PM
Selenium	U	0.01	0.0250		mg/L	1	4/4/2011 3:20:36 PM
Silver	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Sodium	42.6	0.005	0.0300		mg/L	1	4/4/2011 3:20:36 PM
Thallium	U	0.01	0.0150		mg/L	1	4/4/2011 3:20:36 PM
Vanadium	U	0.005	0.0200		mg/L	1	4/4/2011 3:20:36 PM
Zinc	0.0130	0.005	0.0200	J	mg/L	1	4/4/2011 3:20:36 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: GW-2

Lab Order: 1104007

Collection Date: 3/31/2011 2:00:00 PM

Project: 260 West 26th St., NY, NY

Matrix: LIQUID

Lab ID: 1104007-02A

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260C		Analyst: LA		
1,1,1,2-Tetrachloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1,1-Trichloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1,2,2-Tetrachloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1,2-Trichloro-1,2,2-trifluoroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1,2-Trichloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1-Dichloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1-Dichloroethene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,1-Dichloropropene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2,3-Trichlorobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2,3-Trichloropropane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2,4,5-Tetramethylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2,4-Trichlorobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2,4-Trimethylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2-Dibromo-3-chloropropane	U	1	2.0		µg/L	1	4/4/2011 9:59:00 PM
1,2-Dibromoethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2-Dichlorobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2-Dichloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,2-Dichloropropane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,3,5-Trimethylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,3-Dichlorobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,3-dichloropropane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,4-Dichlorobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
1,4-Dioxane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
2,2-Dichloropropane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
2-Butanone	U	1.2	2.5		µg/L	1	4/4/2011 9:59:00 PM
2-Chloroethyl vinyl ether	U	1	2.0	C	µg/L	1	4/4/2011 9:59:00 PM
2-Chlorotoluene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
2-Hexanone	U	1.2	2.5		µg/L	1	4/4/2011 9:59:00 PM
2-Propanol	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
4-Chlorotoluene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
4-Isopropyltoluene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
4-Methyl-2-pentanone	U	1.2	2.5		µg/L	1	4/4/2011 9:59:00 PM
Acetone	U	1.2	2.5		µg/L	1	4/4/2011 9:59:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
Lab Order: 1104007
Project: 260 West 26th St., NY, NY
Lab ID: 1104007-02A

Client Sample ID: GW-2
Collection Date: 3/31/2011 2:00:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260C			Analyst: LA	
Acrolein	U	2.5	5.0		µg/L	1	4/4/2011 9:59:00 PM
Acrylonitrile	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Benzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Bromobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Bromochloromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Bromodichloromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Bromoform	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Bromomethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Carbon disulfide	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Carbon tetrachloride	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Chlorobenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Chlorodifluoromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Chloroethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Chloroform	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Chloromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
cis-1,2-Dichloroethene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
cis-1,3-Dichloropropene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Dibromochloromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Dibromomethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Dichlorodifluoromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Diisopropyl ether	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Ethanol	U	2.5	5.0		µg/L	1	4/4/2011 9:59:00 PM
Ethyl acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Ethylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Freon-114	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Hexachlorobutadiene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Isopropyl acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Isopropylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
m,p-Xylene	U	1	2.0		µg/L	1	4/4/2011 9:59:00 PM
Methyl Acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Methyl tert-butyl ether	U	0.5	1.0	C	µg/L	1	4/4/2011 9:59:00 PM
Methylene chloride	7.8	0.5	1.0	B	µg/L	1	4/4/2011 9:59:00 PM
n-Amyl acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1104007
 Project: 260 West 26th St., NY, NY
 Lab ID: 1104007-02A

Client Sample ID: GW-2
 Collection Date: 3/31/2011 2:00:00 PM
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
VOLATILE SW-846 METHOD 8260			SW8260C			Analyst: LA	
Naphthalene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
n-Butyl acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
n-Butylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
n-Propyl acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
n-Propylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
o-Xylene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
p-Diethylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
p-Ethyltoluene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
sec-Butylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Styrene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
t-Butyl alcohol	U	0.5	1.0	C	µg/L	1	4/4/2011 9:59:00 PM
tert-Butylbenzene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Tetrachloroethene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Toluene	16	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
trans-1,2-Dichloroethene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
trans-1,3-Dichloropropene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Trichloroethene	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Trichlorofluoromethane	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Vinyl acetate	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Vinyl chloride	U	0.5	1.0		µg/L	1	4/4/2011 9:59:00 PM
Surr: 4-Bromofluorobenzene	92.7	0	60-130		%REC	1	4/4/2011 9:59:00 PM
Surr: Dibromofluoromethane	100	0	63-127		%REC	1	4/4/2011 9:59:00 PM
Surr: Toluene-d8	97.1	0	61-128		%REC	1	4/4/2011 9:59:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1104007
 Project: 260 West 26th St., NY, NY
 Lab ID: 1104007-02B

Client Sample ID: GW-2
 Collection Date: 3/31/2011 2:00:00 PM
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3510		Analyst: LDS
1,2,4-Trichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
1,2-Dichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
1,3-Dichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
1,4-Dichlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2,4,5-Trichlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2,4,6-Trichlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2,4-Dichlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2,4-Dimethylphenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2,4-Dinitrophenol	U	0.5	10	C	µg/L	1	4/6/2011 5:00:00 PM
2,4-Dinitrotoluene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2,6-Dinitrotoluene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2-Chloronaphthalene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2-Chlorophenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2-Methylnaphthalene	1.7	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
2-Methylphenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2-Nitroaniline	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
2-Nitrophenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
3,3'-Dichlorobenzidine	U	1	10		µg/L	1	4/6/2011 5:00:00 PM
3+4-Methylphenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
3-Nitroaniline	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
4,6-Dinitro-2-methylphenol	U	1	10	C	µg/L	1	4/6/2011 5:00:00 PM
4-Bromophenyl phenyl ether	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
4-Chloro-3-methylphenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
4-Chloroaniline	U	1	10		µg/L	1	4/6/2011 5:00:00 PM
4-Chlorophenyl phenyl ether	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
4-Nitroaniline	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
4-Nitrophenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Acenaphthene	2.5	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Acenaphthylene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Acetophenone	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Aniline	U	1	10		µg/L	1	4/6/2011 5:00:00 PM
Anthracene	1.1	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Atrazine	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
 Lab Order: 1104007
 Project: 260 West 26th St., NY, NY
 Lab ID: 1104007-02B

Client Sample ID: GW-2
 Collection Date: 3/31/2011 2:00:00 PM
 Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3510		Analyst: LDS
Azobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Benzaldehyde	U	0.5	5.0	C	µg/L	1	4/6/2011 5:00:00 PM
Benzdine	U	1	10	C	µg/L	1	4/6/2011 5:00:00 PM
Benzo(a)anthracene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Benzo(a)pyrene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Benzo(b)fluoranthene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Benzo(g,h,i)perylene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Benzo(k)fluoranthene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Benzoic acid	U	1	10		µg/L	1	4/6/2011 5:00:00 PM
Benzyl alcohol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Biphenyl	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Bis(2-chloroethoxy)methane	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Bis(2-chloroethyl)ether	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Bis(2-chloroisopropyl)ether	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Bis(2-ethylhexyl)phthalate	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Butyl benzyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Caprolactam	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Carbazole	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Chrysene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Dibenzo(a,h)anthracene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Dibenzofuran	0.57	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Diethyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Dimethyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Di-n-butyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Di-n-octyl phthalate	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Fluoranthene	1.2	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Fluorene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Hexachlorobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Hexachlorobutadiene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Hexachlorocyclopentadiene	U	0.5	5.0	C	µg/L	1	4/6/2011 5:00:00 PM
Hexachloroethane	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Indeno(1,2,3-c,d)pyrene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Isophorone	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.	Client Sample ID: GW-2
Lab Order: 1104007	Collection Date: 3/31/2011 2:00:00 PM
Project: 260 West 26th St., NY, NY	Matrix: LIQUID
Lab ID: 1104007-02B	

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
SEMIVOLATILE SW-846 METHOD 8270			SW8270D		SW3510		Analyst: LDS
Naphthalene	0.98	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Nitrobenzene	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
N-Nitrosodimethylamine	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
N-Nitrosodi-n-propylamine	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
N-Nitrosodiphenylamine	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Parathion	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Pentachlorophenol	U	1	10		µg/L	1	4/6/2011 5:00:00 PM
Phenanthrene	1.1	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Phenol	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Pyrene	1.2	0.5	5.0	J	µg/L	1	4/6/2011 5:00:00 PM
Pyridine	U	0.5	5.0		µg/L	1	4/6/2011 5:00:00 PM
Surr: 2,4,6-Tribromophenol	105	0	36-133		%REC	1	4/6/2011 5:00:00 PM
Surr: 2-Fluorobiphenyl	90.1	0	20-131		%REC	1	4/6/2011 5:00:00 PM
Surr: 2-Fluorophenol	46.2	0	16-103		%REC	1	4/6/2011 5:00:00 PM
Surr: 4-Terphenyl-d14	98.8	0	22-132		%REC	1	4/6/2011 5:00:00 PM
Surr: Nitrobenzene-d5	97.1	0	19-133		%REC	1	4/6/2011 5:00:00 PM
Surr: Phenol-d6	30.7	0	12-98		%REC	1	4/6/2011 5:00:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	GW-2
Lab Order:	1104007	Collection Date:	3/31/2011 2:00:00 PM
Project:	260 West 26th St., NY, NY	Matrix:	LIQUID
Lab ID:	1104007-02C		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PESTICIDES SW-846 METHOD 8081			SW8081B		SW3510B		Analyst: SB
4,4'-DDD	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
4,4'-DDE	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
4,4'-DDT	0.0025	0.002	0.040	JP	µg/L	1	4/4/2011 3:03:00 PM
Aldrin	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
alpha-BHC	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
beta-BHC	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Chlordane	U	0.02	0.10		µg/L	1	4/4/2011 3:03:00 PM
Chlorobenzilate	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
DBCP	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
delta-BHC	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Dieldrin	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Endosulfan I	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Endosulfan II	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Endosulfan sulfate	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Endrin	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Endrin aldehyde	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Endrin ketone	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
gamma-BHC	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Heptachlor	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Heptachlor epoxide	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Hexachlorobenzene	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Hexachlorocyclopentadiene	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Methoxychlor	U	0.002	0.040		µg/L	1	4/4/2011 3:03:00 PM
Toxaphene	U	0.02	1.0		µg/L	1	4/4/2011 3:03:00 PM
Surr: DCB	56.8	0	12-102		%REC	1	4/4/2011 3:03:00 PM
Surr: DCB	34.0	0	12-102		%REC	1	4/7/2011 2:03:00 PM
Surr: TCX	49.2	0	14-110		%REC	1	4/7/2011 2:03:00 PM
Surr: TCX	70.8	0	14-110		%REC	1	4/4/2011 3:03:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

ELAP ID : 11418

CLIENT:	CA Rich Consultants Inc.	Client Sample ID:	GW-2
Lab Order:	1104007	Collection Date:	3/31/2011 2:00:00 PM
Project:	260 West 26th St., NY, NY	Matrix:	LIQUID
Lab ID:	1104007-02D		

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
PCB'S AS AROCLORS SW-846 METHOD 8082			SW8082A		SW3510B		Analyst: SB
Aroclor 1016	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1221	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1232	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1242	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1248	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1254	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1260	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1262	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Aroclor 1268	U	0.02	0.10		µg/L	1	4/4/2011 4:42:00 PM
Surr: DCB	36.5	0	15-147		%REC	1	4/8/2011 10:12:00 AM
Surr: DCB	31.0	0	15-147		%REC	1	4/4/2011 4:42:00 PM
Surr: TCX	53.8	0	19-135		%REC	1	4/8/2011 10:12:00 AM
Surr: TCX	56.9	0	19-135		%REC	1	4/4/2011 4:42:00 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.

Client Sample ID: GW-2

Lab Order: 1104007

Collection Date: 3/31/2011 2:00:00 PM

Project: 260 West 26th St., NY, NY

Matrix: LIQUID

Lab ID: 1104007-02E

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY			E245.1				Analyst: AH
Mercury	0.0306	0.0006	0.00125		mg/L	5	4/5/2011 12:45:40 PM
TARGET ANALYTE LIST METALS			E200.7				Analyst: JP
Aluminum	44.0	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Antimony	U	0.01	0.0250		mg/L	1	4/4/2011 3:54:52 PM
Arsenic	0.0500	0.01	0.0250		mg/L	1	4/4/2011 3:54:52 PM
Barium	4.11	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Beryllium	U	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Cadmium	U	0.005	0.0100		mg/L	1	4/4/2011 3:54:52 PM
Calcium	413	0.005	0.0250		mg/L	1	4/4/2011 3:54:52 PM
Chromium	0.257	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Cobalt	U	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Copper	0.914	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Iron	68.7	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Lead	4.61	0.005	0.0150		mg/L	1	4/4/2011 3:54:52 PM
Magnesium	52.5	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Manganese	1.84	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Nickel	0.0940	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Potassium	66.3	0.05	0.100		mg/L	1	4/4/2011 3:54:52 PM
Selenium	0.0390	0.01	0.0250		mg/L	1	4/4/2011 3:54:52 PM
Silver	U	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Sodium	47.4	0.005	0.0300		mg/L	1	4/4/2011 3:54:52 PM
Thallium	U	0.01	0.0150		mg/L	1	4/4/2011 3:54:52 PM
Vanadium	0.0560	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM
Zinc	3.24	0.005	0.0200		mg/L	1	4/4/2011 3:54:52 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735

Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

American Analytical Laboratories, LLC.

Date: 08-Apr-11

ELAP ID : 11418

CLIENT: CA Rich Consultants Inc.
Lab Order: 1104007
Project: 260 West 26th St., NY, NY
Lab ID: 1104007-02F

Client Sample ID: GW-2
Collection Date: 3/31/2011 2:00:00 PM
Matrix: LIQUID

Certificate of Results

Analyses	Sample Result	LOD	LOQ	Qual	Units	DF	Date/Time Analyzed
MERCURY-DISSOLVED			E245.1		SW3005A		Analyst: AH
Mercury	U	0.0001	0.000200		mg/L	1	4/5/2011 10:55:29 AM
TARGET ANALYTE LIST METALS-DISSOLVED			E200.7		SW3005A		Analyst: JP
Aluminum	0.0470	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Antimony	U	0.01	0.0250		mg/L	1	4/4/2011 3:52:48 PM
Arsenic	U	0.01	0.0250		mg/L	1	4/4/2011 3:52:48 PM
Barium	0.495	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Beryllium	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Cadmium	U	0.005	0.0100		mg/L	1	4/4/2011 3:52:48 PM
Calcium	381	0.005	0.0250		mg/L	1	4/4/2011 3:52:48 PM
Chromium	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Cobalt	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Copper	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Iron	0.0740	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Lead	U	0.005	0.0150		mg/L	1	4/4/2011 3:52:48 PM
Magnesium	43.9	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Manganese	0.0910	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Nickel	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Potassium	50.0	0.05	0.100		mg/L	1	4/4/2011 3:52:48 PM
Selenium	0.0460	0.01	0.0250		mg/L	1	4/4/2011 3:52:48 PM
Silver	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Sodium	48.2	0.005	0.0300		mg/L	1	4/4/2011 3:52:48 PM
Thallium	U	0.01	0.0150		mg/L	1	4/4/2011 3:52:48 PM
Vanadium	U	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM
Zinc	0.0470	0.005	0.0200		mg/L	1	4/4/2011 3:52:48 PM

American Analytical Laboratories, LLC., 56 Toledo Street, Farmingdale, NY, Zip - 11735
 Tel - 6314546100 Fax - 6314548027 www.American-Analytical.com



Qualifiers:	B	Analyte detected in the associated Method Blank	C	Calibration %RSD/%D exceeded for non-CCC analytes
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	LOD	Limit of Detection
	LOQ	Limit of Quantitation	P	>40% diff for detected conc between the two GC columns
	S	Spike Recovery outside accepted recovery limits	U	Indicates the compound was analyzed but not detected.

CLIENT: CA Rich Consultants Inc.
 Work Order: 1104007
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: 8081_W

Sample ID: MB-31725	SampType: MBLK	TestCode: 8081_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57070						
Client ID: PBW	Batch ID: 31725	TestNo: SW8081B	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801709						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

4,4'-DDD	U	0.040									
4,4'-DDE	U	0.040									
4,4'-DDT	U	0.040									
Aldrin	U	0.040									
alpha-BHC	U	0.040									
beta-BHC	U	0.040									
Chlordane	U	0.10									
Chlorobenzilate	U	0.040									
DBCP	U	0.040									
delta-BHC	U	0.040									
Dieldrin	U	0.040									
Endosulfan I	U	0.040									
Endosulfan II	U	0.040									
Endosulfan sulfate	U	0.040									
Endrin	U	0.040									
Endrin aldehyde	U	0.040									
Endrin ketone	U	0.040									
gamma-BHC	U	0.040									
Heptachlor	U	0.040									
Heptachlor epoxide	U	0.040									
Hexachlorobenzene	U	0.040									
Hexachlorocyclopentadiene	0.0053										
Hexachlorocyclopentadiene	U	0.040									
Methoxychlor	U	0.040									
Toxaphene	U	1.0									
Surr: DCB	0.17		0.5000			33.2	12			102	
Surr: TCX	0.30		0.5000			60.8	14			110	

J

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8081_W

Sample ID: LCS-31725	SampType: LCS	TestCode: 8081_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57070						
Client ID: LCSW	Batch ID: 31725	TestNo: SW8081B	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801712						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDD	0.082	0.040	0.1000	0	82.3	33	138				
4,4'-DDE	0.073	0.040	0.1000	0	73.2	25	122				
4,4'-DDT	0.079	0.040	0.1000	0	79.0	26	137				
Aldrin	0.078	0.040	0.1000	0	77.5	30	135				
alpha-BHC	0.071	0.040	0.1000	0	71.1	31	139				
beta-BHC	0.11	0.040	0.1000	0	108	27	139				
Chlorobenzilate	0.088	0.040	0.1000	0	88.4	20	120				
DBCP	0.088	0.040	0.1000	0	88.1	20	124				
delta-BHC	0.085	0.040	0.1000	0	84.7	25	134				
Dieldrin	0.074	0.040	0.1000	0	74.0	25	125				
Endosulfan I	0.070	0.040	0.1000	0	69.9	22	126				
Endosulfan II	0.066	0.040	0.1000	0	66.0	20	126				
Endosulfan sulfate	0.076	0.040	0.1000	0	76.2	25	135				
Endrin	0.078	0.040	0.1000	0	77.9	22	134				
Endrin aldehyde	0.071	0.040	0.1000	0	71.3	20	128				
Endrin ketone	0.072	0.040	0.1000	0	71.9	25	136				
gamma-BHC	0.080	0.040	0.1000	0	80.1	30	131				
Heptachlor	0.079	0.040	0.1000	0	79.1	25	125				
Heptachlor epoxide	0.072	0.040	0.1000	0	72.4	21	127				
Hexachlorobenzene	0.067	0.040	0.1000	0	66.6	23	131				
Hexachlorocyclopentadiene	0.094	0.040	0.1000	0	94.2	22	138				
Methoxychlor	0.068	0.040	0.1000	0	67.6	20	130				
Surr: DCB	0.19		0.5000		37.7	12	102				
Surr: TCX	0.27		0.5000		53.7	14	110				

Sample ID: LCSD-31725	SampType: LCSD	TestCode: 8081_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57070						
Client ID: LCSS02	Batch ID: 31725	TestNo: SW8081B	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801713						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDD	0.087	0.040	0.1000	0	86.5	33	138	0.08225	5.05	0	
4,4'-DDE	0.077	0.040	0.1000	0	77.4	25	122	0.07317	5.60	20	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8081_W

Sample ID: LCSD-31725	SampType: LCSD	TestCode: 8081_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57070						
Client ID: LCSS02	Batch ID: 31725	TestNo: SW8081B	SPK3510B	Analysis Date: 4/4/2011	SeqNo: 801713						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
4,4'-DDT	0.078	0.040	0.1000	0	78.5	26	137	0.07898	0.631	20	
Aldrin	0.081	0.040	0.1000	0	81.4	30	135	0.07751	4.92	20	
alpha-BHC	0.078	0.040	0.1000	0	77.6	31	139	0.07106	8.80	20	
beta-BHC	0.12	0.040	0.1000	0	118	27	139	0.1079	9.05	20	
Chlorobenzilate	0.079	0.040	0.1000	0	78.7	20	120	0.08840	11.6	20	
DBCP	0.093	0.040	0.1000	0	93.2	20	124	0.08812	5.57	20	
delta-BHC	0.093	0.040	0.1000	0	93.0	25	134	0.08472	9.29	20	
Dieldrin	0.078	0.040	0.1000	0	78.3	25	125	0.07399	5.69	20	
Endosulfan I	0.074	0.040	0.1000	0	74.5	22	126	0.06986	6.41	20	
Endosulfan II	0.071	0.040	0.1000	0	70.6	20	126	0.06603	6.67	20	
Endosulfan sulfate	0.078	0.040	0.1000	0	77.6	25	135	0.07623	1.78	20	
Endrin	0.082	0.040	0.1000	0	81.7	22	134	0.07794	4.72	20	
Endrin aldehyde	0.076	0.040	0.1000	0	76.0	20	128	0.07131	6.40	20	
Endrin ketone	0.075	0.040	0.1000	0	74.7	25	136	0.07188	3.90	20	
gamma-BHC	0.088	0.040	0.1000	0	88.1	30	131	0.08012	9.54	20	
Heptachlor	0.084	0.040	0.1000	0	84.2	25	125	0.07913	6.18	20	
Heptachlor epoxide	0.075	0.040	0.1000	0	75.0	21	127	0.07236	3.62	20	
Hexachlorobenzene	0.074	0.040	0.1000	0	73.7	23	131	0.06657	10.2	20	
Hexachlorocyclopentadiene	0.088	0.040	0.1000	0	87.9	22	138	0.09420	6.95	20	
Methoxychlor	0.069	0.040	0.1000	0	68.9	20	130	0.06763	1.87	20	
Surr: DCB	0.20		0.5000		39.9	12	102		0	0	
Surr: TCX	0.29		0.5000		57.0	14	110		0	0	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8082_W

Sample ID: MB-31724	SampType: MBLK	TestCode: 8082_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57072						
Client ID: PBW	Batch ID: 31724	TestNo: SW8082A	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801735						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1016	U	0.10									
Aroclor 1221	U	0.10									
Aroclor 1232	U	0.10									
Aroclor 1242	U	0.10									
Aroclor 1248	U	0.10									
Aroclor 1254	U	0.10									
Aroclor 1260	U	0.10									
Aroclor 1262	U	0.10									
Aroclor 1268	U	0.10									
Surr: DCB	0.22		0.5000		44.8	15	147				
Surr: TCX	0.35		0.5000		69.4	19	135				

Sample ID: LCS-31724	SampType: LCS	TestCode: 8082_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57072						
Client ID: LCSW	Batch ID: 31724	TestNo: SW8082A	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801738						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1221	0.81	0.10	1.000	0	81.5	30	130				
Aroclor 1262	0.75	0.10	1.000	0	74.6	30	120				

Sample ID: LCSD-31724	SampType: LCSD	TestCode: 8082_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57072						
Client ID: LCSS02	Batch ID: 31724	TestNo: SW8082A	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801739						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aroclor 1221	0.84	0.10	1.000	0	83.6	30	130	0.8147	2.58	20	
Aroclor 1262	0.85	0.10	1.000	0	84.8	30	120	0.7460	12.9	20	

Sample ID: LCS-31724	SampType: LCS	TestCode: 8082_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57072						
Client ID: LCSW	Batch ID: 31724	TestNo: SW8082A	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801743						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8082_W

Sample ID: LCS-31724	SampType: LCS	TestCode: 8082_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57072						
Client ID: LCSW	Batch ID: 31724	TestNo: SW8082A	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801743						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: DCB	0.22		0.5000		44.4	15	147				
Surr: TCX	0.33		0.5000		67.0	19	135				

Sample ID: LCSD-31724	SampType: LCSD	TestCode: 8082_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57072						
Client ID: LCSS02	Batch ID: 31724	TestNo: SW8082A	SW3510B	Analysis Date: 4/4/2011	SeqNo: 801744						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: DCB	0.23		0.5000		46.9	15	147		0	0	
Surr: TCX	0.33		0.5000		66.8	19	135		0	0	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8270_w

Sample ID: MB-31738	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 4/6/2011	RunNo: 57121						
Client ID: PBW	Batch ID: 31738	TestNo: SW8270D	SW3510	Analysis Date: 4/6/2011	SeqNo: 802678						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

1,2,4-Trichlorobenzene	U	5.0									
1,2-Dichlorobenzene	U	5.0									
1,3-Dichlorobenzene	U	5.0									
1,4-Dichlorobenzene	U	5.0									
2,4,5-Trichlorophenol	U	5.0									
2,4,6-Trichlorophenol	U	5.0									
2,4-Dichlorophenol	U	5.0									
2,4-Dimethylphenol	U	5.0									
2,4-Dinitrophenol	U	10									
2,4-Dinitrotoluene	U	5.0									
2,6-Dinitrotoluene	U	5.0									
2-Chloronaphthalene	U	5.0									
2-Chlorophenol	U	5.0									
2-Methylnaphthalene	U	5.0									
2-Methylphenol	U	5.0									
2-Nitroaniline	U	5.0									
2-Nitrophenol	U	5.0									
3,3'-Dichlorobenzidine	U	10									
3+4-Methylphenol	U	5.0									
3-Nitroaniline	U	5.0									
4,6-Dinitro-2-methylphenol	U	10									
4-Bromophenyl phenyl ether	U	5.0									
4-Chloro-3-methylphenol	U	5.0									
4-Chloroaniline	U	10									
4-Chlorophenyl phenyl ether	U	5.0									
4-Nitroaniline	U	5.0									
4-Nitrophenol	U	5.0									
Acenaphthene	U	5.0									
Acenaphthylene	U	5.0									
Acetophenone	U	5.0									
Aniline	U	10									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8270_w

Sample ID: MB-31738	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 4/6/2011	RunNo: 57121						
Client ID: PBW	Batch ID: 31738	TestNo: SW8270D	SW35510	Analysis Date: 4/6/2011	SeqNo: 802678						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Anthracene	U	5.0									
Atrazine	U	5.0									
Azobenzene	U	5.0									
Benzaldehyde	U	5.0									C
Benzidine	U	10									C
Benzo(a)anthracene	U	5.0									
Benzo(a)pyrene	U	5.0									
Benzo(b)fluoranthene	U	5.0									
Benzo(g,h,i)perylene	U	5.0									
Benzo(k)fluoranthene	U	5.0									
Benzoic acid	U	10									
Benzyl alcohol	U	5.0									
Biphenyl	U	5.0									
Bis(2-chloroethoxy)methane	U	5.0									
Bis(2-chloroethyl)ether	U	5.0									
Bis(2-chloroisopropyl)ether	U	5.0									
Bis(2-ethylhexyl)phthalate	U	5.0									
Butyl benzyl phthalate	U	5.0									
Caprolactam	U	5.0									
Carbazole	U	5.0									
Chrysene	U	5.0									
Dibenzo(a,h)anthracene	U	5.0									
Dibenzofuran	U	5.0									
Diethyl phthalate	U	5.0									
Dimethyl phthalate	U	5.0									
Di-n-butyl phthalate	U	5.0									
Di-n-octyl phthalate	U	5.0									
Fluoranthene	U	5.0									
Fluorene	U	5.0									
Hexachlorobenzene	U	5.0									
Hexachlorobutadiene	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8270_w

Sample ID: MB-31738	SampType: MBLK	TestCode: 8270_w	Units: µg/L	Prep Date: 4/6/2011	RunNo: 57121
Client ID: PBW	Batch ID: 31738	TestNo: SW8270D	SW3510	Analysis Date: 4/6/2011	SeqNo: 802678

Analyte	Result	PQL	SPK value	SPK Ref Val	Units: µg/L	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Hexachlorocyclopentadiene	U	5.0										
Hexachloroethane	U	5.0										
Indeno(1,2,3-c,d)pyrene	U	5.0										
Isophorone	U	5.0										
Naphthalene	U	5.0										
Nitrobenzene	U	5.0										
N-Nitrosodimethylamine	U	5.0										
N-Nitrosodi-n-propylamine	U	5.0										
N-Nitrosodiphenylamine	U	5.0										
Parathion	U	5.0										
Pentachlorophenol	U	10										
Phenanthrene	U	5.0										
Phenol	U	5.0										
Pyrene	U	5.0										
Pyridine	U	5.0										
Surr: 2,4,6-Tribromophenol	31		40.00			77.4	36	133				
Surr: 2-Fluorobiphenyl	14		20.00			70.8	20	131				
Surr: 2-Fluorophenol	24		40.00			59.8	16	103				
Surr: 4-Terphenyl-d14	17		20.00			83.4	22	132				
Surr: Nitrobenzene-d5	15		20.00			72.9	19	133				
Surr: Phenol-d6	22		40.00			54.7	12	98				

Sample ID: LCS-31738	SampType: LCS	TestCode: 8270_w	Units: µg/L	Prep Date: 4/6/2011	RunNo: 57121
Client ID: LCSW	Batch ID: 31738	TestNo: SW8270D	SW3510	Analysis Date: 4/6/2011	SeqNo: 802679

Analyte	Result	PQL	SPK value	SPK Ref Val	Units: µg/L	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	28	5.0	40.00			70.2	38	124				
1,2-Dichlorobenzene	30	5.0	40.00			74.0	46	118				
1,3-Dichlorobenzene	29	5.0	40.00			71.9	33	126				
1,4-Dichlorobenzene	29	5.0	40.00			73.4	35	123				
2,4,5-Trichlorophenol	28	5.0	40.00			69.0	60	120				

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8270_w

Sample ID: LCS-31738	SampType: LCS	TestCode: 8270_w	Units: µg/L
Client ID: LCSW	Batch ID: 31738	TestNo: SW8270D	SW3510
Prep Date: 4/6/2011		RunNo: 57121	
Analysis Date: 4/6/2011		SeqNo: 802679	

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2,4,6-Trichlorophenol	27	5.0	40.00	0	68.7	59	121				
2,4-Dichlorophenol	27	5.0	40.00	0	68.6	51	119				
2,4-Dimethylphenol	26	5.0	40.00	0	63.8	50	119				
2-Chloronaphthalene	28	5.0	40.00	0	70.4	58	118				
2-Chlorophenol	26	5.0	40.00	0	64.7	34	122				
2-Methylphenol	21	5.0	40.00	0	52.9	30	130				
2-Nitrophenol	27	5.0	40.00	0	66.8	59	117				
3+4-Methylphenol	40	5.0	40.00	0	99.2	30	130				
4-Bromophenyl phenyl ether	32	5.0	40.00	0	80.6	54	122				
4-Chloro-3-methylphenol	25	5.0	40.00	0	63.3	41	123				
4-Chlorophenyl phenyl ether	30	5.0	40.00	0	74.3	65	125				
4-Nitrophenol	10	5.0	40.00	0	26.1	10	95				
Aniline	22	10	40.00	0	54.0	30	130				
Bis(2-chloroethoxy)methane	29	5.0	40.00	0	71.9	62	118				
Bis(2-chloroethyl)ether	32	5.0	40.00	0	79.4	54	129				
Bis(2-chloroisopropyl)ether	35	5.0	40.00	0	86.3	55	138				
Hexachlorobenzene	30	5.0	40.00	0	74.0	59	134				
Hexachlorobutadiene	28	5.0	40.00	0	70.2	49	127				
Hexachlorocyclopentadiene	9.1	5.0	40.00	0	22.7	4	102				
Hexachloroethane	24	5.0	40.00	0	60.9	40	130				
Pentachlorophenol	23	10	40.00	0	57.3	30	139				
Phenol	13	5.0	40.00	0	31.5	6	104				
Surr: 2,4,6-Tribromophenol	29		40.00		73.4	36	133				
Surr: 2-Fluorobiphenyl	15		20.00		74.0	20	131				
Surr: 2-Fluorophenol	17		40.00		42.7	16	103				
Surr: 4-Terphenyl-d14	17		20.00		84.7	22	132				
Surr: Nitrobenzene-d5	15		20.00		75.2	19	133				
Surr: Phenol-d6	12		40.00		29.4	12	98				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8270_w

Sample ID: LCSD-31738	SampType: LCSD	TestCode: 8270_w	Units: µg/L	Prep Date: 4/6/2011	RunNo: 57121						
Client ID: LCSS02	Batch ID: 31738	TestNo: SW8270D	SW3510	Analysis Date: 4/6/2011	SeqNo: 802680						
Analyte	Result	PQL	SPK value	SPK RefVal	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trichlorobenzene	27	5.0	40.00	0	68.7	38	124	28.09	2.20	20	
1,2-Dichlorobenzene	28	5.0	40.00	0	69.9	46	118	29.62	5.82	20	
1,3-Dichlorobenzene	28	5.0	40.00	0	68.9	33	126	28.76	4.19	20	
1,4-Dichlorobenzene	28	5.0	40.00	0	69.5	35	123	29.35	5.42	20	
2,4,5-Trichlorophenol	27	5.0	40.00	0	67.9	60	120	27.60	1.62	20	
2,4,6-Trichlorophenol	29	5.0	40.00	0	71.4	59	121	27.48	3.81	20	
2,4-Dichlorophenol	26	5.0	40.00	0	66.1	51	119	27.45	3.67	20	
2,4-Dimethylphenol	24	5.0	40.00	0	60.4	50	119	25.51	5.41	20	
2-Chloronaphthalene	28	5.0	40.00	0	71.1	58	118	28.17	0.929	20	
2-Chlorophenol	26	5.0	40.00	0	63.8	34	122	25.87	1.40	20	
2-Methylphenol	21	5.0	40.00	0	52.4	30	130	21.16	0.870	20	
2-Nitrophenol	24	5.0	40.00	0	60.4	59	117	26.71	10.0	20	
3+4-Methylphenol	38	5.0	40.00	0	94.2	30	130	39.69	5.25	20	
4-Bromophenyl phenyl ether	32	5.0	40.00	0	80.0	54	122	32.25	0.809	20	
4-Chloro-3-methylphenol	25	5.0	40.00	0	61.8	41	123	25.30	2.33	20	
4-Chlorophenyl phenyl ether	30	5.0	40.00	0	75.0	65	125	29.71	0.957	20	
4-Nitrophenol	11	5.0	40.00	0	27.4	10	95	10.45	4.66	20	
Aniline	19	10	40.00	0	48.2	30	130	21.60	11.3	20	
Bis(2-chloroethoxy)methane	29	5.0	40.00	0	71.5	62	118	28.74	0.506	20	
Bis(2-chloroethyl)ether	28	5.0	40.00	0	70.8	54	129	31.75	11.4	20	
Bis(2-chloroisopropyl)ether	33	5.0	40.00	0	81.9	55	138	34.53	5.21	20	
Hexachlorobenzene	30	5.0	40.00	0	74.8	59	134	29.58	1.08	20	
Hexachlorobutadiene	27	5.0	40.00	0	66.6	49	127	28.06	5.20	20	
Hexachlorocyclopentadiene	9.3	5.0	40.00	0	23.3	4	102	9.075	2.52	20	C
Hexachloroethane	24	5.0	40.00	0	59.1	40	130	24.35	2.93	20	
Pentachlorophenol	25	10	40.00	0	62.4	30	139	22.91	8.57	20	
Phenol	12	5.0	40.00	0	29.6	6	104	12.58	6.22	20	
Surr: 2,4,6-Tribromophenol	35		40.00		86.4	36	133		0	20	
Surr: 2-Fluorobiphenyl	15		20.00		73.3	20	131		0	20	
Surr: 2-Fluorophenol	16		40.00		39.8	16	103		0	20	
Surr: 4-Terphenyl-d14	18		20.00		87.5	22	132		0	20	

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: 8270_w

Sample ID: LCSD-31738	SampType: LCSD	TestCode: 8270_w	Units: µg/L	Prep Date: 4/6/2011	RunNo: 57121						
Client ID: LCSS02	Batch ID: 31738	TestNo: SW8270D	SW3510	Analysis Date: 4/6/2011	SeqNo: 802680						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Surr: Nitrobenzene-d5	15		20.00		74.1	19	133		0	20	
Surr: Phenol-d6	11		40.00		26.6	12	98		0	20	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID: V624LCS-040411aL	SampType: LCS	TestCode: Full8260_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57075						
Client ID: LCSW	Batch ID: R57075	TestNo: SW8260C		Analysis Date: 4/4/2011	SeqNo: 801748						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	44	1.0	50.00	0	87.2	43	148				
1,1,2,2-Tetrachloroethane	45	1.0	50.00	0	90.9	32	148				
1,1,2-Trichloroethane	40	1.0	50.00	0	80.4	42	136				
1,1-Dichloroethane	43	1.0	50.00	0	86.4	40	150				
1,1-Dichloroethene	42	1.0	50.00	0	83.6	30	154				
1,2-Dichlorobenzene	42	1.0	50.00	0	84.7	40	129				
1,2-Dichloroethane	42	1.0	50.00	0	83.5	36	141				
1,2-Dichloropropane	42	1.0	50.00	0	84.9	44	138				
1,3-Dichlorobenzene	43	1.0	50.00	0	86.2	40	133				
1,4-Dichlorobenzene	42	1.0	50.00	0	84.8	40	135				
2-Chloroethyl vinyl ether	30	2.0	50.00	0	60.2	21	139				C
Benzene	39	1.0	50.00	0	78.9	45	144				
Bromodichloromethane	42	1.0	50.00	0	84.1	35	136				
Bromoform	46	1.0	50.00	0	91.8	28	138				
Bromomethane	30	1.0	50.00	0	61.0	26	148				
Carbon tetrachloride	46	1.0	50.00	0	91.9	45	141				
Chlorobenzene	42	1.0	50.00	0	84.8	41	142				
Chloroethane	43	1.0	50.00	0	85.7	36	143				
Chloroform	45	1.0	50.00	0	90.4	42	137				
Chloromethane	37	1.0	50.00	0	73.0	35	151				
Dibromochloromethane	40	1.0	50.00	0	80.6	21	134				
Ethylbenzene	43	1.0	50.00	0	86.9	45	146				
Methylene chloride	38	1.0	50.00	0	76.4	30	148				
Tetrachloroethene	42	1.0	50.00	0	83.4	45	136				
Toluene	41	1.0	50.00	0	82.4	43	134				
trans-1,2-Dichloroethene	40	1.0	50.00	0	79.4	42	135				
trans-1,3-Dichloropropene	40	1.0	50.00	0	80.6	37	133				
Trichloroethene	44	1.0	50.00	0	87.0	43	140				
Trichlorofluoromethane	44	1.0	50.00	0	88.0	50	148				
Vinyl chloride	42	1.0	50.00	0	83.3	35	142				
Surr: 4-Bromofluorobenzene	50		50.00		100	60	130				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: V624LCS-040411aL	SampType: LCS	TestCode: Full8260_W	Units: µg/L
Client ID: LCSW	Batch ID: R57075	Prep Date: 4/4/2011	RunNo: 57075
		Analysis Date: 4/4/2011	SeqNo: 801748

Analyte	Result	PQL	SPK value	SPK Ref Val	Units: µg/L	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: Dibromofluoromethane	49		50.00			97.9	63	127				
Surr: Toluene-d8	49		50.00			97.4	61	128				

Sample ID: VBLK-040411aLW	SampType: MBLK	TestCode: Full8260_W	Units: µg/L
Client ID: PBW	Batch ID: R57075	Prep Date: 4/4/2011	RunNo: 57075
		Analysis Date: 4/4/2011	SeqNo: 801749

Analyte	Result	PQL	SPK value	SPK Ref Val	Units: µg/L	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0										
1,1,1-Trichloroethane	U	1.0										
1,1,2,2-Tetrachloroethane	U	1.0										
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0										
1,1,2-Trichloroethane	U	1.0										
1,1-Dichloroethane	U	1.0										
1,1-Dichloroethene	U	1.0										
1,1-Dichloropropene	U	1.0										
1,2,3-Trichlorobenzene	U	1.0										
1,2,3-Trichloropropane	U	1.0										
1,2,4,5-Tetramethylbenzene	U	1.0										
1,2,4-Trichlorobenzene	U	1.0										
1,2,4-Trimethylbenzene	U	1.0										
1,2-Dibromo-3-chloropropane	U	2.0										
1,2-Dibromoethane	U	1.0										
1,2-Dichlorobenzene	U	1.0										
1,2-Dichloroethane	U	1.0										
1,2-Dichloropropane	U	1.0										
1,3,5-Trimethylbenzene	U	1.0										
1,3-Dichlorobenzene	U	1.0										
1,3-dichloropropane	U	1.0										
1,4-Dichlorobenzene	U	1.0										
1,4-Dioxane	U	1.0										
2,2-Dichloropropane	U	1.0										

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID: VBLK-04041aLW	SampType: MBLK	TestCode: Full8260_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57075
Client ID: PBW	Batch ID: R57075	TestNo: SW8260C		Analysis Date: 4/4/2011	SeqNo: 801749

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
2-Butanone	U	2.5									C
2-Chloroethyl vinyl ether	U	2.0									
2-Chlorotoluene	U	1.0									
2-Hexanone	U	2.5									
2-Propanol	U	1.0									
4-Chlorotoluene	U	1.0									
4-Isopropyltoluene	U	1.0									
4-Methyl-2-pentanone	U	2.5									
Acetone	U	2.5									
Acrolein	U	5.0									
Acrylonitrile	U	1.0									
Benzene	U	1.0									
Bromobenzene	U	1.0									
Bromochloromethane	U	1.0									
Bromodichloromethane	U	1.0									
Bromoform	U	1.0									
Bromomethane	U	1.0									
Carbon disulfide	U	1.0									
Carbon tetrachloride	U	1.0									
Chlorobenzene	U	1.0									
Chlorodifluoromethane	U	1.0									
Chloroethane	U	1.0									
Chloroform	U	1.0									
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Diisopropyl ether	U	1.0									
Ethanol	U	5.0									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID: VBLK-040411aLW **SampType:** MBLK **TestCode:** Full8260_W **Units:** µg/L **Prep Date:** 4/4/2011 **RunNo:** 57075
Client ID: PBW **Batch ID:** R57075 **TestNo:** SW8260C **Analysis Date:** 4/4/2011 **SeqNo:** 801749

Analyte	Result	PQL	SPK value	SPK Ref Val	Units	µg/L	LowLimit	HighLimit	RPD RefVal	%RPD	RPDLimit	Qual
Ethyl acetate	U	1.0										
Ethylbenzene	U	1.0										
Freon-114	U	1.0										
Hexachlorobutadiene	U	1.0										
Isopropyl acetate	U	1.0										
Isopropylbenzene	U	1.0										
m,p-Xylene	U	2.0										
Methyl Acetate	U	1.0										
Methyl tert-butyl ether	U	1.0										C
Methylene chloride	8.4	1.0										
n-Amyl acetate	U	1.0										
Naphthalene	U	1.0										
n-Butyl acetate	U	1.0										
n-Butylbenzene	U	1.0										
n-Propyl acetate	U	1.0										
n-Propylbenzene	U	1.0										
o-Xylene	U	1.0										
p-Diethylbenzene	U	1.0										
p-Ethyltoluene	U	1.0										
sec-Butylbenzene	U	1.0										
Styrene	U	1.0										C
t-Butyl alcohol	U	1.0										
tert-Butylbenzene	U	1.0										
Tetrachloroethene	U	1.0										
Toluene	U	1.0										
trans-1,2-Dichloroethene	U	1.0										
trans-1,3-Dichloropropene	U	1.0										
Trichloroethene	U	1.0										
Trichlorofluoromethane	U	1.0										
Vinyl acetate	U	1.0										
Vinyl chloride	U	1.0										

Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID: VBLK-040411aLW	SampType: MBLK	TestCode: Full8260_W	Units: µg/L	Prep Date: 4/4/2011	RunNo: 57075
Client ID: PBW	Batch ID: R57075	TestNo: SW8260C		Analysis Date: 4/4/2011	SeqNo: 801749

Analyte	Result	PQL	SPK value	SPK Ref Val	Units: µg/L	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	50		50.00			99.6	60	130				
Surr: Dibromofluoromethane	51		50.00			102	63	127				
Surr: Toluene-d8	47		50.00			94.1	61	128				

Sample ID: V624LCS-040511LW	SampType: LCS	TestCode: Full8260_W	Units: µg/L	Prep Date:	RunNo: 57075
Client ID: LCSW	Batch ID: R57075A	TestNo: SW8260C		Analysis Date: 4/5/2011	SeqNo: 802558

Analyte	Result	PQL	SPK value	SPK Ref Val	Units: µg/L	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1-Trichloroethane	41	1.0	50.00	0		82.5	43	148				
1,1,2,2-Tetrachloroethane	49	1.0	50.00	0		97.4	32	148				
1,1,2-Trichloroethane	41	1.0	50.00	0		82.9	42	136				
1,1-Dichloroethane	43	1.0	50.00	0		86.1	40	150				
1,1-Dichloroethene	41	1.0	50.00	0		81.8	30	154				
1,2-Dichlorobenzene	42	1.0	50.00	0		84.6	40	129				
1,2-Dichloroethane	41	1.0	50.00	0		81.2	36	141				
1,2-Dichloropropane	42	1.0	50.00	0		84.3	44	138				
1,3-Dichlorobenzene	44	1.0	50.00	0		87.0	40	133				
1,4-Dichlorobenzene	41	1.0	50.00	0		83.0	40	135				
2-Chloroethyl vinyl ether	39	2.0	50.00	0		77.6	21	139				
Benzene	38	1.0	50.00	0		77.0	45	144				
Bromodichloromethane	41	1.0	50.00	0		82.6	35	136				
Bromoform	48	1.0	50.00	0		96.6	28	138				
Bromomethane	31	1.0	50.00	0		61.8	26	148				
Carbon tetrachloride	42	1.0	50.00	0		83.5	45	141				
Chlorobenzene	42	1.0	50.00	0		83.3	41	142				
Chloroethane	43	1.0	50.00	0		85.4	36	143				
Chloroform	43	1.0	50.00	0		86.8	42	137				
Chloromethane	37	1.0	50.00	0		73.8	35	151				
Dibromochloromethane	41	1.0	50.00	0		81.6	21	134				
Ethylbenzene	41	1.0	50.00	0		82.8	45	146				
Methylene chloride	40	1.0	50.00	0		80.5	30	148				B

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%ID exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.

Work Order: 1104007

Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID: V624LCS-040511LW	SampType: LCS	TestCode: Full8260_W	Units: µg/L
Client ID: LCSW	Batch ID: R57075A	TestNo: SW8260C	Prep Date:
			Analysis Date: 4/5/2011
RunNo: 57075	SeqNo: 802558		

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	40	1.0	50.00	0	80.8	45	136				
Toluene	40	1.0	50.00	0	79.8	43	134				
trans-1,2-Dichloroethene	39	1.0	50.00	0	78.1	42	135				
trans-1,3-Dichloropropene	40	1.0	50.00	0	79.1	37	133				
Trichloroethene	43	1.0	50.00	0	85.3	43	140				
Trichlorofluoromethane	42	1.0	50.00	0	84.8	50	148				
Vinyl chloride	41	1.0	50.00	0	81.5	35	142				
Surr: 4-Bromofluorobenzene	50		50.00		100	60	130				
Surr: Dibromofluoromethane	54		50.00		108	63	127				
Surr: Toluene-d8	49		50.00		98.6	61	128				

Sample ID: VBLK-040511LW	SampType: MBLK	TestCode: Full8260_W	Units: µg/L
Client ID: PBW	Batch ID: R57075A	TestNo: SW8260C	Prep Date:
			Analysis Date: 4/5/2011
RunNo: 57075	SeqNo: 802559		

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	U	1.0									
1,1,1-Trichloroethane	U	1.0									
1,1,2,2-Tetrachloroethane	U	1.0									
1,1,2-Trichloro-1,2,2-trifluoroethane	U	1.0									
1,1,2-Trichloroethane	U	1.0									
1,1-Dichloroethane	U	1.0									
1,1-Dichloroethene	U	1.0									
1,1-Dichloropropene	U	1.0									
1,2,3-Trichlorobenzene	U	1.0									
1,2,3-Trichloropropane	U	1.0									
1,2,4,5-Tetramethylbenzene	U	1.0									
1,2,4-Trichlorobenzene	U	1.0									
1,2,4-Trimethylbenzene	U	1.0									
1,2-Dibromo-3-chloropropane	U	2.0									
1,2-Dibromoethane	U	1.0									
1,2-Dichlorobenzene	U	1.0									

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%d exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: Full8260_W

Sample ID: VBLK-040511LW	SampType: MBLK	TestCode: Full8260_W	Units: µg/L
Client ID: PBW	Batch ID: R57075A	Analysis Date: 4/5/2011	Prep Date:
		TestNo: SW8260C	RunNo: 57075
			SeqNo: 802559

Analyte	Result	PQL	SPK value	SPK Ref Val	Units	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2-Dichloroethane	U	1.0										
1,2-Dichloropropane	U	1.0										
1,3,5-Trimethylbenzene	U	1.0										
1,3-Dichlorobenzene	U	1.0										
1,3-dichloropropane	U	1.0										
1,4-Dichlorobenzene	U	1.0										
1,4-Dioxane	U	1.0										
2,2-Dichloropropane	U	1.0										
2-Butanone	U	2.5										
2-Chloroethyl vinyl ether	U	2.0										
2-Chlorotoluene	U	1.0										
2-Hexanone	U	2.5										
2-Propanol	U	1.0										
4-Chlorotoluene	U	1.0										
4-Isopropyltoluene	U	1.0										
4-Methyl-2-pentanone	U	2.5										
Acetone	U	2.5										
Acrolein	U	5.0										
Acrylonitrile	U	1.0										
Benzene	U	1.0										
Bromobenzene	U	1.0										
Bromochloromethane	U	1.0										
Bromodichloromethane	U	1.0										
Bromoform	U	1.0										
Bromomethane	U	1.0										
Carbon disulfide	U	1.0										
Carbon tetrachloride	U	1.0										
Chlorobenzene	U	1.0										
Chlorodifluoromethane	U	1.0										
Chloroethane	U	1.0										
Chloroform	U	1.0										

Qualifiers: B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
LOQ Limit of Quantitation
C Calibration %RSD/%D exceeded for non-CCC analytes
J Analyte detected below quantitation limits
P >40% diff for detected conc between the two GC column
E Value above quantitation range
LOD Limit of Detection
R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID:	VBLK-040511LW	SampType:	MBLK	TestCode:	Full8260_W	Units:	µg/L	Prep Date:	RunNo:	57075	
Client ID:	PBW	Batch ID:	R57075A	TestNo:	SW8260C			Analysis Date:	4/5/2011		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Chloromethane	U	1.0									
cis-1,2-Dichloroethene	U	1.0									
cis-1,3-Dichloropropene	U	1.0									
Dibromochloromethane	U	1.0									
Dibromomethane	U	1.0									
Dichlorodifluoromethane	U	1.0									
Diisopropyl ether	U	1.0									
Ethanol	U	5.0									
Ethyl acetate	U	1.0									
Ethylbenzene	U	1.0									
Freon-114	U	1.0									
Hexachlorobutadiene	U	1.0									
Isopropyl acetate	U	1.0									
Isopropylbenzene	U	1.0									
m,p-Xylene	U	2.0									
Methyl Acetate	U	1.0									
Methyl tert-butyl ether	U	1.0									
Methylene chloride	11	1.0									
n-Amyl acetate	U	1.0									
Naphthalene	U	1.0									
n-Butyl acetate	U	1.0									
n-Butylbenzene	U	1.0									
n-Propyl acetate	U	1.0									
n-Propylbenzene	U	1.0									
o-Xylene	U	1.0									
p-Diethylbenzene	U	1.0									
p-Ethyltoluene	U	1.0									
sec-Butylbenzene	U	1.0									
Styrene	U	1.0									
t-Butyl alcohol	U	1.0									
tert-Butylbenzene	U	1.0									

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: Full8260_W

Sample ID:	VBLK-040511LW	SampType:	MBLK	TestCode:	Full8260_W	Units:	µg/L	Prep Date:	RunNo:	57075	
Client ID:	PBW	Batch ID:	R57075A	TestNo:	SW8260C			Analysis Date:	4/5/2011		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Tetrachloroethene	U	1.0									
Toluene	U	1.0									
trans-1,2-Dichloroethene	U	1.0									
trans-1,3-Dichloropropene	U	1.0									
Trichloroethene	U	1.0									
Trichlorofluoromethane	U	1.0									
Vinyl acetate	U	1.0									
Vinyl chloride	U	1.0									
Surr: 4-Bromofluorobenzene	48		50.00		95.0	60		130			
Surr: Dibromofluoromethane	53		50.00		105	63		127			
Surr: Toluene-d8	47		50.00		93.8	61		128			

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: HG_W

Sample ID: LCSW-040511A	SampType: LCS	TestCode: HG_W	Units: mg/L	Prep Date:	RunNo: 57077						
Client ID: LCSW	Batch ID: R57077	TestNo: E245.1		Analysis Date: 4/5/2011	SeqNo: 801851						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.00426	0.000200	0.004000	0	106	64	123				

Sample ID: PBW-040511A	SampType: MBLK	TestCode: HG_W	Units: mg/L	Prep Date:	RunNo: 57077						
Client ID: PBW	Batch ID: R57077	TestNo: E245.1		Analysis Date: 4/5/2011	SeqNo: 801852						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	U	0.000200									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1104007
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_D

Sample ID: PBW-040111AD	SampType: MBLK	TestCode: ICP_TAL_D	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57068						
Client ID: PBW	Batch ID: 31716	TestNo: E200.7	SW3005A	Analysis Date: 4/4/2011	SeqNo: 801642						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aluminum	U	0.0200									
Antimony	U	0.0250									
Arsenic	U	0.0250									
Barium	U	0.0200									
Beryllium	U	0.0200									
Cadmium	U	0.0100									
Calcium	U	0.0250									
Chromium	U	0.0200									
Cobalt	U	0.0200									
Copper	U	0.0200									
Iron	U	0.0200									
Lead	U	0.0150									
Magnesium	U	0.0200									
Manganese	U	0.0200									
Nickel	U	0.0200									
Potassium	U	0.100									
Selenium	U	0.0250									
Silver	U	0.0200									
Sodium	U	0.0300									
Thallium	U	0.0150									
Vanadium	U	0.0200									
Zinc	U	0.0200									

Sample ID: LCSW-040111AD	SampType: LCS	TestCode: ICP_TAL_D	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57068						
Client ID: LCSW	Batch ID: 31716	TestNo: E200.7	SW3005A	Analysis Date: 4/4/2011	SeqNo: 801642						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aluminum	1.99	0.0200	2.000	0	99.4	70	123				
Antimony	2.13	0.0250	2.000	0	107	63	128				
Arsenic	2.09	0.0250	2.000	0	105	69	125				
Barium	2.01	0.0200	2.000	0	101	68	122				

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
 Work Order: 1104007
 Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: ICP_TAL_D

Sample ID: LCSW-040111AD	SampType: LCS	TestCode: ICP_TAL_D	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57068
Client ID: LCSW	Batch ID: 31716	TestNo: E200.7	SW3005A	Analysis Date: 4/4/2011	SeqNo: 801642

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Beryllium	2.06	0.0200	2.000	0	103	68	124				
Cadmium	2.09	0.0100	2.000	0	105	66	122				
Calcium	2.16	0.0250	2.000	0	108	54	126				
Chromium	2.12	0.0200	2.000	0	106	69	123				
Cobalt	1.96	0.0200	2.000	0	98.0	68	124				
Copper	2.03	0.0200	2.000	0	102	69	123				
Iron	1.99	0.0200	2.000	0	99.6	68	122				
Lead	2.04	0.0150	2.000	0	102	67	123				
Magnesium	2.08	0.0200	2.000	0	104	51	130				
Manganese	2.01	0.0200	2.000	0	100	68	122				
Nickel	1.98	0.0200	2.000	0	99.2	67	123				
Potassium	19.8	0.100	20.00	0	99.0	69	125				
Selenium	2.11	0.0250	2.000	0	106	69	126				
Silver	2.03	0.0200	2.000	0	102	68	122				
Sodium	2.02	0.0300	2.000	0	101	55	138				
Thallium	2.02	0.0150	2.000	0	101	67	124				
Vanadium	2.04	0.0200	2.000	0	102	69	121				
Zinc	2.04	0.0200	2.000	0	102	67	124				

Qualifiers: B Analyte detected in the associated Method Blank
 H Holding times for preparation or analysis exceeded
 LOQ Limit of Quantitation
 C Calibration %RSD/%D exceeded for non-CCC analytes
 J Analyte detected below quantitation limits
 P >40% diff for detected conc between the two GC column
 E Value above quantitation range
 LOD Limit of Detection
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: ICP_TAL_W

Sample ID: PBW-040111A	SampType: MBLK	TestCode: ICP_TAL_W	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57067
Client ID: PBW	Batch ID: 31717	TestNo: E200.7	SW3010A	Analysis Date: 4/4/2011	SeqNo: 801436

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	U	0.0200									
Antimony	U	0.0250									
Arsenic	U	0.0250									
Barium	U	0.0200									
Beryllium	U	0.0200									
Cadmium	U	0.0100									
Calcium	U	0.0250									
Chromium	U	0.0200									
Cobalt	U	0.0200									
Copper	U	0.0200									
Iron	U	0.0200									
Lead	U	0.0150									
Magnesium	U	0.0200									
Manganese	U	0.0200									
Nickel	U	0.0200									
Potassium	U	0.100									
Selenium	U	0.0250									
Silver	U	0.0200									
Sodium	U	0.0300									
Thallium	U	0.0150									
Vanadium	U	0.0200									
Zinc	U	0.0200									

Sample ID: LCSW-040111A	SampType: LCS	TestCode: ICP_TAL_W	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57067						
Client ID: LCSW	Batch ID: 31717	TestNo: E200.7	SW3010A	Analysis Date: 4/4/2011	SeqNo: 801438						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	1.98	0.0200	2.000	0	98.9	70	123				
Antimony	2.09	0.0250	2.000	0	105	63	128				
Arsenic	2.08	0.0250	2.000	0	104	69	125				
Barium	1.98	0.0200	2.000	0	98.8	68	122				

Qualifiers: B Analyte detected in the associated Method Blank C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: ICP_TAL_W

Sample ID: LCSW-040111A	SampType: LCS	TestCode: ICP_TAL_W	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57067
Client ID: LCSW	Batch ID: 31717	TestNo: E200.7	SW3010A	Analysis Date: 4/4/2011	SeqNo: 801438

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Beryllium	2.04	0.0200	2.000	0	102	68	124				
Cadmium	2.08	0.0100	2.000	0	104	66	122				
Calcium	2.17	0.0250	2.000	0	108	54	126				
Chromium	2.12	0.0200	2.000	0	106	69	123				
Cobalt	1.91	0.0200	2.000	0	95.4	68	124				
Copper	2.00	0.0200	2.000	0	100	69	123				
Iron	1.96	0.0200	2.000	0	98.0	68	122				
Lead	2.00	0.0150	2.000	0	100	67	123				
Magnesium	2.06	0.0200	2.000	0	103	51	130				
Manganese	1.98	0.0200	2.000	0	98.8	68	122				
Nickel	1.94	0.0200	2.000	0	97.2	67	123				
Potassium	19.9	0.100	20.00	0	99.5	69	125				
Selenium	2.09	0.0250	2.000	0	104	69	126				
Silver	2.00	0.0200	2.000	0	100	68	122				
Sodium	2.00	0.0300	2.000	0	99.9	55	138				
Thallium	1.99	0.0150	2.000	0	99.7	67	124				
Vanadium	2.02	0.0200	2.000	0	101	69	121				
Zinc	2.01	0.0200	2.000	0	100	67	124				

Sample ID: PBW-040111A	SampType: MBLK	TestCode: ICP_TAL_W	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57068
Client ID: PBW	Batch ID: 31717	TestNo: E200.7	SW3010A	Analysis Date: 4/4/2011	SeqNo: 801706

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Aluminum	U	0.0200									
Antimony	U	0.0250									
Arsenic	U	0.0250									
Barium	U	0.0200									
Beryllium	U	0.0200									
Cadmium	U	0.0100									
Calcium	U	0.0250									
Chromium	U	0.0200									

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: ICP_TAL_W

Sample ID: PBW-040111A	SampType: MBLK	TestCode: ICP_TAL_W	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57068						
Client ID: PBW	Batch ID: 31717	TestNo: E200.7	SW3010A	Analysis Date: 4/4/2011	SeqNo: 801706						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Cobalt	U	0.0200									
Copper	U	0.0200									
Iron	U	0.0200									
Lead	U	0.0150									
Magnesium	U	0.0200									
Manganese	U	0.0200									
Nickel	U	0.0200									
Potassium	U	0.100									
Selenium	U	0.0250									
Silver	U	0.0200									
Sodium	U	0.0300									
Thallium	U	0.0150									
Vanadium	U	0.0200									
Zinc	U	0.0200									

Sample ID: LCSW-040111A	SampType: LCS	TestCode: ICP_TAL_W	Units: mg/L	Prep Date: 4/1/2011	RunNo: 57068						
Client ID: LCSW	Batch ID: 31717	TestNo: E200.7	SW3010A	Analysis Date: 4/4/2011	SeqNo: 801708						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual

Aluminum	1.98	0.0200	2.000	0	98.9	70	123				
Antimony	2.09	0.0250	2.000	0	105	63	128				
Arsenic	2.08	0.0250	2.000	0	104	69	125				
Barium	1.98	0.0200	2.000	0	98.8	68	122				
Beryllium	2.04	0.0200	2.000	0	102	68	124				
Cadmium	2.08	0.0100	2.000	0	104	66	122				
Calcium	2.17	0.0250	2.000	0	108	54	126				
Chromium	2.12	0.0200	2.000	0	106	69	123				
Cobalt	1.91	0.0200	2.000	0	95.4	68	124				
Copper	2.00	0.0200	2.000	0	100	69	123				
Iron	1.96	0.0200	2.000	0	98.0	68	122				
Lead	2.00	0.0150	2.000	0	100	67	123				

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes E Value above quantitation range
 H Holding times for preparation or analysis exceeded J Analyte detected below quantitation limits LOD Limit of Detection
 LOQ Limit of Quantitation P >40% diff for detected conc between the two GC column R RPD outside accepted recovery limits

ANALYTICAL QC SUMMARY REPORT

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

TestCode: ICP_TAL_W

Sample ID:	LCSW-040111A	SampType:	LCS	TestCode:	ICP_TAL_W	Units:	mg/L	Prep Date:	4/1/2011	RunNo:	57068
Client ID:	LCSW	Batch ID:	31717	TestNo:	E200.7	SW3010A		Analysis Date:	4/4/2011	SeqNo:	801708
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Magnesium	2.06	0.0200	2.000	0	103	51	130				
Manganese	1.98	0.0200	2.000	0	98.8	68	122				
Nickel	1.94	0.0200	2.000	0	97.2	67	123				
Potassium	19.9	0.100	20.00	0	99.5	69	125				
Selenium	2.09	0.0250	2.000	0	104	69	126				
Silver	2.00	0.0200	2.000	0	100	68	122				
Sodium	2.00	0.0300	2.000	0	99.9	55	138				
Thallium	1.99	0.0150	2.000	0	99.7	67	124				
Vanadium	2.02	0.0200	2.000	0	101	69	121				
Zinc	2.01	0.0200	2.000	0	100	67	124				

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

CLIENT: CA Rich Consultants Inc.
Work Order: 1104007
Project: 260 West 26th St., NY, NY

ANALYTICAL QC SUMMARY REPORT

TestCode: HG_W

Sample ID: 1103321-11C-MS	SampType: MS	TestCode: HG_W	Units: mg/L	Prep Date:	RunNo: 57077						
Client ID: ZZZZZZ	Batch ID: R57077	TestNo: E245.1		Analysis Date: 4/5/2011	SeqNo: 801871						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.00393	0.000200	0.004000	0	98.2	64	123				

Sample ID: 1103321-11C-MSD	SampType: MSD	TestCode: HG_W	Units: mg/L	Prep Date:	RunNo: 57077						
Client ID: ZZZZZZ	Batch ID: R57077	TestNo: E245.1		Analysis Date: 4/5/2011	SeqNo: 801872						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Mercury	0.00400	0.000200	0.004000	0	100	64	123	0.003930	1.77	20	

Qualifiers: B Analyte detected in the associated Method Blank
 C Calibration %RSD/%D exceeded for non-CCC analytes
 E Value above quantitation range
 H Holding times for preparation or analysis exceeded
 J Analyte detected below quantitation limits
 LOD Limit of Detection
 LOQ Limit of Quantitation
 P >40% diff for detected conc between the two GC column
 R RPD outside accepted recovery limits

APPENDIX D

Soil Boring Logs

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-1**

TOTAL DEPTH: **12.5'**

PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/17/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP: **NA**

∞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-1 (0-2')	Push	0.0
5		Tan silty sand with some pebbles.				0.0
		Red clay				0.0
10		Bedrock		SB-1(10-12')		0.0

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-2**

TOTAL DEPTH: **9'**


PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/17/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

∞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-2 (0-2')	Push	0.0
5		Tan silty sand with some pebbles.		SB-2 (6-8')		0.0
		Bedrock				0.0

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-3**

TOTAL DEPTH: **9'**


PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/17/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP: **NA**

☞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-3 (0-2')	Push	0.0
5		Tan silty sand with some pebbles.		SB-3 (6-8')		0.0
		Bedrock				0.0

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-4**

TOTAL DEPTH: **19'**


PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/17/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

∞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-4 (0-2')	Push	0.0
5		Tan silty sand with some pebbles.				0.0
10		Red clay				0.0
15		Bedrock		SB-4(16-18')		0.0

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-5**

TOTAL DEPTH: **15'**



PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/17/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**


≍ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-5 (0-2')	Push	0.0
5		Tan silty sand with some pebbles.				0.0
10		Red clay		SB-5(12-14')		0.0
15		Bedrock				

NOTES:

PROJECT INFORMATION		DRILLING INFORMATION	
PROJECT:	260 West 26th Street	DRILLING CO.:	Eastern Environmental
SITE LOCATION:	New York, New York	DRILLER:	Edmond and Josh
JOB NO.:	Artimus	RIG TYPE:	Geoprobe
LOGGED BY:	Jessica Proscia	METHOD OF DRILLING:	Direct Push
PROJECT MANAGER:	Stephen Malinowski	SAMPLING METHODS:	Soil Sleeves
DATES DRILLED:	2/17/11	HAMMER WT./DROP	NA

∞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-6 (0-2')	Push	0.0
5		Tan silty sand with some pebbles.				0.0
10		Red clay		SB-6(12-14')		0.0
15		Bedrock				

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: SB-7

TOTAL DEPTH: 21'

PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: 260 West 26th Street
 SITE LOCATION: New York, New York
 JOB NO.: Artimus
 LOGGED BY: Jessica Proscia
 PROJECT MANAGER: Stephen Malinowski
 DATES DRILLED: 2/18/11

DRILLING CO.: Eastern Environmental
 DRILLER: Edmond and Josh
 RIG TYPE: Geoprobe
 METHOD OF DRILLING: Direct Push
 SAMPLING METHODS: Soil Sleeves
 HAMMER WT./DROP NA

≍ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0	Brown Fill composed of sand, brick and concrete			SB-7 (0-2')	Push	0.0
5						
10	Tan silty sand with some pebbles.					0.0
15						
20	Bedrock			SB-7(18-20')		0.0
21						

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-8**

TOTAL DEPTH: **21'**



PROJECT INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/18/11**

DRILLING INFORMATION

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

≍ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-8 (0-2')	Push	0.0
5						
10		Tan silty sand with some pebbles.				0.0
15						
20		Bedrock		SB-8(18-20')		0.0

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-9**

TOTAL DEPTH: **9'**

PROJECT INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/18/11**

DRILLING INFORMATION

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

☞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-9 (0-2')	Push	0.0
5					Tan silty sand with some pebbles.	
		Bedrock				

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-10**

TOTAL DEPTH: **10'**



PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/18/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

≡ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-10(0-2')	Push	0.0
5					Tan silty sand with some pebbles.	
10		Bedrock				

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-11**

TOTAL DEPTH: **15'**


PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/18/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

∞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-11(0-2')	Push	0.0
5						
		Tan silty sand with some pebbles.				0.0
10						
		Red clay		SB-11(12-14')		0.0
15						
		Bedrock				

NOTES:

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: **SB-12**

TOTAL DEPTH: **10'**


PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: **260 West 26th Street**
 SITE LOCATION: **New York, New York**
 JOB NO.: **Artimus**
 LOGGED BY: **Jessica Proscia**
 PROJECT MANAGER: **Stephen Malinowski**
 DATES DRILLED: **2/18/11**

DRILLING CO.: **Eastern Environmental**
 DRILLER: **Edmond and Josh**
 RIG TYPE: **Geoprobe**
 METHOD OF DRILLING: **Direct Push**
 SAMPLING METHODS: **Soil Sleeves**
 HAMMER WT./DROP **NA**

∞ Water level in boring

DEPTH	SOIL TYPE	SOIL DESCRIPTION	COMMENTS	SAMPLE	Blows per ft.	PID ppm
0		Brown Fill composed of sand, brick and concrete		SB-12(0-2')	Push	0.0
5					Tan silty sand with some pebbles.	
10		Bedrock				

NOTES:

APPENDIX E

Soil Vapor Logs

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: SV-1


TOTAL DEPTH: 5 ft

PROJECT INFORMATION

DRILLING INFORMATION

PROJECT: 260 West 26th Street
SITE LOCATION: New York, NY
JOB NO.: Artimus/260 West 26th St
LOGGED BY: Jessica Proscia
PROJECT MANAGER: Stephen Malinowski
DATES DRILLED: 2/18/11

DRILLING CO.: Easten Environmental
DRILLER: Josh
RIG TYPE: Geoprobe
METHOD OF DRILLING: Direct Push
SAMPLING METHODS: None
HAMMER WT./DROP NA

DEPTH INCHES	SOIL TYPE	SOIL DESCRIPTION	SAMPLE NUMBER	Blows per ft.	PID ppm	BORING COMPLETION	WELL DESCRIPTION
0	Brown fill composed of sand, brick, and concrete.		SV-1				
5							

NOTES:

Stainless steel pipe sticks out approximately 1-foot from the ground surface.

CA RICH Consultants, Inc.

Environmental Specialists

17 Dupont Street, Plainview, NY 11803

FIELD BORING LOG

BOREHOLE NO.: SV-2

TOTAL DEPTH: 5 ft

PROJECT INFORMATION

PROJECT: 260 West 26th Street
SITE LOCATION: New York, NY
JOB NO.: Artimus/260 West 26th St
LOGGED BY: Jessica Proscia
PROJECT MANAGER: Stephen Malinowski
DATES DRILLED: 2/18/11

DRILLING INFORMATION

DRILLING CO.: Easten Environmental
DRILLER: Josh
RIG TYPE: Geoprobe
METHOD OF DRILLING: Direct Push
SAMPLING METHODS: None
HAMMER WT./DROP NA

DEPTH INCHES	SOIL TYPE	SOIL DESCRIPTION	SAMPLE NUMBER	Blows per ft.	PID ppm	BORING COMPLETION	WELL DESCRIPTION
0		Brown fill composed of sand, brick, and concrete.					
5				SV-2			

Bentonite seal from 1/2-Inch to grade

1/4-Inch diameter stainless steel pipe

No. 2 Sand

1/2-Inch diameter screen

NOTES:

Stainless steel pipe sticks out approximately 1-foot from the ground surface.

APPENDIX F

Laboratory Analytical Results for Soil Vapor Samples (electronic file)

YORK

ANALYTICAL LABORATORIES, INC.

Technical Report

prepared for:

C.A. Rich Associates
17 Dupont Street
Plainview NY, 11803
Attention: Jessica Proscia

Report Date: 03/11/2011
Client Project ID: Artimus
York Project (SDG) No.: 11B0512
Revision No. 1.0

CT License No. PH-0723

New Jersey License No. CT-005



New York License No. 10854

PA Reg. 68-04440

Report Date: 03/11/2011
Client Project ID: Artimus
York Project (SDG) No.: 11B0512

C.A. Rich Associates
17 Dupont Street
Plainview NY, 11803
Attention: Jessica Proscia

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on February 22, 2011 and listed below. The project was identified as your project: **Artimus**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the attachment to this report, and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

<u>York Sample ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Date Collected</u>	<u>Date Received</u>
11B0512-01	SV-1	Air	02/18/2011	02/22/2011
11B0512-02	SV-2	Air	02/18/2011	02/22/2011

General Notes for York Project (SDG) No.: 11B0512

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation, unless otherwise noted.
6. All analyses conducted met method or Laboratory SOP requirements. See the Qualifiers and/or Narrative sections for further information.
7. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
8. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.

Approved By:



Robert Q. Bradley
Managing Director

Date: 03/11/2011

YORK

Sample Information

Client Sample ID: SV-1

York Sample ID: 11B0512-01

York Project (SDG) No.
11B0512

Client Project ID
Artimus

Matrix
Air

Collection Date/Time
February 18, 2011 3:00 pm

Date Received
02/22/2011

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
71-55-6	1,1,1-Trichloroethane	ND		ug/m ³	2.4	4.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m ³	2.7	5.9	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m ³	3.3	6.6	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
79-00-5	1,1,2-Trichloroethane	ND		ug/m ³	2.6	4.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-34-3	1,1-Dichloroethane	ND		ug/m ³	1.7	3.5	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-35-4	1,1-Dichloroethylene	ND		ug/m ³	1.2	3.4	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m ³	2.0	6.4	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
95-63-6	1,2,4-Trimethylbenzene	6.8		ug/m ³	2.4	4.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
95-50-1	1,2-Dichlorobenzene	ND		ug/m ³	2.1	5.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
107-06-2	1,2-Dichloroethane	ND		ug/m ³	1.3	3.5	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
78-87-5	1,2-Dichloropropane	ND		ug/m ³	2.9	4.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m ³	3.2	6.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m ³	1.9	4.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
106-99-0	1,3-Butadiene	ND		ug/m ³	3.1	3.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
541-73-1	1,3-Dichlorobenzene	ND		ug/m ³	2.4	5.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
106-46-7	1,4-Dichlorobenzene	ND		ug/m ³	3.5	5.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
123-91-1	1,4-Dioxane	ND		ug/m ³	5.7	12	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
540-84-1	2,2,4-Trimethylpentane	ND		ug/m ³	1.6	4.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
78-93-3	2-Butanone	10		ug/m ³	1.2	2.5	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
591-78-6	2-Hexanone	ND		ug/m ³	3.6	7.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
107-05-1	3-Chloropropene	ND		ug/m ³	0.59	2.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
108-10-1	4-Methyl-2-pentanone	ND		ug/m ³	3.5	7.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
67-64-1	Acetone	ND		ug/m ³	0.86	2.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
71-43-2	Benzene	3.8		ug/m ³	2.0	2.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
100-44-7	Benzyl chloride	ND		ug/m ³	3.9	8.9	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-27-4	Bromodichloromethane	ND		ug/m ³	1.9	5.3	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-25-2	Bromoform	ND		ug/m ³	3.9	8.9	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
74-83-9	Bromomethane	ND		ug/m ³	1.7	3.3	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-15-0	Carbon disulfide	1.4	J	ug/m ³	0.59	2.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
56-23-5	Carbon tetrachloride	ND		ug/m ³	2.1	5.4	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
108-90-7	Chlorobenzene	ND		ug/m ³	2.6	4.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-00-3	Chloroethane	ND		ug/m ³	2.1	2.3	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
67-66-3	Chloroform	7.6		ug/m ³	1.8	4.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
74-87-3	Chloromethane	ND		ug/m ³	1.0	1.8	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD

Sample Information

Client Sample ID: SV-1

York Sample ID: 11B0512-01

<u>York Project (SDG) No.</u> 11B0512	<u>Client Project ID</u> Artimus	<u>Matrix</u> Air	<u>Collection Date/Time</u> February 18, 2011 3:00 pm	<u>Date Received</u> 02/22/2011
--	-------------------------------------	----------------------	--	------------------------------------

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/m ³	1.7	3.4	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m ³	2.0	3.9	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
110-82-7	Cyclohexane	ND		ug/m ³	1.1	3.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-71-8	Dichlorodifluoromethane	ND		ug/m ³	2.5	4.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
141-78-6	Ethyl acetate	ND		ug/m ³	1.4	3.1	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
100-41-4	Ethyl Benzene	4.9		ug/m ³	2.2	3.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	5.1	9.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
67-63-0	Isopropanol	2.2	J	ug/m ³	2.0	4.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	1.5	3.1	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-09-2	Methylene chloride	6.5	B	ug/m ³	1.2	3.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
142-82-5	n-Heptane	1.8	J	ug/m ³	1.4	3.5	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
110-54-3	n-Hexane	2.3	J	ug/m ³	1.9	3.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
95-47-6	o-Xylene	6.4		ug/m ³	2.6	3.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
1330-20-7P/M	p- & m- Xylenes	17		ug/m ³	5.9	7.5	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
622-96-8	p-Ethyltoluene	ND		ug/m ³	0.76	4.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
115-07-01	Propylene	ND		ug/m ³	1.9	3.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
100-42-5	Styrene	ND		ug/m ³	2.1	3.7	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
127-18-4	Tetrachloroethylene	18		ug/m ³	2.4	5.8	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
109-99-9	Tetrahydrofuran	6.5		ug/m ³	2.1	5.1	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
108-88-3	Toluene	18		ug/m ³	1.7	3.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	2.2	3.4	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	1.2	3.9	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
79-01-6	Trichloroethylene	4.7		ug/m ³	2.2	4.6	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	2.4	4.8	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
108-05-4	Vinyl acetate	ND		ug/m ³	0.79	3.0	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
593-60-2	Vinyl bromide	ND		ug/m ³	1.7	3.8	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	1.4	2.2	1.69	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:07	TD

Sample Information

Client Sample ID: SV-2

York Sample ID: 11B0512-02

<u>York Project (SDG) No.</u> 11B0512	<u>Client Project ID</u> Artimus	<u>Matrix</u> Air	<u>Collection Date/Time</u> February 18, 2011 3:00 pm	<u>Date Received</u> 02/22/2011
--	-------------------------------------	----------------------	--	------------------------------------

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
<p>120 RESEARCH DRIVE STRATFORD, CT 06615 (203) 325-1371 FAX (203) 357-0166</p>											

Sample Information

Client Sample ID: SV-2

York Sample ID: 11B0512-02

York Project (SDG) No.		Client Project ID		Matrix		Collection Date/Time		Date Received		
11B0512		Artimus		Air		February 18, 2011 3:00 pm		02/22/2011		
71-55-6	1,1,1-Trichloroethane	ND	ug/m ³	2.4	4.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
79-34-5	1,1,2,2-Tetrachloroethane	ND	ug/m ³	2.7	5.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	ug/m ³	3.3	6.5	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
79-00-5	1,1,2-Trichloroethane	ND	ug/m ³	2.6	4.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-34-3	1,1-Dichloroethane	ND	ug/m ³	1.7	3.5	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-35-4	1,1-Dichloroethylene	ND	ug/m ³	1.2	3.4	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
120-82-1	1,2,4-Trichlorobenzene	ND	ug/m ³	2.0	6.3	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
95-63-6	1,2,4-Trimethylbenzene	7.0	ug/m ³	2.4	4.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
95-50-1	1,2-Dichlorobenzene	ND	ug/m ³	2.1	5.1	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
107-06-2	1,2-Dichloroethane	ND	ug/m ³	1.2	3.5	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
78-87-5	1,2-Dichloropropane	ND	ug/m ³	2.9	3.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
76-14-2	1,2-Dichlorotetrafluoroethane	ND	ug/m ³	3.2	6.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
108-67-8	1,3,5-Trimethylbenzene	ND	ug/m ³	1.9	4.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
106-99-0	1,3-Butadiene	ND	ug/m ³	3.1	3.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
541-73-1	1,3-Dichlorobenzene	ND	ug/m ³	2.4	5.1	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
106-46-7	1,4-Dichlorobenzene	ND	ug/m ³	3.5	5.1	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
123-91-1	1,4-Dioxane	ND	ug/m ³	5.7	12	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
540-84-1	2,2,4-Trimethylpentane	ND	ug/m ³	1.6	4.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
78-93-3	2-Butanone	7.1	ug/m ³	1.2	2.5	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
591-78-6	2-Hexanone	ND	ug/m ³	3.6	7.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
107-05-1	3-Chloropropene	ND	ug/m ³	0.59	2.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
108-10-1	4-Methyl-2-pentanone	ND	ug/m ³	3.5	7.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
67-64-1	Acetone	28	B ug/m ³	0.85	2.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
71-43-2	Benzene	2.6	J ug/m ³	2.0	2.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
100-44-7	Benzyl chloride	ND	ug/m ³	3.9	8.8	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-27-4	Bromodichloromethane	ND	ug/m ³	1.9	5.3	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-25-2	Bromoform	ND	ug/m ³	3.9	8.8	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
74-83-9	Bromomethane	ND	ug/m ³	1.7	3.3	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-15-0	Carbon disulfide	ND	ug/m ³	0.59	2.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
56-23-5	Carbon tetrachloride	ND	ug/m ³	2.0	5.4	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
108-90-7	Chlorobenzene	ND	ug/m ³	2.6	3.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-00-3	Chloroethane	ND	ug/m ³	2.1	2.3	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
67-66-3	Chloroform	ND	ug/m ³	1.8	4.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
74-87-3	Chloromethane	ND	ug/m ³	1.0	1.8	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
156-59-2	cis-1,2-Dichloroethylene	ND	ug/m ³	1.7	3.4	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
10061-01-5	cis-1,3-Dichloropropylene	ND	ug/m ³	2.0	3.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
110-82-7	Cyclohexane	ND	ug/m ³	1.1	2.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-71-8	Dichlorodifluoromethane	ND	ug/m ³	2.5	4.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD

Sample Information

Client Sample ID: SV-2

York Sample ID: 11B0512-02

York Project (SDG) No.
11B0512

Client Project ID
Artimus

Matrix
Air

Collection Date/Time
February 18, 2011 3:00 pm

Date Received
02/22/2011

Volatile Organics, EPA TO15 List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	MDL	RL	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
141-78-6	Ethyl acetate	ND		ug/m ³	1.4	3.1	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
100-41-4	Ethyl Benzene	5.1		ug/m ³	2.2	3.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
87-68-3	Hexachlorobutadiene	ND		ug/m ³	5.1	9.1	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
67-63-0	Isopropanol	4.4		ug/m ³	2.0	4.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m ³	1.5	3.1	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-09-2	Methylene chloride	6.6	B	ug/m ³	1.2	3.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
142-82-5	n-Heptane	ND		ug/m ³	1.4	3.5	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
110-54-3	n-Hexane	ND		ug/m ³	1.9	3.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
95-47-6	o-Xylene	6.2		ug/m ³	2.6	3.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
1330-20-7P/M	p- & m- Xylenes	17		ug/m ³	5.9	7.4	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
622-96-8	p-Ethyltoluene	1.7	J	ug/m ³	0.76	4.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
115-07-01	Propylene	ND		ug/m ³	1.9	2.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
100-42-5	Styrene	ND		ug/m ³	2.1	3.6	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
127-18-4	Tetrachloroethylene	3.9	J	ug/m ³	2.4	5.8	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
109-99-9	Tetrahydrofuran	6.4		ug/m ³	2.1	5.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
108-88-3	Toluene	18		ug/m ³	1.7	3.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/m ³	2.2	3.4	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m ³	1.2	3.9	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
79-01-6	Trichloroethylene	ND		ug/m ³	2.2	4.6	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m ³	2.4	4.8	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
108-05-4	Vinyl acetate	ND		ug/m ³	0.78	3.0	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
593-60-2	Vinyl bromide	ND		ug/m ³	1.6	3.7	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD
75-01-4	Vinyl Chloride	ND		ug/m ³	1.4	2.2	1.68	EPA Compendium TO-15	03/02/2011 13:18	03/03/2011 18:48	TD

Notes and Definitions

J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL); therefore, the result is an estimated concentration.
B	Analyte is found in the associated analysis batch blank.
<hr/>	
ND	Analyte NOT DETECTED at the stated Reporting Limit (RL) or above.
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
MDL	METHOD DETECTION LIMIT - the minimum concentration that can be measured and reported with a 99% confidence that the concentration is greater than zero. If requested or required, a value reported below the RL and above the MDL is considered estimated and is noted with a "J" flag.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

Corrective Action:

Revision Description: Corrected client sample IDs per email from Jessica Proscia.

