

11 HUBERT STREET

MANHATTAN, NEW YORK

Remedial Investigation Report

NYC VCP Site Number: N/A

NYC E-Designation Number: 14EHAZ491M

Prepared for:

JMW Hubert LLC

156 West 56th Street, 4th Floor

New York, NY

Zoia@glocap.com

Prepared by:

Hydro Tech Environmental, Corp.

77 Arkay Drive, Suite G

Hauppauge, NY 11788

ejohnston@hydrotechenvironmental.com

631-462-5866

May/2014

REMEDIAL INVESTIGATION REPORT

TABLE OF CONTENTS

FIGURES.....	3
LIST OF ACRONYMS	6
CERTIFICATION	7
EXECUTIVE SUMMARY	8
REMEDIAL INVESTIGATION REPORT	12
1.0 SITE BACKGROUND.....	12
1.1 Site Location and Current Usage	12
1.2 Proposed Redevelopment Plan	12
1.3 Description of Surrounding Property.....	13
2.0 SITE HISTORY	14
2.1 Past Uses and Ownership.....	14
2.2 Previous Investigations	14
2.3 Site Inspection	15
2.4 Areas of Concern	15
3.0 PROJECT MANAGEMENT	16
3.1 Project Organization	16
3.2 Health and Safety	16
3.3 Materials Management.....	16
4.0 REMEDIAL INVESTIGATION ACTIVITIES.....	17
4.1 Geophysical Investigation.....	17
4.2 Borings and Monitoring Wells.....	18
4.3 Sample Collection and Chemical Analysis.....	20
5.0 ENVIRONMENTAL EVALUATION.....	24
5.1 Geological and Hydrogeological Conditions.....	24
5.2 Soil Chemistry	24
5.3 Groundwater Chemistry.....	25
5.4 Soil Vapor Chemistry	26
5.5 Prior Activity	27
5.6 Impediments to Remedial Action	27

FIGURES

- Figure-1: Site Boundary Map
- Figure-2: Topographic Map
- Figure-3: Proposed Redevelopment Plan
- Figure-4: Area of Concern Diagram
- Figure-5: Sampling Plan
- Figure-6: Groundwater Flow Contour Diagram
- Figure-7: Diagram of VOCs in Soil
- Figure-8: Diagram of SVOCs in Soil
- Figure-9: Diagram of Metals in Soil
- Figure-10: Map of SVOCs in Groundwater
- Figure 11: Map of Metals in Groundwater
- Figure-12: Map of Contamination in Soil Vapor

TABLES

List of Typical Tables

- Table-1: Groundwater Monitoring Data
- Table-2: Soil Samples Volatile Organic Compounds Analytical Data Summary (showing exceedances of Track 1 and Track 2 SCOs)
- Table-3: Soil Samples Semi Volatile Organic Compounds Analytical Data Summary (showing exceedances of Track 1 and Track 2 SCOs)
- Table-4: Soil Samples Pesticides and PCBs Analytical Data Summary (showing exceedances of Track 1 and Track 2 SCOs)
- Table-5: Soil Samples Metals Analytical Data Summary (showing exceedances of Track 1 and Track 2 SCOs)
- Table-6: Groundwater Samples Volatile Organic Compounds Analytical Data Summary
- Table-7: Groundwater Samples Semi Volatile Organic Compounds Analytical Data Summary
- Table-8: Groundwater Samples Pesticides and PCBs Analytical Data Summary
- Table-9: Groundwater Samples Metals Analytical Data Summary
- Table-10: Soil Vapor and Air Analytical Data Summary (showing exceedances of NYS DOH Soil Vapor Intrusion Guidance)

APPENDICES

- Appendix-A: Phase I ESA Report
- Appendix-B: Photographs
- Appendix-C: GPR Report
- Appendix-D: Soil Boring Logs
- Appendix-E: Monitoring Well Construction
- Appendix-F: Monitoring Well Sampling Log
- Appendix-G: Laboratory Deliverables for Soil Analytical Data
- Appendix-H: Laboratory Deliverables for Groundwater Analytical Data
- Appendix-I: Laboratory Deliverables for Soil Vapor and Air Analytical Data

LIST OF ACRONYMS

Acronym	Definition
AOC	Area of Concern
CAMP	Community Air Monitoring Plan
COC	Contaminant of Concern
CPP	Citizen Participation Plan
CSM	Conceptual Site Model
DER-10	New York State Department of Environmental Conservation Technical Guide 10
FID	Flame Ionization Detector
GPS	Global Positioning System
HASP	Health and Safety Plan
HAZWOPER	Hazardous Waste Operations and Emergency Response
IRM	Interim Remedial Measure
NAPL	Non-aqueous Phase Liquid
NYC VCP	New York City Voluntary Cleanup Program
NYC DOHMH	New York City Department of Health and Mental Hygiene
NYC OER	New York City Office of Environmental Remediation
NYS DOH ELAP	New York State Department of Health Environmental Laboratory Accreditation Program
OSHA	Occupational Safety and Health Administration
PID	Photoionization Detector
QEP	Qualified Environmental Professional
RI	Remedial Investigation
RIR	Remedial Investigation Report
SCO	Soil Cleanup Objective
SPEED	Searchable Property Environmental Electronic Database

CERTIFICATION

I, Mark Robbins, am a Qualified Environmental Professional, as defined in RCNY § 43-1402(ar). I have primary direct responsibility for implementation of the Remedial Investigation for the 11 Hubert Street Site, (NYC VCP Site No. N/A). I am responsible for the content of this Remedial Investigation Report (RIR), have reviewed its contents and certify that this RIR is accurate to the best of my knowledge and contains all available environmental information and data regarding the property.

Qualified Environmental Professional

Date

Signature

EXECUTIVE SUMMARY

The Remedial Investigation Report (RIR) provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy pursuant to RCNY§ 43-1407(f). The remedial investigation (RI) described in this document is consistent with applicable guidance.

Site Location and Current Usage

The Site is located at 11 Hubert Street in the Tribeca section of Manhattan, New York and is identified as Block 214 and Lot 12 on the New York City Tax Map. **Figure 2** shows the Site location. The Site is 5,000 square feet and is bounded by Hubert Street to the North, Collister Street to the east, a 3-story residential building to the east and a 5-story residential building to the west. A map of the site boundary is shown in **Figure 1**. Currently, the Site is used for commercial office space and residential purposes and contains a 3-story building with a basement and a one car garage at grade level at the northwest corner.

Summary of Proposed Redevelopment Plan

The proposed future use of the Site will consist of a new 3-story, single-family townhouse with a full basement. Layout of the proposed site development is presented in Figure 3. The proposed development will involve the demolition of the existing building including the foundations and an excavation to the water table. The existing garage in the northwest corner of the property will remain in place. The proposed development plans are not yet finalized and are pending geotechnical borings.

Summary of Past Uses of Site and Areas of Concern

Based upon the review of a Phase I Environmental Assessment Survey performed by Airtek Environmental Corp in April 2014, a Site history was established. The Site was historically developed prior to 1894 as a 6-story tin can manufacturing facility. The Site was then developed between 1905 and 1928 with a one story warehouse. This structure existed until 1996 and also later served as a motor freight station and a private garage. The site was renovated between 1996 and 2005 with a 3-story mixed use commercial office and warehouse. Operations involving manufacturing and garages typically utilize petroleum and/or hazardous materials, the discharge of which may have adversely impacted upon the environmental quality of the property.

Therefore the historical use of the Subject Property as a manufacturing facility, a motor freight station and a private garage represents a REC.

The AOCs identified for this site include:

1. The Site in general due to the historical use as a manufacturing facility, a motor freight station, and a private garage.

Summary of the Work Performed under the Remedial Investigation

1. Conducted a Site inspection including a Ground Penetrating Radar (GPR) survey to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed five (5) soil borings across the entire project Site, and collected ten (10) soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed three (3) groundwater monitoring wells throughout the Site to establish groundwater flow and collected three (3) groundwater samples for chemical analysis to evaluate groundwater quality;
4. Installed three (3) sub slab vapor probes around Site perimeter and collected three (3) samples for chemical analysis;

Summary of Environmental Findings

1. Elevation of the property ranges from 16.4 feet to 19.31 feet.
2. The results of the GPR survey did not identify any anomalies at the Site.
3. Depth to groundwater ranges from 5.43 feet below the basement slab to 8.68 feet below the basement slab at the Site.
4. Groundwater flow is generally from east to west beneath the Site.
5. Bedrock was not encountered during the investigation.
6. The stratigraphy of the site, from the surface down, consists of a concrete slab followed by 8 feet of fine to medium coarse sand with traces of urban fill.
7. Laboratory results for soils were compared to NYSDEC Unrestricted Use Soil Cleanup Objectives and Restricted Residential Use Soil Cleanup Objectives as presented in 6NYCRR Part 375-6.8 (a, b) and CP51. Soil/fill samples showed no PCBs or Pesticides

above Unrestricted Soil (Track 1) Cleanup Objectives (SCOs). Several VOCs were detected at trace concentrations except for 1,4-Dioxane (at 9.8 mg/kg) and acetone (at 0.06 mg/kg) were identified at a concentration exceeding Track 1 Unrestricted Use SCOs. Five (5) Polycyclic Aromatic Hydrocarbon-range Semi-Volatile Organic Compounds (SVOCs) including benzo(a)anthracene (3.8 mg/kg), benzo(a)pyrene (3.8 mg/kg), benzo(b)fluoranthene (5.0mg/kg), Chrysene (4.0 mg/kg), and Indeno (1,2,3-cd) Pyrene (3.1 mg/kg) were detected in one soil sample (5 to 7 feet depths) at concentrations exceeding Track 2 Restricted Residential SCOs. Two SVOCs, specifically; Benzo(k)fluoranthene (2.0mg/kg) and 2-Methylnaphthalene (4.0 mg/kg) were also found in two soil samples at concentrations exceeding Track 1 Unrestricted Use SCOs but less than Track 2 Restricted Residential SCOs. Metals including lead (maximum of 290 mg/kg), mercury (at 4.0 mg/kg) and zinc (at 180 mg/kg) were identified in one soil sample (SP-5 at 5 to 7 feet depths) at a concentration exceeding Track 1 Unrestricted SCO. Mercury also exceeded Track II Restricted Residential Use SCOs. Overall, the soil chemistry is unremarkable (except for a SVOCs and metals hotspot location SP-5) and does not indicate any disposal at this Site.

8. Groundwater samples were compared to New York State 6NYCRR Part 703.5 Class GA Groundwater Quality Standards (GQS). Groundwater samples results showed no VOCs, PCBs or Pesticides at concentrations exceeding GQS. Three VOCs, specifically; 1,2,4,5-Tetramethylbenzene, acetone and vinyl chloride were detected at trace concentrations. Several SVOCs were identified but only phenol (maximum of 23 ug/L) was detected in two water samples at concentrations exceeding its respective GQS. Several metals including barium (max. of 1381 ug/L), iron, lead (max. of 26.5 ug/L), magnesium, manganese, potassium, sodium and thallium were detected at concentrations greater than their respective GQS.
9. The soil vapor results collected during the RI were compared to the compounds listed in Table 3.1 Air Guideline Values Derived by the NYSDOH located in the New York State Department of Health (NYSDOH) Final Guidance for Evaluating Soil Vapor Intrusion. Soil vapor results showed a total of fifteen (15) VOCs including petroleum related compounds at low concentrations and chlorinated compounds at elevated levels. Total petroleum related BTEX concentrations ranged from 51 to 315 ug/m³. Overall highest

concentrations were detected for acetone (maximum 1,440 ug/m³). Chlorinated VOC, Tetrachloroethene (maximum 882 ug/m³) was detected in all three vapor samples. Trichloroethene (maximum 73.1 ug/m³) was detected at concentrations exceeding the NYSDOH soil vapor intrusion guidelines in two of three soil vapor samples. The PCE concentrations are all within the monitoring level ranges and TCE concentrations are in mitigation ranges established within the State DOH soil vapor guidance matrix.

REMEDIAL INVESTIGATION REPORT

1.0 SITE BACKGROUND

JMW Hubert, LLC has applied to enroll in the New York City Voluntary Cleanup Program (NYC VCP) to investigate and remediate a 0.115-acre site located at 11 Hubert Street in the Tribeca section of Manhattan, New York. Residential use is proposed for the property. The RI fieldwork was performed between April 25, 2014 and April 30, 2014. This RIR summarizes the nature and extent of contamination and provides sufficient information for establishment of remedial action objectives, evaluation of remedial action alternatives, and selection of a remedy that is protective of human health and the environment consistent with the use of the property pursuant to RCNY§ 43-1407(f).

1.1 Site Location and Current Usage

The Site is located at 11 Hubert Street in the Tribeca section of Manhattan, New York and is identified as Block 214 and Lot 12 on the New York City Tax Map. **Figure 2** shows the Site location. The Site is 5,000 square feet and is bounded by Hubert Street to the North, Collister Street to the east, a 3-story residential building to the east and a 5-story residential building to the west. A map of the site boundary is shown in **Figure 1**. Currently, the Site is used for commercial office space and residential purposes and contains a 3-story building with a basement and a one car garage at grade level at the northwest corner.

1.2 Proposed Redevelopment Plan

The proposed future use of the Site will consist of a new 3-story, single-family townhouse with a full basement. Layout of the proposed site development is presented in **Figure 3**. The proposed development will involve the demolition of the existing building including the foundations and an excavation to the water table. The existing garage in the northwest corner of the property will remain in place. The proposed development plans are not yet finalized and are pending geotechnical borings. The final depth of the excavation of this project has not yet been finalized.

1.3 Description of Surrounding Property

The area surrounding the Site consists of a mix of residential and commercial properties. An evaluation of the United States Geological Survey (USGS) 7-½ Minute Topographic Map containing the properties indicate there are six (6) sensitive receptors present within a 0.125-mile radius of the Subject Property. These sensitive receptors are The Citigroup Children's Center, Tribeca Pediatrics, Femhealth Gynecology, Manhattan Youth PS 150 After School Program, Lilian Chiu MD, and CHD Meridan at Morgan Stanley. Previous **Figure 1** shows the surrounding land usage.

2.0 SITE HISTORY

2.1 Past Uses and Ownership

Based upon the review of a Phase I Environmental Assessment Survey performed by Airtek Environmental Corp in April 2014, a Site history was established. The Site was historically developed prior to 1894 as a 6-story tin can manufacturing facility. The Site was then developed between 1905 and 1928 with a one story warehouse. This structure existed until 1996 and also later served as a motor freight station and a private garage. The site was renovated between 1996 and 2005 with a 3-story mixed use commercial office and warehouse. Operations involving manufacturing and garages typically utilize petroleum and/or hazardous materials, the discharge of which may have adversely impacted upon the environmental quality of the property. Therefore the historical use of the Subject Property as a manufacturing facility, a motor freight station and a private garage represents a REC.

The table below provides a list of historical owners of the Site:

YEAR	NAME OF PREVIOUS OWNER
1986	Hubert Trucking Corp
1988	22 nd Floor Expansion Corp & Weinberg, Barry
1999	Gold, Gail
2008	11-13 Hubert Street Realty LLC
2014	Hubert Realty Associates

2.2 Previous Investigations

Previous investigations performed at the Site include the following:

- Phase I Environmental Site Assessment, April 2014, Airtek Environmental

2.3 Site Inspection

Ms. Erica Johnston of Hydro Tech performed the site inspection on April 25, 2014. The reconnaissance included a visual inspection of the Site. At the time of the inspection, the Site consisted of a 3-story residential and commercial building with a basement and a private garage with no basement. The ground surfaces consisted of concrete.

2.4 Areas of Concern

The AOCs identified for this site include: The AOCs identified for this site include:

1. The Site in general due to the historical use as a manufacturing facility, a motor freight station, and a private garage.

Phase I Report is presented in **Appendix A**. A map showing areas of concern is presented in **Figure 4**.

3.0 PROJECT MANAGEMENT

3.1 Project Organization

The Qualified Environmental Profession (QEP) responsible for preparation of this RIR is Mark E. Robbins.

3.2 Health and Safety

All work described in this RIR was performed in full compliance with applicable laws and regulations, including Site and OSHA worker safety requirements and HAZWOPER requirements.

3.3 Materials Management

All material encountered during the RI was managed in accordance with applicable laws and regulations.

4.0 REMEDIAL INVESTIGATION ACTIVITIES

Hydro Tech Environmental performed the following scope of work:

1. Conducted a Site inspection including a Ground Penetrating Radar (GPR) survey to identify AOCs and physical obstructions (i.e. structures, buildings, etc.);
2. Installed five (5) soil borings across the entire project Site, and collected ten (10) soil samples for chemical analysis from the soil borings to evaluate soil quality;
3. Installed three (3) groundwater monitoring wells throughout the Site to establish groundwater flow and collected three (3) groundwater samples for chemical analysis to evaluate groundwater quality;
4. Installed three (3) sub slab vapor probes around Site perimeter and collected three (3) samples for chemical analysis.

All fieldwork was documented with photographs. **Appendix B** provides the investigation pictures.

4.1 Geophysical Investigation

A geophysical survey consisting of GPR survey was performed at the Site on April 24, 2014. The purpose of the GPR was to determine if any anomalies were present at the Site and to clear all sampling locations of any potential subsurface obstructions.

The survey was performed in all accessible portions of the Site over a grid pattern that was determined immediately prior to the survey. The GPR operator wheeled the antenna over the predetermined grid. The GPR takes one “scan” per set unit. The number of scans per unit is based upon the estimated size of targets.

As each scan is performed, the antenna emits specific radar amplitude into the subsurface. The amplitude of the radar reflected back to the antenna is based upon the differences in the dielectric constants of the subsurface materials. The differences in amplitude obtained during each scan are graphically displayed on the Control Unit, which are then interpreted by the GPR operator. Additional interpretations are then conducted in the office using computer software.

The results of the GPR survey did not identify any anomalies at the Site. The full GPR report is included as **Appendix C**.

4.2 Borings and Monitoring Wells

Drilling and Soil Logging

A total of five (5) on-Site soil borings were installed in the approximate locations shown in **Figure 5** during the remedial investigation. Four of the soil borings were installed to 8 feet below the basement slab. The remaining boring was installed to 12 feet bgs. The soil borings were installed utilizing Hydro Tech's portable Geoprobe®, a remotely operated hydraulic unit. This unit installs soil probes utilizing direct-push technology.

Soil samples were collected in all soil borings at 2-foot intervals utilizing a 4-foot long Macro Core sampler fitted with dedicated acetate liners. The Macro sampler allows for the collection of both continuous and discrete soil samples. Each sampler was installed with 1½-inch diameter drill rods. Groundwater was encountered between 5.43 feet below the basement slab and 8.68 feet below the basement slab during the installation of the soil borings.

The sample collection initially involved the installation of a Macro Core sampler to the desired sampling depth. A piston stop-pin was then removed from the top of the Macro Core sampler and then installed the length of the sampling interval. The sampler was then removed from the ground with the sample intact in the acetate liner. Continuous soil samples were collected during soil probe installation. A total of ten (10) soil samples were collected for laboratory analysis. Eight samples were collected from below the existing basement slab. A total of two (2) shallow samples from zero to 2 feet bgs (shallow samples were collected from the existing slab level which is actually 10 to 12 feet), two shallow samples from 2 to 4 feet bgs (note that the 2 to 4 foot samples were collected from the existing slab level which is actually 12 to 14 feet), and four (4) deep samples from 6 to 8 bgs (also note that the 6 to 8 foot samples were collected from the existing slab level which is actually 16 to 18 feet) were collected. Two samples were collected from SP-5, which was located inside the garage in the northwest corner of the Subject Property. One (1) sample was collected from 5 to 7 feet bgs. Another sample was collected at 9 to 11 feet bgs.

Separate aliquots of each soil sample were placed into airtight zip-lock bags. The Hydro Tech geologist then characterized each soil sample in the field. The soil characterization

consisted of determining the soil classification utilizing the Unified Soil Classification System and screening each sample for organic vapors utilizing a Photoionization Detector (PID).

A PID makes use of the principle of photoionization for the detection and qualitative measurement of organic vapors. A PID does not respond to all compounds similarly, rather, each compound has its own response factor relative to its calibration. For this investigation, the PID was calibrated to the compound isobutylene, as published by the manufacturer. The PID has a minimum detection limit of 0.1 parts per million (ppm). This meter measures the hydrocarbon concentrations in isolated portions of the secured samples.

Headspace analyses were conducted on each soil sample by partially filling a zip-lock bag and sealing it, thereby creating a void. This void is referred to as the sample headspace. To facilitate the detection of any hydrocarbons contained within the headspace, the container was agitated for a period of 30 seconds. The probe of the PID was placed within the headspace to measure the organic vapors present.

Boring logs were prepared by a geologist are attached in **Appendix D**. A map showing the location of soil borings and monitor wells is shown in previous **Figure 5**.

Groundwater Monitoring Well Construction

Three (3) groundwater monitoring wells were installed to determine water quality beneath the Site. The monitoring well was installed utilizing Hydro Tech's remote access portable Geoprobe® equipment. The monitoring wells were constructed of 1-inch diameter PVC. The total depths of the monitoring wells are 13 feet below grade. The screened interval of the well consists of 10 feet 0.020-inch slot screen and is situated approximately 4 feet above the groundwater level and 6 feet below. The monitoring well construction details are included in **Appendix E**.

Monitoring well locations are shown in previous **Figure 5**.

Survey

A land survey was used to identify the location of all soil borings and monitor wells.

Water Level Measurement

Groundwater head measurements were collected utilizing a Solinst 122 Oil/Water Interface Probe (Interface Probe). The Interface Probe can measure depths to water to 0.01 inch. The depth to water was measured in the well from the northern portion of the casing top. All three of the monitoring wells were installed in the basement of the building at the Subject Property. The groundwater was encountered between 5.43 to 8.68 feet below the basement slab at the Site.

Water level data is included in **Table 1**.

4.3 Sample Collection and Chemical Analysis

Sampling performed as part of the field investigation was conducted for all Areas of Concern and also considered other means for bias of sampling based on professional judgment, area history, discolored soil, stressed vegetation, drainage patterns, field instrument measurements, odor, or other field indicators. All media including soil, groundwater and soil vapor have been sampled and evaluated in the RIR. Discrete (grab) samples have been used for final delineation of the nature and extent of contamination and to determine the impact of contaminants on public health and the environment. The sampling performed and presented in this RIR provides sufficient basis for evaluation of remedial action alternatives, establishment of a qualitative human health exposure assessment, and selection of a final remedy.

Soil Sampling

Ten (10) soil samples were collected for chemical analysis during this RI. One (1) shallow soil sample was collected from each soil probe and one (1) deeper soil sample was collected from two of the soil probes utilizing a 4-foot long Macro Core sampler fitted with dedicated acetate liners.

The soil was screened and characterized at two-foot intervals. Soil samples were containerized and analyzed at a New York State Department of Health ELAP-certified laboratory. All soil samples were analyzed for volatile organic compounds (VOCs) via EPA Method 8260, semi-volatile compounds (SVOCs) via EPA Method 8270, pesticides/PCBs via EPA Method 8081/8082, TAL metals and chromium trivalent, chromium hexavalent.

All samples were properly handled and placed into the appropriately labeled containers. The samples were placed in a cooler filled with ice and maintained at a maximum 4 degrees Celsius.

All samples were transmitted under proper chain of custody procedures to a State-certified (ELAP) laboratory for confirmatory laboratory analyses.

All holding times were met. The laboratory did not report any irregularities with respect to their internal Quality Assurance/Quality Control.

Data on soil sample collection for chemical analyses, including dates of collection and sample depths, is reported in **Tables 2-5**. **Figure 5** shows the location of samples collected in this investigation. Laboratories and analytical methods are shown below.

Groundwater Sampling

Three (3) groundwater samples were collected for chemical analysis during this RI. Groundwater sample collection data is reported in **Tables 6-9**. Sampling logs with information on purging and sampling of groundwater monitor wells are included in **Appendix F**. **Figure 5** shows the location of groundwater sampling. Laboratories and analytical methods are shown below.

Each groundwater sample was placed into 2 pre-cleaned 40 milliliter (mL) vials, 2 pre-cleaned 500 mL plastic containers and 2 pre-cleaned 1,000 mL jars and appropriately labeled. The groundwater sample from the monitoring well was analyzed for volatile organic compounds (VOCs) via EPA Method 8260, semi-volatile organic compounds (SVOCs) via EPA Method 8270, Pesticides/PCBs via EPA Method 8081/8082, TAL Metals (filtered and non-filtered), Chromium Trivalent and Chromium Hexavalent.

Soil Vapor Sampling

Three (3) soil vapor probes were installed and three (3) soil vapor samples were collected for chemical analysis during this RI. Soil vapor sampling locations are shown in **Figure 5**. Soil vapor sample collection data is reported in **Table 10**. Methodologies used for soil vapor assessment conform to the *NYS DOH Final Guidance on Soil Vapor Intrusion, October 2006*.

A soil vapor sample from each soil vapor probe was collected utilizing 6-liter pre-cleaned, passivated, evacuated whole air Summa[®] Canister. A 12-inch by 12-inch piece of plastic sheeting was sealed with non-VOC elasomeric caulk around the edges over the sampling probe in order to keep the tracer gas in contact with the probe and the ambient air from entering the probe during testing.

The Summa Canisters were calibrated for 4 hours and the soil vapor sampling was run on each canister for a time period of 4 hours. The initial vacuum (inches of mercury) and start time was recorded immediately after opening each Summa Canister. After the sampling was complete, the final vacuum and top time was recorded.

After the soil vapor sampling, each Summa was labeled and sent to a laboratory certified to perform air analysis in New York State and analyzed for VOCs via EPA TO-15.

Chemical Analysis

Chemical analytical work presented in this RIR has been performed in the following manner:

Factor	Description
Quality Assurance Officer	The chemical analytical quality assurance is directed by Alpha Analytical Laboratories
Chemical Analytical Laboratory	Chemical analytical laboratory(s) used in the RI is NYS ELAP certified and were Alpha Analytical Laboratories
Chemical Analytical Methods	<p>Soil analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010C (rev. 2007); • VOCs by EPA Method 8260C (rev. 2006); • SVOCs by EPA Method 8270D (rev. 2007); • Pesticides by EPA Method 8081B (rev. 2000); • PCBs by EPA Method 8082A (rev. 2000); <p>Groundwater analytical methods:</p> <ul style="list-style-type: none"> • TAL Metals by EPA Method 6010C (rev. 2007); • VOCs by EPA Method 8260C (rev. 2006); • SVOCs by EPA Method 8270D (rev. 2007);

	<ul style="list-style-type: none"> • Pesticides by EPA Method 8081B (rev. 2000); • PCBs by EPA Method 8082A (rev. 2000); <p>Soil vapor analytical methods:</p> <ul style="list-style-type: none"> • VOCs by TO-15 VOC parameters..
--	---

Results of Chemical Analyses

Laboratory data for soil, groundwater and soil vapor are summarized in Tables 2 through 10, respectively. Laboratory data deliverables for all samples evaluated in this RIR are provided in digital form in **Appendix G, H, and I**.

5.0 ENVIRONMENTAL EVALUATION

5.1 Geological and Hydrogeological Conditions

Stratigraphy

The stratigraphy of the site, from the surface down, consists of a concrete plug followed by 8 feet of fine to medium coarse sand with traces of urban fill.

Hydrogeology

A table of water level data for all monitor wells is included in **Table 1**. The average depth to groundwater below the basement slab is 6.59 feet bgs and the range in depth is 5.43 to 8.68 feet below the basement slab. A map of groundwater level elevations with groundwater contours and inferred flow lines is shown in **Figure 6**. Groundwater flow is towards the west.

5.2 Soil Chemistry

Soil/fill samples collected during the RI showed no PCBs or Pesticides above 6 NYCRR Part 375-6.8 Track 1 Unrestricted Soil Cleanup Objectives (SCOs). One PCB, specifically Aroclor 1254 (0.026 mg/kg) was detected at a concentration exceeding its monitoring detection limit (MDL) but below its respective SCOs.

One VOC, specifically; 1,4-Dioxane (at 9.8 mg/kg) was identified in one soil sample at a concentration exceeding Track 2 Restricted Residential SCOs. One VOC, specifically; Acetone (at 0.06 mg/kg) was identified at a concentration exceeding Track 1 Unrestricted Use SCOs in one soil sample but below Track 2 Restricted Residential SCOs. Twenty four (24) VOCs, specifically; 1,1-Dichloroethane (maximum 0.0026 mg/kg), 1,2,4,5-Tetramethylbenzene (maximum 4.6 mg/kg), 1,2,4-Trimethylbenzene (maximum 0.58 mg/kg), 1,3,5-Trimethylbenzene (maximum 0.0014 mg/kg), 1,4-Diethylbenzene (maximum 2.3 mg/kg), 4-Ethyltoluene (maximum 0.001 mg/kg), Acetone (maximum 0.06 mg/kg), Benzene (maximum 0.0017 mg/kg), Carbon disulfide (maximum 0.0048 mg/kg), Chloroform (maximum 0.002 mg/kg), cis-1,2-Dichloroethene (maximum 0.0038 mg/kg), Ethylbenzene (maximum 0.0022 mg/kg), Isopropylbenzene (maximum 0.17 mg/kg), methylene chloride (maximum 0.0033 mg/kg), n-butylbenzene (maximum 0.64 mg/kg), n-propylbenzene (maximum 0.39 mg/kg), Naphthalene (maximum 2.4 mg/kg), o-Xylene (maximum 0.36mg/kg), p-Isopropyltoluene (maximum 0.1 mg/kg), p/m-xylene (maximum 0.48mg/kg), sec-butyl benzene (maximum 0.51mg/kg), tert-Butylbenzene (maximum 0.98 mg/kg), Toluene (maximum 0.13 mg/kg) and

Vinyl Chloride (maximum 0.0007 mg/kg) were detected in the soil samples at concentrations exceeding their respective monitoring detection limits (MDLs) but below their respective SCOs.

Five (5) Polycyclic Aromatic Hydrocarbon-range Semi-Volatile Organic Compounds (SVOCs) including benzo(a)anthracene (3.8 mg/kg), benzo(a)pyrene (3.8 mg/kg), benzo(b)fluoranthene (5.0mg/kg), Chrysene (4.0 mg/kg), and Indeno (1,2,3-cd) Pyrene (3.1 mg/kg) were detected in one soil sample at concentrations exceeding Track 2 Restricted Residential SCOs. Two SVOCs, specifically; Benzo(k)fluoranthene (2.0mg/kg) and 2-Methylnaphthalene (4.0 mg/kg) were also found in two soil samples at concentrations exceeding Track 1 Unrestricted Use SCOs but less than Track 2 Restricted Residential SCOs. Seven (7) SVOC, specifically; Acenaphthene (maximum 0.66mg/kg), Acenaphthylene (maximum 0.42 mg/kg), Anthracene (maximum 1.1 mg/kg), Benzo(ghi)perylene (maximum 2.6 mg/kg), Dibenzo(a,h)anthracene (maximum 0.66 mg/kg), Dibenzofuran (maximum 0.29 mg/kg), Fluoranthene (maximum 7.9 mg/kg), Fluorene (maximum 0.45 mg/kg), Naphthalene (maximum 0.32 mg/kg), Phenanthrene (maximum 5.7 mg/kg) and Pyrene (maximum 6.5 mg/kg) were detected in the soil samples at concentrations exceeding their respective MDLs but below their respective SCOs.

Two (2) metals, lead (maximum of 230 mg/kg), and zinc (at 180 mg/kg) were identified in one soil sample at a concentration exceeding Track 1 Unrestricted SCO but less than Track 2 Restricted Residential SCOs. Mercury (maximum 4.0 mg/kg) was detected in one sample at a concentration exceeding Track 1 Unrestricted Use SCOs. Data collected during the RI is sufficient to delineate the vertical and horizontal distribution of contaminants in soil/fill at the Site.

A summary table of data for chemical analyses performed on soil samples is included in Tables 2 through 5. **Figures 7-9** show the location and post the values for soil/fill that exceed the 6NYCRR Part 375-6.8 Track 2 Soil Cleanup Objectives.

5.3 Groundwater Chemistry

Groundwater samples collected during the RI showed no VOCs, PCBs or Pesticides at concentrations exceeding Groundwater Quality Standards (GQSs). Three VOCs, specifically; 1,2,4,5-Tetramethylbenzene (maximum 3.3 ug/L), Acetone (maximum 2.9 ug/L) and Vinyl Chloride (maximum 1.8 ug/L) were detected at concentrations exceeding MDL but less than

GQSs. One SVOC, specifically Phenol (maximum of 23 ug/L) was detected in two water samples at concentrations exceeding its respective GQS.

Eight (8) other SVOCs, specifically; Benzoic acid (maximum 17ug/L), Bis(2-Ethylhexyl)phthalate (maximum 1.3 ug/L), 2-Methylnaphthalene (maximum 2.9 ug/L), Acenaphthene (maximum 0.69 ug/L), Anthracene (maximum 0.1 ug/L), Fluorene (maximum 0.66 ug/L), Naphthalene (maximum 0.12 ug/L), and Phenanthrene (maximum 0.64 ug/L) were detected concentrations exceeding their respective MDLs but below their respective GSQs.

Several metals including Barium, Chromium, Iron, Lead, Magnesium, Manganese, Potassium, Sodium and Thallium were detected at concentrations greater than their respective GQS in two samples. Data collected during the RI is sufficient to delineate the distribution of contaminants in groundwater at the Site.

A summary table of data for chemical analyses performed on groundwater samples is included in Tables 6 through 9. Exceedances of applicable groundwater standards are shown. **Figures 10 and 11** shows the location and posts the values for groundwater that exceed the New York State 6NYCRR Part 703.5 Class GA groundwater standards.

5.4 Soil Vapor Chemistry

The soil vapor results collected during the RI were compared to the compounds listed in Table 3.1 Air Guideline Values Derived by the NYSDOH located in the New York State Department of Health (NYSDOH) Final Guidance for Evaluating Soil Vapor Intrusion. A total of fifteen (15) VOCs, specifically; 1,1,1-Trichloroethane (maximum of 12.3 ug/m³), 1,1-Dichloroethane (maximum 6.27 ug/m³), 1,2,4-Trimethylbenzene (maximum 144 ug/m³), 1,3,5-Trimethylbenzene (maximum 33.5 ug/m³), Acetone (maximum 1,440 ug/m³), Benzene (maximum 11.9 ug/m³), Chloroethane (maximum 2.64 ug/m³), Chloroform (maximum 3.8 ug/m³), Cyclohexane (maximum 1.01 ug/m³), Dichlorodifluoromethane (maximum 1.82 ug/m³), Ethylbenzene (maximum 37.1 ug/m³), Heptane (maximum 12.5 ug/m³), Tetrachloroethene (maximum 882 ug/m³), Toluene (maximum 83.7 ug/m³) and Trichloroethene (maximum 73.1 ug/m³) were detected at concentrations exceeding the NYSDOH soil vapor intrusion guidelines.

Data collected during the RI is sufficient to delineate the distribution of contaminants in soil vapor at the Site. A summary table of data for chemical analyses performed on soil vapor samples is included in **Table 10**. **Figure 12** shows the location and posts the values for soil vapor samples with detected concentrations.


5.5 Prior Activity

Based on an evaluation of the data and information from the RIR, disposal of significant amounts of hazardous waste is not suspected at this site.

5.6 Impediments to Remedial Action

There are no known impediments to remedial action at this property.

FIGURES



ADJACENT 5-STORY
COMMERCIAL

HUBERT STREET

SIDEWALK

APPROX LAYOUT
OF GARAGE

ADJACENT 5-STORY
RESIDENTIAL

BASEMENT
LAYOUT

SIDEWALK

COLLISTER STREET

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 6-STORY
COMMERCIAL

0' 20' 40'
SCALE IN FEET (FT.)



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com


NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:

FIGURE 1: SITE MAP



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
 HAUPPAUGE, NEW YORK 11788
 T (631)462-5866 F (631)462-5877
 www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
 BROOKLYN, NEW YORK 11225
 T (718)636-0800 F (718)636-0900

11 Hubert Street
 New York, NY
 HTE Job # 140099

Drawn By: C.Q.
 Reviewed By: M.R.
 Approved By: M.S.
 Date: 05/24/14
 Scale: AS NOTED

TITLE:


FIGURE 2: SITE LOCATION MAP



ADJACENT 5-STORY
COMMERCIAL

HUBERT STREET

SIDEWALK



PROPOSED 3-STORY
RESIDENTIAL WITH
CELLAR

SIDEWALK

COLLISTER STREET


ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 6-STORY
COMMERCIAL

LEGEND:

 REDEVELOPMENT AREAS



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com


NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:


FIGURE 3: REDEVELOPMENT PLAN



ADJACENT 5-STORY
COMMERCIAL

HUBERT STREET

SIDEWALK



SIDEWALK

COLLISTER STREET

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 6-STORY
COMMERCIAL



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:

FIGURE 4: MAP OF AREAS OF CONCERN

ADJACENT 5-STORY
COMMERCIAL

HUBERT STREET

SIDEWALK

SP-5

SP-4/MW-3

APPROX LAYOUT
OF GARAGE

SV-3

SP-3/MW-2

SV-2

SIDEWALK

COLLISTER STREET

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 5-STORY
RESIDENTIAL


BASEMENT
LAYOUT

SP-2

SP-1/MW-1

SV-1

ADJACENT 6-STORY
COMMERCIAL



LEGEND:

○ SOIL PROBE (SP)

● SOIL PROBE / MONITORING WELL (SP/ MW)

▲ SOIL VAPOR (SV)

0' 20' 40'
SCALE IN FEET (FT.)



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE:
77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877

NYC OFFICE:
15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900


www.hydrotechenvironmental.com

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED


TITLE:

FIGURE 5: LOCATION OF SOIL BORINGS, WELLS AND SOIL VAPOR SAMPLES



HUBERT STREET

SP-5				
Depth	5' - 7'	9' - 11'		
VOCs	mg/Kg	mg/Kg	USCO	RSCO
1,4-Dioxane	3.8	NAS	0.1	13



SP-4		
Depth	0' - 2'	6' - 8'
VOCs	NAS	NAS

SP-3				
Depth	2' - 4'	6' - 8'		
VOCs	mg/Kg	mg/Kg	USCO	RSCO
1,4-Dioxane	NAS	0.06	0.05	100

SP-2		
Depth	0' - 2'	6' - 8'
VOCs	NAS	NAS

SP-1		
Depth	2' - 4'	6' - 8'
VOCs	NAS	NAS

LEGEND:

- SOIL PROBE (SP)
- VOC VOLATILE ORGANIC COMPOUNDS
- mg/Kg MILLIGRAMS PER KILOGRAM
- NAS NONE ABOVE STANDARDS
- USCO UNRESTRICTED USE SOIL CLEANUP OBJECTIVES
- RSCO RESTRICTED USE SOIL CLEANUP OBJECTIVES
- SHADED VALUES EXCEED USCO



HYDRO TECH ENVIRONMENTAL CORP.
 MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
 HAUPPAUGE, NEW YORK 11788
 T (631)462-5866 F (631)462-5877
 www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
 BROOKLYN, NEW YORK 11225
 T (718)636-0800 F (718)636-0900

11 Hubert Street
 New York, NY
 HTE Job # 140099

Drawn By: C.Q.
 Reviewed By: M.R.
 Approved By: M.S.
 Date: 05/24/14
 Scale: AS NOTED

TITLE:


FIGURE 7: MAP OF VOCs IN SOIL

ADJACENT 5-STORY
COMMERCIAL



HUBERT STREET

SIDEWALK



SIDEWALK

COLLISTER STREET

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 5-STORY
RESIDENTIAL

ADJACENT 6-STORY
COMMERCIAL

LEGEND:

- MONITORING WELL LOCATIONS (MW)
- ~ CONTOUR LINES
- - - DASHED WHERE INFERRED
- C.I. CONTOUR INTERVAL

C.I. = 0.75 Feet	
Monitoring Well IDs	Groundwater Elevation
MW-1	19.31
MW-2	16.40
MW-3	19.19



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com


NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:


FIGURE 6: GROUNDWATER FLOW MAP



HUBERT STREET

SP-5				
Depth	5' - 7'	9' - 11'		
SVOCs	mg/Kg	mg/Kg	USCO	RSCO
Benzo(a)anthracene	3.8	NAS	1	1
Benzo(a)pyrene	3.8	NAS	1	1
Benzo(b)fluoranthene	5	NAS	1	1
Benzo(k)fluoranthene	2	NAS	0.8	3.9
Chrysene	4	NAS	1	3.9
Indeno(1,2,3-cd)Pyrene	3.1	NAS	0.5	0.5

SIDEWALK



SP-4		
Depth	0' - 2'	6' - 8'
SVOCs	ND	ND

SP-3		
Depth	2' - 4'	6' - 8'
SVOCs	ND	ND

SP-2		
Depth	0' - 2'	6' - 8'
SVOCs	ND	ND

SP-1		
Depth	2' - 4'	6' - 8'
SVOCs	NAS	NAS

COLLISTER STREET

SIDEWALK

LEGEND:



SOIL PROBE (SP)

SVOC SEMI VOLATILE ORGANIC COMPOUNDS

mg/Kg MILLIGRAMS PER KILOGRAM

ND NONE DETECTED


NAS NONE ABOVE STANDARDS

USCO UNRESTRICTED USE SOIL CLEANUP OBJECTIVES

RSCO RESTRICTED USE SOIL CLEANUP OBJECTIVES

BLUE SHADED VALUES EXCEED USCO

GRAY SHADED VALUES EXCEED RSCO



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUAPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:

FIGURE 8: MAP OF SVOCs IN SOIL



HUBERT STREET

SP-5				
Depth	5' - 7'	9' - 11'	USCO	RSCO
METALS	mg/Kg	mg/Kg		
Lead	290	NAS	63	1,000
Zinc	180	NAS	109	10,000

SIDEWALK

SP-4		
Depth	0' - 2'	6' - 8'
METALS	NAS	NAS

SP-3		
Depth	2' - 4'	6' - 8'
METALS	NAS	NAS

SP-2		
Depth	0' - 2'	6' - 8'
METALS	NAS	NAS

SP-1		
Depth	2' - 4'	6' - 8'
METALS	NAS	NAS

COLLISTER STREET

SIDEWALK

LEGEND:



SOIL PROBE (SP)

mg/Kg MILLIGRAMS PER KILOGRAM


NAS NONE ABOVE STANDARDS

USCO UNRESTRICTED USE SOIL CLEANUP OBJECTIVES

RSCO RESTRICTED USE SOIL CLEANUP OBJECTIVES



SHADED VALUES EXCEED USCO



SCALE IN FEET (FT.)



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900


11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:

FIGURE 9: MAP OF METALS IN SOIL

HUBERT STREET



LEGEND:

- MONITORING WELL LOCATIONS (MW)
- SVOC SEMI VOLATILE ORGANIC COMPOUND
- $\mu\text{g/L}$ MICROGRAM PER LITER
- NAS NONE ABOVE STANDARDS
- GQS GROUNDWATER QUALITY STANDARDS
- SHADED VALUES EXCEED GQS



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com


NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:

FIGURE 10: MAP OF SVOCs IN GROUNDWATER




HUBERT STREET

SIDEWALK

COLLISTER STREET

SIDEWALK

MW-2		
METALS	µg/L	GQS
Chromium	72.19	50
Iron	81,400	300
Magnesium	48,000	35,000
Manganese	6,315	300
Sodium	297,000	20,000
MW-2		
Dissolved METALS	µg/L	GQS
Barium	1,381	1,000
Iron	33,000	300
Lead	26.58	25
Magnesium	47,900	35,000
Manganese	11,860	300
Sodium	606,000	20,000



MW-3		
METALS	µg/L	GQS
Iron	13,800	300
Magnesium	106,000	35,000
Manganese	6,182	300
Sodium	513,000	20,000
MW-3		
Dissolved METALS	µg/L	GQS
Iron	19,700	300
Magnesium	204,000	35,000
Manganese	13,640	300
Sodium	1,120,000	20,000

MW-1		
METALS	µg/L	GQS
Iron	11,600	300
Manganese	7,122	300
Sodium	387,000	20,000
MW-1		
Dissolved METALS	µg/L	GQS
Barium	1,357	1,000
Iron	11,400	300
Magnesium	104,000	35,000
Manganese	13,030	300
Sodium	717,000	20,000


LEGEND:

● MONITORING WELL LOCATIONS (MW)

µg/L MICROGRAM PER LITER

GQS GROUNDWATER QUALITY STANDARDS

■ SHADED VALUES EXCEED GQS



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
T (631)462-5866 F (631)462-5877
www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
BROOKLYN, NEW YORK 11225
T (718)636-0800 F (718)636-0900

11 Hubert Street
New York, NY
HTE Job # 140099

Drawn By: C.Q.
Reviewed By: M.R.
Approved By: M.S.
Date: 05/24/14
Scale: AS NOTED

TITLE:


FIGURE 11: MAP OF METALS IN GROUNDWATER



HUBERT STREET

SV-3		
VOCs	$\mu\text{g}/\text{m}^3$	EPA-Air
1,2,4-Trimethylbenzene	109	6.2
1,3,5-Trimethylbenzene	30.9	6.2
Benzene	9.52	0.25
Tetrachloroethene	882	0.32
Trichloroethene	73.1	0.017

SV-1		
VOCs	$\mu\text{g}/\text{m}^3$	EPA-Air
1,2,4-Trimethylbenzene	37.7	6.2
1,3,5-Trimethylbenzene	8.65	6.2
Benzene	4.66	0.25
Chloroform	3.8	0.083
Tetrachloroethene	309	0.32
Trichloroethene	23.1	0.017



SV-2		
VOCs	$\mu\text{g}/\text{m}^3$	EPA-Air
1,2,4-Trimethylbenzene	144	6.2
1,3,5-Trimethylbenzene	33.5	6.2
Benzene	11.9	0.25
Chloroethane	2.64	2.3
Tetrachloroethene	11.9	0.32

COLLISTER STREET

LEGEND:

- ▲ SOIL VAPOR PROBE LOCATIONS (SV)
- VOC VOLATILE ORGANIC COMPOUNDS
- $\mu\text{g}/\text{m}^3$ MICROGRAMS PER CUBIC METER
- EPA ENVIRONMENTAL PROTECTION AGENCY PARAMETERS
- SHADED VALUES EXCEED EPA



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE: 77 ARKAY DRIVE, SUITE G
 HAUPPAUGE, NEW YORK 11788
 T (631)462-5866 F (631)462-5877
 www.hydrotechenvironmental.com

NYC OFFICE: 15 OCEAN AVENUE, 2nd Floor
 BROOKLYN, NEW YORK 11225
 T (718)636-0800 F (718)636-0900

11 Hubert Street
 New York, NY
 HTE Job # 140099

Drawn By: C.Q.
 Reviewed By: M.R.
 Approved By: M.S.
 Date: 05/24/14
 Scale: AS NOTED

TITLE:

FIGURE 12: MAP OF VOCs IN SOIL VAPOR

TABLES

Table 1
Groundwater Monitoring Data - April 2014
11 Hubert Street, NYC

Well ID	Benchmark	Shot	DTP	DTW	Water Table Elevation (ft)
MW-1	30	5.26	ND	5.43	19.31
MW-2	30	4.92	ND	8.68	16.40
MW-3	30	5.14	ND	5.67	19.19

All values reported in feet.

DTW...Depth to Water

DTP...Depth to Product

ND...None Detected

Table 2
Soil Samples Analytical Results for VOCs
11 Hubert St, New York, NY

Sample ID	SP-1 (2'-4')	SP-1 (6'-8')	SP-2 (0'-2')	SP-2 (6'-8')	SP-3 (2'-4')	SP-3 (6'-8')	SP-4 (0'-2')	SP-4 (6'-8')	SP-5 (5'-7')	SP-5 (9'-11')	NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives mg/Kg	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Residential mg/kg
Sampling Date	4/25/2014	4/25/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/28/2014	4/28/2014		
Client Matrix	Soil											
Units	mg/kg											
Compound	Result											
1,1,1,2-Tetrachloroethane	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	NS	NS
1,1,1-Trichloroethane	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	0.68	100
1,1,2,2-Tetrachloroethane	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	NS	35
1,1,2-Trichloroethane	<0.14	<0.13	<0.0011	<0.001	<0.0012	<0.0013	<0.0014	<0.0014	<0.15	<0.0018	NS	NS
1,1-Dichloroethane	<0.14	<0.13	<0.0011	<0.001	<0.0012	0.00260	<0.0014	<0.0014	<0.15	<0.0018	0.27	19
1,1-Dichloroethene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	0.33	100
1,1-Dichloropropene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
1,2,3-Trichlorobenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
1,2,3-Trichloropropane	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	80
1,2,4,5-Tetramethylbenzene	4.600	0.690	<0.003	<0.0027	<0.0032	<0.0034	<0.0036	<0.0036	1.300	<0.03	NS	NS
1,2,4-Trichlorobenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
1,2,4-Trimethylbenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	0.00072	<0.0039	<0.0045	0.580	<0.021	3.6	47
1,2-Dibromo-3-chloropropane	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
1,2-Dibromoethane	<0.37	<0.34	<0.003	<0.0027	<0.0032	<0.0034	<0.0036	<0.0036	<0.39	<0.005	NS	NS
1,2-Dichlorobenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	1.1	100
1,2-Dichloroethane	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	0.02	2.3
1,2-Dichloropropane	<0.32	<0.3	<0.0026	<0.0024	<0.0028	<0.003	<0.0032	<0.0032	<0.34	<0.0043	NS	NS
1,3,5-Trimethylbenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	0.0014	<0.0045	<0.0045	<0.35	<0.017	8.4	47
1,3-Dichlorobenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	2.4	17
1,3-Dichloropropane	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
1,4-Dichlorobenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	1.8	9.8
1,4-Diethylbenzene	<0.66	0.110	<0.003	<0.0027	<0.0032	<0.0034	<0.0036	<0.0036	2.300	0.0630	NS	NS
1,4-Dioxane	<9.2	<8.5	<0.074	<0.069	<0.079	<0.086	<0.09	<0.091	9.8	<0.12	0.1	9.8
2,2-Dichloropropane	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
2-Butanone	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	0.12	100
2-Hexanone	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	NS
4-Ethyltoluene	<0.37	<0.34	<0.003	<0.0027	<0.0032	0.0010	<0.0036	<0.0036	0.430	0.0091	NS	NS
4-Methyl-2-pentanone	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	NS
Acetone	<0.92	<0.85	0.00780	0.00710	0.0065	0.06	0.0180	0.0150	<0.98	0.0190	0.05	100
Acrylonitrile	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	NS
Benzene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	0.0017	<0.0009	<0.00091	<0.098	0.0017	0.006	2.9
Bromobenzene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
Bromochloromethane	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
Bromodichloromethane	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	NS	NS
Bromoform	<0.37	<0.34	<0.003	<0.0027	<0.0032	<0.0034	<0.0036	<0.0036	<0.39	<0.005	NS	NS
Bromomethane	<0.18	<0.17	<0.0015	<0.0014	<0.0016	<0.0017	<0.0018	<0.0018	<0.2	<0.0025	NS	NS
Carbon disulfide	<0.92	<0.85	<0.0074	<0.0069	<0.0079	0.0048	<0.009	<0.0091	<0.98	<0.012	NS	100
Carbon tetrachloride	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	0.76	1.4
Chlorobenzene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	1.1	100
Chloroethane	<0.18	<0.17	<0.0015	<0.0014	<0.0016	<0.0017	<0.0018	<0.0018	<0.2	<0.0025	NS	NS
Chloroform	<0.14	<0.13	<0.0011	<0.001	<0.0012	<0.0013	<0.0014	<0.0014	<0.15	0.002	0.37	10
Chloromethane	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
cis-1,2-Dichloroethene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	0.0038	<0.0009	<0.00091	<0.098	<0.0012	0.25	59
cis-1,3-Dichloropropene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	NS	NS
Dibromochloromethane	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	NS	NS
Dibromomethane	<0.92	<0.85	<0.0074	0.00690	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	NS
Dichlorodifluoromethane	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	NS
Ethyl ether	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
Ethylbenzene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	0.0022	<0.0009	<0.00091	<0.098	<0.0012	1	30
Hexachlorobutadiene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
Isopropylbenzene	0.170	<0.025	<0.00074	<0.00069	<0.00079	<0.00032	<0.0009	<0.00091	<0.098	<0.0012	NS	100
Methyl tert butyl ether	0.180	<0.17	<0.0015	<0.0014	<0.0016	<0.0017	<0.0018	<0.0018	<0.2	<0.0025	0.93	62
Methylene chloride	0.920	<0.85	0.00320	0.00210	0.00270	<0.0086	0.0033	0.0019	<0.98	<0.012	0.05	51
n-Butylbenzene	0.640	0.120	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	12	100
n-Propylbenzene	0.390	0.048	<0.00074	<0.00069	<0.00079	0.00053	<0.0009	<0.00091	<0.098	<0.0012	3.9	100
Naphthalene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	2.400	0.0450	12	100
o-Chlorotoluene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
o-Xylene	<0.18	<0.17	<0.0015	<0.0014	<0.0016	0.0013	<0.0018	<0.0018	0.360	0.0075	NS	NS
p-Chlorotoluene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
p-Isopropyltoluene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	0.100	0.0034	NS	NS
p/m-Xylene	0.040	<0.17	<0.0015	<0.0014	<0.0016	0.0054	<0.0018	<0.0018	0.480	0.0045	NS	NS
sec-Butylbenzene	0.510	0.110	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	11	100
Styrene	<0.18	<0.17	<0.0015	<0.0014	<0.0016	<0.0017	<0.0018	<0.0018	<0.2	<0.0025	NS	NS
tert-Butylbenzene	0.098	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	5.9	100
Tetrachloroethene	<0.092	<0.085	0.00150	0.00077	<0.00079	<0.00086	<0.0009	<0.00091	0.960	0.0370	1.3	5.5
Toluene	0.034	0.020	<0.0011	<0.001	<0.0012	0.0014	<0.0014	<0.0014	0.130	0.0031	0.7	100
trans-1,2-Dichloroethene	<0.14	<0.13	<0.0011	<0.001	<0.0012	<0.0013	<0.0014	<0.0014	<0.15	<0.0018	0.19	100
trans-1,3-Dichloropropene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	NS	NS
trans-1,4-Dichloro-2-butene	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
Trichloroethene	<0.092	<0.085	<0.00074	<0.00069	<0.00079	<0.00086	<0.0009	<0.00091	<0.098	<0.0012	0.47	10
Trichlorofluoromethane	<0.46	<0.42	<0.0037	<0.0034	<0.0039	<0.0043	<0.0045	<0.0045	<0.49	<0.0062	NS	NS
Vinyl acetate	<0.92	<0.85	<0.0074	<0.0069	<0.0079	<0.0086	<0.009	<0.0091	<0.98	<0.012	NS	NS
Vinyl chloride	<0.18	<0.17	<0.0015	<0.0014	<0.0016	0.0007	<0.0018	<0.0018	<0.2	<0.0025	0.02	0.21

Table 3
Soil Samples Analytical Results for SVOCs
11 Hubert St, New York, NY

Sample ID	SP-1 (2'-4')	SP-1 (6'-8')	SP-2 (0'-2')	SP-2 (6'-8')	SP-3 (2'-4')	SP-3 (6'-8')	SP-4 (0'-2')	SP-4 (6'-8')	SP-5 (5'-7')	SP-5 (9'-11')	NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives mg/Kg	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Residential mg/kg
Sampling Date	4/25/2014	4/25/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/28/2014	4/28/2014		
Client Matrix	Soil											
Units	mg/kg											
Compound	Result											
1,2,4,5-Tetrachlorobenzene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
1,2,4-Trichlorobenzene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
1,2-Dichlorobenzene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	1.1	100
1,3-Dichlorobenzene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	2.4	17
1,4-Dichlorobenzene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	1.8	9.8
2,4,5-Trichlorophenol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
2,4,6-Trichlorophenol	<0.11	<0.11	<0.1	<0.11	<0.1	<0.13	<0.11	<0.12	<0.13	<0.12	NS	NS
2,4-Dichlorophenol	<0.17	<0.17	<0.16	<0.17	<0.16	<0.2	<0.16	<0.17	<0.19	<0.18	NS	100
2,4-Dimethylphenol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
2,4-Dinitrophenol	<0.91	<0.91	<0.84	<0.89	<0.84	<1.1	<0.86	<0.93	<1	<0.94	NS	100
2,4-Dinitrotoluene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
2,6-Dinitrotoluene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	1.03
2-Chloronaphthalene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
2-Chlorophenol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
2-Methylnaphthalene	<0.23	4	<0.21	<0.22	<0.21	<0.27	<0.22	<0.23	0.25	<0.24	NS	0.41
2-Methylphenol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	0.33	100
2-Nitroaniline	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
2-Nitrophenol	<0.41	<0.41	<0.38	<0.4	<0.38	<0.48	<0.39	<0.42	<0.46	<0.42	NS	NS
3,3'-Dichlorobenzidine	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
3-Methylphenol/4-Methylphenol	<0.27	<0.27	<0.25	<0.27	<0.25	<0.32	<0.26	<0.28	<0.3	<0.28	0.33	34
3-Nitroaniline	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
4,6-Dinitro-o-cresol	<0.49	<0.49	<0.46	<0.48	<0.46	<0.58	<0.47	<0.5	<0.55	<0.51	NS	NS
4-Bromophenyl phenyl ether	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
4-Chloroaniline	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
4-Chlorophenyl phenyl ether	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
4-Nitroaniline	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
4-Nitrophenol	<0.26	<0.26	<0.25	0.26	<0.25	<0.31	<0.25	<0.27	<0.3	<0.28	NS	NS
Acenaphthene	0.66	0.5	<0.14	0.15	<0.14	<0.18	<0.14	<0.16	0.360	<0.16	20	100
Acenaphthylene	<0.15	<0.15	<0.14	0.15	<0.14	<0.18	<0.14	<0.16	0.420	<0.16	100	100
Acetophenone	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
Anthracene	0.28	0.16	<0.1	0.11	<0.1	<0.13	<0.11	<0.12	1.1	<0.12	100	100
Benzo(a)anthracene	0.094	<0.11	<0.1	0.11	<0.1	<0.13	<0.11	<0.12	3.8	0.082	1	1
Benzo(a)pyrene	0.39	<0.15	<0.14	0.15	<0.14	<0.18	<0.14	<0.16	3.8	0.077	1	1
Benzo(b)fluoranthene	0.39	0.04	<0.1	0.11	<0.1	<0.13	<0.11	<0.12	5	0.1	1	1
Benzo(ghi)perylene	0.38	<0.15	<0.14	0.15	<0.14	<0.18	<0.14	<0.16	2.6	0.056	100	100
Benzo(k)fluoranthene	0.11	<0.11	<0.1	0.11	<0.1	<0.13	<0.11	<0.12	2	0.038	0.8	1
Benzoic Acid	<0.61	<0.61	<0.57	0.60	<0.57	<0.72	<0.58	<0.63	<0.69	<0.64	NS	100
Benzyl Alcohol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
Biphenyl	<0.43	<0.43	<0.4	0.42	<0.4	<0.51	<0.41	<0.44	<0.48	<0.45	NS	NS
Bis(2-chloroethoxy)methane	<0.2	<0.2	<0.19	0.20	<0.19	<0.24	<0.19	<0.21	<0.23	<0.21	NS	NS
Bis(2-chloroethyl)ether	<0.17	<0.17	<0.16	0.17	<0.16	<0.2	<0.16	<0.17	<0.19	<0.18	NS	NS
Bis(2-chloroisopropyl)ether	<0.23	<0.23	<0.21	0.22	<0.21	<0.27	<0.22	<0.23	<0.25	<0.24	NS	NS
Bis(2-Ethylhexyl)phthalate	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.15	<0.19	<0.21	<0.2	NS	50
Butyl benzyl phthalate	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
Carbazole	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	0.56	<0.2	NS	NS
Chrysene	0.26	0.042	<0.1	0.11	<0.1	<0.13	<0.11	<0.12	4	0.083	1	1
Di-n-butylphthalate	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.13	<0.19	<0.21	<0.2	NS	100
Di-n-octylphthalate	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
Dibenzo(a,h)anthracene	<0.074	<0.11	<0.1	0.11	<0.1	<0.13	<0.11	<0.12	0.66	<0.12	0.33	0.33
Dibenzofuran	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	0.29	<0.2	7	14
Diethyl phthalate	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
Dimethyl phthalate	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	100
Fluoranthene	0.13	0.084	<0.1	<0.11	<0.1	<0.13	<0.11	<0.12	7.9	0.18	100	100
Fluorene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	0.45	<0.2	30	100
Hexachlorobenzene	<0.11	<0.11	<0.1	<0.11	<0.1	<0.13	<0.11	<0.12	<0.13	<0.12	0.33	0.41
Hexachlorobutadiene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
Hexachlorocyclopentadiene	<0.54	<0.54	<0.5	0.53	0.500	<0.64	<0.51	<0.56	<0.61	<0.56	NS	NS
Hexachloroethane	<0.15	<0.15	<0.14	0.15	0.140	<0.18	<0.14	<0.16	<0.17	<0.16	NS	NS
Indeno(1,2,3-cd)Pyrene	0.39	<0.15	<0.14	0.15	0.140	<0.18	<0.14	<0.16	3.1	<0.062	0.5	0.5
Isophorone	<0.17	<0.17	<0.16	0.17	0.160	<0.2	<0.16	<0.17	<0.19	<0.18	NS	100
n-Nitrosodi-n-propylamine	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
Naphthalene	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	0.32	<0.2	12	100
Nitrobenzene	<0.17	<0.17	<0.16	0.17	<0.16	<0.2	<0.16	<0.17	<0.19	<0.18	NS	3.7
NitrosodiPhenylAmine(NDPA)/DPA	<0.15	<0.15	<0.14	0.15	<0.14	<0.18	<0.14	<0.16	<0.17	<0.16	NS	NS
p-Chloro-M-Cresol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	NS	NS
Pentachlorophenol	<0.15	<0.15	<0.14	<0.15	<0.14	<0.18	<0.14	<0.16	<0.17	<0.16	0.8	2.4
Phenanthrene	2	1.6	<0.1	<0.11	<0.1	<0.13	<0.11	<0.12	5.7	0.14	100	100
Phenol	<0.19	<0.19	<0.18	<0.18	<0.18	<0.22	<0.18	<0.19	<0.21	<0.2	0.33	100
Pyrene	0.28	0.16	<0.1	<0.11	<0.1	<0.13	<0.11	<0.12	6.5	0.16	100	100

Table 4
Soil Samples Analytical Results for Pesticides and PCBs
11 Hubert St, New York, NY

Sample ID	SP-1 (2'-4')	SP-1 (6'-8')	SP-2 (0'-2')	SP-2 (6'-8')	SP-3 (2'-4')	SP-3 (6'-8')	SP-4 (0'-2')	SP-4 (6'-8')	SP-5 (5'-7')	SP-5 (9'-11')	NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Residential
Sampling Date	4/25/2014	4/25/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/28/2014	4/28/2014		
Client Matrix	Soil											
Units	mg/kg											
Compound	Result											
4,4'-DDD	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	0.0033	2.6
4,4'-DDE	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	0.0033	1.8
4,4'-DDT	<0.0167	<0.0175	<0.00302	<0.00333	<0.00301	<0.0395	<0.0031	<0.00345	<0.00376	<0.00341	0.0033	1.7
Aldrin	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	0.005	0.019
Alpha-BHC	<0.00371	<0.0039	<0.00067	<0.00074	<0.00067	<0.00877	<0.000689	<0.000767	<0.000835	<0.000758	0.02	0.097
Aroclor 1016	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Aroclor 1221	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Aroclor 1232	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Aroclor 1242	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Aroclor 1248	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Aroclor 1254	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	0.026	<0.0373	NS	1
Aroclor 1260	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Aroclor 1262	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	0.036	1
Aroclor 1268	<0.0359	<0.0369	<0.0324	<0.0374	<0.0347	<0.0438	<0.0353	<0.0377	<0.0399	<0.0373	NS	1
Beta-BHC	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	NS	0.072
Chlordane	<0.0723	<0.076	<0.0131	<0.0144	<0.0131	<0.171	<0.0134	<0.015	<0.0163	<0.0148	0.094	NS
cis-Chlordane	<0.0111	<0.0117	<0.00201	<0.00222	<0.00201	<0.0263	<0.00207	<0.0023	<0.0025	<0.00227	0.04	0.91
Delta-BHC	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	0.005	100
Dieldrin	<0.00556	<0.00585	<0.001	<0.00111	<0.001	<0.0132	<0.00103	<0.00115	<0.00125	<0.00114	2.4	0.039
Endosulfan I	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	2.4	4.8
Endosulfan II	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	2.4	4.8
Endosulfan sulfate	<0.00371	<0.0039	<0.00067	<0.00074	<0.00067	<0.00877	<0.000689	<0.000767	<0.000835	<0.000758	0.014	4.8
Endrin	<0.00371	<0.0039	<0.00067	<0.00074	<0.00067	<0.00877	<0.000689	<0.000767	<0.000835	<0.000758	NS	2.2
Endrin ketone	<0.0089	<0.00936	<0.00161	<0.00178	<0.00161	<0.021	<0.00165	<0.00184	<0.002	<0.00182	0.042	NS
Heptachlor	<0.00445	<0.00468	<0.000804	<0.000888	<0.000804	<0.0105	<0.000827	<0.00092	<0.001	<0.000909	NS	0.42
Heptachlor epoxide	<0.0167	<0.0175	<0.00302	<0.00333	<0.00301	<0.0395	<0.0031	<0.00345	<0.00376	<0.00341	0.1	0.077
Lindane	<0.00371	<0.0039	<0.00067	<0.00074	<0.00067	<0.00877	<0.000689	<0.000767	<0.000835	<0.000758	NS	0.28
Methoxychlor	<0.0167	<0.0175	<0.00302	<0.00333	<0.00301	<0.0395	<0.0031	<0.00345	<0.00376	<0.00341	NS	100
Toxaphene	<0.167	<0.175	<0.0302	<0.0333	<0.0301	<0.395	<0.031	<0.0345	<0.0376	<0.0341	NS	NS
trans-Chlordane	<0.0111	<0.0117	<0.00201	<0.00222	<0.00201	<0.0263	<0.00207	<0.0023	<0.0025	<0.00227	NS	0.54

Table 5
Soil Samples Analytical Results for Metals
11 Hubert St, New York, NY

Sample ID	SP-1 (2'-4')	SP-1 (6'-8')	SP-2 (0'-2')	SP-2 (6'-8')	SP-3 (2'-4')	SP-3 (6'-8')	SP-4 (0'-2')	SP-4 (6'-8')	SP-5 (5'-7')	SP-5 (9'-11')	NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives mg/Kg	NYSDEC Part 375 Restricted Use Soil Cleanup Objectives- Residential mg/kg
Sampling Date	4/25/2014	4/25/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/29/2014	4/28/2014	4/28/2014		
Client Matrix	Soil											
Units	mg/kg											
Compound	Result											
Aluminum	6,800	4,200	5,400	3,800	4,900	9800	6700	9000	6200	4600	NS	NS
Antimony	<4.3	<4.4	<4.2	1.10	<4.1	<5.2	<4.2	<4.5	<4.9	<4.6	NS	NS
Arsenic	3.00	1.70	2.6	1.40	2.7	4.4	2.9	4	9.2	2.8	13	16
Barium	46	41	47	35	44	27	51	68	87	43	350	350
Beryllium	0.34	0.25	0.32	0.24	0.3	0.48	0.32	0.55	0.34	0.29	7.2	14
Cadmium	<0.87	<0.89	<0.83	<0.88	<0.82	<1	<0.84	<0.9	<0.98	<0.91	2.5	2.5
Calcium	9,800	1,100	2,400	840	2100	1600	19000	1600	42000	17000	NS	NS
Chromium, Trivalent	13	12	10	10.00	14	15	15	15	12	14	30	NS
Cobalt	4.80	3.60	5	3.40	4.4	4.3	4.6	5	3.8	4.2	NS	30
Copper	9.50	9.30	9.6	8.10	11	11	11	13	45	13	50	270
Iron	11,000	8,000	11,000	7,800	8300	16000	11000	14000	20000	9600	NS	2000
Lead	13	5.30	4.00	3.10	12	18	24	28	290	21	63	400
Magnesium	3,300	1,500	2,400	1,600	2000	2700	4200	2700	15000	10000	NS	NS
Manganese	360	110	300	120.00	160	170	360	260	220	320	1600	2000
Mercury	<0.08	<0.08	0.080	<0.08	<0.09	0.03	<0.08	<0.09	4	<0.08	0.18	0.81
Nickel	18	18.00	20.00	17.00	20	13	19	18	10	23	30	140
Potassium	980	660	1,300	700	980	910	1300	1100	730	880	NS	NS
Selenium	0.36	0.43	<1.7	<1.8	1.6	<2.1	<1.7	<1.8	0.3	<1.8	3.9	36
Silver	<0.87	<0.89	0.27	<0.88	0.3	0.24	0.23	0.3	0.3	0.31	2	36
Sodium	200	120	160	98.00	670	130	330	400	860	220	NS	NS
Thallium	<1.7	<1.8	<1.7	<1.8	<1.6	<2.1	<1.7	<1.8	<2	<1.8	NS	NS
Vanadium	14	12	14	10	13	15	14	18	14	13	NS	100
Zinc	20	12	16	12	32	34	24	28	180	26	109	2200
Chromium, Hexvalent	ND	ND	<0.86	<0.91	<0.86	<1.1	<0.88	<0.94	<1.0	<0.95	1	100
Chromium, Trivalent	ND	ND	14	10	14	15	15	15	12	14	30	180

Table 6
Groundwater Samples Analytical Results for VOCs
11 Hubert Street, Bronx NY

Sample ID	MW-1	MW-2	MW-3	Trip Blank	Field Blank	NYSDEC TOGS Standards and Guidance Values - GA
Sampling Date	4/30/2014	4/30/2014	4/30/2014	4/30/2014	4/30/2014	
Matrix	Groundwater	Groundwater	Groundwater	DI Water	DI Water	
Units	ug/L	ug/L	ug/L	ug/L	ug/L	
Compound	Result	Result	Result	Result	Result	
1,1,1,2-Tetrachloroethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,1,1-Trichloroethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,1,2,2-Tetrachloroethane	<0.5	<0.5	<0.5	<0.5	<0.5	5
1,1,2-Trichloroethane	<1.5	<1.5	<1.5	<1.5	<1.5	1
1,1-Dichloroethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,1-Dichloroethene	<0.5	<0.5	<0.5	<0.5	<0.5	5
1,1-Dichloropropene	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,2,3-Trichlorobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,2,3-Trichloropropane	<2.5	<2.5	<2.5	<2.5	<2.5	0.04
1,2,4,5-Tetramethylbenzene	3.3	<2	<2	<2	<2	NS
1,2,4-Trichlorobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,2,4-Trimethylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,2-Dibromo-3-chloropropane	<2.5	<2.5	<2.5	<2.5	<2.5	0.04
1,2-Dibromoethane	<2	<2	<2	<2	<2	0.0006
1,2-Dichlorobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	3
1,2-Dichloroethane	<0.5	<0.5	<0.5	<0.5	<0.5	0.6
1,2-Dichloropropane	<1	<1	<1	<1	<1	1
1,3,5-Trimethylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,3-Dichlorobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	3
1,3-Dichloropropane	<2.5	<2.5	<2.5	<2.5	<2.5	5
1,4-Dichlorobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	3
1,4-Dioxane	<250	<250	<250	<250	<250	NS
2,2-Dichloropropane	<2.5	<2.5	<2.5	<2.5	<2.5	5
2-Butanone	<5	<5	<5	<5	<5	50
2-Hexanone	<5	<5	<5	<5	<5	50
4-Methyl-2-pentanone	<5	<5	<5	<5	<5	NS
Acetone	2.9	<5	<5	<5	<5	50
Acrylonitrile	<5	<5	<5	<5	<5	5
Benzene	<0.5	<0.5	<0.5	<0.5	<0.5	1
Bromobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Bromochloromethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
Bromodichloromethane	<0.5	<0.5	<0.5	<0.5	<0.5	50
Bromoform	<2	<2	<2	<2	<2	50
Bromomethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
Carbon disulfide	<5	<5	<5	<5	<5	60
Carbon tetrachloride	<0.5	<0.5	<0.5	<0.5	<0.5	5
Chlorobenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Chloroethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
Chloroform	<2.5	<2.5	<2.5	<2.5	<2.5	7
Chloromethane	<2.5	<2.5	<2.5	<2.5	<2.5	NS
cis-1,2-Dichloroethene	<2.5	<2.5	<2.5	<2.5	<2.5	5
cis-1,3-Dichloropropene	<0.5	<0.5	<0.5	<0.5	<0.5	0.4
Dibromochloromethane	<0.5	<0.5	<0.5	<0.5	<0.5	50
Dibromomethane	<5	<5	<5	<5	<5	5
Dichlorodifluoromethane	<5	<5	<5	<5	<5	5
Ethyl ether	<2.5	<2.5	<2.5	<2.5	<2.5	NS
Ethylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Hexachlorobutadiene	<2.5	<2.5	<2.5	<2.5	<2.5	0.5
Isopropylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Methyl tert butyl ether	<2.5	<2.5	<2.5	<2.5	<2.5	10
Methylene chloride	<2.5	<2.5	<2.5	<2.5	<2.5	5
n-Butylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
n-Propylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Naphthalene	<2.5	<2.5	<2.5	<2.5	<2.5	10
o-Chlorotoluene	<2.5	<2.5	<2.5	<2.5	<2.5	5
o-Xylene	<2.5	<2.5	<2.5	<2.5	<2.5	5
p-Chlorotoluene	<2.5	<2.5	<2.5	<2.5	<2.5	5
p-Diethylbenzene	<2	<2	<2	<2	<2	NS
p-Ethyltoluene	<2	<2	<2	<2	<2	NS
p-Isopropyltoluene	<2.5	<2.5	<2.5	<2.5	<2.5	5
p/m-Xylene	<2.5	<2.5	<2.5	<2.5	<2.5	5
sec-Butylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Styrene	<2.5	<2.5	<2.5	<2.5	<2.5	5
tert-Butylbenzene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Tetrachloroethene	<0.5	<0.5	<0.5	<0.5	<0.5	5
Toluene	<2.5	<2.5	<2.5	<2.5	<2.5	5
trans-1,2-Dichloroethene	<2.5	<2.5	<2.5	<2.5	<2.5	5
trans-1,3-Dichloropropene	<0.5	<0.5	<0.5	<0.5	<0.5	0.4
trans-1,4-Dichloro-2-butene	<2.5	<2.5	<2.5	<2.5	<2.5	5
Trichloroethene	<0.5	<0.5	<0.5	<0.5	<0.5	5
Trichlorofluoromethane	<2.5	<2.5	<2.5	<2.5	<2.5	5
Vinyl acetate	<5	<5	<5	<5	<5	NS
Vinyl chloride	<1	<1	1.8	<1	<1	2

Table 7
Groundwater Samples Analytical Results for SVOCs
11 Hubert Street, Bronx NY

Sample ID	MW-1	MW-2	MW-3	Field Blank	NYSDEC TOGS Standards and Guidance Values GA
Sampling Date	4/30/2014	4/30/2014	4/30/2014	4/30/2014	
Matrix	Groundwater	Groundwater	Groundwater	DI Water	
Units	ug/L	ug/L	ug/L	ug/L	
Compound	Result	Result	Result	Result	
1,2,4,5-Tetrachlorobenzene	<10	<10	<10	<10	5
1,2,4-Trichlorobenzene	<5	<5	<5	<5	5
1,2-Dichlorobenzene	<2	<2	<2	<2	5
1,3-Dichlorobenzene	<2	<2	<2	<2	1
1,4-Dichlorobenzene	<2	<2	<2	<2	5
2,4,5-Trichlorophenol	<5	<5	<5	<5	5
2,4,6-Trichlorophenol	<5	<5	<5	<5	5
2,4-Dichlorophenol	<5	<5	<5	<5	5
2,4-Dimethylphenol	<5	<5	<5	<5	0.04
2,4-Dinitrophenol	<20	<20	<20	<20	NS
2,4-Dinitrotoluene	<5	<5	<5	<5	5
2,6-Dinitrotoluene	<5	<5	<5	<5	5
2-Chlorophenol	<2	<2	<2	<2	0.04
2-Methylphenol	<5	<5	<5	<5	0.0006
2-Nitroaniline	<5	<5	<5	<5	3
2-Nitrophenol	<10	<10	<10	<10	0.6
3,3'-Dichlorobenzidine	<5	<5	<5	<5	1
3-Methylphenol/4-Methylphenol	<5	<5	<5	<5	5
3-Nitroaniline	<5	<5	<5	<5	3
4,6-Dinitro-o-cresol	<10	<10	<10	<10	5
4-Bromophenyl phenyl ether	<2	<2	<2	<2	3
4-Chloroaniline	<5	<5	<5	<5	NS
4-Chlorophenyl phenyl ether	<2	<2	<2	<2	5
4-Nitroaniline	<5	<5	<5	<5	50
4-Nitrophenol	<10	<10	<10	<10	50
Acetophenone	<5	<5	<5	<5	NS
Benzoic Acid	17	14	5	<50	50
Benzyl Alcohol	<2	<2	<2	<2	5
Biphenyl	<2	<2	<2	<2	1
Bis(2-chloroethoxy)methane	<5	<5	<5	<5	5
Bis(2-chloroethyl)ether	<2	<2	<2	<2	5
Bis(2-chloroisopropyl)ether	<2	<2	<2	<2	50
Bis(2-Ethylhexyl)phthalate	1.3	<3	<3	<3	50
Butyl benzyl phthalate	<5	<5	<5	<5	5
Carbazole	<2	<2	<2	<2	60
Di-n-butylphthalate	<5	<5	<5	<5	5
Di-n-octylphthalate	<5	<5	<5	<5	5
Dibenzofuran	<2	<2	<2	<2	5
Diethyl phthalate	<5	<5	<5	<5	7
Dimethyl phthalate	<5	<5	<5	<5	NS
Hexachlorocyclopentadiene	<20	<20	<20	<20	5
Isophorone	<5	<5	<5	<5	0.4
n-Nitrosodi-n-propylamine	<5	<5	<5	<5	50
Nitrobenzene	<2	<2	<2	<2	5
NitrosoDiPhenylAmine(NDPA)	<2	<2	<2	<2	5
p-Chloro-M-Cresol	<2	<2	<2	<2	NS
Phenol	23	17	<5	<5	5
2-Chloronaphthalene	<0.2	<0.2	<0.2	<0.2	0.5
2-Methylnaphthalene	2.9	1.9	<0.2	<0.2	5
Acenaphthene	0.69	0.41	<0.2	<0.2	10
Acenaphthylene	<0.2	<0.2	<0.2	<0.2	5
Anthracene	0.1	0.06	<0.2	<0.2	5
Benzo(a)anthracene	<0.2	<0.2	<0.2	<0.2	5
Benzo(a)pyrene	<0.2	<0.2	<0.2	<0.2	10
Benzo(b)fluoranthene	<0.2	<0.2	<0.2	<0.2	5
Benzo(ghi)perylene	<0.2	<0.2	<0.2	<0.2	5
Benzo(k)fluoranthene	<0.2	<0.2	<0.2	<0.2	5
Chrysene	<0.2	<0.2	<0.2	<0.2	NS
Dibenzo(a,h)anthracene	<0.2	<0.2	<0.2	<0.2	NS
Fluoranthene	<0.2	<0.2	<0.2	<0.2	5
Fluorene	0.66	0.41	<0.2	<0.2	5
Hexachlorobenzene	<0.8	<0.8	<0.8	<0.8	5
Hexachlorobutadiene	<0.5	<5	<5	<5	5
Hexachloroethane	<0.8	<0.8	<0.8	<0.8	5
Indeno(1,2,3-cd)Pyrene	<0.2	<0.2	<0.2	<0.2	5
Naphthalene	<0.2	0.12	<0.2	<0.2	5
Pentachlorophenol	<0.8	<0.8	<0.8	<0.8	5
Phenanthrene	0.64	0.37	<0.2	<0.2	0.4
Pyrene	<0.2	<0.2	<0.2	<0.2	5

Table 8
Groundwater Samples Analytical Results for Pesticides and PCBs
11 Hubert Street, Bronx NY

Sample ID	MW-1	MW-2	MW-3	Field Blank	NYSDEC TOGS Standards and Guidance Values - GA
Sampling Date	4/30/2014	4/30/2014	4/30/2014	4/30/2014	
Matrix	Groundwater	Groundwater	Groundwater	DI Water	
Units	ug/L	ug/L	ug/L	ug/L	
Compound	Result	Result	Result	Result	
4,4'-DDD	<0.04	<0.04	<0.04	<0.04	0.3
4,4'-DDE	<0.04	<0.04	<0.04	<0.04	0.2
4,4'-DDT	<0.04	<0.04	<0.04	<0.04	0.2
Aldrin	<0.02	<0.02	<0.02	<0.02	0
Alpha-BHC	<0.02	<0.02	<0.02	<0.02	0.01
Beta-BHC	<0.02	<0.02	<0.02	<0.02	0.04
Chlordane	<0.2	<0.2	<0.2	<0.2	0.05
cis-Chlordane	<0.02	<0.02	<0.02	<0.02	NS
Delta-BHC	<0.02	<0.02	<0.02	<0.02	0.04
Dieldrin	<0.04	0.04	0.04	0.04	0.004
Endosulfan I	<0.02	<0.02	<0.02	<0.02	NS
Endosulfan II	<0.04	<0.04	<0.04	<0.04	NS
Endosulfan sulfate	<0.04	<0.04	<0.04	<0.04	NS
Endrin	<0.04	<0.04	<0.04	<0.04	0
Endrin ketone	<0.04	<0.04	<0.04	<0.04	5
Heptachlor	<0.02	<0.02	<0.02	<0.02	0.04
Heptachlor epoxide	<0.02	<0.02	<0.02	<0.02	0.03
Lindane	<0.02	<0.02	<0.02	<0.02	0.05
Methoxychlor	<0.2	<0.2	<0.2	<0.2	35
Toxaphene	<0.2	<0.2	<0.2	<0.2	0.06
trans-Chlordane	<0.02	<0.02	<0.02	<0.02	NS
Aroclor 1016	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1221	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1232	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1242	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1248	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1254	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1260	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1262	<0.083	<0.083	<0.083	<0.083	0.09
Aroclor 1268	<0.083	<0.083	<0.083	<0.083	0.09

Table 9
Groundwater Samples Analytical Results for Metals
11 Hubert Street, Bronx NY

Sample ID	MW-1	MW-2	MW-3	Field Blank	NYSDEC TOGS Standards and Guidance Values - GA
Sampling Date	4/30/2014	4/30/2014	4/30/2014	4/25/2014	
Matrix	Groundwater	Groundwater	Groundwater	DI Water	
Units	ug/L	ug/L	ug/L	ug/L	
Compound	Result	Result	Result	Result	
Metals, Target Analyte					
Aluminum	1300	34400	1440	<10	NS
Antimony	1.14	0.56	0.6	0.47	3
Arsenic	2.64	16.26	1.03	<0.5	25
Barium	746.6	865.8	258.2	0.11	1000
Beryllium	0.11	2.45	0.16	<0.5	3
Cadmium	<0.2	0.09	<0.2	<0.2	5
Calcium	196000	164000	205000	<100	NS
Chromium	4.76	72.19	5.8	<1	50
Cobalt	1.06	28.81	1.84	<0.2	NS
Copper	2.35	55.01	3.35	0.73	200
Iron	11600	81400	13800	<50	300
Lead	2.7	53.07	6.76	<1	25
Magnesium	24500	48000	106000	<70	35000
Manganese	7122	6315	6182	<0.5	300
Mercury	<0.2	<0.2	<0.2	<0.2	0.7
Nickel	10.76	43.31	10.84	<0.5	100
Potassium	33300	25300	41100	<100	NS
Selenium	<5	4.41	0.48	<5	10
Silver	<0.4	<0.4	<0.4	v0.4	50
Sodium	387000	297000	513000	17.3	20000
Thallium	<0.5	0.17	<0.5	<0.5	0.5
Vanadium	4.53	99.05	5.73	<5	NS
Zinc	7.87	122.7	13.64	3.08	2000
Metals, Target Analyte, Dissolved					
Aluminum	1550	28800	6730	<10	NS
Antimony	0.92	0.5	1.38	0.51	3
Arsenic	2.5	9.76	1.94	<0.5	25
Barium	1357	1381	316.2	<0.5	1000
Beryllium	<0.5	1.18	0.58	<0.5	3
Cadmium	<0.2	0.05	<0.2	<0.2	5
Calcium	356000	299000	489000	<100	NS
Chromium	3.7	35.29	15.39	0.22	50
Cobalt	0.75	12.93	3.97	<0.2	NS
Copper	1.71	34.02	9.6	0.43	200
Iron	11400	33000	19700	<50	300
Lead	2.58	26.58	14.84	<1	25
Magnesium	104000	47900	204000	<70	35000
Manganese	13030	11860	13640	0.1	300
Mercury	<0.2	<0.2	<0.2	<0.2	0.7
Nickel	8.64	21.52	22.28	<0.5	100
Potassium	33300	27000	127000	<100	NS
Selenium	<5	2	0.98	<5	10
Silver	<0.4	<0.5	<0.4	<0.4	50
Sodium	717000	606000	1120000	32.9	20000
Thallium	<0.5	0.09	0.03	<0.5	0.5
Vanadium	3.62	46.44	19.51	<5	NS
Zinc	6.42	59.05	22	2.53	2000
Chromium Hexavalent and Chromium Trivalent					
Chromium, Hexavalent	<10	<10	<10	<10	50
Chromium, Trivalent	<10	72	<10	<10	NS

Table 10
Soil Vapor Analytical Results
11 Hubert St, New York, NY

Sample ID	SV-1	SV-2	SV-3	NYSDOH Background Standards in ug/m3	
Sampling Date	4/29/2014	4/29/2014	4/29/2014		
Client Matrix	Soil Vapor	Soil Vapor	Soil Vapor		
Units	ug/m ³	ug/m ³	ug/m ³		
Compound	Result	Result	Result	Indoor	Outdoor
1,1,1-Trichloroethane	2.74	<5.46	12.3	<0.25	<0.25
1,1,2,2-Tetrachloroethane	<1.37	<6.87	<6.87	<0.25	<0.25
1,1,2-Trichloroethane	<1.09	<5.46	<5.46	<0.25	<0.25
1,1-Dichloroethane	6.27	<4.05	4.78	<0.25	<0.25
1,1-Dichloroethene	<0.793	<3.96	<3.96	NS	<0.25
1,2,4-Trichlorobenzene	<1.48	<7.42	<7.42	<0.25	<0.25
1,2,4-Trimethylbenzene	37.7	144	109	0.69 - 4.3	<0.25-0.8
1,2-Dibromoethane	<1.54	<7.69	<7.69	<0.25	NS
1,2-Dichlorobenzene	<1.2	<6.01	<6.01	<0.25	<0.25
1,2-Dichloroethane	<0.809	<4.05	<4.05	<0.25	<0.25
1,2-Dichloropropane	<0.924	<4.62	<4.62	25 - 75	<0.25
1,3,5-Trimethylbenzene	8.65	33.5	30.9	0.3-1.7	<0.25-0.3
1,3-Butadiene	<0.442	<2.21	<2.21	NS	NS
1,3-Dichlorobenzene	<1.2	<6.01	<6.01	<0.25	<0.25
1,4-Dichlorobenzene	<1.2	<6.01	<6.01	<0.25-0.5	<0.25
1,4-Dioxane	<0.721	<3.6	<3.6	NS	NS
2,2,4-Trimethylpentane	<0.934	<4.67	<4.67	NS	NS
2-Butanone	37.8	5.72	12.5	NS	NS
2-Hexanone	7.91	<4.1	<4.1	NS	NS
3-Chloropropene	<0.626	<3.13	<3.13	NS	NS
4-Ethyltoluene	7.82	40.2	38.6	NS	NS
4-Methyl-2-pentanone	3.52	4.26	<4.1	NS	NS
Acetone	309	1440	311	<9.9-52	<3.4-14
Benzene	4.66	11.9	9.52	<1.1-5.9	<0.6-2.2
Benzyl chloride	<1.04	<5.18	<5.18	NS	NS
Bromodichloromethane	<1.34	<6.7	<6.7	NS	NS
Bromoform	<2.07	<10.3	<10.3	NS	NS
Bromomethane	<0.777	3.88	<3.88	<0.25	<0.25
Carbon disulfide	7.29	<3.11	7.29	NS	NS
Carbon tetrachloride	<1.26	<6.29	<6.29	<0.25-0.6	<0.25-0.6
Chlorobenzene	<0.921	<4.61	<4.61	<0.25	<0.25
Chloroethane	<0.528	2.64	<2.64	<0.25	<0.25
Chloroform	3.8	<4.88	<4.88	<0.25-0.5	<0.25
Chloromethane	0.555	<2.07	<2.07	<0.25-1.8	<0.25-1.8
cis-1,2-Dichloroethene	21.6	<3.96	<3.96	<0.25	<0.25
cis-1,3-Dichloropropene	<0.908	<4.54	<4.54	<0.25	<0.25
Cyclohexane	1.01	<3.44	<3.44	<0.25-2.6	<0.25-0.4
Dibromochloromethane	<1.7	<8.52	<8.52	NS	NS
Dichlorodifluoromethane	1.82	<4.94	<4.94	<0.25-4.1	<0.25-4.2
Ethanol	111	<23.6	<23.6	NS	NS
Ethyl Acetate	2.46	80.4	<9.01	NS	NS
Ethylbenzene	5.99	29.4	37.1	<0.4-2.8	<0.25-0.5
Freon-113	<1.53	<7.66	<7.66	NS	NS
Freon-114	<1.4	<6.99	<6.99	NS	NS
Heptane	2.18	12.5	11.3	<1.0-7.6	<0.25
Hexachlorobutadiene	<2.13	<10.7	<10.7	NS	NS
Isopropanol	57	<6.15	57	NS	NS
Methyl tert butyl ether	<0.721	<3.61	<3.61	<0.25-5.6	<0.25-0.7
Methylene chloride	<3.47	<17.4	<17.4	<0.3-6.6	<0.25-1.9
n-Hexane	2.88	9.52	10.6	<0.6-5.9	<0.25-0.6
o-Xylene	13.2	63	73	<0.4-3.1	<0.25-0.5
p/m-Xylene	28.7	154	185	<0.5-4.6	NS
Styrene	1.26	4.26	<4.26	<0.25-0.6	<0.25-0.3
Tertiary butyl Alcohol	3.64	21.8	<7.58	NS	NS
Tetrachloroethene	309	11.9	882	<0.25-1.1	<0.25
Tetrahydrofuran	<0.59	<2.95	<2.95	<0.25-0.4	0.6-2.4
Toluene	13.3	60.7	83.7	<3.5-25	NS
trans-1,2-Dichloroethene	<0.793	<3.96	<3.96	NS	<0.25
trans-1,3-Dichloropropene	<0.908	<4.54	<4.54	<0.25	<0.25
Trichloroethene	23.1	<5.37	73.1	<0.25	<0.25-2.2
Trichlorofluoromethane	2.03	<5.62	<5.62	<1.1-5.4	NS
Vinyl bromide	<0.874	<4.37	<4.37	NS	NS
Vinyl chloride	<0.511	<2.56	<2.56	<0.25	NS

APPENDICES

Appendix-A: Phase I ESA Report



AIRTEK ENVIRONMENTAL CORP

39 – 37 29th Street, Long Island City, New York, 11101
Phone (718) 937-3720 Fax (718) 937-3721
www.airtekenv.com

Phase I Environmental Site Assessment

Submitted To:

Mr. Adam Zoia
C/o Glocap
156 West 56th St, 4th Floor
New York, NY 10019

Premises:

11 Hubert Street
Block 214, Lot 12
New York, New York 10013

Prepared By:

Airtek Environmental Corp.
39-37 29th Street
Long Island City, NY 11101

Airtek Project Number: 14-0440

April 4, 2014

Reviewed by:

Mike S. Zouak, CIH, President

Report by:

Kevin Cordes, Environmental Scientist

Reviewed by:

Christine Chen, Sr. Project Manager

Table Of Contents

EXECUTIVE SUMMARY..... iv
 Report Findings
 Summary of RECs
 Recommendations

1.0 INTRODUCTION 1
 1.1 Scope of Work..... 1
 1.2 Significant Assumptions 2
 1.3 Limitations and Exception..... 2
 1.3.1 *Unavailable Documentation* 2
 1.3.2 *Data Gaps* 3
 1.4 Special Terms and Conditions..... 3
 1.5 Use Reliance..... 4
 1.6 Confidentiality Statement..... 4

2.0 SITE/VICINITY DESCRIPTION 5
 2.1 Site Inspection 5
 2.2 Site Location..... 5
 2.3 Site and Building Data 5
 2.4 Utilities 5
 2.5 Physical Setting 6
 2.6 Surrounding Property Uses 6

3.0 SITE RECONNAISSANCE 7
 3.1 Methodology and Limitations 7
 3.2 General Observations 7
 3.3 Hazardous Substances and Petroleum Products..... 7
 3.4 Petroleum Bulk Storage Tanks (PBS)..... 7
 3.5 In-Ground Hydraulic Equipment..... 8
 3.6 Waste Disposal, Hazardous Waste Generation, Storage and Disposal 8
 3.7 Polychlorinated Biphenyls (PCBs)..... 8
 3.8 Drains, Oil/Water Separators, Clarifiers, Sumps, and Trenches 8
 3.9 Septic Systems and Wells..... 8
 3.10 Radiological Hazards 9
 3.11 Dry Cleaning Operations..... 9

4.0 NON-ASTM ISSUES 10
 4.1 Asbestos-Containing Materials 10
 4.2 Radon Gas 10
 4.3 Lead-Based Paint (LBP)..... 10
 4.4 Mold Evaluation..... 11

5.0 GOVERNMENT AGENCY RECORD SEARCH..... 12
 5.1 Building Records..... 12
 5.2 New York City Fire Department (FDNY) 12
 5.3 New York City Department of Environmental Protection (NYCDEP) 12
 5.4 New York State Department of Environmental Conservation (NYSDEC) 13

6.0	ADDITIONAL INFORMATION.....	14
6.1	User-Furnished Information.....	14
6.1.1	<i>Recorded Land Title Records</i>	14
6.1.2	<i>Specialized Knowledge</i>	14
6.1.3	<i>Commonly Known or Reasonably Ascertainable Information</i>	14
6.1.4	<i>Valuation Reduction for Environmental Issues</i>	15
6.1.5	<i>Owner, Property Manager, and Occupant Information</i>	15
6.1.6	<i>Reason for Performing Phase I</i>	15
6.1.7	<i>Other</i>	15
6.2	Interviews.....	15
6.2.1	<i>Interview with Owner</i>	15
6.2.2	<i>Interview with Site Manager</i>	15
6.2.3	<i>Interviews with Occupants</i>	15
6.2.4	<i>Interviews with Others</i>	15
7.0	HISTORICAL SEARCH.....	16
7.1	Historical Fire Insurance Maps.....	16
7.2	Historical Aerial Photographs.....	18
7.3	Historical Topographic Maps.....	18
7.4	City Directories.....	19
7.5	Additional Historical Record Sources.....	20
7.6	Prior Assessment Reports.....	20
8.0	ENVIRONMENTAL DATABASE SEARCH.....	21
9.0	REFERENCES.....	27

Appendices

1. Site Photographs
2. Site Location Map
3. Asbestos Sample Results
4. Government Agency and Building Records
5. Historical Fire Insurance Maps
6. Historical Aerial Photographs
7. Historical Topographic Map
8. City Directory Abstract
9. The EDR-Radius Map with GeoCheck[®] Report

EXECUTIVE SUMMARY

Airtek Environmental Corp. (Airtek) was retained by Mr. Adam Zoia (the Client) on behalf of Bank of America to conduct a Phase I Environmental Site Assessment (Phase I ESA) of the property located at 11 Hubert Street, New York, New York (the Site). The Phase I ESA was conducted in accordance with the United States Environmental Protection Agency (USEPA)'s "All Appropriate Inquiries" Standard and the American Society for Testing and Materials (ASTM) Standard Practice for Environmental Site Assessments, E1527-13, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process* as a guideline. The objective of the environmental assessment was to identify recognized environmental conditions (RECs) at the Site that might pose a significant risk to public health or the environment.

The Site comprised 5,006 square feet (ft²) of land. As of the date of this assessment on April 4, 2014 the Site was improved with a three-story mixed-use apartment building. The Site was bounded to the north by Hubert Street and to the east by Collister Street. The Site was located within a residential setting. The Site was further described as Block 214, Lot 12.

The historical research conducted for this assessment has established the use of the Site circa 1894. The Site appears developed with a six-story manufacturing building circa 1894, which was labeled as "Manufacturer of Tin Cans".. This building was later used as "Storage Store". A one-story commercial building was occupying the majority of the Site circa 1928, which was used as a warehouse. The current building at the Site appears to be a one-story structure originally which was constructed circa 1950 and was used as a "steel beams and post" facility and by a motor freight station. This building was used as a private garage from circa 1968 to 1992 and later became a warehouse building between 1993 and 1996. The east section of the building became a three-story structure and was used as offices as indicated in the fire insurance maps dating from 2001 through 2005 (see Section 7.1).

Report Findings

The Phase I ESA identified the following findings:

- A review of the New York City Department of Building (NYCDOB) records revealed (4) resolved complaints, one (3) open NYCDOB violation, and (10) Environmental Control Board (ECB) violations, including (4) open ECB violations, at the Site. The open NYCDOB violations and ECB violations, issued from October 8, 2010 through April 6, 2012, pertain to construction and zoning issues, i.e. work without permit, and no compliance. The NYCDOB records further indicated that Stop Work Order Exists on This Property with comments indicating that "Building altered/changes at 1, 2, 3 floors contrary to plans and built without proper permit – occupied contrary to C/O." (see Section 5.1). Based on the nature of these violations, they do not pose a significant threat of impact to the environment of the Site. However, these open violations should be corrected to comply with the NYCDOB regulations.
- Review of the database report searched by EDR revealed the Site as an E-Designation site, designated as E-257, which is subject to Hazardous Materials Phase I and Phase II

Testing Protocol (see Section 8.0).

- A review of the EDR database report revealed (17) E-Designation sites within one-eighth of a mile of the Site. One of these E-Designation sites is located adjacent to the north of the Site at 10 Hubert Street. These lots are all designated as E-257, which is subject to Hazardous Materials Phase I and Phase II Testing Protocol (see Section 8.0).

Summary of RECs

- Activities involving manufacturing of tin cans, steel beams and post, motor freight station and private garage at the Site in the past are recognized environmental conditions because they constitutes evidence of the previous usage, storage, and potential release of hazardous materials and/or hazardous wastes that could have impacted the Site.
- The “E” restriction (E-257) at the Site and an E-Designation site on an adjacent property are recognized environmental conditions, because they constitute evidence of known or suspect environmental concern that could have impacted the Site.

Recommendations

- Airtek recommends conducting a Phase II Environmental Site Assessment (ESA) (i.e. soil, soil gas and groundwater sampling) at the Site in order to satisfy the NYCDEP E-Designation requirements prior to any renovation or redevelopment of the Site.

The following environmental conditions, which are not considered to be *recognized environmental conditions* as defined by ASTM E1527-13, or part of the scope of “all appropriate inquiry,” as defined by CERCLA, were revealed during this assessment:

- Airtek did not observe the presence of visible suspect asbestos-containing materials (ACM) during the course of the site inspection. Furthermore, suspect friable materials at the Site were sampled and analyzed for the presence of asbestos and vermiculite; no asbestos was present in the sampled materials (see *Appendix 3*). However, non-friable materials were found to be in good condition and were therefore not sampled according to Bank of America Phase I guidelines, and records reviewed by Airtek indicate that the subject building was constructed circa 1950 (see Section 7.1).
- Records reviewed by Airtek indicate that the subject building was constructed circa 1950 (see Section 7.1). Therefore, lead-based paint (LBP) may be present onsite.

Recommendations

- Airtek recommends that, prior to any planned demolition or disturbance onsite materials, an ACM study should be conducted by licensed professionals to determine whether and where ACM is present onsite.
- Airtek recommends that the Site comply with OSHA Lead in Construction and EPA RRP (Renovation, Repair, and Painting Program) regulations during demolition or renovation.

**PHASE I ENVIRONMENTAL SITE ASSESSMENT
FOR
11 HUBERT STREET
BLOCK 214, LOT 12
NEW YORK, NEW YORK 10013**

1.0 INTRODUCTION

This report presents the findings of the Phase I Environmental Site Assessment (ESA) of the property located at 11 Hubert Street (Block 214, Lot 12), New York, NY 10013 (the Site). The scope of work for this ESA consists of a Site reconnaissance and a review of available information regarding the Site obtained from relevant regulatory agencies. This report summarizes the results of the Site reconnaissance and includes a summary of pertinent regulatory files searched with regard to hazardous materials, hazardous wastes or petroleum products.

1.1 Scope of Work

Airtek Environmental Corp. (Airtek) was retained by Mr. Adam Zoia (the Client) to perform a Phase I Environmental Site Assessment (Phase I ESA). The Phase I ESA consists of the following tasks in accordance with the United States Environmental Protection Agency (USEPA)'s "All Appropriate Inquiries" Standard (AAI Rule), and the American Society for Testing and Materials (ASTM) Standard Practice for Environmental Site Assessments: Environmental Site Assessment Process (ASTM Standard E-1527-13).

The purpose of this Phase I Environmental Site Assessment was:

1. To identify the presence or release of any hazardous substances, hazardous wastes, or petroleum products affecting the Site;
2. To determine the level of compliance with current environmental standards, laws, regulations and permits (if any) with respect to the Site;
3. To provide information pertinent to the valuation of the Site;
4. To evaluate any risk to the health and well-being of the Client's agents, employees, and contractors, as well as to the general public;
5. To identify whether any hazardous substances, hazardous wastes, or petroleum products have been stored, released or disposed of on the Site; and
6. To identify the need for additional testing to evaluate the scope, location, source and nature of any release of hazardous substances, hazardous wastes, or petroleum products affecting the Site.

In addition to the activities specified by ASTM, the Phase I ESA also includes the following non-ASTM items normally of interest to lenders and parties to a commercial real estate transaction:

1. Identification of the potential for the presence of any suspect asbestos-containing materials (ACM), radon gas (residential only), Polychlorinated Biphenyls (PCBs), lead-based paint (LBP), mold, or vapor intrusion.
2. Identification of wetlands and flood plains if necessary as indicated on state or federal maps.

The scope of work for the ESA is in general accordance with the requirements of USEPA's AAI Rule and the ASTM Standard E 1527-13. Airtek warrants that the findings and conclusions contained herein were accomplished in accordance with the methodologies set forth in accordance with the USEPA's AAI Rule and the ASTM Standard E 1527-13. These methodologies are described as representing good commercial and customary practice for conducting an ESA of a property for the purpose of identifying Recognized Environmental Conditions (RECs). No other warranties are implied or expressed.

The environmental evaluation is based upon the Scope of Services outlined above. Per the client's request, samples of suspect asbestos-containing building materials were collected by Airtek on April 1, 2014. No other sampling or testing of building materials, air, soil or water was conducted by Airtek.

1.2 Significant Assumptions

Environmental conditions may exist on the Site that were not evident based on the available information. Airtek cannot and does not warrant or guarantee that the information provided by these other sources is accurate or complete. Airtek is not responsible for the quality or content of information from these sources. This assessment employs methodologies intended to provide the Client with information relating to the Site, and does not represent all-inclusive or comprehensive results.

1.3 Limitations and Exception

The findings and conclusions contain all of the limitations inherent in these methodologies referred to in ASTM 1527-13. Specific limitations and exceptions to this ESA are set forth below, if applicable.

1.3.1 *Unavailable Documentation*

At the time of this assessment, all requested documents regarding the Site were made available for review, except for the following:

- Airtek contacted the New York City Fire Department (FDNY) on April 2, 2014 regarding records of storage tanks or releases of hazardous substances at the Site. As of the date of this report, the FDNY has not responded to Airtek's request. Airtek will forward any responses from the FDNY as an addendum should they significantly change the findings of this report.

- Airtek contacted the New York City Department of Environmental Protection (NYCDEP) on March 31, 2014 regarding records of storage tanks or releases of hazardous substances at the Site. As of the date of this report, the NYCDEP has not responded to Airtek's request. Airtek will forward any responses from the NYCDEP as an addendum should they significantly change the findings of this report.
- On March 31, 2014, Airtek contacted the New York State Department of Environmental Conservation (NYSDEC) regarding records of storage tanks or releases of hazardous substances at the Site. As of the date of this report, the NYSDEC has not responded to Airtek's request. Airtek will forward any responses from the NYSDEC as an addendum should they significantly change the findings of this report.

The unavailability of these documents did not prevent an evaluation of recognized environmental conditions with regards to the Site.

1.3.2 Data Gaps

Historical Site use information was obtained for the time period, 1891 to 2013. Several gaps in use information exceeding five years were encountered during this assessment. Additionally, several documents requested as a part of this assessment were not available as of the date of this report (see Section 1.3.1). Based on general knowledge of the area and known past uses of the Site, Airtek did not consider these gaps to be significant.

At the time of this report, no environmental lien search was conducted. ASTM E1527-13 defines the review of Site title records and environmental liens as a user responsibility (ASTM E1527-13 6.2). Failure to conduct this review is considered a significant data gap.

1.4 Special Terms and Conditions

The conclusions and findings set forth in this report are strictly limited in time and scope to the date of the evaluations. The conclusions presented in the report are based solely on the services described therein, not on scientific tasks or procedures beyond the scope of agreed-upon services or the time and budgeting restraints imposed by the Client. No subsurface exploratory drilling or sampling was done under the scope of this work. Unless specifically stated otherwise in the report, no chemical analyses have been performed during the course of this ESA.

Some of the information provided in this report is based on personal interviews, research of available documents, records, and maps held by the appropriate government and private agencies. This information is subject to the limits of historical documentation, availability, and accuracy of pertinent records and the personal recollections of those persons contacted.

The field investigation included a Site assessment, observation of neighboring properties and verification of permits and building records as necessary. The review was performed by Ms. Christine Chen, Sr. Project Manager with Airtek. The site inspection and reporting were performed by Mr. Kevin Cordes, Environmental Scientist with Airtek.

1.5 Use Reliance

All reports, both verbal and written, are for the benefit of the Client, their successors and assigns. This report has no other purpose and may not be relied upon by any other person or entity without the written consent of Airtek.

1.6 Confidentiality Statement

Airtek agrees to hold the information contained in this report, or any portion thereof, confidential. This report or information contained herein will not be released to any party except as required by law, without the consent of the Client. Upon Client approval, this report will be issued to any designated party.

2.0 SITE/VICINITY DESCRIPTION

2.1 Site Inspection

Date of Inspection:	March 31, 2014
Airtek Personnel:	Kevin Cordes, Environmental Scientist
Site Contact/Tel. No.:	Andrew Azoulay, Client's Broker 917-622-2334
Weather Condition	Mid 40° F. Partly Cloudy

Site photographs are included in *Appendix 1*.

2.2 Site Location

Street Address:	11 Hubert Street
Block:	214
Lot:	12
Borough:	Manhattan
County:	New York
State:	New York
Property Owner:	Winka Dubbeldam
Zoning:	M1-5, Light Manufacturing District

Site location Map is included in *Appendix 2*.

2.3 Site and Building Data

Property Size:	Total: 5,006 square feet (50.33' x 99.25')
Frontage:	50.33 feet along Hubert Street and 99.25 feet along Collister Street
Site Improvements:	A three-story residential apartment building with a basement level occupied by (2) residential units and (2) units used as office space. The building occupies all of the lot. The building has an attached one-story garage and storage area.
Natural Areas:	Based on the Airtek's site reconnaissance, there are no obvious wetland areas located on the Site.

2.4 Utilities

Electric Service:	Consolidated Edison (Con Ed)
Transformer(s):	None observed
Heating System:	Natural Gas
Natural Gas Service:	Consolidated Edison (Con Ed)
Potable Water Supply:	Municipal water supply

Sanitary Waste: Municipal sanitary sewer

2.5 Physical Setting

Site Elevation: Approximately 20 feet above mean sea level (m.s.l.)

Site Topography: Generally flat

Local Topography: The Site area slopes gradually towards the west

Geological Information: Rock Stratigraphic Unit
Era: Paleozoic
System: Ordovician
Series: Lower Ordovician and Cambrian carbonate rocks
Geologic Age Identification
Category: Stratified Sequence

Ground Water Flow: Groundwater is expected to flow in a westerly direction.

Nearest Surface Water: The Hudson River is located approximately 900 feet west of the Site.

Flood Zone: Zone X, Areas determined to be outside the 0.2% annual chance floodplain.

Flood Map: The Federal Emergency Management Agency (FEMA) Flood Insurance Rate Map Panel No.: 3604970182F, revised September 5, 2007

2.6 Surrounding Property Uses

Adjacent Northern Properties: A 5-story residential building at 10 Hubert Street and a 10-story mixed residential and commercial building at 415 Greenwich Street

Adjacent Eastern Property: A 15-story residential building located on the east side of Collister Street at 7 Hubert Street

Adjoining Southern Property: A 6-story mixed use building at 53 Beach Street

Adjoining Western Property: A 5-story mixed use building at 407 Greenwich Street

3.0 SITE RECONNAISSANCE

3.1 Methodology and Limitations

Limitations: The inspection was limited to areas that were readily accessible and free of safety hazards. Areas beneath parked vehicles, behind walls, and above ceilings in the subject building were not inspected.

The field investigation included a Site assessment and an observation of neighboring properties. Airtek was accompanied on the March 31, 2014 site inspection by the site occupant Mr. Steven Werther, and by Mr. Andrew Azoulay, the client's broker.

3.2 General Observations

At the time of Airtek's March 31, 2014 inspection, the Site was improved with a three-story residential apartment building with a basement level. The basement and 1st floor serve as office spaces, and the 2nd and 3rd floors serve as two residential units. The building was occupied during Airtek's inspection. The basement contains an elevator machine room, boiler room, meter room, and server room, and storage space. The 1st floor attached garage and storage space was unoccupied. HVAC units were observed on the roof.

3.3 Hazardous Substances and Petroleum Products

The Site was assessed for signs of storage, use, or disposal of hazardous materials. The assessment consisted of noting evidence (e.g., drums, unusual vegetation patterns, staining) indicating that hazardous materials are currently or were previously located on the Site.

Airtek observed no evidence of hazardous substances at the time of the site inspection.

3.4 Petroleum Bulk Storage Tanks (PBS)

The Site was inspected for evidence of underground storage tanks (USTs) (e.g., vent piping, dispensing equipment, pavement variations) and above-ground storage tanks (ASTs) (e.g. concrete foundations or saddles, pedestals or steel support structures).

During the March 31, 2014 site inspection, Airtek observed no evidence of USTs at the Site.

Airtek has filed a record search request with the FDNY on April 2, 2014 for records of any registered, sealed and/or removed tanks at the Site. Airtek has not yet received a response from the FDNY. Upon receipt of this information, Airtek will review the response and, if conclusions contained within this report are affected, then an addendum to this report will be submitted.

3.5 In-Ground Hydraulic Equipment

The Site was inspected for evidence of in-ground hydraulic equipment (e.g. hydraulic elevators or lifts that have hydraulic fluid-containing reservoirs or jacks below ground surface). Although not regulated as USTs, hydraulic equipment of this type can be of concern due to the potential for oil leaks from the hydraulic cylinders. Hydraulic fluid in equipment installed in 1978 or before may contain PCBs.

Airtek observed no evidence of in-ground hydraulic equipment at the Site at the time of the site inspection.

3.6 Waste Disposal, Hazardous Waste Generation, Storage and Disposal

Evidence of hazardous waste generation, storage and disposal was not observed at the Site. Solid waste is collected from the Site three times a week by the city sanitation department for residential tenants. No mishandling of the solid waste was noted in the area of trash storage.

3.7 Polychlorinated Biphenyls (PCBs)

The Site was inspected for the presence of liquid-cooled electrical units (transformers, light ballasts, and capacitors), and major sources of hydraulic fluid (elevators and lifts). Such units are notable because they are potential PCB sources.

The on-site building was improved throughout with fluorescent lighting in the basement and first floor areas. According to historical records reviewed by Airtek, the subject building was constructed circa 1950 (see Section 7.1). Many fluorescent light ballasts manufactured prior to 1980 may contain PCBs. Fluorescent light bulbs also often contain relatively small amounts of mercury.

3.8 Drains, Oil/Water Separators, Clarifiers, Sumps, and Trenches

The Site was inspected for evidence of oil/water separators, clarifiers, sumps and trenches (e.g. hatches, manholes, patches on the floor slabs). Although not regulated as USTs, these features can be of concern due to the potential for leaks into the subsurface.

At the time of the March 31, 2014 site inspection, Airtek observed no evidence of onsite oil/water separators, clarifiers, sumps, or trenches. No floor drains were observed at the property. No staining or evidence of a discharge was observed at the property.

3.9 Septic Systems and Wells

The Site was inspected for evidence of current or former septic systems (e.g. clean out manhole, records, interviews) and wells.

Airtek observed no evidence of septic systems or wells during the course of the site inspection.

3.10 Radiological Hazards

Airtek observed no evidence of radiological substances or equipment on the Site.

3.11 Dry Cleaning Operations

Airtek observed no dry cleaners on the Site.

4.0 NON-ASTM ISSUES

4.1 Asbestos-Containing Materials

In October 1995, the US Occupational Safety and Health Administration (OSHA) revised its regulations concerning asbestos in the work place by issuing new asbestos rules for buildings constructed before 1981 (29 CFR § 1910.1001 and 29 CFR § 1926.1101). These regulations are particularly important to building owners, property managers, and tenants/employers who are subject to the regulatory requirements.

Airtek did not observe the presence of visible suspect asbestos-containing materials (ACM) during the course of the site inspection. Per the client's request, suspect friable materials at the Site were sampled and analyzed for the presence of asbestos and vermiculite. A total of (16) suspect asbestos-containing building materials, including cinder block mortar, sheet rock, wall tile grout, wall plaster, were sampled on the first floor and basement level of the on-site building. Laboratory analytical results showed no asbestos present in the sampled materials (see *Appendix 3*). However, non-friable materials were found to be in good condition and were therefore not sampled according to Bank of America Phase I guidelines, and records reviewed by Airtek indicate that the subject building was constructed circa 1950 (see Section 7.1). Therefore, Airtek recommends that, prior to any planned demolition or disturbance onsite materials, an ACM study should be conducted by licensed professionals to determine whether and where ACM is present onsite.

4.2 Radon Gas

Radon is a naturally occurring radioactive gas formed by the decay of uranium in bedrock and soil. The potential adverse health effects associated with radon gas depend on various factors, such as the concentration of the gas and duration of exposure. The concentration of radon gas in a building depends on subsurface soil conditions, the integrity of the building's foundation, and the building's ventilation system.

No formal radon study was conducted on the Site. However, the New York State Department of Health (NYSDOH) "Measured Basement Screening Radon Levels by Town," dated October, 2011 provides information regarding the general radon levels in the area of the Site. The report surveyed a total of 108 homes within the Borough of Manhattan. Of those homes that were tested, 10.2% were found to have radon level of 4 pico curies per liter (pCi/l) or above. According to a U.S. Environmental Protection Agency (EPA) guidance document entitled, "A Citizen's Guide to Radon," (August 1986) radon exposures in the range of 4.0 pCi/l "are considered average or slightly above average for residential structures. The report results indicate that New York County is categorized as having a minor potential for indoor radon problems.

4.3 Lead-Based Paint (LBP)

Lead-based paint was commonly used for corrosion protection in the 1960s, and in prime, intermediate, and finish coats well into the 1970s. Regulations specifically addressing lead-based paint include Housing and Urban Development (HUD) (1995) guidelines and the

Consumer Product Safety Act (1977). These regulations define lead-based paint as containing 0.5% lead by weight (5,000 ppm), and 0.06% lead by weight (600 ppm), respectively, for housing and consumer products. There is no industrial definition. There are specific testing methods for sampling and analyzing lead in paint.

Records reviewed by Airtek indicate that the subject property was constructed circa 1950 (see Section 7.1). Therefore, LBP may be present onsite. Airtek recommends that the Site comply with OSHA Lead in Construction and EPA regulations during demolition or renovation.

4.4 Mold Evaluation

A limited visual inspection for mold growth was performed as part of this investigation. Airtek did not observe the presence of visible suspect mold during the course of the site inspection.

5.0 GOVERNMENT AGENCY RECORD SEARCH

A review of local records for the Site was accomplished by contacting offices of New York City and New York State regulatory agencies. The results of the review of local records are presented below.

5.1 Building Records

New York City Department of Buildings (NYCDOB)

The NYCDOB maintains records on all properties in the City of New York. A review of the NYCDOB's Property Profile Overview records revealed the following records for the on-site building.

According to the NYCDOB records, the on-site building has a street address at 11-13 Hubert Street and is classified as O9 - Office Building, a Landmark building located in the Tribeca Mixed Use Special District (TMU). NYCDOB records reviewed revealed the following: (4) complaints which were all resolved; (13) total violations and (3) open violations from DOB involving renovation of the 1st floor office spaces without a permit; and (14) total violations and (4) open violations from the DOB Environmental Control Board involving the same renovations. The NYCDOB records further indicated that Stop Work Order Exists on This Property with comments indicating that "Building altered/changes at 1, 2, 3 floors contrary to plans and built without proper permit – occupied contrary to C/O."

A copy of the NYCDOB's Property Profile Overview record can be found in *Appendix 4*.

New York City Oasis Website

The website NYC Oasis (<http://www.oasisnyc.net/map.aspx>) maintains records assembled from various public data sources. According to the records reviewed by Airtek, the subject building was constructed in 1920. According to the website, the property is owned by Winka Dubbeldam, and is zoned for light manufacturing use.

A copy of the NYC Oasis report is included in *Appendix 4*.

5.2 New York City Fire Department (FDNY)

The FDNY is responsible for the enforcement of local fire codes pertaining to the use and storage of flammable and hazardous materials. On April 2, 2014, Airtek filed a Fire Department Record Search Request form for information concerning storage tanks or releases of hazardous substances at the Site. As of the date of this report, the FDNY has not responded to Airtek's request. Airtek will forward any responses from the FDNY as an addendum should they significantly change the findings of this report.

5.3 New York City Department of Environmental Protection (NYCDEP)

The NYCDEP maintains files of incidents involving environmentally regulated materials.

On March 31, 2014, Airtek filed a FOIL request with the NYCDEP regarding records of storage tanks or releases of hazardous substances at the Site. As of the date of this report, the NYCDEP has not responded to Airtek's request. Airtek will forward any responses from the NYCDEP as an addendum should they significantly change the findings of this report.

5.4 New York State Department of Environmental Conservation (NYSDEC)

On March 31, 2014, Airtek contacted the NYSDEC regarding records of storage tanks or releases of hazardous substances at the Site. As of the date of this report, the NYSDEC has not responded to Airtek's request. Airtek will forward any responses from the NYSDEC as an addendum should they significantly change the findings of this report.

6.0 ADDITIONAL INFORMATION

6.1 User-Furnished Information

ASTM E 1527 defines “user” as the party seeking to use Practice E 1527 to complete an environmental site assessment of the Site, and in this case, the user is Mr. Steven Werther. ASTM E 1527 specifies that certain tasks associated with identifying potential RECs at the Site should be performed by the user and provided to the environmental professional. This section documents the information obtained from the user.

On March 31, 2014, Airtek provided Mr. Steven Werther, the tenant and partial property owner, a copy of an ASTM Practice E 1527-13 User/Client questionnaire (Questionnaire). As of the date of this report, Airtek has not received the completed Questionnaire from Mr. Werther.

6.1.1 *Recorded Land Title Records*

No information was provided by the property owner with regards to the land title records.

6.1.2 *Specialized Knowledge*

No information was provided by the property owner with regards to the knowledge of any Activity and Use Limitations (AULs) such as engineering controls, land use restrictions, or institutional controls that are in place at the Site or filed or recorded in a registry under federal, tribal, state or local law.

6.1.3 *Commonly Known or Reasonably Ascertainable Information*

No information was provided by the property owner with regards to the following:

Any pending, threatened, or past litigation relevant to hazardous substances or petroleum products in, on, or from the property.	<u>Unknown</u>
--	----------------

Any pending, threatened or past administrative proceedings relevant to hazardous substances or petroleum products in, on, or from the property.	<u>Unknown</u>
---	----------------

Any notices from any governmental entity regarding any possible violation of environmental laws or possible liability relating to hazardous substances or petroleum products.	<u>Unknown</u>
---	----------------

6.1.4 Valuation Reduction for Environmental Issues

No evaluation could be made with regards to the sale price of the Site.

6.1.5 Owner, Property Manager, and Occupant Information

No information was provided by the property owner with regards to RECs in connection with the Site.

6.1.6 Reason for Performing Phase I

Mr. Andrew Azoulay, the client's broker, indicated that this assessment was requested in association with a loan for the Site.

6.1.7 Other

No information was provided by the property owner with regards to environmental concerns at the Site.

6.2 Interviews

6.2.1 Interview with Owner

No property owner was available for interview during Airtek's March 31, 2014 site inspection.

6.2.2 Interview with Site Manager

No site manager was available for interview during Airtek's March 31, 2014 site inspection.

6.2.3 Interviews with Occupants

Mr. Steven Werther, onsite resident and partial owner of the site, was interviewed during Airtek's March 31, 2014 site inspection.

6.2.4 Interviews with Others

Mr. Andrew Azoulay the client's broker was interviewed during Airtek's March 31, 2014 site inspection.

7.0 HISTORICAL SEARCH

According to ASTM Standard E1527-13 (Section 8.3.2), all obvious uses of the property shall be identified from the present, back to the property's first developed use, or back to 1940, whichever is earlier. The site history was determined back to 1891 through the following historic records search.

7.1 Historical Fire Insurance Maps

Fire insurance maps (also known as Sanborn maps) typically depict either the locations of manufacturing and industrial facilities within the city limits or potential hazards existing within individual building structures. In many cases, evidence of environmental concern, such as locations of USTs, can be found by reviewing fire insurance maps.

Airtek reviewed fire insurance maps depicting the Site and adjacent properties from the complete Sanborn Library collection. Fire insurance maps were provided by EDR and are included in *Appendix 5*. Fire insurance maps dated 1894, 1905, 1913, 1928, 1950, 1968, 1976-1980, 1983, 1985, 1987, 1988, 1990, 1992-1996, and 2001-2005 were available for review and depicted the following:

Year	Findings
1894	The Site appears improved with a six-story building occupying a section of the lot. The lot is labeled as "Manufacturer of Tin Cans".
1905	The existing building at the Site is labeled as a "Storage Store."
1913	No usage was indicated on the existing building.
1928	The six-story structure is no longer visible at the Site. A different structure appears at the Site, which occupies the majority of the lot and is labeled as "Progressive Warehouse". A rectangular-shaped vacant space is evident on the northwest portion of the lot.
1950	The Progressive Warehouse structure is no longer evident. A one-story building appears at the Site, which occupied the entire lot and is labeled as "steel beams and posts" and as a "motor freight station".
1968-1992	The existing one-story building is labeled as "Private Garage."
1993-1996	The building at the property is labeled as a warehouse
2001-2005	The building at the property is divided in two sections. The east section appears as a three-story structure labeled as Offices; the west section appears as a one-story structure and is labeled as a Warehouse.

The target property was identified as various manufacturing and storage facilities since 1894. It also served as a private garage and a motor freight station. The potential for past discharge of pollutants exists based on the past uses of the target property.

Table 2: Surrounding Property Findings Summary – Sanborn Fire Insurance Maps				
Year	North	East	South	West
1894	A four-story and a five-story residential dwelling on the north side of Hubert Street	Two-story residential dwellings on the east side of Collister Street	A six-story manufacturing building labeled "Manufacturer of Tin Cans"	Five-story residential dwellings adjoin the Site
1905	There are no significant changes in land use.	A public school on the east side of Collister Street	A six-story building with the label "Storage Store"	Five-story buildings labeled "Storage Store"
1913	A five-story and an eight-story building on the north side of Hubert Street, usage not incited.	A five-story building on the east side of Collister Street, usage not incited.	A six-story building, usage not incited.	Three five-story buildings, usage not incited.
1928	A building labeled "Independent Warehouse" on the north side of Hubert Street	The lot appears vacant	The lot appears vacant	A building labeled "Progressive Warehouse"
1950	Offices and a building labeled "Independent Warehouse" on the north side of Hubert Street	New York Police Academy on the east side of Collister Street	A six-story building labeled "Loring Lane Warehouse"	Three five-story buildings labeled as "Embassy Grocery Corps"
1968	There are no significant changes in land use.	A vacant building on the east side of Collister Street	A six-story building with a warehouse	There are no significant changes in land use.
1976	There are no significant changes in land use.	A parking lot on the east side of Collister Street	There are no significant changes in land use.	There are no significant changes in land use.
1977-1988	There are no significant changes in land use.	There are no significant changes in land use.	There are no significant changes in land use.	There are no significant changes in land use.
1990-2001	There are no significant changes in land use.	There are no significant changes in land use.	A six-story building	There are no significant changes in land use.

2002-2004	There are no significant changes in land use.	The lot appears vacant	There are no significant changes in land use.	There are no significant changes in land use.
2005	Mixed-use buildings on the north side of Hubert Street	Twelve-story apartment building on the east side of Collister Street	A six-story building labeled "P-School"	There are no significant changes in land use.

No readily apparent evidence of potential recognized environmental conditions at the Site or adjoining properties was noted in the fire insurance maps.

7.2 Historical Aerial Photographs

Aerial photographs, which include the subject and adjoining properties, were reviewed for this report. Aerial Photographs were provided by EDR and are included in *Appendix 6*. Photographs from the years 1924, 1943, 1954, 1966, 1975, 1984, 1995, 1997, 2006, and 2008-2011 were available for review and are summarized as follows:

Year	Comments
1924	Site: The Site appears developed with a structure currently occupying the Site. Surrounding Properties: Hubert Street is visible and defines the north boundary of the Site. Collister Street is also visible and defines the east boundary of the Site. Residential type or mixed used structures currently occupying the areas are evident on the adjoining/adjacent properties.
1943-2011	Site: No significant changes from the 1924 aerial photograph were observed. Surrounding Properties: No significant changes from the 1924 aerial photograph were observed.

No readily apparent evidence of potential recognized environmental conditions at the Site or adjoining properties was noted in the aerial photographs.

7.3 Historical Topographic Maps

Airtek reviewed historic topographic maps for the Site and vicinity. Historic topographic maps were provided by EDR and are included in *Appendix 7*. Maps dated 1891, 1900, 1905, 1925, 1947, 1955, 1967, and 1981 were available for review and depicted the following:

Year	Comments
1891 USGS Quadrangle: Staten Island	The Site and surrounding properties appear in undeveloped city blocks.

Year	Comments
1900 and 1925 USGS Quadrangle: Staten Island 1900 and 1905 USGS Quadrangle: Passaic	No significant changes from the 1891 topographic map were observed.
1947 USGS Quadrangle: Jersey City	The Site and surrounding properties appear in shaded black blocks to indicate unspecified development.
1955, 1967, 1981 USGS Quadrangle: Jersey City	The Site and surrounding properties appear in red or checkered black blocks to indicate unspecified development.

No readily apparent evidence of environmental concerns at the Site or adjoining properties was noted on the topographic maps reviewed.

7.4 City Directories

A City Address Directory Abstract was obtained from EDR. The abstract summarizes information obtained from city telephone listings for the Site. The City Directory Abstract's complete listing is included in *Appendix 8*.

The City Directories provided by the EDR for review for the following years: 1920, 1923, 1927, 1931, 1934, 1938, 1942, 1947, 1950, 1956, 1958, 1963, 1968, 1973, 1978, 1983, 1988, 1993, 1996, 1998, 2000, 2006, 2008 and 2013.

11 Hubert Street was listed in city directories dating from 1920 through 2013. These city directories listed one individual name, indicating residential use, and multiple commercial or office facilities listed below: and.

Year Name:

- 2013 Architectonics
TCC Teleplex Main Number
Wink Retail Group Inc
- 2008 TCC Teleplex
Teleplex Coin Communications
- 2006 TCC Teleplex Lo
- 2000 Gold Wings Ltd
J & T Delivery SVC
- 1998 American Consolidated Courier
Gold Wings Ltd
Wings International
- 1993 Crimson Courier SVC Inc
- 1983 Efficient Consolidators Inc
Fazio Motor Transportation Corp

1983 Fazio Motor Transportation Corp
1978 Efficient Consolidators Inc
Fazio Motor Transportation Corp
1927 Italian Vineyard Co
1920 Cooks Transportation Line Martin Cook

Surrounding properties were listed in the city directories dating from 1920 through 2013 as both a list of various businesses and a number of individual names, indicating residential use on the adjoining properties that surround 11 Hubert Street. The businesses were mainly involved in manufacturing and import/export industries

No readily apparent evidence of environmental concerns at the Site or adjoining properties was noted in the city directories reviewed.

7.5 Additional Historical Record Sources

No additional historical records were reviewed as part of this assessment.

7.6 Prior Assessment Reports

No previous environmental reports regarding the Site were available for review as of the date of this assessment.

8.0 ENVIRONMENTAL DATABASE SEARCH

A Radius Search Report was acquired from Environmental Data Resources, Inc., (EDR). The detailed federal and state database information indicates potential and actual environmental threats within the study area or within the approximate minimum search distance specified in the ASTM Standard E1527-13. The search distance for specific government records varies from 0.0 miles (target property only) to 1.0 miles according to the requirements of ASTM Standard E1527-13.

The Site is not listed in the databases searched by EDR with the exception of the E Designation database.

Review of E Designation database revealed Block 214, Lot 12 at the Site as an E Designation site, designated as E-257, which is subject to Hazardous Materials* Phase I and Phase II Testing Protocol. According to records maintained by the New York City Department of Buildings (NYCDOB), the land comprising the Site was zoned for light manufacturing use.

* Underground gasoline storage tanks included in category of hazardous materials contamination as of 6/16/1994.

Note: E-Designation Sites are the lots designated with an “E” on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts. By placing “E” designations on sites where there is a known or suspect environmental concern, the potential for an adverse impact to human health and the environment resulting from the proposed action is avoided. The “E” designation provides NYCDEP with a mechanism for addressing environmental conditions so that significant adverse impacts do not occur as a result of site development. The Site’s “E” Designation pertaining to hazardous materials ensures that sampling and remediation take place where hazardous material contamination may exist. Before any new construction or change in use can take place on the property, the environmental requirements of the “E” Designation need to be satisfied. It requires that testing and sampling protocol and remediation (where appropriate) be conducted to the satisfaction of the NYCDEP prior to the issuance of any permit by the NYCDOB. An “E” designation for potential hazardous material contamination may be satisfied and removed from a zoning map following receipt of a report from the NYC Office of Environmental Remediation (OER) stating that the environmental requirements for the lot have been met. These requirements may include subsurface investigations and/or remediation of contamination to the satisfaction of the OER.

The following table summarizes the EDR search results. A brief description of each database is included in the section following the table.

Name of Database	< 1/8 mile	Adjoining/ Adjacent?	> 1/8 mile	Total	Likely to impact Target Property?	Notes
National Priorities List (NPL)	0	0	1	1	No	Note 1
CERCLIS/NFRAP	0	0	2	2	No	Note 1
Corrective Action Report (CORRACTS)	0	0	0	0	n/a	
RCRIS – Treatment, Storage and Disposal sites (TSD)	0	0	0	0	n/a	

Name of Database	< 1/8 mile	Adjoining/ Adjacent?	> 1/8 mile	Total	Likely to impact Target Property?	Notes
RCRIS – Large quantity generators (LQG)	1	0	3	4	No	Note 1
RCRIS – Small quantity generators (SQG)	0	0	6	6	No	Note 1
RCRIS – Conditionally Exempt SQG (CESQG)	19	0	51	70	No	Note 1
Emergency Response Notification System (ERNS)	0	0	n/a	0	n/a	
State Hazardous Waste Sites (SHWS)	0	0	1	1	No	Note 1
Vapor Reopened	0	0	0	0	n/a	
State Solid Waste Facilities/Landfill Sites (SWF/LF)	0	0	2	2	No	Note 1
Leaking Storage Tank Incident Reports (LTANKS/ Historical LTANKS)	5	0	63	68	No	Notes 1, 2
Petroleum Bulk Storage (PBS) Above-ground Storage Tank (AST)	20	1*	36	56	No	Notes 3, 4
* 415 Greenwich Street, northwest adjacent property.						
Petroleum Bulk Storage (PBS) Underground Storage Tank (UST)	5	0	15	20	No	Notes 1, 4
TANKS	0	0	0	0	n/a	
Chemical Bulk Storage (CBS)	0	0	0	0	n/a	
Chemical Bulk Storage (CBS) Database – Above-ground Storage Tank (CBS AST)	0	0	0	0	n/a	
Chemical Bulk Storage (CBS) Database – Underground Storage Tank (CBS UST)	0	0	0	0	n/a	
Major Oil Storage Facilities Database (MOSF) and MOST AST	0	0	1	1	No	Note 1
INST Control	0	0	1	1	No	Note 1
ENG Controls	0	0	1	1	No	Note 1
Restrictive Declarations Listing (RES DECL)	0	0	0	0	n/a	
Voluntary Cleanup Program (VCP)	0	0	0	0	n/a	
State and Tribal Brownfield Sites	0	0	3	3	No	Note 1
Spills Information Database	33	0	n/a	33	No	Notes 1, 2
RCA Non Generators (RCRA-NonGen)	17	0	45	62	No	Notes 1, 4
Integrated Compliance Information System (ICIS)	0	0	n/a	0	n/a	
Facility Index System/Facility Registry System (FINDS)	0	0	n/a	0	n/a	

Name of Database	< 1/8 mile	Adjoining/ Adjacent?	> 1/8 mile	Total	Likely to impact Target Property?	Notes
Superfund (CERCLA) Consent Decrees (CONSENT)	0	0	1	1	No	Note 1
Records of Decision (ROD)	0	0	1	1	No	Note 1
Hazardous Substance Waste Disposal Site Inventory (HSWDS)	0	0	0	0	n/a	
MANIFEST	30	0	89	119	No	Notes 1, 4
DRYCLEANERS	1	0	1	2	No	Note 1
E-Designation Sites	17	1*	0	17	Yes	
* 10 Hubert Street, north adjacent property.						
Local Lists of Landfill/Solid Waste Disposal Sites (SWRCY)	1	0	0	1	No	Note 1
Manufactured Gas Plants	0	0	5	5	No	Note 1
US Historical Auto Stations	5	0	17	22	No	Note 1
US Historical Cleaners	3	0	3	6	No	Note 1
NY RGA LF	0	0	0	0	n/a	

NOTES

1. Due to the distance from the subject property, this facility does not pose a significant threat of impact to the environment of the Site.
2. Because this LTANK or spill is listed with a case “closed” status, or listed as Known release with minimal potential for fire or hazard. It does not pose a significant threat of impact to the environment of the Site.
3. Because there are no open environmental violations listed in association with this facility, it does not pose a significant threat of impact to the Site.
4. Due to the nature of the operations at this facility, it does not pose a significant threat of impact to the Site.

For more information regarding the above-mentioned sites, please refer to the EDR-Radius Map with GeoCheck® Report included as *Appendix 9* of this report.

Brief Descriptions of the Databases Searched By EDR:

National Priorities List for Federal Superfund Cleanup (NPL) - NPL is EPA's subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas.

Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) - The CERCLIS list is a compilation of known and suspected uncontrolled or abandoned hazardous waste sites which are, or were, under investigation by USEPA but have not been elevated to the status of a Superfund (NPL) site. Former CERCLIS sites that have been granted the status of No Further Remedial Action Planned (NFRAP) are also included in this database.

CORRACTS (Corrective Action Report) - CORRACTS identifies hazardous waste handlers with the Resource Conservation and Recovery Act (RCRA) corrective action activity.

Resource Conservation and Recovery Information System (RCRIS) includes selective information on sites that generate, transport, store, treat and/or dispose of hazardous waste as

defined by RCRA:

- Treatment, storage and disposal sites (TSD Facilities)
- Large quantity generators (LQG) – facilities that generate at least 1,000 kilograms per month (kg/mo) of non-acutely hazardous waste or 1 kg/mo of acutely hazardous waste.
- Small quantity generators (SQG) – facilities that generate between 100 and 1,000 kg/mo of non-acutely hazardous waste.
- Conditionally exempt small quantity generators (CESQG) – facilities that generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste, per month.

Emergency Response Notification System (ERNS) - ERNS records and stores information on reported releases of oil and hazardous substances.

State Hazardous Waste Sites (SHWS) - SHWS records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties.

Vapor Reopened – “Vapor intrusion” refers to the process by which volatile chemicals move from a subsurface source, such as contaminated groundwater or soil, into the indoor air of overlying or adjacent buildings. Because improvements in analytical techniques, as well as additional knowledge gained from site investigations, have led to an increased awareness of soil vapor as a potential exposure pathway, New York is evaluating all past, current and future contaminated sites for potential impact.

State Solid Waste Facilities/Landfill Sites (SWF/LF) - The SWF/LF records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Leaking Storage Tank Incident Reports (LTANKS) (including NY Historical LTANKS) - LTANKS records contain an inventory of reported leaking storage tank incidents reported from April 1, 1986 through the most recent update. These tanks can be either underground storage tanks or aboveground storage tanks.

Petroleum Bulk Storage (PBS) Database - The PBS database contains registered facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons, including above ground storage tanks (ASTs) and underground storage tanks (USTs).

TANKS - This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Chemical Bulk Storage (CBS) Database - This database contains facilities that store regulated hazardous substances in above ground storage tanks (ASTs) with capacities of 185 gallons or greater and in underground tanks of any size (USTs).

Major Oil Storage Facilities Database (MOSF) - This database contains facilities that may be on shore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

INST Control - INST Control sites are sites where institutional controls are present in relation to known contamination on-site.

ENG Controls - ENG Controls list sites with engineering controls in place.

RES DECL: Restrictive Declarations Listing - A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Voluntary Cleanup Program (VCP) - New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

State and Tribal Brownfield Sites - A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Spills Information Database - The NYSDEC Spills and Historical Spills databases contains data collected on spills, which are reported to the NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6NYCRR Section 613.8 (from PBS sources), or 6NYCRR Section 595.2 (from CBS sources). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

RCRA-NonGen: RCRA - Non Generators - RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

ICIS: Integrated Compliance Information System - The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

FINDS: Facility Index System/Facility Registry System - FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric

Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

CONSENT: Superfund (CERCLA) Consent Decrees - This database includes major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. This database is released periodically by United States District Courts after settlement by parties to litigation matters.

ROD: Records of Decision - ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Hazardous Substance Waste Disposal Site Inventory (HSWDS) - The List includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared.

Manifest - Manifest is a document that lists and tracks hazardous waste from the generator through transporters to the Treatment Storage and Disposal (TSD) facility.

Drycleaners - This is a listing of all registered drycleaning facilities.

E-Designation Sites - E-Designation Sites are the lots designated with an “E” on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

Local Lists of Landfill / Solid Waste Disposal Sites (SWRCY) - SWRCY sites are Registered Recycling Facility List from the Department of Environmental Conservation.

EDR High Risk Historical Records (HRHR) –

- Manufactured Gas Plants (EDR MGP) - sites that should be investigated, tested and, if necessary, remediated for contamination by coal tar, ash and cinders, and oils that may still be present beneath these sites as a result of the manufacturing process.
- Historical Auto Stations – listing of potential gas stations, filling stations, service stations, automobile repair, etc.
- Historical Cleaners – listing of potential dry cleaner sites not otherwise listed.

Recovered Government Archive Solid Waste Facilities List (NY RGA LF) - The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists.

9.0 REFERENCES

Sources

Name of client: Mr. Adam Zoia, potential buyer
Contact info: 212-333-6404
zoia@glocap.com
Name of attorney: Jeffrey D. Zukerman
Contact info: 212-223-6700
jzukerman@zukermangore.com

Physical Setting

- *EDR Radius™ Map Report with GeoCheck®*, Environmental Data Resources, Inc., March 28, 2014
- *EDR Historical Topographic Maps*, Environmental Data Resources, Inc., March 28, 2014
- *Federal Emergency Management Agency (FEMA), Flood Insurance Rate Map (FIRM) Map No. #3604970182F*, revised September 5, 2007, prepared by FEMA

State and County Agencies

- *EDR Radius™ Map Report with GeoCheck®*, Environmental Data Resources, Inc., March 28, 2014
- *Property Profile Overview Records*, New York City Department of Buildings, March 28, 2014
- *NYC Oasis* (<http://www.oasisnyc.net/map.aspx>), March 28, 2014
- *Measured Basement Screening Radon Levels by Town*, New York State Department of Health, October 2011

Fire Insurance Maps

- *The EDR Certified Sanborn® Map Report*, Environmental Data Resources, Inc., March 31, 2014

Aerial Photographs

- *The EDR Aerial Photo Decade Package*, Environmental Data Resources, Inc., April 1, 2014

Topographic Maps

- *The EDR Historical Topographic Map Report*, Environmental Data Resources, Inc., March 28, 2014

City Directories

- *The EDR City Directory Abstract*, Environmental Data Resources, Inc., March 28, 2014

QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in § 312.10 of 40 CFR Part 312.

I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the Site. I have developed and performed the all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312.



Kevin Cordes, Environmental Scientist

April 4, 2014

Date

APPENDICES

Appendix 1:
Site Photographs



11 Hubert St looking south



11 Hubert St from Collister St, looking west



Property basement



Hallway and bathrooms in property basement



Water heater with no insulation on pipes




Basement server room



Pipes with no insulation in basement



Flourescent lights in basement



Stairwell leading from 1st floor to basement



1st floor south office space



storage area on the 1st floor



Garage on the north side of the 1st floor



Pipes and ceiling space on the 1st floor



2nd floor apartment on the north side



2nd floor terrace



South side of the 2nd floor terrace



Roof



Skylight on the southwest side of the property



HVAC vents on roof



Northern adjacent property



Eastern adjacent property




Southern adjacent property



Western adjacent property

Appendix 2:
Site Location Map



SITE LOCATION MAP
11 HUBERT STREET
11 Hubert Street
New York NY 10013

PREPARED FOR: Mr. Adam Zoia
PROJ. MGR: Kevin Cordes
DRAWN BY: Kevin Cordes

DATE: 4/3/2014
PROJ. #: 14-0440



Appendix 3:
Asbestos Sampling Results

ADAM ZOIA
11 HUBERT ST.
BASEMENT, 1ST FL., 2ND FL.

SAMPLE DATE: 4/1/2014
DATE RECEIVED: 4/2/2014
REPORT DATE:


4/4/14 KP

POLARIZED LIGHT MICROSCOPY (PLM)

PROJECT: 14-0440

Sample/ Lab ID	LOCATION	APPEARANCE	SAMPLE TREATMENT	ASBESTOS TYPE %	VERMICULITE %	FIBROUS TYPE %	NON-FIBROUS TYPE %
1 231287	CINDERBLOCK MORTAR, BASEMENT-NEAR SERVER ROOM	GREEN, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
2 231288	CINDERBLOCK MORTAR, BASEMENT-HALLWAY	GREEN, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
3 231289	CINDERBLOCK MORTAR, BASEMENT-HALLWAY	GREEN, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
4 231290	SHEETROCK, BASEMENT-SERVER ROOM	BROWN/GREY, FIBROUS, HETEROGENEOUS	CRUSHED	NONE	NONE	CELLULOSE 20%	GYPSUM 80%
5 231291	SHEETROCK, 1ST FLOOR HALLWAY	BROWN/GREY, FIBROUS, HETEROGENEOUS	CRUSHED	NONE	NONE	CELLULOSE 15%	GYPSUM 85%
6 231292	SHEETROCK, 1ST FLOOR HALLWAY	BROWN/GREY, FIBROUS, HETEROGENEOUS	CRUSHED	NONE	NONE	CELLULOSE 20%	GYPSUM 80%
7 231293	SHEETROCK, 1ST FLOOR OFFICES	BROWN/GREY, FIBROUS, HETEROGENEOUS	CRUSHED	NONE	NONE	CELLULOSE 20%	GYPSUM 80%
8 231294	SHEETROCK, 1ST FLOOR OFFICES	BROWN/GREY, FIBROUS, HETEROGENEOUS	CRUSHED	NONE	NONE	CELLULOSE 25%	GYPSUM 75%
9 231295	WALL TILE GROUT, BASEMENT-BATHROOMS	GREY, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%

*VERMICULITE NOTE & DISCLAIMER: Samples that contain more than 10% vermiculite are re-analyzed by ELAP method 198.6. This method does not remove vermiculite and may underestimate the level of asbestos containing greater than 10% vermiculite.

Approved Signatory:  Analyst: M.ISAAC Date Analyzed: 4/3/14

Microscope: Nikon Labophot-POL Method: PLM With EPA 600/M4/82/020, ELAP 198.1 AND ELAP 198.6

Methods of stratified point counting or negative scanning are used on 4 mounts.

Polarized light microscopy is not consistently reliable in detecting asbestos in floor covering/non friable organically bound materials (NOB's).

NOB's should be analyzed by quantitative TEM. The above test report relates only to item tested.

Layered samples are analyzed by layer. Any positive layer will be reported separately.

Asbestos % is based on visual estimate using point counting rules described in ELAP 198.1.

The sample results are accurate to within +/- 5-10 percent as measured by the calibrated visual method.

Airtek collects samples in accordance with EPA 40 CFR Part 763.

This report should not be used to claim product certification, approval or endorsement by NVLAP,

NIST or any agency of the federal government and may not be reproduced, except in full, without written approval by Airtek.

Currently approved by ELAP (11040) for Asbestos in Friable Material EPA 600/M4/82/020. Accreditation Valid Through: April 1, 2014.

Currently accredited by the NVLAP lab code 102011-0 for Bulk Asbestos Analysis (PLM). Accreditation Valid Through: March 31, 2014.

Currently accredited by AIHA (100275) for Industrial Hygiene Laboratory Accreditation Program. Accreditation Valid Through: June 1, 2015.

This report relates only to the samples reported above and must not be reproduced except in full with the approval of the laboratory.

SAMPLE DATE: 4/1/2014
DATE RECEIVED: 4/2/2014
REPORT DATE: 4/4/14 KP

ADAM ZOIA
11 HUBERT ST.
BASEMENT, 1ST FL., 2ND FL.

POLARIZED LIGHT MICROSCOPY (PLM)
PROJECT: 14-0440

Sample/ Lab ID	LOCATION	APPEARANCE	SAMPLE TREATMENT	ASBESTOS TYPE %	VERMICULITE %	FIBROUS TYPE %	NON-FIBROUS TYPE %
10 231296	WALL TILE GROUT, BASEMENT BATHROOMS	GREY, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
11 231297	WALL TILE GROUT, BASEMENT BATHROOMS	WHITE, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
12 231298	WALL PLASTER-WHITE COAT, 1ST FLOOR HALLWAY	WHITE, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
13 231299	WALL PLASTER-WHITE COAT, 1ST FLOOR HALLWAY	WHITE, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
14 231300	WALL PLASTER-WHITE COAT, 1ST FLOOR HALLWAY	WHITE, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
15 231301	WALL PLASTER-WHITE COAT, 1ST FLOOR OFFICES	WHITE, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%
16 231302	WALL PLASTER-WHITE COAT, 1ST FLOOR OFFICES	WHITE, NON-FIBROUS, HOMOGENEOUS	CRUSHED	NONE	NONE		CARBONATES 100%

*VERMICULITE NOTE & DISCLAIMER: Samples that contain more than 10% vermiculite are re-analyzed by ELAP method 198.6. This method does not remove vermiculite and may underestimate the level of asbestos containing greater than 10% vermiculite.

Approved Signatory:  Analyst: M.ISAAC Date Analyzed: 4/3/14
Microscope: Nikon Labophot PDE Method: PLM With EPA 600/M4/82/020, ELAP 198.1 AND ELAP 198.6
Methods of stratified point counting or image scanning are used on 4 mounts.
Polarized light microscopy is not consistently reliable in detecting asbestos in floor covering/non-friable organically bound materials (NOB's). NOB's should be analyzed by quantitative TEM. The above test report relates only to item tested.
Layered samples are analyzed by layer. Any positive layer will be reported separately.
Asbestos % is based on visual estimate using point counting rules described in ELAP 198.1.
The sample results are accurate to within +/- 5-10 percent as measured by the calibrated visual method.
Airtek collects samples in accordance with EPA 40 CFR Part 763.
This report should not be used to claim product certification, approval or endorsement by NVLAP, NIST or any agency of the federal government and may not be reproduced, except in full, without written approval by Airtek.
Currently approved by ELAP (11040) for Asbestos in Friable Material EPA 600/M4/82/020. Accreditation Valid Through: April 1, 2014.
Currently accredited by the NVLAP lab code 102011-0 for Bulk Asbestos Analysis (PLM). Accreditation Valid Through: March 31, 2014.
Currently accredited by AIHA (100275) for Industrial Hygiene Laboratory Accreditation Program. Accreditation Valid Through: June 1, 2015.
This report relates only to the samples reported above and must not be reproduced except in full with the approval of the laboratory.



ASBESTOS FIELD SURVEY DATA SHEET / BULK SAMPLE LOG

TURN AROUND TIME: RUSH 6 HRS 24 HRS OTHER

PROJECT NO.: 14-0440 LOCATION(S) SURVEYED: Basement, 1st Fl, 2nd Fl

CLIENT: Adam Zoric SCOPE OF WORK: _____

PROJECT SITE: 11 Herbert St INSPECTOR: K. Cordes DATE(S) OF INSPECTION: 4/11/14

HA	Sample #	Lab #	Material Description	Sample Location	QUANTITY (LBS)	ASSESSMENT		Asbestos %	Vermiculite* %
						COND	FRIAB		
A	1	231287	Cinder Block mortar	Basement - near server room	FBID	1,2,3,4 5,6,7 GMD P	Y N	NAD	NAD
A	2	231288		Basement - hallway		1,2,3,4 5,6,7 GMD P	Y N		
A	3	89				1,2,3,4 5,6,7 GMD P	Y N		
B	4	90	Sheetrock	Basement - server room		1,2,3,4 5,6,7 GMD P	Y N		
B	5	91		1st Door hallway		1,2,3,4 5,6,7 GMD P	Y N		
B	6	92				1,2,3,4 5,6,7 GMD P	Y N		
B	7	93		1st Fl. offices		1,2,3,4 5,6,7 GMD P	Y N		
B	8	94				1,2,3,4 5,6,7 GMD P	Y N		
C	9	95		World thru govt	Basement - Sheetrock	FBID	Y N		

PHYSICAL CONDITION ASSESSMENT: FRAGILE Yes (Y) No (N)

RECEIVED BY: Michael P. Jones DATE: 4/12/14 TIME: 9:15 AM

ANALYZED BY: Michael P. Jones DATE: 4/13/14 TIME: _____

CHECKED BY: _____ DATE: _____ TIME: _____

ANALYZE: ALL STOP AT FIRST POSITIVE PLM TEM

* Materials containing 10% or more vermiculite are reported as Asbestos Containing Material (ACM)

NYSDOL INSPECTOR: _____ CERTIFICATE NO.: _____

TELEPHONE NO.: (718)937-3720
ADDRESS: AHERS Environmental Corp.
39-37 29th Street, L.I.C., NY 11101

1. Damaged or structurally damaged friable TSI
2. Damaged friable surfacing ACM
3. Significantly damaged friable surfacing ACM
4. Damaged or significantly damaged friable TSI
5. ACM with potential for damage
6. ACM with potential for significant damage
7. Resolving friable or Segregated ACM
8. Good (G) - Minor Damage/Poor



ASBESTOS FIELD SURVEY DATA SHEET / BULK SAMPLE LOG PAGE 2 OF 2

TURN AROUND TIME: 1 HR 6 HRS 24 HRS OTHER

PROJECT NO.: 14-0440 LOCATION(S) SURVEYED: Basement, 1st Fl, 2nd Fl
 CLIENT: Adam Zora
 PROJECT SITE: 11 Hubbert St.
 SCOPE OF WORK: _____

INVESTIGATOR: _____ INSPECTOR: V. Cordis DATE(S) OF INSPECTION: 4/11/14

HA	Sample #	Lab #	Material Description	Sample Location	QUANTITY (L/FS)	ASSESSMENT		Asbestos %	Vermiculite* %
						COND	FRIAB		
C	10	231296	Weld Mfg. great	Basement Subrooms	7330	1,2,3,4 5,6,7 GMD P	N	N/A	N/A
C	11	99	↓	↓	↓	1,2,3,4 5,6,7 GMD P	N	↓	↓
D	12	98	Weld Plaster - cabinet	1st Fl. hallway	7330	1,2,3,4 5,6,7 GMD P	N	↓	↓
D	13	99	↓	↓	↓	1,2,3,4 5,6,7 GMD P	N	↓	↓
D	14	231300	↓	↓	↓	1,2,3,4 5,6,7 GMD P	N	↓	↓
D	15	01	↓	1st Fl. offices	↓	1,2,3,4 5,6,7 GMD P	N	↓	↓
D	16	02	↓	↓	↓	1,2,3,4 5,6,7 GMD P	N	↓	↓

PHYSICAL CONDITION ASSESSMENT: FRAGILE Yes (Y) No (N)
 RELINQUISHED BY: [Signature] DATE: 4/11/14 TIME: 4
 RECEIVED BY: Michael P. Basso DATE: 4/17/14 TIME: 11
 ANALYZED BY: [Signature] DATE: 4/23/14 TIME: 11
 CHECKED BY: _____ DATE: _____ TIME: _____

FIELD NOTES: _____
 ANALYZE: ALL STOP AT FIRST POSITIVE PLM TEM

* Materials containing 10% or more vermiculite are reported as Asbestos Containing Material (ACM)

TELEPHONE NO.: (718)937-3720
 ADDRESS: Amerix Environmental Corp.
 39-37 29th Street, L.I.C., NY 11101
 NYS/DOL INSPECTOR: _____ CERTIFICATE NO.: _____

STATE OF NEW YORK - DEPARTMENT OF LABOR
ASBESTOS CERTIFICATE



KEVIN F. CORDES
CLASS (EXPIRES)
D-INSP (08/14)



CERT# 13-14057

MUST BE CARRIED ON ASBESTOS PROJECTS



EYES GRN
HAIR BRO
HGT 6' 01"

IF FOUND RETURN TO:
NYS DOL - L&C UNIT
ROOM 161A BUILDING 12
STATE OFFICE CAMPUS
ALBANY NY 12240



March 28, 2014

Mr. Saad Zouak
Airtek Environmental Corp.
39-37 29th Street
Long Island City, NY 11101

NVLAP Lab Code: 102011-0

Dear Mr. Zouak:

I am pleased to inform you that continuing accreditation for specific test methods in Bulk Asbestos Fiber Analysis (PLM) is granted to your organization under the National Voluntary Laboratory Accreditation Program (NVLAP). This accreditation is effective until March 31, 2015, provided that your organization continues to comply with accreditation requirements contained in the NVLAP Procedures.

Your Certificate of Accreditation is enclosed along with a statement of your Scope of Accreditation. You may reproduce these documents in their entirety and announce your organization's accreditation status using the NVLAP symbol and/or term in business publications, the trade press, and other business-oriented literature. Accreditation does not relieve your organization from observing and complying with any applicable existing laws and/or regulations.

We are pleased to have you participate in NVLAP and look forward to your continued association with this program. If you have any questions concerning your NVLAP accreditation, please direct them to Hazel M. Richmond, Program Manager, Laboratory Accreditation Program, National Institute of Standards and Technology, 100 Bureau Dr. Stop 2140, Gaithersburg, MD 20899-2140; (301) 975-4016.

Sincerely,

Warren R. Merkel, Chief
Laboratory Accreditation Program

Enclosure(s)



**National Voluntary
Laboratory Accreditation Program**



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

Airtek Environmental Corp.

39-37 29th Street

Long Island City, NY 11101

Mr. Saad Zouak

Phone: 718-937-3720 Fax: 718-937-3721

E-Mail: mzouak@airtekenv.com

URL: <http://www.airtekenv.com>

BULK ASBESTOS FIBER ANALYSIS (PLM)

NVLAP LAB CODE 102011-0

<i>NVLAP Code</i>	<i>Designation / Description</i>
18/A01	EPA 600/M4-82-020: Interim Method for the Determination of Asbestos in Bulk Insulation Samples
18/A03	EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

2014-04-01 through 2015-03-31

Effective dates

For the National Institute of Standards and Technology



**National Voluntary
Laboratory Accreditation Program**



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2005

Airtek Environmental Corp.

39-37 29th Street

Long Island City, NY 11101

Mr. Saad Zouak

Phone: 718-937-3720 Fax: 718-937-3721

E-Mail: mzouak@airtekenv.com

URL: <http://www.airtekenv.com>

BULK ASBESTOS FIBER ANALYSIS (PLM)

NVLAP LAB CODE 102011-0

<i>NVLAP Code</i>	<i>Designation / Description</i>
18/A01	EPA 600/M4-82-020: Interim Method for the Determination of Asbestos in Bulk Insulation Samples
18/A03	EPA 600/R-93/116: Method for the Determination of Asbestos in Bulk Building Materials

2014-04-01 through 2015-03-31

Effective dates

For the National Institute of Standards and Technology

United States Department of Commerce
National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2005

NVLAP LAB CODE: 102011-0

Airtek Environmental Corp.
Long Island City, NY

*is accredited by the National Voluntary Laboratory Accreditation Program for specific services,
listed on the Scope of Accreditation, for:*

BULK ASBESTOS FIBER ANALYSIS

*This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality
management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).*

2014-04-01 through 2015-03-31

Effective dates



A handwritten signature in black ink, appearing to read 'William R. Mulford', is written over a horizontal line.

For the National Institute of Standards and Technology

New York State Department of Labor
Division of Safety and Health
License and Certificate Unit
State Campus Building 12
Albany, NY 12240

ASBESTOS HANDLING LICENSE

Airek Environmental Corporation
39-37 29th Street
Long Island City, NY 11101

FILE NUMBER: 99-0589
LICENSE NUMBER: 28638
LICENSE CLASS: RESTRICTED
DATE OF ISSUE: 06/12/2013
EXPIRATION DATE: 06/30/2014

Duly Authorized Representative: Saad Zoubi

This license has been issued in accordance with applicable provisions of Article 30 of the Labor Law of New York State and of the New York State Codes, Rules and Regulations (12 NYCRR Part 56). It is subject to suspension or revocation for a (1) serious violation of state, federal or local laws with regard to the conduct of an asbestos project, or (2) demonstrated lack of responsibility in the conduct of any job involving asbestos or asbestos material.

This license is valid only for the contractor named above and this license or a photocopy must be prominently displayed at the asbestos project worksite. This license verifies that all persons employed by the licensee on an asbestos project in New York State have been issued an Asbestos Certificate, appropriate for the type of work they perform, by the New York State Department of Labor.



Steven M. Franko, Acting Director
For the Commissioner of Labor

Appendix 4:

Government Agency and Building Records



Legend

- Transit, Roads, Reference Features**
 - Roads, ferries, commuter rail, neighborhood names
 - Roads**
 - Major Roads
 - Interstate Highways
 - Tunnels
 - Neighborhood/Town Labels
 - County Boundaries
 - Ferry
 - Commuter Rail
 - NYC subway routes and stations
- Parks, Playgrounds, & Open Space**
 - Parks & Public Lands
 - Forested Areas (NJ)
 - Community Gardens
 - School property with garden
 - Playgrounds
 - Green Spaces Along Streets
 - Golf Courses
 - Baseball/Soccer/Football Fields
 - Tennis/Basketball/Handball Courts & Tracks
 - Cemeteries
- Land Use**
 - Block/Lot Boundaries
 - (Building footprints in gray)

(Not all items in the legend may be visible on the map.)



This map was created using the Open Accessible Space Information System (OASIS) website, licensed under a [Creative Commons Attribution-NonCommercial-Share Alike 3.0 United States License](http://creativecommons.org/licenses/by-nc-sa/3.0/). Visit www.oasisnyc.net for the latest information about data sources and notes about how the maps were developed. Contact oasisnyc@gc.cuny.edu with questions or comments. OASIS is developed and maintained by the [Center for Urban Research](http://www.cunycr.org/), CUNY Graduate Center.

Location Report

Property Information (1)

11 HUBERT STREET, MANHATTAN 10013

Commercial / Office Building

Owner: DUBBELDAM, WINKA

Block: 214 **Lot:** 12

Property Characteristics:

Lot Area: 5,006 sq ft (50,33' x 99,25')

of Buildings: 1 **Year built:** 1920

of floors: 3 **Building Area:** 10,218 sq ft

Total Units: 4 **Residential Units:** 2

Primary zoning: M1-5 **Commercial Overlay:** None

Floor Area Ratio: 2.04 **Max. FAR:** 5

FAR may depend on street widths or other characteristics. Contact [City Planning Dept.](#) for latest information.

MORE INFO:

- **Zoning Map#:** [12a](#) ([how to read](#) NYC zoning maps)
- **Historical Zoning Maps:** [12a](#)
- [NYC Dept. of Buildings](#)
- [Property transaction records](#)
- [NYC Dept. of Finance Assessment Roll](#)
- [NYC Digital Tax Map](#)
- [NYC zoning guide](#)
- [NYC Watershed Resources](#)

OASIS shortcut to this property:

<http://www.oasisnyc.net/printmap.aspx?zoomto=lot:1002140012>

Source: The Bytes of the Big Apple (TM) PLUTO (TM) and Tax Block & Tax Lot files are copyrighted by the New York City Department of City Planning, 2010 (ver. 10v1).

[NYC Department of City Planning Census Factfinder](#)

Find all census tracts within mile(s)

YAHOO! Local search results for this address:

Know of something that's missing? [Add it to YAHOO!](#)

Mannahatta (1)

Stewards (1)

[Friends of Greenwich Street](#)

Feedback? [Email Us.](#)

[Stew ards w ith large turfs \(not mapped\)](#)

Community District (1)

Manhattan 1 Community District Information

Chairperson: Catherine McVay-Hughes

District Manager: Mr. Noah Pfefferblit

Address: 49-51 Chambers Street, Room 715 , New York, NY, 10007

Phone: 212-442-5050 **Email:** man01@cb.nyc.gov

Website: <http://www.nyc.gov/html/mancb1/html/home/home.shtml>

Meeting Information: Meetings are held at various locations in the CB area.

[Go to District Profile](#) by NYC Dept. of City Planning

Political Districts (4)

NYC Council: [District 1](#)

NYS Senate: [District 28](#)

US House of Representatives: [District 13,0000000](#)

US Senate: [New York](#)



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings
Property Profile Overview

11 HUBERT STREET		MANHATTAN 10013	BIN# 1002802
HUBERT STREET	11 - 13	Health Area : 7700	Tax Block : 214
COLLISTER STREET	NO NUMBER	Census Tract : 39	Tax Lot : 12
		Community Board : 101	Condo : NO
		Buildings on Lot : 1	Vacant : NO

[View DCP Addresses...](#) [Browse Block](#)

[View Zoning Documents](#) [View Challenge Results](#) [Pre - BIS PA](#) [View Certificates of Occupancy](#)

STOP WORK ORDER EXISTS ON THIS PROPERTY

Cross Street(s): COLLISTER STREET, GREENWICH STREET
DOB Special Place Name:
DOB Building Remarks:
Landmark Status: L - LANDMARK **Special Status:** N/A
Local Law: NO **Loft Law:** NO
SRO Restricted: NO **TA Restricted:** NO
UB Restricted: NO
Little 'E' Restricted: HAZMAT **Grandfathered Sign:** NO
Legal Adult Use: NO **City Owned:** NO
Additional BINs for Building: NONE

Special District: TMU - TRIBECA MIXED USE

This property is not located in an area that may be affected by Tidal Wetlands, Freshwater Wetlands, or Coastal Erosion Hazard Area. [Click here for more information](#)

Department of Finance Building Classification: O9-OFFICE BUILDINGS

Please Note: The Department of Finance's building classification information shows a building's tax status, which may not be the same as the legal use of the structure. To determine the legal use of a structure, research the records of the Department of Buildings.

	Total	Open	Elevator Records
Complaints	4	0	Electrical Applications
Violations-DOB	13	3	Permits In-Process / Issued
Violations-ECB (DOB)	10	4	Illuminated Signs Annual Permits
			Plumbing Inspections
			Open Plumbing Jobs / Work Types
Jobs/Filings	12		Facades
ARA / LAA Jobs	0		Marquee Annual Permits
Total Jobs	12		Boiler Records
Actions	6		DEP Boiler Information
			Crane Information

OR Enter Action Type:

OR Select from List:

AND

[After Hours Variance Permits](#)

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.



[CLICK HERE TO SIGN UP FOR BUILDINGS NEWS](#)

NYC Department of Buildings

Overview for Complaint #:1296067 = RESOLVED

Complaint at: 11 HUBERT STREET

BIN: [1002802](#)

Borough: MANHATTAN

ZIP: 10013

Re: REVIEW JOB #110184434 FOR CONFORMITY TO PLAN.(B.S.I.U.)

Category Code: 83 CONSTRUCTION -CONTRARY/BEYOND APPROVED PLANS/PERMITS

DOB District: N/A

Special District: TMU - TRIBECA MIXED USE

Assigned To: MANHATTAN BOROUGH OFFICE

Priority: B

Received: 01/18/2011 06:43

Block: 214

Lot: 12

Community Board: 101

Owner: HUBERT REALTY ASSOCIATES INC.

Last Inspection: 01/25/2011 -- BY BADGE # 2411

Disposition: 01/31/2011 - A3 - FULL STOP WORK ORDER SERVED

Comments: BUILDING ALTERED/CHANGES AT 1,2,3 FLOORS CONTRARY TO PLANS AND BUILT WITHOUT PROPER PERMIT - OCCUPIED CONTRARY TO C/O

DOB Violation #: 012511C01WW01,02,03,04,5

ECB Violation #: 34879518X

Complaint Disposition History

Disposition Date	Disposition Code	Disposition	Inspection By	Date
01/20/2011	C1	INSPECTOR UNABLE TO GAIN ACCESS - 1ST ATTEMPT - NO ACCESS TO PART OF BUILDING IN QUESTION LS4 POSTED	2335	01/18/2011
01/31/2011	A3	FULL STOP WORK ORDER SERVED BUILDING ALTERED/CHANGES AT 1,2,3 FLOORS CONTRARY TO PLANS AND BUILT WITHOUT PROPER PERMIT - OCCUPIED CONTRARY TO C/O	2411	01/25/2011

If you have any questions please review these [Frequently Asked Questions](#), the [Glossary](#), or call the 311 Citizen Service Center by dialing 311 or (212) NEW YORK outside of New York City.

Appendix 5:

Historical Fire Insurance Maps



11 Hubert St

11 Hubert Street

New York, NY 10013

Inquiry Number: 3893682.3

March 31, 2014

Certified Sanborn® Map Report



6 Armstrong Road, 4th Floor
Shelton, Connecticut 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

3/31/14

Site Name:

11 Hubert St
11 Hubert Street
New York, NY 10013

Client Name:

Airtek Env. Corp.
3937 29th Street
Long Island City, NY 11101



EDR Inquiry # 3893682.3

Contact: Kevin Cordes

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Airtek Env. Corp. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Site Name: 11 Hubert St
Address: 11 Hubert Street
City, State, Zip: New York, NY 10013
Cross Street:
P.O. # NA
Project: 14-0440
Certification # 8F01-4B3D-9B62



Sanborn® Library search results
Certification # 8F01-4B3D-9B62

Maps Provided:

2005	1995	1987	1977	1905
2004	1994	1985	1976	1894
2003	1993	1983	1968	
2002	1992	1980	1950	
2001	1990	1979	1928	
1996	1988	1978	1913	

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- Library of Congress
- University Publications of America
- EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

Airtek Env. Corp. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.


EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




2005 Source Sheets



Volume 1N, Sheet 39




Volume 1N, Sheet 40



Volume 1N, Sheet 41



Volume 1N, Sheet 42




Volume 1S, Sheet 35


2004 Source Sheets



Volume 1S, Sheet 35




Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41



Volume 1N, Sheet 42


2003 Source Sheets




Volume 1N, Sheet 40




Volume 1N, Sheet 41



Volume 1N, Sheet 39



Volume 1N, Sheet 42



Volume 1S, Sheet 35



Volume 1S, Sheet xxxx


2002 Source Sheets



Volume 1S, Sheet 35




Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42



Volume 1N, Sheet 39


2001 Source Sheets




Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41



Volume 1N, Sheet 42

1996 Source Sheets



Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41

1995 Source Sheets



Volume 1S, Sheet 35



Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42


1994 Source Sheets



Volume 1S, Sheet 35



Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41



Volume 1N, Sheet 42

1993 Source Sheets



Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42



Volume 1S, Sheet 35

1992 Source Sheets



Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41




Volume 1S, Sheet 35

1990 Source Sheets




Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41



Volume 1N, Sheet 42

1988 Source Sheets



Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42




Volume 1S, Sheet 35


1987 Source Sheets




Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41




Volume 1N, Sheet 42

1985 Source Sheets




Volume 1N, Sheet 39




Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42



Volume 1S, Sheet 35

1983 Source Sheets




Volume 1S, Sheet 35



Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41



Volume 1N, Sheet 42

1980 Source Sheets



Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41



Volume 1N, Sheet 42



Volume 3, Sheet xxxx



Volume 2, Sheet xxxx



Volume 1S, Sheet xxxx




Volume 1S, Sheet 35

1979 Source Sheets



Volume 1S, Sheet 35



Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41



Volume 1N, Sheet 42

1978 Source Sheets




Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42




Volume 1S, Sheet 35

1977 Source Sheets



Volume 1S, Sheet 35




Volume 1S, Sheet 37




Volume 1N, Sheet 41



Volume 1N, Sheet 42




Volume 1N, Sheet 39



Volume 1N, Sheet 40

1976 Source Sheets




Volume 1N, Sheet 39



Volume 1N, Sheet 40




Volume 1N, Sheet 41



Volume 1N, Sheet 42

1968 Source Sheets




Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41




Volume 1N, Sheet 42

1950 Source Sheets



Volume 1S, Sheet xxxx




Volume 1S, Sheet 35



Volume 3, Sheet xxxx




Volume 2, Sheet xxxx




Volume 1N, Sheet 39



Volume 1N, Sheet 40



Volume 1N, Sheet 41



Volume 1N, Sheet 42

1928 Source Sheets




Volume Pier Maps, Sheet 2

1913 Source Sheets




Volume Atlas Maps, Sheet 03

1905 Source Sheets



Volume 1N, Sheet 44



Volume 1N, Sheet 39




Volume 1N, Sheet 40



Volume 1N, Sheet 41



Volume 1N, Sheet 42



Volume 1N, Sheet 43

1894 Source Sheets



Volume 1N, Sheet 17



Volume 1N, Sheet 18



Volume 1N, Sheet 18

2005 Certified Sanborn Map



The certified Sanborn Map search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #
 8F01-4B3D-9B62



Client: Airtex Env. Corp.

EDR Inquiry: 3893682.3
Order Date: 3/31/2014 10:11:59 AM
Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
Address: 11 Hubert Street
City, ST, ZIP: New York NY 10013



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 1S, Sheet 35



2003 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

THEAKERSON-LEHMAN-HUTTON/LINC
AMERICAN EXPRESS
INFORMATION SERVICES CENTER
OPTICAL BLDG &
PARKING W/ 1ST
F.P. - 1985-1986
(CONG. & 92.55)

1216

UNDERGROUND STRUCTURE
(CONC)

1981

Site Name: 11 Hubert St
Address: 11 Hubert Street
City, ST, ZIP: New York NY 10013
Client: Airtex Env. Corp.
EDR Inquiry: 3893682.3
Order Date: 3/31/2014 10:11:59 AM
Certification #: 8F01-4B3D-9B62
Copyright: 2003




This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.




40	42
39	41
xxx	35

- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 39
- Volume 1N, Sheet 42
- Volume 1S, Sheet 35



2002 Certified Sanborn Map



The certified Sanborn Map search results in this report can be authenticated by visiting www.ednr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



INFORMATION SERVICES CENTER
OFFICE BLDG.
PARKING IN BKT
F.P. 1985, 1986
(CONC & GLASS)

8F01-4B3D-9B62

Site Name: 11 Hubert St
Address: 11 Hubert Street
City, ST, ZIP: New York NY 10013
Client: Airtex Env. Corp.
EDR Inquiry: 3893682.3
Order Date: 3/31/2014 10:11:59 AM
Certification #: 8F01-4B3D-9B62
Copyright: 2002



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1S, Sheet 35
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 1N, Sheet 39



2001 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edmrt.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

SHIMAN-HUTT EXPRESS
 COMMUNICATION SERVICES CENTER
 OFFICE BLDG.
 PARKING IN B5T
 F.P.D. 1985-1986
 (CONC. & GLASS)
 Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification # 8F01-4B3D-9B62
 Copyright: 2001




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1996 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

EDR
 EXPRESS
 Certification #
 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtek Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1996




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume 1N, Sheet 39
 Volume 1N, Sheet 40
 Volume 1N, Sheet 41



1995 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

WALTMAN-NUTTKAMP EXPRESS SERVICES CENTER
Certification # 8F01-4B3D-9B62
 OFFICE BLDG
 PARKING IN BKT
 F.P. - 1985-1986
 (CONC & GLASS)
 216
 UNDERGROUND STRUCTURE (CONC.)
 300
 181
 402

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1995




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1S, Sheet 35
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1994 Certified Sanborn Map





The certified Sanborn Map Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Map Library LLC, the copyright holder for the collection.

EDR
Sanborn
Map Library LLC
11 Hubert St
New York, NY 10013
8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtek Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62




This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



- Volume 1S, Sheet 35
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1993 Certified Sanborn Map





The certified Sanborn Map Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

7114-MAN-114
Certification # 8F01-4B3D-9B62
 OFFICE BLDG
 PARKING IN B31
 F.P. - 1985-1986
 (CONC & GLASS)
 (FROM PLANS)
 216
 UNDERGROUND STRUCTURE (EDP.C.)
 104
 186
 400

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtex Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1993




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 1S, Sheet 35



1990 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1988 Certified Sanborn Map

The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

MAN-HUTT
EXPRESS
UN SERVICES CENTER
OFFICE BLDG
PARKING
 F.P. 1985 (986)
 (CONC & GLASS)
 (P.C.O.M.) (11/11/15)
216
 UNDERGROUND STRUCTURE
 (CONC.)
981
PLAZA
186
217
215
214
213
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283

1987 Certified Sanborn Map



The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

UNIKOMATION SERVICES CENTER
OFFICE BLDG.
PARKING IN BKT
F.P.D. - 1985-1986
(CONC. & GLASS)
(FROM PLIBS)
216

UNDERGROUND STRUCTURE
(C.G. 4.1.)
300

186

PLAZA

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298



299

300

Site Name: 11 Hubert St
Address: 11 Hubert Street
City, ST, ZIP: New York NY 10013
Client: Airtex Env. Corp.
EDR Inquiry: 3893682.3
Order Date: 3/31/2014 10:11:59 AM
Certification #: 8F01-4B3D-9B62



This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1983 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1983




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1S, Sheet 35
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1980 Certified Sanborn Map




The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtex Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1980



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



40	42
39	41
xxx	35

- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 3, Sheet xxx
- Volume 2, Sheet xxx
- Volume 1S, Sheet xxx
- Volume 1S, Sheet 35



1979 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtex Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1979



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1S, Sheet 35
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1978 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1978




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 1S, Sheet 35



1977 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtex Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1977



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




- Volume 1S, Sheet 35
- Volume 1S, Sheet 37
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40



1976 Certified Sanborn Map

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Certification # 8F01-4B3D-9B62



Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtex Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1976




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1968 Certified Sanborn Map





The certified Sanborn Map search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1968




This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42



1950 Certified Sanborn Map





The certified Sanborn Library search results in this report can be authenticated by visiting www.edr.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtex Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1950



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.




40	42
39	41
xxxx	35

- Volume 1S, Sheet xxxx
- Volume 1S, Sheet 35
- Volume 3, Sheet xxxx
- Volume 2, Sheet xxxx
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42




1928 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume Pier Maps, Sheet 2



1913 Certified Sanborn Map





The certified Sanborn Map Library search results in this report can be authenticated by visiting www.edrf.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Map Library LLC, the copyright holder for the collection.

Certification # 8F01-4B3D-9B62

Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification #: 8F01-4B3D-9B62
 Copyright: 1913



This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.



Volume Atlas Maps, Sheet 03



1905 Certified Sanborn Map



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.



Certification # 8F01-4B3D-9B62



Site Name: 11 Hubert St
 Address: 11 Hubert Street
 City, ST, ZIP: New York NY 10013
 Client: Airtel Env. Corp.
 EDR Inquiry: 3893682.3
 Order Date: 3/31/2014 10:11:59 AM
 Certification # 8F01-4B3D-9B62

Copyright: 1905


This Certified Sanborn Map combines the following sheets. Outlined areas indicate map sheets within the collection.





- Volume 1N, Sheet 44
- Volume 1N, Sheet 39
- Volume 1N, Sheet 40
- Volume 1N, Sheet 41
- Volume 1N, Sheet 42
- Volume 1N, Sheet 43



1894 Certified Sanborn Map



This Certified Sanborn Map combines the following sheets.
 Outlined areas indicate map sheets within the collection.



Volume 1N, Sheet 17
 Volume 1N, Sheet 18
 Volume 1N, Sheet 18



Appendix 6:

Historical Aerial Photographs



11 Hubert St

11 Hubert Street

New York, NY 10013

Inquiry Number: 3893682.9

April 01, 2014

The EDR Aerial Photo Decade Package



6 Armstrong Road, 4th Floor
Shelton, Connecticut 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Date EDR Searched Historical Sources:

Aerial Photography April 01, 2014

Target Property:

11 Hubert Street

New York, NY 10013

<u>Year</u>	<u>Scale</u>	<u>Details</u>	<u>Source</u>
1924	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: July 01, 1924	EDR
1943	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: January 01, 1943	EDR
1954	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: February 27, 1954	EDR
1966	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: January 01, 1966	EDR
1975	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: January 01, 1975	EDR
1984	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: January 01, 1984	EDR
1995	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Date: January 01, 1995	EDR
1997	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;DOQQ - acquisition dates: April 10, 1997	EDR
2006	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Year: 2006	EDR
2008	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Year: 2008	EDR
2009	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Year: 2009	EDR
2010	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Year: 2010	EDR
2011	Aerial Photograph. Scale: 1"=500'	Panel #: 40074-F1, Jersey City, NJ;Flight Year: 2011	EDR



INQUIRY #: 3893682.9

YEAR: 1924

| = 500'





INQUIRY #: 3893682.9

YEAR: 1943

| = 500'





INQUIRY #: 3893682.9

YEAR: 1954

 = 500'






INQUIRY #: 3893682.9

YEAR: 1966

| = 500'





1-75

INQUIRY #: 3893682.9

YEAR: 1975

| = 500'





INQUIRY #: 3893682.9

YEAR: 1984

| = 500'





INQUIRY #: 3893682.9

YEAR: 1995

| = 500'





INQUIRY #: 3893682.9

YEAR: 1997

| = 500'





INQUIRY #: 3893682.9

YEAR: 2006

| = 500'





INQUIRY #: 3893682.9

YEAR: 2008

| = 500'





INQUIRY #: 3893682.9

YEAR: 2009

| = 500'





INQUIRY #: 3893682.9

YEAR: 2010

Scale: 500'



EDR



INQUIRY #: 3893682.9

YEAR: 2011

| = 500'



Appendix 7:

Historical Topographic Map



11 Hubert St

11 Hubert Street

New York, NY 10013

Inquiry Number: 3893682.4

March 28, 2014

EDR Historical Topographic Map Report



6 Armstrong Road, 4th Floor
Shelton, Connecticut 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Historical Topographic Map Report

Environmental Data Resources, Inc.s (EDR) Historical Topographic Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDRs Historical Topographic Map Report includes a search of a collection of public and private color historical topographic maps, dating back to the early 1900s.

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report AS IS. Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Historical Topographic Map



<p>N</p> 	TARGET QUAD	SITE NAME: 11 Hubert St	CLIENT: Airtek Env. Corp.	
	NAME: STATEN ISLAND	ADDRESS: 11 Hubert Street	CONTACT: Kevin Cordes	
	MAP YEAR: 1891	LAT/LONG: 40.7214 / -74.0092	INQUIRY#: 3893682.4	RESEARCH DATE: 03/28/2014
	SERIES: 15			
	SCALE: 1:62500			

Historical Topographic Map




<p>N</p>	<p>TARGET QUAD</p> <p>NAME: PASSAIC</p> <p>MAP YEAR: 1900</p>	<p>SITE NAME: 11 Hubert St</p> <p>ADDRESS: 11 Hubert Street</p> <p>New York, NY 10013</p> <p>LAT/LONG: 40.7214 / -74.0092</p>	<p>CLIENT: Airtex Env. Corp.</p> <p>CONTACT: Kevin Cordes</p> <p>INQUIRY#: 3893682.4</p> <p>RESEARCH DATE: 03/28/2014</p>
	<p>SERIES: 30</p> <p>SCALE: 1:125000</p>		

Historical Topographic Map



	TARGET QUAD	SITE NAME: 11 Hubert St	CLIENT: Airtek Env. Corp.	
	NAME: PASSAIC	ADDRESS: 11 Hubert Street	CONTACT: Kevin Cordes	
	MAP YEAR: 1905	LAT/LONG: 40.7214 / -74.0092	INQUIRY#: 3893682.4	RESEARCH DATE: 03/28/2014
	SERIES: 30			
	SCALE: 1:125000			

Historical Topographic Map



<p>N</p>	TARGET QUAD	SITE NAME: 11 Hubert St	CLIENT: Airtek Env. Corp.
	NAME: STATEN ISLAND	ADDRESS: 11 Hubert Street	CONTACT: Kevin Cordes
	MAP YEAR: 1925	New York, NY 10013	INQUIRY#: 3893682.4
	REVISED FROM :1900	LAT/LONG: 40.7214 / -74.0092	RESEARCH DATE: 03/28/2014
	SERIES: 15		
	SCALE: 1:62500		

Historical Topographic Map




<p>N</p>	<p>TARGET QUAD NAME: JERSEY CITY MAP YEAR: 1947</p>	<p>SITE NAME: 11 Hubert St ADDRESS: 11 Hubert Street New York, NY 10013 LAT/LONG: 40.7214 / -74.0092</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Kevin Cordes INQUIRY#: 3893682.4 RESEARCH DATE: 03/28/2014</p>
	<p>SERIES: 7.5 SCALE: 1:25000</p>		

Historical Topographic Map




<p>N ↑</p>	<p>TARGET QUAD NAME: JERSEY CITY MAP YEAR: 1955</p>	<p>SITE NAME: 11 Hubert St ADDRESS: 11 Hubert Street New York, NY 10013 LAT/LONG: 40.7214 / -74.0092</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Kevin Cordes INQUIRY#: 3893682.4 RESEARCH DATE: 03/28/2014</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>		

Historical Topographic Map



<p>N ↑</p>	<p>TARGET QUAD NAME: JERSEY CITY MAP YEAR: 1967</p>	<p>SITE NAME: 11 Hubert St ADDRESS: 11 Hubert Street New York, NY 10013 LAT/LONG: 40.7214 / -74.0092</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Kevin Cordes INQUIRY#: 3893682.4 RESEARCH DATE: 03/28/2014</p>
	<p>SERIES: 7.5 SCALE: 1:24000</p>		

Historical Topographic Map



<p>N ↑</p>	<p>TARGET QUAD</p>	<p>SITE NAME: 11 Hubert St</p>	<p>CLIENT: Airtek Env. Corp.</p>
	<p>NAME: JERSEY CITY</p>	<p>ADDRESS: 11 Hubert Street</p>	<p>CONTACT: Kevin Cordes</p>
	<p>MAP YEAR: 1981</p>	<p>NEW YORK, NY 10013</p>	<p>INQUIRY#: 3893682.4</p>
	<p>PHOTOREVISED FROM :1967</p>	<p>LAT/LONG: 40.7214 / -74.0092</p>	<p>RESEARCH DATE: 03/28/2014</p>
	<p>SERIES: 7.5</p>		
	<p>SCALE: 1:24000</p>		

Appendix 8:
City Directory Abstract

11 Hubert St

11 Hubert Street
New York, NY 10013

Inquiry Number: 3893682.5
March 28, 2014

The EDR-City Directory Abstract

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2013 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1920 through 2013. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	<u>Source</u>	<u>TP</u>	<u>Adjoining</u>	<u>Text Abstract</u>	<u>Source Image</u>
2013	Cole Information Services	X	X	X	-
2008	Cole Information Services	X	X	X	-
2006	Hill-Donnelly Information Services	X	X	X	-
2000	Cole Information Services	X	X	X	-
1998	NYNEX Telephone	X	X	X	-
1996	NYNEX	-	-	-	-
1993	NYNEX Telephone	X	X	X	-
1988	NYNEX Telephone	-	X	X	-
1983	New York Telephone	X	X	X	-
1978	New York Telephone	X	X	X	-
1973	New York Telephone	-	X	X	-
1968	New York Telephone	-	X	X	-
1963	New York Telephone	-	X	X	-
1958	New York Telephone	-	X	X	-
1956	New York Telephone	-	-	-	-
1950	New York Telephone	-	X	X	-
1947	New York Telephone	-	X	X	-
1942	New York Telephone	-	X	X	-
1938	New York Telephone	-	X	X	-
1934	R. L. Polk & Co.	-	X	X	-
1931	Manhattan and Bronx Directory Publishing Company Residential Directory	-	-	-	-
1927	New York Telephone	X	X	X	-
1923	R. L. Polk & Co.	-	X	X	-
1920	R. L. Polk & Co.	X	X	X	-

EXECUTIVE SUMMARY

SELECTED ADDRESSES

The following addresses were selected by the client, for EDR to research. An "X" indicates where information was identified.

<u>Address</u>	<u>Type</u>	<u>Findings</u>
53 Beach St	Client Entered	X
407 Greenwich St	Client Entered	X
415 Greenwich St	Client Entered	X
10 Hubert St	Client Entered	X
7 Hubert St	Client Entered	X

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

11 Hubert Street
New York, NY 10013

FINDINGS DETAIL

Target Property research detail.

HUBERT

11 HUBERT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	AMERICAN CONSOLIDATED COURIER	NYNEX Telephone
	GOLD WINGS LTD	NYNEX Telephone
	WINGS INTERNATIONAL	NYNEX Telephone
1993	CRIMSON COURIER SVC INC	NYNEX Telephone
1983	EFFICIENT CONSOLIDATORS INC	New York Telephone
	FAZIO MOTOR TRANSPORTATION CORP	New York Telephone
1978	EFFICIENT CONSOLIDATORS INC	New York Telephone
	FAZIO MOTOR TRANSPORTATION CORP	New York Telephone
1927	ITALIAN VINEYARD CO	New York Telephone
1920	Cooks Transportation Line Martin Cook	R. L. Polk & Co.

HUBERT ST

11 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2013	ARCHITECTONICS	Cole Information Services
	T C TELEPLEX MAIN NUMBER	Cole Information Services
	WINK RETAIL GROUP INC	Cole Information Services
2008	TCC TELEPLEX	Cole Information Services
	TELEPLEX COIN COMMUNICATIONS	Cole Information Services
2006	Sin Kam Pang a	Hill-Donnelly Information Services
	TCC Teleplex lo	Hill-Donnelly Information Services
2000	GOLD WINGS LTD	Cole Information Services
	J & T DELIVERY SVC	Cole Information Services
1983	FAZIO MOTOR TRANSPORTATION CORP	New York Telephone
1927	Italian Vineyard Co	New York Telephone

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

BEACH ST

53 BEACH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2013	24 HR CITY LOCKSMITH	Cole Information Services
2008	HORTICULTURAL CREATIONS HOLDIN	Cole Information Services

Beach St

53 Beach St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Horticultural Creations Inc	Hill-Donnelly Information Services
2000	BUILDING	Cole Information Services
	55 HRTCLTRL CRTNS INC	Cole Information Services
1968	APPLIANCE PACKING & WAREHSE CORP	New York Telephone
	ARISTA TRADING CO EXPTS	New York Telephone
1963	APPLIANCE PACKING & WAREHOUSING CORP	New York Telephone
1958	NEVCO WOOD PRODS CO INC	New York Telephone
	ARBOR MFG CORP	New York Telephone
	NEVCO HANGER CORP	New York Telephone
1950	ECONOMY SEAT CO CHAIR SEATS	New York Telephone
	LANE LORING CO WOOSNWRE	New York Telephone
	WIZARD PRODS CO	New York Telephone
	LORING LANE CO WAODNWR	New York Telephone
	SMITH CHAS H CAPT B	New York Telephone
	BABY-ALL BOTTLE STERILIZERS CORP	New York Telephone
	KITCHEN KATCH ALL CORP	New York Telephone
	LANE A L MFRS REP	New York Telephone
1947	LORING LANE CO WOODNWR	New York Telephone
	WIZARD PRODS CO	New York Telephone
	BABY ALL BOTTLE STERILIZERS CORP	New York Telephone
	ECONOMY SEAT CO CHAIR SEATS	New York Telephone
	KITCHEN KATCH ALL CORP	New York Telephone
	SMITH CHAS H CAPT B	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1947	LANE A L MFRS REP	New York Telephone
	LANE LORING CO WOODNWRE	New York Telephone
1942	ECONOMY SEAT CO CHAIR SEATS	New York Telephone
	SMITH CHAS H CAPT B	New York Telephone
	BABY-ALL BOTTLE STERILIZERS CORP	New York Telephone
	KITCHEN KATCH ALL CORP	New York Telephone
	LORING LANE CO WOODNWR	New York Telephone
	LANE A L MFRS REP	New York Telephone
	LANE LORING CO WOODNWRE	New York Telephone
	WIZARD PRODS CO	New York Telephone
1938	ECONOMY SEAT CO CHAIR SEATS E	New York Telephone
	BABY-ALL BOTTLE STERILIZERS CORP	New York Telephone
	LANE A L MFRS REP	New York Telephone
	LANE LORING CO WOODNWRE	New York Telephone
	KITCHEN KATCH ALL CORP	New York Telephone
	WIZARD PRODS CO	New York Telephone
	LORING LANE CO WOODNWR	New York Telephone
1934	Arcadia Rose Co Newark NJ Loring Lane Co NY rep rose bushes	R. L. Polk & Co.
	Wizard Products Co Chicago III Loring Lane Co reps	R. L. Polk & Co.
	Economy Seat Co Chicago III Loring Lane Co agts chair seats	R. L. Polk & Co.
	Loring Lane Co NY cap \$225 000 E J Lane pres L C Lane v pres A L Lane sec treas dir same as above woodenware	R. L. Polk & Co.
1927	MURDOCK E CO WOODENWARE	New York Telephone
	LANE A L MFRS REP	New York Telephone
	WIZARD PRODUCTS CO	New York Telephone
	HALL CANNER CO COLD PACK CANNERS	New York Telephone
	ORONA SALES CO CLEANERS	New York Telephone
	ECONOMY SEAT CO CHAIR SEATS	New York Telephone
	LORING LANSE CO WOODENWRARE	New York Telephone
	LANE LORING CO WOODENWARE	New York Telephone
	Wizard Products Co	New York Telephone
	Economy Seat Co chair seats	New York Telephone
	Hall Canner Co cold pack canners	New York Telephone
	Lane A L mfrs rep	New York Telephone
	Lane Loring Co woodenware	New York Telephone
	Loring Lanse Co woodenwreare	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Orona Sales Co cleaners	New York Telephone
	Murdock E Co woodenware	New York Telephone

COLLISTER

10 COLLISTER

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1973	RAPID ELECTL & LNDUSTIIL SUPL CO	New York Telephone

GREENWICH ST

407 GREENWICH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	ARS GENETICA INC	Cole Information Services
	JEDIMINDWARP ENTERPRISES	Cole Information Services

Greenwich St

407 Greenwich St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Ars Genetica Inc	Hill-Donnelly Information Services
	h Halter Karl A	Hill-Donnelly Information Services
	h Lathan Robert A	Hill-Donnelly Information Services
	h Mitchell C a	Hill-Donnelly Information Services
	h Williams Krista a	Hill-Donnelly Information Services
	Mc Dowell Alan A	Hill-Donnelly Information Services
2000	5D C MITCHELL	Cole Information Services
	4 KRISTA WILLIAMS	Cole Information Services
	ASHE RECORDS	Cole Information Services
	36 BENJAMIN H BUCHLOH	Cole Information Services
	2C KEVIN CLARKE	Cole Information Services
	2A V ROSS	Cole Information Services
		Cole Information Services
	5A ALEXIS ACHILLES	Cole Information Services
	5B JON CAPETZ	Cole Information Services
	5B CHRISTINE COURTNEY	Cole Information Services
	ROBERT GEIGER	Cole Information Services
	4B RICHARD GILLETTE	Cole Information Services
	KARL HALLER	Cole Information Services
	4D KARL HALLER	Cole Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	2D D HILSON	Cole Information Services
	2B DON JENSEN	Cole Information Services
	4A ANGELO KEITH	Cole Information Services
	3B L LAWLER	Cole Information Services
	4D NICK MARTIN	Cole Information Services
	3C ALAN MC DOWELL	Cole Information Services
	3C MAUREEN MEEHAN	Cole Information Services
	LIPPE G VON DER	Cole Information Services
	EHREN STENZLER	Cole Information Services

GREENWICH ST

415 GREENWICH ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2013	GLOBIX	Cole Information Services
	415 GREENWICH FEE OWNER	Cole Information Services

Greenwich St

415 Greenwich St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	415 Greenwich Fee Owner LLC	Hill-Donnelly Information Services
	Globix o	Hill-Donnelly Information Services
2000	SUMMIT IMPORT CORP	Cole Information Services
1993	KAM KUO WINE CO	NYNEX Telephone
	KAM KUO WINE CO	NYNEX Telephone
1938	INDEPDNT WAREHOUSES INC	New York Telephone
	PHOENIX OIL CO	New York Telephone
1927	Schaffee Jas E	New York Telephone
	Erie Railroad Co	New York Telephone
	SCHAFFEE JAS E	New York Telephone
	ERIE RAILROAD CO	New York Telephone

HUBERT

10 HUBERT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	COLLISTER ALLEY MUSIC	NYNEX Telephone
1993	COLLISTER ALLEY MUSIC	NYNEX Telephone
1988	BARDEY ALEXANDER	NYNEX Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1988	MAEDA HIRO	NYNEX Telephone
	RAW CREAM MUSIC INC	NYNEX Telephone
	RAW CREAM MUSIC PRODCNTNS	NYNEX Telephone
	THRONE T	NYNEX Telephone
1983	APPLEWOOD STUDIOS	New York Telephone
	CRIZOE HIGHLEIGH COMPOSER	New York Telephone
	RAW CREAM MUSIC INC	New York Telephone
	RAW CREAM MUSIC PRODCNTNS	New York Telephone
1978	ANDREA ELEC SUPL CORP	New York Telephone
	URBINATO ANDREW ELEC SUPLS	New York Telephone
1973	ANDREA ELEC SUPL CORP	New York Telephone
1934	Gerhardt David clk Wile Corp	R. L. Polk & Co.
	Goldstein Gertrude sten Wile Corp	R. L. Polk & Co.
	Grady Marguerite sten Wile Corp	R. L. Polk & Co.
	Page Milk Co Merrill Wis Richd L Blum Edwin R Klepac NY reps food products	R. L. Polk & Co.
	Potter H R & Co RTN Henry R Potter	R. L. Polk & Co.
	Rivoli Jules & Cie	R. L. Polk & Co.
	Sieglin Wm F sec Julius Wile sons & Co Inc	R. L. Polk & Co.
	Blum Julian H mem of Julius Wile Sons & Co	R. L. Polk & Co.
	Breetz Chas E clk Wile Corp	R. L. Polk & Co.
	1927	BLUM ERNEST S OFFICE
BLUM RICHARD L OFF		New York Telephone
CALIFORNIA CRUSHED FRUIT CORP		New York Telephone
CALIFORNIA CRUSHED FRUIT CORP		New York Telephone
DORN HENRY OFF		New York Telephone
FITZ-GIBBON JAS E FRUIT JUICES		New York Telephone
KLATCHER & LORENZ INC EXPRTS		New York Telephone
MISSION FRUIT JUICE DISTR		New York Telephone
REPUBLIC FOOD PRODUCTS CO		New York Telephone
WILE ALFONS OFFICE		New York Telephone
WILE IRWIN OFFICE		New York Telephone
WILE JULIUS SONS & CO IMPORT & EXPORT		New York Telephone
WILE OSCAR J OFF		New York Telephone
WILE & BLUM INC	New York Telephone	
1923	Fetzer Truckcing Co RTN Wm & Robt Moran	R. L. Polk & Co.

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1920	Fetzer Leo F truckman	R. L. Polk & Co.
	Fetzer Gustave M Fetzer Press h Maywood N	R. L. Polk & Co.
	Fetzer Harry clk L I R R h Lynbrook LI	R. L. Polk & Co.
	Moran Bros Robt & Wm G Moran	R. L. Polk & Co.
	Moran Robt Moran Bros	R. L. Polk & Co.
	Moran Wm G Moran Bros	R. L. Polk & Co.

12 HUBERT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	INDEPENDENT WAREHOUSES INC	New York Telephone

13 HUBERT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1923	Guasti Secondi pres Italian Vineyard Co	R. L. Polk & Co.
	Italian Vineyard Co Cal Second Guasti pres Jas A Bartolh sec	R. L. Polk & Co.
1920	Italian Vineyard Co Cal Ernest C Remano NY mgr wines	R. L. Polk & Co.

15 HUBERT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	PROGRESSIVE STORAGE CO	New York Telephone

6 HUBERT

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1998	SOHO SOFA CUSTOM FURNITURE	NYNEX Telephone
	SOHO INTERIORS	NYNEX Telephone
1993	SHELTER THE	NYNEX Telephone
1988	TSIANG LI PRODUCE INC	NYNEX Telephone
1983	TSIANG LI PRODUCE INC	New York Telephone
1934	Paterson Edw caretkr	R. L. Polk & Co.
	garage and shops	R. L. Polk & Co.
	Railway Express Agency Del Robt E M Cowie pres W B Clark v pres treas W A Bienson C A Lutz H S Marx L R Cwyn C W Roibe C D Summy L O Head C R Graham W W Owens v prests E	R. L. Polk & Co.
1927	AMER RAILWAY EXPRESS CO-	New York Telephone
1923	AMERICAN RAILWAY EXPRESS CO Del George C Taylor Pres F P Small Soc and Asst to Pres F S Holbrook V Pres Treas W B Clark Asst to Pres and Asst Sec R E M Cowlo E A Stedmun	R. L. Polk & Co.

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1923	Riverdate Station Stables	R. L. Polk & Co.

HUBERT COLLISTER ST

10 HUBERT COLLISTER ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	LATELIER INC	Cole Information Services

HUBERT ST

10 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2008	BUY MY TIME INC	Cole Information Services
	LATELIER NEW YORK CITYINC	Cole Information Services
	BESO ENTERTAINMENT INC	Cole Information Services
	ABACUS GLOBAL INC	Cole Information Services
	ABACUS GLOBAL INC	Cole Information Services
	BESO ENTERTAINMENT INC	Cole Information Services
	LATELIER NEW YORK CITYINC	Cole Information Services
	BUY MY TIME INC	Cole Information Services

Hubert St

10 Hubert St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Beso Entertainment	Hill-Donnelly Information Services
	h Dziewior Chad A	Hill-Donnelly Information Services
	h Kalmanowicz Max AC	Hill-Donnelly Information Services
	Killian C a	Hill-Donnelly Information Services
	Kurc Richard A	Hill-Donnelly Information Services
	Latleier Inc 1s	Hill-Donnelly Information Services

HUBERT ST

10 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Beso Entertainment	Hill-Donnelly Information Services
	h Dziewior Chad A	Hill-Donnelly Information Services
	h Kalmanowicz Max AC	Hill-Donnelly Information Services
	Killian C a	Hill-Donnelly Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Kurc Richard A	Hill-Donnelly Information Services
	Lattleier Inc 1s	Hill-Donnelly Information Services
2000	JUDITH A LAVIN	Cole Information Services
	LEEOR MORRIS	Cole Information Services
	WEIMAN SEID	Cole Information Services
	JULIO VELAZQUEZ	Cole Information Services
	ERIK WHITE	Cole Information Services
	BESO ENTERTAINMENT	Cole Information Services
	CLLSTR ALLEY MUSC	Cole Information Services
	PETER HUGHES	Cole Information Services
	M LARKEY	Cole Information Services

Hubert St

10 Hubert St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2000	PETER HUGHES	Cole Information Services
	CLLSTR ALLEY MUSC	Cole Information Services
	JUDITH A LAVIN	Cole Information Services
	LEEOR MORRIS	Cole Information Services
	WEIMAN SEID	Cole Information Services
	JULIO VELAZQUEZ	Cole Information Services
	ERIK WHITE	Cole Information Services
	BESO ENTERTAINMENT	Cole Information Services
	M LARKEY	Cole Information Services
1998	COLLISTER ALLEY MUSIC	NYNEX Telephone
1993	COLLISTER ALLEY MUSIC	NYNEX Telephone
1988	RAW CREAM MUSIC PRODCNTNS	NYNEX Telephone
	MAEDA HIRO	NYNEX Telephone
	THRONE T	NYNEX Telephone
	RAW CREAM MUSIC INC	NYNEX Telephone
	BARDEY ALEXANDER	NYNEX Telephone

HUBERT ST

10 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Applewood Studios	New York Telephone
	Crizoe Highleigh composer	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	Raw Cream Music Inc	New York Telephone
	Raw Cream Music Prodcntns	New York Telephone

Hubert St

10 Hubert St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1983	CRIZOE HIGHLEIGH COMPOSER	New York Telephone
	APPLEWOOD STUDIOS	New York Telephone
	RAW CREAM MUSIC INC	New York Telephone
	RAW CREAM MUSIC PRODCNTNS	New York Telephone
	Crizoe Highleigh composer	New York Telephone
	Applewood Studios	New York Telephone
	Raw Cream Music Inc	New York Telephone
	Raw Cream Music Prodcntns	New York Telephone
1978	URBINATO ANDREW ELEC SUPLS	New York Telephone
	ANDREA ELEC SUPL CORP	New York Telephone
1973	ANDREA ELEC SUPL CORP	New York Telephone
1934	Gerhardt David clk Wile Corp	R. L. Polk & Co.
	Breetz Chas E clk Wile Corp	R. L. Polk & Co.
	Goldstein Gertrude sten Wile Corp	R. L. Polk & Co.
	Grady Marguerite sten Wile Corp	R. L. Polk & Co.
	Page Milk Co Merrill Wis Richd L Blum Edwin R Klepac NY reps food products	R. L. Polk & Co.
	Potter H R & Co RTN Henry R Potter	R. L. Polk & Co.
	Blum Julian H mem of Julius Wile Sons & Co	R. L. Polk & Co.
	Rivoli Jules & Cie	R. L. Polk & Co.
	Sieglin Wm F sec Julius Wile sons & Co Inc	R. L. Polk & Co.
1927	CALIFORNIA CRUSHED FRUIT CORP	New York Telephone
	WILE ALFONS OFFICE	New York Telephone
	WILE IRWIN OFFICE	New York Telephone
	WILE JULIUS SONS & CO IMPORT & EXPORT	New York Telephone
	WILE OSCAR J OFF	New York Telephone
	WILE & BLUM INC	New York Telephone
	KLATCHER & LORENZ INC EXPRTS	New York Telephone
	DORN HENRY OFF	New York Telephone
	REPUBLIC FOOD PRODUCTS CO	New York Telephone

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	BLUM RICHARD L OFF	New York Telephone
	BLUM ERNEST S OFFICE	New York Telephone
	MISSION FRUIT JUICE DISTRS	New York Telephone
	FITZ-GIBBON JAS E FRUIT JUICES	New York Telephone
	CALIFORNIA CRUSHED FRUIT CORP	New York Telephone
	Republic Food Products Co	New York Telephone
	Klatcher & Lorenz Inc exprts	New York Telephone
	Wile & Blum Inc	New York Telephone
	Wile Alfons office	New York Telephone
	Wile Irwin office	New York Telephone
	Wile Julius Sons & Co import & export	New York Telephone
	Wile Oscar J off	New York Telephone
	Blum Ernest S office	New York Telephone
	Blum Richard L off	New York Telephone
	California Crushed Fruit Corp	New York Telephone
	Mission Fruit Juice Distrs	New York Telephone
	Dorn Henry off	New York Telephone
	California Crushed Fruit Corp	New York Telephone
	Fitz Gibbon Jas E fruit juices	New York Telephone

HUBERT ST

10 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1927	Blum Ernest S office	New York Telephone
	Blum Richard L off	New York Telephone
	California Crushed Fruit Corp	New York Telephone
	California Crushed Fruit Corp	New York Telephone
	Dorn Henry off	New York Telephone
	Fitz Gibbon Jas E fruit juices	New York Telephone
	Klatcher & Lorenz Inc exprts	New York Telephone
	Mission Fruit Juice Distrs	New York Telephone
	Republic Food Products Co	New York Telephone
	Wile Alfons office	New York Telephone
	Wile Irwin office	New York Telephone
	Wile Julius Sons & Co import & export	New York Telephone
	Wile Oscar J off	New York Telephone
	Wile & Blum Inc	New York Telephone

FINDINGS

Hubert St

10 Hubert St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
1923	Fetzer Truckcing Co RTN Wm & Robt Moran	R. L. Polk & Co.
1920	Fetzer Leo F truckman	R. L. Polk & Co.
	Fetzer Gustave M Fetzer Press h Maywood N	R. L. Polk & Co.
	Fetzer Harry clk L I R R h Lynbrook LI	R. L. Polk & Co.
	Moran Wm G Moran Bros	R. L. Polk & Co.
	Moran Robt Moran Bros	R. L. Polk & Co.
	Moran Bros Robt & Wm G Moran	R. L. Polk & Co.

HUBERT ST

6 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2013	SOHO INTERIORS	Cole Information Services
1983	Tsiang Li Produce Inc	New York Telephone
1927	Stables	New York Telephone
	Amer Railway Express Co	New York Telephone

7 HUBERT ST

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2013	POSES NANCY & FREDERIC	Cole Information Services
	POSES NANCY & FREDERIC	Cole Information Services
2008	FREY CAPITAL ADVISORS LLC	Cole Information Services
	HUBERT CONDOMINIUMS	Cole Information Services
	HEIGHTS PARTNERS INC	Cole Information Services
	FREY CAPITAL ADVISORS LLC	Cole Information Services
	HUBERT CONDOMINIUMS	Cole Information Services
	HEIGHTS PARTNERS INC	Cole Information Services

Hubert St

7 Hubert St

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Multi Unit Address	Hill-Donnelly Information Services
	Number 7 B H Axelrod Felice A	Hill-Donnelly Information Services
	Number 11 AN Barr Mike c	Hill-Donnelly Information Services

FINDINGS

<u>Year</u>	<u>Uses</u>	<u>Source</u>
2006	Number 9 A Breslow S	Hill-Donnelly Information Services
	Number PH H Druker LA AC as	Hill-Donnelly Information Services
	Number 6 AHFelder D A VA	Hill-Donnelly Information Services
	Number 5 C Fire Kalymnios J Aa	Hill-Donnelly Information Services
	Frey Catherine 0 s	Hill-Donnelly Information Services
	Number 4 C Frey Catherine	Hill-Donnelly Information Services
	Number 3 C Gardner Julie 5 A	Hill-Donnelly Information Services
	e Gauthier MA VA	Hill-Donnelly Information Services
	Number 10 A H Gazes IJ Aa	Hill-Donnelly Information Services
	Gqutier Michelle VA	Hill-Donnelly Information Services
	Number 8 B Johnson Mary Tyler CA	Hill-Donnelly Information Services
	Number TH 1 Kaplan Claude C	Hill-Donnelly Information Services
	Number 5 A H Karr JM AM	Hill-Donnelly Information Services
	Number 4 A Koehler Jay & Inna C	Hill-Donnelly Information Services
	Krawiecki S v A	Hill-Donnelly Information Services
	Number PH H Marden 3 A	Hill-Donnelly Information Services
	Number 3 A Papailias George A	Hill-Donnelly Information Services
	Number 6 B Presutti Tim & Dana C	Hill-Donnelly Information Services
	Number I A Stoltz Glen A	Hill-Donnelly Information Services
	Number 4 BHStromberg S	Hill-Donnelly Information Services
	Number 5D H Toboroff Steven	Hill-Donnelly Information Services
	HTsai HR C	Hill-Donnelly Information Services
	Number 118 Varadhan Ashok & Margaret	Hill-Donnelly Information Services
	Number 1 AHWilzig A	Hill-Donnelly Information Services
	Number 3 DHFarhadi EL A	Hill-Donnelly Information Services
	Number 7 A H Pappas IAC	Hill-Donnelly Information Services

FINDINGS

TARGET PROPERTY: ADDRESS NOT IDENTIFIED IN RESEARCH SOURCE

The following Target Property addresses were researched for this report, and the addresses were not identified in the research source.

Address Researched

11 Hubert Street

Address Not Identified in Research Source

1996, 1988, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923

ADJOINING PROPERTY: ADDRESSES NOT IDENTIFIED IN RESEARCH SOURCE

The following Adjoining Property addresses were researched for this report, and the addresses were not identified in research source.

Address Researched

10 COLLISTER

Address Not Identified in Research Source

2013, 2008, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

10 HUBERT

2013, 2008, 2006, 2000, 1996, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931

10 HUBERT COLLISTER ST

2013, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

10 HUBERT ST

2013, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

10 HUBERT ST

2013, 2008, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

10 Hubert St

2013, 2008, 1996, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931

10 HUBERT ST

2013, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

12 HUBERT

2013, 2008, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

13 HUBERT

2013, 2008, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927

15 HUBERT

2013, 2008, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

407 Greenwich St

2013, 2008, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

407 GREENWICH ST

2013, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

415 GREENWICH ST

2008, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

415 Greenwich St

2013, 2008, 1998, 1996, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1934, 1931, 1923, 1920

53 Beach St

2013, 2008, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1956, 1931, 1923, 1920

53 BEACH ST

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

6 HUBERT

2013, 2008, 2006, 2000, 1996, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1931, 1920

FINDINGS

Address Researched

6 HUBERT ST

6 HUBERT ST

7 HUBERT ST

7 Hubert St

7 HUBERT ST

Address Not Identified in Research Source

2013, 2008, 2006, 2000, 1998, 1996, 1993, 1988, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1923, 1920

2008, 2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2013, 2008, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920

2006, 2000, 1998, 1996, 1993, 1988, 1983, 1978, 1973, 1968, 1963, 1958, 1956, 1950, 1947, 1942, 1938, 1934, 1931, 1927, 1923, 1920


Appendix 9:

The EDR-Radius Map with GeoCheckÂ® Report

11 Hubert St
11 Hubert Street
New York, NY 10013

Inquiry Number: 3893682.2s
March 28, 2014

The EDR Radius Map™ Report with GeoCheck®



6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Summary	4
Map Findings	8
Orphan Summary	1535
Government Records Searched/Data Currency Tracking	GR-1
 <u>GEOCHECK ADDENDUM</u>	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-10
Physical Setting Source Map Findings	A-11
Physical Setting Source Records Searched	A-6

Thank you for your business.
 Please contact EDR at 1-800-352-0050
 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. **NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT.** Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2014 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-13) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

11 HUBERT STREET
NEW YORK, NY 10013

COORDINATES

Latitude (North): 40.7214000 - 40° 43' 17.04"
Longitude (West): 74.0092000 - 74° 0' 33.12"
Universal Transverse Mercator: Zone 18
UTM X (Meters): 583680.6
UTM Y (Meters): 4508091.0

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40074-F1 JERSEY CITY, NJ NY
Most Recent Revision: 1981

East Map: 40073-F8 BROOKLYN, NY
Most Recent Revision: 1995

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 2010, 2011
Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 8 of the attached EDR Radius Map report:

<u>Site</u>	<u>Database(s)</u>	<u>EPA ID</u>
LOT 12,TAXBLOCK 214 11 HUBERT STREET MANHATTAN, NY 10013	NY E DESIGNATION	N/A

EXECUTIVE SUMMARY

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

Proposed NPL..... Proposed National Priority List Sites
NPL LIENS..... Federal Superfund Liens

Federal Delisted NPL site list

Delisted NPL..... National Priority List Deletions

Federal CERCLIS list

FEDERAL FACILITY..... Federal Facility Site Information listing

Federal RCRA CORRACTS facilities list

CORRACTS..... Corrective Action Report

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF..... RCRA - Treatment, Storage and Disposal

Federal institutional controls / engineering controls registries

LUCIS..... Land Use Control Information System

Federal ERNS list

ERNS..... Emergency Response Notification System

State- and tribal - equivalent CERCLIS

NJ SHWS..... Known Contaminated Sites in New Jersey
NY VAPOR REOPENED..... Vapor Intrusion Legacy Site List

State and tribal landfill and/or solid waste disposal site lists

NJ SWF/LF..... Solid Waste Facility Directory

State and tribal leaking storage tank lists

NY HIST LTANKS..... Listing of Leaking Storage Tanks
INDIAN LUST..... Leaking Underground Storage Tanks on Indian Land

State and tribal registered storage tank lists

NY TANKS..... Storage Tank Facility Listing

EXECUTIVE SUMMARY

NJ UST.....	Underground Storage Tank Data
NY CBS UST.....	Chemical Bulk Storage Database
NY MOSF UST.....	Major Oil Storage Facilities Database
NY CBS AST.....	Chemical Bulk Storage Database
NY CBS.....	Chemical Bulk Storage Site Listing
INDIAN UST.....	Underground Storage Tanks on Indian Land
FEMA UST.....	Underground Storage Tank Listing

State and tribal institutional control / engineering control registries

NY ENG CONTROLS.....	Registry of Engineering Controls
NJ ENG CONTROLS.....	Declaration Environmental Restriction/Deed Notice Sites
NY INST CONTROL.....	Registry of Institutional Controls
NJ INST CONTROL.....	Classification Exception Area Sites
NY RES DECL.....	Restrictive Declarations Listing

State and tribal voluntary cleanup sites

NY VCP.....	Voluntary Cleanup Agreements
INDIAN VCP.....	Voluntary Cleanup Priority Listing
NJ VCP.....	Voluntary Cleanup Program Sites

State and tribal Brownfields sites

NY ERP.....	Environmental Restoration Program Listing
NJ BROWNFIELDS.....	Brownfields Database

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS.....	A Listing of Brownfields Sites
---------------------	--------------------------------

Local Lists of Landfill / Solid Waste Disposal Sites

ODI.....	Open Dump Inventory
DEBRIS REGION 9.....	Torres Martinez Reservation Illegal Dump Site Locations
NY SWTIRE.....	Registered Waste Tire Storage & Facility List
NJ SWRCY.....	Approved Class B Recycling Facilities
INDIAN ODI.....	Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL.....	Clandestine Drug Labs
NY DEL SHWS.....	Delisted Registry Sites
US HIST CDL.....	National Clandestine Laboratory Register

Local Land Records

LIENS 2.....	CERCLA Lien Information
NY LIENS.....	Spill Liens Information
NJ LIENS.....	Environmental LIENS

Records of Emergency Release Reports

HMIRS.....	Hazardous Materials Information Reporting System
------------	--

EXECUTIVE SUMMARY

NY Hist Spills.....	SPILLS Database
NY SPILLS 90.....	SPILLS 90 data from FirstSearch
NY SPILLS 80.....	SPILLS 80 data from FirstSearch
NJ SPILLS 90.....	SPILLS 90 data from FirstSearch
NJ SPILLS 80.....	SPILLS 80 data from FirstSearch

Other Ascertainable Records

DOT OPS.....	Incident and Accident Data
DOD.....	Department of Defense Sites
FUDS.....	Formerly Used Defense Sites
UMTRA.....	Uranium Mill Tailings Sites
US MINES.....	Mines Master Index File
TRIS.....	Toxic Chemical Release Inventory System
TSCA.....	Toxic Substances Control Act
FTTS.....	FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
HIST FTTS.....	FIFRA/TSCA Tracking System Administrative Case Listing
SSTS.....	Section 7 Tracking Systems
ICIS.....	Integrated Compliance Information System
PADS.....	PCB Activity Database System
MLTS.....	Material Licensing Tracking System
RADINFO.....	Radiation Information Database
RAATS.....	RCRA Administrative Action Tracking System
RMP.....	Risk Management Plans
NY HSWDS.....	Hazardous Substance Waste Disposal Site Inventory
NY UIC.....	Underground Injection Control Wells
NJ UIC.....	Underground Injection Wells Database
NJ DRYCLEANERS.....	Drycleaner List
NY SPDES.....	State Pollutant Discharge Elimination System
NJ NPDES.....	New Jersey Pollutant Discharge Elimination System Dischargers
NY AIRS.....	Air Emissions Data
INDIAN RESERV.....	Indian Reservations
SCRD DRYCLEANERS.....	State Coalition for Remediation of Drycleaners Listing
NY Financial Assurance.....	Financial Assurance Information Listing
NY COAL ASH.....	Coal Ash Disposal Site Listing
COAL ASH EPA.....	Coal Combustion Residues Surface Impoundments List
COAL ASH DOE.....	Steam-Electric Plant Operation Data
US FIN ASSUR.....	Financial Assurance Information
PCB TRANSFORMER.....	PCB Transformer Registration Database
NJ COAL ASH.....	Coal Ash Listing
EPA WATCH LIST.....	EPA WATCH LIST
2020 COR ACTION.....	2020 Corrective Action Program List
LEAD SMELTERS.....	Lead Smelter Sites
NJ Financial Assurance.....	Financial Assurance Information Listing

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS.....	Recovered Government Archive State Hazardous Waste Facilities List
NY RGA LF.....	Recovered Government Archive Solid Waste Facilities List
NJ RGA HWS.....	Recovered Government Archive State Hazardous Waste Facilities List
NJ RGA LF.....	Recovered Government Archive Solid Waste Facilities List

EXECUTIVE SUMMARY

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 10/25/2013 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>HUDSON RIVER PCBS</i>	<i>NO STREET APPLICABLE</i>	<i>1/8 - 1/4 (0.191 mi.) W</i>	<i>0</i>	<i>9</i>

Federal CERCLIS list

CERCLIS: The Comprehensive Environmental Response, Compensation and Liability Information System contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the CERCLIS list, as provided by EDR, and dated 10/25/2013 has revealed that there is 1 CERCLIS site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>HUDSON RIVER PCBS</i>	<i>NO STREET APPLICABLE</i>	<i>1/8 - 1/4 (0.191 mi.) W</i>	<i>0</i>	<i>9</i>

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard

EXECUTIVE SUMMARY

associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 10/25/2013 has revealed that there is 1 CERC-NFRAP site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
EPA BUILDING	290 BROADWAY	1/4 - 1/2 (0.493 mi.) SSE	438	1519

Federal RCRA generators list

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 09/10/2013 has revealed that there are 4 RCRA-LQG sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE	1/8 - 1/4 (0.191 mi.) W	0	9
CITIGROUP	390 GREENWICH ST	0 - 1/8 (0.075 mi.) W	J45	123
THE PORT AUTHORITY OF NY & NJ	4 VESTRY STREET	1/8 - 1/4 (0.138 mi.) NE	AB165	355
BRIDGE LAND WEST LLC PFL	460 WASHINGTON ST	1/8 - 1/4 (0.224 mi.) NNW	BH308	828

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 09/10/2013 has revealed that there are 6 RCRA-SQG sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
BORDEN HOUSE CONDOMINIUMS	110 HUDSON ST - FLOOR 2	1/8 - 1/4 (0.132 mi.) SSE	X153	342
MTA NYCT - CANAL STREET STATIO	CANAL & VARICK ST	1/8 - 1/4 (0.171 mi.) ENE	AP221	509
EUROPADISK LTD	75 VARICK ST - ROOM 403	1/8 - 1/4 (0.178 mi.) ENE	AP236	542
NYC DEPT OF EDUCATION - PS 840	334 GREENWICH ST	1/8 - 1/4 (0.216 mi.) SSW	BF292	799
TRINITY CHURCH - PROPERTY OWNE	101 AVE OF THE AMERICAS	1/8 - 1/4 (0.239 mi.) ENE	BP334	901
HUDSON TELEGRAPH ASSOCIATES	60 HUDSON ST - 1ST FLOO	1/8 - 1/4 (0.242 mi.) S	BG358	943

EXECUTIVE SUMMARY

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 09/10/2013 has revealed that there are 70 RCRA-CESQG sites within approximately 0.25 miles of the target property.

Site	Address	Dist / Dir	Map ID	Page
CON EDISON SERVICE BOX: 37947	57 LAIGHT ST FRONT OF	0 - 1/8 (0.045 mi.) N	D12	62
CON EDISON SERVICE BOX: 37946	69 LAIGHT ST FRONT OF	0 - 1/8 (0.072 mi.) NW	F41	118
CON EDISON SERVICE BOX: 37281	175 HUDSON ST	0 - 1/8 (0.090 mi.) NE	N64	171
CON EDISON SERVICE BOX: 47512	40 VESTRY ST	0 - 1/8 (0.092 mi.) N	O67	174
CON EDISON SERVICE BOX: 47515	31 VESTRY ST	0 - 1/8 (0.092 mi.) NNE	O70	177
CON EDISON SERVICE BOX: 49035	414 WASHINGTON ST	0 - 1/8 (0.095 mi.) NW	M74	188
CON EDISON SERVICE BOX: 49036	416 WASHINGTON ST	0 - 1/8 (0.099 mi.) NW	M82	203
CON EDISON SERVICE BOX: 47510	52 VESTRY ST FRONT OF	0 - 1/8 (0.105 mi.) NNW	L96	237
CON EDISON MANHOLE: 37263	HUDSON ST & MOORE ST SE	0 - 1/8 (0.105 mi.) SSE	Q99	244
CON EDISON SERVICE BOX: 37267	HUDSON ST & MOORE ST	0 - 1/8 (0.105 mi.) SSE	Q100	245
YURMAN DESIGN INC	24 VESTRY ST	0 - 1/8 (0.107 mi.) NE	N104	251
CON EDISON SERVICE BOX: 37943	84 LAIGHT ST	0 - 1/8 (0.112 mi.) WNW	U111	268
CON EDISON SERVICE BOX: 49045	VESTRY ST & WASHINGTON	0 - 1/8 (0.119 mi.) NNW	R126	302
CON EDISON SERVICE BOX: 49041	VESTRY ST & WASHINGTON	0 - 1/8 (0.119 mi.) NNW	R127	303
CON EDISON SERVICE BOX: 49045	WASHINGTON ST & VESTRY	0 - 1/8 (0.119 mi.) NNW	R128	304
CON EDISON SERVICE BOX: 49037	VESTRY ST & WASHINGTON	0 - 1/8 (0.119 mi.) NNW	R129	305
CON EDISON SERVICE BOX: 47508	61 VESTRY ST FRONT OF	0 - 1/8 (0.120 mi.) NW	R130	306
CON EDISON SERVICE BOX: 47509	63 VESTRY ST	0 - 1/8 (0.121 mi.) NW	R138	322
CON EDISON SERVICE BOX: 49046	429 WASHINGTON ST	0 - 1/8 (0.124 mi.) NNW	Y145	333
CON EDISON SERVICE BOX: 37943	88 LAIGHT ST FRONT OF	1/8 - 1/4 (0.125 mi.) WNW	U149	339
CON EDISON SERVICE BOX: 37943	88 LAIGHT ST FRONT OF	1/8 - 1/4 (0.125 mi.) WNW	U150	340
CON EDISON SERVICE BOX: 37286	185 HUDSON ST	1/8 - 1/4 (0.134 mi.) NNE	W157	348
CON EDISON SERVICE BOX: 49043	432 WASHINGTON ST FRONT	1/8 - 1/4 (0.135 mi.) NNW	Y159	350
CON EDISON MANHOLE: 51683	WEST ST & HUBERT ST SE	1/8 - 1/4 (0.136 mi.) W	AA162	353
CON EDISON MANHOLE: 47343	VARICK ST & LAIGHT ST	1/8 - 1/4 (0.139 mi.) ENE	AD169	396
CON EDISON SERVICE BOX: 37959	LAIGHT & VARICK ST	1/8 - 1/4 (0.139 mi.) ENE	AD170	397
CON EDISON MANHOLE: 59079	W HUDSON ST & DESBROSSE	1/8 - 1/4 (0.144 mi.) NNE	AF175	404
CON EDISON SERVICE BOX: 26293	BEACH ST & VARICK ST	1/8 - 1/4 (0.148 mi.) ESE	AE181	409
CON EDISON SERVICE BOX: 47347	VARICK ST & ERICSSON ST	1/8 - 1/4 (0.148 mi.) ESE	AE182	410
CON EDISON SERVICE BOX: 26294	BEACH ST & VARICK ST	1/8 - 1/4 (0.148 mi.) ESE	AE183	411
CON EDISON SERVICE BOX: 47346	VARICK & ERICKSSON PL	1/8 - 1/4 (0.148 mi.) ESE	AE184	412
CON EDISON SERVICE BOX: 37254	HUDSON ST & FRANKLYN	1/8 - 1/4 (0.148 mi.) S	AG185	413
CON EDISON SERVICE BOX: 49051	442 WASHINGTON ST FRONT	1/8 - 1/4 (0.158 mi.) NNW	AJ197	449
CON EDISON SERVICE BOX: 28518	431 CANAL ST FRONT OF	1/8 - 1/4 (0.163 mi.) NE	199	460
CON EDISON SERVICE BOX: 28517	439 CANAL ST	1/8 - 1/4 (0.166 mi.) NNE	AM207	490
CON EDISON SERVICE BOX: 28514	465 CANAL ST	1/8 - 1/4 (0.168 mi.) NNE	AM212	498
CON EDISON SERVICE BOX: 28516	465 CANAL ST	1/8 - 1/4 (0.168 mi.) NNE	AM213	499
CON EDISON SERVICE BOX: 28512	HUDSON ST AND CANAL ST	1/8 - 1/4 (0.172 mi.) NNE	AM224	512
CON EDISON SERVICE BOX: 49052	449 WASHINGTON ST OPPOS	1/8 - 1/4 (0.176 mi.) NNW	AJ229	525
CON EDISON SERVICE BOX: 49050	442 442 WASHINGTON ST	1/8 - 1/4 (0.178 mi.) NNW	AJ244	600
CON EDISON	8 HARRISON ST FRONT OF	1/8 - 1/4 (0.184 mi.) S	248	607
PARISH OF TRINITY CHURCH	76 VARICK ST - ABANDON	1/8 - 1/4 (0.184 mi.) ENE	AP250	612
CON EDISON	GREENWICH ST & HARRISON	1/8 - 1/4 (0.191 mi.) SSW	AU261	637
CON EDISON	LIGHT ST & CANAL ST	1/8 - 1/4 (0.206 mi.) E	AT274	674
CON EDISON SERVICE BOX: 46244	LAIGHT ST & 6TH AVE SW	1/8 - 1/4 (0.209 mi.) E	BA276	676
CON EDISON SERVICE BOX: 48995	WHITE ST & W BROADWAY	1/8 - 1/4 (0.211 mi.) SE	BB281	762
CON EDISON SERVICE BOX: 48996	WHITE ST & W BROADWAY	1/8 - 1/4 (0.211 mi.) SE	BB282	763

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RUDIN MGMT CO I-32 AVE OF THE AMERICAN THREAD CLEANERS	32 AVE OF THE AMERICAS 260 W BROADWAY	1/8 - 1/4 (0.211 mi.) E 1/8 - 1/4 (0.212 mi.) ESE	AY283 BD286	764 775
CON EDISON MANHOLE: 46239	W 6TH AVE & W BROADWAY	1/8 - 1/4 (0.216 mi.) ESE	BD293	801
CON EDISON SERVICE BOX: 49613	W BROADWAY & LISPENARD	1/8 - 1/4 (0.216 mi.) ESE	BD294	802
CON EDISON SERVICE BOX: 49610	6TH AVE & W BROADWAY NW	1/8 - 1/4 (0.216 mi.) ESE	BD296	804
CON EDISON VAULT 76	2 LISPENARD ST	1/8 - 1/4 (0.219 mi.) ESE	BD299	810
CON EDISON SERVICE BOX: 53094	WORTH ST & HUDSON ST	1/8 - 1/4 (0.221 mi.) S	BG305	823
CON EDISON SERVICE BOX: 36286	CANAL ST & GREENWICH ST	1/8 - 1/4 (0.229 mi.) N	BM315	859
CON EDISON SERVICE BOX: 28496	508 CANAL ST	1/8 - 1/4 (0.233 mi.) N	BM321	867
CON EDISON SERVICE BOX: 28495	510 CANAL ST	1/8 - 1/4 (0.235 mi.) N	BM326	877
CON EDISON SERVICE BOX: 49065	463 WASHINGTON ST	1/8 - 1/4 (0.238 mi.) NNW	BH327	878
CON EDISON SERVICE BOX: 49060	463 WASHINGTON ST OPPOS	1/8 - 1/4 (0.238 mi.) NNW	BH330	881
CON EDISON SERVICE BOX: 36290	484 GREENWICH ST	1/8 - 1/4 (0.240 mi.) N	BM337	914
CON EDISON SERVICE BOX: 49625	W BROADWAY & CANAL ST	1/8 - 1/4 (0.240 mi.) E	BK341	919
CON EDISON SERVICE BOX: 49618	W BROADWAY & CANAL	1/8 - 1/4 (0.240 mi.) E	BK342	920
CON EDISON SERVICE BOX: 28529	CANAL ST & W BROADWAY	1/8 - 1/4 (0.240 mi.) E	BK343	921
CON EDISON MANHOLE: 49623	W BROADWAY & CANAL ST	1/8 - 1/4 (0.240 mi.) E	BK348	925
CON EDISON SERVICE BOX: 28530	CANAL & W BROADWAY	1/8 - 1/4 (0.240 mi.) E	BK349	926
CON EDISON SERVICE BOX: 36295	483 GREENWICH ST	1/8 - 1/4 (0.240 mi.) N	BM351	928
CON EDISON SERVICE BOX: 36294	483 GREENWICH ST	1/8 - 1/4 (0.240 mi.) N	BM352	929
MTA NYCT - CANAL STREET STATIO	GRAND & 6TH AVE BELOW G	1/8 - 1/4 (0.244 mi.) ENE	BL365	1343
CON EDISON SERVICE BOX: 40381	26 RENWICK ST FRONT OF	1/8 - 1/4 (0.248 mi.) N	BR374	1378
CON EDISON SERVICE BOX: 49574	184 W BROADWAY	1/8 - 1/4 (0.248 mi.) SSE	BJ379	1386

Federal institutional controls / engineering controls registries

US ENG CONTROLS: A listing of sites with engineering controls in place.

A review of the US ENG CONTROLS list, as provided by EDR, and dated 12/17/2013 has revealed that there is 1 US ENG CONTROLS site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE	1/8 - 1/4 (0.191 mi.) W	0	9

US INST CONTROL: A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

A review of the US INST CONTROL list, as provided by EDR, and dated 12/17/2013 has revealed that there is 1 US INST CONTROL site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE	1/8 - 1/4 (0.191 mi.) W	0	9

EXECUTIVE SUMMARY

State- and tribal - equivalent CERCLIS

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 11/13/2013 has revealed that there is 1 NY SHWS site within approximately 1 mile of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON DRY CLEANERS INCORPORAT	462 HUDSON STREET	1/2 - 1 (0.720 mi.) N	444	1528

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the NY SWF/LF list, as provided by EDR, and dated 12/12/2013 has revealed that there are 2 NY SWF/LF sites within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
VARLOTTA CONSTRUCTION CORP.	WEST ST. & HUBERT ST. (1/8 - 1/4 (0.136 mi.) W	AA163	354
BARRETTI CARTING CORP.	509 GREENWICH STREET	1/4 - 1/2 (0.305 mi.) N	BT394	1417

State and tribal leaking storage tank lists

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 11/19/2013 has revealed that there are 68 NY LTANKS sites within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
ANDREWS BLDG CORP Spill Number/Closed Date: 1110168 / 11/15/2011	151 HUDSON ST	0 - 1/8 (0.028 mi.) ENE	B3	38
PARKING GARAGE TTF Spill Number/Closed Date: 1113267 / Not Reported	422 GREENWICH ST	0 - 1/8 (0.057 mi.) NNW	F27	90
SPILL NUMBER 0212088 Spill Number/Closed Date: 0212088 / 3/27/2003	119 HUDSON STREET	0 - 1/8 (0.106 mi.) SSE	Q102	247
443 GREENWICH ST Spill Number/Closed Date: 9211278 / 12/30/1992	443 GREENWICH ST	0 - 1/8 (0.112 mi.) N	T118	283
63 VESTRY STREET Spill Number/Closed Date: 0410085 / 3/16/2005	67 VESTRY STREET	0 - 1/8 (0.124 mi.) NW	Y146	334

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
FRATELLI BRANCA AND CO Spill Number/Closed Date: 9516292 / 3/19/1996	115 WATT ST	1/8 - 1/4 (0.146 mi.) N	AH178	406
259 WEST STREET Spill Number/Closed Date: 0206148 / 1/27/2005	259 WEST STREET	1/8 - 1/4 (0.150 mi.) NW	188	418
APARTMENTS Spill Number/Closed Date: 0813458 / 4/15/2009	11-17 BEACH ST	1/8 - 1/4 (0.167 mi.) ESE	AN211	496
LOT 69, TAXBLOCK 227 Spill Number/Closed Date: 0508831 / 11/23/2005	74 VARICK STREET	1/8 - 1/4 (0.172 mi.) ENE	AP225	513
C TRUE BLDG CORP Spill Number/Closed Date: 0100787 / 7/14/2003	465 GREENWICH ST	1/8 - 1/4 (0.173 mi.) N	AR228	524
211 WEST BROADWAY Spill Number/Closed Date: 0003715 / 11/14/2013	211 WEST BROADWAY	1/8 - 1/4 (0.221 mi.) SE	BC306	824
HUDSON RIVER PARK Spill Number/Closed Date: 0701262 / 8/1/2007	WEST ST/ WATT ST	1/8 - 1/4 (0.229 mi.) NNW	BI316	860
BATTERY PARK BALLFIELD Spill Number/Closed Date: 0202933 / 1/12/2004	WEST ST MURRAY & N. END	1/8 - 1/4 (0.231 mi.) SW	BN317	861
MOBIL OIL CORP SS #509 Spill Number/Closed Date: 9601700 / 5/7/1998 Spill Number/Closed Date: 9512066 / 5/7/1998	386 CANAL ST	1/8 - 1/4 (0.239 mi.) E	BK333	892
HRH CONSTRUCTION CORP Spill Number/Closed Date: 8910872 / 10/21/2003	101 AVENUE OF AMERICAS	1/8 - 1/4 (0.239 mi.) ENE	BP335	912
L. PROVENZANO INC Spill Number/Closed Date: 0408104 / 3/25/2005	180 WEST BROADWAY	1/8 - 1/4 (0.247 mi.) SSE	BJ370	1357
MANHATTAN WEST 01 DOS -DDC Spill Number/Closed Date: 0011671 / 2/6/2006 Spill Number/Closed Date: 9804683 / 7/11/2006 Spill Number/Closed Date: 9404493 / 5/30/2007 Spill Number/Closed Date: 9712858 / 3/2/2005	297 WEST STREET	1/4 - 1/2 (0.272 mi.) NNW	386	1402
51 LEONARD STREET Spill Number/Closed Date: 9211595 / 1/8/1993	51 LEONARD STREET	1/4 - 1/2 (0.281 mi.) SSE	387	1409
RESIDENTIAL BUILDING - TTF Spill Number/Closed Date: 1102101 / Not Reported	34 WATT STREET	1/4 - 1/2 (0.294 mi.) ENE	388	1410
ALISON ON DOMINICK ST Spill Number/Closed Date: 9612894 / 1/6/2000	38 DOMINICK ST	1/4 - 1/2 (0.300 mi.) NNE	389	1411
507-509 GREENWICH STREET Spill Number/Closed Date: 9006678 / 12/3/1999	507-509 GREENWICH STREE	1/4 - 1/2 (0.300 mi.) N	BT390	1412
507-509 GREENWICH ST Spill Number/Closed Date: 9806774 / 9/9/1998	507-509 GREENWICH ST	1/4 - 1/2 (0.300 mi.) N	BT391	1413
SPILL NUMBER 9813390 Spill Number/Closed Date: 9813390 / 7/18/2003	DUANE & BROADWAY	1/4 - 1/2 (0.301 mi.) S	BU392	1414
BUILDING SERVICES HQ DEP -DDC Spill Number/Closed Date: 9101777 / 2/18/2005	58-52 GRAND AVENUE	1/4 - 1/2 (0.302 mi.) ENE	393	1416
NEWMARK & COMPANY Spill Number/Closed Date: 1307544 / Not Reported	40 WORTH ST	1/4 - 1/2 (0.307 mi.) SSE	395	1418
HUMAN RESOURCES ADMINISTRATION Spill Number/Closed Date: 9611132 / 12/10/1996	250 CHURCH ST	1/4 - 1/2 (0.309 mi.) SE	396	1420
39 WHITE ST Spill Number/Closed Date: 9112755 / 3/15/1992	39 WHITE ST	1/4 - 1/2 (0.313 mi.) SE	BV397	1421

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
SPILL NUMBER 9900783 Spill Number/Closed Date: 9900783 / 1/13/2000	42 WHITE ST	1/4 - 1/2 (0.320 mi.) SE	BV398	1422
137 WEST BROADWAY Spill Number/Closed Date: 0313842 / 3/21/2006	137 WEST BROADWAY	1/4 - 1/2 (0.322 mi.) S	BU399	1424
62 THOMAS STREET Spill Number/Closed Date: 9416643 / 2/12/2004	62 THOMAS STREET	1/4 - 1/2 (0.330 mi.) SSE	400	1425
W & J GARAGE Spill Number/Closed Date: 9405382 / 7/7/2000 Spill Number/Closed Date: 9411507 / 6/20/2000	360 WEST BROADWAY	1/4 - 1/2 (0.335 mi.) ENE	401	1427
522 GREENWICH AV/MANH/UPS Spill Number/Closed Date: 9100225 / 2/9/1998	522 GREENWICH AVENUE	1/4 - 1/2 (0.337 mi.) N	402	1434
60 LISPENARD ST Spill Number/Closed Date: 9112756 / 3/15/1992	60 LISPENARD ST	1/4 - 1/2 (0.350 mi.) ESE	403	1435
PRIVATE HOME Spill Number/Closed Date: 0513769 / 5/22/2006	58 WHITE STREET	1/4 - 1/2 (0.354 mi.) SE	404	1436
APARTMENT BUILDING Spill Number/Closed Date: 0314059 / 4/6/2004	144 DUANE ST.	1/4 - 1/2 (0.358 mi.) S	405	1438
SPILL NUMBER 9810677 Spill Number/Closed Date: 9810677 / 11/23/1998	33 GREENE ST	1/4 - 1/2 (0.368 mi.) E	406	1439
MOBIL S/S#17-AML Spill Number/Closed Date: 8912181 / 4/9/1990	140-52 6TH AVE	1/4 - 1/2 (0.369 mi.) NE	407	1440
WB ENTRANCE TO Spill Number/Closed Date: 9815149 / 2/24/2003	HOLLAND TUNNEL	1/4 - 1/2 (0.369 mi.) NNW	408	1447
AT & T Spill Number/Closed Date: 9809747 / 1/5/2000	33 THOMAS ST	1/4 - 1/2 (0.372 mi.) SSE	BW411	1467
387 WEST BROADWAY Spill Number/Closed Date: 9312922 / 2/2/1994	387 WEST BROADWAY	1/4 - 1/2 (0.381 mi.) ESE	412	1468
GOING AWAY LCC Spill Number/Closed Date: 0502570 / 7/27/2005	22 MERCER STREET	1/4 - 1/2 (0.390 mi.) E	413	1470
SPRING AMERICA Spill Number/Closed Date: 9413221 / 1/4/1995	161 6TH AVENUE	1/4 - 1/2 (0.391 mi.) NE	414	1472
OFFICE BUILDING Spill Number/Closed Date: 0505188 / 4/17/2013	401 BROADWAY	1/4 - 1/2 (0.398 mi.) ESE	BX415	1473
402 BROADWAY Spill Number/Closed Date: 9401137 / 7/23/1994	402 BROADWAY	1/4 - 1/2 (0.398 mi.) ESE	BX416	1478
LOT 38, TAXBLOCK 194 Spill Number/Closed Date: 0007058 / 1/4/2002	407 BROADWAY	1/4 - 1/2 (0.399 mi.) ESE	BX417	1479
390 WEST BROADWAY Spill Number/Closed Date: 0303372 / 12/16/2003	390 WEST BROADWAY	1/4 - 1/2 (0.400 mi.) ENE	418	1485
REAL ESTATE TRANS. Spill Number/Closed Date: 0606003 / 4/16/2007 Spill Number/Closed Date: 0605754 / Not Reported	476 BROOME STREET	1/4 - 1/2 (0.402 mi.) ENE	BY419	1487
OFFICE BLDG Spill Number/Closed Date: 0402329 / 4/4/2006	359 BROADWAY	1/4 - 1/2 (0.407 mi.) SE	BZ420	1491
COMMERCIAL PROPERTY TTF Spill Number/Closed Date: 0903217 / Not Reported	359 BROADWAY	1/4 - 1/2 (0.407 mi.) SE	BZ421	1493
CBJE CONDO LTD TTF Spill Number/Closed Date: 1109446 / 1/19/2012	472 BROOME ST	1/4 - 1/2 (0.414 mi.) ENE	BY422	1494

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
APT BUILDING Spill Number/Closed Date: 1008195 / 3/31/2011	98 CHARLTON ST	1/4 - 1/2 (0.417 mi.) NNE	423	1495
CONSTRUCTION SITE Spill Number/Closed Date: 0410068 / 2/21/2006	40 MERCER STREET	1/4 - 1/2 (0.430 mi.) E	424	1497
75 WARREN ST Spill Number/Closed Date: 9513843 / 1/31/1996	75 WARREN ST	1/4 - 1/2 (0.432 mi.) S	425	1498
READE-CHURCH EQUITIES Spill Number/Closed Date: 8808754 / 2/8/1989	78 - 82 READE ST	1/4 - 1/2 (0.433 mi.) SSE	426	1499
80 WHITE STREET Spill Number/Closed Date: 9209332 / 11/11/1992	80 WHITE STREET	1/4 - 1/2 (0.441 mi.) SE	427	1500
TTF Spill Number/Closed Date: 1203271 / Not Reported	65 GREENE STREET	1/4 - 1/2 (0.441 mi.) ENE	428	1501
UNDER GROUND TTF Spill Number/Closed Date: 0904963 / 8/18/2009	457 BROOME ST	1/4 - 1/2 (0.442 mi.) E	CA429	1502
358 BROADWAY Spill Number/Closed Date: 9914114 / 4/6/2000	59 FRANKLIN ST	1/4 - 1/2 (0.446 mi.) SE	CB430	1503
PROPERTIES SOLUTIONS Spill Number/Closed Date: 0514284 / 11/23/2007	155 SPRING STREET	1/4 - 1/2 (0.448 mi.) ENE	CC431	1505
CLOSED-LACKOF RECENT INFO Spill Number/Closed Date: 8709978 / 3/4/2003	54 FRANKLIN ST	1/4 - 1/2 (0.450 mi.) SE	CB432	1506
451 BROOME STREET Spill Number/Closed Date: 0485058 / 3/13/2006	451 BROOME STREET	1/4 - 1/2 (0.452 mi.) E	CA433	1507
LITTLE RED SCHOOL HOUSE Spill Number/Closed Date: 0209395 / 7/24/2003	40 CHARLTON STREET	1/4 - 1/2 (0.452 mi.) NNE	434	1513
305 BROADWAY/MANHATTAN Spill Number/Closed Date: 8807814 / 12/4/1992	305 BROADWAY	1/4 - 1/2 (0.465 mi.) SSE	435	1514
COMMERCIAL BUILDING Spill Number/Closed Date: 1110287 / 12/20/2011	145 SPRING ST	1/4 - 1/2 (0.468 mi.) ENE	CC436	1515
SPRING ST ASSOC Spill Number/Closed Date: 9906032 / 6/9/2000	131-137 SPRING ST	1/4 - 1/2 (0.480 mi.) ENE	437	1517
AJ CLARKE MGT Spill Number/Closed Date: 9607652 / 9/18/1996	50 KING STREET	1/4 - 1/2 (0.493 mi.) NNE	CD439	1520
50 KING STREET Spill Number/Closed Date: 9212531 / 2/5/1993	50 KING STREET	1/4 - 1/2 (0.493 mi.) NNE	CD440	1521
WORK SPACE INC. Spill Number/Closed Date: 9803015 / 3/3/2003	106 SP5RING ST	1/4 - 1/2 (0.498 mi.) ENE	441	1526

State and tribal registered storage tank lists

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, and dated 12/30/2013 has revealed that there are 20

EXECUTIVE SUMMARY

NY UST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
157 HUDSON STREET	157 HUDSON STREET	0 - 1/8 (0.029 mi.) NE	B4	39
NYCDEP MANHATTAN WATER TUNNEL	150 HUDSON STREET	0 - 1/8 (0.047 mi.) E	B20	75
FORMER AUTOMOBILE GARAGE	48 LAIGHT STREET	0 - 1/8 (0.061 mi.) NE	G30	99
181 HUDSON STREET	181 HUDSON STREET	0 - 1/8 (0.102 mi.) NNE	N90	227
THE REGAL CO	443 GREENWICH STREET	0 - 1/8 (0.112 mi.) N	T117	281
HOLLAND TUNNEL NY FIELD OFFICE	4-10 VESTRY ST	1/8 - 1/4 (0.138 mi.) NE	AB166	386
TRIBECA CONSTRUCTION, LLC	34 DESBROSSES STREET	1/8 - 1/4 (0.159 mi.) NNW	AJ198	450
11 NORTH MOORE ST	20-24 VARICK STREET	1/8 - 1/4 (0.163 mi.) ESE	AL200	461
75 VARICK ST	75 VARICK STREET	1/8 - 1/4 (0.178 mi.) ENE	AP239	591
AT&T	6 YORK ST	1/8 - 1/4 (0.180 mi.) E	AK245	601
MANHATTAN AUTO DIAGNOSTIC CTR.	124 WATTS STREET	1/8 - 1/4 (0.184 mi.) N	AR252	617
231-239 HUDSON STREET	231-239 HUDSON STREET	1/8 - 1/4 (0.202 mi.) NNE	272	671
32 SIXTH AVENUE COMPANY LLC	32 AVENUE OF THE AMERIC	1/8 - 1/4 (0.209 mi.) E	AY280	686
475 GREENWICH STREET	475 GREENWICH STREET	1/8 - 1/4 (0.221 mi.) N	AZ304	816
MANHATTAN AUTO DIAGNOSTIC CTR.	500 CANAL STREET	1/8 - 1/4 (0.228 mi.) N	AZ312	834
FIVE STAR AUTOTEC	510 CANAL STREET	1/8 - 1/4 (0.235 mi.) N	BM324	870
FORMERLY MOBIL S/S 17-509	386 CANAL STREET	1/8 - 1/4 (0.239 mi.) E	BK332	883
60 HUDSON OWNER LLC	60 HUDSON STREET	1/8 - 1/4 (0.242 mi.) S	BG362	1338
GULF SERVICE STATION	LEONARD ST / WEST BROAD	1/8 - 1/4 (0.244 mi.) SSE	BJ366	1346
L. PROVENZANO INC	180 WEST BROADWAY	1/8 - 1/4 (0.247 mi.) SSE	BJ370	1357

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, and dated 12/30/2013 has revealed that there are 56 NY AST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
415 GREENWICH STREET, LLC	415 GREENWICH STREET	0 - 1/8 (0.037 mi.) W	C7	44
HANLEY MOVING SERVICE	412 GREENWICH ST	0 - 1/8 (0.039 mi.) WNW	C8	48
145 HUDSON STREET CONDO	145 HUDSON STREET	0 - 1/8 (0.046 mi.) ESE	15	66
FORMER AUTOMOBILE GARAGE	48 LAIGHT STREET	0 - 1/8 (0.061 mi.) NE	G30	99
169 HUDSON ST. CONDO	169 HUDSON STREET	0 - 1/8 (0.075 mi.) NE	G43	120
EAGLE TRANSFER CORPORATION	40 LAIGHT STREET	0 - 1/8 (0.075 mi.) ENE	K47	129
CITIGROUP GLOBAL MARKETS INC.	390 GREENWICH STREET	0 - 1/8 (0.081 mi.) SW	H50	137
435 GREENWICH CORP	435 GREENWICH STREET	0 - 1/8 (0.081 mi.) NNW	L51	141
CITIGROUP	388 GREENWICH STREET	0 - 1/8 (0.086 mi.) SSW	H53	142
HELLER & USDAN INC	401 WASHINGTON STREET	0 - 1/8 (0.086 mi.) NW	M56	151
HUDSON ALLEY, INC.	174 HUDSON ST	0 - 1/8 (0.088 mi.) NE	N59	155
LAIGHT COOPERATIVE CORP.	76 LAIGHT STREET	0 - 1/8 (0.089 mi.) NW	M61	164
MINILAND PARTNERSHIP	28 LAIGHT STREET	0 - 1/8 (0.089 mi.) ENE	K62	166
MAZDA REALTY	13-17 LAIGHT STREET	0 - 1/8 (0.103 mi.) ENE	S94	234
117-119 HUDSON STREET	117-119 HUDSON STREET	0 - 1/8 (0.110 mi.) SSE	Q107	258
443 GREENWICH STREET	443 GREENWICH STREET	0 - 1/8 (0.112 mi.) N	T116	279
TRIBECA TOWER INC	427 WASHINGTON STREET	0 - 1/8 (0.120 mi.) NNW	R132	308
PARISH OF TRINITY CHURCH	200 HUDSON STREET	0 - 1/8 (0.121 mi.) NNE	W137	319
NEW YORK BLOOD CENTER, INC	22 ERICSSON PLACE	0 - 1/8 (0.123 mi.) ESE	V141	325
NLI/LUTZ LLC	111 HUDSON STREET	0 - 1/8 (0.124 mi.) SSE	X142	328
67 VESTRY ST	67 VESTRY STREET	1/8 - 1/4 (0.125 mi.) NW	Y148	336
186 FRANKLIN STREET	186 FRANKLIN STREET	1/8 - 1/4 (0.140 mi.) S	AC172	399
1ST PCT	16 ERICSSON PLACE	1/8 - 1/4 (0.140 mi.) ESE	AE173	401
99 HUDSON ST CONDOMINIUM	99 HUDSON STREET	1/8 - 1/4 (0.148 mi.) S	AG186	414

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
RARAPORT PRINTING CORP.	195 HUDSON STREET	1/8 - 1/4 (0.154 mi.) NNE	AF191	425
20-26 NORTH MOORE STREET CORPO	20-26 NORTH MOORE STREE	1/8 - 1/4 (0.155 mi.) SE	AI192	428
100 HUDSON TENANTS CORP	100 HUDSON ST	1/8 - 1/4 (0.164 mi.) SSE	202	473
99-105 CANAL	99-105 CANAL ST	1/8 - 1/4 (0.166 mi.) NNE	AF206	487
VARICK ASSOCIATES	11-17 BEACH STREET	1/8 - 1/4 (0.167 mi.) ESE	AN210	493
CHANDER AUTO REPAIR, INC.	266 WEST STREET	1/8 - 1/4 (0.169 mi.) NW	AO217	502
LADDER COMPANY 8	14 NORTH MOORE STREET	1/8 - 1/4 (0.169 mi.) SE	AI218	504
C. TRUE BUILDING CORPORATION	465 GREENWICH STREET	1/8 - 1/4 (0.173 mi.) N	AR227	521
417 CANAL ST	417 CANAL ST	1/8 - 1/4 (0.178 mi.) ENE	AP232	530
75 VARICK ST	75 VARICK STREET	1/8 - 1/4 (0.178 mi.) ENE	AP238	589
34 WATTS ST	34 WATTS ST (110 6TH AV	1/8 - 1/4 (0.184 mi.) N	AS249	608
GRAND VARICK CORP (TRINITY REA	76 VARICK STREET	1/8 - 1/4 (0.184 mi.) ENE	AP251	614
SOFIA BROS INC	139-141 FRANKLIN ST	1/8 - 1/4 (0.190 mi.) SSE	AV259	632
NEW YORK CITY DEPT OF GENERAL	480 CANAL STREET	1/8 - 1/4 (0.193 mi.) N	AS263	639
80 VARICK STREET GROUP LP	80-92 VARICK STREET	1/8 - 1/4 (0.198 mi.) NE	AW266	653
275 WEST STREET	275 WEST STREET	1/8 - 1/4 (0.198 mi.) NNW	AX269	667
32 6TH AVE	32 6TH AVE	1/8 - 1/4 (0.209 mi.) E	AY279	684
32 SIXTH AVENUE COMPANY LLC	32 AVENUE OF THE AMERIC	1/8 - 1/4 (0.209 mi.) E	AY280	686
260 WEST BROADWAY CONDOMINIUM	260 WEST BROADWAY	1/8 - 1/4 (0.212 mi.) ESE	BD285	772
511 CANAL STREET	511 CANAL ST	1/8 - 1/4 (0.215 mi.) N	BE290	794
PACKPROD INTERNATIONAL CONDO	220 W BROADWAY	1/8 - 1/4 (0.216 mi.) SE	BC291	796
221-23 WEST BROADWAY	221-23 WEST BROADWAY (5	1/8 - 1/4 (0.218 mi.) SE	BC298	806
5-7 WHITE ST,	5-7 WHITE STREET	1/8 - 1/4 (0.223 mi.) SE	BB307	826
BCE NEXXIA CORP. POINT OF PRES	60 HUDSON STREEET	1/8 - 1/4 (0.242 mi.) S	BG354	931
CENTURYLINK - HUDSON ST.	60 HUDSON STREET, 20TH	1/8 - 1/4 (0.242 mi.) S	BG355	934
CABLE & WIRELESS USA	60 HUDSON STREET, 16TH	1/8 - 1/4 (0.242 mi.) S	BG359	948
MCI	60 HUDSON STREET	1/8 - 1/4 (0.242 mi.) S	BG361	952
GRAND STREET PARTNERS, LLC.	26-32 GRAND STREET	1/8 - 1/4 (0.247 mi.) ENE	BL368	1354
HANOVER RIVER HOUSE	335 GREENWICH ST	1/8 - 1/4 (0.247 mi.) SSW	372	1373
CRG WEST	32 AVE OF AMERICAS	1/8 - 1/4 (0.248 mi.) ESE	BS375	1379
CENTURYLINK-AOA	32 AVENUE OF AMERICAS 1	1/8 - 1/4 (0.248 mi.) ESE	BS376	1381
250 HUDSON STREET	250 HUDSON STREET	1/8 - 1/4 (0.250 mi.) NNE	BQ384	1395

NY MOSF AST: Major Oil Storage Facilities Database. Facilities are licensed pursuant to Article 12 of the Navigation Law, 6 NYCRR Part 610 and 17 NYCRR Part 30. These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater. Includes MOSF's licensed or closed since April 1, 1986, (responsibility was transferred from DOT on October 13, 1985) plus available data obtained from DOT facilities licensed since Article 12 became law on April 1, 1978.

A review of the NY MOSF AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 NY MOSF AST site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
AT&T	33 THOMAS STREET	1/4 - 1/2 (0.371 mi.) SSE	BW410	1463

EXECUTIVE SUMMARY

NY MOSF: These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

A review of the NY MOSF list, as provided by EDR, and dated 12/30/2013 has revealed that there is 1 NY MOSF site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>AT&T - THOMAS ST</i>	<i>33 THOMAS ST</i>	<i>1/4 - 1/2 (0.371 mi.) SSE</i>	<i>BW409</i>	<i>1448</i>

State and tribal Brownfields sites

NY BROWNFIELDS: Brownfields Site List

A review of the NY BROWNFIELDS list, as provided by EDR, and dated 11/13/2013 has revealed that there are 3 NY BROWNFIELDS sites within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LOT 16, TAXBLOCK 187</i>	<i>377 GREENWICH STREET</i>	<i>1/8 - 1/4 (0.134 mi.) SSW</i>	<i>Z156</i>	<i>346</i>
<i>WEST & WATTS DEVELOPMENT</i>	<i>281 WEST STREET AND 456</i>	<i>1/8 - 1/4 (0.225 mi.) NNW</i>	<i>BI309</i>	<i>829</i>
<i>LOT 87, TAXBLOCK 594</i>	<i>261 HUDSON STREET</i>	<i>1/4 - 1/2 (0.255 mi.) NNE</i>	<i>BQ385</i>	<i>1399</i>

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Landfill / Solid Waste Disposal Sites

Registered Recycling Facility List from the Department of Environmental Conservation.

A review of the NY SWRCY list, as provided by EDR, and dated 12/12/2013 has revealed that there is 1 NY SWRCY site within approximately 0.5 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>APPLE FIBERS; INC.</i>	<i>444 GREENWICH STREET</i>	<i>0 - 1/8 (0.116 mi.) N</i>	<i>T123</i>	<i>294</i>

Local Lists of Registered Storage Tanks

NY HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 5 NY HIST UST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>11 NORTH MOORE ST</i>	<i>20-24 VARICK STREET</i>	<i>1/8 - 1/4 (0.163 mi.) ESE</i>	<i>AL200</i>	<i>461</i>
<i>MANHATTAN AUTO DIAGNOSTIC CTR.</i>	<i>124 WATTS STREET</i>	<i>1/8 - 1/4 (0.184 mi.) N</i>	<i>AR252</i>	<i>617</i>

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
MANHATTAN AUTO DIAGNOSTIC CTR.	500 CANAL STREET	1/8 - 1/4 (0.228 mi.) N	AZ312	834
HUDSON TELEGRAPH ASSOCIATES	60 HUDSON STREET	1/8 - 1/4 (0.242 mi.) S	BG360	950
L. PROVENZANO INC	180 WEST BROADWAY	1/8 - 1/4 (0.247 mi.) SSE	BJ370	1357

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 11/19/2013 has revealed that there are 33 NY Spills sites within approximately 0.125 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
157 HUDSON ST	157 HUDSON ST	0 - 1/8 (0.029 mi.) NE	B5	41
Spill Number/Closed Date: 0311287 / 1/27/2004				
Spill Number/Closed Date: 9211333 / 1/3/1993				
UNDERGROUNDS AT	151 HUDSON ST	0 - 1/8 (0.042 mi.) E	B9	51
Spill Number/Closed Date: 9710829 / 2/19/2003				
RESIDENTIAL PROPERTY	151 HUDSON ST	0 - 1/8 (0.045 mi.) E	B11	58
Spill Number/Closed Date: 1109875 / 4/2/2012				
MANHOLE #37270	HUDSON ST/HUBERT ST	0 - 1/8 (0.045 mi.) E	B14	64
Spill Number/Closed Date: 9912747 / 7/10/2003				
Spill Number/Closed Date: 0012624 / 7/16/2001				
MANHOLE 37274	HUDSON ST & HUBERT STRE	0 - 1/8 (0.046 mi.) E	B16	68
Spill Number/Closed Date: 9908080 / 2/5/2004				
205829; 149 HUDSON ST	149 HUDSON ST	0 - 1/8 (0.046 mi.) E	B17	69
Spill Number/Closed Date: 0890058 / 6/14/2007				
30-12 HOBART ST/QUEENS	30-12 HOBART STREET	0 - 1/8 (0.047 mi.) W	C19	74
Spill Number/Closed Date: 9001810 / 5/17/1990				
48 LAIGHT STREET	48 LAIGHT STREET	0 - 1/8 (0.061 mi.) NE	G28	91
Spill Number/Closed Date: 0306088 / 9/9/2003				
Spill Number/Closed Date: 0207349 / Not Reported				
167 HUDSON ST	167 HUDSON ST	0 - 1/8 (0.061 mi.) NE	G29	98
Spill Number/Closed Date: 9105513 / 8/20/1991				
MANHOLE 37278	LAIGHT ST/HUDSON ST	0 - 1/8 (0.065 mi.) NE	G33	111
Spill Number/Closed Date: 9908057 / 8/18/2009				
SHAFT #29B	HUDSON/LIAGHT STREET	0 - 1/8 (0.065 mi.) NE	G34	112
Spill Number/Closed Date: 0511677 / 1/10/2006				
MANHOLE 37268	ERICKSON PL & HUDSON ST	0 - 1/8 (0.068 mi.) SE	I37	114
Spill Number/Closed Date: 0011560 / 6/5/2001				
COMMERCIAL/RESIDENTAIL BUILDIN	46 LAIGHT ST	0 - 1/8 (0.068 mi.) NE	G38	115
Spill Number/Closed Date: 0902654 / 12/16/2010				
VAULT 2463	N. MOORE ST & GREENWHIC	0 - 1/8 (0.070 mi.) SW	H39	116
Spill Number/Closed Date: 9908928 / 2/5/2004				
181 HUDSON ST	181 HUDSON ST- APT COMP	0 - 1/8 (0.074 mi.) NNE	G42	119
Spill Number/Closed Date: 9408937 / 10/5/1994				

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
PIER #26 Spill Number/Closed Date: 9614042 / 3/3/1997	388 GREENWICH ST	0 - 1/8 (0.086 mi.) SSW	H54	145
399 WASHINGTON STREET Spill Number/Closed Date: 9605125 / 7/31/1997	399 WASHINGTON STREET	0 - 1/8 (0.087 mi.) NW	M57	153
SPILL NUMBER 9713269 Spill Number/Closed Date: 9713269 / 2/27/1998	35 VESTRY ST	0 - 1/8 (0.091 mi.) N	O65	172
415 WASHINGTON ST - MISC Spill Number/Closed Date: 0505263 / 6/9/2008	415 WASHINGTON ST	0 - 1/8 (0.093 mi.) NW	M73	184
124 HUDSON ST Spill Number/Closed Date: 9902546 / 7/11/2006	124-130 HUDSON ST	0 - 1/8 (0.097 mi.) SSE	Q77	193
ABANDONED GAS STATION Spill Number/Closed Date: 0604319 / 7/19/2006	415 WASHINGTON ST/LEIGH	0 - 1/8 (0.098 mi.) NNW	R78	196
PARKING LOT Spill Number/Closed Date: 0601769 / 5/19/2006	415 WASHINGTON ST/LEIGH	0 - 1/8 (0.098 mi.) NNW	R79	198
EXCAVATION Spill Number/Closed Date: 1202421 / Not Reported	53 NORTH MORE ST	0 - 1/8 (0.102 mi.) SSE	Q86	222
MH 37285 Spill Number/Closed Date: 9906109 / 2/3/2004	HUDSON ST & VESTRY ST	0 - 1/8 (0.102 mi.) NE	N87	223
MANHOLE #37285 Spill Number/Closed Date: 0003916 / 4/9/2004	VESTRY ST/HUDSON ST	0 - 1/8 (0.102 mi.) NE	N89	225
MANHOLE 37957 Spill Number/Closed Date: 9908075 / 2/5/2004	34 LAIGHT ST	0 - 1/8 (0.103 mi.) ENE	S92	232
ENVIORNMENTAL FUEL CONTRO Spill Number/Closed Date: 0011006 / 9/15/2003	1317 LAIGHT ST	0 - 1/8 (0.103 mi.) ENE	S95	236
CLARK CONSTRUCTION Spill Number/Closed Date: 0209418 / 12/16/2002	117 HUDSON ST, 2ND FLOO	0 - 1/8 (0.110 mi.) SSE	Q106	257
SPILL NUMBER 0209273 Spill Number/Closed Date: 0209273 / 6/21/2004	117-119 HUDSON ST	0 - 1/8 (0.111 mi.) SSE	Q108	261
SPILL NUMBER 9813811 Spill Number/Closed Date: 9813811 / 9/8/1999	END OF FRANKLIN ST	0 - 1/8 (0.114 mi.) SSW	P121	292
AT EASTRAMIC OF HOLLAND T Spill Number/Closed Date: 9302052 / 5/17/1993	AT EASTRAMIC HOLLAND TU	0 - 1/8 (0.114 mi.) NE	S122	293
VAULT # 3588 Spill Number/Closed Date: 1010616 / 2/24/2011	27 NORTH MOORE ST	0 - 1/8 (0.118 mi.) SE	V125	301
111 HUDSON AVE/CON ED Spill Number/Closed Date: 9002432 / 6/20/1995	111 HUDSON AVENUE	0 - 1/8 (0.125 mi.) SSE	X147	335

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or

EXECUTIVE SUMMARY

dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 09/10/2013 has revealed that there are 62 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON MANHOLE 36257	GREENWICH ST & HUEBERT	0 - 1/8 (0.036 mi.) W	C6	44
NEW BOWERY ANTHONY S	408 GREENWICH ST	0 - 1/8 (0.044 mi.) WNW	C10	52
SLEIGHT & HELLMUTH DIV CENTURY MH68032	34 HUBERT ST	0 - 1/8 (0.054 mi.) W	C24	80
DIGITAL DIRIGIBLE	S/E/C E. 2ND STREET AND	0 - 1/8 (0.077 mi.) ENE	K48	132
FISCHER MILLS BUILDING	38 VESTRY ST	0 - 1/8 (0.092 mi.) N	O68	175
LEICESTERSHIRE ARMS LTD	387-397 GREENWICH ST	0 - 1/8 (0.093 mi.) SSW	P71	178
FEDERAL BUREAU OF INVESTIGATION	55 N MOORE ST	0 - 1/8 (0.098 mi.) S	Q80	199
CON EDISON	56 N MOORE ST	0 - 1/8 (0.100 mi.) S	Q84	209
MH37957	VESTRY ST & HUDSON ST S	0 - 1/8 (0.102 mi.) NE	N88	225
WHITE GLOVE VALET	34 LAIGHT STREET	0 - 1/8 (0.103 mi.) ENE	S91	229
WHITE GLOVE VELET CLEANERS	39 N MOORE ST	0 - 1/8 (0.112 mi.) SSE	Q113	270
CALDERON BELTS INC	39 N MOORE ST	0 - 1/8 (0.112 mi.) SSE	Q114	272
CAPPIELLO & CHABROWE INC	443 GREENWICH ST 3RD FL	0 - 1/8 (0.112 mi.) N	T115	273
HUDSON PRINTING CO INC-200 HUD	116 HUDSON ST 4TH FL	0 - 1/8 (0.117 mi.) SSE	Q124	298
HR ELLIOT & CO INC	200 HUDSON STREET	0 - 1/8 (0.121 mi.) NNE	W134	313
TRINITY CHURCH	200 HUDSON STREET	0 - 1/8 (0.121 mi.) NNE	W135	316
CON EDISION - MH 37290	200 HUDSON ST - MAIN	0 - 1/8 (0.121 mi.) NNE	W136	318
ECO LAB INC	F/O 189 HUDSON ST. F/O	1/8 - 1/4 (0.133 mi.) NNE	W155	345
FRATELLI BRANCA & CO INC	185 FRANKLIN ST	1/8 - 1/4 (0.139 mi.) S	AC168	391
11 NM VENTURE LLC	12 DEBROSSES ST	1/8 - 1/4 (0.146 mi.) N	AH179	407
V0186	24 VARICK ST	1/8 - 1/4 (0.149 mi.) ESE	AE187	416
RAPOPORT METROPOLITAN PRINTING	195 HUDSON STREET	1/8 - 1/4 (0.154 mi.) NNE	AF189	420
VERIZON - VARICK ST	195 HUDSON ST	1/8 - 1/4 (0.154 mi.) NNE	AF190	422
100 HUDSON TENANTS CORP	50 VARICK ST	1/8 - 1/4 (0.158 mi.) E	AK194	430
TRINITY REAL ESTATE - 205 HUDS	100 HUDSON ST	1/8 - 1/4 (0.164 mi.) SSE	202	473
ATLANTA CORP	205 HUDSON ST	1/8 - 1/4 (0.166 mi.) NNE	AF204	481
CON ED - MH1115	17 VARICK ST	1/8 - 1/4 (0.166 mi.) SE	AI205	484
CON EDISON MANHOLE 61601	E/S LEE AVE	1/8 - 1/4 (0.171 mi.) NNE	220	507
CON EDISION - MH40121	N MOORE ST & W SIDE HWY	1/8 - 1/4 (0.173 mi.) WSW	AQ226	519
DIGITAL DIRIGIBLE	N.MOORE ST.AND WEST ST.	1/8 - 1/4 (0.177 mi.) WSW	AQ230	526
21ST CENTURY OPTICS	417 CANAL ST - 8TH FLOO	1/8 - 1/4 (0.178 mi.) ENE	AP231	528
D & L OFFSET LITHOGRAPHY	75 VARICK ST 11TH FLOOR	1/8 - 1/4 (0.178 mi.) ENE	AP233	539
OLEF CREATIONS INC	75 VARICK ST - 7TH FLOO	1/8 - 1/4 (0.178 mi.) ENE	AP234	540
COMERCIAL PROPERTY	75 VARICK ST	1/8 - 1/4 (0.178 mi.) ENE	AP237	586
ONE HUDSON SQUARE	75 VARICK ST - MAIN FL	1/8 - 1/4 (0.178 mi.) ENE	AP240	593
CONTEL IPC	75 VARICK ST 8TH FLOOR	1/8 - 1/4 (0.178 mi.) ENE	AP241	595
CON EDISION - MH47356	75 VARICK ST	1/8 - 1/4 (0.178 mi.) ENE	AP242	597
FRATELLI BRANCA & CO	75 VARICK ST 75 VARICK	1/8 - 1/4 (0.178 mi.) ENE	AP243	599
CON EDISON	115 WATTS ST	1/8 - 1/4 (0.181 mi.) N	AS246	604
NYC DEPT OF GEN SERVICES LAB	32-44 HARRISON ST OPP	1/8 - 1/4 (0.189 mi.) SSW	AU258	631
HARDING & HEAL INC	480 CANAL ST	1/8 - 1/4 (0.193 mi.) N	AS262	638
ARGO INTL	480 CANAL ST 3RD FL	1/8 - 1/4 (0.193 mi.) N	AS264	641
VARICK STREET DRY CLEANERS INC	140 FRANKLIN ST	1/8 - 1/4 (0.196 mi.) SE	AV265	649
FEDERAL ARMORED EXPRESS	80 VARICK ST	1/8 - 1/4 (0.198 mi.) NE	AW267	655
CON EDISON MANHOLE 46243	275 WEST ST	1/8 - 1/4 (0.198 mi.) NNW	AX268	665
A T & T CORP	47 6 AVE	1/8 - 1/4 (0.199 mi.) E	AY270	669
CON EDISION - MH59695	32 AVE OF THE AMERICAS	1/8 - 1/4 (0.209 mi.) E	AY278	678
SUSAN MAINTENANCE	31 LEONARD ST 31 LEONAR	1/8 - 1/4 (0.225 mi.) SSE	BJ310	832
WEST STREET AND HUDSON STREET	74 6TH AVE	1/8 - 1/4 (0.229 mi.) ENE	BL314	849
GLUE FAST EQUIPMENT CO INC	WEST STREET AND HUDSON	1/8 - 1/4 (0.231 mi.) SW	BN318	864
	9-11 WHITE ST	1/8 - 1/4 (0.234 mi.) SE	BB322	868

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON MANHOLE 46264	GRAND ST & 6TH AVE	1/8 - 1/4 (0.238 mi.) ENE	BL331	882
MOBIL OIL CORP SS #509	386 CANAL ST	1/8 - 1/4 (0.239 mi.) E	BK333	892
CON EDISON GAS MAIN 6CI	15 WALKER ST	1/8 - 1/4 (0.240 mi.) ESE	338	915
CON EDISON SERVICE BOX 49623	CANAL ST & WEST BROADWA	1/8 - 1/4 (0.240 mi.) E	BK346	924
VERIZON BUSINESS METRO ACCESS	60 HUDSON STREET	1/8 - 1/4 (0.242 mi.) S	BG357	941
CON EDISON GAS MAIN	255 HUDSON ST GAS MAIN	1/8 - 1/4 (0.245 mi.) NNE	BQ367	1352
L PROVENZANO INC	180 W BROADWAY	1/8 - 1/4 (0.247 mi.) SSE	BJ369	1356
CON EDISON SERVICE BOX 49622	375 CANAL ST W OF BROAD	1/8 - 1/4 (0.248 mi.) E	BO377	1383
CON ED - V 4979	56 HUDSON ST	1/8 - 1/4 (0.249 mi.) S	381	1387
P D M LITHO	250 HUDSON ST 8TH FLOOR	1/8 - 1/4 (0.250 mi.) NNE	BQ382	1389
BRITA LITHO INC	250 HUDSON ST	1/8 - 1/4 (0.250 mi.) NNE	BQ383	1391

CONSENT: Major Legal settlements that establish responsibility and standards for cleanup at NPL (superfund) sites. Released periodically by U.S. District Courts after settlement by parties to litigation matters.

A review of the CONSENT list, as provided by EDR, and dated 12/31/2013 has revealed that there is 1 CONSENT site within approximately 1 mile of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE	1/8 - 1/4 (0.191 mi.) W	0	9

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 11/25/2013 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
HUDSON RIVER PCBS	NO STREET APPLICABLE	1/8 - 1/4 (0.191 mi.) W	0	9

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 11/01/2013 has revealed that there are 119 NY MANIFEST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
NEW BOWERY ANTHONY S	408 GREENWICH ST	0 - 1/8 (0.044 mi.) WNW	C10	52
CON EDISON	FO 57 LAIGHT ST	0 - 1/8 (0.045 mi.) N	D13	63
CON EDISON	69 LAIGHT ST	0 - 1/8 (0.072 mi.) NW	F40	117
CON EDISON	169 HUDSON ST SB37281	0 - 1/8 (0.075 mi.) NE	G44	123
CITIGROUP	390 GREENWICH ST	0 - 1/8 (0.075 mi.) W	J46	125
MH68032	S/E/C E. 2ND STREET AND	0 - 1/8 (0.077 mi.) ENE	K48	132
CONSOLIDATED EDISON	399 WASHINGTON STREET	0 - 1/8 (0.087 mi.) NW	M58	154
CON EDISON	175 HUDSON ST	0 - 1/8 (0.090 mi.) NE	N63	170
CON EDISON	40 VESTRY ST	0 - 1/8 (0.092 mi.) N	O66	173

EXECUTIVE SUMMARY

Site	Address	Dist / Dir	Map ID	Page
CON EDISON	31 VESTRY ST	0 - 1/8 (0.092 mi.) NNE	O69	176
FISCHER MILLS BUILDING	387-397 GREENWICH ST	0 - 1/8 (0.093 mi.) SSW	P71	178
CON EDISON	414 WASHINGTON ST	0 - 1/8 (0.095 mi.) NW	M75	189
LEICESTERSHIRE ARMS LTD	55 N MOORE ST	0 - 1/8 (0.098 mi.) S	Q80	199
CON EDISON	416 WASHINGTON ST	0 - 1/8 (0.099 mi.) NW	M81	202
FEDERAL BUREAU OF INVESTIGATION	56 N MOORE ST	0 - 1/8 (0.100 mi.) S	Q84	209
CON EDISON	N. MOORE ST & GREENWICH	0 - 1/8 (0.101 mi.) SSW	P85	219
MH37957	34 LAIGHT STREET	0 - 1/8 (0.103 mi.) ENE	S91	229
CON EDISON	F/O 13 LAIGHT & VARRICK	0 - 1/8 (0.103 mi.) ENE	S93	233
CON EDISON	52 VESTRY ST	0 - 1/8 (0.105 mi.) NNW	L97	238
CONSOLIDATED EDISON OF NY	HUDSON STREET AND NORTH	0 - 1/8 (0.105 mi.) SSE	Q98	239
CON EDISON	84 LAIGHT ST	0 - 1/8 (0.112 mi.) WNW	U110	267
WHITE GLOVE VALET	39 N MOORE ST	0 - 1/8 (0.112 mi.) SSE	Q113	270
CALDERON BELTS INC	443 GREENWICH ST 3RD FL	0 - 1/8 (0.112 mi.) N	T115	273
CAPPIELLO & CHABROWE INC	116 HUDSON ST 4TH FL	0 - 1/8 (0.117 mi.) SSE	Q124	298
CON EDISON	61 VESTRY ST	0 - 1/8 (0.120 mi.) NW	R131	307
CON EDISON	SE WASHINGTONST & VESTR	0 - 1/8 (0.120 mi.) NNW	R133	311
PARISH OF TRINITY CHURCH	200 HUDSON STREET	0 - 1/8 (0.121 mi.) NNE	W137	319
CON EDISON	63 VESTRY ST	0 - 1/8 (0.121 mi.) NW	R139	323
CONED	63-65 VESTRY ST	0 - 1/8 (0.121 mi.) NW	R140	324
CON EDISON	429 WASHINGTON ST	0 - 1/8 (0.124 mi.) NNW	Y144	332
CON EDISON	88 LAIGHT ST	1/8 - 1/4 (0.125 mi.) WNW	U151	341
BORDEN HOUSE CONDOMINIUMS	110 HUDSON ST - FLOOR 2	1/8 - 1/4 (0.132 mi.) SSE	X154	343
CON EDISON - MH 37290	F/O 189 HUDSON ST. F/O	1/8 - 1/4 (0.133 mi.) NNE	W155	345
CON EDISON	185 HUDSON ST	1/8 - 1/4 (0.134 mi.) NNE	W158	349
CON EDISON	432 WASHINGTON ST	1/8 - 1/4 (0.135 mi.) NNW	Y160	351
34 HERBERT STREET ASSOCIATES	250 WEST ST	1/8 - 1/4 (0.138 mi.) WNW	164	354
THE PORT AUTHORITY OF NY & NJ	4 VESTRY STREET	1/8 - 1/4 (0.138 mi.) NE	AB165	355
ECO LAB INC	185 FRANKLIN ST	1/8 - 1/4 (0.139 mi.) S	AC168	391
CON EDISON	VARICK & LAIGHT ST	1/8 - 1/4 (0.139 mi.) ENE	AD171	398
CON EDISON	W HUDSON ST & DESBROSSE	1/8 - 1/4 (0.144 mi.) NNE	AF176	405
V0186	195 HUDSON STREET	1/8 - 1/4 (0.154 mi.) NNE	AF189	420
RAPOPORT METROPOLITAN PRINTING	195 HUDSON ST	1/8 - 1/4 (0.154 mi.) NNE	AF190	422
VERIZON - VARICK ST	50 VARICK ST	1/8 - 1/4 (0.158 mi.) E	AK194	430
CON EDISON	442 WASHINGTON ST	1/8 - 1/4 (0.158 mi.) NNW	AJ195	447
CON EDISON	442 WASHINGTON ST	1/8 - 1/4 (0.158 mi.) NNW	AJ196	448
11 NM VENTURE LLC	24 VARICK ST	1/8 - 1/4 (0.163 mi.) ESE	AL201	469
100 HUDSON TENANTS CORP	100 HUDSON ST	1/8 - 1/4 (0.164 mi.) SSE	202	473
CON EDISON	FO 205 HUDSON ST	1/8 - 1/4 (0.166 mi.) NNE	AF203	480
TRINITY REAL ESTATE - 205 HUDS	205 HUDSON ST	1/8 - 1/4 (0.166 mi.) NNE	AF204	481
ATLANTA CORP	17 VARICK ST	1/8 - 1/4 (0.166 mi.) SE	AI205	484
CON EDISON	439 CANAL ST	1/8 - 1/4 (0.166 mi.) NNE	AM208	491
CON EDISON	OPP 447 WASHINGTON ST	1/8 - 1/4 (0.167 mi.) NNW	AJ209	492
CON EDISON	465 CANAL ST	1/8 - 1/4 (0.168 mi.) NNE	AM214	500
CON EDISON	465 CANAL ST	1/8 - 1/4 (0.168 mi.) NNE	AM215	501
CON ED - MH1115	E/S LEE AVE	1/8 - 1/4 (0.171 mi.) NNE	220	507
MTA NYCT - CANAL STREET STATIO	CANAL & VARICK ST	1/8 - 1/4 (0.171 mi.) ENE	AP222	511
NYNEX	VARICK & CANAL ST SE	1/8 - 1/4 (0.171 mi.) ENE	AP223	512
CON EDISON MANHOLE 61601	N MOORE ST & W SIDE HWY	1/8 - 1/4 (0.173 mi.) WSW	AQ226	519
CON EDISON - MH40121	N.MOORE ST.AND WEST ST.	1/8 - 1/4 (0.177 mi.) WSW	AQ230	526
417 CANAL ST	417 CANAL ST	1/8 - 1/4 (0.178 mi.) ENE	AP232	530
EUROPADISK LTD	75 VARICK ST - ROOM 403	1/8 - 1/4 (0.178 mi.) ENE	AP236	542
ONE HUDSON SQUARE	75 VARICK ST 8TH FLOOR	1/8 - 1/4 (0.178 mi.) ENE	AP241	595
CON EDISON - MH47356	75 VARICK ST 75 VARICK	1/8 - 1/4 (0.178 mi.) ENE	AP243	599
FRATELLI BRANCA & CO	115 WATTS ST	1/8 - 1/4 (0.181 mi.) N	AS246	604
PARISH OF TRINITY CHURCH	76 VARICK ST - ABANDON	1/8 - 1/4 (0.184 mi.) ENE	AP250	612

EXECUTIVE SUMMARY

Site	Address	Dist / Dir	Map ID	Page
CONSOLIDATED EDISON	GREENWICH ST & HARRISON	1/8 - 1/4 (0.189 mi.) SSW	AU255	627
CONSOLIDATED EDISON	GREENWICH & HARRISON ST	1/8 - 1/4 (0.189 mi.) SSW	AU256	628
CONSOLIDATED EDISON	HARRISON & GREENWICH ST	1/8 - 1/4 (0.189 mi.) SSW	AU257	629
CONSOLIDATED EDISON	GREENWICH & HARRISON ST	1/8 - 1/4 (0.190 mi.) SSW	AU260	635
NEW YORK CITY DEPT OF GENERAL HARDING & HEAL INC	480 CANAL STREET	1/8 - 1/4 (0.193 mi.) N	AS263	639
ARGO INTL	480 CANAL ST 3RD FL	1/8 - 1/4 (0.193 mi.) N	AS264	641
VARICK STREET DRY CLEANERS INC	140 FRANKLIN ST	1/8 - 1/4 (0.196 mi.) SE	AV265	649
CON EDISON MANHOLE 46243	80 VARICK ST	1/8 - 1/4 (0.198 mi.) NE	AW267	655
CON EDISON	47 6 AVE	1/8 - 1/4 (0.199 mi.) E	AY270	669
CON EDISON	WALKER ST. S/W BROADWAY	1/8 - 1/4 (0.209 mi.) ESE	277	677
A T & T CORP	32 AVE OF THE AMERICAS	1/8 - 1/4 (0.209 mi.) E	AY278	678
RUDIN MGMT CO I-32 AVE OF THE	32 AVE OF THE AMERICAS	1/8 - 1/4 (0.211 mi.) E	AY283	764
CONSOLIDATED EDISON - MH 386	WEST BROADWAY & FRANKLI	1/8 - 1/4 (0.212 mi.) SE	BC284	771
AMERICAN THREAD CLEANERS	260 W BROADWAY	1/8 - 1/4 (0.212 mi.) ESE	BD286	775
CON EDISON	4 THOMPSON ST	1/8 - 1/4 (0.215 mi.) ENE	BA288	792
CON EDISON	10 RENWICK ST	1/8 - 1/4 (0.215 mi.) N	BE289	793
CONSOLIDATED EDISON	6TH AVE & LISPENARD ST	1/8 - 1/4 (0.216 mi.) ESE	BD295	803
CONSOLIDATED EDISON	6 CIM-FRANKLIN & W BROA	1/8 - 1/4 (0.218 mi.) ESE	BD297	805
NYNEX - ENV MATTERS	73 HUDSON ST-RM 3025	1/8 - 1/4 (0.220 mi.) S	BG300	811
CON EDISON	FO 393 CANAL ST	1/8 - 1/4 (0.220 mi.) E	BA301	812
CONSOLIDATED EDISON	215 W BROADWAY	1/8 - 1/4 (0.220 mi.) SE	BC302	813
CONSOLIDATED EDISON	1 WORTH STREET	1/8 - 1/4 (0.220 mi.) S	BG303	814
CON EDISON - MH59695	31 LEONARD ST 31 LEONAR	1/8 - 1/4 (0.225 mi.) SSE	BJ310	832
CON ED	FO 387 CANAL ST	1/8 - 1/4 (0.228 mi.) E	BK313	848
SUSAN MAINTENANCE	74 6TH AVE	1/8 - 1/4 (0.229 mi.) ENE	BL314	849
WEST STREET AND HUDSON STREET	WEST STREET AND HUDSON	1/8 - 1/4 (0.231 mi.) SW	BN318	864
CON EDISON	508 CANAL ST	1/8 - 1/4 (0.233 mi.) N	BM320	866
CON EDISON	510 CANAL ST	1/8 - 1/4 (0.235 mi.) N	BM325	876
CON EDISON	OPP 463 WASHINGTON ST	1/8 - 1/4 (0.238 mi.) NNW	BH328	879
CON EDISON	463 WASHINGTON ST	1/8 - 1/4 (0.238 mi.) NNW	BH329	880
CON EDISON MANHOLE 46264	GRAND ST & 6TH AVE	1/8 - 1/4 (0.238 mi.) ENE	BL331	882
MOBIL OIL CORP SS #509	386 CANAL ST	1/8 - 1/4 (0.239 mi.) E	BK333	892
TRINITY CHURCH - PROPERTY OWNE	101 AVE OF THE AMERICAS	1/8 - 1/4 (0.239 mi.) ENE	BP334	901
CON EDISON	484 GREENWICH ST	1/8 - 1/4 (0.240 mi.) N	BM336	913
CON EDISON GAS MAIN 6CI	15 WALKER ST	1/8 - 1/4 (0.240 mi.) ESE	338	915
CON EDISON	SE JAY ST & GREENWICH S	1/8 - 1/4 (0.240 mi.) SSW	BF339	917
CONSOLIDATED EDISON	W BROADWAY & CANAL ST	1/8 - 1/4 (0.240 mi.) E	BK340	918
CON EDISON	W BROADAWY & CANAL	1/8 - 1/4 (0.240 mi.) E	BK344	922
CON EDISON	W BROADWAY & CANAL	1/8 - 1/4 (0.240 mi.) E	BK345	923
CONSOLIDATED EDISON	CANAL ST & W BROADWAY	1/8 - 1/4 (0.240 mi.) E	BK347	924
CON EDISON	483 GREENWICH ST	1/8 - 1/4 (0.240 mi.) N	BM350	927
CON EDISON	483 GREENWICH ST	1/8 - 1/4 (0.240 mi.) N	BM353	930
WESTERN UNION TELEGRAPG CO	60 HUDSON ST	1/8 - 1/4 (0.242 mi.) S	BG356	937
HUDSON TELEGRAPH ASSOCIATES	60 HUDSON ST - 1ST FLOO	1/8 - 1/4 (0.242 mi.) S	BG358	943
CONSOLIDATED EDISON	LEONARD & W BROADWAY MH	1/8 - 1/4 (0.243 mi.) SSE	BJ363	1340
CONSOLIDATED EDISON	LEONARD ST & VARICK ST	1/8 - 1/4 (0.243 mi.) SSE	BJ364	1341
MTA NYCT - CANAL STREET STATIO	GRAND & 6TH AVE BELOW G	1/8 - 1/4 (0.244 mi.) ENE	BL365	1343
CON EDISON GAS MAIN	255 HUDSON ST GAS MAIN	1/8 - 1/4 (0.245 mi.) NNE	BQ367	1352
L. PROVENZANO INC	180 WEST BROADWAY	1/8 - 1/4 (0.247 mi.) SSE	BJ370	1357
CONSOLIDATED EDISON	375 CANAL ST (WEST BWAY	1/8 - 1/4 (0.247 mi.) E	BK371	1372
CON EDISON	26 RENWICK ST	1/8 - 1/4 (0.248 mi.) N	BR373	1377
CON EDISON	184 W BROADWAY	1/8 - 1/4 (0.248 mi.) SSE	BJ378	1385
CON ED - V 4979	56 HUDSON ST	1/8 - 1/4 (0.249 mi.) S	381	1387
BRITA LITHO INC	250 HUDSON ST	1/8 - 1/4 (0.250 mi.) NNE	BQ383	1391

EXECUTIVE SUMMARY

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 11/01/2013 has revealed that there are 2 NJ MANIFEST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>THE PORT AUTHORITY OF NY & NJ</i>	<i>4 VESTRY STREET</i>	<i>1/8 - 1/4 (0.138 mi.) NE</i>	<i>AB165</i>	<i>355</i>
<i>MTA NYCT - CANAL STREET STATIO</i>	<i>GRAND & 6TH AVE BELOW G</i>	<i>1/8 - 1/4 (0.244 mi.) ENE</i>	<i>BL365</i>	<i>1343</i>

RI MANIFEST: Hazardous waste manifest information

A review of the RI MANIFEST list, as provided by EDR, and dated 11/01/2013 has revealed that there is 1 RI MANIFEST site within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>AMERICAN THREAD CLEANERS</i>	<i>260 W BROADWAY</i>	<i>1/8 - 1/4 (0.212 mi.) ESE</i>	<i>BD286</i>	<i>775</i>

PA MANIFEST: Hazardous waste manifest information.

A review of the PA MANIFEST list, as provided by EDR, and dated 11/01/2013 has revealed that there are 3 PA MANIFEST sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>CITI GROUP</i>	<i>390 GREENWICH STREET</i>	<i>0 - 1/8 (0.081 mi.) SW</i>	<i>H49</i>	<i>135</i>
<i>PORT AUTHORITY OF NY & NJ HOLL</i>	<i>FOUR VESTRY ST</i>	<i>1/8 - 1/4 (0.138 mi.) NE</i>	<i>AB167</i>	<i>388</i>
<i>RUDIN MGMT CO I-32 AVE OF THE</i>	<i>32 AVE OF THE AMERICAS</i>	<i>1/8 - 1/4 (0.211 mi.) E</i>	<i>AY283</i>	<i>764</i>

NY DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the NY DRYCLEANERS list, as provided by EDR, and dated 01/21/2014 has revealed that there are 2 NY DRYCLEANERS sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>WHITE GLOVE CLEANERS</i>	<i>39 NORTH MOORE STREET</i>	<i>0 - 1/8 (0.112 mi.) SSE</i>	<i>Q112</i>	<i>269</i>
<i>AMERICAN THREAD CLEANERS</i>	<i>260 W BROADWAY</i>	<i>1/8 - 1/4 (0.212 mi.) ESE</i>	<i>BD286</i>	<i>775</i>

NY E DESIGNATION: Lots designation with an ?E? on the Zoning Maps of the City of New York for potential hazardous material contamination, air and/or noise quality impacts.

A review of the NY E DESIGNATION list, as provided by EDR, and dated 12/10/2013 has revealed that there are 17 NY E DESIGNATION sites within approximately 0.125 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
<i>LOT 1,TAXBLOCK 215</i>	<i>10 HUBERT STREET</i>	<i>0 - 1/8 (0.005 mi.) W</i>	<i>A2</i>	<i>37</i>
<i>LOT 4,TAXBLOCK 214</i>	<i>403 GREENWICH STREET</i>	<i>0 - 1/8 (0.046 mi.) SW</i>	<i>E18</i>	<i>71</i>
<i>LOT 3,TAXBLOCK 219</i>	<i>52 LAIGHT STREET</i>	<i>0 - 1/8 (0.052 mi.) NNE</i>	<i>D23</i>	<i>77</i>

EXECUTIVE SUMMARY

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
LOT 3,TAXBLOCK 214	401 GREENWICH STREET	0 - 1/8 (0.054 mi.) SW	E25	82
LOT 17,TAXBLOCK 217	422 GREENWICH STREET	0 - 1/8 (0.057 mi.) NNW	F26	85
LOT 2,TAXBLOCK 219	50 LAIGHT STREET	0 - 1/8 (0.064 mi.) NE	G32	108
LOT 14,TAXBLOCK 217	401 WASHINGTON STREET	0 - 1/8 (0.086 mi.) NW	M55	146
LOT 31,TAXBLOCK 220	174 HUDSON STREET	0 - 1/8 (0.088 mi.) NE	N60	158
LOT 6,TAXBLOCK 218	415 WASHINGTON STREET	0 - 1/8 (0.093 mi.) NW	M72	180
LOT 7506,TAXBLOCK 190	124 HUDSON STREET	0 - 1/8 (0.097 mi.) SSE	Q76	190
LOT 35,TAXBLOCK 223	438 GREENWICH STREET	0 - 1/8 (0.100 mi.) NNW	L83	204
LOT 14,TAXBLOCK 218	LAIGHT STREET	0 - 1/8 (0.107 mi.) NW	M103	248
LOT 29,TAXBLOCK 220	19 VESTRY STREET	0 - 1/8 (0.109 mi.) NE	N105	253
LOT 33,TAXBLOCK 223	442 GREENWICH STREET	0 - 1/8 (0.111 mi.) NNW	T109	263
LOT 1,TAXBLOCK 222	443 GREENWICH STREET	0 - 1/8 (0.112 mi.) N	T119	284
LOT 28,TAXBLOCK 220	17 VESTRY STREET	0 - 1/8 (0.113 mi.) NE	120	289
APPLE FIBERS; INC.	444 GREENWICH STREET	0 - 1/8 (0.116 mi.) N	T123	294

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

A review of the EDR MGP list, as provided by EDR, has revealed that there are 5 EDR MGP sites within approximately 1 mile of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
CON EDISON - CANAL ST. WORKS M	CANAL STREET	1/2 - 1 (0.527 mi.) ESE	442	1527
CON EDISON - CROSS/LITTLE WATE	60 CENTRE ST	1/2 - 1 (0.584 mi.) SE	443	1527
CON EDISON - HESTER ST. GAS WO	HESTER STREET	1/2 - 1 (0.732 mi.) ESE	445	1534
CON EDISON - ROOSEVELT ST. STA	PEARL ST. BETWEEN PARK	1/2 - 1 (0.812 mi.) SE	446	1534
CON EDISON - 286 WATER ST. SIT	312 WATER STREET	1/2 - 1 (0.977 mi.) SSE	447	1534

EDR US Hist Auto Stat: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Auto Stat list, as provided by EDR, has revealed that there are 22 EDR US

EXECUTIVE SUMMARY

Hist Auto Stat sites within approximately 0.25 miles of the target property.

<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Not reported	54 LAIGHT ST	0 - 1/8 (0.047 mi.) N	D21	77
Not reported	57 BEACH ST	0 - 1/8 (0.049 mi.) S	22	77
Not reported	166 HUDSON ST	0 - 1/8 (0.066 mi.) NE	G35	113
Not reported	36 ERICSSON PL	0 - 1/8 (0.085 mi.) SE	I52	142
Not reported	440 GREENWICH ST	0 - 1/8 (0.105 mi.) NNW	T101	246
Not reported	70 VESTRY ST	1/8 - 1/4 (0.132 mi.) NW	Y152	342
Not reported	432 WASHINGTON ST	1/8 - 1/4 (0.135 mi.) NNW	Y161	352
Not reported	189 FRANKLIN ST	1/8 - 1/4 (0.142 mi.) S	AC174	404
Not reported	173 FRANKLIN ST	1/8 - 1/4 (0.145 mi.) S	AG177	406
Not reported	33 DESBROSSES ST	1/8 - 1/4 (0.157 mi.) NNW	AJ193	430
Not reported	266 WEST ST	1/8 - 1/4 (0.169 mi.) NW	AO216	502
Not reported	446 WASHINGTON ST	1/8 - 1/4 (0.171 mi.) NNW	AJ219	507
Not reported	75 VARICK ST	1/8 - 1/4 (0.178 mi.) ENE	AP235	542
Not reported	13 LAIGHT ST	1/8 - 1/4 (0.182 mi.) E	AT247	607
Not reported	124 WATTS ST	1/8 - 1/4 (0.184 mi.) N	AR253	626
Not reported	489 CANAL ST	1/8 - 1/4 (0.188 mi.) NNE	AS254	626
Not reported	473 GREENWICH ST	1/8 - 1/4 (0.203 mi.) N	AZ273	674
Not reported	40 AVENUE OF THE AMERI	1/8 - 1/4 (0.207 mi.) E	AY275	675
Not reported	500 CANAL ST	1/8 - 1/4 (0.228 mi.) N	AZ311	834
Not reported	293 W BROADWAY	1/8 - 1/4 (0.232 mi.) E	BO319	865
Not reported	510 CANAL ST	1/8 - 1/4 (0.235 mi.) N	BM323	869
Not reported	488 GREENWICH ST	1/8 - 1/4 (0.249 mi.) N	BM380	1387

EDR US Hist Cleaners: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR US Hist Cleaners list, as provided by EDR, has revealed that there are 6 EDR US Hist Cleaners sites within approximately 0.25 miles of the target property.


<u>Site</u>	<u>Address</u>	<u>Dist / Dir</u>	<u>Map ID</u>	<u>Page</u>
Not reported	397 GREENWICH ST	0 - 1/8 (0.062 mi.) SW	E31	107
Not reported	395 GREENWICH ST	0 - 1/8 (0.068 mi.) SW	H36	113
Not reported	111 HUDSON ST	0 - 1/8 (0.124 mi.) SSE	X143	332
Not reported	370 GREENWICH ST	1/8 - 1/4 (0.148 mi.) SSW	Z180	409
Not reported	6 VARICK ST	1/8 - 1/4 (0.200 mi.) SE	AV271	670
Not reported	260 W BROADWAY	1/8 - 1/4 (0.212 mi.) ESE	BD287	791

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 20 records.

<u>Site Name</u>	<u>Database(s)</u>
CON EDISION - MH4706	RCRA NonGen / NLR, NY MANIFEST
CON EDISION - MH38210	RCRA NonGen / NLR, NY MANIFEST
NYSDOT BIN 1005150	RCRA NonGen / NLR, NY MANIFEST
BELL ATLANTIC NY	NY MANIFEST
BELL ATLANTIC NY	NY MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
CONSOLIDATED EDISON	NY MANIFEST
HUDSON RIVER PARK TRUST	RCRA NonGen / NLR, NY MANIFEST
LAW & ORDER PRODUCTIONS	RCRA-CESQG, NY MANIFEST, NJ MANIFEST
MEGA ART	RCRA NonGen / NLR, NY MANIFEST
VS3610	RCRA NonGen / NLR, NY MANIFEST
MH51640	RCRA NonGen / NLR, NY MANIFEST
NYSDOT BIN 2232019	RCRA-LQG
CON EDISON	RCRA NonGen / NLR
CON EDISON	RCRA-CESQG
NYC-DOS WEST 59TH ST MTS	FINDS
59TH GENERATION STATION	NY Spills
PINE PLAZA SHOPPING CENTER	NJ VCP
STRATFORD APARTMENTS	NJ VCP
NYCDOS - GANSVOORT ST MARINE TRANS	ICIS

OVERVIEW MAP - 3893682.2s




- ★ Target Property
- ▲ Toxic Sites
- ⚙ Manufactured Gas Plants
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites
- ☒ Indian Reservations BIA
- ⚡ County Boundary
- ⚡ Oil & Gas pipelines from USGS
- ▨ 100-year flood zone
- ▨ 500-year flood zone
- ▨ National Wetland Inventory
- ▨ State Wetlands



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.


<p>SITE NAME: 11 Hubert St ADDRESS: 11 Hubert Street New York NY 10013 LAT/LONG: 40.7214 / 74.0092</p>	<p>CLIENT: Airtek Env. Corp. CONTACT: Kevin Cordes INQUIRY #: 3893682.2s DATE: March 28, 2014 10:59 am</p>
---	---

DETAIL MAP - 3893682.2s



- ★ Target Property
- ▲ Toxic Sites
- ▲ Manufactured Gas Plants
- ⚡ Sensitive Receptors
- ☒ National Priority List Sites
- ☒ Dept. Defense Sites

- ☒ Indian Reservations BIA
- 🛢️ Oil & Gas pipelines from USGS
- 🌊 100-year flood zone
- 🌊 500-year flood zone
- 🌿 National Wetland Inventory
- 🌿 State Wetlands



This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: 11 Hubert St
 ADDRESS: 11 Hubert Street
 New York NY 10013
 LAT/LONG: 40.7214 / 74.0092

CLIENT: Airtek Env. Corp.
 CONTACT: Kevin Cordes
 INQUIRY #: 3893682.2s
 DATE: March 28, 2014 11:02 am

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
<i>Federal NPL site list</i>								
NPL	1.000		0	1	0	0	NR	1
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
<i>Federal Delisted NPL site list</i>								
Delisted NPL	1.000		0	0	0	0	NR	0
<i>Federal CERCLIS list</i>								
CERCLIS	0.500		0	1	0	NR	NR	1
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
<i>Federal CERCLIS NFRAP site List</i>								
CERC-NFRAP	0.500		0	0	1	NR	NR	1
<i>Federal RCRA CORRACTS facilities list</i>								
CORRACTS	1.000		0	0	0	0	NR	0
<i>Federal RCRA non-CORRACTS TSD facilities list</i>								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
<i>Federal RCRA generators list</i>								
RCRA-LQG	0.250		1	3	NR	NR	NR	4
RCRA-SQG	0.250		0	6	NR	NR	NR	6
RCRA-CESQG	0.250		19	51	NR	NR	NR	70
<i>Federal institutional controls / engineering controls registries</i>								
US ENG CONTROLS	0.500		0	1	0	NR	NR	1
US INST CONTROL	0.500		0	1	0	NR	NR	1
LUCIS	0.500		0	0	0	NR	NR	0
<i>Federal ERNS list</i>								
ERNS	TP		NR	NR	NR	NR	NR	0
<i>State- and tribal - equivalent CERCLIS</i>								
NY SHWS	1.000		0	0	0	1	NR	1
NJ SHWS	1.000		0	0	0	0	NR	0
NY VAPOR REOPENED	1.000		0	0	0	0	NR	0
<i>State and tribal landfill and/or solid waste disposal site lists</i>								
NY SWF/LF	0.500		0	1	1	NR	NR	2
NJ SWF/LF	0.500		0	0	0	NR	NR	0
<i>State and tribal leaking storage tank lists</i>								
NY LTANKS	0.500		5	11	52	NR	NR	68

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY HIST LTANKS	0.500		0	0	0	NR	NR	0
INDIAN LUST	0.500		0	0	0	NR	NR	0
State and tribal registered storage tank lists								
NY TANKS	0.250		0	0	NR	NR	NR	0
NY UST	0.250		5	15	NR	NR	NR	20
NJ UST	0.250		0	0	NR	NR	NR	0
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY AST	0.250		20	36	NR	NR	NR	56
NY CBS AST	0.250		0	0	NR	NR	NR	0
NY MOSF AST	0.500		0	0	1	NR	NR	1
NY CBS	0.250		0	0	NR	NR	NR	0
NY MOSF	0.500		0	0	1	NR	NR	1
INDIAN UST	0.250		0	0	NR	NR	NR	0
FEMA UST	0.250		0	0	NR	NR	NR	0
State and tribal institutional control / engineering control registries								
NY ENG CONTROLS	0.500		0	0	0	NR	NR	0
NJ ENG CONTROLS	0.500		0	0	0	NR	NR	0
NY INST CONTROL	0.500		0	0	0	NR	NR	0
NJ INST CONTROL	0.500		0	0	0	NR	NR	0
NY RES DECL	0.125		0	NR	NR	NR	NR	0
State and tribal voluntary cleanup sites								
NY VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
NJ VCP	0.500		0	0	0	NR	NR	0
State and tribal Brownfields sites								
NY ERP	0.500		0	0	0	NR	NR	0
NY BROWNFIELDS	0.500		0	2	1	NR	NR	3
NJ BROWNFIELDS	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
NY SWTIRE	0.500		0	0	0	NR	NR	0
NY SWRCY	0.500		1	0	0	NR	NR	1
NJ SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US CDL	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY DEL SHWS	1.000		0	0	0	0	NR	0
US HIST CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	5	NR	NR	NR	5
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
LIENS 2	TP		NR	NR	NR	NR	NR	0
NY LIENS	TP		NR	NR	NR	NR	NR	0
NJ LIENS	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		33	NR	NR	NR	NR	33
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		0	NR	NR	NR	NR	0
NJ SPILLS 90	0.125		0	NR	NR	NR	NR	0
NJ SPILLS 80	0.125		0	NR	NR	NR	NR	0
Other Ascertainable Records								
RCRA NonGen / NLR	0.250		17	45	NR	NR	NR	62
DOT OPS	TP		NR	NR	NR	NR	NR	0
DOD	1.000		0	0	0	0	NR	0
FUDS	1.000		0	0	0	0	NR	0
CONSENT	1.000		0	1	0	0	NR	1
ROD	1.000		0	1	0	0	NR	1
UMTRA	0.500		0	0	0	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
FINDS	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
NJ UIC	TP		NR	NR	NR	NR	NR	0
NY MANIFEST	0.250		30	89	NR	NR	NR	119
NJ MANIFEST	0.250		0	2	NR	NR	NR	2
RI MANIFEST	0.250		0	1	NR	NR	NR	1
PA MANIFEST	0.250		1	2	NR	NR	NR	3
NY DRYCLEANERS	0.250		1	1	NR	NR	NR	2
NJ DRYCLEANERS	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY SPDES	TP		NR	NR	NR	NR	NR	0
NJ NPDES	TP		NR	NR	NR	NR	NR	0
NY AIRS	TP		NR	NR	NR	NR	NR	0
NY E DESIGNATION	0.125	1	17	NR	NR	NR	NR	18
INDIAN RESERV	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
NJ COAL ASH	0.500		0	0	0	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
NJ Financial Assurance	TP		NR	NR	NR	NR	NR	0

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP	1.000		0	0	0	5	NR	5
EDR US Hist Auto Stat	0.250		5	17	NR	NR	NR	22
EDR US Hist Cleaners	0.250		3	3	NR	NR	NR	6

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS	TP		NR	NR	NR	NR	NR	0
NY RGA LF	TP		NR	NR	NR	NR	NR	0
NJ RGA HWS	TP		NR	NR	NR	NR	NR	0
NJ RGA LF	TP		NR	NR	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EDR ID Number
 EPA ID Number

A1 **LOT 12,TAXBLOCK 214** **NY E DESIGNATION** **S110670127**
Target **11 HUBERT STREET**
Property **MANHATTAN, NY 10013** **N/A**

Site 1 of 2 in cluster A

E DESIGNATION:
 Tax Lot(s): 12
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1009
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: 11-13 HUBERT REALTY
 Lot Area: 000005006
 Total Building Floor Area: 00000015000
 Commercial Floor Area: 00000015000
 Office Floor Area: 00000010000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000005000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 003.00
 Residential Units: 00000
 Non and Residential Units: 00002
 Lot Frontage: 0050.33
 Lot Depth: 0099.25
 Building Frontage: 0050.00
 Building Depth: 0098.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 12,TAXBLOCK 214 (Continued)

S110670127

Basement Type Grade: 5
 Land Assessed Value: 00000432900
 Total Assessed Value: 00000792000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 1989
 Year Altered2: 0000
 Historic District Name: Tribeca West
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0003.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002140012
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981652
 Y Coordinate: 0202024
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**NPL
 Region
 West
 1/8-1/4
 1008 ft.**

**HUDSON RIVER PCBS
 NO STREET APPLICABLE
 HUDSON RIVER, NY 12801**

**NPL 1000384273
 CERCLIS NYD980763841
 RCRA-LQG
 US ENG CONTROLS
 US INST CONTROL
 CONSENT
 ROD
 NY Spills
 PRP**

NPL:
 EPA ID: NYD980763841
 EPA Region: 02
 Federal: N
 Final Date: 1984-09-21 00:00:00

Category Details:
 NPL Status: Currently on the Final NPL
 Category Description: Depth To Aquifer-<= 10 Feet
 Category Value: 0

 NPL Status: Currently on the Final NPL
 Category Description: Distance To Nearest Population-> 0 And <= 1/4 Mile
 Category Value: 10

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Site Details:

Site Name: HUDSON RIVER PCBS
 Site Status: Final
 Site Zip: 12801
 Site City: HUDSON RIVER
 Site State: NY
 Federal Site: No
 Site County: WASHINGTON
 EPA Region: 02
 Date Proposed: 09/08/83
 Date Deleted: Not reported
 Date Finalized: 09/21/84

Substance Details:

NPL Status: Currently on the Final NPL
 Substance ID: Not reported
 Substance: Not reported
 CAS #: Not reported
 Pathway: Not reported
 Scoring: Not reported

NPL Status: Currently on the Final NPL
 Substance ID: A046
 Substance: POLYCHLORINATED BIPHENYLS
 CAS #: 1336-36-3
 Pathway: AIR PATHWAY
 Scoring: 4

NPL Status: Currently on the Final NPL
 Substance ID: A046
 Substance: POLYCHLORINATED BIPHENYLS
 CAS #: 1336-36-3
 Pathway: SURFACE WATER PATHWAY
 Scoring: 4

Summary Details:

Conditions at listing September 1983): The Hudson River PCBs Site is a 40-mile stretch of the Hudson River between Mechanicville and Fort Edward, New York. General Electric Co. discharged an estimated 1.1 million pounds of PCBs into this stretch of river. The State has identified 40 hot spots, defined as sediments contaminated with greater than 50 parts per million (ppm) of PCBs. Also included in the site are five remnant areas, which are river sediments exposed when the level of the river was lowered due to removal of the Fort Edward Dam. The State has taken initial measures to stabilize the remnant areas from erosion. In September 1980, Congress passed an amendment to the Clean Water Act (CWA) that included the Hudson River PCB Reclamation Demonstration Project. Under this legislation, the EPA Administrator could authorize a 75 percent grant, not to exceed 20 million. EPA issued a final Environmental Impact Statement in October 1982 evaluating various dredging alternatives for a demonstration project. EPA has prepared a feasibility study to evaluate alternative remedial actions under CERCLA. The Administrator has determined that CERCLA funds may be used for remedial action at the remnant areas and for evaluating the effectiveness of the water supply system at Waterford, New York. Status June 1984): EPA has completed a draft feasibility study identifying alternatives for remedial action. A search for parties potentially responsible for wastes associated with the site

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

has been completed, and EPA has sent letters to two potentially responsible parties notifying them of possible legal action under CERCLA.

Site Status Details:

NPL Status: Final
 Proposed Date: 09/08/1983
 Final Date: 09/21/1984
 Deleted Date: Not reported

Narratives Details:

NPL Name: HUDSON RIVER PCBS
 City: HUDSON RIVER
 State: NY

CERCLIS:

Site ID: 0202229
 EPA ID: NYD980763841
 Facility County: WASHINGTON
 Short Name: HUDSON RIVER PCBS
 Congressional District: 21
 IFMS ID: 0284
 SMSA Number: 2975
 USGC Hydro Unit: 02020003
 Federal Facility: Not a Federal Facility
 DMNSN Number: 0.00000
 Site Orphan Flag: N
 RCRA ID: Not reported
 USGS Quadrangle: Not reported
 Site Init By Prog: Not reported
 NFRAP Flag: Not reported
 Parent ID: Not reported
 RST Code: Not reported
 EPA Region: 02
 Classification: Waterways/Creeks/Rivers
 Site Settings Code: SU
 NPL Status: Currently on the Final NPL
 DMNSN Unit Code: Not reported
 RBRAC Code: Not reported
 RResp Fed Agency Code: Not reported
 Non NPL Status: Not reported
 Non NPL Status Date: / /
 Site Fips Code: 36115
 CC Concurrence Date: / /
 CC Concurrence FY: Not reported
 Alias EPA ID: Not reported
 Site FUDS Flag: Not reported

CERCLIS Site Contact Name(s):

Contact ID: 13002796.00000
 Contact Name: JENNIFER LAPOMA
 Contact Tel: (212) 637-4328
 Contact Title: Remedial Project Manager (RPM)
 Contact Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

CERCLIS Site Alias Name(s):

Alias ID: 101
 Alias Name: HUDSON RIVER PCBS
 Alias Address: Not reported
 WARREN, NY

Alias ID: 102
 Alias Name: HUDSON RIVER PCBS
 Alias Address: NO STREET APPLICABLE
 NO CITY APPLICABLE, NY 12801

Alias ID: 103
 Alias Name: HUDSON RIVER PCBS
 Alias Address: NO STREET APPLICABLE
 HUDSON RIVER, NY 12801

Alias Comments: Not reported

Site Description: The Hudson River PCBs Site includes a nearly 200 river-mile stretch of the Hudson River in eastern New York State from the Village of Hudson Falls to the Battery in New York City. The Hudson River has been designated an American Heritage River because of its important role in American history and culture. This federal Superfund Record of Decision (ROD) addresses the risks to people and ecological receptors associated with polychlorinated biphenyls (PCBs) in the in-place sediments of the Upper Hudson River. The Site is divided into the Upper Hudson River which is the length of river between Hudson Falls and the Federal Dam at Troy, New York and the Lower Hudson River which is the length of river between Federal Dam at Troy and the Battery. For purposes of this project, EPA further divided the Upper Hudson River area into three main sections known as River Section 1, River Section 2, and River Section 3. The Site also includes five Remnant Deposits, which are areas of PCB-contaminated sediment that became exposed after the river water level dropped following removal of the Fort Edward Dam in 1973. The Upper Hudson River portion of the Site extends from the Fenimore Bridge in Hudson Falls to the Federal Dam at Troy, a distance of just over 43 river miles. The Lower Hudson River extends from the Federal Dam to the southern tip of Manhattan at the Battery in New York City. The Mid-Hudson River, which is primarily a subset of the Lower Hudson River, extends from the Federal Dam at Troy to just south of Poughkeepsie. The predominant sources of PCB contamination to the Upper Hudson River were two capacitor manufacturing plants owned and operated by GE. The plants are located adjacent to or near the Hudson River in the Village of Hudson Falls and the Town of Fort Edward. Over a 30-year period, the plants discharged a substantial amount of PCBs into the river. At the GE Hudson Falls plant, leakage of non-aqueous phase PCB-bearing oils through bedrock to the river continues to be a source of PCB contamination. Regarding the former outfall to the Hudson River from the GE Fort Edward plant, New York State Department of Environmental Conservation (NYSDEC) issued a Record of Decision in January 2000 that calls for the excavation of PCB-contaminated soil and sediment in this area of the Upper Hudson River shoreline in order to eliminate this source of PCBs to the river. EPA's analysis assumes a significantly reduced PCB loading to the river from these sources once the State's plans for remediation are implemented. PCBs, the chemicals of concern addressed in this decision document, have been classified by EPA as probable human carcinogens. They are also linked to other serious non-cancer adverse health effects based on observations in animals and emerging evidence in humans. Once discharged from the GE plants, the PCBs adhered to river sediment and accumulated downstream as they settled in impounded pools and other depositional areas. Historic fish and sediment data indicated PCBs were accumulating downstream of the old Fort Edward Dam as well as accumulating behind the dam. The removal of the dam in 1973 resulted in a remobilization and downstream distribution of PCBs that had accumulated behind the dam.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBs (Continued)

1000384273

Historically, the highest PCB sediment concentrations have been detected in the cohesive sediments within the Upper Hudson River. River scouring/ erosion and other mechanisms have mobilized PCB- contaminated sediments from the extensive cohesive deposits, redepositing them farther downstream all the way to the Battery. The preponderance of data indicates that burial of contaminated sediment by cleaner materials is not universally or uniformly occurring. Data also indicate that contaminated sediments in River Sections 1, 2 and 3 continue to serve as the major source of PCBs to the water column and the fish within the Upper Hudson River. During an approximate 30-year period ending in 1977, PCBs were used in capacitor manufacturing operations Hudson Falls and Fort Edward, New York facilities. PCB oils were discharged both directly and indirectly from these plants into the Hudson River. This included both non-permitted and permitted discharges. Even after permits were received in 1975, permit exceedances occurred. Estimates of the total quantity of PCBs discharged directly from the two plants into the river from the 1940s to 1977 are as high as 1,330,000 pounds (about 605,000 kg). Many of the PCBs discharged to the river adhered to sediments and accumulated with the sediments as they settled in the impounded pool behind the Fort Edward Dam, as well as other depositional areas farther downstream. Because of its deteriorating condition, the Fort Edward Dam was removed in 1973. Five areas of PCB-contaminated sediments were exposed due to the lowering of the river water level when the Fort Edward Dam was removed. These five areas are known as the Remnant Deposits. During subsequent floods, PCB-contaminated sediments from the Fort Edward Dam area were scoured and transported downstream. EPA notified the company that had the two plants of the remedy selected in the 1984 ROD and offered the company the opportunity to implement the selected remedy with respect to the Remnant Deposits and the Waterford drinking water supply evaluation. The company declined EPA's offer. NYSDEC, with funding provided by EPA, conducted the evaluation at the Waterford Water Works. In addition, NYSDEC prepared a design for the in- place containment of the Remnant Deposits. This design was completed in 1988. In March 1989, the company offered to assume responsibility for the implementation of the in-place containment remedy for the Remnant Deposits. EPA issued a September 27, 1989 Administrative Order on Consent to the company which required the company to prepare a remedial design report for the construction of access roads to the Remnant Deposits and to submit a design for the in-place containment of the Remnant Deposits incorporating the NYSDEC-prepared design, plus any EPA-approved refinements to that design. EPA also issued a September 27, 1989 Administrative Order to the company requiring the company to construct and maintain the access roads to the Remnant Deposits. The company constructed the in-place containment of the Remnant Deposits under a 1990 Consent Decree with EPA. EPA will evaluate the need for further remedial action for the Remnant Deposits after completion of a 5-year review of the Remnant Deposit containment remedy, performed pursuant to CERCLA §121(c). The company's manufacturing plants in Hudson Falls and Fort Edward are listed under the New York State Inactive Hazardous Waste Disposal Sites Remedial program. The company currently is conducting remedial activities near the Hudson Falls and Fort Edward plants pursuant to Orders on Consent with NYSDEC. The company has thus far declined to implement the January 2000 NYSDEC Record of Decision for the Fort Edward plant Outfall 004. The NYSDEC is conducting the remedial design for that ROD. As one of America's great rivers, the Hudson has played and will continue to play a major role in the history, culture, and economy of the area. The Hudson has been designated an American Heritage River because of its important role in American history and culture. Current and reasonably-anticipated future land use and surface water use are described below. Current land use includes a variety of residential, commercial and industrial activities. Use of the river and lands surrounding the river are projected to remain the same. At this time, no changes in future

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

land use are known, nor are any new uses expected. The Site passes through 14 different counties as the river flows to its final discharge point in New York Harbor. Four counties (Albany, Washington, Rensselaer, and Saratoga) lie adjacent to the more highly contaminated portions (areas of proposed active remediation in River Sections 1, 2 and 3) of the Upper Hudson River between Troy (Federal Dam) and Hudson Falls. Within these four counties, forests and farmlands surround urban centers and historic villages. There are apple orchards and dairy farms, parks, nature preserves and gardens. In addition to the GE Hudson Falls and Fort Edward plants, the area is home to technology companies, oil service companies and food companies. Saratoga and Washington Counties have experienced population growth between 1990 and 1999 of 10.2 percent and 1.4 percent, respectively, while Rensselaer and Albany Counties have experienced population declines of 1.9 percent and 0.3 percent, respectively. Total population of these four counties, according to July 1999 estimates by the US Department of Commerce Bureau of the Census, is just under 700,000. Warren County, in which the City of Glens Falls is located, has a population of just over 60,000 and is just to the northwest of the Hudson River PCBs Site. A Record of Decision (ROD) addressing operable unit 1 (OU 01) was completed in September 1984. A Record of Decision addressing OU 2 was completed in February 2002.

CERCLIS Assessment History:

Action Code: 001
 Action: DISCOVERY
 Date Started: / /
 Date Completed: 07/01/83
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: SITE INSPECTION
 Date Started: 08/01/83
 Date Completed: 09/01/83
 Priority Level: Higher priority for further assessment
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: PRELIMINARY ASSESSMENT
 Date Started: / /
 Date Completed: 09/01/83
 Priority Level: Low priority for further assessment
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: PROPOSAL TO NATIONAL PRIORITIES LIST
 Date Started: / /
 Date Completed: 09/08/83
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: NATIONAL PRIORITIES LIST RESPONSIBLE PARTY SEARCH
 Date Started: / /
 Date Completed: 11/15/83
 Priority Level: Search Complete, Viable PRPs
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: FINAL LISTING ON NATIONAL PRIORITIES LIST
 Date Started: / /
 Date Completed: 09/21/84
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: COMBINED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
 Date Started: 03/30/84
 Date Completed: 09/25/84
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: RECORD OF DECISION
 Date Started: / /
 Date Completed: 09/25/84
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
 Date Started: 10/27/83
 Date Completed: 09/28/84
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: ADMINISTRATIVE/VOLUNTARY COST RECOVERY
 Date Started: / /
 Date Completed: 05/04/88
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: REMEDIAL DESIGN
 Date Started: 02/02/89
 Date Completed: 06/05/89
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Original Action Take Over

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Date Started: 06/09/89
 Date Completed: 09/27/89
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Alternate
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
 Date Started: 06/09/89
 Date Completed: 09/27/89
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: ADMINISTRATIVE ORDER ON CONSENT
 Date Started: / /
 Date Completed: 09/27/89
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 09/27/89
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 004
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
 Date Started: 03/03/89
 Date Completed: 04/06/90
 Priority Level: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Alternate
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMEDIAL DESIGN
 Date Started: 09/28/84
 Date Completed: 05/18/90
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: State, Fund Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Original Action Take Over

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: Lodged By DOJ
 Date Started: / /
 Date Completed: 05/18/90
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: CONSENT DECREE
 Date Started: 04/06/90
 Date Completed: 07/21/90
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMOVAL ASSESSMENT
 Date Started: 04/17/90
 Date Completed: 08/21/90
 Priority Level: Stabilized
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
 Date Started: 09/27/89
 Date Completed: 09/28/90
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Responsible Party
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: New Action Resulting from Take Over

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMEDIAL INVESTIGATION/FEASIBILITY STUDY NEGOTIATIONS
 Date Started: 03/12/90
 Date Completed: 10/04/90
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Alternate
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
 Date Started: 05/18/89
 Date Completed: 01/07/91
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Responsible Party
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: New Action Resulting from Take Over

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION
 Date Started: 10/13/89
 Date Completed: 09/29/92
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Responsible Party
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Date Started: 09/28/90
 Date Completed: 09/29/92
 Priority Level: Not reported
 Operable Unit: REMNANT DEPOSIT CAPPING
 Primary Responsibility: Responsible Party
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: REMOVAL ASSESSMENT
 Date Started: 11/19/92
 Date Completed: 12/01/92
 Priority Level: Stabilized
 Operable Unit: ROGER'S ISLAND
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: COMFORT/STATUS LETTER
 Date Started: / /
 Date Completed: 11/02/98
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 004
 Action: REMOVAL ASSESSMENT
 Date Started: 10/14/98
 Date Completed: 01/07/99
 Priority Level: Not reported
 Operable Unit: ROGER'S ISLAND
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: REMOVAL ASSESSMENT
 Date Started: 06/03/98
 Date Completed: 06/24/99
 Priority Level: Not reported
 Operable Unit: ROGER'S ISLAND
 Primary Responsibility: EPA Fund-Financed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: Public Notice Published
 Date Started: / /
 Date Completed: 03/28/00
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMOVAL
 Date Started: 10/06/99
 Date Completed: 09/14/01
 Priority Level: Stabilized
 Operable Unit: ROGER'S ISLAND
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Time Critical
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: COMBINED REMEDIAL INVESTIGATION/FEASIBILITY STUDY
 Date Started: 07/25/90
 Date Completed: 02/01/02
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: RECORD OF DECISION
 Date Started: / /
 Date Completed: 02/01/02
 Priority Level: Final Remedy Selected at Site
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Action Code: 002
 Action: Special Notice Issued
 Date Started: / /
 Date Completed: 02/04/02
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: Special Notice Issued
 Date Started: / /
 Date Completed: 02/04/02
 Priority Level: Not reported
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: Special Notice Issued
 Date Started: / /
 Date Completed: 02/04/02
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 005
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
 Date Started: 02/04/02
 Date Completed: 07/23/02
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: ADMINISTRATIVE ORDER ON CONSENT
 Date Started: / /

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Date Completed: 07/23/02
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 006
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
 Date Started: 07/23/02
 Date Completed: 08/13/03
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: ADMINISTRATIVE ORDER ON CONSENT
 Date Started: / /
 Date Completed: 08/13/03
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: EXPANDED SITE INSPECTION/REMEDIAL INVESTIGATION
 Date Started: / /
 Date Completed: 08/31/05
 Priority Level: Referred to Removal, no further Rmdl Asmt
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 007
 Action: REMEDIAL DESIGN/REMEDIAL ACTION NEGOTIATIONS
 Date Started: 02/04/02
 Date Completed: 09/06/05
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: TECHNICAL ASSISTANCE GRANT
 Date Started: 09/29/95
 Date Completed: 09/20/05
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: Lodged By DOJ
 Date Started: / /
 Date Completed: 10/06/05
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: COMMUNITY INVOLVEMENT
 Date Started: 03/25/02
 Date Completed: 11/02/06
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Remedial
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: CONSENT DECREE
 Date Started: 09/06/05
 Date Completed: 11/02/06
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 03/29/07
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: STATE SUPPORT AGENCY COOPERATIVE AGREEMENT
 Date Started: 02/22/91
 Date Completed: 04/03/07
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMOVAL NEGOTIATIONS
 Date Started: / /
 Date Completed: 07/11/07
 Priority Level: Not reported
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 005
 Action: ADMINISTRATIVE ORDER ON CONSENT
 Date Started: / /
 Date Completed: 07/11/07
 Priority Level: Not reported
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Action: POTENTIALLY RESPONSIBLE PARTY EMERGENCY REMOVAL
 Date Started: 08/24/07
 Date Completed: 08/27/07
 Priority Level: Cleaned up
 Operable Unit: SITEWIDE
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Emergency
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 004
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
 Date Started: 08/14/03
 Date Completed: 01/25/08
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Phased Start

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: SECTION 104(E) REF LITIGATION
 Date Started: 09/27/07
 Date Completed: 07/28/08
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 004
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 09/05/08
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 09/05/08
 Priority Level: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: REMEDIAL INVESTIGATION/FEASIBILITY STUDY NEGOTIATIONS
 Date Started: 02/04/02
 Date Completed: 09/08/08
 Priority Level: Not reported
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 006
 Action: ADMINISTRATIVE ORDER ON CONSENT
 Date Started: / /
 Date Completed: 09/08/08
 Priority Level: Not reported
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 005
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 09/11/08
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 006
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 10/14/08
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 007
 Action: UNILATERAL ADMIN ORDER
 Date Started: / /
 Date Completed: 02/03/09
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: Federal Enforcement
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: REMEDIAL ACTION
 Date Started: 05/09/08
 Date Completed: 11/24/09
 Priority Level: Final RA Report
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Special Account Financed Action - EPA
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: REMEDIAL ACTION
 Date Started: 12/04/08
 Date Completed: 12/23/09
 Priority Level: Final RA Report
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Special Account Financed Action - EPA
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 006
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
 Date Started: 08/14/03
 Date Completed: 04/26/11
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Action: POTENTIALLY RESPONSIBLE PARTY REMOVAL
 Date Started: 09/11/07
 Date Completed: 04/10/12
 Priority Level: Stabilized
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Time Critical
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: FIVE-YEAR REVIEW
 Date Started: / /
 Date Completed: 06/01/12
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION
 Date Started: 09/06/05
 Date Completed: 09/04/12
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: TECHNICAL ASSISTANCE
 Date Started: 09/30/97
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: REMEDIAL DESIGN
 Date Started: 02/15/02
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Primary Responsibility: Special Account Financed Action - EPA
 Planning Status: Primary
 Urgency Indicator: Not reported
 Action Anomaly: Other Completion Anomaly

For detailed financial records, contact EDR for a Site Report.:

Action Code: 003
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL DESIGN
 Date Started: 07/23/02
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Phased Start & Completion

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: TECHNICAL ASSISTANCE
 Date Started: 07/08/03
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REMEDIAL ACTION
 Date Started: 01/19/07
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Special Account Financed Action - State
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Other Start and Completion Anomaly

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001
 Action: REAL PROPERTY ACQUISITION
 Date Started: 02/15/08
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Not reported
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBs (Continued)

1000384273

Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL INVESTIGATION/FEASIBILITY STUDY
 Date Started: 09/08/08
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: FLOODPLAINS OU
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 002
 Action: TECHNICAL ASSISTANCE GRANT
 Date Started: 11/17/09
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: SITEWIDE
 Primary Responsibility: EPA Fund-Financed
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Action Code: 004
 Action: POTENTIALLY RESPONSIBLE PARTY REMEDIAL ACTION
 Date Started: 12/31/10
 Date Completed: / /
 Priority Level: Not reported
 Operable Unit: REASSESSMENT RIVER
 Primary Responsibility: Responsible Party
 Planning Status: Not reported
 Urgency Indicator: Not reported
 Action Anomaly: Not reported

For detailed financial records, contact EDR for a Site Report.:

Federal Register Details:

Fed Register Date: 09/21/84
 Fed Register Volume: 49
 Page Number: 37070

Fed Register Date: 09/08/83
 Fed Register Volume: 48
 Page Number: 40674

[Click this hyperlink](#) while viewing on your computer to access
 3292 additional US CERCLIS Financial: record(s) in the EDR Site Report.

RCRA-LQG:

Date form received by agency: 03/01/2012
 Facility name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
 Facility address: 446 LOCK 8 WAY
 HUDSON FALLS, NY 12839
 EPA ID: NYD980763841

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Mailing address: BROADWAY, BLDG 40
 FORT EDWARD, NY 12828

Contact: ROBERT G GIBSON
 Contact address: BROADWAY, BLDG 40
 FORT EDWARD, NY 12828

Contact country: US
 Contact telephone: (518) 746-5253
 Contact email: BOB.GIBSON@GE.COM
 EPA Region: 02
 Classification: Large Quantity Generator
 Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: GENERAL ELECTRIC COMPANY
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 04/23/2007
 Owner/Op end date: Not reported

Owner/operator name: SEE SECTION 11 COMMENTS
 Owner/operator address: Not reported
 NY
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: State
 Owner/Operator Type: Owner
 Owner/Op start date: 05/02/2007
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 03/03/2010
 Facility name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
 Classification: Large Quantity Generator

Date form received by agency: 08/29/2008
 Facility name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
 Site name: HUDSON RIVER PCBS (ROGERS ISLAND) SUPERFUND USEPA
 Classification: Large Quantity Generator

Date form received by agency: 01/01/2007
 Facility name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
 Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
 Classification: Not a generator, verified

Date form received by agency: 01/01/2006
 Facility name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
 Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
 Classification: Not a generator, verified

Date form received by agency: 01/01/2001
 Facility name: GE HUDSON RIVER SEDIMENT REMEDIATION PROCESSING AND TRANSPORTATION FACILITY
 Site name: HUDSON RIVER PCBS (ROGERS ISLAND) USEPA
 Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: B002
 Waste name: B002

Waste code: B007
 Waste name: B007

Violation Status: No violations found

US ENG CONTROLS:

EPA ID: NYD980763841
 Site ID: 0202229
 Name: HUDSON RIVER PCBS
 Address: NO STREET APPLICABLE
 HUDSON RIVER, NY 12801
 EPA Region: 02
 County: WASHINGTON
 Event Code: Not reported
 Actual Date: 12/30/2001

Action ID: 001
 Action Name: RECORD OF DECISION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Action Completion date: 09/25/1984
 Operable Unit: 01
 Contaminated Media : Sediment
 Engineering Control: Containment, (N.O.S.)

Action ID: 001
 Action Name: RECORD OF DECISION
 Action Completion date: 09/25/1984
 Operable Unit: 01
 Contaminated Media : Sediment
 Engineering Control: No Action

Action ID: 001
 Action Name: RECORD OF DECISION
 Action Completion date: 09/25/1984
 Operable Unit: 01
 Contaminated Media : Sediment
 Engineering Control: Revegetation

Action ID: 001
 Action Name: RECORD OF DECISION
 Action Completion date: 09/25/1984
 Operable Unit: 01
 Contaminated Media : Sediment
 Engineering Control: Slope Stabilization

Action ID: 002
 Action Name: RECORD OF DECISION
 Action Completion date: 02/01/2002
 Operable Unit: 02
 Contaminated Media : Sediment
 Engineering Control: Dewatering

Action ID: 002
 Action Name: RECORD OF DECISION
 Action Completion date: 02/01/2002
 Operable Unit: 02
 Contaminated Media : Sediment
 Engineering Control: Disposal

Action ID: 002
 Action Name: RECORD OF DECISION
 Action Completion date: 02/01/2002
 Operable Unit: 02
 Contaminated Media : Sediment
 Engineering Control: Excavation

Action ID: 002
 Action Name: RECORD OF DECISION
 Action Completion date: 02/01/2002
 Operable Unit: 02
 Contaminated Media : Sediment
 Engineering Control: Solidification/Stabilization (Ex-Situ)

Action ID: 002
 Action Name: RECORD OF DECISION
 Action Completion date: 02/01/2002

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Operable Unit: 02
 Contaminated Media : Surface Water
 Engineering Control: Monitoring

Action ID: 002
 Action Name: RECORD OF DECISION
 Action Completion date: 02/01/2002
 Operable Unit: 02
 Contaminated Media : Surface Water
 Engineering Control: Natural Attenuation

US INST CONTROL:

EPA ID: NYD980763841
 Site ID: 0202229
 Name: HUDSON RIVER PCBS
 Action Name: RECORD OF DECISION
 Address: NO STREET APPLICABLE
 HUDSON RIVER, NY 12801
 EPA Region: 02
 County: WASHINGTON
 Event Code: Not reported
 Inst. Control: Fishing Advisory
 Actual Date: 12/30/2001
 Complet. Date: 02/01/2002
 Operable Unit: 02
 Contaminated Media : Surface Water

CONSENT:

EPA ID: NYD980763841
 Site ID: 0284
 Case Title: U.S.V. GENERAL ELECTRIC COMPANY (HUDSON RIVER) (EPA-SUPERFUND)
 Court Num: 05-1270
 District: New York, North
 Entered Date: 11/02/06
 Full-text of the consent decree for this site issued by the United States District Court is available from EDR. Contact your EDR Account Executive.

ROD:

Full-text of USEPA Record of Decision(s) is available from EDR.

SPILLS:

Facility ID: 0308107
 Facility Type: ER
 DER Facility ID: 278391
 Site ID: 237813
 DEC Region: 3
 Spill Date: 10/31/2003
 Spill Number/Closed Date: 0308107 / 10/31/2003
 Spill Cause: Abandoned Drums
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 6000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON RIVER PCBS (Continued)

1000384273

Investigator: rxamato
 Referred To: Not reported
 Reported to Dept: 10/31/2003
 CID: 297
 Water Affected: HUDSON RIVER
 Spill Source: Unknown
 Spill Notifier: Federal Government
 Cleanup Ceased: Not reported
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 10/31/2003
 Spill Record Last Update: 11/6/2003
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ -
 Spiller Company: 001
 Contact Name: PETTY OFFICER HAWKINS
 Contact Phone: (718) 354-4121
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SMITH"10/31/03: MEG hired by USCG to remove test and dispose. Container did not leak.
 Remarks: CALL TO NRC REPORTING A 55 GALLON DRUM OF UNKNOWN PETROLEUM FLOATING - USCG IS REPOSNDING TO THE SITE

Material:
 Site ID: 237813
 Operable Unit ID: 874400
 Operable Unit: 01
 Material ID: 501630
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 55
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

PRP:
 PRP name: DELAWARE AND HUDSON RAILWAY CO INC
 GENERAL ELECTRIC COMPANY
 GOLUB PROPERTIES OF WATERVLIET INC

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PCBS (Continued)

1000384273

NEW YORK STATE CANAL CORPORATION
 NIAGARA MOHAWK POWER COMPANY
 TOWN OF HALFMOON NEW YORK
 VILLAGE OF STILLWATER
 WATER COMMISSIONERS OF THE TOWN OF WATERFORD

**A2
 West
 < 1/8
 0.005 mi.
 28 ft.**

**LOT 1,TAXBLOCK 215
 10 HUBERT STREET
 MANHATTAN, NY 10013**

NY E DESIGNATION

**S110670104
 N/A**

Site 2 of 2 in cluster A

E DESIGNATION:

Tax Lot(s): 1
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1006
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: REBUTH, INC.
 Lot Area: 000002216
 Total Building Floor Area: 00000011000
 Commercial Floor Area: 00000009200
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000009200
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 005.00
 Residential Units: 00002
 Non and Residential Units: 00005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 1, TAXBLOCK 215 (Continued)

S110670104

Lot Frontage: 0025.08
 Lot Depth: 0088.33
 Building Frontage: 0025.00
 Building Depth: 0088.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000135000
 Total Assessed Value: 00000261000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 1964
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0004.96
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002150001
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981684
 Y Coordinate: 0202178
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

B3
ENE
< 1/8
0.028 mi.
147 ft.

ANDREWS BLDG CORP
151 HUDSON ST
MANHATTAN, NY
Site 1 of 9 in cluster B

NY LTANKS S111319263
N/A

LTANKS:
 Site ID: 457969
 Spill Number/Closed Date: 1110168 / 11/15/2011
 Spill Date: 11/14/2011
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: HRPATEL
 Referred To: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ANDREWS BLDG CORP (Continued)

S111319263

Reported to Dept: 11/15/2011
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 11/15/2011
 Spill Record Last Update: 11/15/2011
 Spiller Name: JOHN WOLF
 Spiller Company: ANDREWS BLDG CORP
 Spiller Address: 151 HUDSON ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 999
 Spiller Contact: JOHN WOLF
 Spiller Phone: (917) 689-6941
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 412456
 DEC Memo: refer to spill #: 1109875. case closed.
 Remarks: Failed test. Repair & retest is being scheduled.

Material:

Site ID: 457969
 Operable Unit ID: 1208089
 Operable Unit: 01
 Material ID: 2205402
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

B4 157 HUDSON STREET
NE 157 HUDSON STREET
< 1/8 NEW YORK, NY 10013
0.029 mi.
155 ft. **Site 2 of 9 in cluster B**

NY UST **U004045058**
N/A

UST:

Id/Status: 2-608927 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583739.89197
 UTM Y: 4508249.45041
 Site Type: Other

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

157 HUDSON STREET (Continued)

U004045058

Affiliation Records:

Site Id: 30775
 Affiliation Type: Facility Owner
 Company Name: LAST GASP REALTY CORP.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 157 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 925-1145
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30775
 Affiliation Type: Mail Contact
 Company Name: LAST GASP REALTY CORP.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 157 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 925-1145
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30775
 Affiliation Type: On-Site Operator
 Company Name: 157 HUDSON STREET
 Contact Type: Not reported
 Contact Name: ANNA VAGNER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-1145
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30775
 Affiliation Type: Emergency Contact
 Company Name: LAST GASP REALTY CORP.
 Contact Type: Not reported
 Contact Name: ANNA VAGNER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

157 HUDSON STREET (Continued)

U004045058

Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-1145
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 1682087
 Tank ID: 65977
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 4000
 Install Date: Not reported
 Date Tank Closed: 12/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G03 - Tank Secondary Containment - Vault (w/o access)

B5
NE
< 1/8
0.029 mi.
155 ft.

157 HUDSON ST
157 HUDSON ST
NEW YORK, NY
Site 3 of 9 in cluster B

NY Spills S106125158
N/A

SPILLS:

Facility ID: 0311287
 Facility Type: ER
 DER Facility ID: 97782
 Site ID: 328356
 DEC Region: 2
 Spill Date: 1/5/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

157 HUDSON ST (Continued)

S106125158

Spill Number/Closed Date: 0311287 / 1/27/2004
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: MXTIPPLE
 Referred To: Not reported
 Reported to Dept: 1/6/2004
 CID: 38
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 1/6/2004
 Spill Record Last Update: 8/2/2005
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: FISHER,MARK
 Contact Phone: (800) 733-0660 2722
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE"1/6/03 TJD (DDO)1/13/2004 Sangesland received a call from the manager of this property: Anna Vagner (212-925-1145). She says she got the letter, but she says there is no problem at this site. Sangesland suggested that she call Mr. Mark Fischer (environmental consultant). 1/27/04 tipples reviewed submittal by EMG//NFA

Remarks: Mark Fisher did soil borings in the basement of a commercial bldg. there was knowledge of a tank for heating oil had been there and was removed. in a ground water and soil sample you found petroleum odor. dec notification.

Material:
 Site ID: 328356
 Operable Unit ID: 878958
 Operable Unit: 01
 Material ID: 500110
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 9211333

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

157 HUDSON ST (Continued)

S106125158

Facility Type: ER
 DER Facility ID: 97782
 Site ID: 111834
 DEC Region: 2
 Spill Date: 1/3/1993
 Spill Number/Closed Date: 9211333 / 1/3/1993
 Spill Cause: Unknown
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: O'DOWD
 Referred To: Not reported
 Reported to Dept: 1/3/1993
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: 1/3/1993
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 1/7/1993
 Spill Record Last Update: 10/10/2006
 Spiller Name: Not reported
 Spiller Company: APARTMENT BUILDING
 Spiller Address: 157 HUDSON
 Spiller City,St,Zip: NEW YORK, ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: SEWER WATER BACKING UP AT FLOOR LEVELS IN BUILDING AND ADJOINING BUILDING CALLER WANTS CALL BACK

Material:
 Site ID: 111834
 Operable Unit ID: 978294
 Operable Unit: 01
 Material ID: 404741
 Material Code: 0064A
 Material Name: UNKNOWN MATERIAL
 Case No.: Not reported
 Material FA: Other
 Quantity: 0
 Units: Not reported
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

415 GREENWICH STREET, LLC (Continued)

U004045534

Program Type:	PBS
UTM X:	583661.19100999995
UTM Y:	4508321.3060999997
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building
Affiliation Records:	
Site Id:	27735
Affiliation Type:	Facility Owner
Company Name:	415 GREENWICH FEE OWNER, LLC
Contact Type:	AGENT
Contact Name:	ROMEO SANTOS
Address1:	1350 BROADWAY, SUITE 612
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10018
Country Code:	001
Phone:	(212) 645-2190
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	8/10/2005
Site Id:	27735
Affiliation Type:	On-Site Operator
Company Name:	415 GREENWICH STREET, LLC
Contact Type:	Not reported
Contact Name:	ART R.C. DOLNER
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 645-8505
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	8/10/2005
Site Id:	27735
Affiliation Type:	Emergency Contact
Company Name:	415 GREENWICH FEE OWNER, LLC
Contact Type:	Not reported
Contact Name:	PERRY JACOB
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(347) 234-8505
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	KXTANG
Date Last Modified:	8/10/2005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

415 GREENWICH STREET, LLC (Continued)

U004045534

Site Id: 27735
 Affiliation Type: Mail Contact
 Company Name: BREEZE NATIONAL INC.
 Contact Type: Not reported
 Contact Name: PERRY JACOB
 Address1: 31 BAY STREET
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11231
 Country Code: 001
 Phone: (718) 254-8070
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 8/10/2005

Tank Info:

Tank Number: 01
 Tank Id: 60599
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 I05 - Overfill - Vent Whistle

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 05/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/15/2005
 Register: True
 Modified By: KXTANG
 Last Modified: 08/10/2005
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 60600
 Material Code: 0001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

415 GREENWICH STREET, LLC (Continued)

U004045534

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

L00 - Piping Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 I05 - Overfill - Vent Whistle

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 05/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/15/2005
 Register: True
 Modified By: KXTANG
 Last Modified: 08/10/2005
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 03
 Tank Id: 60601
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 G00 - Tank Secondary Containment - None
 I05 - Overfill - Vent Whistle
 L00 - Piping Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 05/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

415 GREENWICH STREET, LLC (Continued)

U004045534

Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	07/15/2005
Register:	True
Modified By:	KXTANG
Last Modified:	08/10/2005
Material Name:	#2 Fuel Oil (On-Site Consumption)

C8 HANLEY MOVING SERVICE
WNW 412 GREENWICH ST
< 1/8 NYC, NY 10013
0.039 mi.
207 ft. Site 3 of 6 in cluster C

NY AST U003388753
NY HIST AST N/A

AST:

Region:	STATE
DEC Region:	2
Site Status:	Administratively Closed
Facility Id:	2-280100
Program Type:	PBS
UTM X:	583651.50873999996
UTM Y:	4508340.9581300002
Expiration Date:	N/A
Site Type:	Unknown

Affiliation Records:

Site Id:	12221
Affiliation Type:	Facility Owner
Company Name:	USDAN ASSOC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	7 CAESAR PL
Address2:	Not reported
City:	MOONACIE
State:	NJ
Zip Code:	07074
Country Code:	001
Phone:	(201) 933-8100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Site Id:	12221
Affiliation Type:	Mail Contact
Company Name:	HANLEY MOVING STORAGE
Contact Type:	Not reported
Contact Name:	MICHAEL HANLEY
Address1:	7 CAESAR PL
Address2:	Not reported
City:	MOONACIE
State:	NJ
Zip Code:	07074
Country Code:	001
Phone:	(201) 933-8100
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HANLEY MOVING SERVICE (Continued)

U003388753

Date Last Modified: 3/4/2004
 Site Id: 12221
 Affiliation Type: On-Site Operator
 Company Name: HANLEY MOVING SERVICE
 Contact Type: Not reported
 Contact Name: USDAN ASSOC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (201) 933-8100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 12221
 Affiliation Type: Emergency Contact
 Company Name: USDAN ASSOC
 Contact Type: Not reported
 Contact Name: USDAN ASSOC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (201) 933-8100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 14553
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
 I00 - Overfill - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 B00 - Tank External Protection - None
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HANLEY MOVING SERVICE (Continued)

U003388753

Install Date: Not reported
 Capacity Gallons: 1500
 Tightness Test Method: 01
 Date Test: 03/01/1988
 Next Test Date: Not reported
 Date Tank Closed: 10/18/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-280100
 SWIS Code: 6201
 Operator: USDAN ASSOC
 Facility Phone: (201) 933-8100
 Facility Addr2: 412 GREENWICH ST
 Facility Type: Not reported
 Emergency: USDAN ASSOC
 Emergency Tel: (201) 933-8100
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: USDAN ASSOC
 Owner Address: 7 CAESAR PL
 Owner City,St,Zip: MOONACIE, NJ 07074
 Federal ID: Not reported
 Owner Tel: (201) 933-8100
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: MICHAEL HANLEY
 Mailing Name: HANLEY MOVING STORAGE
 Mailing Address: 7 CAESAR PL
 Mailing Address 2: Not reported
 Mailing City,St,Zip: MOONACIE, NJ 07074
 Mailing Telephone: (201) 933-8100
 Owner Mark: First Owner
 Facility Status: 3 - Administratively closed (reasons include business is closed and/or mail is undeliverable, and staff cannot check if tanks were removed; or a duplicate registration was generated).
 Certification Flag: False
 Certification Date: 06/12/1998
 Expiration: 07/14/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HANLEY MOVING SERVICE (Continued)

U003388753

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: Undefined
 Install Date: Not reported
 Capacity (Gal): 1500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: Not reported
 Dispenser Method: Gravity
 Date Tested: 03/01/1988
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 10/18/2000
 Test Method: Petro-Tite
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**B9
 East
 < 1/8
 0.042 mi.
 222 ft.**

**UNDERGROUNDS AT
 151 HUDSON ST
 NEW YORK CITY, NY
 Site 4 of 9 in cluster B**

**NY Spills S102961979
 N/A**

SPILLS:

Facility ID: 9710829
 Facility Type: ER
 DER Facility ID: 170019
 Site ID: 204515
 DEC Region: 2
 Spill Date: 12/22/1997
 Spill Number/Closed Date: 9710829 / 2/19/2003
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: ABDELSADEK
 Referred To: Not reported
 Reported to Dept: 12/24/1997
 CID: 369
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

UNDERGROUNDS AT (Continued)

S102961979

Date Entered In Computer: 12/24/1997
 Spill Record Last Update: 6/25/2004
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: PAUL SAVAGE
 Contact Phone: (212) 925-4316
 DEC Memo: Not reported
 Remarks: caller is tennant at the above adress-tank has been filled several times lately anda strong odor of petroleum is noticeable. odor iscoming from basement of bldg. alternate contact person gary johnson212-966-2207-caller asking for immediate response from dec.

Material:
 Site ID: 204515
 Operable Unit ID: 1053713
 Operable Unit: 01
 Material ID: 329104
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**C10
 WNW
 < 1/8
 0.044 mi.
 233 ft.**

**NEW BOWERY ANTHONY S
 408 GREENWICH ST
 NEW YORK, NY
 Site 4 of 6 in cluster C**

**RCRA NonGen / NLR 1000105088
 FINDS NYD011901576
 NY MANIFEST**

RCRA NonGen / NLR:
 Date form received by agency:01/01/2007
 Facility name: NEW BOWERY ANTHONYS
 Facility address: 408 GREENWICH ST
 NEW YORK, NY 100132002
 EPA ID: NYD011901576
 Mailing address: GREENWICH ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: GREENWICH ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW BOWERY ANTHONY S (Continued)

1000105088

Owner/Operator Summary:

Owner/operator name: NEW BOWERY ANTHONYS INC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: NEW BOWERY ANTHONYS INC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: NEW BOWERY ANTHONYS
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: NEW BOWERY ANTHONYS
 Classification: Not a generator, verified

Date form received by agency: 07/02/1987
 Facility name: NEW BOWERY ANTHONYS
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004343817

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW BOWERY ANTHONY S (Continued)

1000105088

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD011901576
 Country: USA
 Mailing Name: NEW BOWERY ANTHONYS
 Mailing Contact: ANTHONY FEOLA
 Mailing Address: 16 ZWICKY AVENUE
 Mailing Address 2: Not reported
 Mailing City: STATEN ISLAND
 Mailing State: NY
 Mailing Zip: 10306
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-233-1195

Document ID: NJA0318009
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 871110
 Trans1 Recv Date: 871110
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 871111
 Part A Recv Date: 871112
 Part B Recv Date: 871117
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: NJD000768093
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00144
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 87

Document ID: NJA0318019
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: 23790
 Generator Ship Date: 870813
 Trans1 Recv Date: 870813
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 870813
 Part A Recv Date: 871106

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW BOWERY ANTHONY S (Continued)

1000105088

Part B Recv Date: 871015
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: NJD000768093
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00537
 Units: P - Pounds
 Number of Containers: 007
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 87

Document ID: NJA0329015
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 871013
 Trans1 Recv Date: 871013
 Trans2 Recv Date: 871013
 TSD Site Recv Date: 871013
 Part A Recv Date: 871020
 Part B Recv Date: 871021
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: NJD000768093
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00144
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 87

Document ID: NYA6944354
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 871208
 Trans1 Recv Date: 871208
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 871208
 Part A Recv Date: 871215
 Part B Recv Date: 871215
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00036
 Units: P - Pounds
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW BOWERY ANTHONY S (Continued)

1000105088

Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 87

Document ID: NYA8726916
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 880301
 Trans1 Recv Date: 880301
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880302
 Part A Recv Date: 880307
 Part B Recv Date: 880307
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00036
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 88

Document ID: NJA0384470
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 880425
 Trans1 Recv Date: 880425
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880427
 Part A Recv Date: 880428
 Part B Recv Date: 880502
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00036
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 88

Document ID: NYA8631022
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW BOWERY ANTHONY S (Continued)

1000105088

Trans2 State ID: Not reported
 Generator Ship Date: 880105
 Trans1 Recv Date: 880105
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880105
 Part A Recv Date: 880111
 Part B Recv Date: 880111
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00144
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 88

Document ID: NYA8680408
 Manifest Status: Completed copy
 Trans1 State ID: NYDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 880202
 Trans1 Recv Date: 880202
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880203
 Part A Recv Date: 880208
 Part B Recv Date: 880209
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00144
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 88

Document ID: NYA8883123
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 880328
 Trans1 Recv Date: 880328
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880330
 Part A Recv Date: 880404
 Part B Recv Date: 880404
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW BOWERY ANTHONY S (Continued)

1000105088

Trans2 EPA ID: Not reported
 TSDF ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00144
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 88

Document ID: NYA8894665
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 880523
 Trans1 Recv Date: 880523
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880525
 Part A Recv Date: 880526
 Part B Recv Date: 880606
 Generator EPA ID: NYD011901576
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768101
 Waste Code: F003 - UNKNOWN
 Quantity: 00468
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 88

**B11
 East
 < 1/8
 0.045 mi.
 236 ft.**

**RESIDENTIAL PROPERTY
 151 HUDSON ST
 NEW YORK, NY
 Site 5 of 9 in cluster B**

**NY Spills S111318735
 N/A**

SPILLS:
 Facility ID: 1109875
 Facility Type: ER
 DER Facility ID: 412145
 Site ID: 457664
 DEC Region: 2
 Spill Date: 11/7/2011
 Spill Number/Closed Date: 1109875 / 4/2/2012
 Spill Cause: Equipment Failure
 Spill Class: Not reported
 SWIS: 3101
 Investigator: HRPATEL
 Referred To: Not reported
 Reported to Dept: 11/7/2011
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RESIDENTIAL PROPERTY (Continued)

S111318735

Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller City,St,Zip: Spiller Company: Contact Name: Contact Phone: DEC Memo:	Other Not reported False Not reported False False 0 11/7/2011 4/12/2012 Not reported PROPERTY OWNER Not reported NY 999 PHILLIP (212) 529-5688 11/07/11-Hiralkumar Patel.12:24 PM:- spoke with Rob Hill (Castle oil) who was at the site with property manager. Rob mentioned that the site has one 1,080 gal AST in tank room. he mentioned that during renovation in building, somebody cut the vent pipe at tank end. before delivering oil, driver checked gauge and as per gauge, the tank was empty. but after delivering 441 gal oil, super noticed oil spilled in basement. oil spilled from tank top onto concrete floor in tank room. some oil seeped into second room also. as per Rob, site has six story building with basement and currently there are about 5 families living on upper floors. Rob mentioned that there is no odors in building except tank room in basement. as building was under renovation, some construction supplies was impacted by spill. Castle crew is on site for initial cleanup and property manager has hired Eastmond for further cleanup. Rob mentioned that floor around tank is in good condition. spoke with Mr. Broomhall, property manager. asked him to conduct a tank system tightness test and provide result by the end of tomorrow. also asked him to stop further oil deliveries until the tank system is tested tight. he will talk to Eastmond for tank test.151 Hudson Street Condominium **property owner**c/o Andrews Building Corporation **management office**666 Broadway, 12th FloorAttn.: Philip Broomhall **property manager**New York, NY 10012Ph. (212) 529-5688 Ext. 284email: pbroomhall@andrewsbc.comalternate address: 2 Hubert Stno PBS record found.other spill #: 9710829. spill was reported on 12/24/1997 as one of the tenant noticed strong petroleum odors from basement. case closed.3:50 PM:- visited site. found fill port at the curb line along Hubert street. new sidewalk installed recently except some area along the curb line (see pics on e-docs). so fill port was exposed. could not find vent line. went to basement. found odors in basement. basement floor was covered with speedy dry. the tank is located in enclosed room under the sidewalk. found speedy dry and oil stains on floor inside the passage under the sidewalk ('sidewalk passage') and also in the basement. the tank is located in north-south direction. the sidewalk passage is on west of the tank and the basement room, where oil seeped, is on north of the tank. could not inspect the tank room floor, as entrance to tank room at higher elevation. no odors found at first floor which is under renovation. found gauge inside the electric room.4:28 PM:- spoke with Mr. Broomhall. asked him to setup ventilation system in basement to avoid any odors going up in building. asked him to call back for reinspection, once floor is cleaned up.4:32 PM:- spoke with David at Eastmond. he mentioned that
---	---

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number
EPA ID Number

Database(s)

RESIDENTIAL PROPERTY (Continued)

S111318735

clean up crew will be back at the site tomorrow morning to remove remaining speedy dry and for any further cleanup.5:33 PM:- sent email to Mr. Broomhall and scheduled a site visit at 9:30 AM on 11/09/11.11/08/11-Hiralkumar Patel.2:24 PM:- received email from Mr. Broomhall. he mentioned that David from Eastmond and someone from management will be on-site tomorrow morning for inspection.11/09/11-Hiralkumar Patel.9:30 AM:- visited site. nobody was at the site. floor in basement was not cleaned up and odors present in basement.spoke with David at Eastmond. he mentioned that due to parking issue, cleanup was not completed yesterday and cleanup crew will be on-site today by 11 AM.9:48 AM:- spoke with Mr. Broomhall. informed him that all the contaminated material must be removed by the end of today and also the tank system must be tested by the end of today. he will talk to Eastmond. suggest him to seal the fill port to avoid any spill due to misdellivery.10:53 AM:- spoke with Rob at Castle. he mentioned that they are delivering oil to the subject site since 2003. the last delivery, before 11/07/11, was on 03/28/11 and at that time there was old sidewalk and vent was present. he mentioned that sidewalk was replaced in summer and vent pipe must be removed during sidewalk replacement. he mentioned that during delivery, Tom (from building management) was on-site who provided access to the driver. and Tom informed driver about spill in basement. Tom also mentioned that there was no notes on account about vent whistle so they were delivering oil based on gauge reading. he found vent whistle after spill event.11/10/11-Hiralkumar Patel.8:40 AM:- visited site. floor inside the basement as well as in sidewalk passage was cleaned up. found no cracks in floor which was impacted with spill. found weep hole in tank room wall in sidewalk passage area. could not inspect tank top as it was completely covered with speedy dry. all the lines to/from the tank runs aboveground.9:23 AM:- spoke with Rob. he mentioned that when he got to the site, he found water and oil in the sidewalk passage and found oil stain on tank room wall. he also mentioned that super heard something pouring out (like water fall) from tank room area and he asked driver to stop delivery. Rob doesn't know about weep hole.as oil came out from bottom of northern wall of tank room and probably from weep hole in western tank room wall, the department requires subsurface investigation as the tank room floor condition is unknown.11:02 AM:- sent letter to Mr. Broomhall requiring tank test (result due on 11/15/11) and soil delineation around tank. letter emailed to Mr. Broomhall.11/14/11-Hiralkumar Patel.10:11 AM:- received call from Joe from Riteway, company hired for required work. Joe mentioned that Riteway crew is at the site fixing vent line and then they will do system test. Joe also mentioned that they are planning to brek the tank room wall inside the sidewalk passage to inspect the tank room floor condition.11/15/11-Hiralkumar Patel. a tank test failure was reported at the site (spill #: 1109875) by Eastmond.12:44 PM:- spoke with David at Eastmond. he mentioned that they did tank test yesterday and system failed. they will do isolation test.12:55 PM:- spoke with David at Riteway to find out which company is doing work: Eastmond or Riteway. David will call back with more info.1:00 PM:- left message for Mr. Broomhall. informed him that as tank system failed the test, the department requires removal of product from the tank by the end of tomorrow, unless it passes the isolation test.1:07 PM:- sent email to Mr. Broomhall requiring tank pump out by the end of tomorrow, unless tank passes the test and result submitted to the Department. email copied to Anthony at Riteway.1:08 PM:- received

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RESIDENTIAL PROPERTY (Continued)

S111318735

call from David from Riteway confirming that Eastmond is doing work at the site. 1:27 PM:- spoke with David. he mentioned that they will do isolation test tomorrow morning. asked him to call back with the result of isolation test. 11/21/11-Hiralkumar Patel. received fax from David (on 11/18/11) including a letter with tank test result. David mentioned that a loose connection at the fitting on a petrometer gauge caused a test failure. they repaired the loose fitting and tested tank system again and it passed. based on passing test result, David requested a spill closure. 10:27 AM:- spoke with Neil at Eastmond about tank test result. he mentioned that they found two old petrometer lines connected to the tank and were open ended on tank top. asked him about vent pipe in the tank system test. Neil mentioned that during test, they plugged the vent pipe connection at the tank end and tested tank, fill line, supply and return lines and all these components passed the test. he mentioned that they will replace the fill line and will install a vent line. asked Neil to submit a letter including facts about vent pipe not included in system test. informed him that the system must be tested again after installation of new lines. also informed him that the department requires subsurface investigation (as per letter dated 11/10/11) prior to case closure. 1:30 PM:- received fax from David with revised tank test result. 12/14/11-Hiralkumar Patel. 4:36 PM:- left message for Mr. Broomhall. asked him to call back by the end of tomorrow or else the case may be referred to legal for enforcement. 12/15/11-Hiralkumar Patel. 11:03 AM:- received call from Mr. Broomhall. he mentioned that Eastmond is doing cleanup. he will ask Neil from Eastmond to call back with updates. informed him that based on work progress, the department may extend the deadline for report submission. 12/16/11-Hiralkumar Patel. 12:34 PM:- received email from Neil Tomasetti from Eastmond. he mentioned that owner has approved their proposal and they will start work from 12/19/11. 12/19/11-Hiralkumar Patel. 10:06 AM:- spoke with Neil at Eastmond. he mentioned that they drilled and collected a soil sample from the passage under the sidewalk and found free product in soil. based on that, they sent proposal to property owner for remediation and finally they got approval. Neil mentioned that no samples were sent to lab for analysis and they haven't check other sides of tank room. informed Neil that the excavation must not be backfilled until inspected. 02/03/12-Hiralkumar Patel. 4:09 PM:- spoke with Neil. he mentioned that they removed concrete floor in the alley under the sidewalk and found another concrete floor about 6-8 inches below. he collected soil samples from beneath the second floor via drilling. he also collected soil sample from area under the tank via drilling at angle. as per Neil, no contamination found in samples. they did not do any investigation on other side of tank, within the basement. he will submit report on 03/06/12, including tank test result. 03/26/12-Hiralkumar Patel. received cleanup report from Eastmond. Eastmond removed about 24 inch wide (wall to wall) by 60 inch long floor in front of tank (in passage under sidewalk). discovered another concrete floor about 6 inches below which stopped and contained the contamination. total of 25 bags of contaminated soil was removed. to investigate area under the tank, two soil samples were extracted by tunnelling under the tank wall. the original spill was caused by a petrometer gauge assembly connection. they installed a new assembly, a vent line and replaced a piece of fill line. 03/27/12-Hiralkumar Patel. 1:08 PM:- spoke with Neil Tomasetti at Eastmond. asked him to submit a scaled site map with

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RESIDENTIAL PROPERTY (Continued)

S111318735

Remarks: sampling location.3:12 PM:- sent email to Neil and asked to submit tank system test result also.04/02/12-Hiralkumar Patel. received email from Neil (at 9:37 AM on 03/30/12) including a site map and tank system test result. tank system passed the tightness test.based on available information, case closed.**refer spill #: 1110168 also.**
 Not reported
 crew doing repair to building and cut the line - spill into basement - cleanup pending

Material:
 Site ID: 457664
 Operable Unit ID: 1207787
 Operable Unit: 01
 Material ID: 2205096
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**D12
 North
 < 1/8
 0.045 mi.
 238 ft.**

**CON EDISON SERVICE BOX: 37947
 57 LAIGHT ST FRONT OF
 NEW YORK, NY
 Site 1 of 4 in cluster D**

**RCRA-CESQG 1016150084
 FINDS NYP004287553**

RCRA-CESQG:
 Date form received by agency: 02/07/2013
 Facility name: CON EDISON SERVICE BOX: 37947
 Facility address: 57 LAIGHT ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004287553
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: BENJAMIN BAMONTE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9549
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37947 (Continued)

1016150084

hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055456466

Environmental Interest/Information System

**D13
 North
 < 1/8
 0.045 mi.
 238 ft.**

**CON EDISON
 FO 57 LAIGHT ST
 NEW YORK, NY 10013
 Site 2 of 4 in cluster D**

**NY MANIFEST S113495058
 N/A**

NY MANIFEST:

EPA ID: NYP004287553
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 07-Feb-2013 00:00:00
 Trans1 Recv Date: 07-Feb-2013 00:00:00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113495058

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004287553
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010840233JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

B14
East
< 1/8
0.045 mi.
239 ft.

MANHOLE #37270
HUDSON ST/HUBERT ST
MANHATTAN, NY
Site 6 of 9 in cluster B

NY Spills S104509736
N/A

SPILLS:

Facility ID: 9912747
 Facility Type: ER
 DER Facility ID: 120847
 Site ID: 141549
 DEC Region: 2
 Spill Date: 2/9/2000
 Spill Number/Closed Date: 9912747 / 7/10/2003
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: COMENALE
 Referred To: Not reported
 Reported to Dept: 2/9/2000
 CID: 297
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE #37270 (Continued)

S104509736

UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 2/9/2000
 Spill Record Last Update: 7/10/2003
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: RICHARD ROACH
 Contact Phone: (212) 580-6763
 DEC Memo: Not reported
 Remarks: CON ED SPILL #129901 / CON ED WORKERS FOUND 1 QUART OF AN UNKNOWN PETROLEUM IN THE ABOVE MANHOLE - SAMPLES WERE TAKEN AND CLEAN WILL BE PENDING TEST RESULTS

Material:

Site ID: 141549
 Operable Unit ID: 1087275
 Operable Unit: 01
 Material ID: 294619
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 0012624
 Facility Type: ER
 DER Facility ID: 124942
 Site ID: 146748
 DEC Region: 2
 Spill Date: 2/27/2001
 Spill Number/Closed Date: 0012624 / 7/16/2001
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Reported to Dept: 2/27/2001
 CID: 297
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHOLE #37270 (Continued)

S104509736

Remediation Phase: 0
 Date Entered In Computer: 2/27/2001
 Spill Record Last Update: 7/16/2001
 Spiller Name: Not reported
 Spiller Company: CON ED
 Spiller Address: 4 IRVING PLACE
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: ANTHONY NATALE
 Contact Phone: (212) 580-6763
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL"

Remarks: CON ED SILL #135709 / WORKERS DISCOVERED THE END OF A CABLE HAD BEEN CUT OFF BUT NEVER SEALED WITH A PLASTIC BAG AND APPROX 1 PINT OF CABLE OIL LEAKED ON TO A CEMENT FLOOR - SPILL WILL BE CLEANED UP LATER TODAY AND SAMPLES HAVE BEEN TAKEN

Material:
 Site ID: 146748
 Operable Unit ID: 834169
 Operable Unit: 01
 Material ID: 542887
 Material Code: 0020B
 Material Name: CABLE OIL
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

15
 ESE
 < 1/8
 0.046 mi.
 242 ft.

**145 HUDSON STREET CONDO
 145 HUDSON STREET
 NEW YORK, NY 10013**

**NY AST U004076198
 N/A**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-055220
 Program Type: PBS
 UTM X: 583771.49667999998
 UTM Y: 4508217.6392400004
 Expiration Date: 2016/12/02
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 818
 Affiliation Type: Facility Owner
 Company Name: STANLEY D. SCOTT
 Contact Type: MGR
 Contact Name: LAUREN GEMINDER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

145 HUDSON STREET CONDO (Continued)

U004076198

Address1: 145 HUDSON ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 226-7105
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 12/5/2011

Site Id: 818
 Affiliation Type: Mail Contact
 Company Name: COOPER SQUARE REALTY
 Contact Type: Not reported
 Contact Name: LAUREN GEMINDER
 Address1: 622 THIRD AVE
 Address2: 15TH FLR
 City: NEW YORK
 State: NY
 Zip Code: 10017
 Country Code: 001
 Phone: (212) 634-5491
 EMail: LAREN.GEMINDER@COOPERSQUARE.COM
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 12/5/2011

Site Id: 818
 Affiliation Type: On-Site Operator
 Company Name: 145 HUDSON STREET CONDO
 Contact Type: Not reported
 Contact Name: HUGO GAMARRA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-7105
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 12/5/2011

Site Id: 818
 Affiliation Type: Emergency Contact
 Company Name: STANLEY D. SCOTT
 Contact Type: Not reported
 Contact Name: STANLEY D. SCOTT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

145 HUDSON STREET CONDO (Continued)

U004076198

Phone: (212) 758-2426
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 12/5/2011

Tank Info:

Tank Number: 001
 Tank Id: 1761
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1966
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 08/06/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

B16
East
< 1/8
0.046 mi.
242 ft.

MANHOLE 37274
HUDSON ST & HUBERT STREET
MANHATTAN, NY

NY Spills S104195923
N/A

Site 7 of 9 in cluster B

SPILLS:

Facility ID: 9908080
 Facility Type: ER
 DER Facility ID: 60789
 Site ID: 62758
 DEC Region: 2
 Spill Date: 10/3/1999
 Spill Number/Closed Date: 9908080 / 2/5/2004
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE 37274 (Continued)

S104195923

Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: COMENALE
 Referred To: Not reported
 Reported to Dept: 10/4/1999
 CID: 389
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 10/4/1999
 Spill Record Last Update: 2/5/2004
 Spiller Name: SAME
 Spiller Company: CON EDISON
 Spiller Address: 4 IRVING PLACE
 Spiller City,St,Zip: NEW YORK, NY 10003
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: faulty cable leaked 3 courts of fluid clean up is in the process being treated as 50-499 coned#128213 no callback necessary

Material:
 Site ID: 62758
 Operable Unit ID: 1082359
 Operable Unit: 01
 Material ID: 300763
 Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 3
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

B17 **205829; 149 HUDSON ST**
East **149 HUDSON ST**
< 1/8 **NEW YORK (County), NY**
0.046 mi.
242 ft. **Site 8 of 9 in cluster B**

NY Spills **S109207893**
 N/A

SPILLS:
 Facility ID: 0890058
 Facility Type: ER
 DER Facility ID: 348456
 Site ID: 399146
 DEC Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

205829; 149 HUDSON ST (Continued)

S109207893

Spill Date: 5/11/2007
 Spill Number/Closed Date: 0890058 / 6/14/2007
 Spill Cause: Unknown
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: Unassigned
 Referred To: Not reported
 Reported to Dept: 8/2/2007
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 6/12/2008
 Spill Record Last Update: 6/12/2008
 Spiller Name: ERT DESK
 Spiller Company: CON EDISON
 Spiller Address: 5030 BROADWAY
 Spiller City,St,Zip: New York, NY
 Spiller Company: 001
 Contact Name: ERT DESK
 Contact Phone: (212) 580-8383
 DEC Memo: Not reported
 Remarks: M37270 - 149 HUDSON ST (BEACH ST) - CABLE OILClosed: Agency Approval
 Not Required

Material:
 Site ID: 399146
 Operable Unit ID: 1156012
 Operable Unit: 01
 Material ID: 2146891
 Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0.13
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

E18 **LOT 4,TAXBLOCK 214** **NY E DESIGNATION** **S110670313**
SW **403 GREENWICH STREET**
< 1/8 **MANHATTAN, NY 10013** **N/A**
0.046 mi.
242 ft. **Site 1 of 3 in cluster E**

E DESIGNATION:
Tax Lot(s): 4
E-No: E-257
Effective Date: 10/13/2010
Satisfaction Date: Not reported
Ceqr Number: 10DCP039M
Ulurp Number: 100369zmm
Zoning Map No: 12a
Description: Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code: MN
Community District: 101
Census Tract: 39
Census Block: 1009
School District: 02
City Council District: 01
Fire Company: L008
Health Area: 15
Police Precinct: 001
Zone District 1: M1-5
Zone District 2: Not reported
Commercial Overlay1: Not reported
Commercial Overlay2: Not reported
Special Purpose District1: TMU
Special Purpose District2: Not reported
All Components1: M1-5/TMU
All Components2: Not reported
Split Boundary Indicator: N
Building Class: K2
Land Use Category: 05
Number of Easements: 0
Owner, Type of Code: Not reported
Owner Name: 403 GREENWICH ST. LLC
Lot Area: 000002489
Total Building Floor Area: 00000005625
Commercial Floor Area: 00000005625
Office Floor Area: 00000002812
Retail Floor Area: 00000002813
Garage Floor Area: 00000000000
Storage Floor Area: 00000000000
Factory Floor Area: 00000000000
Other Floor Area: 00000000000
Floor Area,Total Bld Source Code7
Number of Buildings: 00001
Number of Floors: 002.00
Residential Units: 00000
Non and Residential Units: 00003
Lot Frontage: 0025.00
Lot Depth: 0100.00
Building Frontage: 0025.00
Building Depth: 0100.00
Proximity Code: 3
Irregular Lot Code: Y
Lot Type: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 4, TAXBLOCK 214 (Continued)

S110670313

Basement Type Grade: 5
 Land Assessed Value: 00000152100
 Total Assessed Value: 00000432900
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1900
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca West
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.26
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002140004
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981564
 Y Coordinate: 0201946
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 4
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1009
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 4,TAXBLOCK 214 (Continued)

S110670313

All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K2
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 403 GREENWICH ST. LLC
 Lot Area: 000002489
 Total Building Floor Area: 00000005625
 Commercial Floor Area: 00000005625
 Office Floor Area: 00000002812
 Retail Floor Area: 00000002813
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 002.00
 Residential Units: 00000
 Non and Residential Units: 00003
 Lot Frontage: 0025.00
 Lot Depth: 0100.00
 Building Frontage: 0025.00
 Building Depth: 0100.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000152100
 Total Assessed Value: 00000432900
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1900
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca West
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.26
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002140004
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981564
 Y Coordinate: 0201946
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EPA ID Number
 EDR ID Number

LOT 4, TAXBLOCK 214 (Continued)

S110670313

Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

C19
West
< 1/8
0.047 mi.
247 ft.
30-12 HOBART ST/QUEENS
30-12 HOBART STREET
NEW YORK CITY, NY
Site 5 of 6 in cluster C

NY Spills **S104495231**
N/A

SPILLS:

Facility ID: 9001810
 Facility Type: ER
 DER Facility ID: 125062
 Site ID: 146884
 DEC Region: 2
 Spill Date: 5/16/1990
 Spill Number/Closed Date: 9001810 / 5/17/1990
 Spill Cause: Equipment Failure
 Spill Class: Not reported
 SWIS: 4101
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 5/16/1990
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Responsible Party
 Cleanup Ceased: 5/17/1990
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 5/22/1990
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: PETRO HEAT & POWER
 Spiller Address: Not reported
 Spiller City, St, Zip: ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
 Remarks: CLOGGED VENT PIPE, DRIVER COULD NOT HEAR ALARM, SPILLED OUT OF FILL PIPE & ALSO IN BASEMENT, DEC CONFIRMED CLEAN UP.

Material:

Site ID: 146884
 Operable Unit ID: 940065
 Operable Unit: 01
 Material ID: 436593
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

30-12 HOBART ST/QUEENS (Continued)

S104495231

Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**B20
 East
 < 1/8
 0.047 mi.
 249 ft.**

**NYCDEP MANHATTAN WATER TUNNEL NO.3 SHAFT 29B/PARCE
 150 HUDSON STREET
 MANHATTAN, NY 10001**

**NY UST U004149442
 N/A**

Site 9 of 9 in cluster B

UST:
 Id/Status: 2-611248 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 182527.96672999999
 UTM Y: 4756644.4411199996
 Site Type: Other

Affiliation Records:
 Site Id: 424771
 Affiliation Type: Facility Owner
 Company Name: PORT AUTHORITY OF NY AND NJ
 Contact Type: MGR
 Contact Name: ROBERT EADICCO
 Address1: 225 PARK AVE SOUTH
 Address2: Not reported
 City: MANHATTAN
 State: NY
 Zip Code: 10003
 Country Code: 001
 Phone: (212) 435-7000
 EMail: Not reported
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 6/15/2010

Site Id: 424771
 Affiliation Type: Mail Contact
 Company Name: PORT AUTHORITY OF NY AND NJ
 Contact Type: Not reported
 Contact Name: KAI Q. MOY, P.E.
 Address1: 2 GATEWAY CENTER
 Address2: 14TH FLR
 City: NEWARK
 State: NJ
 Zip Code: 07102
 Country Code: 001
 Phone: (973) 565-7571
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/10/2010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NYCDEP MANHATTAN WATER TUNNEL NO.3 SHAFT 29B/PARCE (Continued)

U004149442

Site Id: 424771
 Affiliation Type: On-Site Operator
 Company Name: NYCDEP MANHATTAN WATER TUNNEL NO.3 SHAFT 29B/PARCE
 Contact Type: Not reported
 Contact Name: MOHAMMAD ABBASZADEH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 967-2212
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/10/2010

Site Id: 424771
 Affiliation Type: Emergency Contact
 Company Name: PORT AUTHORITY OF NY AND NJ
 Contact Type: Not reported
 Contact Name: MOHAMMAD ABBASZADEH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 967-2212
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/10/2010

Tank Info:

Tank Number: 001
 Tank ID: 232903
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 500
 Install Date: 01/01/1959
 Date Tank Closed: 10/14/2009
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: MSBAPTIS
 Last Modified: 02/10/2010

Equipment Records:

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

NYCDEP MANHATTAN WATER TUNNEL NO.3 SHAFT 29B/PARCE (Continued)

U004149442

- L00 - Piping Leak Detection - None
- D00 - Pipe Type - No Piping
- J00 - Dispenser - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- C00 - Pipe Location - No Piping
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- G10 - Tank Secondary Containment - Impervious Underlayment
- I00 - Overfill - None
- K00 - Spill Prevention - None

D21 North < 1/8 0.047 mi. 249 ft.	54 LAIGHT ST NEW YORK, NY 10013 Site 3 of 4 in cluster D	EDR US Hist Auto Stat	1015545674 N/A
---	---	------------------------------	---------------------------------

EDR Historical Auto Stations:

Name:	BELL ATLANTIC MOBIL
Year:	1999
Address:	54 LAIGHT ST
Name:	BELL ATLANTIC MOBIL
Year:	2000
Address:	54 LAIGHT ST

22 South < 1/8 0.049 mi. 257 ft.	57 BEACH ST NEW YORK, NY 10013	EDR US Hist Auto Stat	1015556481 N/A
--	---	------------------------------	---------------------------------

EDR Historical Auto Stations:

Name:	MANHATTAN CAR SERVICE
Year:	2000
Address:	57 BEACH ST

D23 NNE < 1/8 0.052 mi. 277 ft.	LOT 3,TAXBLOCK 219 52 LAIGHT STREET MANHATTAN, NY 10013 Site 4 of 4 in cluster D	NY E DESIGNATION	S110670244 N/A
---	---	-------------------------	---------------------------------

E DESIGNATION:

Tax Lot(s):	3
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	MN
Community District:	101

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 3,TAXBLOCK 219 (Continued)

S110670244

Census Tract: 39
 Census Block: 1005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: OKADA DENKI SANGYO, C
 Lot Area: 000001800
 Total Building Floor Area: 00000001800
 Commercial Floor Area: 00000001800
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000001800
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0025.00
 Lot Depth: 0073.50
 Building Frontage: 0025.00
 Building Depth: 0074.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000087300
 Total Assessed Value: 00000114300
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002190003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 3,TAXBLOCK 219 (Continued)

S110670244

Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981804
 Y Coordinate: 0202407
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

 Tax Lot(s): 3
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: OKADA DENKI SANGYO, C
 Lot Area: 000001800
 Total Building Floor Area: 00000001800
 Commercial Floor Area: 00000001800
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000001800
 Factory Floor Area: 00000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 3,TAXBLOCK 219 (Continued)

S110670244

Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0025.00
 Lot Depth: 0073.50
 Building Frontage: 0025.00
 Building Depth: 0074.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000087300
 Total Assessed Value: 00000114300
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002190003
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981804
 Y Coordinate: 0202407
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

C24
West
< 1/8
0.054 mi.
283 ft.

SLEIGHT & HELLMUTH DIV CENTURY INKS
34 HUBERT ST
NEW YORK, NY 10013
Site 6 of 6 in cluster C

RCRA NonGen / NLR 1000252630
FINDS NYD080423064

RCRA NonGen / NLR:
 Date form received by agency:01/01/2007
 Facility name: SLEIGHT & HELLMUTH DIV CENTURY INKS
 Facility address: 34 HUBERT ST
 NEW YORK, NY 10013
 EPA ID: NYD080423064

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SLEIGHT & HELLMUTH DIV CENTURY INKS (Continued)

1000252630

Mailing address: HUBERT ST
 NEW YORK, NY 10013
 Contact: CHARLES DEGL
 Contact address: HUBERT ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 966-4155
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CENTURY INKS CORP
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: CENTURY INKS CORP
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: SLEIGHT & HELLMUTH DIV CENTURY INKS
 Classification: Not a generator, verified

Date form received by agency: 08/18/1980

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SLEIGHT & HELLMUTH DIV CENTURY INKS (Continued)

1000252630

Facility name: SLEIGHT & HELLMUTH DIV CENTURY INKS
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110004371037

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**E25
 SW
 < 1/8
 0.054 mi.
 287 ft.**

**LOT 3,TAXBLOCK 214
 401 GREENWICH STREET
 MANHATTAN, NY 10013**

NY E DESIGNATION

**S110670243
 N/A**

Site 2 of 3 in cluster E

E DESIGNATION:

Tax Lot(s): 3
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1009
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 401 GREENWICH CORP.,I
 Lot Area: 000002500
 Total Building Floor Area: 00000015000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 3,TAXBLOCK 214 (Continued)

S110670243

Commercial Floor Area: 00000015000
 Office Floor Area: 00000015000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00003
 Lot Frontage: 0025.00
 Lot Depth: 0100.00
 Building Frontage: 0025.00
 Building Depth: 0100.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000218250
 Total Assessed Value: 00000985500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 2001
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca West
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0006.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002140003
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981524
 Y Coordinate: 0201924
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

 Tax Lot(s): 3
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 3,TAXBLOCK 214 (Continued)

S110670243

Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1009
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 401 GREENWICH CORP.,I
 Lot Area: 000002500
 Total Building Floor Area: 00000015000
 Commercial Floor Area: 00000015000
 Office Floor Area: 00000015000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00003
 Lot Frontage: 0025.00
 Lot Depth: 0100.00
 Building Frontage: 0025.00
 Building Depth: 0100.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000218250
 Total Assessed Value: 00000985500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 2001
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca West

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 3,TAXBLOCK 214 (Continued)

S110670243

Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0006.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002140003
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981524
 Y Coordinate: 0201924
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**F26
 NNW
 < 1/8
 0.057 mi.
 299 ft.**

**LOT 17,TAXBLOCK 217
 422 GREENWICH STREET
 MANHATTAN, NY 10013
 Site 1 of 4 in cluster F**

**NY E DESIGNATION S110670162
 N/A**

E DESIGNATION:
 Tax Lot(s): 17
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Air Quality - HVAC fuel limited to natural gas
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3012
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G9
 Land Use Category: 07

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 17,TAXBLOCK 217 (Continued)

S110670162

Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: DANGREEN
 Lot Area: 000009936
 Total Building Floor Area: 00000009920
 Commercial Floor Area: 00000009920
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000009920
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0124.17
 Lot Depth: 0080.08
 Building Frontage: 0122.00
 Building Depth: 0076.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000315000
 Total Assessed Value: 00000391950
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1957
 Year Built Code: Not reported
 Year Altered1: 1989
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002170017
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981456
 Y Coordinate: 0202273
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 17,TAXBLOCK 217 (Continued)

S110670162

Tax Lot(s):	17
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3012
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	G9
Land Use Category:	07
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	DANGREEN
Lot Area:	000009936
Total Building Floor Area:	00000009920
Commercial Floor Area:	00000009920
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000009920
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0124.17
Lot Depth:	0080.08
Building Frontage:	0122.00
Building Depth:	0076.00
Proximity Code:	2
Irregular Lot Code:	Y
Lot Type:	3
Basement Type Grade:	5
Land Assessed Value:	00000315000
Total Assessed Value:	00000391950
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 17,TAXBLOCK 217 (Continued)

S110670162

Year Built:	1957
Year Built Code:	Not reported
Year Altered1:	1989
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002170017
Condominium Number:	00000
Census Tract 2:	0039
X Coordinate:	0981456
Y Coordinate:	0202273
Zoning Map:	12A
Sanborn Map:	101N039
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	17
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3012
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	G9
Land Use Category:	07
Number of Easements:	0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 17,TAXBLOCK 217 (Continued)

S110670162

Owner, Type of Code: Not reported
 Owner Name: DANGREEN
 Lot Area: 000009936
 Total Building Floor Area: 00000009920
 Commercial Floor Area: 00000009920
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000009920
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0124.17
 Lot Depth: 0080.08
 Building Frontage: 0122.00
 Building Depth: 0076.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000315000
 Total Assessed Value: 00000391950
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1957
 Year Built Code: Not reported
 Year Altered1: 1989
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002170017
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981456
 Y Coordinate: 0202273
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

F27 PARKING GARAGE TTF NY LTANKS S111738849
 NNW 422 GREENWICH ST N/A
 < 1/8 NEW YORK, NY
 0.057 mi.
 299 ft. Site 2 of 4 in cluster F

LTANKS:

Site ID: 461247
 Spill Number/Closed Date: 1113267 / Not Reported
 Spill Date: 2/22/2012
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: VXBREVD0
 Referred To: Not reported
 Reported to Dept: 2/22/2012
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 2/22/2012
 Spill Record Last Update: 9/17/2013
 Spiller Name: Not reported
 Spiller Company: TANK TEST FAILURE
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: GEORGE ORISN
 Spiller Phone: (917) 821-4006
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 415701
 DEC Memo: As of 5/30/2012 ATS never heard back from client about followup work 5/31/2012 TTF Letter sent to owner: (copy sent to both addresses)71 Laight Street LLC12 East 46th StNew York, NY 10017-2418Alternate address:71 Laight Street LLCc/o Arranz Acinas - USA274 Madison Ave -Suite 801NY, NY 1001671 Laight Street LLC seems to be a Spanish corporation that bought this site and the property next door in the hopes of constructing a large apartment building. Unknown if the owner is currently operating this garage until this construction is approved and takes place. Check Google for "71 Laight Street LLC"6/22/2012 Sangesland got a voice message from Dan McInerney VP of Taconic Investment Partners (212-704-3848) asking questions about this TTF and open spill case. Sangesland returned a message to his voicemail.6/12/13 On 6/10/13, received voice mail message from Chris McMahon of Langan Engineering. 201-398-4535. They will be removing the tank tomorrow. Today, I called Mr. McMahon back and left a voice mail to return my call. bf07/16/13 - Spill Case is transferred from Brian Falvey (PBS Unit) to V. Brevdo (Section B) as per DER Region 2 decision - Tank Test Failure Spill Case. VB09/16/2013 - V. BrevdoCalled Steven A. Ciambuschini of Langan (201) 794 6900 and informed him that NYSDEC never received a remedial action work plan

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PARKING GARAGE TTF (Continued)

S111738849

that was submitted to NYCOER. This is E-designated project. Mr. Ciambuschini took my phone and e-mail and stated he will send me RAP and other milestone documents concerning this project.09/17/2013 - V. BrevdoE-mail from OER in response to my inquiry about the project documents.Moore, Hannah" HMoore@dep.nyc.gov 9/17/2013 8:39 AMHi Vadim,I spoke with Chris McMahon from Langan about this Site yesterday. He says that the tank has been removed and that they got clean endpoint samples. I asked him to share this information with both of us. I've also requested that he submit the daily reports that he owes me from the Site, since I have not been receiving them since the end of June.OER approved the RAP on this Site prior to their discovery of the tank test failure, which I believe explains why this wasn't coordinated on the front end.If there is anything else you need from me or if Langan doesn't get you the documents, please let me know. Best,HannahHannah MooreProject ManagerNYC Office of Environmental RemediationHMoore@dep.nyc.gov(212) 442-637209/17/2013 - V. BrevdoE-mail to NYCOER Hi, Hanna, Thank you very much for the project related information. I will continue communicating with Langan and OER regarding spill related issues of this project. When Langan recommends closure of this spill case I will inform you and coordinate spill closure decision with you. Thank you for your help on this matter. Vadim

Remarks: reccomend isolation or removal

Material:

Site ID: 461247
 Operable Unit ID: 1211339
 Operable Unit: 01
 Material ID: 2209071
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**G28
 NE
 < 1/8
 0.061 mi.
 321 ft.**

**48 LAIGHT STREET
 48 LAIGHT STREET
 MANHATTAN, NY
 Site 1 of 11 in cluster G**

**NY Spills S106008427
 N/A**

SPILLS:

Facility ID: 0306088
 Facility Type: ER
 DER Facility ID: 125633
 Site ID: 226690
 DEC Region: 2
 Spill Date: 9/9/2003
 Spill Number/Closed Date: 0306088 / 9/9/2003
 Spill Cause: Unknown

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: MXTIPPLE
 Referred To: Not reported
 Reported to Dept: 9/9/2003
 CID: 257
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Citizen
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 9/9/2003
 Spill Record Last Update: 7/21/2005
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE"ref to spill #0207349

Remarks: caller says that a company is removing some kind of underground tanks and she doesn't think they have any permits they might be leaking something

Material:
 Site ID: 226690
 Operable Unit ID: 872681
 Operable Unit: 01
 Material ID: 503325
 Material Code: 0064A
 Material Name: UNKNOWN MATERIAL
 Case No.: Not reported
 Material FA: Other
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 0207349
 Facility Type: ER
 DER Facility ID: 125633
 Site ID: 147575
 DEC Region: 2
 Spill Date: 10/16/2002
 Spill Number/Closed Date: 0207349 / Not Reported
 Spill Cause: Unknown

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101

Investigator: aaobliga

Referred To: REFERRED TO LEGAL, 2/2/10

Reported to Dept: 10/16/2002

CID: 257

Water Affected: Not reported

Spill Source: Unknown

Spill Notifier: Other

Cleanup Ceased: Not reported

Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: False

UST Trust: False

Remediation Phase: 5

Date Entered In Computer: 10/16/2002

Spill Record Last Update: 11/8/2011

Spiller Name: Not reported

Spiller Company: unknown

Spiller Address: Not reported

Spiller City,St,Zip: NY

Spiller Company: 999

Contact Name: STEPHANIE DAVIS

Contact Phone: (631) 737-6200 228

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "VOUGHT"10/16/02 ARAKHAN/odINVES DONE PURSUANT TO PROPERTY TRANSFER. 8 USTs UNKNOWN SIZES, NOT REGISTERED; 2 75-GAL ASTs IN VAULT NOT REGISTERED. ELEVATED LEVELS OF VOCs AROUND USTs; XYLENES AROUND ASTs.10/16/02 Tipple Mtg set for Oct 29 to discuss Remedial Action Plan, tank registration will be sent in prior to Mtg.7/24/2003// removing ast's today//ust's to be addressed soon//will PROPERLY REGISTER UST'S FOR REMOVAL AND INFORM DEC PRIOR TO REMOVAL.9/9/2003 Sangesland spoke with contractor. Tanks are being removed today, a new spill number was called in by a citizen who saw the tanks being pulled (0306088-closed). Sangesland reviewed the PBS status with Jie Zhao who noted that the tanks should be listed at "out of service-removed". The contractor said they would update the PBS records.2/12/04 Tipple updating/// PBS registration update form arrives//given to NL for review/processing.5/5/04 transferred from Tipple to Rommel///product is gasoline06/02/04 transferred to Vought6/10/04-Vought-Spoke to John Bukoski (FPM 631-737-6200) who sent in proposal for installation of four monitoring wells.6/15/04-Vought-Received proposal via fax.6/29/04-Vought-Reviewed proposal from FPM. Property was a gasoline station from 1945 to 1980 and more recently as an auto repair facility. "The building and USTs were recently removed and the site was excavated to approximately 15 feet below grade". Construction of a multi-story residential building is presently underway. Depth to groundwater is approximately 18-20 feet below grade. Proposal for three monitoring wells located adjoining the site and one downgradient well located on the west side of Hudson Street". "An oxygen release material (ORC) was applied to the area of impacted groundwater to promote biodegradation of the remaining petroleum".7/2/04-Vought-Called Stephanie Davis (FPM) and left message to return call with owners contact info to send out STIPULATION AGREEMENT. Vought sent letter to DOB, NYCDOH, DEP, DOP

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

requesting permit cancellation. Vought spoke to Davis (631-737-6200x228). RAP already approved by DEC Tipple including the installation of a sub foundation venting system and vapor barrier. Davis will send copy of UST Closure Report, RAP and previous groundwater analyticals. Foundation has already been poured along with installation of sub foundation venting system. Owner of site is:David T. EnnisDayton Group, Inc.515 Madison AvenueSuite 1201New York, NY 10022Ph: 212-421-3366Fax: 212-421-35357/6/04-Vought-Awaiting UST Closure Report, RAP and groundwater analyticals receipt to ensure correct Corrective Action Plan to be included in Stipulation.7/7/04-Vought-Received copies of RAP dated 10/16/02, PBS registration letter dated 12/19/02, DEC RAP approval letter dated 12/20/02, UST Closure Report dated 3/29/04 and Sub-foundation venting system description dated 7/6/04. Report review:Remedial Action Plan (FPM)-10/16/02. "Soil and groundwater sampling were performed onsite in June 2002". "Two groundwater samples were obtained in the UST area". "It is planned to redevelop this site with a new building, including a sub-grade area extending to approximately 10 to 11 feet below grade". "Based on this scenario it is proposed to removal all of the tanks and excavate and dispose of all petroleum impacted soil at the site to an approximate depth of at least 10 to 11 feet below grade during site redevelopment." "Following the completion of excavation in each area of the site, end point samples will be collected and analyzed to document the completeness of remediation". "It is anticipated that the limited area of moderately impacted groundwater encountered in the vicinity for the UST area will naturally attenuate". "Therefore no groundwater remediation is proposed at this time". Soil analyticals show 230000ppb ethylbenzene(SB1 16-18'), 700000ppb toluene(SB1 16-18'), 1200000ppb xylene(SB 16-18') and 3600ppb xylene(SB8 7-8'). Groundwater analyticals show 7ppb benzene(SB1), 370ppb ethylbenzene(SB1), 3100ppb toluene(SB1), 590ppb MTBE(SB1), 10ppb benzene(SB6), 110ppb MTBE(SB6) and 47ppb toluene(SB6).Letter from FPM Davis to DEC Tipple-12/19/02. "Enclosed please find a copy of the completed Petroleum Bulk Storage Application...". "As per our meeting on 12/29/02, we understand that the procedures discussed in the RAP were acceptable with some additions (additional downgradient groundwater sampling, pumping of impacted groundwater from excavation and/or addition of ORC to the completed excavation before backfilling if necessary and installation of a vapor barrier and a passive venting system for the proposed building)." "We are requesting that you issue a short letter approving the RAP with the agreed-upon changes".Letter from DEC Tipple to FPM Davis-12/20/02. "the DEC hereby approves FPM's recommendations for the remedial activities proposed for this site. The specific work to be performed will include: 1)the removal and proper disposal and documentation of petroleum contaminated soils 2)Downgradient groundwater sampling and remedial activities if NYSDEC deems it necessary 3)endpoint soil samples will be taken proximal to the tank removals as determined by NYSDEC Spots Memo 14 4)engineering controls will be implemented as per the December 2002 correspondence."Underground Storage Tank Removal, Remedial Activities and Site Assessment (FPM)-3/10/04. "Only nine storage tanks were found to be present a the site during redevelopment". Tanks found were three (275-gallon) waste oil USTs, four (550-gallon) gasoline USTs and two (2000-gallon) gasoline USTs. "Excavation was performed to a depth of approximately 14 feet below sigrade over the entire site". "...petroleum impacted soils were present in the vicinity of

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

the former AST vault and the gasoline UST area. "...impacted soils were not observed in the 275-gallon waste oil UST area". A total of 2306.08 tons of soil were excavated and removed from site. Nine endpoint soil samples were collected including (EP1 through EP7 collected from the floor of the excavation at a depth of 14.5' below grade),(SW1 and SW2 were collected from the approximate depth of the former gasoline USTs (7' below grade) through accessible areas of the excavation shoring). Two groundwater samples were obtained downgradient of the former gasoline USTs. Groundwater at depth of 20' below grade. "An ORC was applied to the area of impacted groundwater to promote biodegradation of the remaining petroleum". Engineering controls will include "a high density polyethylene vapor barrier to be installed beneath the basement floor above a passive venting system such that potential vapors that might otherwise infiltrate the newly constructed building can be captured and directed to roof top stack for discharge. Periodic monitoring of this stack will be conducted once the building is completed. The monitoring results will be reported to the NYSDEC and spill closure will be requested if the monitoring results indicate that the remaining impact is negligible or non-existent". "FPM does not recommend further groundwater investigation..." Soil analyticals show 1270ppb xylene(EP1), 1337ppb xylene(EP7) and minor PAH exceedences in EP7 and SW2. Groundwater analyticals show 380ppb benzene(GW1), 12000ppb ethylbenzene(GW1), 70000ppb toluene(GW1), 67000ppb xylene(GW1), 4700ppb ethylbenzene(GW2), 68000ppb toluene(GW2), 28400ppb xylene(GW2). Letter from FPM Davis to DEC Vought-6/6/04. "Please find copies of the following..." including RAP, 12/19/02 letter, 12/20/02 letter and 3/10/04 report.7/8/04-Vought-Sent out STIPULATION Agreement to Ennis with due date of 8/9/04 including requirement of surrounding area property usage. Vought called Ennis (212-421-3535) and left message.7/9/04-Vought-Site visit by Vought. John Bukoski on site. Three wells adjacent to site installed. Delineation well across Hudson not possible due to basement under sidewalk. Highest PID reading found in three wells was 67ppm. No free product or sheen on water. Sub-foundation venting pipe in place. Soil sampled will be deepest dry sample and/or sample with highest PID. Additional delineation will be pending upon analysis of groundwater samples from new wells and determination of flow direction.7/23/04-Vought-Spoke to Ennis and he referred the Stipulation to his attorney. Ennis requested Stipulation extension until groundwater analyticals are received so determination can be made between STIP or BCP. 9/20/04-Vought-Called FPM Davis for update on further action and left message to return call to DEC. 10/8/04-Vought-Reveived letter from FPM (Stephanie Davis 631-737-6200)dated 8/2/04 and received on 8/5/04. "...the owner of the above referenced property does not plan to sign the Stipulation ..." The reasons are as follows: 1)"work is proceeding at the property in accordance with the October 16, 2002 Remedial Action Plan". Work has included tank removal, impacted soil removal, ORC application, soil and groundwater sampling, installation of a vapor protection system in new building and well installation 2)reduction in groundwater concentrations. Groundwater results and recommendations for additional delineation "will be transmitted to you shortly" (within "approximately two weeks").12/16/04-Vought-Reviewed well installation report received on 10/27/04 from FPM and dated 10/25/04. Installation of three monitoring wells. Exit for Holland Tunnel and a New York City Park are located to the south of the site. Multi-story

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

commercial/residential buildings are located to the west north and east of the site. Site was excavated to a depth of 15' below grade. "A vapor barrier was installed beneath the entire concrete pad and a perforated PVC piping system was installed beneath the southern portion of concrete pad to allow any built up vapors to vent to the exterior of the building". With regards to contaminated soil under sidewalk "Although this soil is located on the edge of the property, it was not within the excavation area and was not readily accessible for removal during the excavation process". The site specific groundwater flow direction appears to be west-southwest". "Based on a comparison between the November 2003 and July 2004 groundwater analytical data, total VOC concentrations in the groundwater at the site have significantly decreased". A qualitative exposure assessment has been performed for the facility. FPM recommends the following: installation of one well north of MW1, south of MW2, groundwater flow direction confirmation, and injection of ORC with semi annual groundwater monitoring. Soil analyticals show: 2800ppb xylene (MW1 15'bg), 9100ppb toluene(MW2 16'bg), 4100ppb ethylbenzene(MW2 16'bg), 22600ppb xylene(MW2 16'bg), 140ppb benzene(MW3 15'bg), 35000ppb (MW3 15'bg), 20000ppb ethylbenzene(MW3 15'bg), 9600ppb xylene(MW3 15'bg). Groundwater analyticals show:160ppb benzene(MW1), 3100ppb toluene(MW1), 3100ppb ethylbenzene(MW1), 21100ppb xylene(MW1), 7700ppb toluene(MW2), 960ppb ethylbenzene(MW2), 5300ppb xylene(MW2), 32ppb toluene(MW3) and 24ppb xylene(MW3). DEC approves installation of additional wells and requires: 1) signing of Stipulation Agreement 2)remediation plan to address both soil and groundwater contamination 3)complete delineation prior to submittal of remedial action plan 4)quarterly groundwater monitoring 5)MTBE to be included in analysis.11/8/05 - Oblgado - Review letter from FPM Group. Offsite well not possible due to subsurface obstructions beneath sidewalk on Hudson and Laight street. ORC injection Design and GW monitoring plan submitted. 6200 lbs of ORC to be injected into mw1, mw2, and mw4. Planned to inject wells on several occasions. Groundwater monitoring will be semianual in injection wells, quarterly in noninjection wells and will consist of low flow sampling for NA parameters BTEX and MTBE. DEC Requires: 1) Quarterly monitoring of all wells 2)Expanded surrounding area land use map showing utilities 3) STIP is overdue.2/3/06 - Oblgado -Email from Bukowski (FPM) "I will be sending out the groundwater monitoring/receptor survey report for 48 Laight Street (spill 0207349) early next week. In the report will be revised calculations for injection of ORC into the wells, that is anticipated to be performed in late February or early March."3/27/06 - Oblgado - Received well installation and quarterly sampling report. total VOC concentrations have decreased in monitoring wells MW1 (16700 down to 2202 ppb) and MW2 (61930 ppb down to 11830 ppb). Newly installed wells MW4 and MW5. MW4 had 1861 VOCs and MW5 below guidance values. Based on results adjusted pln to inject 150 lbs of ORC into MW1,MW2,and MW4.6/30/06 - Oblgado - Email from Bukowski, will inject ORC on July 13, 2006. 7/12/06 - Oblgado - Email from Bukowski, ORC injection will occur tomorrow.5/10/07 - Oblgado - Email to Bukowki, request monitoring reports.10/29/07 - Oblgado - Called John Bukowski inquiring about monitoring report and site status. He said there is a dewatering construction project across the street. All of their wells are dry due to the lowering of the watertable. They have only have one quarter of post injection monitoring data - 1Q07. I asked him to send a letter report with monitoring results and documenting site

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

activities. 1/11/08 - Obligado - Received update report from FPM Group, dated December 11, 2007. ORC was injected on July 13, 2006 in MW1, MW2, and MW4. 33 lbs of ORC mixed with water and injected into formation. Ground water monitoring on a semiannual basis. Total VOCs in MW1 decreased from 16770 in July 04 to 8180 ug/L in June 07. MW2 VOCs have decreased from 61,930 ug/L in July 04 to 3,489 ug/L in June 07. MW4 VOCs decreased from 1861 ug/L in November 05 to 211 ug/L in June 07. In July 2007, FPM monitored gw elevations and found wells MW1 through MW4 to be dry. There is a construction project across the street to the south. This work may be related to the Hollan Tunnel. Dewatering associated with this project may have lowered water tables to below well screens in the FPM site. The sub-slab system was monitored for vapors on March 14, 2007 and a sample was collected from the effluent stack. BTEX and MTBE ND <0.5 ppb in effluent. FPM will continue to monitor sub-slab system effluent. 4/1/09 - Obligado - I have not received any monitoring reports for this site. I called John Bukowski to find out the status of the monitoring. According to Mr. Bukowski, they presented a proposal to the client but the client declined the offer so no work was performed. 4/2/09 - Obligado - I sent David T. Ennis (Daten Group) a Stipulation Agreement requiring continued investigation and remediation. Required Stipulation to be signed within 15 days of the case would be referred to Legal. 4/6/09 - Obligado - Delivery confirmation. STIP due 4/21/09. 5/4/09 - Obligado - No STIP received. I called Mr. Ennis to inquire about the Stipulation Agreement. I left a message to call back the DEC. 7/2/09 - FPM submits monitoring report. Report confirms GW returned to normal levels in wells. GW contamination is still present. Some of wells have been silted up with several feet of material, possibly a build-up of ORC in wells. 9/14/09 - Obligado - Reviewed Monitoring report, dated 7/2/09. Report documents ground water sampling results. VOCs still present in excess of ground water quality standards. Sent a letter to David Ennis requiring quarterly monitoring, vapor intrusion mitigation details, additional soil and ground water investigation. CC john bukowski and david ennis via email. An Investigation Work Plan is due 30 days from receipt. A quarterly Monitoring Report is due within 90 days. 10/14/09 - Obligado - I received the letter "returned undelivered". Emailed David Ennis requiring updated contact information. 11/30/09 - Obligado - REsent letter to 515 Madison Avenue Address. 12/3/09 - Obligado - Received a phone call from Stephanie Davis at FPM. She said Mr. Ennis is willing and able to perform annual ground water monitoring, redevelop the wells, and provide the documentation of the SSDS and vapor barrier. Mr. Ennis will not install additional soil borings and monitoring wells and will not perform quarterly monitoring. I told Stephanie I would discuss the Legal division. 12/18/09 - Obligado - I sent an email to Stephanie Davis re-iterating Department requirements from the 11/30/09 letter. 1/19/10 - I reviewed a workplan submitted 1/15/10 which did not meet Department requirements. They propose doing annual ground water monitoring and application of ORC socks in contaminated wells. They also propose to do well re-development and provide hydrographs, contour maps, and SSDS/Vapor Barrier. However, they refuse to do quarterly monitoring and any additional soil borings and monitoring wells. I emailed Stephanie Davis to notify her that this case would be referred to legal.

Remarks: soil samples came back after testing was done
 Material:
 Site ID: 147575

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

48 LAIGHT STREET (Continued)

S106008427

Operable Unit ID: 858942
 Operable Unit: 01
 Material ID: 517944
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**G29
 NE
 < 1/8
 0.061 mi.
 321 ft.**

**167 HUDSON ST
 167 HUDSON ST
 NYC, NY**

**NY Spills S102141242
 N/A**

Site 2 of 11 in cluster G

SPILLS:

Facility ID: 9105513
 Facility Type: ER
 DER Facility ID: 244223
 Site ID: 302281
 DEC Region: 2
 Spill Date: 8/16/1991
 Spill Number/Closed Date: 9105513 / 8/20/1991
 Spill Cause: Deliberate
 Spill Class: Not reported
 SWIS: 3101
 Investigator: GELLER
 Referred To: Not reported
 Reported to Dept: 8/21/1991
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Citizen
 Cleanup Ceased: 8/20/1991
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 8/29/1991
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: DUMPING WASTE OIL INTO STORM DRAIN. ONGOING FOR TWO MONTHS.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

167 HUDSON ST (Continued)

S102141242

Material:

Site ID: 302281
 Operable Unit ID: 959859
 Operable Unit: 01
 Material ID: 421303
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Not reported
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**G30
 NE
 < 1/8
 0.061 mi.
 321 ft.**

**FORMER AUTOMOBILE GARAGE
 48 LAIGHT STREET
 NEW YORK, NY 10013**

**NY UST U004046772
 NY AST N/A**

Site 3 of 11 in cluster G

UST:

Id/Status: 2-608150 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583753.1747299997
 UTM Y: 4508374.7208099999
 Site Type: Other

Affiliation Records:

Site Id: 30002
 Affiliation Type: Facility Owner
 Company Name: 48 LAIGHT STREET ASSOC LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 515 MADISON AVENUE, SUITE 1201
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30002
 Affiliation Type: Mail Contact
 Company Name: 48 LAIGHT STREET ASSOCIATES LLC
 Contact Type: Not reported
 Contact Name: DAVID ENNIS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

Address1: % THE DATEN GROUP
 Address2: 515 MADISON AVENUE, SUITE 1201
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30002
 Affiliation Type: On-Site Operator
 Company Name: FORMER AUTOMOBILE GARAGE
 Contact Type: Not reported
 Contact Name: ABANDONED FACILITY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30002
 Affiliation Type: Emergency Contact
 Company Name: 48 LAIGHT STREET ASSOC LLC
 Contact Type: Not reported
 Contact Name: DAVID ENNIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 03
 Tank ID: 64678
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 09/09/2003
 Registered: True
 Tank Location: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 C02 - Pipe Location - Underground/On-ground

Tank Number: 04
 Tank ID: 64679
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 09/09/2003
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 05
 Tank ID: 64680
 Tank Status: Closed - Removed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 09/09/2003
 Registered: True
 Tank Location: Underground
 Tank Type: Concrete
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A01 - Tank Internal Protection - Epoxy Liner
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 06
 Tank ID: 64681
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 09/09/2003
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

C02 - Pipe Location - Underground/On-ground

Tank Number: 07
 Tank ID: 64682
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 2000
 Install Date: Not reported
 Date Tank Closed: 09/09/2003
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

Tank Number: 08
 Tank ID: 64683
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 2000
 Install Date: Not reported
 Date Tank Closed: 09/09/2003
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 C02 - Pipe Location - Underground/On-ground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 09
 Tank ID: 64684
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 275
 Install Date: Not reported
 Date Tank Closed: 11/06/2003
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0022
 Common Name of Substance: Waste Oil/Used Oil

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 C02 - Pipe Location - Underground/On-ground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 10
 Tank ID: 64685
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 4000
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 C02 - Pipe Location - Underground/On-ground

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-608150
 Program Type: PBS
 UTM X: 583753.1747299997
 UTM Y: 4508374.7208099999
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:

Site Id: 30002
 Affiliation Type: Facility Owner
 Company Name: 48 LAIGHT STREET ASSOC LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 515 MADISON AVENUE, SUITE 1201
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30002
 Affiliation Type: Mail Contact
 Company Name: 48 LAIGHT STREET ASSOCIATES LLC
 Contact Type: Not reported
 Contact Name: DAVID ENNIS
 Address1: % THE DATEN GROUP
 Address2: 515 MADISON AVENUE, SUITE 1201
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

Date Last Modified: 3/4/2004

Site Id: 30002
 Affiliation Type: On-Site Operator
 Company Name: FORMER AUTOMOBILE GARAGE
 Contact Type: Not reported
 Contact Name: ABANDONED FACILITY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30002
 Affiliation Type: Emergency Contact
 Company Name: 48 LAIGHT STREET ASSOC LLC
 Contact Type: Not reported
 Contact Name: DAVID ENNIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 421-3535
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 01
 Tank Id: 64676
 Material Code: 0022
 Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 I00 - Overfill - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMER AUTOMOBILE GARAGE (Continued)

U004046772

Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/24/2003
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Waste Oil/Used Oil

Tank Number: 02
 Tank Id: 64677
 Material Code: 0022
 Common Name of Substance: Waste Oil/Used Oil

Equipment Records:

- I00 - Overfill - None
- B00 - Tank External Protection - None
- F00 - Pipe External Protection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- G03 - Tank Secondary Containment - Vault (w/o access)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/24/2003
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Waste Oil/Used Oil

**E31
 SW
 < 1/8
 0.062 mi.
 326 ft.**

**397 GREENWICH ST
 NEW YORK, NY 10013**

Site 3 of 3 in cluster E

**EDR US Hist Cleaners 1015053750
 N/A**

EDR Historical Cleaners:

Name: TRIO CLEANERS INC
 Year: 2005
 Address: 397 GREENWICH ST

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

G32 **LOT 2,TAXBLOCK 219** **NY E DESIGNATION** **S110670181**
NE **50 LAIGHT STREET** **N/A**
< 1/8 **MANHATTAN, NY 10013**
0.064 mi.
340 ft. **Site 4 of 11 in cluster G**

E DESIGNATION:
 Tax Lot(s): 2
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G9
 Land Use Category: 07
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: OKADA DENKI SANGYO CO
 Lot Area: 000001750
 Total Building Floor Area: 00000001750
 Commercial Floor Area: 00000001750
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000001750
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0025.00
 Lot Depth: 0071.00
 Building Frontage: 0025.00
 Building Depth: 0069.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 2,TAXBLOCK 219 (Continued)

S110670181

Basement Type Grade:	5
Land Assessed Value:	00000085500
Total Assessed Value:	00000114750
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1920
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002190002
Condominium Number:	00000
Census Tract 2:	0039
X Coordinate:	0981823
Y Coordinate:	0202379
Zoning Map:	12A
Sanborn Map:	101N040
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	2
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	1005
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 2,TAXBLOCK 219 (Continued)

S110670181

All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G9
 Land Use Category: 07
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: OKADA DENKI SANGYO CO
 Lot Area: 000001750
 Total Building Floor Area: 00000001750
 Commercial Floor Area: 00000001750
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000001750
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0025.00
 Lot Depth: 0071.00
 Building Frontage: 0025.00
 Building Depth: 0069.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000085500
 Total Assessed Value: 00000114750
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002190002
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981823
 Y Coordinate: 0202379
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

LOT 2, TAXBLOCK 219 (Continued)

S110670181

Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

G33 **MANHOLE 37278**
NE **LAIGHT ST/HUDSON ST**
< 1/8 **MANHATTAN, NY**
0.065 mi.
343 ft. **Site 5 of 11 in cluster G**

NY Spills **S104195902**
N/A

SPILLS:

Facility ID: 9908057
 Facility Type: ER
 DER Facility ID: 92817
 Site ID: 105169
 DEC Region: 2
 Spill Date: 10/2/1999
 Spill Number/Closed Date: 9908057 / 8/18/2009
 Spill Cause: Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 10/2/1999
 CID: 207
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 10/2/1999
 Spill Record Last Update: 8/18/2009
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City, St, Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Memo: 08/18/09 - See eDocs for Con Ed report detailing cleanup and closure.
 Remarks: CONFINED TO MANHOLE5 GALS IN 200 GALS WATERCLEANUP PENDINGCON ED 128199

Material:

Site ID: 105169
 Operable Unit ID: 1082337
 Operable Unit: 01
 Material ID: 300740
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

MANHOLE 37278 (Continued)

S104195902

Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

**G34
NE
< 1/8
0.065 mi.
343 ft.**

**SHAFT #29B
HUDSON/LIAGHT STREET
MANHATTAN, NY**

**NY Spills S107521858
N/A**

Site 6 of 11 in cluster G

SPILLS:

Facility ID:	0511677
Facility Type:	ER
DER Facility ID:	307916
Site ID:	357884
DEC Region:	2
Spill Date:	1/9/2006
Spill Number/Closed Date:	0511677 / 1/10/2006
Spill Cause:	Human Error
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator:	rmpiper
Referred To:	Not reported
Reported to Dept:	1/10/2006
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/10/2006
Spill Record Last Update:	1/10/2006
Spiller Name:	DON HICKEY
Spiller Company:	SHAFT #29B
Spiller Address:	HUDSON/LIAGHT STREET
Spiller City, St, Zip:	MANHATTEN, NY
Spiller Company:	001
Contact Name:	DON HICKEY
Contact Phone:	(212) 967-2212
DEC Memo:	1/10/06- DEC Piper spoke w/ DEP, Don Hickey. Spill cleaned up w/ in 1 hour.

Remarks: HOSE WAS NOT PLUGGED OR CAPPED AND IT SPILLED OUT WHILE BEING MOVED:

Material:

Site ID:	357884
Operable Unit ID:	1115151
Operable Unit:	01
Material ID:	2105206
Material Code:	0010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SHAFT #29B (Continued)

S107521858

Material Name: Hydraulic Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10
 Units: Gallons
 Recovered: 10
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**G35
 NE
 < 1/8
 0.066 mi.
 346 ft.**

**166 HUDSON ST
 NEW YORK, NY 10013**

Site 7 of 11 in cluster G

**EDR US Hist Auto Stat 1015261272
 N/A**

EDR Historical Auto Stations:

Name: TRIBECA AUTO REPAIR OF MANHATTAN
 Year: 1999
 Address: 166 HUDSON ST

Name: ACE FOREIGN CAR SPECIALIST
 Year: 2000
 Address: 166 HUDSON ST

Name: ACC CAR CARE CENTER INC
 Year: 2005
 Address: 166 HUDSON ST

Name: ACC CAR CARE CENTER INC
 Year: 2007
 Address: 166 HUDSON ST

**H36
 SW
 < 1/8
 0.068 mi.
 358 ft.**

**395 GREENWICH ST
 NEW YORK, NY 10013**

Site 1 of 6 in cluster H

**EDR US Hist Cleaners 1015053567
 N/A**

EDR Historical Cleaners:

Name: NEW TRIO CLEANERS
 Year: 2005
 Address: 395 GREENWICH ST

Name: NEW TRIO CLEANERS
 Year: 2008
 Address: 395 GREENWICH ST

Name: NEW TRIO CLEANERS INC
 Year: 2010
 Address: 395 GREENWICH ST

Name: NEW TRIO CLEANERS
 Year: 2011

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

(Continued)

1015053567

Address: 395 GREENWICH ST
 Name: NEW TRIO CLEANERS
 Year: 2012
 Address: 395 GREENWICH ST

**I37
 SE
 < 1/8
 0.068 mi.
 358 ft.**

**MANHOLE 37268
 ERICKSON PL & HUDSON ST
 MANHATTAN, NY**

**NY Spills S104952374
 N/A**

Site 1 of 2 in cluster I

SPILLS:

Facility ID: 0011560
 Facility Type: ER
 DER Facility ID: 85987
 Site ID: 96185
 DEC Region: 2
 Spill Date: 1/25/2001
 Spill Number/Closed Date: 0011560 / 6/5/2001
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: OKWUOHA
 Referred To: Not reported
 Reported to Dept: 1/25/2001
 CID: 322
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 1/25/2001
 Spill Record Last Update: 8/13/2001
 Spiller Name: UNKNOWN
 Spiller Company: UNKNOWN
 Spiller Address: UNKNOWN
 Spiller City,St,Zip: UNKNOWN, NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: 2 gal unk oil in manhole on 150 gal of water - samples taken and clean up pending results con ed #135226

Material:

Site ID: 96185
 Operable Unit ID: 833034
 Operable Unit: 01
 Material ID: 541867
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		Database(s)
Distance (ft.)	Site	EPA ID Number

MANHOLE 37268 (Continued)

S104952374

Material FA:	Petroleum
Quantity:	2
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

G38 NE < 1/8 0.068 mi. 361 ft.	COMMERCIAL/RESIDENTIAL BUILDING 46 LAIGHT ST NEW YORK, NY	NY Spills S109583502 N/A
	Site 8 of 11 in cluster G	

SPILLS:

Facility ID:	0902654
Facility Type:	ER
DER Facility ID:	363857
Site ID:	414712
DEC Region:	2
Spill Date:	6/4/2009
Spill Number/Closed Date:	0902654 / 12/16/2010
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator:	SFRAHMAN
Referred To:	Not reported
Reported to Dept:	6/4/2009
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	6/4/2009
Spill Record Last Update:	12/20/2010
Spiller Name:	IVY OLBERDING
Spiller Company:	JEFFERY BENNETT
Spiller Address:	46 LAIGHT ST
Spiller City,St,Zip:	NEW YORK, NY
Spiller Company:	999
Contact Name:	IVY OLBERDING
Contact Phone:	(631) 589-6353
DEC Memo:	08/27/09 CSL sent to 46 Laight LLC46 Laight StreetNew York, NY 1001346 Laight LLC393 W End Avenue Apt 14CNew York, NY 10024-6143 (sr)09/08/09 Letter returned undelivered.(sr)12/16/10 PW Grosser performed subsurface investigation, soil and ground water investigation in October 2010.Five soil borings were installed.Three soil borings converted to monitoring wells.LNAPL was not detected in any of the wells.No VOCs were detected in any of the five soil

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

COMMERCIAL/RESIDENTIAL BUILDING (Continued)

S109583502

samples. It appears that no voc impacted soil exists in the former tank area or in the area where MWs were installed. One or more vocs were detected in ground water samples. Ground water contamination appears to be limited to the southern portion of the property, as the well on the northern end did not have any VOCs above ground water standard. It is believed that the ground water contamination resulted from an offsite source. Ground water quality significantly improved when compared to 2009 sample result. Ground water flow determined to be in the northerly direction. Case closed. All reports including RAP in edocs.(sr)

Remarks: Testing was done at this sight, results showed contamination. Clean up will start next week.

Material:

Site ID: 414712
 Operable Unit ID: 1171090
 Operable Unit: 01
 Material ID: 2162877
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**H39
 SW
 < 1/8
 0.070 mi.
 371 ft.**

**VAULT 2463
 N. MOORE ST & GREENWHICH
 MANHATTAN, NY
 Site 2 of 6 in cluster H**

**NY Spills S104283321
 N/A**

SPILLS:

Facility ID: 9908928
 Facility Type: ER
 DER Facility ID: 139296
 Site ID: 165237
 DEC Region: 2
 Spill Date: 10/22/1999
 Spill Number/Closed Date: 9908928 / 2/5/2004
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: JHOCONNE
 Referred To: Not reported
 Reported to Dept: 10/22/1999
 CID: 322
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VAULT 2463 (Continued)

S104283321

Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 10/22/1999
 Spill Record Last Update: 2/5/2004
 Spiller Name: CALLER
 Spiller Company: CON ED
 Spiller Address: 4 IRVING PL
 Spiller City,St,Zip: MANHATTAN, NY 10003
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL"e2mis no. 128588:APPROX. 5 GALLONS OF DIELECTRIC TRANSFORMER OIL ON THE FLOOR IN V-2463. DRAIN IS CLOGGED AND THE SPILL DID NOT COME IN CONTACT WITH SAME. A PARTIAL CLEANUP IS IN PROGRESS AND WILL BE COMPLETED WHEN THE TRANSFORMER IS REMOVED.PCB RESULTS <1 PPMclean up completed at 1630 hrs. on Nov 6th, 1999. vault was cleaned utilizing flush truck.
 Remarks: SOME TYPE OF FAULTY EQUIPMENT CAUSED SPILL - SPILL BEING CLEANED UP CON ED 128588

Material:
 Site ID: 165237
 Operable Unit ID: 1083379
 Operable Unit: 01
 Material ID: 298026
 Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: 5
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**F40
 NW
 < 1/8
 0.072 mi.
 378 ft.**

**CON EDISON
 69 LAIGHT ST
 NEW YORK, NY 10013
 Site 3 of 4 in cluster F**

**NY MANIFEST S113494848
 N/A**

NY MANIFEST:
 EPA ID: NYP004285409
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494848

Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 25-Jan-2013 00:00:00
 Trans1 Recv Date: 25-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 29-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285409
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 300
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707288JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**F41
 NW
 < 1/8
 0.072 mi.
 378 ft.**

**CON EDISON SERVICE BOX: 37946
 69 LAIGHT ST FRONT OF
 NEW YORK, NY 10013
 Site 4 of 4 in cluster F**

**RCRA-CESQG 1016149874
 FINDS NYP004285409**

RCRA-CESQG:
 Date form received by agency: 01/25/2013
 Facility name: CON EDISON SERVICE BOX: 37946
 Facility address: 69 LAIGHT ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004285409
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: RICARDO CARTY
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (646) 772-3407

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37946 (Continued)

1016149874

Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055423901

Environmental Interest/Information System

G42
NNE
< 1/8
0.074 mi.
389 ft.

181 HUDSON ST
181 HUDSON ST- APT COMP.
MANHATTAN, NY

NY Spills S102148820
N/A

Site 9 of 11 in cluster G

SPILLS:

Facility ID: 9408937
 Facility Type: ER
 DER Facility ID: 65074
 Site ID: 68273
 DEC Region: 2
 Spill Date: 10/5/1994
 Spill Number/Closed Date: 9408937 / 10/5/1994
 Spill Cause: Equipment Failure

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

181 HUDSON ST (Continued)

S102148820

Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101

Investigator: SMMARTIN

Referred To: Not reported

Reported to Dept: 10/5/1994

CID: Not reported

Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other

Cleanup Ceased: 10/5/1994

Cleanup Meets Std: True

Last Inspection: Not reported

Recommended Penalty: False

UST Trust: False

Remediation Phase: 0

Date Entered In Computer: 11/2/1994

Spill Record Last Update: 9/30/2004

Spiller Name: Not reported

Spiller Company: GOTHAM PETRO

Spiller Address: 245 RUSSELL ST

Spiller City,St,Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: Not reported

Contact Phone: Not reported

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"

Remarks: GAUGE BROKE-CREW ON SCENE CLEANING UP NCB.

Material:

Site ID: 68273

Operable Unit ID: 1003015

Operable Unit: 01

Material ID: 378362

Material Code: 0001A

Material Name: #2 Fuel Oil

Case No.: Not reported

Material FA: Petroleum

Quantity: 7

Units: Gallons

Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

**G43
 NE
 < 1/8
 0.075 mi.
 395 ft.**

**169 HUDSON ST. CONDO
 169 HUDSON STREET
 NEW YORK, NY 10013
 Site 10 of 11 in cluster G**

**NY AST U004045089
 N/A**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-315745

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

169 HUDSON ST. CONDO (Continued)

U004045089

Program Type: PBS
 UTM X: 583781.05385999999
 UTM Y: 4508313.7782100001
 Expiration Date: N/A
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 14448
 Affiliation Type: Facility Owner
 Company Name: 169 HUDSON ST. CONDOMINIUM
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 169 HUDSON ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 472-1878
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 14448
 Affiliation Type: Mail Contact
 Company Name: % SANDRA GREER RE MGMT CORP
 Contact Type: Not reported
 Contact Name: SANDRA GREER
 Address1: 201 EAST 77TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10021
 Country Code: 001
 Phone: (212) 472-1878
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 14448
 Affiliation Type: On-Site Operator
 Company Name: 169 HUDSON ST. CONDO
 Contact Type: Not reported
 Contact Name: STEVE TIETLER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 219-2810
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

169 HUDSON ST. CONDO (Continued)

U004045089

Site Id: 14448
 Affiliation Type: Emergency Contact
 Company Name: 169 HUDSON ST. CONDOMINIUM
 Contact Type: Not reported
 Contact Name: NICK BRIGLIA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 848-5420
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 12894
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 I05 - Overfill - Vent Whistle
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B05 - Tank External Protection - Jacketed

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

G44 NE < 1/8 0.075 mi. 395 ft.	CON EDISON 169 HUDSON ST SB37281 NEW YORK, NY 10027	NY MANIFEST	1009242105 N/A
	Site 11 of 11 in cluster G		

NY MANIFEST:

EPA ID:	NYP004107769
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808

Document ID:	NJA4065280
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	02/22/2003
Trans1 Recv Date:	02/22/2003
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/25/2003
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004107769
Trans1 EPA ID:	NJD991291105
Trans2 EPA ID:	Not reported
TSD ID:	H10376
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00150
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	2003

J45 West < 1/8 0.075 mi. 395 ft.	CITIGROUP 390 GREENWICH ST NEW YORK, NY 10013	RCRA-LQG	1000156125 NYD982269912
	Site 1 of 2 in cluster J		

RCRA-LQG:

Date form received by agency:	05/25/2011
Facility name:	CITIGROUP
Facility address:	390 GREENWICH ST NEW YORK, NY 10013
EPA ID:	NYD982269912
Mailing address:	GREENWICH ST NEW YORK, NY 10013
Contact:	WILLIAM SVIHRA
Contact address:	GREENWICH ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP (Continued)

1000156125

NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 723-4352
 Contact email: Not reported
 EPA Region: 02
 Classification: Large Quantity Generator
 Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: CITIGROUP
 Owner/operator address: GREENWICH ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 816-0139
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 04/01/1998
 Owner/Op end date: Not reported
 Owner/operator name: JONES LANG LASALLE
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 10/01/2010
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CITIGROUP (Continued)

1000156125

Historical Generators:

Date form received by agency: 01/01/2007
 Facility name: CITIGROUP
 Site name: SHEARSON LEHMAN BROS.
 Classification: Not a generator, verified

Date form received by agency: 01/01/2006
 Facility name: CITIGROUP
 Site name: SHEARSON LEHMAN BROS.
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: CITIGROUP
 Site name: SHEARSON LEHMAN BROS.
 Classification: Not a generator, verified

Date form received by agency: 06/25/1987
 Facility name: CITIGROUP
 Site name: SHEARSON LEHMAN BROS.
 Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D001
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Waste code: U226
 Waste name: ETHANE, 1,1,1-TRICHLORO-

Violation Status: No violations found

J46
 West
 < 1/8
 0.075 mi.
 395 ft.

CITIGROUP
390 GREENWICH ST
NEW YORK, NY 10013

Site 2 of 2 in cluster J

NY MANIFEST U001833461
N/A

NY MANIFEST:
 EPA ID: NYD982269912
 Country: USA
 Mailing Name: CITIGROUP
 Mailing Contact: CITI GROUP
 Mailing Address: 390 GREENWICH ST
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CITIGROUP (Continued)

U001833461

Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-723-4352

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-06-22
 Trans1 Recv Date: 2011-06-22
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-06-29
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD982269912
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: PAD067098822
 Waste Code: Not reported
 Quantity: 30.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2011
 Manifest Tracking Num: 003534917JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-06-22
 Trans1 Recv Date: 2011-06-22
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-06-29
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD982269912
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP (Continued)

U001833461

TSDF ID: PAD067098822
 Waste Code: Not reported
 Quantity: 80.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 2.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2011
 Manifest Tracking Num: 003534917JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: CT5000001495
 Trans2 State ID: Not reported
 Generator Ship Date: 30-Jan-2013 00:00:00
 Trans1 Recv Date: 30-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 30-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD982269912
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: CT5000001495
 Waste Code: Not reported
 Quantity: 3228
 Units: P - Pounds
 Number of Containers: 7
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 008951765JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: Y
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CITIGROUP (Continued)

U001833461

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: CT5000001495
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-02-08
 Trans1 Recv Date: 2012-02-08
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-02-08
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD982269912
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: CT5000001495
 Waste Code: Not reported
 Quantity: 2751.0
 Units: P - Pounds
 Number of Containers: 6.0
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 006572990JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: Y
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H010

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: CT5000001495
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-02-08
 Trans1 Recv Date: 2012-02-08
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-02-08
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD982269912
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: CT5000001495
 Waste Code: Not reported
 Quantity: 2751.0
 Units: P - Pounds
 Number of Containers: 6.0
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP (Continued)

U001833461

Year: 2012
 Manifest Tracking Num: 006572990JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: Y
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H010

K47
ENE
 < 1/8
 0.075 mi.
 396 ft.

EAGLE TRANSFER CORPORATION
40 LAIGHT STREET
NEW YORK, NY 10013

NY AST U003396714
NY HIST AST N/A

Site 1 of 3 in cluster K

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-602557
 Program Type: PBS
 UTM X: 583851.82198999997
 UTM Y: 4508375.0833799997
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:

Site Id: 24514
 Affiliation Type: Facility Owner
 Company Name: KNICKERBOCKER RENTAL
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 413 HALF MOON BAY DRIVE
 Address2: Not reported
 City: CROTON ON THE HUDSON
 State: NY
 Zip Code: 10520
 Country Code: 001
 Phone: (914) 271-5523
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24514
 Affiliation Type: Mail Contact
 Company Name: EAGLE TRANSFER
 Contact Type: Not reported
 Contact Name: MICHAEL LENHARD
 Address1: 40 LAIGHT STREET
 Address2: Not reported
 City: NEW YORK
 State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EAGLE TRANSFER CORPORATION (Continued)

U003396714

Zip Code: 10013
 Country Code: 001
 Phone: (212) 966-4100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24514
 Affiliation Type: On-Site Operator
 Company Name: EAGLE TRANSFER CORPORATION
 Contact Type: Not reported
 Contact Name: NICK BRIGLIA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-4100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24514
 Affiliation Type: Emergency Contact
 Company Name: KNICKERBOCKER RENTAL
 Contact Type: Not reported
 Contact Name: NICK BRIGLIA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 848-5420
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 01
 Tank Id: 50435
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EAGLE TRANSFER CORPORATION (Continued)

U003396714

I05 - Overfill - Vent Whistle
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B05 - Tank External Protection - Jacketed

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-602557
 SWIS Code: 6201
 Operator: NICK BRIGLIA
 Facility Phone: (212) 966-4100
 Facility Addr2: Not reported
 Facility Type: OTHER
 Emergency: NICK BRIGLIA
 Emergency Tel: (718) 848-5420
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: KNICKERBOCKER RENTAL
 Owner Address: 413 HALF MOON BAY DRIVE
 Owner City,St,Zip: CROTON ON THE HUDSON, NY 10520
 Federal ID: Not reported
 Owner Tel: (914) 271-5523
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: MICHAEL LENHARD
 Mailing Name: EAGLE TRANSFER
 Mailing Address: 40 LAIGHT STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 966-4100
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 11/28/1995
 Expiration: 11/27/2000
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 1500

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EAGLE TRANSFER CORPORATION (Continued)

U003396714

FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 01
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 1500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 15
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: None
 Leak Detection: 00
 Overfill Protection: 46
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

K48
ENE
< 1/8
0.077 mi.
407 ft.

MH68032
S/E/C E. 2ND STREET AND ELMWOOD
NEW YORK CITY, NY 11218

RCRA NonGen / NLR 1007206894
NY MANIFEST NYP004033064

Site 2 of 3 in cluster K

RCRA NonGen / NLR:
 Date form received by agency: 01/03/2001
 Facility name: MH68032
 Facility address: S/E/C E. 2ND STREET AND ELMWOOD
 NEW YORK CITY, NY 11218
 EPA ID: NYP004033064
 Mailing address: CONSOLIDATED EDISON INC.
 4 IRVING PLACE -- ROOM 300
 NEW YORK, NY 10003
 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC.
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 460-3770

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MH68032 (Continued)

1007206894

Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/02/2001
 Facility name: MH68032
 Classification: Not a generator, verified

Date form received by agency: 01/01/2001
 Facility name: MH68032
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004033064
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0242190
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 04/21/1999
 Trans1 Recv Date: 04/21/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/21/1999
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH68032 (Continued)

1007206894

Part B Recv Date: Not reported
 Generator EPA ID: NYP004033064
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: 31877AJ
 Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
 Quantity: 00752
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYE0278122
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 03/24/1999
 Trans1 Recv Date: 03/24/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/25/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004033064
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 80680AE
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00390
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYE0216775
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 03/24/1999
 Trans1 Recv Date: 03/24/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/25/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004033064
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: SM1563
 Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
 Quantity: 01015
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MH68032 (Continued)

1007206894

Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYE0070784
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 12/07/1998
 Trans1 Recv Date: 12/07/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/08/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004033064
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 80336AB
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00691
 Units: P - Pounds
 Number of Containers: 001
 Container Type: TP - Tanks, portable
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

**H49
 SW
 < 1/8
 0.081 mi.
 428 ft.**

**CITI GROUP
 390 GREENWICH STREET
 NEW YORK, NY 10013
 Site 3 of 6 in cluster H**

**PA MANIFEST S112069122
 N/A**

PA MANIFEST:
 Year: 2011
 Manifest Number: 003534917JJK
 Manifest Type: T
 Generator EPA Id: NYD982269912
 Generator Date: 06/22/2011
 Mailing Address: Not reported
 Mailing City,St,Zip: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 2
 Waste Number: D001
 Container Number: 1
 Container Type: Fiberboard or plastic drums, barrels, kegs
 Waste Quantity: 30

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CITI GROUP (Continued)

S112069122

Unit: Gallons (liquids only)
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2011
 Manifest Number: 003534917JJK
 Manifest Type: T
 Generator EPA Id: NYD982269912
 Generator Date: 06/22/2011
 Mailing Address: Not reported
 Mailing City, St, Zip: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 3
 Waste Number: D002
 Container Number: 1
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 30
 Unit: Gallons (liquids only)
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2011
 Manifest Number: 003534917JJK
 Manifest Type: T
 Generator EPA Id: NYD982269912
 Generator Date: 06/22/2011
 Mailing Address: Not reported
 Mailing City, St, Zip: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 2
 Waste Number: D002
 Container Number: 1
 Container Type: Fiberboard or plastic drums, barrels, kegs
 Waste Quantity: 30
 Unit: Gallons (liquids only)
 Handling Code: Not reported
 TSP EPA Id: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITI GROUP (Continued)

S112069122

Date TSP Sig: Not reported
 Year: 2011
 Manifest Number: 003534917JJK
 Manifest Type: T
 Generator EPA Id: NYD982269912
 Generator Date: 06/22/2011
 Mailing Address: Not reported
 Mailing City, St, Zip: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 1
 Waste Number: U226
 Container Number: 2
 Container Type: Fiberboard or plastic drums, barrels, kegs
 Waste Quantity: 80
 Unit: Gallons (liquids only)
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

**H50
 SW
 < 1/8
 0.081 mi.
 428 ft.**

**CITIGROUP GLOBAL MARKETS INC.
 390 GREENWICH STREET
 NEW YORK, NY 10013
 Site 4 of 6 in cluster H**

**NY AST U004077600
 N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-273074
 Program Type: PBS
 UTM X: 583633.26387000002
 UTM Y: 4508221.07443
 Expiration Date: 2017/04/30
 Site Type: Other

Affiliation Records:

Site Id: 11600
 Affiliation Type: Facility Owner
 Company Name: CITIGROUP GLOBAL MARKETS, INC.
 Contact Type: PROPERTY MANAGER
 Contact Name: PATRICK CALCAGNO
 Address1: 390 GREENWICH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP GLOBAL MARKETS INC. (Continued)

U004077600

Phone: (212) 816-3404
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/6/2012

Site Id: 11600
 Affiliation Type: Mail Contact
 Company Name: JONES LANS LASALLE
 Contact Type: Not reported
 Contact Name: FACILITY
 Address1: 388 GREENWICH STREET
 Address2: 5TH FLOOR PROPERTY MGT.
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 816-0198
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/6/2012

Site Id: 11600
 Affiliation Type: On-Site Operator
 Company Name: CITIGROUP GLOBAL MARKETS INC.
 Contact Type: Not reported
 Contact Name: PATRICK CACLAGNO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 816-0198
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/6/2012

Site Id: 11600
 Affiliation Type: Emergency Contact
 Company Name: CITIGROUP GLOBAL MARKETS, INC.
 Contact Type: Not reported
 Contact Name: PATRICK CALCAGNO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 816-0198
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/6/2012

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP GLOBAL MARKETS INC. (Continued)

U004077600

Tank Info:

Tank Number: NRT
 Tank Id: 8924
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 B04 - Tank External Protection - Fiberglass
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 F06 - Pipe External Protection - Wrapped
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I04 - Overfill - Product Level Gauge (A/G)
 E04 - Piping Secondary Containment - Double-Walled (Underground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C03 - Pipe Location - Aboveground/Underground Combination

Tank Location: 6
 Tank Type: Fiberglass Coated Steel
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1986
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/06/2012
 Material Name: Diesel

Tank Number: NST
 Tank Id: 8925
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B04 - Tank External Protection - Fiberglass
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C03 - Pipe Location - Aboveground/Underground Combination
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 F06 - Pipe External Protection - Wrapped
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 E04 - Piping Secondary Containment - Double-Walled (Underground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP GLOBAL MARKETS INC. (Continued)

U004077600

Tank Location: 6
 Tank Type: Fiberglass Coated Steel
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/01/1986
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/06/2012
 Material Name: Diesel

Tank Number: SRT
 Tank Id: 8926
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- C03 - Pipe Location - Aboveground/Underground Combination
- F05 - Pipe External Protection - Jacketed
- F06 - Pipe External Protection - Wrapped
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- E04 - Piping Secondary Containment - Double-Walled (Underground)
- B04 - Tank External Protection - Fiberglass
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 6
 Tank Type: Fiberglass Coated Steel
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/01/1986
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/06/2012
 Material Name: Diesel

Tank Number: SST
 Tank Id: 8927
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP GLOBAL MARKETS INC. (Continued)

U004077600

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 B04 - Tank External Protection - Fiberglass
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 F06 - Pipe External Protection - Wrapped
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I04 - Overfill - Product Level Gauge (A/G)
 E04 - Piping Secondary Containment - Double-Walled (Underground)
 C03 - Pipe Location - Aboveground/Underground Combination
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 6
 Tank Type: Fiberglass Coated Steel
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/01/1986
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/06/2012
 Material Name: Diesel

L51
 NNW
 < 1/8
 0.081 mi.
 430 ft.

435 GREENWICH CORP
435 GREENWICH STREET
NEW YORK, NY 10013
Site 1 of 4 in cluster L

NY AST A100382363
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Administratively Closed
 Facility Id: 2-602360
 Program Type: PBS
 UTM X: 583674.52425000002
 UTM Y: 4508427.2571599996
 Expiration Date: N/A
 Site Type: Utility (Other than Municipal)

Tank Info:

Tank Number: 1
 Tank Id: 49886
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

435 GREENWICH CORP (Continued)

A100382363

Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	JMKRIMGO
Last Modified:	03/17/2006
Material Name:	Not reported

**I52
SE
< 1/8
0.085 mi.
447 ft.**

**36 ERICSSON PL
NEW YORK, NY 10013**

**EDR US Hist Auto Stat 1015447671
N/A**

Site 2 of 2 in cluster I

EDR Historical Auto Stations:

Name:	ERICKSON AUTO REPAIR CORP
Year:	2002
Address:	36 ERICSSON PL
Name:	ERICKSON AUTO REPAIR CORP
Year:	2003
Address:	36 ERICSSON PL
Name:	ERICKSON AUTO REPAIR
Year:	2004
Address:	36 ERICSSON PL
Name:	ERICKSON AUTO REPAIR
Year:	2005
Address:	36 ERICSSON PL
Name:	ERICKSON AUTO REPAIR
Year:	2006
Address:	36 ERICSSON PL

**H53
SSW
< 1/8
0.086 mi.
453 ft.**

**CITIGROUP
388 GREENWICH STREET
NEW YORK, NY 10013**

**NY AST A100293559
N/A**

Site 5 of 6 in cluster H

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-609057
Program Type:	PBS
UTM X:	583602.71351000003
UTM Y:	4508204.7157899998
Expiration Date:	2013/06/26
Site Type:	Other

Affiliation Records:

Site Id:	30904
Affiliation Type:	Facility Owner
Company Name:	CITIGROUP
Contact Type:	AGENT
Contact Name:	JOE FERGUSON

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CITIGROUP (Continued)

A100293559

Address1: 388 GREENWICH ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 816-3404
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/15/2009

Site Id: 30904
 Affiliation Type: Mail Contact
 Company Name: CUSHMAN & WAKEFIELD
 Contact Type: Not reported
 Contact Name: PROPERTY MANAGER
 Address1: 388 GREENWICH STREET
 Address2: 5TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 816-3398
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30904
 Affiliation Type: On-Site Operator
 Company Name: CITIGROUP
 Contact Type: Not reported
 Contact Name: JOE FERGUSON
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 816-2572
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/15/2009

Site Id: 30904
 Affiliation Type: Emergency Contact
 Company Name: CITIGROUP
 Contact Type: Not reported
 Contact Name: JOE FERGUSON
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP (Continued)

A100293559

Phone: (212) 816-2572
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/15/2009

Tank Info:

Tank Number: DAY TANK
 Tank Id: 66267
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 07/15/1988
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/10/2009
 Material Name: Diesel

Tank Number: MAINTANK
 Tank Id: 66266
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CITIGROUP (Continued)

A100293559

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 07/15/1988
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/10/2009
 Material Name: Diesel

**H54
 SSW
 < 1/8
 0.086 mi.
 453 ft.**

**PIER #26
 388 GREENWICH ST
 MANHATTAN, NY
 Site 6 of 6 in cluster H**

**NY Spills S102560392
 N/A**

SPILLS:

Facility ID: 9614042
 Facility Type: ER
 DER Facility ID: 133988
 Site ID: 158557
 DEC Region: 2
 Spill Date: 3/3/1997
 Spill Number/Closed Date: 9614042 / 3/3/1997
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 3/3/1997
 CID: 312
 Water Affected: HUDSON RIVER
 Spill Source: Unknown
 Spill Notifier: Federal Government
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 3/3/1997
 Spill Record Last Update: 3/4/1997
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG" CALLED USCG AT 12:00, TEAM ENROUTE. SPOKE TO USCG AT 14:00 AGAIN, SHEEN IS- 200 FT. X 100 FT., OLD WEATHERED. ALL,

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PIER #26 (Continued)

S102560392

Remarks: NON-RECOVERABLE AND NO SOURCE FOUND, NO ACTION BY DEC.
 sheen around the pier - uscg on the way to verify

Material:

Site ID:	158557
Operable Unit ID:	1041608
Operable Unit:	01
Material ID:	339148
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

**M55
 NW
 < 1/8
 0.086 mi.
 456 ft.**

**LOT 14,TAXBLOCK 217
 401 WASHINGTON STREET
 MANHATTAN, NY 10013
 Site 1 of 12 in cluster M**

**NY E DESIGNATION S110670141
 N/A**

E DESIGNATION:

Tax Lot(s):	14
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Air Quality - HVAC fuel limited to natural gas
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3012
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	E9
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 217 (Continued)

S110670141

Owner Name: DANWASH
 Lot Area: 000010000
 Total Building Floor Area: 00000057500
 Commercial Floor Area: 00000057500
 Office Floor Area: 00000009583
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000047917
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00002
 Lot Frontage: 0125.00
 Lot Depth: 0080.00
 Building Frontage: 0122.00
 Building Depth: 0080.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000481500
 Total Assessed Value: 00001287000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0005.75
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002170014
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981375
 Y Coordinate: 0202284
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

 Tax Lot(s): 14
 E-No: E-257

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 217 (Continued)

S110670141

Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3012
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: E9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: DANWASH
 Lot Area: 000010000
 Total Building Floor Area: 00000057500
 Commercial Floor Area: 00000057500
 Office Floor Area: 00000009583
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000047917
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00002
 Lot Frontage: 0125.00
 Lot Depth: 0080.00
 Building Frontage: 0122.00
 Building Depth: 0080.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000481500
 Total Assessed Value: 00001287000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: E

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 217 (Continued)

S110670141

Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0005.75
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002170014
Condominium Number:	00000
Census Tract 2:	0039
X Coordinate:	0981375
Y Coordinate:	0202284
Zoning Map:	12A
Sanborn Map:	101N039
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	14
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3012
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	E9
Land Use Category:	06
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	DANWASH

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 217 (Continued)

S110670141

Lot Area: 000010000
 Total Building Floor Area: 00000057500
 Commercial Floor Area: 00000057500
 Office Floor Area: 00000009583
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000047917
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00002
 Lot Frontage: 0125.00
 Lot Depth: 0080.00
 Building Frontage: 0122.00
 Building Depth: 0080.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000481500
 Total Assessed Value: 00001287000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0005.75
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002170014
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981375
 Y Coordinate: 0202284
 Zoning Map: 12A
 Sanborn Map: 101N039
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

M56 **HELLER & USDAN INC**
NW **401 WASHINGTON STREET**
< 1/8 **NEW YORK, NY 10013**
0.086 mi.
456 ft. **Site 2 of 12 in cluster M**

NY AST **U004047082**
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-284343
 Program Type: PBS
 UTM X: 583633.2642599997
 UTM Y: 4508730.3160800003
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:

Site Id: 12595
 Affiliation Type: Facility Owner
 Company Name: HELLER & USDAN INC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 401 WASHINGTON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 966-0501
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 12595
 Affiliation Type: Mail Contact
 Company Name: HELLER & USDAN INC
 Contact Type: Not reported
 Contact Name: MICHAEL F. HANLEY
 Address1: 401 WASHINGTON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 966-0501
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 12595
 Affiliation Type: On-Site Operator
 Company Name: HELLER & USDAN INC
 Contact Type: Not reported
 Contact Name: EAGLE TRANSFER CORP
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HELLER & USDAN INC (Continued)

U004047082

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-0501
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 12595
 Affiliation Type: Emergency Contact
 Company Name: HELLER & USDAN INC
 Contact Type: Not reported
 Contact Name: HELLER & USDAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-0501
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 14985
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

J02 - Dispenser - Suction Dispenser
 C03 - Pipe Location - Aboveground/Underground Combination
 H00 - Tank Leak Detection - None
 A01 - Tank Internal Protection - Epoxy Liner
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 B05 - Tank External Protection - Jacketed
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - In Place
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/15/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

HELLER & USDAN INC (Continued)

U004047082

Material Name: #2 Fuel Oil (On-Site Consumption)

M57	399 WASHINGTON STREET	NY Spills	S102240496
NW	399 WASHINGTON STREET		N/A
< 1/8	NEW YORK CITY, NY		
0.087 mi.			
461 ft.	Site 3 of 12 in cluster M		

SPILLS:

Facility ID: 9605125
 Facility Type: ER
 DER Facility ID: 101460
 Site ID: 116622
 DEC Region: 2
 Spill Date: 7/18/1996
 Spill Number/Closed Date: 9605125 / 7/31/1997
 Spill Cause: Equipment Failure
 Spill Class: Known release that creates potential for fire or hazard. (Highly Improbable)

SWIS: 3101
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 7/19/1996
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 7/19/1996
 Spill Record Last Update: 8/7/1997
 Spiller Name: TIM SOILCH
 Spiller Company: CON EDISON
 Spiller Address: 4 IRVING PLACE
 Spiller City,St,Zip: MANHATTAN, NY 10003
 Spiller Company: 001
 Contact Name: RECIDENCE 5 FAMILY APTS
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks: lead was released into the air at an apt buildinga underground service line going into the building was damaged the cable burnedand released the lead from the soot caused by the fire.

Material:

Tank Test:

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

M58 CONSOLIDATED EDISON NY MANIFEST 1009234192
NW 399 WASHINGTON STREET N/A
< 1/8 NEW YORK, NY 10003
0.087 mi.
461 ft. Site 4 of 12 in cluster M

NY MANIFEST:

EPA ID: NYP000926634
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYB8049177
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NYPD1011
 Trans2 State ID: Not reported
 Generator Ship Date: 960727
 Trans1 Recv Date: 960727
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 960727
 Part A Recv Date: Not reported
 Part B Recv Date: 960830
 Generator EPA ID: NYP000926634
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDf ID: NYD077444263
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 10000
 Units: P - Pounds
 Number of Containers: 050
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 96

Document ID: NYB8049231
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NYPD1010
 Trans2 State ID: Not reported
 Generator Ship Date: 960730
 Trans1 Recv Date: 960730
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 960730
 Part A Recv Date: 960823
 Part B Recv Date: 960830
 Generator EPA ID: NYP000926634
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDf ID: NYD077444263

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EPA ID Number
 EDR ID Number

CONSOLIDATED EDISON (Continued)

1009234192

Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 04400
 Units: P - Pounds
 Number of Containers: 022
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 96

**N59
 NE
 < 1/8
 0.088 mi.
 466 ft.**

**HUDSON ALLEY, INC.
 174 HUDSON ST
 NYC, NY 10013
 Site 1 of 10 in cluster N**

**NY AST U003388754
 NY HIST AST N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-280119
 Program Type: PBS
 UTM X: 583795.73172000004
 UTM Y: 4508330.4858600004
 Expiration Date: 2017/07/15
 Site Type: Other

Affiliation Records:

Site Id: 12222
 Affiliation Type: Facility Owner
 Company Name: HUDSON ALLEY INC.
 Contact Type: PRES.
 Contact Name: JOHN BENIS
 Address1: 179 CHRISTOPHER STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10014
 Country Code: 001
 Phone: (212) 242-7502
 EMail: JOHN@HUDSONALLEY.COM
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 5/17/2012

Site Id: 12222
 Affiliation Type: Mail Contact
 Company Name: HUDSON ALLEY INC.
 Contact Type: PRES.
 Contact Name: JOHN BENIS
 Address1: 179 CHRISTOPHER STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10014
 Country Code: 001
 Phone: (212) 242-7502
 EMail: JOHN@HUDSONALLEY.COM
 Fax Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON ALLEY, INC. (Continued)

U003388754

Modified By: DMMOLOUG
 Date Last Modified: 5/17/2012

Site Id: 12222
 Affiliation Type: On-Site Operator
 Company Name: HUDSON ALLEY, INC.
 Contact Type: Not reported
 Contact Name: ROBERTO DELCID
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 625-6639
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 3/21/2007

Site Id: 12222
 Affiliation Type: Emergency Contact
 Company Name: HUDSON ALLEY INC.
 Contact Type: Not reported
 Contact Name: JOHN BENIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 242-7502
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 5/17/2012

Tank Info:

Tank Number: 001
 Tank Id: 14554
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 B99 - Tank External Protection - Other
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 G03 - Tank Secondary Containment - Vault (w/o access)

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON ALLEY, INC. (Continued)

U003388754

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/12/2004
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 03/21/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-280119
 SWIS Code: 6201
 Operator: HUDSON
 Facility Phone: (212) 965-6467
 Facility Addr2: 174 HUDSON ST
 Facility Type: Not reported
 Emergency: HUDSON
 Emergency Tel: (212) 965-6467
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: HUDSON ALLEY INC.
 Owner Address: 179 CHRISTOPHER STREET
 Owner City,St,Zip: NEW YORK, NY 10014
 Federal ID: Not reported
 Owner Tel: (212) 965-6467
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: JOHN DEWEETS
 Mailing Name: HUDSON ALLEY INC.
 Mailing Address: 174 HUDSON STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 965-6467
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 07/24/1997
 Expiration: 07/15/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 6000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON ALLEY, INC. (Continued)

U003388754

County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 6000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

**N60
 NE
 < 1/8
 0.088 mi.
 466 ft.**

**LOT 31,TAXBLOCK 220
 174 HUDSON STREET
 MANHATTAN, NY 10013
 Site 2 of 10 in cluster N**

**NY E DESIGNATION S110670255
 N/A**

E DESIGNATION:
 Tax Lot(s): 31
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 31,TAXBLOCK 220 (Continued)

S110670255

Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: HUDSON ALLEY, INC.
 Lot Area: 000008625
 Total Building Floor Area: 00000051750
 Commercial Floor Area: 00000051750
 Office Floor Area: 00000043250
 Retail Floor Area: 00000008500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0075.00
 Lot Depth: 0115.25
 Building Frontage: 0075.00
 Building Depth: 0115.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000801000
 Total Assessed Value: 00002810000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000058500
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 1984
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0006.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200031
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982087
 Y Coordinate: 0202460
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 31,TAXBLOCK 220 (Continued)

S110670255

Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 31
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: HUDSON ALLEY, INC.
 Lot Area: 000008625
 Total Building Floor Area: 00000051750
 Commercial Floor Area: 00000051750
 Office Floor Area: 00000043250
 Retail Floor Area: 00000008500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7

Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0075.00
 Lot Depth: 0115.25
 Building Frontage: 0075.00
 Building Depth: 0115.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 31,TAXBLOCK 220 (Continued)

S110670255

Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000801000
 Total Assessed Value: 00002810000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000058500
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 1984
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0006.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200031
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982087
 Y Coordinate: 0202460
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 31
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Air Quality - #2 Fuel Oil or #4 Fuel Oil or Natural Gas for HVAC systems

Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 31,TAXBLOCK 220 (Continued)

S110670255

Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: HUDSON ALLEY, INC.
 Lot Area: 000008625
 Total Building Floor Area: 00000051750
 Commercial Floor Area: 00000051750
 Office Floor Area: 00000043250
 Retail Floor Area: 00000008500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0075.00
 Lot Depth: 0115.25
 Building Frontage: 0075.00
 Building Depth: 0115.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000801000
 Total Assessed Value: 00002810000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000058500
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 1984
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0006.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200031
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982087
 Y Coordinate: 0202460
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 31,TAXBLOCK 220 (Continued)

S110670255

Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 31
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Exhaust stack location limitations
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: HUDSON ALLEY, INC.
 Lot Area: 000008625
 Total Building Floor Area: 00000051750
 Commercial Floor Area: 00000051750
 Office Floor Area: 00000043250
 Retail Floor Area: 00000008500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 006.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0075.00
 Lot Depth: 0115.25
 Building Frontage: 0075.00
 Building Depth: 0115.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 31,TAXBLOCK 220 (Continued)

S110670255

Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000801000
 Total Assessed Value: 00002810000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000058500
 Year Built: 1915
 Year Built Code: E
 Year Altered1: 1984
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0006.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200031
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982087
 Y Coordinate: 0202460
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**M61
 NW
 < 1/8
 0.089 mi.
 469 ft.**

**LAIGHT COOPERATIVE CORP.
 76 LAIGHT STREET
 NEW YORK, NY 10013**

**NY AST A100294738
 N/A**

Site 5 of 12 in cluster M

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-607742
 Program Type: PBS
 UTM X: 583571.43665000005
 UTM Y: 4508394.20870000003
 Expiration Date: 2017/05/03
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 29594
 Affiliation Type: Facility Owner
 Company Name: LAIGHT COOPERATIVE CORP. C/O GROGAN AND ASSOC.
 Contact Type: MGR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

LAIGHT COOPERATIVE CORP. (Continued)

A100294738

Contact Name: MARTIN MARKS
 Address1: 320 EAST 39TH ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 370-1480
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 11/21/2012

Site Id: 29594
 Affiliation Type: Mail Contact
 Company Name: LAIGHT COOPERATIVE CORP. C/O GROGAN AND ASSOC.
 Contact Type: Not reported
 Contact Name: MARTIN MARKS
 Address1: 320 EAST 39TH ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10016
 Country Code: 001
 Phone: (212) 370-1480
 EMail: MMARKS@GROGANASSOC.COM
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 11/21/2012

Site Id: 29594
 Affiliation Type: Emergency Contact
 Company Name: LAIGHT COOPERATIVE CORP.
 Contact Type: Not reported
 Contact Name: BOB MILAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (917) 860-9894
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 4/13/2007

Site Id: 29594
 Affiliation Type: On-Site Operator
 Company Name: LAIGHT COOPERATIVE CORP.
 Contact Type: Not reported
 Contact Name: IVAN CHEVERES
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LAIGHT COOPERATIVE CORP. (Continued)

A100294738

Country Code: 001
 Phone: (917) 685-4289
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 4/13/2007

Tank Info:

Tank Number: 001
 Tank Id: 63440
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J01 - Dispenser - Pressurized Dispenser
 K99 - Spill Prevention - Other
 I04 - Overfill - Product Level Gauge (A/G)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 L02 - Piping Leak Detection - Interstitial - Manual Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 B00 - Tank External Protection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1963
 Capacity Gallons: 2000
 Tightness Test Method: 21
 Date Test: 04/19/2012
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BKFALVEY
 Last Modified: 11/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

K62
ENE
< 1/8
0.089 mi.
471 ft.

MINILAND PARTNERSHIP
28 LAIGHT STREET
NY, NY 10013

Site 3 of 3 in cluster K

NY AST U003388213
NY HIST AST N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-260479
 Program Type: PBS
 UTM X: 583938.58036999998
 UTM Y: 4508366.85063999998
 Expiration Date: N/A

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MINILAND PARTNERSHIP (Continued)

U003388213

Site Type:	Other
Affiliation Records:	
Site Id:	10878
Affiliation Type:	Facility Owner
Company Name:	MINILAND PARTNERSHIP
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	28 LAIGHT ST
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 966-9777
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	10878
Affiliation Type:	Mail Contact
Company Name:	MINILAND PARTNERSHIP
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	28 LAIGHT ST
Address2:	Not reported
City:	NY
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 966-9777
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	10878
Affiliation Type:	On-Site Operator
Company Name:	MINILAND PARTNERSHIP
Contact Type:	Not reported
Contact Name:	OWNER OF FUEL OIL
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 966-9777
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	10878
Affiliation Type:	Emergency Contact
Company Name:	MINILAND PARTNERSHIP
Contact Type:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MINILAND PARTNERSHIP (Continued)

U003388213

Contact Name: JOE HARTMAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-9777
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 13431
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None
 3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 04/01/1989
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-260479
 SWIS Code: 6201
 Operator: OWNER OF FUEL OIL
 Facility Phone: (212) 966-9777
 Facility Addr2: 28 LAIGHT STREET
 Facility Type: OTHER
 Emergency: JOE HARTMAN
 Emergency Tel: (212) 966-9777
 Old PBSNO: Not reported
 Date Inspected: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MINILAND PARTNERSHIP (Continued)

U003388213

Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: MINILAND PARTNERSHIP
 Owner Address: 28 LAIGHT ST
 Owner City,St,Zip: NY, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 966-9777
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: MINILAND PARTNERSHIP
 Mailing Address: 28 LAIGHT ST
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NY, NY 10013
 Mailing Telephone: (212) 966-9777
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Certification Flag: False
 Certification Date: 07/10/1987
 Expiration: 07/10/1992
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2
 Tank ID: 001
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 04/01/1989
 Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s)
 EPA ID Number

MINILAND PARTNERSHIP (Continued)

U003388213

Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**N63
 NE
 < 1/8
 0.090 mi.
 475 ft.**

**CON EDISON
 175 HUDSON ST
 NEW YORK, NY 10013
 Site 3 of 10 in cluster N**

**NY MANIFEST S113494899
 N/A**

NY MANIFEST:

EPA ID: NYP004285920
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 28-Jan-2013 00:00:00
 Trans1 Recv Date: 28-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 29-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285920
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 4000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010840386JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

CON EDISON (Continued)

S113494899

Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**N64
NE
< 1/8
0.090 mi.
475 ft.**

**CON EDISON SERVICE BOX: 37281
175 HUDSON ST
NEW YORK, NY 10013
Site 4 of 10 in cluster N**

**RCRA-CESQG 1016149924
FINDS NYP004285920**

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 37281
 Facility address: 175 HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYP004285920
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s)
 EPA ID Number

CON EDISON SERVICE BOX: 37281 (Continued)

1016149924

Violation Status: No violations found
 FINDS:
 Registry ID: 110055427319
 Environmental Interest/Information System

**O65
 North
 < 1/8
 0.091 mi.
 480 ft.**

**SPILL NUMBER 9713269
 35 VESTRY ST
 MANHATTAN, NY
 Site 1 of 6 in cluster O**

**NY Spills S104646728
 N/A**

SPILLS:
 Facility ID: 9713269
 Facility Type: ER
 DER Facility ID: 246528
 Site ID: 305183
 DEC Region: 2
 Spill Date: 2/27/1998
 Spill Number/Closed Date: 9713269 / 2/27/1998
 Spill Cause: Deliberate
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: SMMARTIN
 Referred To: Not reported
 Reported to Dept: 2/27/1998
 CID: 312
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 2/27/1998
 Spill Record Last Update: 3/2/1998
 Spiller Name: Not reported
 Spiller Company: UNK CONSTRUCTION CO
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT" FAX TO ECS.
 Remarks: construction crew washing cement products into sewer - on going problem
 Material:
 Site ID: 305183
 Operable Unit ID: 1059295
 Operable Unit: 01
 Material ID: 324286

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPILL NUMBER 9713269 (Continued)

S104646728

Material Code: 0082A
 Material Name: CEMENT PRODUCTS
 Case No.: Not reported
 Material FA: Other
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

O66
North
< 1/8
0.092 mi.
487 ft.

CON EDISON
40 VESTRY ST
NEW YORK, NY 10013
Site 2 of 6 in cluster O

NY MANIFEST S113494816
N/A

NY MANIFEST:
 EPA ID: NYP004285078
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 24-Jan-2013 00:00:00
 Trans1 Recv Date: 24-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 24-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285078
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707058JJK

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494816

Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**O67
 North
 < 1/8
 0.092 mi.
 487 ft.**

**CON EDISON SERVICE BOX: 47512
 40 VESTRY ST
 NEW YORK, NY**

**RCRA-CESQG 1016149841
 FINDS NYP004285078**

Site 3 of 6 in cluster O

RCRA-CESQG:

Date form received by agency: 01/24/2013
 Facility name: CON EDISON SERVICE BOX: 47512
 Facility address: 40 VESTRY ST
 NEW YORK, NY 10013
 EPA ID: NYP004285078
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

CON EDISON SERVICE BOX: 47512 (Continued)

1016149841

Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055420673

Environmental Interest/Information System

**O68
 North
 < 1/8
 0.092 mi.
 488 ft.**

**DIGITAL DIRIGIBLE
 38 VESTRY ST
 NEW YORK, NY 10013**

**RCRA NonGen / NLR 1008374415
 NYN008014474**

Site 4 of 6 in cluster O

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: DIGITAL DIRIGIBLE
 Facility address: 38 VESTRY ST
 NEW YORK, NY 10013
 EPA ID: NYN008014474
 Contact: SUSANNE JANSSON
 Contact address: Not reported
 NY
 Contact country: US
 Contact telephone: (212) 431-1925
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

DIGITAL DIRIGIBLE (Continued)

1008374415

Date form received by agency: 01/01/2006
 Facility name: DIGITAL DIRIGIBLE
 Classification: Not a generator, verified

Date form received by agency: 04/02/2004
 Facility name: DIGITAL DIRIGIBLE
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

**O69
 NNE
 < 1/8
 0.092 mi.
 488 ft.**

**CON EDISON
 31 VESTRY ST
 NEW YORK, NY 10013
 Site 5 of 6 in cluster O**

**NY MANIFEST S113494923
 N/A**

NY MANIFEST:
 EPA ID: NYP004286167
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 29-Jan-2013 00:00:00
 Trans1 Recv Date: 29-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004286167
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 1000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010456781JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

CON EDISON (Continued)

S113494923

Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

O70
NNE
< 1/8
0.092 mi.
488 ft.

CON EDISON SERVICE BOX: 47515
31 VESTRY ST
NEW YORK, NY

RCRA-CESQG 1016149948
FINDS NYP004286167

Site 6 of 6 in cluster O

RCRA-CESQG:

Date form received by agency: 01/29/2013
 Facility name: CON EDISON SERVICE BOX: 47515
 Facility address: 31 VESTRY ST
 NEW YORK, NY 10013
 EPA ID: NYP004286167
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

CON EDISON SERVICE BOX: 47515 (Continued)

1016149948

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055469791

Environmental Interest/Information System

P71
SSW
 < 1/8
 0.093 mi.
 491 ft.

FISCHER MILLS BUILDING
387-397 GREENWICH ST
NEW YORK, NY 10013

RCRA NonGen / NLR 1004761026
FINDS NYR000070656
NY MANIFEST

Site 1 of 3 in cluster P

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: FISCHER MILLS BUILDING
 Facility address: 387-397 GREENWICH ST
 NEW YORK, NY 10013
 EPA ID: NYR000070656
 Mailing address: BROADWAY SUITE 601
 NEW YORK, NY 10012
 Contact: FRITZ JOHNSON
 Contact address: BROADWAY SUITE 601
 NEW YORK, NY 10012
 Contact country: US
 Contact telephone: (212) 228-7200
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: GREENWICH ASSOICATES LLC
 Owner/operator address: 632 BROADWAY SUITE 601
 NEW YORK, NY 10012
 Owner/operator country: US
 Owner/operator telephone: (212) 228-7200
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: GREENWICH ASSOICATES LLC
 Owner/operator address: 632 BROADWAY SUITE 601
 NEW YORK, NY 10012
 Owner/operator country: US
 Owner/operator telephone: (212) 228-7200
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FISCHER MILLS BUILDING (Continued)

1004761026

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: FISCHER MILLS BUILDING
 Classification: Not a generator, verified

Date form received by agency: 04/30/1999
 Facility name: FISCHER MILLS BUILDING
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004552715

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000070656
 Country: USA
 Mailing Name: GMA DEVELOPMENT
 Mailing Contact: J DAKETT
 Mailing Address: 32 BROADWAY STE 1114
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10004
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-228-7200

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FISCHER MILLS BUILDING (Continued)

1004761026

Document ID: MIA7333159
 Manifest Status: Not reported
 Trans1 State ID: PAD146714878
 Trans2 State ID: Not reported
 Generator Ship Date: 05/10/1999
 Trans1 Recv Date: 05/10/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/18/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000070656
 Trans1 EPA ID: MID060975844
 Trans2 EPA ID: Not reported
 TSD ID: S7110
 Waste Code: U210 - TETRACHLOROETHYLENE
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NJA2926216
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 01/27/2000
 Trans1 Recv Date: 01/27/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/27/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000070656
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSD ID: 06993
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 04000
 Units: P - Pounds
 Number of Containers: 008
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2000

**M72
 NW
 < 1/8
 0.093 mi.
 493 ft.**

**LOT 6, TAXBLOCK 218
 415 WASHINGTON STREET
 MANHATTAN, NY 10013
 Site 6 of 12 in cluster M**

**NY E DESIGNATION S110670392
 N/A**

E DESIGNATION:
 Tax Lot(s): 6
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 6,TAXBLOCK 218 (Continued)

S110670392

Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3009
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G6
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: WASHINGTON HJ LLC
 Lot Area: 000009255
 Total Building Floor Area: 0000000000
 Commercial Floor Area: 0000000000
 Office Floor Area: 0000000000
 Retail Floor Area: 0000000000
 Garage Floor Area: 0000000000
 Storage Floor Area: 0000000000
 Factory Floor Area: 0000000000
 Other Floor Area: 0000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 000.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0115.08
 Lot Depth: 0081.25
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000463500
 Total Assessed Value: 00000468000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 6, TAXBLOCK 218 (Continued)

S110670392

Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.00
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002180006
Condominium Number:	00000
Census Tract 2:	0039
X Coordinate:	0981406
Y Coordinate:	0202531
Zoning Map:	12A
Sanborn Map:	101N040
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	6
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3009
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	G6
Land Use Category:	10
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	WASHINGTON HJ LLC
Lot Area:	000009255
Total Building Floor Area:	0000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 6,TAXBLOCK 218 (Continued)

S110670392

Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 000.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0115.08
 Lot Depth: 0081.25
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000463500
 Total Assessed Value: 00000468000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002180006
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981406
 Y Coordinate: 0202531
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

M73 415 WASHINGTON ST - MISC **NY Spills** **S106970171**
NW 415 WASHINGTON ST **N/A**
 < 1/8 MANHATTAN, NY
 0.093 mi.
 493 ft. **Site 7 of 12 in cluster M**

SPILLS:

Facility ID: 0505263
 Facility Type: ER
 DER Facility ID: 296657
 Site ID: 350214
 DEC Region: 2
 Spill Date: 7/30/2005
 Spill Number/Closed Date: 0505263 / 6/9/2008
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: rjfeng
 Referred To: RIR ONE SOIL BORING BY 7/7/08
 Reported to Dept: 7/30/2005
 CID: 41
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: 6/19/2006
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 7/30/2005
 Spill Record Last Update: 6/10/2008
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: 08.02.05 SR..Spoke with Rachel Ataman. They came across SVOC's while doing soil probes at that facilities. Will send DEC the report and propety owners info.8/12/2005 CSL sent to:Jack LefkowitzWashington HJ, LLC1524 52nd StreetBrooklyn, NY 1121910.03.05 SR// SVOC's level are pretty high and the site is a historic gas station. I suggested Rachel Ataman to go for further delineation of the ground water and soil in respect to MTBE, Specifically, instalation of one bedrock monitoring well at least is necessary since the site is a historic gas station.12/20/05-Sharif// Case was transferred from Rahman to Koon Tang for reassignment.1/3/2005 - Feng - VOCs and SVOCs found in SP-5 are extremely high. DEC Rahman has requested the groundwater samples and monitoring well through the bedrock on 10/3/2005. SIR pending. Contacted Yasemin Kacar (Hydro Tech Environmental) and she would check the status of the site and call back.4/13/2006 - Feng - Daniell Dunn from IVI Diligent Service (914-694-9600, fax 914-694-8549) called and requested FOIL because she doesn't have any information on this spill. Received FOIL application and gave to Robert Leung. (RJF)5/8/2006 - Feng - Call from Francis Fonaca, CES Environmental Services. (office: 732-257-2091, cell: 732-500-7465).

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

415 WASHINGTON ST - MISC (Continued)

S106970171

CES will perform soil excavation and then collect soil samples. Groundwater samples might be collected via air rotary. Will submit the report after the job is done. (RJF)5/10/2006 - Feng - Received Site Assessment report from Gary Dent, 1st Bank of Beverly Hills (818-223-8447).5/11/2006 - Feng - Call from Francis Onega, soil excavation will start tomorrow, 5/12/2006, PID will be utilized and probably more than 10 soil samples will be taken. I told him that before any excavation, all the underground utilities must be marked out. Report will be submitted after the work is done. (RJF)5/12/2006 - Feng - Call from Ms. Robynice (RP's lawyer) explaining that during the soil removal process, polices came to stop the excavation. She requested Stipulation Agreement. 5/15/2006 - Feng - Emailed a copy of STIP to Francis Onega (CES) as per their request. His technician will come to pick up tomorrow morning and deliver to the RP. (RJF)5/16/2006 - Feng - Charles Onwudinjo came to pick up the STIP. (RJF)5/16/2006 - Feng - Shary Laskowitz, attorney for the tenant (212-736-4500) saying that the tenant of the parking lot owns the hydraulic lifts. Both of the property owner and tenant are fighting in court. I explained we won't get involve in this and we might wait for them to settle this case. (RJF)5/17/2006 - Feng - Refer to Attorney, John Urda and he spoke to Shary Laskowitz. The owner and the tenant are fighting in court right now. Remediation will be on hold until the final disposition from court (might take a couple weeks). (RJF)05/18/06-Vought-See also spill #0601769 at same location.5/18/2006 - Feng - Spoke to Francis Onega and require him to stop any further work onsite.5/19/2006 - Feng - Residential complain about petroleum odor associated with the excavation. DEC Joe Sun called Francis Onega and Rocco Basile rquired: 1) Stop further excavation, 2) Cover the excavation and the stock pile soil with plastic sheet. 3) Submit Community Air Monitoring Plan immediately. 4) Register the USTs found during excavation with DEC. (RJF)5/19/2006 - Feng - DEC Koon Tang, Joe Sun and Jun Feng Contacted Alyssa Ziegler of Assemblywoman Deborah Glick Office with updates of the site. 5/22/2006 - Feng - Meeting with Rocco Basile (property owner) and Francis Onega (his consultant). DEC required: 1) dispose the stockpiled soil ASAP. 2) submit workplan included Community Air Monitoring Plan (CAMP). 5/23/2006 - Feng - DEC Koon Tang, Joe Sun and Jun Feng Contacted Alyssa Ziegler of Assemblywoman Deborah Glick Office with updates of the site. 5/25/2006 - Feng - Workplan, dated 5/22/2006 submitted by CES. The entire property will be excavated down to 8'-10'. The USTs will be registered upon discovered. The excavation will be left opened and covered with 6 mil plastic sheet pending the soil samples analyticals. 10 soil endpoint samples will be taken for post-excavation. 4 Groundwater samples will be collected prior excavation. Community Air Monitoring Plan. The CAMP will be implemented during any work onsite in accordance with the DOH guidance. Discussed with DEC Joe Sun and Approved CAMP and workplan with some conditions. 1) DEC required complete groundwater delineation before any further excavation, submit site plan of sampling location before any drilling and a report will be submitted for review and approval. 2) After the completion of soil excavation, the excavation will be covered at all time when there is no construction. DEC also recommended drill for groundwater samples after the stockpiled disposed off site because currently the stockpiled soil occupied 1/3 of the property, the lifts occupied 1/3 of the property and the excavation the rest of 1/3. (RJF)6/8/2006 - Feng - Sent letter of notice of violation and Stipulation Agreement

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

415 WASHINGTON ST - MISC (Continued)

S106970171

with modified CAP to Rocco Basile. cc to CES. STIP due 6/21/2006. (RJF)6/19/2006 - Feng - STIP executed by Lou Oliva. (RJF)6/20/2006 - Feng - Meeting with Rocco Basile and Francis Onaga. Site excavation and stockpiled soil will be removed tomorrow. A fact sheet will be sent from DEC if anyone interested or concerned. Fact sheet copy to Francis Onaga. (RJF)6/21/2006 - Feng - DEC Jun Feng and Joe Sun visited the site, 10:30am to 11:30am. A backhoe was there, and 6 trucks were loading the soil off site. DEC staff didn't smell any gasoline. Air monitoring conducted every half hour and during work. The PID didn't detect any VOCs at street level nor in the bottom of the excavation (3'-4' bg). The highest level of dust the particulates detector has been detected is 80 mcg/m3. Water is ready to suppress the dust onsite. DEC required daily written briefing about the work onsite to be submitted. 6/22/2006 - Feng - Daily Status Report from CES, dated 6/21/2006. Work hours from 7:30am to 3:30pm. Total of 480 tons (16 load) of contaminated soil was trucked off-site for disposal. The truck was properly covered before leaving the site. An abandoned UST fuel oil (275 gallon) was discovered at the north east corner of the site. The tank was cut open, cleaned and filled with sand upon excavation. The tank is staged onsite for disposal at a scrap metal yard. CAMP has impletmented. No detectable or high readings were noted on VOCs or dust. Excavation and soil removal will be continued tomorrow. (RJF)6/23/2006 - Feng - Daily Status Report from CES, dated 6/22/2006. Work hours from 7:00am to 2:30pm. Total 40 loads (1,000 tons) of contaminated soil was trucked offsite. Two 550-gallon USTs were discovered at the source area. The discovered tanks were encased in concrete. USTs will be removed on 6/23/2006. Again, CAMP implemented and no detectable VOCs, and low dust level detected. An official of the NYCDOB was onsite and had the excavation stopped in order to install shoring at the four corner of the excavation. No further excavation will be done until DOB allow to. (RJF)10/13/2006 - Feng - Updates. Began October 2006, DEC was informed by the consultant that the NYCDOB's STOP ORDER was lifted and the construction will be resumed. On 10/4/2006, additional groundwater samples were collected from the former tanks area and the sampling result will be submitted in the next Status Report. Concrete slab is extended to the entire site, about 4" thick and it is 6' bg. No excavation will be further advanced. 10-foot interval of endpoint samples will be taken. Endpoint samples will be collected from 6" to 12" below concrete slab. Further excavation decision will be made based on the soil samples results. (RJF)Site Investigation/Closure Report, November 2006, submitted by CES Environmental Services. The site investigation including series of soil and groundwater sampling. The site was excavated down to the concrete/brick old foundation. 21 soil borings were advanced and soil samples were taken for SVOCs and VOCs analysis. Minor SVOCs exceedances observed in some borings. 4 groundwater samples taken. No VOCs, except 16 ppb MTBE in W-1. SVOCs exceedances detected in W-3 and W-4. 5/22/2007 - Feng - DEC staff J. Sun and J. Feng visited the site and met with the developer's project manager Mr. S. Cafiso and the construction superintendent Mr. Artie. The excavation was advanced down to 8'-10' bg. A structure engineer from Langang Environmental was onsite. Mr. Artie explained that a 10-mil vapor barrier was installed beneath the basement floor before 4 feet of concrete slab was poured. The concrete had mixed with Krytol Internal Membrane Waterproofing Admixture for Concrete. Mr. Artie also told us that they had resampled soil and groundwater. The foundation wall will be 14 inches thick. DEC required vapor barrier

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

415 WASHINGTON ST - MISC (Continued)

S106970171

to be installed at the exterior foundation wall before pouring the foundation wall. Soil/gw sampling results, vapor barrier specification and design will be forward to DEC. (RJF)11/26/2007 - Feng - A copy of the lab report, 10/4/2007, submitted by Basile Danali, LLC. No text report included. A map indicates the boring locations attached. Soil samples were collected at depth of 14'-18' bg. Only some minor SVOCs detected in EB-1. The others are below MDL. (RJF)11/29/2007 - Feng - Discussed with Joe Sun. It is necessary to have more groundwater data in the vicinity of the former tank area due to the exceedances of SVOCs. Letter to Rocco Basile (Atlantic Walk, LLC) and requiring further delineation of the SVOCs contaminated former tank area and the documentation of vapor barrier/water proof layer installation for the new building. Work plan and the vapor barrier installation document to be submitted by 1/14/2008. (RJF)4/18/2008 - Feng - Reviewed the whole package of analysis reports, previous reports sent by A-1 Testing Laboratories, Inc. Attached with black and white pictures taken 5/22/2007 installation of the membrane. (RJF)5/5/2008 - Feng - Letter to Rocco Basile (Atlantic Walk LLC) requiring a soil boring to be installed at the sidewalk of Washington Street. Soil and groundwater samples to be taken. Report due 7/7/2008. (RJF)5/8/2008 - Feng - Rocco Basile called. The project is taken over by the developer. He will forward the DEC's letter to the developer and let the developer know what needs to be done. (RJF)6/4/2008 - Feng - Reviewed Limited Subsurface Investigation Report, dated 5/28/2008, prepared by JC Broderick & Associates, Inc. (JCB). On 5/21/2008, JCB advanced one soil boring at the sidewalk of Washington Street using GeoProbe. Soil boring depth 16 feet bg. Groundwater was encountered at 14 feet bg. 2 soil samples (at 10'-12', 12'-14') and 1 groundwater samples were collected. Analyticals did not show any exceedances, all below MDL. Discussed with Joe Sun, spill could be closed. The onsite soil sampling were done and only show minor SVOCs exceedance detected in some borings. The onsite soil was excavated down to the old foundation/concrete slab and disposed offsite because of the site development. Groundwater was detected with SVOCs exceedances in the former tank area. The recent soil and groundwater samples which were collected in downgradient of the former tank area at the sidewalk of Washington Street sidewalk did not show exceedances, that means no migration off site. A vapor barrier membrane was installed for the new building. Spill closed. 6/9/2008 - NFA issued. (RJF)

Remarks: Not reported

Material:

Site ID:	350214
Operable Unit ID:	1107794
Operable Unit:	01
Material ID:	2097683
Material Code:	0066A
Material Name:	UNKNOWN PETROLEUM
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

415 WASHINGTON ST - MISC (Continued)

S106970171

Tank Test:

M74 NW < 1/8 0.095 mi. 501 ft.	CON EDISON SERVICE BOX: 49035 414 WASHINGTON ST NEW YORK, NY	RCRA-CESQG FINDS	1016149184 NYP004278446
	Site 8 of 12 in cluster M		

RCRA-CESQG:

Date form received by agency: 11/16/2012
 Facility name: CON EDISON SERVICE BOX: 49035
 Facility address: 414 WASHINGTON ST
 NEW YORK, NY 10013
 EPA ID: NYP004278446
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EPA ID Number

CON EDISON SERVICE BOX: 49035 (Continued)

1016149184

Violation Status: No violations found
 FINDS:
 Registry ID: 110055466516
 Environmental Interest/Information System

**M75
 NW
 < 1/8
 0.095 mi.
 501 ft.**

**CON EDISON
 414 WASHINGTON ST
 NEW YORK, NY 10013
 Site 9 of 12 in cluster M**

**NY MANIFEST S112817854
 N/A**

NY MANIFEST:
 EPA ID: NYP004278446
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

 Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-11-16
 Trans1 Recv Date: 2012-11-16
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-11-20
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004278446
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 3000.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 010840212JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON (Continued)

S112817854

Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111

Q76
SSE
< 1/8
0.097 mi.
510 ft.

LOT 7506,TAXBLOCK 190
124 HUDSON STREET
MANHATTAN, NY 10013

NY E DESIGNATION

S111073112
N/A

Site 1 of 16 in cluster Q

E DESIGNATION:

Tax Lot(s):	7506
E-No:	E-87
Effective Date:	8/6/1998
Satisfaction Date:	Not reported
Ceqr Number:	97DCP068M
Ulurp Number:	980480 ZMM
Zoning Map No:	12a
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	101
Census Tract:	33
Census Block:	3015
School District:	02
City Council District:	01
Fire Company:	E007
Health Area:	15
Police Precinct:	001
Zone District 1:	C6-2A
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	C6-2A
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	RM
Land Use Category:	04
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	Not reported
Lot Area:	000014707
Total Building Floor Area:	00000081306
Commercial Floor Area:	00000013273
Office Floor Area:	00000000000
Retail Floor Area:	00000012912
Garage Floor Area:	00000000000
Storage Floor Area:	00000000361
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00002
Number of Floors:	009.00
Residential Units:	00046
Non and Residential Units:	00047

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 7506,TAXBLOCK 190 (Continued)

S111073112

Lot Frontage:	0000.00
Lot Depth:	0000.00
Building Frontage:	0000.00
Building Depth:	0000.00
Proximity Code:	0
Irregular Lot Code:	N
Lot Type:	0
Basement Type Grade:	5
Land Assessed Value:	00002051318
Total Assessed Value:	00008606521
Land Exempt Value:	00000051880
Total Exempt Value:	00006602648
Year Built:	0000
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Tribeca West
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0005.53
Maximum Allowable Far:	6.02
Borough Code:	1
Borough Tax Block And Lot:	1001907506
Condominium Number:	02009
Census Tract 2:	0033
X Coordinate:	0981972
Y Coordinate:	0201696
Zoning Map:	12A
Sanborn Map:	11N 041
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	7506
E-No:	E-87
Effective Date:	8/6/1998
Satisfaction Date:	Not reported
Ceqr Number:	97DCP068M
Ulurp Number:	980480 ZMM
Zoning Map No:	12a
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	33
Census Block:	3015
School District:	02
City Council District:	01
Fire Company:	E007
Health Area:	15
Police Precinct:	001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 7506,TAXBLOCK 190 (Continued)

S111073112

Zone District 1: C6-2A
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-2A
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: RM
 Land Use Category: 04
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: Not reported
 Lot Area: 000014707
 Total Building Floor Area: 00000081306
 Commercial Floor Area: 00000013273
 Office Floor Area: 00000000000
 Retail Floor Area: 00000012912
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000361
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00002
 Number of Floors: 009.00
 Residential Units: 00046
 Non and Residential Units: 00047
 Lot Frontage: 0000.00
 Lot Depth: 0000.00
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 0
 Basement Type Grade: 5
 Land Assessed Value: 00002051318
 Total Assessed Value: 00008606521
 Land Exempt Value: 00000051880
 Total Exempt Value: 00006602648
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca West
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0005.53
 Maximum Allowable Far: 6.02
 Borough Code: 1
 Borough Tax Block And Lot: 1001907506
 Condominium Number: 02009
 Census Tract 2: 0033
 X Coordinate: 0981972
 Y Coordinate: 0201696
 Zoning Map: 12A
 Sanborn Map: 11N 041
 Tax Map: 10105

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		Database(s)
Distance (ft.)	Site	EPA ID Number

LOT 7506,TAXBLOCK 190 (Continued)

S111073112

E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1

**Q77
SSE
< 1/8
0.097 mi.
510 ft.**

**124 HUDSON ST
124-130 HUDSON ST
NEW YORK, NY
Site 2 of 16 in cluster Q**

**NY Spills S104649100
N/A**

SPILLS:

Facility ID:	9902546
Facility Type:	ER
DER Facility ID:	207545
Site ID:	253342
DEC Region:	2
Spill Date:	6/4/1999
Spill Number/Closed Date:	9902546 / 7/11/2006
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	3101
Investigator:	KSTANG
Referred To:	Not reported
Reported to Dept:	6/4/1999
CID:	281
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	6/4/1999
Spill Record Last Update:	7/11/2006
Spiller Name:	LOWELL HARWOOD
Spiller Company:	124 HUDSON LLC
Spiller Address:	921 BERGEN AVE
Spiller City,St,Zip:	JERSEY CITY, NJ 07306-
Spiller Company:	001
Contact Name:	LOWELL HARWOOD
Contact Phone:	(212) 233-8240
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL" CALLED MR. SILVERI, 60T AN ANSWERING MACHINE- LEFT EXT. 7130, KERRI O'DOWD AND SAID YOU WOULD BE IN MONDAY. 7/21/2000 CASE IS REASSIGNED TO SANGESLAND REP FROM AKRF (ENVIRONMENTAL CONTRACTOR) CALLED TO DISCUSS THE CASE. BASICALLY THE SITE WAS AN AUTO REPAIR SHOP WITH BURIED TANKS. TANKS WERE PULLED ALONG WITH 4,600 TONS OF CONTAMINATED SOIL. PRIOR TO TANK PULL, 3 WELLS WERE INSTALLED SHOWING

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

124 HUDSON ST (Continued)

S104649100

HIGH CONTAMINATION. IN DEC '99 A SECOND ROUND OF WELL SAMPLES SHOWED LOW READINGS EXCEPT FOR MTBE = 3,700PPM. SANGESLAND SUGGESTED THAT THE MTBE LEVELS WERE HIGH AND SOME FORM OF ADDITIONAL REMEDIATION WOULD BE REQUIRED. 2/28/2001 Andrew Rudko V.P. at AKRF (212-696-0670) submitted a 3 page report which gives results of the 2/13/2001 round of sampling. There is a question about MW #3. In July 2000 "a layer of thick, black, very viscous floating petroleum product was discovered in the well" AKRF believes this was dumped, because it doesn't track with the mild contamination levels recorded in earlier sampling. AKRF cleaned MW #3 on Feb 7, 2001 with detergent and brushes, then vacced out 10 gallons from the well. On Feb 13, 2001 AKRF sampled all 3 wells and MW#3 did not have any product. Unfortunately MW#2 now had heavy black oil in it. AKRF did a fingerprint analysis and found it to be used motor oil. Contractors working at the site said ConEd arrived one evening during the period Feb 5-Feb 16, 2001 and cleaned out oil from one of their vaults at the intersection of Hudson Street and Ericsson Place (NYC). Sangesland will check with Con Ed Monitor. 1/29/2002 Sangesland spoke with Bruce Weinstein Camp Dresser McKey (800-934-0500 x225) Open up MW #2 & #3 Sample for VOC SVOC and MTBE (8021 & 8270) Start out at quarterly sampling to find trends. 6/19/2002 - Sangesland met with property owner rep and CDM reps. Information was reviewed which confirmed the owner's belief that the contamination issues specifically on the site had been removed prior to the construction of the new building. The residual contamination under the adjacent sidewalk which keeps appearing in the two monitoring wells will need to be addressed. David Keil of CDM asked how the original spill number could be closed out. Sangesland suggested several options:1) Clean the site - when it meets standards - close it out2) Conduct a sidewalk delineation (geoprobe). Confirm that there is contamination in the area and not just a case of dumping into the 2 wells. If contamination is found CDM should call in a new spill number and specifically refer to the location as "public sidewalk in front of (I/F/O) 124 Hudson St". When the owner of 124 Hudson St signs a NYSDEC Stipulation Agreement for remediation of the new sidewalk spill number, then the DEC will make a final review of the "On Property" spill documentation and will then close out the old spill number. CDM said they will develop a cleanup plan. 7/30/2002 Sangesland received a call from an attorney (Mr. David Hersey-Webb 212-349-3000). He stated that he works for a potential purchaser and requested an update on the status of the closure request. Sangesland repeated the information listed above. 4/12/04-Vought-Spill transferred from Sangesland to Rommel as per Rommel. 11/29/04 Spoke to Michael Moris, ATC, 212-353-8280. Site previously managed by Sangesland. They injected bio-rem-type product. Subsequently, wells were inaccessible for sampling. Will review file. Rommel 12/2/04 Reviewed ATC's 10/13/04 Remedial Action Letter, which proposed NFA. 7/19/04 gw sample MW2 Benzene 7400ppb, Toluene 66000, Ethylbenzene 56000, Xylenes 48000ppb, MTBE ND. Previously occupied by auto repair facility, building on NE corner. 275 ust corner of Ericsson and Hudson, along Ericsson. Floating product previously found in MW3, MW-2 Spoke to Mark Morris ATC. He will provide lab reports for 7/19/04 sample from MW-2 Well construction logs Gauging Data Will re-develop well, possibly install deeper, maintain monthly. Numbers too high to close. 5 gallons of Bio injected in well, same well was sampled without purging to obtain gw samples. Rommel ATC accessed the three monitoring wells and the small diameter wells formerly used for bio

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

124 HUDSON ST (Continued)

S104649100

injection. All but well 2 had floating product. ATC will return to perform high vapor extraction and evaluate product recharge. 5/2/05 - Called Mike Morris of ATC to discuss the latest report. Told him to continue the high vac extraction using vac truck at MW 2. Need to address dissolve phase after product is gone for at least two sampling cycle. - KST7/26/05 - Returned a call to Michael (ATC Assoc.) at (212) 353-8280 Ext. 345. They have been removing product from one well on a biweekly basis. I asked if there has been any additional data or reports generated since the October 13, 2004 report in the file and he said no. I told him I would review the file and advise him on the necessary next steps to advance the spill towards closure. Zalewski8/3/05 - Called Mike Myers (ATC) and provided a summary of my review of the file. Needs additional work. I also requested an update on corrective action activities since the October 13, 2004 report. Zalewski10/12/05 - Received a phone call from Mike Myers (ATC). We discussed the project and the steps necessary to advance this site towards closure. Includes additional investigation to delineate the extent of free product outside the limits of the excavation for the building footprint, evaluation/optimization of current remedial method (bailing) to recover free product, etc.). Zalewski11/2/2005 - Met with Mike Morris (ATC) and Shawn Hardy (Archon Group) in Albany. Discussed status of spill. ATC to submit a corrective action plan for approval that includes additional off-site investigation and optimization of product recovery efforts. Zalewski03/06/2006 - Transferring back to Region 2. Recommended next steps. Send a letter to Archon Group requesting a corrective action plan for additional off-site investigation and optimization of product recovery efforts. (Zalewski)7/10/06 - reviewed the latest report by ATC. No VOCs and SVOCs were found in all 3 new wells. Well MW-2A was installed right next to MW-2 where floating petroleum product (waste oil) was found before. No free or VOCs detected in MW-2A. Off-site wells (MW-4 and 5) were both non-detected for VOCs and SVOCs. Source removal via tanks removal and soil excavation was documented. The oil originally found in MW-2 appeared to be dumped there. GW monitoring and EFR began in May 2002 and continue to Nov. 2005, have cleaned up most of the floating oil in MW-2. Spill is closed. - KSTOwner Contact: WXI/GDM 124 Hudson, LLC/o Archon Group600 E. Las Colinas Blvd.Suite 400Irving, TX 75039ATTN: SHAWN HARDY 972-368-2823

Remarks: CALLER RESPONDED TO ABOVE LOCATION PROPERTY ASSESSMENT. UPON INVESTIGATION SOIL CONTAMINATION HAS BEEN DISCOVERED. SOIL SAMPLES HAVE BEEN TAKEN AND CALLER REQUESTING CALL BACK IN REFERENCE TO PROBLEM.

Material:

Site ID: 253342
 Operable Unit ID: 1077245
 Operable Unit: 01
 Material ID: 306053
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: True
 Site ID: 253342

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

124 HUDSON ST (Continued)

S104649100

Operable Unit ID: 1077245
 Operable Unit: 01
 Material ID: 2102391
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: True
 Site ID: 253342
 Operable Unit ID: 1077245
 Operable Unit: 01
 Material ID: 2097490
 Material Code: 2645A
 Material Name: BTEX
 Case No.: Not reported
 Material FA: Oxygenates
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: True
 Site ID: 253342
 Operable Unit ID: 1077245
 Operable Unit: 01
 Material ID: 2097489
 Material Code: 1213A
 Material Name: MTBE (METHYL-TERT-BUTYL ETHER)
 Case No.: 01634044
 Material FA: Hazardous Material
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: True

Tank Test:

**R78
 NNW
 < 1/8
 0.098 mi.
 518 ft.**

**ABANDONED GAS STATION
 415 WASHINGTON ST/LEIGHT
 NEW YORK, NY
 Site 1 of 13 in cluster R**

**NY Spills S108058615
 N/A**

SPILLS:
 Facility ID: 0604319
 Facility Type: ER
 DER Facility ID: 317278
 Site ID: 367270
 DEC Region: 2
 Spill Date: 7/18/2006
 Spill Number/Closed Date: 0604319 / 7/19/2006
 Spill Cause: Other

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ABANDONED GAS STATION (Continued)

S108058615

<p>Spill Class: SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller City,St,Zip: Spiller Company: Contact Name: Contact Phone: DEC Memo: Remarks: Material: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Resource Affected: Oxygenate:</p>	<p>Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken. 3101 SFRAHMAN Not reported 7/18/2006 410 Not reported Gasoline Station Affected Persons Not reported False Not reported False False 0 7/18/2006 7/19/2006 MARK STERN ABANDONED GAS STATION 415 WASHINGTON ST/LEIGHT NEW YORK, NY 001 MARK STERN (917) 543-3449 07/19/06 Rahman-FDNY Engine 10(212.570.4210) responded to the site. I spoke with Lt. Jason Goldsmith of Engine 10, who indicated absence of odor, spill at the site.He informed me there were three tanks at the site and they were investigating the tanks condition. Apparently the tanks were dry.Cross reference to Spill#0505263. CALLER REPORTS THAT CREW IS REMOVING GAS TANKS FROM ABANDONED GAS STATION: THEY ARE CUTTING OLD TANKS IN HALF. ODOR IS IN AIR FROM GASOLINE: RESIDUE FROM TANKS IS BEING SPILLED ON GROUND AREA: THERE WAS AN SMALL EXPLOSION FROM ONE OF THE TANKS: FIRE DEPT. IS IN ROUTE TO SITE 367270 1125187 01 2114709 0009 Gasoline Not reported Petroleum Not reported Gallons No Not reported False</p>
---	--

Tank Test:

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

R79	PARKING LOT	NY Spills	S107788239
NNW	415 WASHINGTON ST/LEIGHT		N/A
< 1/8	MANHATTAN, NY		
0.098 mi.			
518 ft.	Site 2 of 13 in cluster R		

SPILLS:

Facility ID:	0601769
Facility Type:	ER
DER Facility ID:	314290
Site ID:	364079
DEC Region:	2
Spill Date:	5/17/2006
Spill Number/Closed Date:	0601769 / 5/19/2006
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	3101
Investigator:	JBVOUGHT
Referred To:	Not reported
Reported to Dept:	5/17/2006
CID:	409
Water Affected:	Not reported
Spill Source:	Gasoline Station
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	5/17/2006
Spill Record Last Update:	5/19/2006
Spiller Name:	UNKNOWN
Spiller Company:	UNKNOWN
Spiller Address:	UNKNOWN
Spiller City,St,Zip:	UNKNOWN, NY
Spiller Company:	999
Contact Name:	KAROLE DESARM
Contact Phone:	(212) 925-0199
DEC Memo:	05/18/06-Vought-Off hours duty responder. Vought called contact on PBS (Kenneth Fishel 212-477-3164) and no answer. Vought called caller who wishes to remain anonymous and as per her, developer bought parking lot and excavation of property has begun. FDNY and NYCDOB onsite previously in response to residential complaints. Vought received paperwork from caller that included Stipulation Agreement from DEC Rui Feng (see spill #0505263). Vought called Shary Laskowitz, attorney for the tenant (212-736-4500). Laskowitz does not have access as agreement current fight with owner and she is not in possession as tenant. Current owner is Atlantic Block and she has no contact information. Tenant is Jordan Parking who does not have access to site. Vought called Kenneth Fishel and he is no longer managing agent for building. DEC requires: 1) updating of PBS registration. Vought called CES Environmental Services (Francis Fonaca 732-500-7465). As per Francis Fronaca and DEP was onsite yesterday and USTs were abandoned in place, USTs discovered during excavation. PBS registration will be sent in once tanks are exposed and tank information can be found. Phone number for owner (Rocco or Jacko Basile 212-965-9300). Vought called Rocco and he agreed to access and said to call him back with any issues.05/18/06-Vought-Site

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PARKING LOT (Continued)

S107788239

visit by Vought. Parking lift elevators present on site and also observed was approximate 50'x15' excavation. Slight gasoline odor in bottom of excavation (excavation approximately 3' deep). Piping observed in excavation but undeterminable if piping was from former UST system. No vents, former pump islands or remote fills were found. Entire lot repaved with asphalt. Soil in excavation composed of urban fill (brick, coal, coal ash). No odors were detected at street level. Vought called Rocco Basile and required that excavation be covered with plastic. Vought suggested to DEC Feng that Community Air Monitoring Plan be implemented during excavation to prevent further odor complaints. Vought called DeSarm and left message with results of site visit and to contact DEC Feng with further issues. Spill closed by Vought and referred to open spill #0505263.

Remarks: PIPES ARE STICKING UP OUT OF THE GROUNDS .THIS AN OLD GAS STATION. THERE IS A GAS ODOR SEEPING OUT DUE TO RAIN. UNKNOWN IF THERE IS A SPILL. CLEAN UP IS UNKNOWN.

Material:
 Site ID: 364079
 Operable Unit ID: 1122128
 Operable Unit: 01
 Material ID: 2111610
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Q80
South
< 1/8
0.098 mi.
518 ft.

LEICESTERSHIRE ARMS LTD
55 N MOORE ST
NEW YORK, NY 10013
Site 3 of 16 in cluster Q

RCRA NonGen / NLR 1010328860
NY MANIFEST NYR000145326

RCRA NonGen / NLR:
 Date form received by agency: 01/27/2012
 Facility name: LEICESTERSHIRE ARMS LTD
 Facility address: 55 N MOORE ST
 NEW YORK, NY 10013
 EPA ID: NYR000145326
 Mailing address: LAFAHETTE ST SUITE 506
 NEW YORK, NY 10012
 Contact: ALBERT ABELA
 Contact address: LAFAHETTE ST SUITE 506
 NEW YORK, NY 10012
 Contact country: US
 Contact telephone: (212) 334-4400
 Contact email: AA@DOWNTOWNPROPERTIES.BIZ
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LEICESTERSHIRE ARMS LTD (Continued)

1010328860

Owner/Operator Summary:

Owner/operator name: DOWNTOWN PROPERTIES, INC
 Owner/operator address: LATNGETTE STREET SUITE 506
 N.Y., NY 10012
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 05/01/2008
 Owner/Op end date: Not reported

Owner/operator name: LEICESTERSHIRE ARMS LTD.
 Owner/operator address: LATNGETTE STREET SUITE 506
 N.Y., NY 10012
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 05/01/2006
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 05/07/2008
 Facility name: LEICESTERSHIRE ARMS LTD
 Site name: 55 NORTH MOORE STREET
 Classification: Not a generator, verified

Date form received by agency: 04/06/2007
 Facility name: LEICESTERSHIRE ARMS LTD
 Classification: Not a generator, verified

Date form received by agency: 04/05/2007
 Facility name: LEICESTERSHIRE ARMS LTD
 Classification: Not a generator, verified

Date form received by agency: 04/05/2007
 Facility name: LEICESTERSHIRE ARMS LTD
 Classification: Not a generator, verified

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

LEICESTERSHIRE ARMS LTD (Continued)

1010328860

Date form received by agency: 03/23/2007
 Facility name: LEICESTERSHIRE ARMS LTD
 Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008
 Waste name: LEAD

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYR000145326
 Country: USA
 Mailing Name: LEICESTERSHIRE ARMS LTD
 Mailing Contact: VICTOR RUSU
 Mailing Address: 55 NORTH MOORE STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 646-240-6597

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: OHD000000539
 Generator Ship Date: 2007-03-29
 Trans1 Recv Date: 2007-03-29
 Trans2 Recv Date: 2007-03-29
 TSD Site Recv Date: 2007-04-12
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000145326
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: OHD083377010
 Waste Code: Not reported
 Quantity: 4200.0
 Units: P - Pounds
 Number of Containers: 14.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2007
 Manifest Tracking Num: 000067420WAS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

LEICESTERSHIRE ARMS LTD (Continued)

1010328860

Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD054126164
Trans2 State ID:	OHD000000539
Generator Ship Date:	3/29/2007
Trans1 Recv Date:	3/29/2007
Trans2 Recv Date:	3/29/2007
TSD Site Recv Date:	4/12/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000145326
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	OHD083377010
Waste Code:	Not reported
Quantity:	4200
Units:	P - Pounds
Number of Containers:	14
Container Type:	DM - Metal drums, barrels
Handling Method:	L Landfill.
Specific Gravity:	1
Year:	2007
Manifest Tracking Num:	000067420WAS
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

M81 **CON EDISON**
NW **416 WASHINGTON ST**
< 1/8 **NEW YORK, NY 10013**
0.099 mi. **Site 10 of 12 in cluster M**
523 ft.

NY MANIFEST **S112817866**
N/A

NY MANIFEST:

EPA ID:	NYP004278578
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S112817866

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-11-18
 Trans1 Recv Date: 2012-11-18
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-11-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004278578
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 010456774JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

**M82
 NW
 < 1/8
 0.099 mi.
 523 ft.**

**CON EDISON SERVICE BOX: 49036
 416 WASHINGTON ST
 NEW YORK, NY**

**RCRA-CESQG 1016149196
 FINDS NYP004278578**

Site 11 of 12 in cluster M

RCRA-CESQG:
 Date form received by agency: 11/18/2012
 Facility name: CON EDISON SERVICE BOX: 49036
 Facility address: 416 WASHINGTON ST
 NEW YORK, NY 10013
 EPA ID: NYP004278578
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49036 (Continued)

1016149196

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055436764

Environmental Interest/Information System

L83
 NNW
 < 1/8
 0.100 mi.
 527 ft.

**LOT 35,TAXBLOCK 223
 438 GREENWICH STREET
 MANHATTAN, NY 10013
 Site 2 of 4 in cluster L**

**NY E DESIGNATION S110670279
 N/A**

E DESIGNATION:

Tax Lot(s): 35
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Air Quality - HVAC fuel limited to natural gas
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3008

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 35,TAXBLOCK 223 (Continued)

S110670279

School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G1
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000003276
 Total Building Floor Area: 00000003250
 Commercial Floor Area: 00000003250
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000003250
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0041.83
 Lot Depth: 0077.75
 Building Frontage: 0042.00
 Building Depth: 0078.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000078750
 Total Assessed Value: 00000105750
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.99
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230035
 Condominium Number: 00000
 Census Tract 2: 0039

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 35,TAXBLOCK 223 (Continued)

S110670279

X Coordinate: 0981534
 Y Coordinate: 0202652
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 35
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3008
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G1
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000003276
 Total Building Floor Area: 00000003250
 Commercial Floor Area: 00000003250
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000003250
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 35,TAXBLOCK 223 (Continued)

S110670279

Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0041.83
Lot Depth:	0077.75
Building Frontage:	0042.00
Building Depth:	0078.00
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	3
Basement Type Grade:	5
Land Assessed Value:	00000078750
Total Assessed Value:	00000105750
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1920
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0000.99
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002230035
Condominium Number:	00000
Census Tract 2:	0039
X Coordinate:	0981534
Y Coordinate:	0202652
Zoning Map:	12A
Sanborn Map:	101N040
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	35
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3008
School District:	02

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 35,TAXBLOCK 223 (Continued)

S110670279

City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G1
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000003276
 Total Building Floor Area: 0000003250
 Commercial Floor Area: 0000003250
 Office Floor Area: 0000000000
 Retail Floor Area: 0000000000
 Garage Floor Area: 0000003250
 Storage Floor Area: 0000000000
 Factory Floor Area: 0000000000
 Other Floor Area: 0000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0041.83
 Lot Depth: 0077.75
 Building Frontage: 0042.00
 Building Depth: 0078.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000078750
 Total Assessed Value: 00000105750
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.99
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230035
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981534

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		Database(s)
Distance (ft.)	Site	EPA ID Number

LOT 35, TAXBLOCK 223 (Continued)

S110670279

Y Coordinate: 0202652
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**Q84
 South
 < 1/8
 0.100 mi.
 527 ft.**

**FEDERAL BUREAU OF INVESTIGATION
 56 N MOORE ST
 NEW YORK, NY 10013
 Site 4 of 16 in cluster Q**

**RCRA NonGen / NLR 1000212471
 FINDS NYD982790370
 NY MANIFEST**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: FEDERAL BUREAU OF INVESTIGATION
 Facility address: 56 N MOORE ST
 NEW YORK, NY 100132335
 EPA ID: NYD982790370
 Mailing address: N MOORE ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: N MOORE ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: US GOVERNMENT
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: US GOVERNMENT
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: FEDERAL BUREAU OF INVESTIGATION
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: FEDERAL BUREAU OF INVESTIGATION
 Classification: Not a generator, verified

Date form received by agency: 10/16/1989
 Facility name: FEDERAL BUREAU OF INVESTIGATION
 Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/09/1998
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: State

Evaluation date: 11/05/1993
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: EPA Contractor/Grantee

FINDS:

Registry ID: 110004433426

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD982790370
 Country: USA
 Mailing Name: FEDERAL BUREAU OF INVESTIGATION
 Mailing Contact: FEDERAL BUREAU OF INVESTIGATION
 Mailing Address: 56 NORTH MOORE ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-553-2700

Document ID: NJA0731587
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 891121
 Trans1 Recv Date: 891121
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891121
 Part A Recv Date: 900108
 Part B Recv Date: 891130
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDf ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

Document ID: NJA1418003
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920604
 Trans1 Recv Date: 920604
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920604
 Part A Recv Date: 920929
 Part B Recv Date: 920619
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1438656
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920331
 Trans1 Recv Date: 920331
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920331
 Part A Recv Date: 920929
 Part B Recv Date: 920408
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1440347
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920622
 Trans1 Recv Date: 920622
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920622
 Part A Recv Date: 920929
 Part B Recv Date: 920703
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Year: 92

Document ID: NJA1369077
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920129
 Trans1 Recv Date: 920129
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920129
 Part A Recv Date: 920929
 Part B Recv Date: 920212
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1361323
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921026
 Trans1 Recv Date: 921026
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921026
 Part A Recv Date: 921118
 Part B Recv Date: 921110
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA2233659
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951227
 Trans1 Recv Date: 951227

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951227
 Part A Recv Date: Not reported
 Part B Recv Date: 960109
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00021
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2249038
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951127
 Trans1 Recv Date: 951127
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951127
 Part A Recv Date: Not reported
 Part B Recv Date: 951212
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00023
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2253102
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951031
 Trans1 Recv Date: 951031
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951031
 Part A Recv Date: Not reported
 Part B Recv Date: 951122
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Quantity: 00021
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA0711196
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900118
 Trans1 Recv Date: 900118
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900118
 Part A Recv Date: 900124
 Part B Recv Date: 900125
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA1368691
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921006
 Trans1 Recv Date: 921006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921006
 Part A Recv Date: 921030
 Part B Recv Date: 921023
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Document ID: NJA1643803
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921230
 Trans1 Recv Date: 921230
 Trans2 Recv Date: 921230
 TSD Site Recv Date: 921230
 Part A Recv Date: 930115
 Part B Recv Date: 930120
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1357337
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921120
 Trans1 Recv Date: 921120
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921120
 Part A Recv Date: 921214
 Part B Recv Date: 921209
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1420318
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920806
 Trans1 Recv Date: 920806
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920806
 Part A Recv Date: 920929

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Part B Recv Date: 920814
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1413910
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920827
 Trans1 Recv Date: 920827
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920827
 Part A Recv Date: 920929
 Part B Recv Date: 920909
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1645227
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921207
 Trans1 Recv Date: 921207
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921207
 Part A Recv Date: 921215
 Part B Recv Date: 921229
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1429504
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920715
 Trans1 Recv Date: 920715
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920715
 Part A Recv Date: 920929
 Part B Recv Date: 920728
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA2228979
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 960118
 Trans1 Recv Date: 960118
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 960118
 Part A Recv Date: Not reported
 Part B Recv Date: 960202
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00021
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 96

Document ID: NJA0724533
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: 000000000

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

FEDERAL BUREAU OF INVESTIGATION (Continued)

1000212471

Trans2 State ID: 000000000
 Generator Ship Date: 891208
 Trans1 Recv Date: 891208
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891208
 Part A Recv Date: 900116
 Part B Recv Date: 891227
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0719369
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 891027
 Trans1 Recv Date: 891027
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891027
 Part A Recv Date: 891213
 Part B Recv Date: 891121
 Generator EPA ID: NYD982790370
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00135
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

[Click this hyperlink](#) while viewing on your computer to access
 56 additional NY_MANIFEST: record(s) in the EDR Site Report.

P85
SSW
< 1/8
0.101 mi.
534 ft.

CON EDISON
N. MOORE ST & GREENWICH ST
NEW YORK, NY 10001

Site 2 of 3 in cluster P

NY MANIFEST **S112210515**
N/A

NY MANIFEST:
 EPA ID: NYP004266961
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S112210515

Mailing Address: 4 IRVING PLACE 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-09-06
 Trans1 Recv Date: 2012-09-06
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-09-12
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004266961
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 322.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 010456503JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: Y
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: IND006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-09-06
 Trans1 Recv Date: 2012-09-06
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-09-10
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004266961

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CON EDISON (Continued)

S112210515

Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: Not reported
 Quantity: 100.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 003207163FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-09-06
 Trans1 Recv Date: 2012-09-06
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-09-12
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004266961
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 322.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 010456503JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: Y
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S112210515

Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: IND006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-09-06
 Trans1 Recv Date: 2012-09-06
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-09-10
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004266961
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NYD980593636
 Waste Code: Not reported
 Quantity: 100.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 003207163FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Q86
SSE
< 1/8
0.102 mi.
536 ft.

EXCAVATION
53 NORTH MORE ST
MANHATTAN, NY
Site 5 of 16 in cluster Q

NY Spills S112146803
N/A

SPILLS:

Facility ID: 1202421
 Facility Type: ER
 DER Facility ID: 419556
 Site ID: 465187
 DEC Region: 2
 Spill Date: 6/11/2012
 Spill Number/Closed Date: 1202421 / Not Reported
 Spill Cause: Human Error
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: Con Ed Unassigned

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EXCAVATION (Continued)

S112146803

Referred To: Not reported
 Reported to Dept: 6/11/2012
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 1
 Date Entered In Computer: 6/11/2012
 Spill Record Last Update: 6/11/2012
 Spiller Name: Not reported
 Spiller Company: CON ED
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: ERT
 Contact Phone: 212-580-8383
 DEC Memo: Not reported
 Remarks: cut open old pipe during excavation

Material:
 Site ID: 465187
 Operable Unit ID: 1215215
 Operable Unit: 01
 Material ID: 2213317
 Material Code: 9999
 Material Name: Other - auto seal
 Case No.: Not reported
 Material FA: Other
 Quantity: Not reported
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**N87
 NE
 < 1/8
 0.102 mi.
 538 ft.**

**MH 37285
 HUDSON ST & VESTRY ST
 MANHATTAN, NY
 Site 5 of 10 in cluster N**

**NY Spills S104649538
 N/A**

SPILLS:
 Facility ID: 9906109
 Facility Type: ER
 DER Facility ID: 157558
 Site ID: 188657
 DEC Region: 2
 Spill Date: 8/23/1999
 Spill Number/Closed Date: 9906109 / 2/3/2004
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MH 37285 (Continued)

S104649538

Willing Responsible Party. Corrective action taken.
 3101
 SWIS: JHOCONNE
 Investigator: JHOCONNE
 Referred To: Not reported
 Reported to Dept: 8/23/1999
 CID: 266
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 8/23/1999
 Spill Record Last Update: 2/3/2004
 Spiller Name: Not reported
 Spiller Company: CON EDISON
 Spiller Address: 4 IRVING PLACE
 Spiller City,St,Zip: NEW YORK, NY 10003
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL"e2mis no. 127257:APPROX. 2 GALLONS OF AN UNKNOWN OIL AND APPROX. 200 GALLONS OF WATER IN A MANHOLE. MAPS SHOW NO SEWER CONNECTIONS. CLEANUP IS PENDING TEST RESULTS.Lab analysis SA99-08789 = 5 PPM8/24/99 05:00 hrs clean up complete in MH 37285. Removed 350 gals. oil/Water to <50 tanke. Used flush truck & slix to clean & rinse structure. The sump in this structure has a concrete bottom.
 Remarks: MANHOLE 37285. TWO GALLONS OF UNKNOWN OIL ON 200 GALLONS OF WATER. SAMPLES TAKEN. CLEAN UP PENDING TEST RESULTS. CON EDISON REFERENCE NUMBER 127357.
 Material:
 Site ID: 188657
 Operable Unit ID: 1080563
 Operable Unit: 01
 Material ID: 302381
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2
 Units: Gallons
 Recovered: 2
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

N88	CON EDISON	RCRA NonGen / NLR
NE	VESTRY ST & HUDSON ST SE COR	1014398898
< 1/8	NEW YORK, NY 10013	NYP004212718
0.102 mi.	Site 6 of 10 in cluster N	
539 ft.		

RCRA NonGen / NLR:

Date form received by agency: 08/03/2010
 Facility name: CON EDISON
 Facility address: VESTRY ST & HUDSON ST SE COR
 NEW YORK, NY 10013
 EPA ID: NYP004212718
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: TONI A FRANZONE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9450
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

N89	MANHOLE #37285	NY Spills
NE	VESTRY ST/ HUDSON ST	S104654174
< 1/8	MANHATTAN, NY	N/A
0.102 mi.	Site 7 of 10 in cluster N	
541 ft.		

SPILLS:

Facility ID: 0003916
 Facility Type: ER
 DER Facility ID: 62553
 Site ID: 65018
 DEC Region: 2
 Spill Date: 6/30/2000
 Spill Number/Closed Date: 0003916 / 4/9/2004
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHOLE #37285 (Continued)

S104654174

SWIS: Investigator: Referred To: Reported to Dept: CID: Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller City,St,Zip: Spiller Company: Contact Name: Contact Phone: DEC Memo: Remarks: Material: Site ID: Operable Unit ID: Operable Unit: Material ID: Material Code: Material Name: Case No.: Material FA: Quantity: Units: Recovered: Resource Affected: Oxygenate:	3101 JHOCONNE Not reported 6/30/2000 297 Not reported Commercial/Industrial Responsible Party Not reported False Not reported False False 0 6/30/2000 4/9/2004 Not reported UNKNOWN Not reported ZZ - 001 MARK SCHLAGEL (212) 580-6763 Prior to Sept, 2004 data translation this spill Lead_DEC Field was "O'CONNELL"e2mis no. 132118:approx 1 pint of an unknown oil mixed with approx. 200 gallons of water in Mh-37285. There is no sump or sewer connections as per conduit map 10-G-4. Cleanup is pending test results.Lab Seq# 00-06343 PCB 2 ppmDate: 7/26/00Time: 1400Cleanup Info: <50 Tanker removed liquids and then structure was cleaned with degreaser and flushed, tag removed. CON ED SPILL #132118 / WORKERS FOUND 1 QT OF OIL FLOATING ON WATER IN THE ABOVE MANHOLE - CLEANUP PENDING TEST RESULTS 65018 826319 01 548669 0066A UNKNOWN PETROLEUM Not reported Petroleum 1 Gallons No Not reported False
--	--

Tank Test:

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

N90	181 HUDSON STREET	NY UST	U004045121
NNE	181 HUDSON STREET		N/A
< 1/8	NEW YORK, NY 10013		
0.102 mi.			
541 ft.	Site 8 of 10 in cluster N		

UST:

Id/Status:	2-608768 / Unregulated
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	583751.96918000001
UTM Y:	4508346.8409799999
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	30619
Affiliation Type:	Facility Owner
Company Name:	VESTRY PLACE CONDOMINIUM ASSN % HOFFMAN MGMT
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	300 W. 55TH ST., STE 2S
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 247-4975
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Site Id:	30619
Affiliation Type:	On-Site Operator
Company Name:	181 HUDSON STREET
Contact Type:	Not reported
Contact Name:	TONY TORRES
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 966-7052
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Site Id:	30619
Affiliation Type:	Emergency Contact
Company Name:	VESTRY PLACE CONDOMINIUM ASSN % HOFFMAN MGMT
Contact Type:	Not reported
Contact Name:	MARK HOFFMAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

181 HUDSON STREET (Continued)

U004045121

Zip Code: Not reported
 Country Code: 001
 Phone: (212) 247-4975
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

 Site Id: 30619
 Affiliation Type: Mail Contact
 Company Name: ABILENE INC
 Contact Type: Not reported
 Contact Name: SAVITRI BONOMOLO
 Address1: 2402 NEPTUNE AVENUE
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11224
 Country Code: 001
 Phone: (718) 372-4210
 EMail: SABI@ABILENEINC.COM
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 2/7/2008

Tank Info:

Tank Number: 001
 Tank ID: 65617
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 2500
 Install Date: Not reported
 Date Tank Closed: 04/25/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

 Tightness Test Method: 21
 Date Test: 09/16/2003
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: NRLOMBAR
 Last Modified: 02/07/2008

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 C03 - Pipe Location - Aboveground/Underground Combination
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

181 HUDSON STREET (Continued)

U004045121

I04 - Overfill - Product Level Gauge (A/G)

S91	MH37957	RCRA NonGen / NLR	1007207383
ENE	34 LAIGHT STREET	NY MANIFEST	NYP004044251
< 1/8	NEW YORK, NY 10013		
0.103 mi.			
545 ft.	Site 1 of 6 in cluster S		

RCRA NonGen / NLR:

Date form received by agency: 01/03/2001
 Facility name: MH37957
 Facility address: 34 LAIGHT STREET
 NEW YORK, NY 10013
 EPA ID: NYP004044251
 Mailing address: CONSOLIDATED EDISON INC.
 4 IRVING PLACE -- ROOM 300
 NEW YORK, NY 10003
 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC.
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/02/2001
 Facility name: MH37957
 Classification: Not a generator, verified

Date form received by agency: 01/01/2001
 Facility name: MH37957
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:
 EPA ID: NYP004044251

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MH37957 (Continued)

1007207383

Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0278932
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 10/07/1999
 Trans1 Recv Date: 10/07/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/08/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004044251
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 80680AE
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00164
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYE0252731
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 10/07/1999
 Trans1 Recv Date: 10/07/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/08/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004044251
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: SM1563
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 00361
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MH37957 (Continued)

1007207383

Specific Gravity: 01.00
 Year: 99

Document ID: NYE0443376
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 10/04/1999
 Trans1 Recv Date: 10/04/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004044251
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: 31877AJ
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 00609
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYE0444375
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 10/08/1999
 Trans1 Recv Date: 10/08/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/14/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004044251
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 80303AB
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00134
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 99

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

S92 **MANHOLE 37957** **NY Spills** **S104508234**
ENE **34 LAIGHT ST** **N/A**
< 1/8 **MANHATTAN, NY**
0.103 mi.
545 ft. **Site 2 of 6 in cluster S**

SPILLS:

Facility ID: 9908075
Facility Type: ER
DER Facility ID: 206364
Site ID: 251838
DEC Region: 2
Spill Date: 10/3/1999
Spill Number/Closed Date: 9908075 / 2/5/2004
Spill Cause: Unknown
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator: 3101 COMENALE
Referred To: Not reported
Reported to Dept: 10/3/1999
CID: 365
Water Affected: Not reported
Spill Source: Unknown
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 10/3/1999
Spill Record Last Update: 2/5/2004
Spiller Name: Not reported
Spiller Company: unknown
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: Not reported
Contact Phone: Not reported
DEC Memo: Not reported
Remarks: oil on 10 gallons of water - clean up pending lab results - ref #128210

Material:

Site ID: 251838
Operable Unit ID: 1082351
Operable Unit: 01
Material ID: 300758
Material Code: 0066A
Material Name: UNKNOWN PETROLEUM
Case No.: Not reported
Material FA: Petroleum
Quantity: 1
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

MANHOLE 37957 (Continued)

S104508234

Tank Test:

**S93
 ENE
 < 1/8
 0.103 mi.
 546 ft.**

**CON EDISON
 F/O 13 LAIGHT & VARRICK ST.
 NEW YORK, NY 10013**

**NY MANIFEST S113494912
 N/A**

Site 3 of 6 in cluster S

NY MANIFEST:

EPA ID: NYP004286050
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 29-Jan-2013 00:00:00
 Trans1 Recv Date: 29-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 30-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004286050
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 400
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010841013JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494912

Mgmt Method Type Code: H110

S94
ENE
 < 1/8
 0.103 mi.
 546 ft.

MAZDA REALTY
13-17 LAIGHT STREET
MANHATTAN, NY 10013

NY AST **A100075097**
N/A

Site 4 of 6 in cluster S

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-316989
 Program Type: PBS
 UTM X: 583964.625
 UTM Y: 4508347.5
 Expiration Date: 2017/07/07
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 14559
 Affiliation Type: Facility Owner
 Company Name: MAZDA REATY ASSO. C/O AMRAM NOWAK
 Contact Type: MANAGING OFFICER
 Contact Name: STEVE NOVAK
 Address1: 15 WEST 26TH ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10010
 Country Code: 001
 Phone: (212) 643-1717
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/23/2007

Site Id: 14559
 Affiliation Type: Mail Contact
 Company Name: MAZDA REATY ASSOC %
 Contact Type: Not reported
 Contact Name: MIRIAM TEITELBAUM
 Address1: AMRAM NOWAK
 Address2: 15 WEST 26TH ST., #902
 City: NEW YORK
 State: NY
 Zip Code: 10010
 Country Code: 001
 Phone: (212) 643-1717
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/23/2007

Site Id: 14559
 Affiliation Type: On-Site Operator
 Company Name: MAZDA REALTY
 Contact Type: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MAZDA REALTY (Continued)

A100075097

Contact Name: CHARLIE ROBLES
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 992-5906
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/23/2007

Site Id: 14559
 Affiliation Type: Emergency Contact
 Company Name: MAZDA REATY ASSO. C/O AMRAM NOWAK
 Contact Type: Not reported
 Contact Name: MIRIAM TEITELBAUM
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 643-1717
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/23/2007

Tank Info:

Tank Number: 001
 Tank Id: 12206
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 4
 Tank Location: Steel/Carbon Steel/Iron
 Tank Type: In Service
 Tank Status: Not reported
 Pipe Model: 05/22/1929
 Install Date: 5000
 Capacity Gallons: NN
 Tightness Test Method: Not reported
 Date Test:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MAZDA REALTY (Continued)

A100075097

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DXLIVING
 Last Modified: 05/23/2007
 Material Name: #6 Fuel Oil (On-Site Consumption)

**S95
 ENE
 < 1/8
 0.103 mi.
 546 ft.**

**ENVIORNMENTAL FUEL CONTRO
 1317 LAIGHT ST
 MANHATTAN, NY**

**NY Spills S104952009
 N/A**

Site 5 of 6 in cluster S

SPILLS:

Facility ID: 0011006
 Facility Type: ER
 DER Facility ID: 248473
 Site ID: 307673
 DEC Region: 2
 Spill Date: 12/20/2000
 Spill Number/Closed Date: 0011006 / 9/15/2003
 Spill Cause: Housekeeping
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator: RWAUSTIN
 Referred To: Not reported
 Reported to Dept: 1/8/2001
 CID: 322
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Citizen
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 1/8/2001
 Spill Record Last Update: 9/15/2003
 Spiller Name: Not reported
 Spiller Company: ENVIORNMENTAL FUEL CONTRO
 Spiller Address: 1317 LAIGHT ST
 Spiller City,St,Zip: MANHATTAN, NY 10013-001
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "AUSTIN"9/15/03 - AUSTIN - ANON. COMPLAINT ABOUT OIL DUMPING (INTO UST?) -NO FURTHER INFO OR INVESTIGATION - CLOSED IN DATABASE - ORIG. ASSIGNED TO ROMMEL - END

Remarks: caller states he walks by this repair shop and he can see 2 males dumping 55 gal drum of waste oil into a hole in the garage floor

Material:

Site ID: 307673
 Operable Unit ID: 832949
 Operable Unit: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ENVIORNMENTAL FUEL CONTRO (Continued)

S104952009

Material ID: 544866
 Material Code: 0022
 Material Name: Waste Oil/Used Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**L96
 NNW
 < 1/8
 0.105 mi.
 554 ft.**

**CON EDISON SERVICE BOX: 47510
 52 VESTRY ST FRONT OF
 NEW YORK, NY 10013
 Site 3 of 4 in cluster L**

**RCRA-CESQG 1016149873
 FINDS NYP004285391**

RCRA-CESQG:

Date form received by agency: 01/25/2013
 Facility name: CON EDISON SERVICE BOX: 47510
 Facility address: 52 VESTRY ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004285391
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: RICARDO CARTY
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (646) 772-3407
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 47510 (Continued)

1016149873

Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055467775

Environmental Interest/Information System

**L97
 NNW
 < 1/8
 0.105 mi.
 554 ft.**

**CON EDISON
 52 VESTRY ST
 NEW YORK, NY 10013
 Site 4 of 4 in cluster L**

**NY MANIFEST S113494847
 N/A**

NY MANIFEST:
 EPA ID: NYP004285391
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 25-Jan-2013 00:00:00
 Trans1 Recv Date: 25-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 29-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285391
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 300
 Units: P - Pounds
 Number of Containers: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494847

Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707287JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

Q98
SSE
 < 1/8
 0.105 mi.
 555 ft.

CONSOLIDATED EDISON OF NY
HUDSON STREET AND NORTH MOORE
NEW YORK, NY 10013

NY MANIFEST S112140704
N/A

Site 6 of 16 in cluster Q

NY MANIFEST:

EPA ID: NYP004254819
 Country: USA
 Mailing Name: CONSOLIDATED EDISON OF NY
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE FLOOR 15
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027192
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-12
 Trans1 Recv Date: 2012-06-12
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-22
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 4000.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: CM - Metal boxes, cases, roll-offs
 Handling Method: T Chemical, physical, or biological treatment.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON OF NY (Continued)

S112140704

Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 009209586JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-15
 Trans1 Recv Date: 2012-06-15
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-25
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 7000.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: CM - Metal boxes, cases, roll-offs
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 009209590JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-14

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140704

Trans1 Recv Date: 2012-06-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-19
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 900.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 20.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 001129423GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003612047
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-11
 Trans1 Recv Date: 2012-06-11
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-19
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 1100.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 11.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 001129462GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140704

Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027192
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-12
 Trans1 Recv Date: 2012-06-12
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-22
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 4000.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: CM - Metal boxes, cases, roll-offs
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 009209586JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-15
 Trans1 Recv Date: 2012-06-15
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-25
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON OF NY (Continued)

S112140704

Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 7000.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: CM - Metal boxes, cases, roll-offs
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 009209590JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-14
 Trans1 Recv Date: 2012-06-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-19
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: Not reported
 Quantity: 900.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 20.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 001129423GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON OF NY (Continued)

S112140704

Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003612047
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-06-11
 Trans1 Recv Date: 2012-06-11
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-06-19
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004254819
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: Not reported
 Quantity: 1100.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 11.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 001129462GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Q99
SSE
< 1/8
0.105 mi.
555 ft.

CON EDISON MANHOLE: 37263
HUDSON ST & MOORE ST SE COR
NEW YORK, NY 10013
Site 7 of 16 in cluster Q

RCRA-CESQG 1016143596
NYP004263778

RCRA-CESQG:
 Date form received by agency: 08/18/2012
 Facility name: CON EDISON MANHOLE: 37263
 Facility address: HUDSON ST & MOORE ST SE COR
 NEW YORK, NY 10013
 EPA ID: NYP004263778
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

CON EDISON MANHOLE: 37263 (Continued)

1016143596

Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

**Q100
SSE
< 1/8
0.105 mi.
556 ft.**

**CON EDISON SERVICE BOX: 37267
HUDSON ST & MOORE ST
NEW YORK, NY 10013
Site 8 of 16 in cluster Q**

**RCRA-CESQG 1016149931
NYP004285995**

RCRA-CESQG:

Date form received by agency:	01/29/2013
Facility name:	CON EDISON SERVICE BOX: 37267
Facility address:	HUDSON ST & MOORE ST NEW YORK, NY 10013
EPA ID:	NYP004285995
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JOSE MONTALVO
Contact address:	Not reported Not reported
Contact country:	Not reported
Contact telephone:	(212) 427-1331
Contact email:	Not reported
EPA Region:	02

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37267 (Continued)

1016149931

Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**T101
 NNW
 < 1/8
 0.105 mi.
 556 ft.**

**440 GREENWICH ST
 NEW YORK, NY 10013**

Site 1 of 8 in cluster T

**EDR US Hist Auto Stat 1015496894
 N/A**

EDR Historical Auto Stations:

Name: PRIMO AUTO REPAIRS LIMITED
 Year: 2008
 Address: 440 GREENWICH ST

Name: PRIMO AUTO REPAIRS LTD
 Year: 2009
 Address: 440 GREENWICH ST

Name: PRIMA AUTO REPAIRS LTD
 Year: 2010
 Address: 440 GREENWICH ST

Name: PRIMA AUTO REPAIRS LTD
 Year: 2011
 Address: 440 GREENWICH ST

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

(Continued)

1015496894

Name: PRIMA AUTO REPAIRS LTD
 Year: 2012
 Address: 440 GREENWICH ST

Q102 **SPILL NUMBER 0212088**
SSE **119 HUDSON STREET**
< 1/8 **MANHATTAN, NY**
0.106 mi. **Site 9 of 16 in cluster Q**
561 ft.

NY LTANKS **S105998327**
N/A

LTANKS:

Site ID: 200772
 Spill Number/Closed Date: 0212088 / 3/27/2003
 Spill Date: 3/8/2003
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 3/8/2003
 CID: 418
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/8/2003
 Spill Record Last Update: 3/27/2003
 Spiller Name: Not reported
 Spiller Company: NEED OIL
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: BILL FLEISHER
 Spiller Phone: (212) 566-1881
 Spiller Extention: 116
 DEC Region: 2
 DER Facility ID: 167055
 DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD"03/08/2003. J. Krimgold at site. Tank overfill. Oil running from sidewalk to the street. Need Oil - delivery co. (718-401-0500) did not report the spill and refused to accept responsibility. Building owner (AIM Holding L.L.C.) Bill Fleisher @ 212-566-1881 x 116, cell 916-863-8787 is not available at this time. Tenants contracted Trade-Winds to cleanup sidewalk and street. Also no PBS registration for 3000 gal tank. Clean up completed.03/10/03. J. Krimgold spoke to the building owner Bill Fleisher and gave verbal direction to register AST ASAP.
 Remarks: caller having difficulty obtaining information from parties involved. cell phone 516-779-7824

Material:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPILL NUMBER 0212088 (Continued)

S105998327

Site ID: 200772
 Operable Unit ID: 865541
 Operable Unit: 01
 Material ID: 511835
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**M103
 NW
 < 1/8
 0.107 mi.
 563 ft.**

**LOT 14,TAXBLOCK 218
 LAIGHT STREET
 MANHATTAN, NY 10013
 Site 12 of 12 in cluster M**

**NY E DESIGNATION S108469726
 N/A**

E DESIGNATION:
 Tax Lot(s): 14
 E-No: E-162
 Effective Date: 9/13/2006
 Satisfaction Date: Not reported
 Ceqr Number: 06DCP067M
 Ulurp Number: 040543ZMM
 Zoning Map No: 12a
 Description: Underground Gasoline Storage Tanks* Testing Protocol.
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3010
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G6
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: WASHINGTON HJ LLC
 Lot Area: 000004161
 Total Building Floor Area: 0000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 218 (Continued)

S108469726

Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00000
 Number of Floors: 000.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0082.67
 Lot Depth: 0050.33
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000202950
 Total Assessed Value: 00000209700
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002180014
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981254
 Y Coordinate: 0202447
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

 Tax Lot(s): 14
 E-No: E-162
 Effective Date: 9/13/2006
 Satisfaction Date: Not reported
 Ceqr Number: 06DCP067M

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 218 (Continued)

S108469726

Ulurp Number: 040543ZMM
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3010
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G6
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: WASHINGTON HJ LLC
 Lot Area: 000004161
 Total Building Floor Area: 00000000000
 Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00000
 Number of Floors: 000.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0082.67
 Lot Depth: 0050.33
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000202950
 Total Assessed Value: 00000209700
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 0000
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 14,TAXBLOCK 218 (Continued)

S108469726

Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002180014
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981254
 Y Coordinate: 0202447
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**N104
 NE
 < 1/8
 0.107 mi.
 563 ft.**

**YURMAN DESIGN INC
 24 VESTRY ST
 NEW YORK, NY 10013
 Site 9 of 10 in cluster N**

**RCRA-CESQG 1012186721
 NYR000165837**

RCRA-CESQG:

Date form received by agency: 06/25/2009
 Facility name: YURMAN DESIGN INC
 Facility address: 24 VESTRY ST
 NEW YORK, NY 10013
 EPA ID: NYR000165837
 Mailing address: VESTRY ST
 NEW YORK, NY 10013
 Contact: JOHN BERG
 Contact address: VESTRY ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (646) 264-7408
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

YURMAN DESIGN INC (Continued)

1012186721

hazardous waste

Owner/Operator Summary:

Owner/operator name: YURMAN DESIGN INC
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 08/01/2003
 Owner/Op end date: Not reported

Owner/operator name: DAVID YURMAN
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 08/01/2003
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D001
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Violation Status: No violations found

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

N105 **LOT 29,TAXBLOCK 220** **NY E DESIGNATION** **S110670237**
NE **19 VESTRY STREET** **N/A**
< 1/8 **MANHATTAN, NY 10013**
0.109 mi.
575 ft. **Site 10 of 10 in cluster N**

E DESIGNATION:
 Tax Lot(s): 29
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Air Quality - HVAC fuel limited to natural gas
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: L9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GEREPLTY CP
 Lot Area: 000001522
 Total Building Floor Area: 00000007120
 Commercial Floor Area: 00000007120
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000007120
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 005.00
 Residential Units: 00005
 Non and Residential Units: 00005
 Lot Frontage: 0020.25
 Lot Depth: 0075.00
 Building Frontage: 0020.00
 Building Depth: 0075.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 29,TAXBLOCK 220 (Continued)

S110670237

Basement Type Grade:	5
Land Assessed Value:	00000090000
Total Assessed Value:	00000255600
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1915
Year Built Code:	Not reported
Year Altered1:	1979
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0004.68
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002200029
Condominium Number:	00000
Census Tract 2:	0033
X Coordinate:	0982155
Y Coordinate:	0202471
Zoning Map:	12A
Sanborn Map:	101N042
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	29
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	MN
Community District:	101
Census Tract:	33
Census Block:	3005
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 29,TAXBLOCK 220 (Continued)

S110670237

All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: L9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GEREPLTY CP
 Lot Area: 000001522
 Total Building Floor Area: 00000007120
 Commercial Floor Area: 00000007120
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000007120
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 005.00
 Residential Units: 00005
 Non and Residential Units: 00005
 Lot Frontage: 0020.25
 Lot Depth: 0075.00
 Building Frontage: 0020.00
 Building Depth: 0075.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000090000
 Total Assessed Value: 00000255600
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: Not reported
 Year Altered1: 1979
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0004.68
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200029
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982155
 Y Coordinate: 0202471
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 29,TAXBLOCK 220 (Continued)

S110670237

Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 29
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: L9
 Land Use Category: 06
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GEREP RLTY CP
 Lot Area: 000001522
 Total Building Floor Area: 00000007120
 Commercial Floor Area: 00000007120
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000007120
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 005.00
 Residential Units: 00005
 Non and Residential Units: 00005
 Lot Frontage: 0020.25
 Lot Depth: 0075.00
 Building Frontage: 0020.00
 Building Depth: 0075.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 29,TAXBLOCK 220 (Continued)

S110670237

Land Assessed Value: 00000090000
 Total Assessed Value: 00000255600
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: Not reported
 Year Altered1: 1979
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0004.68
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200029
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982155
 Y Coordinate: 0202471
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Q106
SSE
< 1/8
0.110 mi.
583 ft.

CLARK CONSTRUCTION
117 HUDSON ST, 2ND FLOOR
NEW YORK, NY
Site 10 of 16 in cluster Q

NY Spills S106010027
N/A

SPILLS:

Facility ID: 0209418
 Facility Type: ER
 DER Facility ID: 194291
 Site ID: 235863
 DEC Region: 2
 Spill Date: 12/13/2002
 Spill Number/Closed Date: 0209418 / 12/16/2002
 Spill Cause: Unknown
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Unknown Responsible Party. Corrective action taken. (ISR)
 SWIS: 3101
 Investigator: MXTIPPLE
 Referred To: Not reported
 Reported to Dept: 12/13/2002
 CID: 257
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CLARK CONSTRUCTION (Continued)

S106010027

Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 12/13/2002
 Spill Record Last Update: 12/16/2002
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: MIRA MENDOZA
 Contact Phone: (212) 219-1783
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE"DEC Sigona spoke to Mira Mendoza on 12/13/2002 at 10:00 AM and confirmed odor in 4 story bldg. 1st floor unoccupied clothing store, 2nd floor clark construction company staff being impacted for 3 days DEP refused to investigate, 3rd and 4th floors are residences. DEC Tipple responded on 12/13/2002. Kevin may have DEP. 5:30 p.m. - not sure.12/16/2002 TIPPLE VISITED SITE 12/13 AND FOUND THAT THE SPILL HAD BEEN CLEANED , TANK ROOM CLEAN, FLOOR IN THE PROCESS OF BEING SEALED. SEE SPILL #0209273

Remarks: Strange petroleum odor in building unknown what it is coming from - feeling ill from it and are calling the fire dept.

Material:
 Site ID: 235863
 Operable Unit ID: 862522
 Operable Unit: 01
 Material ID: 516390
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Q107 117-119 HUDSON STREET
SSE 117-119 HUDSON STREET
 < 1/8 NEW YORK, NY 10013
 0.110 mi.
 583 ft. **Site 11 of 16 in cluster Q**

NY AST A100291332
N/A

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-608679
 Program Type: PBS
 UTM X: 583721.04865999997
 UTM Y: 4508092.9204799999

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

117-119 HUDSON STREET (Continued)

A100291332

Expiration Date: 2013/03/27
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 30531
 Affiliation Type: Facility Owner
 Company Name: AIM HOLDING LLC
 Contact Type: MANAGING MEMBER
 Contact Name: WILLIAM FLEISCHER
 Address1: 2 JOHN STREET, SUITE 201
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 566-1881
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 1/16/2008

Site Id: 30531
 Affiliation Type: Mail Contact
 Company Name: AIM HOLDING LLC
 Contact Type: Not reported
 Contact Name: WILLIAM FLEISCHER
 Address1: 2 JOHN STREET
 Address2: SUITE 201
 City: NEW YORK
 State: NY
 Zip Code: 10038
 Country Code: 001
 Phone: (212) 566-1881
 EMail: WFLEISCHER@BFBOND.COM
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 1/16/2008

Site Id: 30531
 Affiliation Type: On-Site Operator
 Company Name: 117-119 HUDSON STREET
 Contact Type: Not reported
 Contact Name: EL. HERNARDZZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 495-9088
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30531
 Affiliation Type: Emergency Contact
 Company Name: AIM HOLDING LLC

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

117-119 HUDSON STREET (Continued)

A100291332

Contact Type: Not reported
 Contact Name: WILLIAM FLEISCHER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 941-9734
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 65514
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I05 - Overfill - Vent Whistle
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2003
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 01/16/2008
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

Q108	SPILL NUMBER 0209273	NY Spills
SSE	117-119 HUDSON ST	S106009891
< 1/8	MANHATTAN, NY	N/A
0.111 mi.		
585 ft.	Site 12 of 16 in cluster Q	

SPILLS:

Facility ID:	0209273
Facility Type:	ER
DER Facility ID:	255056
Site ID:	316361
DEC Region:	2
Spill Date:	12/7/2002
Spill Number/Closed Date:	0209273 / 6/21/2004
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS:	 3101
Investigator:	TJDEMEO
Referred To:	Not reported
Reported to Dept:	12/9/2002
CID:	322
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	12/9/2002
Spill Record Last Update:	8/8/2005
Spiller Name:	Not reported
Spiller Company:	UNK - POSS OVERFILL
Spiller Address:	Not reported
Spiller City, St, Zip:	ZZ
Spiller Company:	001
Contact Name:	MR YAMADA(TENANT)
Contact Phone:	(212) 226-1334
DEC Memo:	<p>Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO"12/9/02 - AUSTIN, SUBBING AS DDO - SPOKE WITH JOHN CURRAN, ATTORNEY FOR THE ISSEY MIYAKE CLOTHING STORE, A TENANT OF 117-119 HUDSON, AKA 50 N. MOORE ST. - HE SAID THAT A TANK OVERFILL OCCURRED ON 12/7 (SATURDAY), SPILLING FROM THE TANK'S BUNG HOLE INTO THE TANK'S VAULT, AND ALSO SPILLING IN A WALL FROM THE VENT LINE, WHICH APPARENTLY HAD A 6' SECTION OF IT CUT TO ACCOMODATE THIS ALUM. STUD AND WALLBOARD WALL. SOMEONE HAD DONE A PARTIAL CLEAN UP, BUT THERE WAS STILL RESIDUAL PRODUCT AND ODORS IN THE SUB-BASEMENT WHERE THE TANK RESIDES. ODORS FROM THE SPILL HAD SEEPED INTO BOTH THE BASEMENT AND FIRST FLOOR, WHERE THE STORE EXISTS. THE TENANT ARRANGED FOR THE CONTAMINATED WALL TO BE REMOVED AND THE AREA CLEANED, AND FANS WERE BROUGHT IN TO VENT THE AREA. THE SITUATION AS OF 12/9 PM, ACCORDING TO MR. CURRAN, IS THAT THERE ARE SOME RESIDUAL VAPORS IN THE STORE (UNK. ABOUT IMPACT TO THE REST OF THE BUILDING - SPILL WAS REMOTE FROM ELEVATOR SHAFT), AND HE INDICATED THAT IMMEDIATE RESPONSE WAS UNNECESSARY. A SEARCH OF THE SPILLS DATABASE SHOWS NO SPILLS CALLED IN FOR EITHER ADDRESS SPECIFIED FOR THIS LOCATION, NOR ANY PBS REGISTRATION. MR. CURRAN ALLEGED THAT TANK CAP. WAS 3500</p>

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPILL NUMBER 0209273 (Continued)

S106009891

GALS.ACCORDING TO MR. CURRAN, THE LANDLORD LISTED ON HIS CLIENT'S LEASE IS: BLF REALTY HOLDING CORP., 146 OLD COUNTRY ROAD, MINEOLA, NY 11501. THE CONTACT IS WILLIAM FLEISCHER, 516-739-3986. SPILL NEEDS FOLLOW UP BY FDO (DEMEO) TO DIRECTLY ASCERTAIN IF SPILL CLEANUP WAS COMPLETED, TO ASCERTAIN WHO THE DELIVERY COMPANY WAS, AND, IF THE TANK IS >1100 GALS., TO SEEK PBS ENFORCEMENT AND HAVE THE VENT LINE REPAIRED PROPERLY. 12/11/02 TJDLeft message for Bill Fleisher (BLF Realty Group) @516 739 3988. 12/13/02 TJDLeft 2nd message for Bill Fleisher. 12/13/2002 TIPPLE VISITED SITE WHEN SPILL# 0209418 WAS CALLED IN BY CLARK CONSTRUCTION, SECOND FLOOR TENNANT. OLFACTORY EVIDANCE OF PETROLEUM IN WORKSPACE. BASEMENT HAS BEEN TOPICALLY CLEANED. WORK IS STILL ONGOING. 3/10/03. J.Krimgold responded to a spill (0212088) at this location. Observed tank overfill thru the vent pipe to the sidewalk and to the street running to the city sewers. Trade-Winds was hired by the landlord Bill Flaisher to do the cleanup. Also spoke to tenants who complained about strong diesel-like odor in the basement and first floor. Inspection inside the building revealed remnants of previous spill (0209273) which have not been cleaned up properly. Oil probably reached areas between walls and on the top of old boiler and old oil tank. Trade-Winds was hired by the landlord to investigate area of contamination and perform cleanup. 6/21/04 TJDSpill cleaned in conjunction with two other spills, 0209418 & 0212088. Trade-Winds Environmental performed the work. Site inspected by Tipple & Krimgold on seperate occassions. Spill impacts were appropriately remediated. No further action required. Spill Closed.

Remarks: atny of the retail client called to report spill - unk if it was previously reported - spill appears to have been an overfill ora problem with the fill pipe - the spill has been cleaned up at this time - spill was in the basement

Material:
 Site ID: 316361
 Operable Unit ID: 860693
 Operable Unit: 01
 Material ID: 516248
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

T109 **LOT 33,TAXBLOCK 223** **NY E DESIGNATION** **S110670269**
NNW **442 GREENWICH STREET** **N/A**
< 1/8 **MANHATTAN, NY 10013**
0.111 mi.
585 ft. **Site 2 of 8 in cluster T**

E DESIGNATION:
 Tax Lot(s): 33
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3008
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: Z9
 Land Use Category: Not reported
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000001638
 Total Building Floor Area: 0000000000
 Commercial Floor Area: 0000000000
 Office Floor Area: 0000000000
 Retail Floor Area: 0000000000
 Garage Floor Area: 0000000000
 Storage Floor Area: 0000000000
 Factory Floor Area: 0000000000
 Other Floor Area: 0000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0021.00
 Lot Depth: 0078.00
 Building Frontage: 0021.00
 Building Depth: 0008.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 33,TAXBLOCK 223 (Continued)

S110670269

Basement Type Grade: 5
 Land Assessed Value: 00000078750
 Total Assessed Value: 00000090000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1900
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230033
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981512
 Y Coordinate: 0202687
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 33
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Air Quality - HVAC fuel limited to natural gas
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3008
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 33,TAXBLOCK 223 (Continued)

S110670269

All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: Z9
 Land Use Category: Not reported
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000001638
 Total Building Floor Area: 00000000000
 Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0021.00
 Lot Depth: 0078.00
 Building Frontage: 0021.00
 Building Depth: 0008.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000078750
 Total Assessed Value: 00000090000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1900
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230033
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981512
 Y Coordinate: 0202687
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 33,TAXBLOCK 223 (Continued)

S110670269

Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 33
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3008
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: Z9
 Land Use Category: Not reported
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000001638
 Total Building Floor Area: 00000000000
 Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0021.00
 Lot Depth: 0078.00
 Building Frontage: 0021.00
 Building Depth: 0008.00
 Proximity Code: 0
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 33,TAXBLOCK 223 (Continued)

S110670269

Land Assessed Value: 00000078750
 Total Assessed Value: 00000090000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1900
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230033
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981512
 Y Coordinate: 0202687
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**U110
 WNW
 < 1/8
 0.112 mi.
 589 ft.**

**CON EDISON
 84 LAIGHT ST
 NEW YORK, NY 10013
 Site 1 of 5 in cluster U**

**NY MANIFEST S112817865
 N/A**

NY MANIFEST:
 EPA ID: NYP004278560
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-11-18

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S112817865

Trans1 Recv Date: 2012-11-18
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-11-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004278560
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 010456773JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

**U111
 WNW
 < 1/8
 0.112 mi.
 589 ft.**

**CON EDISON SERVICE BOX: 37943
 84 LAIGHT ST
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149195
 FINDS NYP004278560**

Site 2 of 5 in cluster U

RCRA-CESQG:

Date form received by agency: 11/18/2012
 Facility name: CON EDISON SERVICE BOX: 37943
 Facility address: 84 LAIGHT ST
 NEW YORK, NY 10013
 EPA ID: NYP004278560
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37943 (Continued)

1016149195

land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055466561

Environmental Interest/Information System

Q112
SSE
 < 1/8
 0.112 mi.
 592 ft.

WHITE GLOVE CLEANERS
39 NORTH MOORE STREET
NEW YORK, NY 10013
Site 13 of 16 in cluster Q

NY DRYCLEANERS **S110248322**
N/A

DRYCLEANERS:
 Facility ID: 2-6205-01262
 Phone Number: 212-966-5464
 Region: Not reported
 Registration Effective Date: N/A
 Inspection Date: 03OCT22
 Install Date: Not reported
 Drop Shop: Not reported
 Shutdown: Y
 Alternate Solvent: Not reported
 Current Business: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

Q113	WHITE GLOVE VALET	RCRA NonGen / NLR	1001197234
SSE	39 N MOORE ST	FINDS	NYR000032433
< 1/8	NEW YORK, NY	NY MANIFEST	
0.112 mi.			
592 ft.	Site 14 of 16 in cluster Q		

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: WHITE GLOVE VALET INC
 Facility address: 39 N MOORE ST
 NEW YORK, NY 10013
 EPA ID: NYR000032433
 Mailing address: N MOORE ST
 NEW YORK, NY 10013
 Contact: JEFFREY NAMM
 Contact address: N MOORE ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 334-2475
 Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CADAG REALTY
 Owner/operator address: 442 N MOORE ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 431-1455
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: CADAG REALTY
 Owner/operator address: 442 N MOORE ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 431-1455
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WHITE GLOVE VALET (Continued)

1001197234

Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: WHITE GLOVE VALET INC
 Classification: Not a generator, verified

Date form received by agency: 11/22/1996
 Facility name: WHITE GLOVE VALET INC
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 01/15/1997
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: EPA

FINDS:

Registry ID: 110008088112

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000032433
 Country: USA
 Mailing Name: WHITE GLOVE VALET
 Mailing Contact: DONALD SMITH
 Mailing Address: 39 N MOORE ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-334-2476

Document ID: NJA2663989
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 970210

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WHITE GLOVE VALET (Continued)

1001197234

Trans1 Recv Date: 970210
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970210
 Part A Recv Date: Not reported
 Part B Recv Date: 970227
 Generator EPA ID: NYR000032433
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00060
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Q114
SSE
 < 1/8
 0.112 mi.
 592 ft.

WHITE GLOVE VELET CLEANERS
39 N MOORE ST
NEW YORK, NY 99999
Site 15 of 16 in cluster Q

RCRA NonGen / NLR 1001127883
NYN008005423

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: WHITE GLOVE VELET CLEANERS
 Facility address: 39 N MOORE ST
 NEW YORK, NY 99999
 EPA ID: NYN008005423
 Mailing address: N MOORE ST
 NEW YORK, NY 99999
 Contact: JEFFREY NAMM
 Contact address: N MOORE ST
 NEW YORK, NY 99999
 Contact country: US
 Contact telephone: (212) 951-4500
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NON REGULATED
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, NY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WHITE GLOVE VELET CLEANERS (Continued)

1001127883

Owner/Op start date: Not reported
 Owner/Op end date: Not reported

 Owner/operator name: NON REGULATED
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, NY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: WHITE GLOVE VELET CLEANERS
 Classification: Not a generator, verified

Date form received by agency: 03/21/1997
 Facility name: WHITE GLOVE VELET CLEANERS
 Classification: Not a generator, verified

Violation Status: No violations found

T115
North
< 1/8
0.112 mi.
593 ft.

CALDERON BELTS INC
443 GREENWICH ST 3RD FL
NEW YORK, NY 10013

Site 3 of 8 in cluster T

RCRA NonGen / NLR 1000188231
NY MANIFEST NYD001307321

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: CALDERON BELTS INC
 Facility address: 443 GREENWICH ST 3RD FL
 NEW YORK, NY 10013
 EPA ID: NYD001307321
 Mailing address: GREENWICH ST 3RD FL
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: GREENWICH ST 3RD FL
 NEW YORK, NY 10013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CALDERON BELTS INC (Continued)

1000188231

Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: MUTTERPERL GROUP
 Owner/operator address: 443 GREEN WICH ST
 NEW YORK, NY 10013

Owner/operator country: US
 Owner/operator telephone: (212) 966-4920
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: MUTTERPERL GROUP
 Owner/operator address: 443 GREEN WICH ST
 GREENWICH, NY 10013

Owner/operator country: US
 Owner/operator telephone: (212) 966-4920
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: CALDERON BELTS INC
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: CALDERON BELTS INC
 Classification: Not a generator, verified

Date form received by agency: 04/14/1992

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CALDERON BELTS INC (Continued)

1000188231

Facility name: CALDERON BELTS INC
 Site name: CALDERON
 Classification: Large Quantity Generator

Date form received by agency: 12/10/1980
 Facility name: CALDERON BELTS INC
 Classification: Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
 Area of violation: Generators - General
 Date violation determined: 01/18/1990
 Date achieved compliance: 03/21/1990
 Violation lead agency: State
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 02/12/1990
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: Not reported
 Final penalty amount: Not reported
 Paid penalty amount: Not reported

Regulation violated: Not reported
 Area of violation: Generators - Manifest
 Date violation determined: 01/04/1985
 Date achieved compliance: 06/05/1985
 Violation lead agency: State
 Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
 Enforcement action date: 01/05/1985
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: Not reported
 Final penalty amount: Not reported
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 01/18/1990
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Generators - General
 Date achieved compliance: 03/21/1990
 Evaluation lead agency: State

Evaluation date: 01/04/1985
 Evaluation: NON-FINANCIAL RECORD REVIEW
 Area of violation: Generators - Manifest
 Date achieved compliance: 06/05/1985
 Evaluation lead agency: State

NY MANIFEST:

EPA ID: NYD001307321
 Country: USA
 Mailing Name: CALDERON ACQUISITION CORPORATION
 Mailing Contact: MELLAAMERICO ORN DEPT MG
 Mailing Address: 443 GREENWICH STREET
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CALDERON BELTS INC (Continued)

1000188231

Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-966-4920

Document ID: NYO1653741
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: 1A019
 Trans2 State ID: Not reported
 Generator Ship Date: 811022
 Trans1 Recv Date: 811022
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 811023
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NYD077515575
 Trans2 EPA ID: Not reported
 TSDf ID: NJD048810279
 Waste Code: F001 - UNKNOWN
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 80-81

Document ID: NYB1770255
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NJXK81XX
 Trans2 State ID: Not reported
 Generator Ship Date: 910327
 Trans1 Recv Date: 910327
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 910402
 Part A Recv Date: 910516
 Part B Recv Date: 910416
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NJD054126164
 Trans2 EPA ID: Not reported
 TSDf ID: NYD057770109
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CALDERON BELTS INC (Continued)

1000188231

Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 91

Document ID: NYB1812816
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NJDEPS103
 Trans2 State ID: NJDEPS103
 Generator Ship Date: 900921
 Trans1 Recv Date: 900921
 Trans2 Recv Date: 900924
 TSD Site Recv Date: 900924
 Part A Recv Date: 910103
 Part B Recv Date: 901011
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NJD000813477
 Trans2 EPA ID: NJD000813477
 TSDf ID: NYD057770109
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA0357827
 Manifest Status: Completed copy
 Trans1 State ID: NJDEP#S06
 Trans2 State ID: Not reported
 Generator Ship Date: 871015
 Trans1 Recv Date: 871015
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 871016
 Part A Recv Date: 871109
 Part B Recv Date: 871023
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NJD981138324
 Trans2 EPA ID: Not reported
 TSDf ID: NJD002454544
 Waste Code: F001 - UNKNOWN
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 87

Document ID: NJA0970719
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NJDEPS815

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CALDERON BELTS INC (Continued)

1000188231

Trans2 State ID: Not reported
 Generator Ship Date: 910528
 Trans1 Recv Date: 910528
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 910528
 Part A Recv Date: 910717
 Part B Recv Date: 910610
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NJD156163438
 Trans2 EPA ID: Not reported
 TSD ID: NJD002454544
 Waste Code: F001 - UNKNOWN
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 91

Document ID: NYO1585296
 Manifest Status: Completed copy
 Trans1 State ID: Not reported
 Trans2 State ID: Not reported
 Generator Ship Date: 830113
 Trans1 Recv Date: 830113
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 830113
 Part A Recv Date: 030120
 Part B Recv Date: 030120
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NYD077515575
 Trans2 EPA ID: Not reported
 TSD ID: NJD048810279
 Waste Code: U228 - TRICHLOROETHENE
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 83

Document ID: NJA0540751
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS063
 Trans2 State ID: NJDEPS063
 Generator Ship Date: 881206
 Trans1 Recv Date: 881206
 Trans2 Recv Date: 881207
 TSD Site Recv Date: 881207
 Part A Recv Date: 881208
 Part B Recv Date: 881215
 Generator EPA ID: NYD001307321
 Trans1 EPA ID: NJD982528168

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

CALDERON BELTS INC (Continued)

1000188231

Trans2 EPA ID: NJD982528168
 TSD ID: NJD002454544
 Waste Code: F001 - UNKNOWN
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 88

**T116
 North
 < 1/8
 0.112 mi.
 593 ft.**

**443 GREENWICH STREET
 443 GREENWICH STREET
 NEW YORK, NY 10013**

**NY AST A100307830
 N/A**

Site 4 of 8 in cluster T

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-607372
 Program Type: PBS
 UTM X: 583645.60750000004
 UTM Y: 4508460.7691500001
 Expiration Date: 2011/07/18
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 29225
 Affiliation Type: Emergency Contact
 Company Name: 443 GREENWICH LLC
 Contact Type: Not reported
 Contact Name: FREDDY PISANI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 683-3090
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 7/12/2007

Site Id: 29225
 Affiliation Type: On-Site Operator
 Company Name: 443 GREENWICH STREET
 Contact Type: Not reported
 Contact Name: 443 GREENWICH LLC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 683-3090

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

443 GREENWICH STREET (Continued)

A100307830

EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 7/12/2007

Site Id: 29225
 Affiliation Type: Facility Owner
 Company Name: 443 GREENWICH LLC
 Contact Type: MEMBER
 Contact Name: SHAHAB KARMELY
 Address1: 232 MADISON AVENUE, SUITE 200
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10016
 Country Code: 001
 Phone: (212) 683-3090
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 7/12/2007

Site Id: 29225
 Affiliation Type: Mail Contact
 Company Name: 443 GREENWICH LLC
 Contact Type: MEMBER
 Contact Name: SHAHAB KARMELY
 Address1: 232 MADISON AVENUE, SUITE 200
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10016
 Country Code: 001
 Phone: (212) 683-3090
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 7/12/2007

Tank Info:

Tank Number: 001
 Tank Id: 62838
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 H00 - Tank Leak Detection - None
 L00 - Piping Leak Detection - None
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 J00 - Dispenser - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

443 GREENWICH STREET (Continued)

A100307830

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1905
 Capacity Gallons: 7000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DXLIVING
 Last Modified: 07/12/2007
 Material Name: #6 Fuel Oil (On-Site Consumption)

**T117
 North
 < 1/8
 0.112 mi.
 593 ft.**

**THE REGAL CO
 443 GREENWICH STREET
 NEW YORK, NY 10013
 Site 5 of 8 in cluster T**

**NY UST U004064655
 N/A**

UST:
 Id/Status: 2-610249 / Administratively Closed
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583644.99832000001
 UTM Y: 4508455.4911000002
 Site Type: Other

Affiliation Records:
 Site Id: 365619
 Affiliation Type: Facility Owner
 Company Name: THE REGAL CO
 Contact Type: MANAGER
 Contact Name: ALICE HUGHES
 Address1: 443 GREENWICH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: ?
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 6/19/2006

Site Id: 365619
 Affiliation Type: Mail Contact
 Company Name: THE REGAL CO
 Contact Type: MANAGER
 Contact Name: ALICE HUGHES
 Address1: 443 GREENWICH STREET
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE REGAL CO (Continued)

U004064655

City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: ?
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 6/19/2006

Site Id: 365619
 Affiliation Type: On-Site Operator
 Company Name: THE REGAL CO
 Contact Type: Not reported
 Contact Name: ?
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-3360
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 6/19/2006

Site Id: 365619
 Affiliation Type: Emergency Contact
 Company Name: THE REGAL CO
 Contact Type: Not reported
 Contact Name: ALICE HUGHES
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: ?
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 6/19/2006

Tank Info:

Tank Number: 001
 Tank ID: 212283
 Tank Status: Unregistered
 Material Name: Unregistered
 Capacity Gallons: 7000
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE REGAL CO (Continued)

U004064655

Common Name of Substance: Empty

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: 12/27/1987
 Pipe Model: Not reported
 Modified By: EJCALIFA
 Last Modified: 09/20/2007

Equipment Records:

C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 I01 - Overfill - Float Vent Valve
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 E04 - Piping Secondary Containment - Double-Walled (Underground)
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

T118
North
< 1/8
0.112 mi.
593 ft.

443 GREENWICH ST
443 GREENWICH ST
MANHATTAN, NY
Site 6 of 8 in cluster T

NY LTANKS **S102672057**
N/A

LTANKS:
 Site ID: 91150
 Spill Number/Closed Date: 9211278 / 12/30/1992
 Spill Date: 12/30/1992
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: 12/30/1992
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: CAMMISA
 Referred To: Not reported
 Reported to Dept: 12/30/1992
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/7/1993
 Spill Record Last Update: 6/7/2004
 Spiller Name: Not reported
 Spiller Company: CASTLE
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

443 GREENWICH ST (Continued)

S102672057

Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	82158
DEC Memo:	Not reported
Remarks:	CONATINED ON PAVEMENT NEAR VENT CASTLE HAS CREW EN ROUTE

Material:

Site ID:	91150
Operable Unit ID:	978242
Operable Unit:	01
Material ID:	404690
Material Code:	0003A
Material Name:	#6 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

T119
North
< 1/8
0.112 mi.
593 ft.

LOT 1,TAXBLOCK 222
443 GREENWICH STREET
MANHATTAN, NY 10013

NY E DESIGNATION **S110670105**
N/A

Site 7 of 8 in cluster T

E DESIGNATION:

Tax Lot(s):	1
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Air Quality - HVAC fuel limited to natural gas
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	1004
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 1,TAXBLOCK 222 (Continued)

S110670105

Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GOIDELL-REGAL CO.,
 Lot Area: 000035127
 Total Building Floor Area: 00000255769
 Commercial Floor Area: 00000255769
 Office Floor Area: 00000170355
 Retail Floor Area: 00000015219
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000034283
 Factory Floor Area: 00000000000
 Other Floor Area: 00000035912
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 007.00
 Residential Units: 00000
 Non and Residential Units: 00012
 Lot Frontage: 0176.00
 Lot Depth: 0175.50
 Building Frontage: 0174.00
 Building Depth: 0198.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00001926000
 Total Assessed Value: 00006830000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1905
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0007.28
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002220001
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981714
 Y Coordinate: 0202707
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 1,TAXBLOCK 222 (Continued)

S110670105

Pluto-Base Map Indicator: 1

Tax Lot(s): 1
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1004
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GOIDELL-REGAL CO.,
 Lot Area: 000035127
 Total Building Floor Area: 00000255769
 Commercial Floor Area: 00000255769
 Office Floor Area: 00000170355
 Retail Floor Area: 00000015219
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000034283
 Factory Floor Area: 00000000000
 Other Floor Area: 00000035912
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 007.00
 Residential Units: 00000
 Non and Residential Units: 00012
 Lot Frontage: 0176.00
 Lot Depth: 0175.50
 Building Frontage: 0174.00
 Building Depth: 0198.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00001926000
 Total Assessed Value: 00006830000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 1,TAXBLOCK 222 (Continued)

S110670105

Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1905
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0007.28
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002220001
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981714
 Y Coordinate: 0202707
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 1
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 1004
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 1,TAXBLOCK 222 (Continued)

S110670105

Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: GOIDELL-REGAL CO.,
 Lot Area: 000035127
 Total Building Floor Area: 00000255769
 Commercial Floor Area: 00000255769
 Office Floor Area: 00000170355
 Retail Floor Area: 00000015219
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000034283
 Factory Floor Area: 00000000000
 Other Floor Area: 00000035912
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 007.00
 Residential Units: 00000
 Non and Residential Units: 00012
 Lot Frontage: 0176.00
 Lot Depth: 0175.50
 Building Frontage: 0174.00
 Building Depth: 0198.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00001926000
 Total Assessed Value: 00006830000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1905
 Year Built Code: E
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0007.28
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002220001
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981714
 Y Coordinate: 0202707
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

120 LOT 28,TAXBLOCK 220 NY E DESIGNATION S110670226
 NE 17 VESTRY STREET N/A
 < 1/8 MANHATTAN, NY 10013
 0.113 mi.
 595 ft.

E DESIGNATION:

Tax Lot(s): 28
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3005
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: C E PROPERTY CP
 Lot Area: 000001544
 Total Building Floor Area: 00000004500
 Commercial Floor Area: 00000004500
 Office Floor Area: 00000004200
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000300
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 002.00
 Residential Units: 00000
 Non and Residential Units: 00003
 Lot Frontage: 0020.58
 Lot Depth: 0075.00
 Building Frontage: 0021.00
 Building Depth: 0075.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 28,TAXBLOCK 220 (Continued)

S110670226

Basement Type Grade:	5
Land Assessed Value:	00000090000
Total Assessed Value:	00000245700
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1915
Year Built Code:	Not reported
Year Altered1:	1984
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0002.91
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1002200028
Condominium Number:	00000
Census Tract 2:	0033
X Coordinate:	0982176
Y Coordinate:	0202450
Zoning Map:	12A
Sanborn Map:	101N042
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	28
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	33
Census Block:	3005
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 28,TAXBLOCK 220 (Continued)

S110670226

All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: C E PROPERTY CP
 Lot Area: 000001544
 Total Building Floor Area: 00000004500
 Commercial Floor Area: 00000004500
 Office Floor Area: 00000004200
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000300
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 002.00
 Residential Units: 00000
 Non and Residential Units: 00003
 Lot Frontage: 0020.58
 Lot Depth: 0075.00
 Building Frontage: 0021.00
 Building Depth: 0075.00
 Proximity Code: 3
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000090000
 Total Assessed Value: 00000245700
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: Not reported
 Year Altered1: 1984
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.91
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002200028
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982176
 Y Coordinate: 0202450
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

LOT 28,TAXBLOCK 220 (Continued)

S110670226

Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**P121
 SSW
 < 1/8
 0.114 mi.
 602 ft.**

**SPILL NUMBER 9813811
 END OF FRANKLIN ST
 LOWER MANHATTAN, NY
 Site 3 of 3 in cluster P**

**NY Spills S104648582
 N/A**

SPILLS:

Facility ID:	9813811
Facility Type:	ER
DER Facility ID:	242624
Site ID:	299917
DEC Region:	2
Spill Date:	2/8/1999
Spill Number/Closed Date:	9813811 / 9/8/1999
Spill Cause:	Unknown
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
SWIS:	3101
Investigator:	O'DOWD
Referred To:	Not reported
Reported to Dept:	2/12/1999
CID:	199
Water Affected:	HUDSON RIVER
Spill Source:	Vessel
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2/12/1999
Spill Record Last Update:	9/8/1999
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	UNKNOWN
Spiller City,St,Zip:	UNKNOWN, ZZ
Spiller Company:	999
Contact Name:	BRETT ARMSTRONG
Contact Phone:	(718) 482-4885
DEC Memo:	Not reported
Remarks:	CALLER RCVD A REPORT OF A SUNKEN VESSEL AT LOCTION - WANTED TO KNOW IF DEC WAS ADVISED OR IF ANYTHING IS BEING DONE - UNK IF ANY MATERAL HAS LEAKED AT THIS TIME

Material:

Site ID:	299917
Operable Unit ID:	1071358
Operable Unit:	01
Material ID:	310518
Material Code:	0063A
Material Name:	UNKNOWN HAZARDOUS MATERIAL
Case No.:	Not reported
Material FA:	Hazardous Material

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

SPILL NUMBER 9813811 (Continued)

S104648582

Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

**S122
NE
< 1/8
0.114 mi.
603 ft.**

**AT EASTRAMIC OF HOLLAND T
AT EASTRAMIC HOLLAND TUNN
MANHATTAN, NY**

**NY Spills S102146493
N/A**

Site 6 of 6 in cluster S

SPILLS:

Facility ID:	9302052
Facility Type:	ER
DER Facility ID:	157234
Site ID:	188193
DEC Region:	2
Spill Date:	5/12/1993
Spill Number/Closed Date:	9302052 / 5/17/1993
Spill Cause:	Unknown
Spill Class:	Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator:	3101
Referred To:	CAMMISA
Reported to Dept:	Not reported
CID:	5/13/1993
Water Affected:	Not reported
Spill Source:	Not reported
Spill Notifier:	Unknown
Cleanup Ceased:	Local Agency
Cleanup Meets Std:	5/17/1993
Last Inspection:	True
Recommended Penalty:	Not reported
UST Trust:	False
Remediation Phase:	False
Date Entered In Computer:	0
Spill Record Last Update:	5/19/1993
Spiller Name:	7/19/1993
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	Not reported
Spiller Company:	***Update***, ZZ
Contact Name:	001
Contact Phone:	Not reported
DEC Memo:	Not reported
Remarks:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "S. CAMMISA"

Remarks: SPILL ON RDWAY PORT AUTHORITY DID CLEAN-UP.

Material:

Site ID:	188193
Operable Unit ID:	980503
Operable Unit:	01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT EASTRAMIC OF HOLLAND T (Continued)

S102146493

Material ID: 399196
 Material Code: 0008
 Material Name: Diesel
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

T123
North
< 1/8
0.116 mi.
615 ft.

APPLE FIBERS; INC.
444 GREENWICH STREET
NEW YORK, NY 10013

NY SWRCY S110670256
NY E DESIGNATION N/A

Site 8 of 8 in cluster T

SWRCY:

Region: 2
 Facility Address 2: Not reported
 Phone Number: 2129252181
 Owner Type: Not reported
 Owner Name: Not reported
 Owner Address: Not reported
 Owner Address 2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: ANTHONY J. VITALE; JR.
 Contact Address: Not reported
 Contact Address 2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: RHRF - registration
 Activity Number: [31M10]
 Active: No
 East Coordinate: Not reported
 North Coordinate: Not reported
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Permit #: 2-6205-00044
 Auth. Date: Not reported
 Expiration Date: Not reported
 Waste Types: Not reported

E DESIGNATION:

Tax Lot(s): 31
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APPLE FIBERS; INC. (Continued)

S110670256

Description:	Hazardous Materials* Phase I and Phase II Testing Protocol
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	3008
School District:	02
City Council District:	01
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-5
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	M1-5/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	G9
Land Use Category:	07
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	PONTE EQUITIES INC
Lot Area:	000003360
Total Building Floor Area:	00000003360
Commercial Floor Area:	00000003360
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000003360
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	001.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0042.00
Lot Depth:	0080.00
Building Frontage:	0042.00
Building Depth:	0080.00
Proximity Code:	2
Irregular Lot Code:	N
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000162000
Total Assessed Value:	00000189000
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1920
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Tribeca North
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0001.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APPLE FIBERS; INC. (Continued)

S110670256

Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230031
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981541
 Y Coordinate: 0202715
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 31
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 39
 Census Block: 3008
 School District: 02
 City Council District: 01
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G9
 Land Use Category: 07
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000003360
 Total Building Floor Area: 00000003360
 Commercial Floor Area: 00000003360
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APPLE FIBERS; INC. (Continued)

S110670256

Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000003360
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0042.00
 Lot Depth: 0080.00
 Building Frontage: 0042.00
 Building Depth: 0080.00
 Proximity Code: 2
 Irregular Lot Code: N
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000162000
 Total Assessed Value: 00000189000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca North
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0001.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002230031
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981541
 Y Coordinate: 0202715
 Zoning Map: 12A
 Sanborn Map: 101N040
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

Q124 SSE < 1/8 0.117 mi. 616 ft.	CAPPIELLO & CHABROWE INC 116 HUDSON ST 4TH FL NEW YORK, NY 10013 Site 16 of 16 in cluster Q	RCRA NonGen / NLR FINDS NY MANIFEST	1000347675 NYD982744088
--	--	--	--

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: CAPPIELLO & CHABROWE INC
 Facility address: 116 HUDSON ST 4TH FL
 NEW YORK, NY 10013
 EPA ID: NYD982744088
 Mailing address: HUDSON ST 4TH FL
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: HUDSON ST 4TH FL
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: CAPPIELLO & CHABROWE
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

 Owner/operator name: CAPPIELLO & CHABROWE
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:
 U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CAPPIELLO & CHABROWE INC (Continued)

1000347675

Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: CAPPIELLO & CHABROWE INC
 Classification: Not a generator, verified

Date form received by agency: 11/05/1993
 Facility name: CAPPIELLO & CHABROWE INC
 Classification: Not a generator, verified

Date form received by agency: 07/17/1989
 Facility name: CAPPIELLO & CHABROWE INC
 Classification: Large Quantity Generator

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/05/1993
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: EPA Contractor/Grantee

FINDS:

Registry ID: 110004432846

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD982744088
 Country: USA
 Mailing Name: ARETE CA INCORPORATED
 Mailing Contact: DEBORAH LEBOWITZ
 Mailing Address: 116 HUDSON STREET 4TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-334-0334

Document ID: NYA7070607

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CAPPIELLO & CHABROWE INC (Continued)

1000347675

Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 890731
 Trans1 Recv Date: 890731
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890731
 Part A Recv Date: 890803
 Part B Recv Date: 890808
 Generator EPA ID: NYD982744088
 Trans1 EPA ID: NYD981182769
 Trans2 EPA ID: Not reported
 TSDF ID: NYD981182769
 Waste Code: D011 - SILVER 5.0 MG/L TCLP
 Quantity: 00120
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NYB2036628
 Manifest Status: Completed copy
 Trans1 State ID: XC2643
 Trans2 State ID: Not reported
 Generator Ship Date: 911114
 Trans1 Recv Date: 911114
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 911114
 Part A Recv Date: Not reported
 Part B Recv Date: 911125
 Generator EPA ID: NYD982744088
 Trans1 EPA ID: NYD981182769
 Trans2 EPA ID: Not reported
 TSDF ID: NYD981182769
 Waste Code: D011 - SILVER 5.0 MG/L TCLP
 Quantity: 00073
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 91

Document ID: NYB5665815
 Manifest Status: Completed copy
 Trans1 State ID: XC2643
 Trans2 State ID: Not reported
 Generator Ship Date: 920227
 Trans1 Recv Date: 920227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920227
 Part A Recv Date: 920309
 Part B Recv Date: 920313

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CAPPIELLO & CHABROWE INC (Continued)

1000347675

Generator EPA ID:	NYD982744088
Trans1 EPA ID:	NYD981182769
Trans2 EPA ID:	Not reported
TSDf ID:	NYD981182769
Waste Code:	D011 - SILVER 5.0 MG/L TCLP
Quantity:	00085
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	011
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	100
Year:	92

**V125
SE
< 1/8
0.118 mi.
625 ft.**

**VAULT # 3588
27 NORTH MOORE ST
MANHATTAN, NY**

**NY Spills S110751618
N/A**

Site 1 of 2 in cluster V

SPILLS:

Facility ID:	1010616
Facility Type:	ER
DER Facility ID:	399134
Site ID:	444229
DEC Region:	2
Spill Date:	1/14/2011
Spill Number/Closed Date:	1010616 / 2/24/2011
Spill Cause:	Equipment Failure
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

Investigator:	RWAUSTIN
Referred To:	Not reported
Reported to Dept:	1/14/2011
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1/14/2011
Spill Record Last Update:	2/24/2011
Spiller Name:	Not reported
Spiller Company:	CON ED
Spiller Address:	Not reported
Spiller City,St,Zip:	NY
Spiller Company:	999
Contact Name:	ERT
Contact Phone:	(212) 580-8383
DEC Memo:	2/24/11 - Austin - 20 gal. dielectric fluid spil for a defective transformer - Con Ed contained and cleaned up the spill - see the documents in eDocs for more information - spill closed - end

Remarks: unknown amount - cleanup pending@ 1001 - Edgar called to advise estimate 20 gallons -

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VAULT # 3588 (Continued)

S110751618

Material:
 Site ID: 444229
 Operable Unit ID: 1194671
 Operable Unit: 01
 Material ID: 2190537
 Material Code: 0541A
 Material Name: DIELECTRIC FLUID
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**R126
 NNW
 < 1/8
 0.119 mi.
 630 ft.**

**CON EDISON SERVICE BOX: 49045
 VESTRY ST & WASHINGTON ST NE
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149863
 NYP004285292**

Site 3 of 13 in cluster R

RCRA-CESQG:
 Date form received by agency: 01/25/2013
 Facility name: CON EDISON SERVICE BOX: 49045
 Facility address: VESTRY ST & WASHINGTON ST NE
 COR
 NEW YORK, NY 10013
 EPA ID: NYP004285292
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49045 (Continued)

1016149863

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**R127
 NNW
 < 1/8
 0.119 mi.
 630 ft.**

**CON EDISON SERVICE BOX: 49041
 VESTRY ST & WASHINGTON ST SE
 NEW YORK, NY 10013
 Site 4 of 13 in cluster R**

**RCRA-CESQG 1016149851
 NYP004285177**

RCRA-CESQG:

Date form received by agency: 01/24/2013
 Facility name: CON EDISON SERVICE BOX: 49041
 Facility address: VESTRY ST & WASHINGTON ST SE
 COR
 NEW YORK, NY 10013
 EPA ID: NYP004285177
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49041 (Continued)

1016149851

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**R128
 NNW
 < 1/8
 0.119 mi.
 630 ft.**

**CON EDISON SERVICE BOX: 49045
 WASHINGTON ST & VESTRY ST NE
 NEW YORK, NY 10038
 Site 5 of 13 in cluster R**

**RCRA-CESQG 1016149073
 NYP004277307**

RCRA-CESQG:

Date form received by agency: 11/08/2012
 Facility name: CON EDISON SERVICE BOX: 49045
 Facility address: WASHINGTON ST & VESTRY ST NE
 COR
 NEW YORK, NY 10038
 EPA ID: NYP004277307
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49045 (Continued)

1016149073

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**R129
 NNW
 < 1/8
 0.119 mi.
 630 ft.**

**CON EDISON SERVICE BOX: 49037
 VESTRY ST & WASHINGTON ST SW
 NEW YORK, NY 10013
 Site 6 of 13 in cluster R**

**RCRA-CESQG 1016149194
 NYP004278552**

RCRA-CESQG:

Date form received by agency: 11/18/2012
 Facility name: CON EDISON SERVICE BOX: 49037
 Facility address: VESTRY ST & WASHINGTON ST SW
 COR
 NEW YORK, NY 10013
 EPA ID: NYP004278552
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49037 (Continued)

1016149194

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**R130
 NW
 < 1/8
 0.120 mi.
 632 ft.**

**CON EDISON SERVICE BOX: 47508
 61 VESTRY ST FRONT OF
 NEW YORK, NY
 Site 7 of 13 in cluster R**

**RCRA-CESQG 1016149872
 FINDS NYP004285383**

RCRA-CESQG:

Date form received by agency: 01/25/2013
 Facility name: CON EDISON SERVICE BOX: 47508
 Facility address: 61 VESTRY ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004285383
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: RICARDO CARTY
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (646) 772-3407
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 47508 (Continued)

1016149872

Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055423894

Environmental Interest/Information System

R131
 NW
 < 1/8
 0.120 mi.
 632 ft.

**CON EDISON
 61 VESTRY ST
 NEW YORK, NY 10013**
Site 8 of 13 in cluster R

**NY MANIFEST S113494846
 N/A**

NY MANIFEST:

EPA ID: NYP004285383
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 25-Jan-2013 00:00:00
 Trans1 Recv Date: 25-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 29-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285383
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494846

Waste Code: Not reported
 Quantity: 200
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010846371JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**R132
 NNW
 < 1/8
 0.120 mi.
 632 ft.**

**TRIBECA TOWER INC
 427 WASHINGTON STREET
 NEW YORK, NY 10013**

**NY AST U003383955
 NY HIST AST N/A**

Site 9 of 13 in cluster R

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-070319
 Program Type: PBS
 UTM X: 583644.23507000005
 UTM Y: 4508806.0434699999
 Expiration Date: 2017/01/14
 Site Type: Private Residence

Affiliation Records:

Site Id: 1550
 Affiliation Type: Mail Contact
 Company Name: ANDREWS BUILDING INC
 Contact Type: Not reported
 Contact Name: PETER SAMPSON
 Address1: 666 BROADWAY 12TH FL
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 4/19/2012

Site Id: 1550
 Affiliation Type: Emergency Contact

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRIBECA TOWER INC (Continued)

U003383955

Company Name: TRIBECA TOWER INC
 Contact Type: Not reported
 Contact Name: PETER SAMPSON
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 4/19/2012

Site Id: 1550
 Affiliation Type: Facility Owner
 Company Name: TRIBECA TOWER INC
 Contact Type: PROPERTY MANAGER
 Contact Name: PETER SAMPSON
 Address1: 427 29 WASHINGTON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 4/19/2012

Site Id: 1550
 Affiliation Type: On-Site Operator
 Company Name: TRIBECA TOWER INC
 Contact Type: Not reported
 Contact Name: ANDREWS BLDG CORP
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 4/19/2012

Tank Info:

Tank Number: 001
 Tank Id: 2625
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA TOWER INC (Continued)

U003383955

Equipment Records:

A00 - Tank Internal Protection - None
 B99 - Tank External Protection - Other
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 D00 - Pipe Type - No Piping
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1960
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 04/19/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-070319
 SWIS Code: 6201
 Operator: TRIBECA TOWER INC
 Facility Phone: (212) 925-0296
 Facility Addr2: 427 WASHINGTON STREET
 Facility Type: PRIVATE RESIDENCE
 Emergency: TRIBECA TOWER INC
 Emergency Tel: (212) 925-0296
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: TRIBECA TOWER INC
 Owner Address: 427 29 WASHINGTON STREET
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 925-0296
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: TRIBECA TOWER INC
 Mailing Address: 427 29 WASHINGTON STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 925-0296
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA TOWER INC (Continued)

U003383955

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 11/16/2001
 Expiration: 01/14/2007
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 3000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 9
 Pipe Location: Aboveground
 Pipe Type: NONE
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 00
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

R133
 NNW
 < 1/8
 0.120 mi.
 635 ft.

**CON EDISON
 SE WASHINGTONST & VESTRY ST
 NEW YORK, NY 10013**
 Site 10 of 13 in cluster R

**NY MANIFEST S113494826
 N/A**

NY MANIFEST:
 EPA ID: NYP004285177
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CON EDISON (Continued)

S113494826

Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 24-Jan-2013 00:00:00
 Trans1 Recv Date: 24-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 25-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285177
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707093JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 24-Jan-2013 00:00:00
 Trans1 Recv Date: 24-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 25-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285177
 Trans1 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494826

Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 400
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010846367JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

W134
NNE
< 1/8
0.121 mi.
637 ft.

HUDSON PRINTING CO INC-200 HUDSON ST
200 HUDSON STREET
NEW YORK, NY 10013
Site 1 of 7 in cluster W

RCRA NonGen / NLR 1004761811
US AIRS NYR000090647

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: HUDSON PRINTING CO INC
 Facility address: 200 HUDSON ST 11TH FLOOR
 NEW YORK, NY 10013
 EPA ID: NYR000090647
 Mailing address: HUDSON ST 11TH FLOOR
 NEW YORK, NY 10013
 Contact: ROBERT BERGMAN
 Contact address: HUDSON ST 11TH FLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 966-5400
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: REAL ESTATE OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10007
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0845
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON PRINTING CO INC-200 HUDSON ST (Continued)

1004761811

Owner/operator name: REAL ESTATE OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10007
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0845
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: HUDSON PRINTING CO INC
 Classification: Not a generator, verified

Date form received by agency: 10/20/2000
 Facility name: HUDSON PRINTING CO INC
 Classification: Small Quantity Generator

Violation Status: No violations found

AIRS (AFS):

Airs Minor Details:

EPA plant ID: 110001603248
 Plant name: HUDSON PRINTING CO INC-200 HUDSON ST
 Plant address: 200 HUDSON STREET
 NEW YORK, NY 10013
 County: NEW YORK
 Region code: 02
 Dunn & Bradst #: Not reported
 Air quality cntrl region: 043
 Sic code: 2752
 Sic code desc: COMMERCIAL PRINTING, LITHOGRAPHIC
 North Am. industrial classf: Not reported
 NAIC code description: Not reported
 Default compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Default classification: POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
 Govt facility: ALL OTHER FACILITIES NOT OWNED OR OPERATED BY A FEDERAL, STATE, OR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON PRINTING CO INC-200 HUDSON ST (Continued)

1004761811

Current HPV: LOCAL GOVERNMENT
 Not reported

Compliance and Enforcement Major Issues:

Air program: SIP SOURCE
 National action type: Not reported
 Date achieved: 00000
 Penalty amount: Not reported

Historical Compliance Minor Sources:

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1101
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1103
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1202
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1204
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1303
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1004
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1102
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1104
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1201
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1203
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1301
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON PRINTING CO INC-200 HUDSON ST (Continued)

1004761811

Hist compliance date: 1302
 Air prog code hist file: SIP SOURCE

Compliance & Violation Data by Minor Sources:

Air program code: SIP SOURCE
 Plant air program pollutant: VOLATILE ORGANIC COMPOUNDS
 Default pollutant classification: POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
 Def. poll. compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Def. attainment/non atnmnt: Not reported
 Repeat violator date: Not reported
 Turnover compliance: Not reported

**W135
 NNE
 < 1/8
 0.121 mi.
 637 ft.**

**HR ELLIOT & CO INC
 200 HUDSON STREET
 NEW YORK, NY
 Site 2 of 7 in cluster W**

**RCRA NonGen / NLR 100055534
 FINDS NYD986980720**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: LATHAM PROCESS CORP
 Facility address: 200 HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYD986980720
 Mailing address: HUDSON ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: HUDSON ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PARISH OF TRINITY CHURCH RED
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0867
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: PARISH OF TRINITY CHURCH RED
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006

Owner/operator country: US
 Owner/operator telephone: (212) 602-0867
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HR ELLIOT & CO INC (Continued)

100055534

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: LATHAM PROCESS CORP
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: LATHAM PROCESS CORP
 Classification: Not a generator, verified

Date form received by agency: 11/07/1991
 Facility name: LATHAM PROCESS CORP
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110019792946

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110009481104

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

W136 NNE < 1/8 0.121 mi. 637 ft.	TRINITY CHURCH 200 HUDSON ST - MAIN NEW YORK, NY 10013 Site 3 of 7 in cluster W	RCRA NonGen / NLR FINDS	1005444422 NYR000107433
--	--	--	--

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: TRINITY CHURCH
 Facility address: 200 HUDSON ST - MAIN
 NEW YORK, NY 10013
 EPA ID: NYR000107433
 Mailing address: HUDSON ST - MAIN
 NEW YORK, NY 10013
 Contact: KEITH GEORGE
 Contact address: HUDSON ST - MAIN
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 602-0844
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PARISH OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0844
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

Owner/operator name: PARISH OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0844
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRINITY CHURCH (Continued)

1005444422

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: TRINITY CHURCH
 Classification: Not a generator, verified

Date form received by agency: 06/28/2002
 Facility name: TRINITY CHURCH
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110012568284

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

W137
NNE
< 1/8
0.121 mi.
637 ft.

PARISH OF TRINITY CHURCH
200 HUDSON STREET
NEW YORK, NY 10013
Site 4 of 7 in cluster W

NY AST **U003385788**
NY MANIFEST **N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-158933
 Program Type: PBS
 UTM X: 583806.92027999996
 UTM Y: 4508416.7626799997
 Expiration Date: 2017/06/05
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 5347
 Affiliation Type: Mail Contact
 Company Name: RECTOR CHURCHWARDENS
 Contact Type: Not reported
 Contact Name: DINO CELIC
 Address1: 74 TRINITY PLACE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 613-9421

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

PARISH OF TRINITY CHURCH (Continued)

U003385788

EMail: PSTJOHN@TRINITYWALLSTREET.ORG
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/20/2012

Site Id: 5347
 Affiliation Type: On-Site Operator
 Company Name: 200 HUDSON ST
 Contact Type: Not reported
 Contact Name: DINO CELIC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-5093
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 3/23/2007

Site Id: 5347
 Affiliation Type: Emergency Contact
 Company Name: RECTOR CHURCHWARDENS
 Contact Type: Not reported
 Contact Name: DINO CELIC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (917) 440-9701
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 3/23/2007

Site Id: 5347
 Affiliation Type: Facility Owner
 Company Name: RECTOR CHURCHWARDENS
 Contact Type: DIRECTOR
 Contact Name: PETER A. ST JOHN
 Address1: 74 TRINITY PLACE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10006
 Country Code: 001
 Phone: (212) 602-0854
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/20/2012

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PARISH OF TRINITY CHURCH (Continued)

U003385788

Tank Info:

Tank Number: 001
 Tank Id: 8556
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 C01 - Pipe Location - Aboveground
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B00 - Tank External Protection - None
 E07 - Piping Secondary Containment - Trench Liner
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/1983
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 07/20/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

NY MANIFEST:

EPA ID: NYD986980720
 Country: USA
 Mailing Name: LATHAM PROCESS
 Mailing Contact: HERBERT A SCHMIDT
 Mailing Address: 200 HUDSON STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-966-4500

NY MANIFEST:

No Manifest Records Available

EPA ID: NYR000107433
 Country: USA
 Mailing Name: PARISH OF TRINITY CHURCH

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PARISH OF TRINITY CHURCH (Continued)

U003385788

Mailing Contact: MITCH ALVO
 Mailing Address: 74 TRINITY PLACE
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10006
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-602-0844

NY MANIFEST:
 No Manifest Records Available

**R138
 NW
 < 1/8
 0.121 mi.
 641 ft.**

**CON EDISON SERVICE BOX: 47509
 63 VESTRY ST
 NEW YORK, NY 10013
 Site 11 of 13 in cluster R**

**RCRA-CESQG 1016149877
 NYP004285433**

RCRA-CESQG:
 Date form received by agency: 01/26/2013
 Facility name: CON EDISON SERVICE BOX: 47509
 Facility address: 63 VESTRY ST
 NEW YORK, NY 10013
 EPA ID: NYP004285433
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:
 U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 47509 (Continued)

1016149877

On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**R139
 NW
 < 1/8
 0.121 mi.
 641 ft.**

**CON EDISON
 63 VESTRY ST
 NEW YORK, NY 10013
 Site 12 of 13 in cluster R**

**NY MANIFEST S113494851
 N/A**

NY MANIFEST:

EPA ID: NYP004285441
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 25-Jan-2013 00:00:00
 Trans1 Recv Date: 25-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 28-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285441
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707054JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494851

Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**R140
 NW
 < 1/8
 0.121 mi.
 641 ft.**

**CONED
 63-65 VESTRY ST
 NEW YORK, NY
 Site 13 of 13 in cluster R**

**NY MANIFEST S110823729
 N/A**

NY MANIFEST:

EPA ID: NYP004226462
 Country: USA
 Mailing Name: CONED
 Mailing Contact: CONED
 Mailing Address: 4 IRVING PLACE
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10004
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: Not reported

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-02-02
 Trans1 Recv Date: 2011-02-02
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-02-03
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004226462
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2011
 Manifest Tracking Num: 007655923JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONED (Continued)

S110823729

Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

**V141
 ESE
 < 1/8
 0.123 mi.
 647 ft.**

**NEW YORK BLOOD CENTER, INC
 22 ERICSSON PLACE
 NEW YORK, NY 10013**

**NY AST U001831356
 NY HIST AST N/A**

Site 2 of 2 in cluster V

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-043419
 Program Type: PBS
 UTM X: 583889.0605099998
 UTM Y: 4508204.4251300003
 Expiration Date: N/A
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 408
 Affiliation Type: Mail Contact
 Company Name: HOFFMAN MANAGEMENT
 Contact Type: Not reported
 Contact Name: MARK HOFFMAN
 Address1: 300 WEST 55TH ST.
 Address2: SUITE 2S
 City: NEW YORK
 State: NY
 Zip Code: 10019
 Country Code: 001
 Phone: (212) 247-4975
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 2/1/2005

Site Id: 408
 Affiliation Type: On-Site Operator
 Company Name: 22 ERICSSON PLACE
 Contact Type: Not reported
 Contact Name: PAUL VINAS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 941-5110
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 2/1/2005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW YORK BLOOD CENTER, INC (Continued)

U001831356

Site Id: 408
 Affiliation Type: Emergency Contact
 Company Name: 27 NORTHMOORE STREET CONDOMINIUM
 Contact Type: Not reported
 Contact Name: PAUL VINAS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (646) 594-7762
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 2/1/2005

Site Id: 408
 Affiliation Type: Facility Owner
 Company Name: 27 NORTHMOORE STREET CONDOMINIUM
 Contact Type: MANAGING AGENT
 Contact Name: MARK HOFFMAN
 Address1: C/O HOFFMAN MGMT. 300 WEST 55TH ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10019
 Country Code: 001
 Phone: (212) 247-4975
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 2/1/2005

Tank Info:

Tank Number: 001
 Tank Id: 1138
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None
 Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEW YORK BLOOD CENTER, INC (Continued)

U001831356

Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 01/01/1999
 Register: True
 Modified By: KXTANG
 Last Modified: 02/01/2005
 Material Name: #6 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-043419
 SWIS Code: 6201
 Operator: NEW YORK BLOOD CENTER
 Facility Phone: (212) 570-3333
 Facility Addr2: 22 ERICSSON PLACE
 Facility Type: Not reported
 Emergency: A THOMAS HENSKE
 Emergency Tel: (516) 754-2935
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: POLAROME MANUFACTURING CO INC
 Owner Address: 22 ERICSSON PLACE
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 570-3333
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: A THOMAS HENSKE
 Mailing Name: NEW YORK BLOOD CENTER
 Mailing Address: 22 ERICSSON PLACE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 570-3000
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 02/12/1992
 Expiration: 12/30/1996
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

NEW YORK BLOOD CENTER, INC (Continued)

U001831356

Tank ID: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 5 OR 6 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

X142
 SSE
 < 1/8
 0.124 mi.
 653 ft.

NLI/LUTZ LLC
111 HUDSON STREET
NEW YORK, NY 10013
Site 1 of 5 in cluster X

NY AST U003383649
NY HIST AST N/A

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-047546
 Program Type: PBS
 UTM X: 583753.80007999996
 UTM Y: 4508071.7831100002
 Expiration Date: N/A
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 753
 Affiliation Type: Mail Contact
 Company Name: SMITH MURDOCK CO.
 Contact Type: Not reported
 Contact Name: RICHARD MURDOCK
 Address1: 561 BROADWAY
 Address2: 6D
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 925-1811
 Email: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NLI/LUTZ LLC (Continued)

U003383649

Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 1/15/2009

Site Id: 753
 Affiliation Type: On-Site Operator
 Company Name: 111 HUDSON STREET CONDOMINIUM
 Contact Type: Not reported
 Contact Name: RITA MORRIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 210-1009
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 1/15/2009

Site Id: 753
 Affiliation Type: Emergency Contact
 Company Name: 111 HUDSON STREET LLC C/O SMITH MURDOCK CO.
 Contact Type: Not reported
 Contact Name: RITA MORRIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (646) 210-1009
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 1/15/2009

Site Id: 753
 Affiliation Type: Facility Owner
 Company Name: 111 HUDSON STREET LLC C/O SMITH MURDOCK CO.
 Contact Type: AGENT
 Contact Name: RICHARD MURDOCK
 Address1: 561 BROADWAY
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 925-1811
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 1/15/2009

Tank Info:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NLI/LUTZ LLC (Continued)

U003383649

Tank Number: 001
 Tank Id: 1969
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A99 - Tank Internal Protection - Other
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 B99 - Tank External Protection - Other
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 12/18/2008
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 01/15/2009
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-047546
 SWIS Code: 6201
 Operator: STEVE O'ROUKE
 Facility Phone: (917) 649-8091
 Facility Addr2: Not reported
 Facility Type: APARTMENT BUILDING
 Emergency: STEVE O'ROUKE
 Emergency Tel: (917) 649-8091
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: NLI/LUTZ LLC
 Owner Address: 304 SPRING STREET
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 414-4360
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: QUEVA J. LUTZ
 Mailing Name: NLI/LUTZ LLC
 Mailing Address: 304 SPRING STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NLI/LUTZ LLC (Continued)

U003383649

Mailing Telephone: (212) 414-4360
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 06/15/1998
 Expiration: 02/05/2002
 Renew Flag: False
 Renew Date: 10/30/2001
 Total Capacity: 2000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Not reported
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

X143 SSE **111 HUDSON ST** **EDR US Hist Cleaners** **1014975373**
< 1/8 **NEW YORK, NY 10013** **N/A**
0.124 mi.
653 ft. Site 2 of 5 in cluster X

EDR Historical Cleaners:
 Name: NEW GOLDEN CLEANERS
 Year: 1999
 Address: 111 HUDSON ST

Y144 NNW **CON EDISON** **NY MANIFEST** **S113494837**
< 1/8 **429 WASHINGTON ST** **N/A**
0.124 mi. **NEW YORK, NY 10013**
654 ft. Site 1 of 8 in cluster Y

NY MANIFEST:
 EPA ID: NYP004285284
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 24-Jan-2013 00:00:00
 Trans1 Recv Date: 24-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 29-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285284
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010456779JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

CON EDISON (Continued)

S113494837

Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**Y145
 NNW
 < 1/8
 0.124 mi.
 654 ft.**

**CON EDISON SERVICE BOX: 49046
 429 WASHINGTON ST
 NEW YORK, NY**

**RCRA-CESQG 1016149862
 FINDS NYP004285284**

Site 2 of 8 in cluster Y

RCRA-CESQG:

Date form received by agency: 01/25/2013
 Facility name: CON EDISON SERVICE BOX: 49046
 Facility address: 429 WASHINGTON ST
 NEW YORK, NY 10013
 EPA ID: NYP004285284
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 49046 (Continued)

1016149862

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055467711

Environmental Interest/Information System

**Y146
 NW
 < 1/8
 0.124 mi.
 657 ft.**

**63 VESTRY STREET
 67 VESTRY STREET
 MANHATTAN, NY
 Site 3 of 8 in cluster Y**

**NY LTANKS S106737540
 N/A**

LTANKS:

Site ID: 335075
 Spill Number/Closed Date: 0410085 / 3/16/2005
 Spill Date: 12/10/2004
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MXTIPPLE
 Referred To: Not reported
 Reported to Dept: 12/10/2004
 CID: 409
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/13/2004
 Spill Record Last Update: 3/16/2005
 Spiller Name: NICKY RICKETTS
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller County: 001
 Spiller Contact: NICKY RICKETTS
 Spiller Phone: (914) 777-1930
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 270296
 DEC Memo: 5000 gal #6 fo tank ruptured, the tank room had a large hole broken through it leading into the many rooms of the basement. PTC brought a vac truck and numerous other trucks and people to begin the cleanup. Cleanup continued Saturday and Monday. What was observable on friday eve of the concrete floor appeared to be sound. Tipple also inspected the adjoining neighbors basements which are currently under construction and they had no oil impact at that time.12/23/04 tipple

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

63 VESTRY STREET (Continued)

S106737540

updating/// most of the oil removed/ powerwashed// the tank room has not been cleaned, numeros proposals from different companies, awaiting company to be awarded contract. Once the tank is removed and the room cleaned, Tipple will conduct followup inspection.2/10/04 not yet cleaned, temporary tanks still in place3/3/05 Tipple and Rahman conducted a site visit.... The majority of the spill has been successfully cleaned, there are a few edges and at the former tank grave that must be re-cleaned.3/16/05 site visit, followup electronic photos, manifests to follow, cleanup completed, no further aaction, letter sent.....MT

Remarks: CREWS ARE ON THE WAY TO CLEAN UP.

Material:

Site ID: 335075
 Operable Unit ID: 1097183
 Operable Unit: 01
 Material ID: 577138
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 100
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**X147
 SSE
 < 1/8
 0.125 mi.
 659 ft.**

**111 HUDSON AVE/CON ED
 111 HUDSON AVENUE
 NEW YORK CITY, NY
 Site 3 of 5 in cluster X**

**NY Spills S102141568
 N/A**

SPILLS:

Facility ID: 9002432
 Facility Type: ER
 DER Facility ID: 186710
 Site ID: 226192
 DEC Region: 2
 Spill Date: 6/1/1990
 Spill Number/Closed Date: 9002432 / 6/20/1995
 Spill Cause: Human Error
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 2401
 Investigator: FINGER
 Referred To: Not reported
 Reported to Dept: 6/1/1990
 CID: Not reported
 Water Affected: HUDSON RIVER
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: 6/20/1995

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

111 HUDSON AVE/CON ED (Continued)

S102141568

Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 6/5/1990
 Spill Record Last Update: 11/25/2002
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: TYURBINE LUBRICATING OIL WAS COMING FROM DUMPSTER & LEAKED INTO EAST RIVER, MOPPED UP WHAT THEY COULD ON LAND, USCG NOTIFIED.

Material:

Tank Test:

**Y148
 NW
 1/8-1/4
 0.125 mi.
 661 ft.**

**67 VESTRY ST
 67 VESTRY STREET
 NEW YORK, NY 10013
 Site 4 of 8 in cluster Y**

**NY AST A100292655
 N/A**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-212237
 Program Type: PBS
 UTM X: 583562.61312999995
 UTM Y: 4508471.4014100004
 Expiration Date: 2015/11/29
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 7775
 Affiliation Type: Mail Contact
 Company Name: 67 VESTRY LLC % CLASSIC REALTY LLC
 Contact Type: Not reported
 Contact Name: STANLEY LEIBOWITZ
 Address1: 757 THIRD AVENUE
 Address2: 5TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10017
 Country Code: 001
 Phone: (212) 223-1700
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 11/20/2012

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

67 VESTRY ST (Continued)

A100292655

Site Id: 7775
 Affiliation Type: Emergency Contact
 Company Name: 67 VESTRY LLC % CLASSIC REALTY LLC
 Contact Type: Not reported
 Contact Name: ANGEL
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (646) 303-8136
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/5/2012

Site Id: 7775
 Affiliation Type: On-Site Operator
 Company Name: 67 VESTRY ST
 Contact Type: Not reported
 Contact Name: ANGEL
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 303-8136
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/5/2012

Site Id: 7775
 Affiliation Type: Facility Owner
 Company Name: 67 VESTRY LLC % CLASSIC REALTY LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 757 THIRD AVE, 5TH FL
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10017
 Country Code: 001
 Phone: (212) 223-1700
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/5/2012

Tank Info:

Tank Number: 001
 Tank Id: 14148
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

67 VESTRY ST (Continued)

A100292655

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 I05 - Overfill - Vent Whistle
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 03/10/2005
 Register: True
 Modified By: KXTANG
 Last Modified: 11/29/2005
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 209088
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 I05 - Overfill - Vent Whistle
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/16/2005
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID	EDR ID Number
Direction	
Distance	
Distance (ft.)Site	Database(s) EPA ID Number

67 VESTRY ST (Continued)

A100292655

Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	NRLOMBAR
Last Modified:	10/05/2012
Material Name:	#2 Fuel Oil (On-Site Consumption)

**U149
WNW
1/8-1/4
0.125 mi.
662 ft.**

**CON EDISON SERVICE BOX: 37943
88 LAIGHT ST FRONT OF
NEW YORK, NY 10013**

**RCRA-CESQG 1016149860
NYP004285268**

Site 3 of 5 in cluster U

RCRA-CESQG:

Date form received by agency:	01/24/2013
Facility name:	CON EDISON SERVICE BOX: 37943
Facility address:	88 LAIGHT ST FRONT OF NEW YORK, NY 10013
EPA ID:	NYP004285268
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	RICARDO CARTY
Contact address:	Not reported
Contact country:	Not reported
Contact telephone:	(646) 772-3407
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

CON EDISON SERVICE BOX: 37943 (Continued)

1016149860

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**U150
 WNW
 1/8-1/4
 0.125 mi.
 662 ft.**

**CON EDISON SERVICE BOX: 37943
 88 LAIGHT ST FRONT OF
 NEW YORK, NY 10004**

RCRA-CESQG

**1016149295
 NYP004279584**

Site 4 of 5 in cluster U

RCRA-CESQG:

Date form received by agency: 12/04/2012
 Facility name: CON EDISON SERVICE BOX: 37943
 Facility address: 88 LAIGHT ST FRONT OF
 NEW YORK, NY 10004
 EPA ID: NYP004279584
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: BENJAMIN BAMONTE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9549
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 37943 (Continued)

1016149295

Used oil transporter: No

Violation Status: No violations found

U151
WNW
1/8-1/4
0.125 mi.
662 ft.

CON EDISON
88 LAIGHT ST
NEW YORK, NY 10004

Site 5 of 5 in cluster U

NY MANIFEST **S112817946**
N/A

NY MANIFEST:

EPA ID:	NYP004279584
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	2012-12-04
Trans1 Recv Date:	2012-12-04
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2012-12-07
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004279584
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	200.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0
Year:	2012
Manifest Tracking Num:	010840216JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EPA ID Number
 EDR ID Number
 EPA ID Number

Y152
NW
1/8-1/4
0.132 mi.
695 ft.
70 VESTRY ST
NEW YORK, NY 10013
Site 5 of 8 in cluster Y
EDR US Hist Auto Stat
1015604383
N/A

EDR Historical Auto Stations:

Name: TRIBECA AUTO REPAIR
 Year: 1999
 Address: 70 VESTRY ST

Name: TRIBECA AUTO REPAIR
 Year: 2000
 Address: 70 VESTRY ST

Name: TRIBECA AUTO REPAIR
 Year: 2001
 Address: 70 VESTRY ST

X153
SSE
1/8-1/4
0.132 mi.
695 ft.
BORDEN HOUSE CONDOMINIUMS
110 HUDSON ST - FLOOR 2
NEW YORK, NY 11013
Site 4 of 5 in cluster X
RCRA-SQG
1011490627
NYR000158881

RCRA-SQG:

Date form received by agency: 08/05/2008
 Facility name: BORDEN HOUSE CONDOMINIUMS
 Facility address: 110 HUDSON ST - FLOOR 2
 NEW YORK, NY 11013
 EPA ID: NYR000158881
 Mailing address: CANAL ST - 3RFLOOR
 NEW YORK, NY 10013
 Contact: TERESA BOROWIEC
 Contact address: CANAL ST - 3RFLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 431-0696
 Contact email: TERESA@DEGMORINC.COM
 EPA Region: 02
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: ERIC HOFFMAN
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 03/03/2007
 Owner/Op end date: Not reported

Owner/operator name: BORDEN HOUSE CONDOMINIUMS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BORDEN HOUSE CONDOMINIUMS (Continued)

1011490627

Owner/operator address: Not reported
 Not reported
 Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 02/01/1972
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D008
 Waste name: LEAD

Violation Status: No violations found

X154
 SSE
 1/8-1/4
 0.132 mi.
 695 ft.

BORDEN HOUSE CONDOMINIUMS
110 HUDSON ST - FLOOR 2
NEW YORK, NY 10013
Site 5 of 5 in cluster X

NY MANIFEST S109155541
N/A

NY MANIFEST:

EPA ID: NYR000158881
 Country: USA
 Mailing Name: BORDEN HOUSE CONDOMINIUMS
 Mailing Contact: GREG JOHNSON
 Mailing Address: 110 HUDSON ST - FLOOR 2
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: Not reported

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-08-21

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BORDEN HOUSE CONDOMINIUMS (Continued)

S109155541

Trans1 Recv Date: 2008-08-21
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-08-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000158881
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 1000.0
 Units: P - Pounds
 Number of Containers: 5.0
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 004257984JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-08-21
 Trans1 Recv Date: 2008-08-21
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-08-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000158881
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 1000.0
 Units: P - Pounds
 Number of Containers: 5.0
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 004257984JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

BORDEN HOUSE CONDOMINIUMS (Continued)

S109155541

Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H111

W155 NNE 1/8-1/4 0.133 mi. 700 ft.	CON EDISION - MH 37290 F/O 189 HUDSON ST. F/O 189 HUD NEW YORK, NY 10003 Site 5 of 7 in cluster W	RCRA NonGen / NLR NY MANIFEST	1007207860 NYP004077087
---	--	--	--

RCRA NonGen / NLR:

Date form received by agency:	06/02/2002
Facility name:	CON EDISION - MH 37290
Facility address:	F/O 189 HUDSON ST. F/O 189 HUD NEW YORK, NY 10003
EPA ID:	NYP004077087
Mailing address:	IRVING PLACE NEW YORK, NY 10003
Contact:	ANTHONY DRUMMINGS
Contact address:	IRVING PLACE NEW YORK, NY 10003
Contact country:	US
Contact telephone:	(212) 460-3770
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	06/01/2002
Facility name:	CON EDISION - MH 37290
Classification:	Not a generator, verified
Date form received by agency:	05/31/2002
Facility name:	CON EDISION - MH 37290

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISION - MH 37290 (Continued)

1007207860

Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004077087
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: CTF0833772
 Manifest Status: Not reported
 Trans1 State ID: MAD039322250
 Trans2 State ID: Not reported
 Generator Ship Date: 03/15/2001
 Trans1 Recv Date: 03/15/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/21/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004077087
 Trans1 EPA ID: CTD000604488
 Trans2 EPA ID: Not reported
 TSD ID: PUL9202OH
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00002
 Units: Y - Cubic yards* (.85 tons)
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2001

Z156
 SSW
 1/8-1/4
 0.134 mi.
 706 ft.

**LOT 16,TAXBLOCK 187
 377 GREENWICH STREET
 MANHATTAN, NY 10013**
Site 1 of 2 in cluster Z

**NY BROWNFIELDS S108078299
 NY E DESIGNATION N/A**

BROWNFIELDS:
 Program: BCP
 Site Code: 57850
 Site Description: This Site consists of approximately 10,080 square feet of vacant land previously occupied by a two-story parking garage. Garage was demolished in 1991 and the Site has been utilized as a parking lot since then. The site is surrounded by residential buildings.Phase I was conducted in July 2003, and a Phase II Investigation was conducted in July 2004. Results indicate low levels of metal contamination.Applicant has demolished the parking lot and is

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 16,TAXBLOCK 187 (Continued)

S108078299

conducting soil removal for construction of a hotel. The Site will be occupied by the hotel/restaurant building. Building includes construction of 80-room hotel and 100-seat restaurant consisting of approximately 60,000 sf.After careful review, the Department determined that this site was not eligible for the BCP.

Env Problem: Site soils exhibit low levels of metal contamination. Test pits indicate presence of two 500-gallon tanks. Site groundwater is being investigated.

Health Problem: Not reported

E DESIGNATION:

Tax Lot(s):	16
E-No:	E-61
Effective Date:	6/28/1995
Satisfaction Date:	Not reported
Ceqr Number:	95DCP010M
Ulurp Number:	940309 ZMM
Zoning Map No:	12a, 12b
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	39
Census Block:	1011
School District:	02
City Council District:	01
Fire Company:	E007
Health Area:	15
Police Precinct:	001
Zone District 1:	C6-2A
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	TMU
Special Purpose District2:	Not reported
All Components1:	C6-2A/TMU
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	H9
Land Use Category:	05
Number of Easements:	0
Owner, Type of Code:	Not reported
Owner Name:	377 GREENWICH LLC C/O
Lot Area:	000010071
Total Building Floor Area:	00000075533
Commercial Floor Area:	00000075533
Office Floor Area:	00000000000
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000075533
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	007.00
Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0100.67

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 16,TAXBLOCK 187 (Continued)

S108078299

Lot Depth: 0100.00
 Building Frontage: 0000.00
 Building Depth: 0000.00
 Proximity Code: 0
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000630000
 Total Assessed Value: 00000630000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 2005
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca West
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0007.50
 Maximum Allowable Far: 6.02
 Borough Code: 1
 Borough Tax Block And Lot: 1001870016
 Condominium Number: 00000
 Census Tract 2: 0039
 X Coordinate: 0981505
 Y Coordinate: 0201529
 Zoning Map: 12A
 Sanborn Map: 101S037
 Tax Map: 10105
 E Designation No: E-61
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**W157
 NNE
 1/8-1/4
 0.134 mi.
 708 ft.**

**CON EDISON SERVICE BOX: 37286
 185 HUDSON ST
 NEW YORK, NY
 Site 6 of 7 in cluster W**

**RCRA-CESQG 1016149923
 FINDS NYP004285912**

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 37286
 Facility address: 185 HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYP004285912
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37286 (Continued)

1016149923

Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055468792

Environmental Interest/Information System

W158 CON EDISON
NNE 185 HUDSON ST
1/8-1/4 NEW YORK, NY 10013
0.134 mi.
708 ft. Site 7 of 7 in cluster W

NY MANIFEST S113494898
N/A

NY MANIFEST:
 EPA ID: NYP004285912
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CON EDISON (Continued)

S113494898

Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 28-Jan-2013 00:00:00
 Trans1 Recv Date: 28-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 29-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285912
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 4000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010840385JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

Y159
 NNW
 1/8-1/4
 0.135 mi.
 715 ft.

CON EDISON SERVICE BOX: 49043
432 WASHINGTON ST FRONT OF
NEW YORK, NY 10013
Site 6 of 8 in cluster Y

RCRA-CESQG 1016149875
FINDS NYP004285417

RCRA-CESQG:
 Date form received by agency: 01/25/2013
 Facility name: CON EDISON SERVICE BOX: 49043
 Facility address: 432 WASHINGTON ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004285417
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: RICARDO CARTY
 Contact address: Not reported
 Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49043 (Continued)

1016149875

Contact country: Not reported
 Contact telephone: (646) 772-3407
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055467784

Environmental Interest/Information System

Y160
 NNW
 1/8-1/4
 0.135 mi.
 715 ft.

CON EDISON
432 WASHINGTON ST
NEW YORK, NY 10013
Site 7 of 8 in cluster Y

NY MANIFEST S113494849
N/A

NY MANIFEST:
 EPA ID: NYP004285417
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494849

Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 25-Jan-2013 00:00:00
 Trans1 Recv Date: 25-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 25-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285417
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 300
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707289JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**Y161
 NNW
 1/8-1/4
 0.135 mi.
 715 ft.**

**432 WASHINGTON ST
 NEW YORK, NY 10013
 Site 8 of 8 in cluster Y**

**EDR US Hist Auto Stat 1015493353
 N/A**

EDR Historical Auto Stations:
 Name: AUTOMOTIVE SERVICE SYSTEMS INC
 Year: 2009
 Address: 432 WASHINGTON ST

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

AA162 West 1/8-1/4 0.136 mi. 720 ft.	CON EDISON MANHOLE: 51683 WEST ST & HUBERT ST SE NEW YORK, NY 10013 Site 1 of 2 in cluster AA	RCRA-CESQG 1016150018 NYP004286878
---	--	---

RCRA-CESQG:

Date form received by agency: 02/02/2013
 Facility name: CON EDISON MANHOLE: 51683
 Facility address: WEST ST & HUBERT ST SE
 NEW YORK, NY 10013
 EPA ID: NYP004286878
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

AA163 West 1/8-1/4 0.136 mi. 720 ft.	VARLOTTA CONSTRUCTION CORP. WEST ST. & HUBERT ST. (LOWER MANHATTAN) NEW YORK, NY 10013 Site 2 of 2 in cluster AA	NY SWF/LF	S105841769 N/A
---	---	------------------	---------------------------------

SWF/LF:

Flag:	INACTIVE
Region Code:	2
Phone Number:	2128957156
Owner Name:	Not reported
Owner Type:	Not reported
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	Not reported
Owner Email:	Not reported
Owner Phone:	Not reported
Contact Name:	GERARD VARLOTTA; OWNER
Contact Address:	Not reported
Contact Addr2:	Not reported
Contact City,St,Zip:	Not reported
Contact Email:	Not reported
Contact Phone:	Not reported
Activity Desc:	Transfer station - permit
Activity Number:	[31T07]
Active:	No
East Coordinate:	Not reported
North Coordinate:	Not reported
Accuracy Code:	Not reported
Regulatory Status:	Not reported
Waste Type:	Not reported
Authorization #:	Not reported
Authorization Date:	Not reported
Expiration Date:	Not reported

164 WNW 1/8-1/4 0.138 mi. 727 ft.	34 HERBERT STREET ASSOCIATES 250 WEST ST NEW YORK, NY 10013	NY MANIFEST	1009232665 N/A
--	--	--------------------	---------------------------------

NY MANIFEST:

EPA ID:	NYP000886309
Country:	USA
Mailing Name:	34 HERBERT STREET ASSOCIATES
Mailing Contact:	N/S
Mailing Address:	250 WEST ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10013
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-941-0440

Document ID:	NJA0570996
Manifest Status:	Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID:	NJSWAS300
Trans2 State ID:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

34 HERBERT STREET ASSOCIATES (Continued)

1009232665

Generator Ship Date: 890302
 Trans1 Recv Date: 890302
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890302
 Part A Recv Date: 890425
 Part B Recv Date: 890316
 Generator EPA ID: NYP000886309
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: X910 - NJ UNKNOWN
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 89

**AB165
 NE
 1/8-1/4
 0.138 mi.
 728 ft.**

**THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL
 4 VESTRY STREET
 NEW YORK CITY, NY 10013**

**RCRA-LQG 1000390996
 NY MANIFEST NYD981489271
 NJ MANIFEST**

Site 1 of 3 in cluster AB

RCRA-LQG:
 Date form received by agency: 01/18/2008
 Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL
 Facility address: 4 VESTRY STREET
 NEW YORK CITY, NY 10013
 EPA ID: NYD981489271
 Mailing address: PROVOST STREETS
 JERSEY CITY, NJ 07310
 Contact: DONNA BRUNO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (201) 360-5008
 Contact email: D.BRUNO@PANYNJ.GOV
 EPA Region: 02
 Land type: State
 Classification: Large Quantity Generator
 Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name: THE PORT AUTHORITY OF NY & NJ
 Owner/operator address: MADISON AVENUE
 NEW YORK CITY, NY 10010
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: State
 Owner/Operator Type: Owner
 Owner/Op start date: 12/31/1979
 Owner/Op end date: Not reported

Owner/operator name: THE PORT AUTHORITY OF NY & NJ
 Owner/operator address: MADISON AVENUE
 NEW YORK CITY, NY 10010
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: State
 Owner/Operator Type: Operator
 Owner/Op start date: 12/31/1979
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Universal Waste Summary:

Waste type: Batteries
 Accumulated waste on-site: Yes
 Generated waste on-site: Not reported
 Waste type: Lamps
 Accumulated waste on-site: Yes
 Generated waste on-site: Not reported

Historical Generators:

Date form received by agency: 01/01/2007
 Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL
 Site name: PORT AUTHORITY HOLLAND TUNNEL- NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Classification: Small Quantity Generator

Date form received by agency: 02/14/2006

Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL

Site name: PORT AUTHORITY HOLLAND TUNNEL- NY

Classification: Large Quantity Generator

Date form received by agency: 02/13/2006

Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL

Site name: PORT AUTHORITY HOLLAND TUNNEL- NY

Classification: Small Quantity Generator

Date form received by agency: 02/25/2004

Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL

Site name: PORT AUTHORITY HOLLAND TUNNEL-NY

Classification: Large Quantity Generator

Date form received by agency: 07/13/1998

Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL

Site name: PORT AUTHORITY OF NY & NJ

Classification: Large Quantity Generator

Date form received by agency: 08/04/1986

Facility name: THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL

Site name: PORT AUTH OF NY & NJ - HOLLAND TUNNEL

Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008

Waste name: LEAD

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 08/11/2010

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Not reported

Date achieved compliance: Not reported

Evaluation lead agency: EPA

Evaluation date: 09/30/1997

Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE

Area of violation: Not reported

Date achieved compliance: Not reported

Evaluation lead agency: EPA

NY MANIFEST:

EPA ID: NYD981489271

Country: USA

Mailing Name: PORT AUTHORITY OF NY & NJ

Mailing Contact: DONNA BRUNO

Mailing Address: 13TH & PROVOST ST

Mailing Address 2: Not reported

Mailing City: JERSEY CITY

Mailing State: NJ

Mailing Zip: 07302

Mailing Zip4: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Mailing Country: USA
 Mailing Phone: 201-714-7408

Document ID: NJA5228906
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 02/11/2005
 Trans1 Recv Date: 02/11/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/11/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: 06993
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: PAH0096610
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 06/07/2005
 Trans1 Recv Date: 06/07/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/17/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: PAAH0420
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 05500
 Units: P - Pounds
 Number of Containers: 011
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: PAH0187254
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 06/07/2005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Trans1 Recv Date: 06/07/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/17/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: PAAH0420
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 04000
 Units: P - Pounds
 Number of Containers: 008
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 01000
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: L Landfill.
 Specific Gravity: Not reported
 Year: Not reported

Document ID: NYG0562167
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 04/08/1998
 Trans1 Recv Date: 04/08/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/22/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSD ID: T7V429NJ
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 98

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Document ID: NYG0562185
 Manifest Status: Not reported
 Trans1 State ID: NJD054126164
 Trans2 State ID: Not reported
 Generator Ship Date: 04/08/1998
 Trans1 Recv Date: 04/08/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/22/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: NYD049836679
 Trans2 EPA ID: Not reported
 TSD ID: T7V429NJ
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 98

Document ID: NYG5278023
 Manifest Status: Not reported
 Trans1 State ID: MAD985286988
 Trans2 State ID: Not reported
 Generator Ship Date: 07/28/2005
 Trans1 Recv Date: 07/28/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/03/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: 56703PANY
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 01000
 Units: P - Pounds
 Number of Containers: 008
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2005

Document ID: PAH0187254
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 06/07/2005
 Trans1 Recv Date: 06/07/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/17/2005
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: PAAH0420
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 04000
 Units: P - Pounds
 Number of Containers: 008
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 01000
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: L Landfill.
 Specific Gravity: Not reported
 Year: Not reported

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD046765574
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-06-04
 Trans1 Recv Date: 2008-06-04
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-06-04
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 2000.0
 Units: P - Pounds
 Number of Containers: 4.0
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000070057WAS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-01-25
 Trans1 Recv Date: 2008-01-25
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-01-25
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: Not reported
 Quantity: 400.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001871447JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: MIA7615548
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 02/05/1999
 Trans1 Recv Date: 02/05/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/17/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: MID980991566
 Trans2 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

TSDF ID: NYJR334
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 01300
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 99

Document ID: PAH0096610
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 06/07/2005
 Trans1 Recv Date: 06/07/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/17/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: PAAH0420
 Trans2 EPA ID: Not reported
 TSDF ID: PAD067098822
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 05500
 Units: P - Pounds
 Number of Containers: 011
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: NJA5316459
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 03/13/2006
 Trans1 Recv Date: 03/13/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/13/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: 06993
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2006

Document ID: NJA5316460
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 03/13/2006
 Trans1 Recv Date: 03/13/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/13/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: 06993
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2006

Document ID: NJA4133721
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 11/19/2002
 Trans1 Recv Date: 11/19/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/19/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSD ID: 06993
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00300
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2002

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Document ID: NJA4040381
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 05/08/2002
 Trans1 Recv Date: 05/08/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/09/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSD ID: 06993
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-09-04
 Trans1 Recv Date: 2008-09-04
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-09-04
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 55.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 004257014JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD046765574
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-06-04
 Trans1 Recv Date: 2008-06-04
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-06-04
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 2000.0
 Units: P - Pounds
 Number of Containers: 4.0
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000070057WAS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-01-25
 Trans1 Recv Date: 2008-01-25
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-01-25
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 400.0
 Units: P - Pounds
 Number of Containers: 1.0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001871447JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD046765574
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-07-25
 Trans1 Recv Date: 2008-07-25
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-07-25
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 1000.0
 Units: P - Pounds
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000070184WAS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD980772768

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Trans2 State ID: Not reported
 Generator Ship Date: 2011-08-18
 Trans1 Recv Date: 2011-08-18
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-08-18
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981489271
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 55.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2011
 Manifest Tracking Num: 008401494JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

[Click this hyperlink](#) while viewing on your computer to access
 58 additional NY_MANIFEST: record(s) in the EDR Site Report.

NJ MANIFEST:

Manifest Code: 005973493JJK
 EPA ID: NYD981489271
 Date Shipped: 01/22/2010
 TSD EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 01/22/2010
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDf Received Waste: 01/22/2010
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDf EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D018
 Manifest Year: 2010 New Jersey Manifest Data
 Quantity: 55
 Unit: G
 Hand Code: H141

Manifest Code: NJA5060309
 EPA ID: NYD981489271
 Date Shipped: 06/18/2004
 TSDf EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 06/18/2004
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 06/18/2004
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: 07130421
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: Not reported
 Manifest Year: Not reported
 Quantity: Not reported
 Unit: Not reported
 Hand Code: Not reported

Manifest Code: 000070057WAS
 EPA ID: NYD981489271
 Date Shipped: 06/04/2008
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NYD046765574
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 06/04/2008
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Date TSDf Received Waste: 06/04/2008
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDf EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2008 New Jersey Manifest Data
 Quantity: 2000
 Unit: P
 Hand Code: H111

Manifest Code: 006016931JJK
 EPA ID: NYD981489271
 Date Shipped: 08/05/2010
 TSDf EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 08/05/2010
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDf Received Waste: 08/05/2010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Tranporter 1 Decal: Not reported
 Tranporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2010 New Jersey Manifest Data
 Quantity: 2500
 Unit: P
 Hand Code: H141

Manifest Code: 000070184WAS
 EPA ID: NYD981489271
 Date Shipped: 07/25/2008
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NYD046765574
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 07/25/2008
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 07/25/2008
 Tranporter 1 Decal: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Tranporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D002
 Manifest Year: 2008 New Jersey Manifest Data
 Quantity: 1000
 Unit: P
 Hand Code: H141

Manifest Code: 000200155WAS
 EPA ID: NYD981489271
 Date Shipped: 08/09/2010
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NYD046765574
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 08/09/2010
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 08/09/2010
 Tranporter 1 Decal: Not reported
 Tranporter 2 Decal: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2010 New Jersey Manifest Data
 Quantity: 140
 Unit: P
 Hand Code: H111

Manifest Code: 001872625JJK
 EPA ID: NYD981489271
 Date Shipped: 03/14/2007
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 03/14/2007
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 03/14/2007
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2007 New Jersey Manifest Data
 Quantity: 100
 Unit: P
 Hand Code: H11

Manifest Code: 007938704JJK
 EPA ID: NYD981489271
 Date Shipped: 08/27/2010
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 08/27/2010
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 08/27/2010
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	D018
Manifest Year:	2010 New Jersey Manifest Data
Quantity:	55
Unit:	G
Hand Code:	H141
Manifest Code:	008928306JJK
EPA ID:	NYD981489271
Date Shipped:	11/10/2011
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Transporter 1 Decal:	Not reported
Transporter 2 Decal:	Not reported
Generator EPA Facility Name:	PORT AUTHORITY OF NY & NJ
Transporter-1 EPA Facility Name:	AUCHTER INDUSTRIAL VAC SERVICE INC
Transporter-2 EPA Facility Name:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: CLEAN EARTH OF NORTH JERSEY INC
 QTY Units: Pounds
 Transporter SEQ ID: 1.00
 Transporter-1 Date: 11/10/2011
 Waste SEQ ID: 1.00
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: 11/10/2011
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): Not reported
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2011 New Jersey Manifest Data
 Quantity: 200.00
 Unit: Pounds
 Hand Code: H141

 Manifest Code: 008401732JJK
 EPA ID: NYD981489271
 Date Shipped: 6/2/2011
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: Not reported
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: Not reported
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: PORT AUTHORITY OF NY & NJ
 Transporter-1 EPA Facility Name: AUCHTER INDUSTRIAL VAC SERVICE INC
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: CLEAN EARTH OF NORTH JERSEY INC
 QTY Units: Pounds
 Transporter SEQ ID: 1.00
 Transporter-1 Date: 6/2/2011
 Waste SEQ ID: 1.00
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: 6/2/2011
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): Not reported
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2011 New Jersey Manifest Data
 Quantity: 200.00
 Unit: Pounds
 Hand Code: H141

Manifest Code: 004257014JJK
 EPA ID: NYD981489271
 Date Shipped: 09/04/2008
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 09/04/2008
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 09/04/2008
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D018
 Manifest Year: 2008 New Jersey Manifest Data
 Quantity: 55
 Unit: G
 Hand Code: H141

Manifest Code: 007936761JJK
 EPA ID: NYD981489271
 Date Shipped: 11/19/2010
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 11/19/2010
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 11/19/2010
 Tranporter 1 Decal: Not reported
 Tranporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D008
 Manifest Year: 2010 New Jersey Manifest Data
 Quantity: 300
 Unit: P
 Hand Code: H111

Manifest Code: 001871447JJK
 EPA ID: NYD981489271
 Date Shipped: 01/25/2008
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 01/25/2008
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 01/25/2008
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: D018
 Manifest Year: 2008 New Jersey Manifest Data
 Quantity: 400
 Unit: P
 Hand Code: H141

Manifest Code: NJA5316460
 EPA ID: NYD981489271
 Date Shipped: 03/13/2006
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 03/13/2006
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 03/13/2006
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	05050621
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported
Manifest Code:	NJA5316459
EPA ID:	NYD981489271
Date Shipped:	03/13/2006
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/13/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/13/2006
Transporter 1 Decal:	Not reported
Transporter 2 Decal:	Not reported
Generator EPA Facility Name:	Not reported
Transporter-1 EPA Facility Name:	Not reported
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	05150621
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	No
Reason Load Was Rejected:	Not reported
Waste Code:	Not reported
Manifest Year:	Not reported
Quantity:	Not reported
Unit:	Not reported
Hand Code:	Not reported
Manifest Code:	008401494JJK
EPA ID:	NYD981489271
Date Shipped:	8/18/2011
TSDF EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
Transporter 1 Decal:	Not reported
Transporter 2 Decal:	Not reported
Generator EPA Facility Name:	PORT AUTHORITY OF NY & NJ
Transporter-1 EPA Facility Name:	AUCHTER INDUSTRIAL VAC SERVICE INC
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDF EPA Facility Name:	CLEAN EARTH OF NORTH JERSEY INC
QTY Units:	gallons
Transporter SEQ ID:	1.00
Transporter-1 Date:	8/18/2011

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Waste SEQ ID:	1.00
Waste Type Code 2:	D001
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	8/18/2011
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Reference Manifest Number:	Not reported
Was Load Rejected (Y/N):	Not reported
Reason Load Was Rejected:	Not reported
Waste Code:	D018
Manifest Year:	2011 New Jersey Manifest Data
Quantity:	55.00
Unit:	gallons
Hand Code:	H141
Manifest Code:	008401821JJK
EPA ID:	NYD981489271
Date Shipped:	6/13/2011
TSDf EPA ID:	NJD991291105
Transporter EPA ID:	NJD980772768
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDf Received Waste:	Not reported
Transporter 1 Decal:	Not reported
Transporter 2 Decal:	Not reported
Generator EPA Facility Name:	PORT AUTHORITY OF NY & NJ
Transporter-1 EPA Facility Name:	AUCHTER INDUSTRIAL VAC SERVICE INC
Transporter-2 EPA Facility Name:	Not reported
Transporter-3 EPA Facility Name:	Not reported
Transporter-4 EPA Facility Name:	Not reported
Transporter-5 EPA Facility Name:	Not reported
TSDf EPA Facility Name:	CLEAN EARTH OF NORTH JERSEY INC
QTY Units:	gallons
Transporter SEQ ID:	1.00
Transporter-1 Date:	6/13/2011
Waste SEQ ID:	1.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Waste Type Code 2: D001
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: 6/13/2011
 Manifest Discrepancy Type: Not reported
 Data Entry Number: Not reported
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): Not reported
 Reason Load Was Rejected: Not reported
 Waste Code: D018
 Manifest Year: 2011 New Jersey Manifest Data
 Quantity: 55.00
 Unit: gallons
 Hand Code: H141

Manifest Code: NJA5228906
 EPA ID: NYD981489271
 Date Shipped: 02/11/2005
 TSDf EPA ID: NJD991291105
 Transporter EPA ID: NJD980772768
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 02/11/2005
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported
 Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDf Received Waste: 02/11/2005
 Transporter 1 Decal: Not reported
 Transporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDf EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

THE PORT AUTHORITY OF NY & NJ - HOLLAND TUNNEL (Continued)

1000390996

Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: 04180521
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: Not reported
 Manifest Year: Not reported
 Quantity: Not reported
 Unit: Not reported
 Hand Code: Not reported

**AB166
 NE
 1/8-1/4
 0.138 mi.
 728 ft.**

**HOLLAND TUNNEL NY FIELD OFFICE
 4-10 VESTRY ST
 NEW YORK, NY 10048**

**NY UST U001839502
 N/A**

Site 2 of 3 in cluster AB

UST:

Id/Status: 2-345393 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583916.54101000004
 UTM Y: 4508482.2593400003
 Site Type: Trucking/Transportation/Fleet Operation

Affiliation Records:

Site Id: 16845
 Affiliation Type: Facility Owner
 Company Name: THE PORT AUTHORITY OF NY & NJ
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 1 WORLD TRADE CENTER
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10048
 Country Code: 001
 Phone: (212) 466-7000
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16845
 Affiliation Type: Mail Contact
 Company Name: THE PORT AUTHORITY OF NY & NJ
 Contact Type: Not reported
 Contact Name: BILL BOLGER.ENVIR.COORDIN
 Address1: HOLLAND TUNNEL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HOLLAND TUNNEL NY FIELD OFFICE (Continued)

U001839502

Address2: 13TH AND PROVOST STREETS
 City: JERSEY CITY
 State: NJ
 Zip Code: 07310
 Country Code: 001
 Phone: (201) 714-7408
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16845
 Affiliation Type: On-Site Operator
 Company Name: HOLLAND TUNNEL NY FIELD OFFICE
 Contact Type: Not reported
 Contact Name: BILL BOLGER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (201) 714-7408
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16845
 Affiliation Type: Emergency Contact
 Company Name: THE PORT AUTHORITY OF NY & NJ
 Contact Type: Not reported
 Contact Name: BILL BOLGER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (201) 714-7500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: YFO
 Tank ID: 32772
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 1500
 Install Date: 12/01/1955
 Date Tank Closed: 08/01/1993
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

HOLLAND TUNNEL NY FIELD OFFICE (Continued)

U001839502

Material Code:	0000
Common Name of Substance:	Empty
Tightness Test Method:	03
Date Test:	11/01/1987
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Equipment Records:	
	D00 - Pipe Type - No Piping
	G00 - Tank Secondary Containment - None
	H00 - Tank Leak Detection - None
	A00 - Tank Internal Protection - None
	C00 - Pipe Location - No Piping
	F00 - Pipe External Protection - None
	I00 - Overfill - None
	B00 - Tank External Protection - None

**AB167
NE
1/8-1/4
0.138 mi.
728 ft.**

**PORT AUTHORITY OF NY & NJ HOLLAND TUNNEL ADMIN BLDG
FOUR VESTRY ST
NEW YORK, NY 10015
Site 3 of 3 in cluster AB**

**PA MANIFEST S109247080
N/A**

PA MANIFEST:

Year:	2010
Manifest Number:	006531962JJK
Manifest Type:	T
Generator EPA Id:	NYD981489271
Generator Date:	07/29/2010
Mailing Address:	Not reported
Mailing City,St,Zip:	Not reported
Contact Name:	Not reported
Contact Phone:	201-216-2966
TSD Epa Id:	PAD067098822
TSD Date:	Not reported
TSD Facility Name:	CYCLE CHEM INC
TSD Facility Address:	550 INDUSTRIAL DRIVE
TSD Facility City:	LEWISBERRY
TSD Facility State:	PA
Facility Telephone:	Not reported
Page Number:	1
Line Number:	1
Waste Number:	D006
Container Number:	2
Container Type:	Metal drums, barrels, kegs
Waste Quantity:	1000
Unit:	Pounds
Handling Code:	Not reported
TSP EPA Id:	Not reported
Date TSP Sig:	Not reported
Year:	2007
Manifest Number:	000389845JJK
Manifest Type:	Not reported
Generator EPA Id:	NYD981489271

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PORT AUTHORITY OF NY & NJ HOLLAND TUNNEL ADMIN BLDG (Continued)

S109247080

Generator Date: 08/29/2007
 Mailing Address: Not reported
 Mailing City,St,Zip: Not reported
 Contact Name: N REO
 Contact Phone: 201-216-2966
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 1
 Waste Number: D008
 Container Number: 3
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 1500
 Unit: Pounds
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2007
 Manifest Number: 000389845JJK
 Manifest Type: Not reported
 Generator EPA Id: NYD981489271
 Generator Date: 08/29/2007
 Mailing Address: Not reported
 Mailing City,St,Zip: Not reported
 Contact Name: N REO
 Contact Phone: 201-216-2966
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 2
 Waste Number: D008
 Container Number: 6
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 3000
 Unit: Pounds
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2007
 Manifest Number: 000389844JJK
 Manifest Type: Not reported
 Generator EPA Id: NYD981489271
 Generator Date: 08/29/2007
 Mailing Address: Not reported
 Mailing City,St,Zip: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PORT AUTHORITY OF NY & NJ HOLLAND TUNNEL ADMIN BLDG (Continued)

S109247080

Contact Name: N REO
 Contact Phone: 201-216-2966
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 3
 Waste Number: NONE
 Container Number: 1
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 150
 Unit: Pounds
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2007
 Manifest Number: 000389844JJK
 Manifest Type: Not reported
 Generator EPA Id: NYD981489271
 Generator Date: 08/29/2007
 Mailing Address: Not reported
 Mailing City,St,Zip: Not reported
 Contact Name: N REO
 Contact Phone: 201-216-2966
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 1
 Waste Number: D008
 Container Number: 2
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 800
 Unit: Pounds
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2007
 Manifest Number: 000389845JJK
 Manifest Type: Not reported
 Generator EPA Id: NYD981489271
 Generator Date: 08/29/2007
 Mailing Address: Not reported
 Mailing City,St,Zip: Not reported
 Contact Name: N REO
 Contact Phone: 201-216-2966
 TSD Epa Id: PAD067098822

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PORT AUTHORITY OF NY & NJ HOLLAND TUNNEL ADMIN BLDG (Continued)

S109247080

TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 3
 Waste Number: NONE
 Container Number: 2
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 300
 Unit: Pounds
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

Year: 2007
 Manifest Number: 000389844JJK
 Manifest Type: Not reported
 Generator EPA Id: NYD981489271
 Generator Date: 08/29/2007
 Mailing Address: Not reported
 Mailing City, St, Zip: Not reported
 Contact Name: N REO
 Contact Phone: 201-216-2966
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY
 TSD Facility State: PA
 Facility Telephone: Not reported
 Page Number: 1
 Line Number: 2
 Waste Number: D008
 Container Number: 7
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 3500
 Unit: Pounds
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

**AC168
 South
 1/8-1/4
 0.139 mi.
 733 ft.**

**ECO LAB INC
 185 FRANKLIN ST
 NEW YORK, NY**

Site 1 of 3 in cluster AC

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: ECO LAB INC
 Facility address: 185 FRANKLIN ST
 NEW YORK, NY 10013
 EPA ID: NYD982529844
 Mailing address: FRANKLIN ST
 NEW YORK, NY 10013

**RCRA NonGen / NLR 1000121815
 FINDS NYD982529844
 NY MANIFEST**

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ECO LAB INC (Continued)

1000121815

Contact: Not reported
 Contact address: FRANKLIN ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: ECO LAB INC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: ECO LAB INC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: ECO LAB INC
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: ECO LAB INC
 Classification: Not a generator, verified

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ECO LAB INC (Continued)

1000121815

Date form received by agency: 02/04/1988
 Facility name: ECO LAB INC
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004421395

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD982529844
 Country: USA
 Mailing Name: ECOLABS
 Mailing Contact: ECOLABS
 Mailing Address: 185 FRANKLIN ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-925-8440

Document ID: NYA7636995
 Manifest Status: Completed copy
 Trans1 State ID: 9A-025
 Trans2 State ID: Not reported
 Generator Ship Date: 890105
 Trans1 Recv Date: 890105
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890105
 Part A Recv Date: 890120
 Part B Recv Date: 890118
 Generator EPA ID: NYD982529844
 Trans1 EPA ID: NYD046765574
 Trans2 EPA ID: Not reported
 TSD ID: NYD049178296
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 005
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 000
 Year: 89

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ECO LAB INC (Continued)

1000121815

Document ID: NJA0525846
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS103
 Trans2 State ID: Not reported
 Generator Ship Date: 880930
 Trans1 Recv Date: 880930
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880930
 Part A Recv Date: 881017
 Part B Recv Date: 881013
 Generator EPA ID: NYD982529844
 Trans1 EPA ID: NJD000813477
 Trans2 EPA ID: Not reported
 TSD ID: NJD065825341
 Waste Code: P001 - WARFARIN
 Quantity: 00140
 Units: P - Pounds
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00280
 Units: P - Pounds
 Number of Containers: 014
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 88

Document ID: NJA0468756
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS847
 Trans2 State ID: Not reported
 Generator Ship Date: 880624
 Trans1 Recv Date: 880624
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 880624
 Part A Recv Date: 880715
 Part B Recv Date: 880707
 Generator EPA ID: NYD982529844
 Trans1 EPA ID: NJD065825341
 Trans2 EPA ID: Not reported
 TSD ID: NJD065825341
 Waste Code: P044 - DIMETHOATE
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ECO LAB INC (Continued)

1000121815

Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	88
Document ID:	NJA0398888
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS847
Trans2 State ID:	Not reported
Generator Ship Date:	880624
Trans1 Recv Date:	880624
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880624
Part A Recv Date:	880715
Part B Recv Date:	880706
Generator EPA ID:	NYD982529844
Trans1 EPA ID:	NJD065825341
Trans2 EPA ID:	Not reported
TSD ID:	NJD065825341
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00030
Units:	P - Pounds
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00003
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00150
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00005
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	88
Document ID:	NJA0427382
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPS847
Trans2 State ID:	Not reported
Generator Ship Date:	880624
Trans1 Recv Date:	880624
Trans2 Recv Date:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

ECO LAB INC (Continued)

1000121815

TSD Site Recv Date: 880624
 Part A Recv Date: 880715
 Part B Recv Date: 880706
 Generator EPA ID: NYD982529844
 Trans1 EPA ID: NJD065825341
 Trans2 EPA ID: Not reported
 TSDF ID: NJD065825341
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00240
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00480
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 88

AD169
 ENE
 1/8-1/4
 0.139 mi.
 735 ft.

**CON EDISON MANHOLE: 47343
 VARICK ST & LAIGHT ST
 NEW YORK, NY 10014**

**RCRA-CESQG 1016150108
 NYP004287793**

Site 1 of 3 in cluster AD

RCRA-CESQG:

Date form received by agency: 02/08/2013
 Facility name: CON EDISON MANHOLE: 47343
 Facility address: VARICK ST & LAIGHT ST
 NEW YORK, NY 10014
 EPA ID: NYP004287793
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: BENJAMIN BAMONTE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9549
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s)
 EPA ID Number

CON EDISON MANHOLE: 47343 (Continued)

1016150108

land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 Used oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AD170
 ENE
 1/8-1/4
 0.139 mi.
 735 ft.

**CON EDISON SERVICE BOX: 37959
 LAIGHT & VARICK ST
 NEW YORK, NY 10012**

**RCRA-CESQG 1016149937
 NYP004286050**

Site 2 of 3 in cluster AD

RCRA-CESQG:

Date form received by agency: 01/29/2013
 Facility name: CON EDISON SERVICE BOX: 37959
 Facility address: LAIGHT & VARICK ST
 NEW YORK, NY 10012
 EPA ID: NYP004286050
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37959 (Continued)

1016149937

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**AD171
 ENE
 1/8-1/4
 0.139 mi.
 735 ft.**

**CON EDISON
 VARICK & LAIGHT ST
 NEW YORK, NY 10014
 Site 3 of 3 in cluster AD**

**NY MANIFEST S113495082
 N/A**

NY MANIFEST:

EPA ID: NYP004287793
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 08-Feb-2013 00:00:00
 Trans1 Recv Date: 08-Feb-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004287793

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113495082

Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDf ID: NJD002200046
 Waste Code: Not reported
 Quantity: 2000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010408728JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**AC172
 South
 1/8-1/4
 0.140 mi.
 740 ft.**

**186 FRANKLIN STREET
 186 FRANKLIN STREET
 NEW YORK, NY 10013
 Site 2 of 3 in cluster AC**

**NY AST A100291653
 N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-607351
 Program Type: PBS
 UTM X: 583649.76606000005
 UTM Y: 4508069.5790200001
 Expiration Date: 2016/03/31
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 29204
 Affiliation Type: On-Site Operator
 Company Name: 186 FRANKLIN STREET
 Contact Type: Not reported
 Contact Name: OSWALD CARDENNS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (516) 729-9740
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 12/7/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

186 FRANKLIN STREET (Continued)

A100291653

Site Id: 29204
 Affiliation Type: Emergency Contact
 Company Name: B & A BREYRE
 Contact Type: Not reported
 Contact Name: BRIAN BREYRE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (516) 317-3474
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 12/7/2006

Site Id: 29204
 Affiliation Type: Mail Contact
 Company Name: EMPIRE STATE FUEL OIL
 Contact Type: Not reported
 Contact Name: KENNETH REED
 Address1: 1640 MACDONALD AVE
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11230
 Country Code: 001
 Phone: (718) 627-5100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 29204
 Affiliation Type: Facility Owner
 Company Name: B & A BREYRE
 Contact Type: OWNER
 Contact Name: C. BRIAN BREYRE
 Address1: 116 DOVER RD.
 Address2: Not reported
 City: MANHASSET
 State: NY
 Zip Code: 11030
 Country Code: 001
 Phone: (516) 317-3474
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 1/11/2011

Tank Info:

Tank Number: 001
 Tank Id: 62805
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

186 FRANKLIN STREET (Continued)

A100291653

Equipment Records:

C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/19/1965
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: msbaptis
 Last Modified: 12/07/2006
 Material Name: #2 Fuel Oil (On-Site Consumption)

**AE173
 ESE
 1/8-1/4
 0.140 mi.
 740 ft.**

**1ST PCT
 16 ERICSSON PLACE
 NEW YORK, NY 10013**

**NY AST U003393881
 N/A**

Site 1 of 6 in cluster AE

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-342777
 Program Type: PBS
 UTM X: 583920.10386000003
 UTM Y: 4508200.66877000003
 Expiration Date: 2017/12/14
 Site Type: Other

Affiliation Records:

Site Id: 16648
 Affiliation Type: On-Site Operator
 Company Name: 1ST PCT
 Contact Type: Not reported
 Contact Name: NEW YORK CITY POLICE DEPARTMENT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 334-0611
 EMail: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

1ST PCT (Continued)

U003393881

Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 10/28/2004

Site Id: 16648
 Affiliation Type: Emergency Contact
 Company Name: NYCPD/ ASD
 Contact Type: Not reported
 Contact Name: FUEL CONTROL
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 476-7524
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16648
 Affiliation Type: Mail Contact
 Company Name: NYC POLICE DEPARTMENT
 Contact Type: Not reported
 Contact Name: COMMANDING OFFICER
 Address1: BUILDING MAINTENANCE SECTION
 Address2: 59-06 BROOKLYN-QUEENS EXPY
 City: WOODSIDE
 State: NY
 Zip Code: 11377
 Country Code: 001
 Phone: (718) 476-7576
 EMail: NICHOLAS.GISONDA@NYPD.ORG
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 12/24/2013

Site Id: 16648
 Affiliation Type: Facility Owner
 Company Name: NEW YORK CITY POLICE DEPARTMENT/ ASD
 Contact Type: SERGEANT
 Contact Name: BRENDAN MORAN
 Address1: 1 POLICE PLAZA - ROOM 800
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10038
 Country Code: 001
 Phone: (212) 374-7650
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 3/6/2013

Tank Info:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

1ST PCT (Continued)

U003393881

Tank Number: 001
 Tank Id: 32974
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H05 - Tank Leak Detection - In-Tank System (ATG)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I05 - Overfill - Vent Whistle
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1963
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 09/14/2011
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 240869
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I01 - Overfill - Float Vent Valve
 H05 - Tank Leak Detection - In-Tank System (ATG)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

1ST PCT (Continued)

U003393881

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/2000
 Capacity Gallons: 25
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 09/14/2011
 Material Name: #2 Fuel Oil (On-Site Consumption)

AC174
 South
 1/8-1/4
 0.142 mi.
 751 ft.

**189 FRANKLIN ST
 NEW YORK, NY 10013**

**EDR US Hist Auto Stat 1015287685
 N/A**

Site 3 of 3 in cluster AC

EDR Historical Auto Stations:
 Name: MANHATTAN CAR SVCES
 Year: 2000
 Address: 189 FRANKLIN ST

AF175
 NNE
 1/8-1/4
 0.144 mi.
 762 ft.

**CON EDISON MANHOLE: 59079
 W HUDSON ST & DESBROSSES ST
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149936
 NYP004286043**

Site 1 of 8 in cluster AF

RCRA-CESQG:
 Date form received by agency: 01/29/2013
 Facility name: CON EDISON MANHOLE: 59079
 Facility address: W HUDSON ST & DESBROSSES ST
 NEW YORK, NY 10013
 EPA ID: NYP004286043
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON MANHOLE: 59079 (Continued)

1016149936

hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**AF176
 NNE
 1/8-1/4
 0.144 mi.
 762 ft.**

**CON EDISON
 W HUDSON ST & DESBROSSES ST
 NEW YORK, NY 10013
 Site 2 of 8 in cluster AF**

**NY MANIFEST S113494911
 N/A**

NY MANIFEST:

EPA ID: NYP004286043
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 29-Jan-2013 00:00:00
 Trans1 Recv Date: 29-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 30-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004286043
 Trans1 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494911

Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 3000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010841011JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

AG177
 South
 1/8-1/4
 0.145 mi.
 768 ft.

**173 FRANKLIN ST
 NEW YORK, NY 10013**
Site 1 of 3 in cluster AG

**EDR US Hist Auto Stat 1015270624
 N/A**

EDR Historical Auto Stations:
 Name: ENGINE 27
 Year: 2002
 Address: 173 FRANKLIN ST

AH178
 North
 1/8-1/4
 0.146 mi.
 770 ft.

**FRATELLI BRANCA AND CO
 115 WATT ST
 MANHATTAN, NY**
Site 1 of 2 in cluster AH

**NY LTANKS S102673324
 N/A**

LTANKS:
 Site ID: 136842
 Spill Number/Closed Date: 9516292 / 3/19/1996
 Spill Date: 3/19/1996
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 3/19/1996
 CID: 349
 Water Affected: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FRATELLI BRANCA AND CO (Continued)

S102673324

Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/19/1996
 Spill Record Last Update: 4/2/1996
 Spiller Name: SAM SOLA
 Spiller Company: PETRO ASTORIA
 Spiller Address: 36-16 19 AVE
 Spiller City,St,Zip: ASTORIA, NY 11105-
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: (212) 925-7527
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 117087
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
 Remarks: DRIVER OVERFILLED TANK - CLEANED UP

Material:

Site ID: 136842
 Operable Unit ID: 1027266
 Operable Unit: 01
 Material ID: 352818
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1
 Units: Gallons
 Recovered: Yes
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

AH179
North
1/8-1/4
0.146 mi.
770 ft.

FRATELLI BRANCA & CO INC
12 DEBROSSES ST
NEW YORK, NY 10013
Site 2 of 2 in cluster AH

RCRA NonGen / NLR **1000400142**
FINDS **NYD001583483**

RCRA NonGen / NLR:
 Date form received by agency:01/01/2007
 Facility name: FRATELLI BRANCA & CO INC
 Facility address: 12 DEBROSSES ST
 NEW YORK, NY 10013
 EPA ID: NYD001583483
 Mailing address: DEBROSSES ST
 NEW YORK, NY 10013
 Contact: DAVID MENKEN
 Contact address: DEBROSSES ST
 NEW YORK, NY 10013
 Contact country: US

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FRATELLI BRANCA & CO INC (Continued)

1000400142

Contact telephone: (212) 980-3500
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: Not reported
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999

Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: FRATELLI BRANCA & CO INC
 Classification: Not a generator, verified

Date form received by agency: 10/21/1985
 Facility name: FRATELLI BRANCA & CO INC
 Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FRATELLI BRANCA & CO INC (Continued)

1000400142

Registry ID: 110004335540

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**Z180
 SSW
 1/8-1/4
 0.148 mi.
 779 ft.**

**370 GREENWICH ST
 NEW YORK, NY 10013**

**EDR US Hist Cleaners 1015050391
 N/A**

Site 2 of 2 in cluster Z

EDR Historical Cleaners:

Name: KIMS CLEANERS
 Year: 2001
 Address: 370 GREENWICH ST

Name: KIMS CLEANERS
 Year: 2003
 Address: 370 GREENWICH ST

Name: KIMS CLEANERS
 Year: 2004
 Address: 370 GREENWICH ST

Name: KIMS CLEANERS
 Year: 2005
 Address: 370 GREENWICH ST

Name: KIMS CLEANERS
 Year: 2006
 Address: 370 GREENWICH ST

Name: KIMS CLEANERS
 Year: 2007
 Address: 370 GREENWICH ST

Name: KIMS CLEANERS
 Year: 2008
 Address: 370 GREENWICH ST

**AE181
 ESE
 1/8-1/4
 0.148 mi.
 780 ft.**

**CON EDISON SERVICE BOX: 26293
 BEACH ST & VARICK ST
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149898
 NYP004285664**

Site 2 of 6 in cluster AE

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 26293
 Facility address: BEACH ST & VARICK ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 26293 (Continued)

1016149898

EPA ID: NEW YORK, NY 10013
 NYP004285664
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**AE182
 ESE
 1/8-1/4
 0.148 mi.
 780 ft.**

**CON EDISON SERVICE BOX: 47347
 VARICK ST & ERICSSON ST
 NEW YORK, NY 10013
 Site 3 of 6 in cluster AE**

**RCRA-CESQG 1016149911
 NYP004285797**

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 47347
 Facility address: VARICK ST & ERICSSON ST
 NEW YORK, NY 10013
 EPA ID: NYP004285797

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 47347 (Continued)

1016149911

Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**AE183
 ESE
 1/8-1/4
 0.148 mi.
 780 ft.**

**CON EDISON SERVICE BOX: 26294
 BEACH ST & VARICK ST
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149897
 NYP004285656**

Site 4 of 6 in cluster AE

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 26294
 Facility address: BEACH ST & VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYP004285656
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 26294 (Continued)

1016149897

Contact: JOSE MONTALVO
 Contact address: Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AE184
 ESE
 1/8-1/4
 0.148 mi.
 780 ft.

CON EDISON SERVICE BOX: 47346
VARICK & ERICKSSON PL
NEW YORK, NY 10013
Site 5 of 6 in cluster AE

RCRA-CESQG 1016149934
NYP004286027

RCRA-CESQG:
 Date form received by agency: 01/29/2013
 Facility name: CON EDISON SERVICE BOX: 47346
 Facility address: VARICK & ERICKSSON PL
 NEW YORK, NY 10013
 EPA ID: NYP004286027
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 47346 (Continued)

1016149934

Contact country: Not reported
 Contact telephone: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AG185
South
1/8-1/4
0.148 mi.
781 ft.

CON EDISON SERVICE BOX: 37254
HUDSON ST & FRANKLYN
NEW YORK, NY 10013

RCRA-CESQG 1016149953
NYP004286217

Site 2 of 3 in cluster AG

RCRA-CESQG:

Date form received by agency: 01/30/2013
 Facility name: CON EDISON SERVICE BOX: 37254
 Facility address: HUDSON ST & FRANKLYN
 NEW YORK, NY 10013
 EPA ID: NYP004286217
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 37254 (Continued)

1016149953

Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AG186
South
1/8-1/4
0.148 mi.
782 ft.

99 HUDSON ST CONDOMINIUM
99 HUDSON STREET
NEW YORK, NY 10013
Site 3 of 3 in cluster AG

NY AST U004078098
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-315567
 Program Type: PBS
 UTM X: 583749.03853999998
 UTM Y: 4508029.65333999997
 Expiration Date: 2012/07/10
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 14431
 Affiliation Type: Facility Owner
 Company Name: MORTON OLSHAN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

99 HUDSON ST CONDOMINIUM (Continued)

U004078098

Contact Type: Not reported
 Contact Name: Not reported
 Address1: 654 MADISON AVE
 Address2: Not reported
 City: NEW YORK CITY
 State: NY
 Zip Code: 10021
 Country Code: 001
 Phone: (212) 362-5822
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 8/2/2011

Site Id: 14431
 Affiliation Type: Mail Contact
 Company Name: JANOFF & OLSHAN, INC.
 Contact Type: Not reported
 Contact Name: BRIAN BROXMEYER
 Address1: 654 MADISON AVE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10021
 Country Code: 001
 Phone: (212) 362-5822
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 3/9/2012

Site Id: 14431
 Affiliation Type: On-Site Operator
 Company Name: 99 HUDSON ST CONDOMINIUM
 Contact Type: Not reported
 Contact Name: NEIL CAMPO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-6142
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 14431
 Affiliation Type: Emergency Contact
 Company Name: MORTON OLSHAN
 Contact Type: Not reported
 Contact Name: NEIL CAMPOLONGO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

99 HUDSON ST CONDOMINIUM (Continued)

U004078098

Zip Code: Not reported
 Country Code: 001
 Phone: (212) 219-3194
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 12878
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 H00 - Tank Leak Detection - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/05/1978
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 04/09/2007
 Material Name: #6 Fuel Oil (On-Site Consumption)

**AE187
 ESE
 1/8-1/4
 0.149 mi.
 787 ft.**

**11 NM VENTURE LLC
 24 VARICK ST
 NEW YORK, NY 10013
 Site 6 of 6 in cluster AE**

**RCRA NonGen / NLR 1015747290
 NYR000197616**

RCRA NonGen / NLR:

Date form received by agency: 03/18/2013
 Facility name: 11 NM VENTURE LLC
 Facility address: 24 VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYR000197616
 Mailing address: MERCER ST - 3RD FL
 NEW YORK, NY 10013
 Contact: JAMES LONGSON
 Contact address: MERCER ST - 3RD FL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

11 NM VENTURE LLC (Continued)

1015747290

NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 686-2500
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 11 NM VENTURE LLC
 Owner/operator address: MERCER ST - 3RD FL
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 686-2500
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 06/21/2012
 Owner/Op end date: Not reported

Owner/operator name: 11 NM VENTURE LLC
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 06/21/2012
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 10/25/2012
 Facility name: 11 NM VENTURE LLC
 Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D008
 Waste name: LEAD

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

11 NM VENTURE LLC (Continued)

1015747290

Waste code: D008
Waste name: LEAD

Violation Status: No violations found

**188
NW
1/8-1/4
0.150 mi.
794 ft.**

**259 WEST STREET
259 WEST STREET
NEW YORK CITY, NY**

**NY LTANKS S105996750
N/A**

LTANKS:

Site ID: 161173
Spill Number/Closed Date: 0206148 / 1/27/2005
Spill Date: 9/12/2002
Spill Cause: Tank Failure
Spill Source: Commercial/Industrial
Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased: Not reported
Cleanup Meets Standard: False
SWIS: 3101
Investigator: CESAWYER
Referred To: Not reported
Reported to Dept: 9/13/2002
CID: 282
Water Affected: Not reported
Spill Notifier: Other
Last Inspection: Not reported
Recommended Penalty: False
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 9/13/2002
Spill Record Last Update: 1/27/2005
Spiller Name: SAME
Spiller Company: UNKNOWN FOR NOW
Spiller Address: SAME
Spiller City,St,Zip: N/A, ZZ
Spiller County: 001
Spiller Contact: JAMES ROMEO
Spiller Phone: (201) 714-9858
Spiller Extention: Not reported
DEC Region: 2
DER Facility ID: 136077
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER"1/9/2003-Vought-Spoke with Jim Romeo (201-714-9858) will be starting excavation of contaminated soil. Soil will be analyzed for VOC and SVOC. Sampling will be four sidewalls and one bottom groundwater sample. Report will be sent to NYSDEC by 2/15/2003.7/21/2003-Vought-File review by Vought:Owner of property is Asi Cymbal (212-398-2000x11). New building will consist of residential apartments with underground garage. Property address is also 416-424 Washington Street.Letter DEP-10/31/2002-Letter from John Wuthenow (DEP Site Assessment Unit-718-595-4416). 259 West street will be demolished prior to building new structure. According to letter several suspect UST's may still exist at the site. Lens of #2 fuel oil free product found in SB-10. Letter DEP-11/12/02-Letter from Daniel Cole approving of health and safety plan and remedial action workplan.Corrective Action Report-Environmental Management Services

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

259 WEST STREET (Continued)

S105996750

(Jim Romeo-201-714-9858). Report received 2/14/03. Report requests No Further Action. Owner of property is W Squared, LLC 700 Pacific Street Brooklyn, NY 11217. Site underlain by fill material. Groundwater flow to the west or southwest. Groundwater at a depth of 7' below grade. GPR survey performed to determine if abandoned UST's were present. GPR survey not performed at 416-424 Washington due to presence of debris in the basement. GPR survey also encountered "excessive background noise" Seventeen Geoprobe borings performed on 9/10/2002. Only a sheen found at SB-10. Soil excavation completed on 1/21/03. 21 cubic yards (36.86 tons) of soil were removed from the site and four endpoint soil sidewall samples and one bottom groundwater sample were collected (analyticals provided). Future excavation of new building is planned for 12 below grade. Groundwater infiltration from the north displayed an oil sheen. Soil samples showed PAH exceedances (due to historical fill). Groundwater analyticals up to 470ppb naphthalene. PBS and Spill database search indicated no registered tanks at West st or Washington Ave sites. Vought will perform site visit on 7/23 to: 1)confirm northern source of contamination via sidewall inspection and adjacent property investigation 2)inspection of soil for fill characteristics 3)examination of foundation depth and possibility of undiscovered on-site USTs at 259 West and 416-424 Washington Avenue 4)inspection for abandoned fill ports or vent pipes suggesting historical presence of USTs.7/24/2003-Vought-Site visit by Vought on 7/23. Excavation was not open and northern source could not be confirmed. Soil exhibited fill characteristics in exposed portions of site (brick, coal, ash). 416-424 Washington Street property excavated to a depth of 5' and parking lot/259 West Street were excavated to a depth of 14' and no UST's or piping were discovered. No abandoned fill port or vents were found due to new sidewalks. Vought inspected adjacent property to the north (67 Vestry) and found no evidence of spills. Secondary containment vault of 3000-gallon #6 fuel oil showed no evidence of spills. Vought required owner of 67 Vestry to tightness test tank (letter sent 7/24). TPH Fingerprinting of groundwater sample by EAI indicated #2 fuel oil despite #6 oil storage to the north. Possible source may be former on-site AST and no definitive soil samples taken from the vadose zone other than PID screening of excavator buckets (soil source may have been missed during excavation). Vought called Jim Romeo (201-951-5198) and informed him of tank tightness test letter. Romeo will send Vought copy of DEP ESA which describes soil borings from 259 West Street. During the discussion with Romeo he indicated that a 275-gallon AST was removed from the first floor of 259 West street (slab on grade construction).1/6/04-Vought-Spill transferred from Vought to Austin.1/27/04 - Sawyer - Spill transferred from Austin to Sawyer.7/22/04 - Sawyer - Talked to Anna of EAI, Inc., who took over for departed Jim Romeo about reviewing corrective action report dated 2/13/03. 9/14/04 - Sawyer - Talked to Anna and she expressed the fact that the building owners were reluctant to do more work without a letter from the Department directing them to do so. I am drafting the letter now.1/27/04 - Sawyer - Received detailed explanation of the schedule of events that have happened with this spill from James Grond at GCI Environmental Advisory, Inc. He explained that a subsequent water sample taken 5/8/03 indicated that there were no exceedances of groundwater criteria. There is no further action required. Closed.

Remarks:

THEY WERE DIGGING DOING GEO PROBE SAMPLING AT THE SITE.THE PROPERTY WAS UP FOR SALE AND HAS BEEN BROUGHT BY A COMPANY CALLED W

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

259 WEST STREET (Continued)

S105996750

SQUAREDLLC 700 PACIFIC STREET BROOKLYN NY 11217.THEY DID 17 SOIL BORINGS AND CONTAMINATION WAS NOTICED ON 2 BORING SAMPLES.THE SAMPLES WERE ANALYZED AT LABRATORY CALLED SCIENTIFIC LABRATORIES 8 SCHOOL STREET WEYMOUTH MASSACHSETTS 02189

Material:

Site ID: 161173
 Operable Unit ID: 858646
 Operable Unit: 01
 Material ID: 516758
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**AF189
 NNE
 1/8-1/4
 0.154 mi.
 812 ft.**

**V0186
 195 HUDSON STREET
 NEW YORK CITY, NY 10013
 Site 3 of 8 in cluster AF**

**RCRA NonGen / NLR 1007206790
 FINDS NYP004030466
 NY MANIFEST**

RCRA NonGen / NLR:

Date form received by agency: 01/03/2001
 Facility name: V0186
 Facility address: 195 HUDSON STREET
 NEW YORK CITY, NY 10013
 EPA ID: NYP004030466
 Mailing address: CONSOLIDATED EDISON INC.
 4 IRVING PLACE -- ROOM 300
 NEW YORK, NY 10003
 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC.
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

V0186 (Continued)

1007206790

Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/02/2001
 Facility name: V0186
 Classification: Not a generator, verified

Date form received by agency: 01/01/2001
 Facility name: V0186
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110001613228

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYP004030466
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

V0186 (Continued)

1007206790

Mailing Phone: 212-460-2808

Document ID: NYE0255510
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 02/12/1999
 Trans1 Recv Date: 02/12/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/12/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004030466
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: 20855AD
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 01409
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

AF190
NNE
1/8-1/4
0.154 mi.
812 ft.

RAPOPORT METROPOLITAN PRINTING CORP
195 HUDSON ST
NEW YORK, NY 10013

RCRA NonGen / NLR
FINDS
NY MANIFEST

1004760313
NYR000039875

Site 4 of 8 in cluster AF

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: RAPOPORT METROPOLITAN PRINTING CORP
 Facility address: 195 HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYR000039875
 Mailing address: VAN DAM ST
 LONG ISLAND CITY, NY 11101
 Contact: ELAINE DONNELLY
 Contact address: VAN DAM ST
 LONG ISLAND CITY, NY 11101
 Contact country: US
 Contact telephone: (718) 784-7400
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: SIDNEY RAPOPORT
 Owner/operator address: 47-47 VAN DAM ST
 LONG ISLAND CITY, NY 11101
 Owner/operator country: US
 Owner/operator telephone: (718) 784-7400
 Legal status: Private

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RAPOPORT METROPOLITAN PRINTING CORP (Continued)

1004760313

Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: SIDNEY RAPOPORT
 Owner/operator address: 47-47 VAN DAM ST
 LONG ISLAND CITY, NY 11101

Owner/operator country: US
 Owner/operator telephone: (718) 784-7400
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: RAPOPORT METROPOLITAN PRINTING CORP
 Classification: Not a generator, verified

Date form received by agency: 05/28/1997
 Facility name: RAPOPORT METROPOLITAN PRINTING CORP
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110019274845

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYR000039875
 Country: USA
 Mailing Name: RAPOPORT METROPOLITAN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RAPOPORT METROPOLITAN PRINTING CORP (Continued)

1004760313

Mailing Contact:	ELAINE DONNELLY
Mailing Address:	47-47 VAN DAM ST
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11104
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	718-784-7400
Document ID:	NYG0212904
Manifest Status:	Completed copy
Trans1 State ID:	PX3640
Trans2 State ID:	Not reported
Generator Ship Date:	970605
Trans1 Recv Date:	970605
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	970605
Part A Recv Date:	970612
Part B Recv Date:	970617
Generator EPA ID:	NYR000039875
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSD ID:	NYD082785429
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00305
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	006
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00055
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	Not reported
Quantity:	00085
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	002
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	97

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s)
 EPA ID Number

AF191 RARAPORT PRINTING CORP.
NNE 195 HUDSON STREET
1/8-1/4 NEW YORK, NY 10014
0.154 mi.
812 ft. Site 5 of 8 in cluster AF

NY AST U003127210
NY HIST AST N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-602786
 Program Type: PBS
 UTM X: 583793.4292000001
 UTM Y: 4508407.1736099999
 Expiration Date: N/A
 Site Type: Private Residence

Affiliation Records:

Site Id: 24742
 Affiliation Type: Facility Owner
 Company Name: 195 HUDSON STREET CONDOMINIUM % ANDREWS BLDG. CORP
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 195 HUDSON ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24742
 Affiliation Type: Mail Contact
 Company Name: ANDREWS BUILDING CORP.
 Contact Type: Not reported
 Contact Name: MICHAEL SCHENKER
 Address1: 666 BROADWAY
 Address2: 12TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24742
 Affiliation Type: On-Site Operator
 Company Name: RAPAPORT PRINTING CORP.
 Contact Type: Not reported
 Contact Name: PALIBIO HERNANDEZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RARAPORT PRINTING CORP. (Continued)

U003127210

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 274-9541
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24742
 Affiliation Type: Emergency Contact
 Company Name: 195 HUDSON STREET CONDOMINIUM % ANDREWS BLDG. CORP
 Contact Type: Not reported
 Contact Name: MICHAEL SCHENKER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 529-5689
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 51567
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 I99 - Overfill - Other
 B00 - Tank External Protection - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/01/1999
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RARAPORT PRINTING CORP. (Continued)

U003127210

Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-602786
 SWIS Code: 6201
 Operator: SIDNEY RAPAPORT
 Facility Phone: (212) 226-5501
 Facility Addr2: Not reported
 Facility Type: OTHER
 Emergency: SIDNEY RAPAPORT
 Emergency Tel: (212) 226-5501
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: SIDNEY RARAPORT
 Owner Address: 195 HUDSON STREET
 Owner City,St,Zip: NEW YORK, NY 10014
 Federal ID: Not reported
 Owner Tel: (212) 226-5501
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: SIDNEY RAPAPORT
 Mailing Name: RARAPORT PRINTING CORP.
 Mailing Address: 195 HUDSON STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10014
 Mailing Telephone: (212) 226-5501
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 10/01/1996
 Expiration: 09/30/2001
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2
 Tank ID: 001
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RARAPORT PRINTING CORP. (Continued)

U003127210

Tank External: 00
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 00
 Overfill Protection: 09
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**AI192
 SE
 1/8-1/4
 0.155 mi.
 821 ft.**

**20-26 NORTH MOORE STREET CORPORATION
 20-26 NORTH MOORE STREET
 NEW YORK, NY 10013**

**NY AST U004076705
 N/A**

Site 1 of 3 in cluster AI

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-147648
 Program Type: PBS
 UTM X: 583891.67423
 UTM Y: 4508130.1833300004
 Expiration Date: 2017/08/17
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 4352
 Affiliation Type: Facility Owner
 Company Name: 20-26 NORTH MOORE ST CORP % ANDREWS BLDG CORP
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 666 BROADWAY
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 4/6/2012

Site Id: 4352
 Affiliation Type: Mail Contact
 Company Name: ANDREWS BLDG. CORP.
 Contact Type: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

20-26 NORTH MOORE STREET CORPORATION (Continued)

U004076705

Contact Name: ALEX BALBONA, PROPERTY MANAGER
 Address1: 666 BROADWAY
 Address2: 12TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 4/6/2012

Site Id: 4352
 Affiliation Type: On-Site Operator
 Company Name: 20-26 NORTH MOORE STREET CORPORATION
 Contact Type: Not reported
 Contact Name: JOHNNY CASTRO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 922-8173
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 11/7/2011

Site Id: 4352
 Affiliation Type: Emergency Contact
 Company Name: 20-26 NORTH MOORE STREET CORPORATION
 Contact Type: Not reported
 Contact Name: ANDREWS BLDG CORP
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 11/7/2011

Tank Info:

Tank Number: 001
 Tank Id: 7981
 Material Code: 0002
 Common Name of Substance: #4 Fuel Oil (On-Site Consumption)

Equipment Records:

I05 - Overfill - Vent Whistle

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

20-26 NORTH MOORE STREET CORPORATION (Continued)

U004076705

G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1958
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/06/2012
 Material Name: #4 Fuel Oil (On-Site Consumption)

**AJ193
 NNW
 1/8-1/4
 0.157 mi.
 830 ft.**

**33 DESBROSSES ST
 NEW YORK, NY 10013**

Site 1 of 9 in cluster AJ

**EDR US Hist Auto Stat 1015429018
 N/A**

EDR Historical Auto Stations:

Name: AUTOMOTIVE SERVICE SYSTEMS INC
 Year: 2008
 Address: 33 DESBROSSES ST

**AK194
 East
 1/8-1/4
 0.158 mi.
 834 ft.**

**VERIZON - VARICK ST
 50 VARICK ST
 NEW YORK, NY 10013**

Site 1 of 2 in cluster AK

**RCRA NonGen / NLR 1000136850
 FINDS NYD980654008
 NY MANIFEST
 US AIRS**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: NEW YORK TELEPHONE CO
 Facility address: 50 VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYD980654008
 Mailing address: PENN PLZ ROOM 1650
 NEW YORK, NY 10121
 Contact: Not reported
 Contact address: PENN PLZ ROOM 1650
 NEW YORK, NY 10121
 Contact country: US
 Contact telephone: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NEW YORK TELEPHONE CO
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: NEW YORK TELEPHONE CO
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: NEW YORK TELEPHONE CO
 Classification: Not a generator, verified

Date form received by agency: 03/31/1995
 Facility name: NEW YORK TELEPHONE CO
 Classification: Not a generator, verified

Date form received by agency: 03/30/1995
 Facility name: NEW YORK TELEPHONE CO
 Classification: Large Quantity Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 02/21/1984
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: State

FINDS:

Registry ID: 110043189965

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD980654008
 Country: USA
 Mailing Name: NYNEX
 Mailing Contact: NYNEX
 Mailing Address: 50 VARICK ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10014
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-966-1897

Document ID: NYA8160975
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 890609
 Trans1 Recv Date: 890609
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890701
 Part A Recv Date: 890801
 Part B Recv Date: 890718
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: MND980791321
 Trans2 EPA ID: Not reported
 TSDf ID: KSD980964993
 Waste Code: B005 - PCB ARTICLES WITH 500 PPM OR > PCB
 Quantity: 01800
 Units: P - Pounds
 Number of Containers: 003
 Container Type: CM - Metal boxes, cases, roll-offs
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	2008-08-14
Trans1 Recv Date:	2008-08-14
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2008-08-15
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980654008
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	15.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2008
Manifest Tracking Num:	000405157GBF
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	2008-08-14
Trans1 Recv Date:	2008-08-14
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2008-08-15
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980654008
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	300.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1.0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VERIZON - VARICK ST (Continued)

1000136850

Year: 2008
 Manifest Tracking Num: 000405157GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-08-14
 Trans1 Recv Date: 2008-08-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-08-15
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 250.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0

Year: 2008
 Manifest Tracking Num: 000405157GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H061

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2007-02-16
 Trans1 Recv Date: 2007-02-16

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2007-02-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 300.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2007
 Manifest Tracking Num: 000176265GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H061

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2007-02-16
 Trans1 Recv Date: 2007-02-16
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2007-02-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 50.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2007
 Manifest Tracking Num: 000176265GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2007-02-16
 Trans1 Recv Date: 2007-02-16
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2007-02-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 165.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 3.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2007
 Manifest Tracking Num: 000176265GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2007-02-16
 Trans1 Recv Date: 2007-02-16
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2007-02-21
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 200.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2007
 Manifest Tracking Num: 000176265GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-08-14
 Trans1 Recv Date: 2008-08-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-08-15
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 250.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000405157GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Mgmt Method Type Code: H061

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-08-14
 Trans1 Recv Date: 2008-08-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-08-15
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 300.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000405157GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-08-14
 Trans1 Recv Date: 2008-08-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-08-15
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 15.0
 Units: P - Pounds
 Number of Containers: 1.0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000405157GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2/16/2007
 Trans1 Recv Date: 2/16/2007
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2/21/2007
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 300
 Units: P - Pounds
 Number of Containers: 2
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1
 Year: 2007
 Manifest Tracking Num: 000176265GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H061

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Trans2 State ID:	Not reported
Generator Ship Date:	2/16/2007
Trans1 Recv Date:	2/16/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2/21/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980654008
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	50
Units:	P - Pounds
Number of Containers:	1
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1
Year:	2007
Manifest Tracking Num:	000176265GBF
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	Not reported
Generator Ship Date:	2/16/2007
Trans1 Recv Date:	2/16/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2/21/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD980654008
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	200
Units:	P - Pounds
Number of Containers:	2
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2007
Manifest Tracking Num:	000176265GBF
Import Ind:	N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 2/16/2007
 Trans1 Recv Date: 2/16/2007
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2/21/2007
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980654008
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 165
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 3
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2007
 Manifest Tracking Num: 000176265GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: 07
 Manifest Status: 000176265GBF
 Trans1 State ID: NYD980654008
 Trans2 State ID: Not reported
 Generator Ship Date: NJD002200046
 Trans1 Recv Date: Not reported
 Trans2 Recv Date: NJD003812047
 TSD Site Recv Date: Not reported
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Part B Recv Date: Not reported
 Generator EPA ID: N
 Trans1 EPA ID: N
 Trans2 EPA ID: N
 TSD ID: N
 Waste Code: N
 Quantity: Not reported
 Units: 1
 Number of Containers: DF
 Container Type: 50
 Handling Method: P
 Specific Gravity: 1
 Waste Code: B
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: Not reported
 Specific Gravity: Not reported
 Year: Not reported

Document ID: 07
 Manifest Status: 000176265GBF
 Trans1 State ID: NYD980654008
 Trans2 State ID: Not reported
 Generator Ship Date: NJD002200046
 Trans1 Recv Date: Not reported
 Trans2 Recv Date: NJD003812047
 TSD Site Recv Date: Not reported
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: N
 Trans1 EPA ID: N
 Trans2 EPA ID: N
 TSD ID: N
 Waste Code: N
 Quantity: Not reported
 Units: 2
 Number of Containers: DM
 Container Type: 300
 Handling Method: P
 Specific Gravity: 1
 Waste Code: B
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: Not reported
 Specific Gravity: Not reported
 Year: Not reported

Document ID: 07
 Manifest Status: 000176265GBF
 Trans1 State ID: NYD980654008
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Generator Ship Date: NJD002200046
 Trans1 Recv Date: Not reported
 Trans2 Recv Date: NJD003812047
 TSD Site Recv Date: Not reported
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: N
 Trans1 EPA ID: N
 Trans2 EPA ID: N
 TSD ID: N
 Waste Code: N
 Quantity: Not reported
 Units: 2
 Number of Containers: DF
 Container Type: 200
 Handling Method: P
 Specific Gravity: 1
 Waste Code: T
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: Not reported
 Specific Gravity: Not reported
 Year: Not reported

Document ID: 07
 Manifest Status: 000176265GBF
 Trans1 State ID: NYD980654008
 Trans2 State ID: Not reported
 Generator Ship Date: NJD002200046
 Trans1 Recv Date: Not reported
 Trans2 Recv Date: NJD003812047
 TSD Site Recv Date: Not reported
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: N
 Trans1 EPA ID: N
 Trans2 EPA ID: N
 TSD ID: N
 Waste Code: N
 Quantity: Not reported
 Units: 3
 Number of Containers: DF
 Container Type: 165
 Handling Method: G
 Specific Gravity: 1
 Waste Code: T
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: Not reported
 Specific Gravity: Not reported
 Year: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VERIZON - VARICK ST (Continued)

1000136850

AIRS (AFS):

Compliance and Violation Data Major Sources:

EPA plant ID: 110012641702
 Plant name: VERIZON - VARICK ST
 Plant address: 50 VARICK ST
 NEW YORK, NY 10013
 County: NEW YORK
 Region code: 02
 Dunn & Bradst #: Not reported
 Air quality cntrl region: 043
 Sic code: 4813
 Sic code desc: TELEPHONE COMMUNICATIONS, EXCEPT RADIO (1987)
 North Am. industrial classf: Not reported
 NAIC code description: Not reported
 Default compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Default classification: POTENTIAL EMISSIONS ARE BELOW ALL APPLICABLE MAJOR SOURCE THRESHOLDS
 IF AND ONLY IF THE SOURCE COMPLIES WITH FEDERALLY ENFORCEABLE
 REGULATIONS OR LIMITATIONS.
 Govt facility: ALL OTHER FACILITIES NOT OWNED OR OPERATED BY A FEDERAL, STATE, OR
 LOCAL GOVERNMENT
 Current HPV: Not reported

Historical Compliance Minor Sources:

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1004
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1101
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1101
 Air prog code hist file: NSPS

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1101
 Air prog code hist file: MACT (SECTION 63 NESHAPS)

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1102
 Air prog code hist file: SIP SOURCE

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1102
 Air prog code hist file: NSPS

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1102
 Air prog code hist file: MACT (SECTION 63 NESHAPS)

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1103
 Air prog code hist file: SIP SOURCE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VERIZON - VARICK ST (Continued)

1000136850

State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1103
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1103
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1104
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1104
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1104
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1202
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1202
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1202
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1203
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1203
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1203
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VERIZON - VARICK ST (Continued)

1000136850

Hist compliance date:	1204
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1204
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1204
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1301
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1301
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1301
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1302
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1302
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1302
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1303
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1303
Air prog code hist file:	NSPS
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1303
Air prog code hist file:	MACT (SECTION 63 NESHAPS)

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

AJ195 CON EDISON NY MANIFEST S113494802
NNW 442 WASHINGTON ST N/A
1/8-1/4 NEW YORK, NY 10013
0.158 mi.
835 ft. Site 2 of 9 in cluster AJ

NY MANIFEST:

EPA ID: NYP004284915
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 23-Jan-2013 00:00:00
 Trans1 Recv Date: 23-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 24-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284915
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 1000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010408545JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

AJ196 **CON EDISON**
NNW **442 WASHINGTON ST**
1/8-1/4 **NEW YORK, NY 10013**
0.158 mi.
835 ft. **Site 3 of 9 in cluster AJ**

NY MANIFEST **S113494803**
N/A

NY MANIFEST:

EPA ID:	NYP004284923
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	23-Jan-2013 00:00:00
Trans1 Recv Date:	23-Jan-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	24-Jan-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004284923
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010408546JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

AJ198 **TRIBECA CONSTRUCTION, LLC**
NNW **34 DESBROSSES STREET**
1/8-1/4 **NEW YORK, NY 10013**
0.159 mi.
838 ft. **Site 5 of 9 in cluster AJ**

NY UST **U004109431**
N/A

UST:

Id/Status: 2-610623 / Unregulated
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: N/A
UTM X: 583576.33750000002
UTM Y: 4508541.3201900003
Site Type: Other

Affiliation Records:

Site Id: 385235
Affiliation Type: Facility Owner
Company Name: TRIBECA CONSTRUCTION, LLC
Contact Type: REPRESENTATIVE
Contact Name: C.T. GABRIEL
Address1: 1700 BROADWAY, 34TH FLOOR
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10019
Country Code: 001
Phone: (212) 333-3499
EMail: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/1/2007

Site Id: 385235
Affiliation Type: Mail Contact
Company Name: J.C. BRODERICK & ASSOCIATES, INC. (JCB)
Contact Type: Not reported
Contact Name: C.T. GABRIEL
Address1: 420 LAKE AVENUE
Address2: Not reported
City: SAINT JAMES
State: NY
Zip Code: 11780
Country Code: 001
Phone: (631) 584-5492
EMail: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 8/1/2007

Site Id: 385235
Affiliation Type: On-Site Operator
Company Name: TRIBECA CONSTRUCTION, LLC
Contact Type: Not reported
Contact Name: TRIBECA CONSTRUCTION LLC
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

Zip Code: Not reported
 Country Code: 001
 Phone: (212) 333-3499
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 8/1/2007

Site Id: 385235
 Affiliation Type: Emergency Contact
 Company Name: TRIBECA CONSTRUCTION, LLC
 Contact Type: Not reported
 Contact Name: TRIBECA CONSTRUCTION LLC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 333-3499
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 8/1/2007

Tank Info:

Tank Number: 1
 Tank ID: 218630
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 275
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0022
 Common Name of Substance: Waste Oil/Used Oil

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L00 - Piping Leak Detection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

C02 - Pipe Location - Underground/On-ground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 10
 Tank ID: 218639
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/19/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0008
 Common Name of Substance: Diesel

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 F00 - Pipe External Protection - None
 L00 - Piping Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 I00 - Overfill - None

Tank Number: 11
 Tank ID: 218640
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/19/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

Last Modified: 08/01/2007

Equipment Records:

- F00 - Pipe External Protection - None
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- L00 - Piping Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- I00 - Overfill - None
- C02 - Pipe Location - Underground/On-ground
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None

Tank Number: 12

Tank ID: 218641

Tank Status: Closed - Removed

Material Name: Closed - Removed

Capacity Gallons: 550

Install Date: Not reported

Date Tank Closed: 06/19/2007

Registered: True

Tank Location: Underground

Tank Type: Fiberglass reinforced plastic [FRP]

Material Code: 0009

Common Name of Substance: Gasoline

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Pipe Model: Not reported

Modified By: DXLIVING

Last Modified: 08/01/2007

Equipment Records:

- I00 - Overfill - None
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L00 - Piping Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None

Tank Number: 13

Tank ID: 218642

Tank Status: Closed - Removed

Material Name: Closed - Removed

Capacity Gallons: 550

Install Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

Date Tank Closed: 06/19/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L00 - Piping Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 F00 - Pipe External Protection - None
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 14
 Tank ID: 218643
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/26/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

J00 - Dispenser - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 2
 Tank ID: 218631
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 275
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0022
 Common Name of Substance: Waste Oil/Used Oil

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 3
 Tank ID: 218632
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

Last Modified: 08/01/2007

Equipment Records:

- B00 - Tank External Protection - None
- K00 - Spill Prevention - None
- F00 - Pipe External Protection - None
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- I00 - Overfill - None
- L00 - Piping Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None

Tank Number: 4
 Tank ID: 218633
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

- F00 - Pipe External Protection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- C02 - Pipe Location - Underground/On-ground
- L00 - Piping Leak Detection - None
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None

Tank Number: 5
 Tank ID: 218634
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L00 - Piping Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 6
 Tank ID: 218635
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L00 - Piping Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

J00 - Dispenser - None
 F00 - Pipe External Protection - None
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 7
 Tank ID: 218636
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 1500
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 00
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 F00 - Pipe External Protection - None
 L00 - Piping Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 I00 - Overfill - None

Tank Number: 8
 Tank ID: 218637
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 4500
 Install Date: Not reported
 Date Tank Closed: 06/04/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 00
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRIBECA CONSTRUCTION, LLC (Continued)

U004109431

Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 C02 - Pipe Location - Underground/On-ground
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 9
 Tank ID: 218638
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 06/19/2007
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/01/2007

Equipment Records:

I00 - Overfill - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

199 NE 1/8-1/4 0.163 mi. 862 ft.	CON EDISON SERVICE BOX: 28518 431 CANAL ST FRONT OF NEW YORK, NY 10013	RCRA-CESQG FINDS	1016149887 NYP004285540
---	---	-----------------------------------	--

RCRA-CESQG:

Date form received by agency: 01/27/2013
 Facility name: CON EDISON SERVICE BOX: 28518
 Facility address: 431 CANAL ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004285540
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: BENJAMIN BAMONTE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9549
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055467846

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

CON EDISON SERVICE BOX: 28518 (Continued)

1016149887

Environmental Interest/Information System

**AL200
 ESE
 1/8-1/4
 0.163 mi.
 863 ft.**

**11 NORTH MOORE ST
 20-24 VARICK STREET
 NEW YORK, NY 10013**

**NY UST U003836002
 NY HIST UST N/A**

Site 1 of 2 in cluster AL

UST:

Id/Status: 2-607084 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583882.26904000004
 UTM Y: 4508058.4382300004
 Site Type: Trucking/Transportation/Fleet Operation

Affiliation Records:

Site Id: 28939
 Affiliation Type: Mail Contact
 Company Name: VE EQUITIES, LLC.
 Contact Type: Not reported
 Contact Name: JAMES LONGSON
 Address1: 12 MERCER ST
 Address2: 3RD FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 686-2500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/8/2013

Site Id: 28939
 Affiliation Type: On-Site Operator
 Company Name: 11 NORTH MOORE ST
 Contact Type: Not reported
 Contact Name: N/A
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 686-2500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/8/2013

Site Id: 28939
 Affiliation Type: Emergency Contact
 Company Name: 11 NM VENTURE, LLC.
 Contact Type: Not reported
 Contact Name: JAMES LONGSON

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

11 NORTH MOORE ST (Continued)

U003836002

Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 686-2500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/8/2013

Site Id: 28939
 Affiliation Type: Facility Owner
 Company Name: 11 NM VENTURE, LLC.
 Contact Type: MEMBER
 Contact Name: JUSTIN EHRLICK
 Address1: 12 MERCER ST 3RD FL
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 686-2500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/8/2013

Tank Info:

Tank Number: 01
 Tank ID: 62285
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 500
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: ZZZZ
 Common Name of Substance: Invalid Material - Please Fix

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

A00 - Tank Internal Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NORTH MOORE ST (Continued)

U003836002

G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 I00 - Overfill - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 02
 Tank ID: 62286
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 500
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: ZZZZ
 Common Name of Substance: Invalid Material - Please Fix

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 I00 - Overfill - None

Tank Number: 03
 Tank ID: 62287
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 500
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: ZZZZ
 Common Name of Substance: Invalid Material - Please Fix

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NORTH MOORE ST (Continued)

U003836002

Last Modified: 07/08/2013

Equipment Records:

- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- D00 - Pipe Type - No Piping
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- I00 - Overfill - None
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None

Tank Number: 04
 Tank ID: 62288
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 500
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: ZZZZ
 Common Name of Substance: Invalid Material - Please Fix

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

- A00 - Tank Internal Protection - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- D00 - Pipe Type - No Piping
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- I00 - Overfill - None
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None

Tank Number: 05
 Tank ID: 248967
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 05/28/2013
 Date Tank Closed: 07/01/2013
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NORTH MOORE ST (Continued)

U003836002

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 F00 - Pipe External Protection - None
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 06
 Tank ID: 248968
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 05/28/2013
 Date Tank Closed: 07/01/2013
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

L00 - Piping Leak Detection - None
 I00 - Overfill - None
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 07
 Tank ID: 248969
 Tank Status: Closed - Removed
 Material Name: Closed - Removed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NORTH MOORE ST (Continued)

U003836002

Capacity Gallons: 550
 Install Date: 06/13/2013
 Date Tank Closed: 07/01/2013
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 L00 - Piping Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 08
 Tank ID: 248970
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 06/13/2013
 Date Tank Closed: 07/01/2013
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 07/08/2013

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

11 NORTH MOORE ST (Continued)

U003836002

HIST UST:

PBS Number: 2-607084
 SPDES Number: Not reported
 Emergency Contact: JOSEPHINE BROWN
 Emergency Telephone: (718) 243-4581
 Operator: NYC TRANSIT
 Operator Telephone: (718) 243-4581
 Owner Name: NEW YORK CITY TRANSIT
 Owner Address: 370 JAY STREET
 Owner City,St,Zip: BROOKLYN, NY 11201
 Owner Telephone: (718) 243-4581
 Owner Type: Local Government
 Owner Subtype: Not reported
 Mailing Name: NEW YORK CITY TRANSIT
 Mailing Address: 370 JAY STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BROOKLYN, NY 11201
 Mailing Contact: JOSEPHINE BROWN
 Mailing Telephone: (718) 243-4581
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons and Subpart 360-14.
 Facility Addr2: Not reported
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: TRUCKING/TRANSPORTATION
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 10/15/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMS: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 01
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 500
 Product Stored: Not reported
 Tank Type: Not reported
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

11 NORTH MOORE ST (Continued)

U003836002

Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Major Data Missing (which is on the certificate)
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 02
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 500
 Product Stored: Not reported
 Tank Type: Not reported
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Major Data Missing (which is on the certificate)
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 03
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 500
 Product Stored: Not reported
 Tank Type: Not reported
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NORTH MOORE ST (Continued)

U003836002

Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Major Data Missing (which is on the certificate)
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 04
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 500
 Product Stored: Not reported
 Tank Type: Not reported
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Not reported
 Leak Detection: Not reported
 Overfill Prot: Not reported
 Dispenser: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Major Data Missing (which is on the certificate)
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

AL201 11 NM VENTURE LLC
ESE 24 VARICK ST
1/8-1/4 NEW YORK, NY 10013
0.163 mi.
863 ft. Site 2 of 2 in cluster AL

NY MANIFEST S110670294
NY E DESIGNATION N/A

NY MANIFEST:
 EPA ID: NYR000197616
 Country: USA
 Mailing Name: 11 NM VENTURE LLC
 Mailing Contact: 11 NM VENTURE LLC
 Mailing Address: 12 MERCER ST 3RD FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NM VENTURE LLC (Continued)

S110670294

Mailing Phone: Not reported

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-11-19
 Trans1 Recv Date: 2012-11-19
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-11-19
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000197616
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 31640.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DT - Dump trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 010916142JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: Y
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

E DESIGNATION:

Tax Lot(s): 37
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3014
 School District: 02
 City Council District: 01
 Fire Company: E007
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NM VENTURE LLC (Continued)

S110670294

Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G6
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: LHRE COMPANY, L.L.C.
 Lot Area: 000011206
 Total Building Floor Area: 00000000000
 Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0175.33
 Lot Depth: 0065.33
 Building Frontage: 0007.00
 Building Depth: 0005.00
 Proximity Code: 0
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00001003500
 Total Assessed Value: 00001012500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1001900037
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982456
 Y Coordinate: 0201620
 Zoning Map: 12A
 Sanborn Map: 101N041
 Tax Map: 10105
 E Designation No: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NM VENTURE LLC (Continued)

S110670294

Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 37
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 3014
 School District: 02
 City Council District: 01
 Fire Company: E007
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: G6
 Land Use Category: 10
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: LHRE COMPANY, L.L.C.
 Lot Area: 000011206
 Total Building Floor Area: 00000000000
 Commercial Floor Area: 00000000000
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area, Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00000
 Lot Frontage: 0175.33
 Lot Depth: 0065.33

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

11 NM VENTURE LLC (Continued)

S110670294

Building Frontage: 0007.00
 Building Depth: 0005.00
 Proximity Code: 0
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00001003500
 Total Assessed Value: 00001012500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1915
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.00
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1001900037
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0982456
 Y Coordinate: 0201620
 Zoning Map: 12A
 Sanborn Map: 101N041
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

202
 SSE
 1/8-1/4
 0.164 mi.
 867 ft.

100 HUDSON TENANTS CORP
100 HUDSON ST
NEW YORK, NY 10003

RCRA NonGen / NLR 1001202956
FINDS NYR000042507
NY AST
NY HIST AST
NY MANIFEST
NY Spills

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: 100 HUDSON TENANTS CORP
 Facility address: 100 HUDSON ST
 NEW YORK, NY 10003
 EPA ID: NYR000042507
 Mailing address: HUDSON ST
 NEW YORK, NY 10003
 Contact: BRIAN EVANS
 Contact address: HUDSON ST
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 912-1620

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

100 HUDSON TENANTS CORP (Continued)

1001202956

Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 100 HUDSON TENANTS CORP
 Owner/operator address: 100 HUDSON ST
 NEW YORK, NY 10003
 Owner/operator country: US
 Owner/operator telephone: (212) 529-5688
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: 100 HUDSON TENANTS CORP
 Owner/operator address: 100 HUDSON ST
 NEW YORK, NY 10003
 Owner/operator country: US
 Owner/operator telephone: (212) 529-5688
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: 100 HUDSON TENANTS CORP
 Classification: Not a generator, verified

Date form received by agency: 07/16/1997
 Facility name: 100 HUDSON TENANTS CORP
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

100 HUDSON TENANTS CORP (Continued)

1001202956

Registry ID: 110004535931

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-319074
 Program Type: PBS
 UTM X: 583761.13667000004
 UTM Y: 4508028.0137099996
 Expiration Date: 2017/07/20
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 14742
 Affiliation Type: Facility Owner
 Company Name: 100 HUDSON TENANTS CORP % ANDREWS BUILDING CORP.
 Contact Type: MANAGING AGENT
 Contact Name: MICHAEL SCHENKER
 Address1: 666 BROADWAY, 12TH FLOOR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/9/2007

Site Id: 14742
 Affiliation Type: Mail Contact
 Company Name: Not reported
 Contact Type: Not reported
 Contact Name: MICHAEL SCHENKER
 Address1: ANDREWS BUILDING CORPORATION
 Address2: 666 BROADWAY, 12TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/9/2007

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

100 HUDSON TENANTS CORP (Continued)

1001202956

Site Id: 14742
 Affiliation Type: On-Site Operator
 Company Name: 100 HUDSON TENANTS CORP
 Contact Type: Not reported
 Contact Name: BORIS SHAFIR
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-4960
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 14742
 Affiliation Type: Emergency Contact
 Company Name: 100 HUDSON TENANTS CORP % ANDREWS BUILDING CORP.
 Contact Type: Not reported
 Contact Name: MICHAEL SCHENKER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/9/2007

Tank Info:

Tank Number: 001
 Tank Id: 16754
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 I05 - Overfill - Vent Whistle
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 G05 - Tank Secondary Containment - Synthetic Liner
 I04 - Overfill - Product Level Gauge (A/G)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

100 HUDSON TENANTS CORP (Continued)

1001202956

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2000
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DXLIVING
 Last Modified: 05/09/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-319074
 SWIS Code: 6201
 Operator: BORIS SHAFIR
 Facility Phone: (212) 925-4960
 Facility Addr2: 100 HUDSON ST
 Facility Type: APARTMENT BUILDING
 Emergency: ROBIN YOUNG
 Emergency Tel: (212) 529-5688
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 100 HUDSON TENANTS CORP C/O ANDREW BUILDING CORP
 Owner Address: 666 BROADWAY, 12TH FLOOR
 Owner City,St,Zip: NEW YORK, NY 10012
 Federal ID: Not reported
 Owner Tel: (212) 529-5688
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: ROBIN YOUNG
 Mailing Name: 100 HUDSON TENTANTS CORP
 Mailing Address: C/O ANDREWS BUILDING CORPORATION
 Mailing Address 2: 666 BROADWAY, 12TH FLOOR
 Mailing City,St,Zip: NEW YORK, NY 10012
 Mailing Telephone: (212) 529-5688
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 06/21/2000
 Expiration: 07/20/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

100 HUDSON TENANTS CORP (Continued)

1001202956

Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: 05/01/2000
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 02/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

NY MANIFEST:

EPA ID: NYR000042507
 Country: USA
 Mailing Name: 100 HUDSON TENANTS CORP
 Mailing Contact: BRIAN EVANS
 Mailing Address: 100 HUDSON ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-912-1620

Document ID: NYB8491266
 Manifest Status: Completed copy
 Trans1 State ID: 3TK717NJ
 Trans2 State ID: Not reported
 Generator Ship Date: 970819
 Trans1 Recv Date: 970819
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970820
 Part A Recv Date: 970902
 Part B Recv Date: 970910

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

100 HUDSON TENANTS CORP (Continued)

1001202956

Generator EPA ID: NYR000042507
 Trans1 EPA ID: NJD054126164
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: F001 - UNKNOWN
 Quantity: 00110
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 97

SPILLS:

Facility ID: 9006366
 Facility Type: ER
 DER Facility ID: 90225
 Site ID: 101837
 DEC Region: 2
 Spill Date: 9/10/1990
 Spill Number/Closed Date: 9006366 / 11/15/1994
 Spill Cause: Equipment Failure
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS:

3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 9/10/1990
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Citizen
 Cleanup Ceased: 11/15/1994
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 9/12/1990
 Spill Record Last Update: 11/15/1994
 Spiller Name: Not reported
 Spiller Company: BAARENKLAU
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: FREE HEATER LEAK, USED SPEEDY DRY TO CLEAN.

Material:

Site ID: 101837
 Operable Unit ID: 946998
 Operable Unit: 01
 Material ID: 433827
 Material Code: 0002A

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

100 HUDSON TENANTS CORP (Continued)

1001202956

Material Name:	#4 Fuel Oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

**AF203
NNE
1/8-1/4
0.166 mi.
874 ft.**

**CON EDISON
FO 205 HUDSON ST
NEW YORK, NY 10013

Site 6 of 8 in cluster AF**

**NY MANIFEST S113495987
N/A**

NY MANIFEST:

EPA ID:	NYP004297131
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	28-Mar-2013 00:00:00
Trans1 Recv Date:	28-Mar-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	29-Mar-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004297131
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	700
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010708337JJK
Import Ind:	N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113495987

Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**AF204
 NNE
 1/8-1/4
 0.166 mi.
 874 ft.**

**TRINITY REAL ESTATE - 205 HUDSON STREET
 205 HUDSON ST
 NEW YORK, NY 10013
 Site 7 of 8 in cluster AF**

**RCRA NonGen / NLR
 FINDS
 NY MANIFEST**

**1006810629
 NYR000114462**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: TRINITY REAL ESTATE - 205 HUDSON STREET
 Facility address: 205 HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYR000114462
 Mailing address: HUDSON ST
 NEW YORK, NY 10013
 Contact: JOSEPH T PALOMBI
 Contact address: HUDSON ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 602-0867
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PARISH OF TRINITY CHURCH
 Owner/operator address: TRINITY PLACE
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0844
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 03/26/2003
 Owner/Op end date: Not reported

Owner/operator name: TRINITY REAL ESTATE - 205 HUDSON STREET
 Owner/operator address: HUDSON ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0867
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 03/26/2003
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY REAL ESTATE - 205 HUDSON STREET (Continued)

1006810629

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: TRINITY REAL ESTATE - 205 HUDSON STREET
 Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 03/26/2003
 Facility name: TRINITY REAL ESTATE - 205 HUDSON STREET
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110014449640

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000114462
 Country: USA
 Mailing Name: TRINITY REAL ESTATE
 Mailing Contact: N/S
 Mailing Address: 205 HUDSON
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 718-794-4300

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRINITY REAL ESTATE - 205 HUDSON STREET (Continued)

1006810629

Document ID: NYG2895525
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 05/02/2003
 Trans1 Recv Date: 05/02/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/05/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000114462
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 68235AK
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00250
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00004
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00008
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00016
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2003

Document ID: NYG2895534
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 05/02/2003
 Trans1 Recv Date: 05/02/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/05/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000114462
 Trans1 EPA ID: NYD077444263

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRINITY REAL ESTATE - 205 HUDSON STREET (Continued)

1006810629

Trans2 EPA ID: Not reported
 TSDF ID: 68235AKNY
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00002
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00010
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00750
 Units: P - Pounds
 Number of Containers: 001
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2003

AI205 SE 1/8-1/4 0.166 mi. 875 ft.
ATLANTA CORP
17 VARICK ST
NEW YORK, NY 10013
Site 2 of 3 in cluster AI

RCRA NonGen / NLR 1000990394
FINDS NYR000003533
NY MANIFEST

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: ATLANTA CORP
 Facility address: 17 VARICK ST
 NEW YORK, NY 100132420
 EPA ID: NYR000003533
 Mailing address: VARICK ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: VARICK ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ATLANTA CORP (Continued)

1000990394

Owner/operator name: GEORGE G GELLERT
 Owner/operator address: 625 BRIARWOOD CT
 ORADELL, NJ 07649
 Owner/operator country: US
 Owner/operator telephone: (201) 265-1235
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: GEORGE G GELLERT
 Owner/operator address: 625 BRIARWOOD CT
 ORADELL, NJ 07649
 Owner/operator country: US
 Owner/operator telephone: (201) 265-1235
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: ATLANTA CORP
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: ATLANTA CORP
 Classification: Not a generator, verified

Date form received by agency: 03/19/1996
 Facility name: ATLANTA CORP
 Site name: ATALANTA CORPORATION
 Classification: Large Quantity Generator

Date form received by agency: 04/20/1995
 Facility name: ATLANTA CORP
 Classification: Small Quantity Generator

Violation Status: No violations found

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ATLANTA CORP (Continued)

1000990394

FINDS:

Registry ID: 110000813120

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000003533
 Country: USA
 Mailing Name: ATLANTA CORP
 Mailing Contact: LEONARDO GARCIA
 Mailing Address: 17 VARICK ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-226-8600

Document ID: NJA2146123
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPE086
 Trans2 State ID: Not reported
 Generator Ship Date: 950623
 Trans1 Recv Date: 950623
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 950626
 Part A Recv Date: Not reported
 Part B Recv Date: 950712
 Generator EPA ID: NYR000003533
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002182897
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 04682
 Units: P - Pounds
 Number of Containers: 013
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 95

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

AF206 **99-105 CANAL**
NNE **99-105 CANAL ST**
1/8-1/4 **NEW YORK, NY 10013**
0.166 mi.
878 ft. **Site 8 of 8 in cluster AF**

NY AST **U003395517**
NY HIST AST **N/A**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-600035
 Program Type: PBS
 UTM X: 584976.60552999994
 UTM Y: 4507723.1309500001
 Expiration Date: 2011/03/21
 Site Type: Municipality (Incl. Waste Water Treatment Plants,

Affiliation Records:
 Site Id: 22024
 Affiliation Type: Facility Owner
 Company Name: CANAL REALTY CORP.
 Contact Type: PROPERTY MANAGER
 Contact Name: PAUL ESPOSITO
 Address1: 168 CANAL STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 334-0990
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 1/10/2006

Site Id: 22024
 Affiliation Type: Mail Contact
 Company Name: D. G. HART MANAGEMENT, INC.
 Contact Type: Not reported
 Contact Name: PAUL ESPOSITO
 Address1: 168 CANAL STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 941-1483
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22024
 Affiliation Type: On-Site Operator
 Company Name: 99-105 CANAL
 Contact Type: Not reported
 Contact Name: D. G. HART MGMT. INC.
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

99-105 CANAL (Continued)

U003395517

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 941-1483
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22024
 Affiliation Type: Emergency Contact
 Company Name: CANAL REALTY CORP.
 Contact Type: Not reported
 Contact Name: PAUL ESPOSITO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 941-1483
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 39972
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

99-105 CANAL (Continued)

U003395517

Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-600035
 SWIS Code: 6201
 Operator: D. G. HART MGMT. INC.
 Facility Phone: (212) 941-1483
 Facility Addr2: 99 CANAL ST
 Facility Type: OTHER
 Emergency: PAUL ESPOSITO
 Emergency Tel: (212) 941-1483
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: CANAL REALTY CORP.
 Owner Address: 168 CANAL STREET
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 334-0990
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: PAUL ESPOSITO
 Mailing Name: D. G. HART MANAGEMENT, INC.
 Mailing Address: 168 CANAL STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 941-1483
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 02/09/2001
 Expiration: 03/21/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 2000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

99-105 CANAL (Continued)

U003395517

Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

AM207
NNE
1/8-1/4
0.166 mi.
878 ft.

CON EDISON SERVICE BOX: 28517
439 CANAL ST
NEW YORK, NY

RCRA-CESQG 1016149790
FINDS NYP004284568

Site 1 of 7 in cluster AM

RCRA-CESQG:

Date form received by agency: 01/21/2013
 Facility name: CON EDISON SERVICE BOX: 28517
 Facility address: 439 CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYP004284568
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 28517 (Continued)

1016149790

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055465704

Environmental Interest/Information System

**AM208
 NNE
 1/8-1/4
 0.166 mi.
 878 ft.**

**CON EDISON
 439 CANAL ST
 NEW YORK, NY 10013**

Site 2 of 7 in cluster AM

**NY MANIFEST S113494769
 N/A**

NY MANIFEST:

EPA ID: NYP004284568
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 21-Jan-2013 00:00:00
 Trans1 Recv Date: 21-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 21-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284568
 Trans1 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494769

Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 1500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010408526JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**AJ209
 NNW
 1/8-1/4
 0.167 mi.
 880 ft.**

**CON EDISON
 OPP 447 WASHINGTON ST
 NEW YORK, NY 10013
 Site 6 of 9 in cluster AJ**

**NY MANIFEST S113494804
 N/A**

NY MANIFEST:
 EPA ID: NYP004284931
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 23-Jan-2013 00:00:00
 Trans1 Recv Date: 23-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 24-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284931
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494804

Waste Code: Not reported
 Quantity: 1000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010408547JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**AN210
 ESE
 1/8-1/4
 0.167 mi.
 882 ft.**

**VARICK ASSOCIATES
 11-17 BEACH STREET
 NEW YORK, NY 10013
 Site 1 of 2 in cluster AN**

**NY AST U003383552
 NY HIST AST N/A**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-047503
 Program Type: PBS
 UTM X: 583959.74852999998
 UTM Y: 4508242.2605100004
 Expiration Date: 2016/12/02
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 750
 Affiliation Type: Facility Owner
 Company Name: VARICK ASSOCIATES,LLC
 Contact Type: MEMBER
 Contact Name: LEONARD KAHN
 Address1: 11 BEACH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 226-3249
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 10/20/2006

Site Id: 750
 Affiliation Type: Mail Contact

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK ASSOCIATES (Continued)

U003383552

Company Name: VARICK ASSOCIATES, LLC
 Contact Type: Not reported
 Contact Name: LEONARD KAHN
 Address1: 11 BEACH STREET
 Address2: STE 901
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 226-3249
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/3/2011

Site Id: 750
 Affiliation Type: On-Site Operator
 Company Name: VARICK ASSOCIATES
 Contact Type: Not reported
 Contact Name: GARY VOGT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-6305
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 10/20/2006

Site Id: 750
 Affiliation Type: Emergency Contact
 Company Name: VARICK ASSOCIATES,LLC
 Contact Type: Not reported
 Contact Name: GARY VOGT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (917) 207-3581
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 10/20/2006

Tank Info:

Tank Number: 001
 Tank Id: 1668
 Material Code: 0002
 Common Name of Substance: #4 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK ASSOCIATES (Continued)

U003383552

Equipment Records:

B00 - Tank External Protection - None
 K00 - Spill Prevention - None
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None
 I05 - Overfill - Vent Whistle

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/05/1969
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 10/03/2011
 Material Name: #4 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-047503
 SWIS Code: 6201
 Operator: GARY VOGT
 Facility Phone: (212) 966-6305
 Facility Addr2: 11 BEACH STREET
 Facility Type: OTHER
 Emergency: GARY VOGT
 Emergency Tel: (212) 431-5060
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: VARICK ASSOCIATES,LLC
 Owner Address: 11 BEACH STREET
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 226-3249
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: LEONARD KAHN
 Mailing Name: VARICK ASSOCIATES, LLC
 Mailing Address: 11 BEACH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Telephone: (212) 226-3249
 Owner Mark: First Owner

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK ASSOCIATES (Continued)

U003383552

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 08/31/2001
 Expiration: 12/02/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 0
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**AN211
 ESE
 1/8-1/4
 0.167 mi.
 882 ft.**

**APARTMENTS
 11-17 BEACH ST
 MANHATTAN, NY
 Site 2 of 2 in cluster AN**

**NY LTANKS S109583693
 N/A**

LTANKS:
 Site ID: 411150
 Spill Number/Closed Date: 0813458 / 4/15/2009
 Spill Date: 3/13/2009
 Spill Cause: Tank Test Failure

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APARTMENTS (Continued)

S109583693

Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 3/13/2009
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/13/2009
 Spill Record Last Update: 4/15/2009
 Spiller Name: MIKE EDGAR
 Spiller Company: VARICK ASSOCIATES LLC
 Spiller Address: 11-17 BEACH ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 999
 Spiller Contact: MIKE EDGAR
 Spiller Phone: (212) 226-3249
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 360370
 DEC Memo: No TTF letter was sent (work was finished-owner will submit results)3/26/2009 Sangesland spoke to building owner. He said the tank failed because the gasket on the manhole was corroded. Owner already had the gasket replaced and the vent line fixed. System was retested and passed. Owner will put a package of info together including:Retest, work order showing repairs, photos, statement that there was NO spill.Submittal should come in by March 31 -4/15/09. J.Krimgold reviewed the report submitted by Varick Associates, LLC. NFA.
 Remarks: Caller states they had a test failure with no spill or resources affected.

Material:
 Site ID: 411150
 Operable Unit ID: 1167614
 Operable Unit: 01
 Material ID: 2159193
 Material Code: 0002A
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APARTMENTS (Continued)

S109583693

Site ID: 411150
 Spill Tank Test: 2487416
 Tank Number: 001
 Tank Size: 5000
 Test Method: 21
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: JMKRIMGO
 Last Modified: 4/15/2009
 Test Method: Horner EZY3/EZY3 Locator Plus

**AM212
 NNE
 1/8-1/4
 0.168 mi.
 887 ft.**

**CON EDISON SERVICE BOX: 28514
 465 CANAL ST
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149792
 NYP004284584**

Site 3 of 7 in cluster AM

RCRA-CESQG:

Date form received by agency: 01/21/2013
 Facility name: CON EDISON SERVICE BOX: 28514
 Facility address: 465 CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYP004284584
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

CON EDISON SERVICE BOX: 28514 (Continued)

1016149792

Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

**AM213
NNE
1/8-1/4
0.168 mi.
887 ft.**

**CON EDISON SERVICE BOX: 28516
465 CANAL ST
NEW YORK, NY
Site 4 of 7 in cluster AM**

**RCRA-CESQG 1016149791
FINDS NYP004284576**

RCRA-CESQG:

Date form received by agency:	01/21/2013
Facility name:	CON EDISON SERVICE BOX: 28516
Facility address:	465 CANAL ST NEW YORK, NY 10013
EPA ID:	NYP004284576
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JUAN RODRIGUEZ
Contact address:	Not reported
Contact country:	Not reported
Contact telephone:	(347) 865-5931
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site		Database(s) EPA ID Number

CON EDISON SERVICE BOX: 28516 (Continued)

1016149791

Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

FINDS:

Registry ID: 110055433856

Environmental Interest/Information System

**AM214
NNE
1/8-1/4
0.168 mi.
887 ft.**

**CON EDISON
465 CANAL ST
NEW YORK, NY 10013**

**NY MANIFEST S113494771
N/A**

Site 5 of 7 in cluster AM

NY MANIFEST:

EPA ID:	NYP004284584
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	21-Jan-2013 00:00:00
Trans1 Recv Date:	21-Jan-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	21-Jan-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004284584
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CON EDISON (Continued)

S113494771

Manifest Tracking Num: 010408528JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**AM215
 NNE
 1/8-1/4
 0.168 mi.
 887 ft.**

**CON EDISON
 465 CANAL ST
 NEW YORK, NY 10013**

**NY MANIFEST S113494770
 N/A**

Site 6 of 7 in cluster AM

NY MANIFEST:

EPA ID: NYP004284576
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 21-Jan-2013 00:00:00
 Trans1 Recv Date: 21-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 21-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284576
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 1500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010408527JJK
 Import Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494770

Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**AO216
 NW
 1/8-1/4
 0.169 mi.
 890 ft.**

**266 WEST ST
 NEW YORK, NY 10013**

**EDR US Hist Auto Stat 1015376331
 N/A**

Site 1 of 2 in cluster AO

EDR Historical Auto Stations:

Name: BEST 2 STORIES AUTO REPAIR INCORPORATED
 Year: 1999
 Address: 266 WEST ST

Name: CHANDER AUTO REPAIR
 Year: 2007
 Address: 266 WEST ST

Name: CHANDER AUTO REPAIR
 Year: 2008
 Address: 266 WEST ST

Name: CHANDER AUTO REPAIR
 Year: 2009
 Address: 266 WEST ST

Name: CHANDER AUTO REPAIR
 Year: 2010
 Address: 266 WEST ST

**AO217
 NW
 1/8-1/4
 0.169 mi.
 890 ft.**

**CHANDER AUTO REPAIR, INC.
 266 WEST STREET
 NEW YORK, NY 10013**

**NY AST A100380446
 N/A**

Site 2 of 2 in cluster AO

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-612070
 Program Type: PBS
 UTM X: Not reported
 UTM Y: Not reported
 Expiration Date: 2017/06/25
 Site Type: Auto Service/Repair (No Gasoline Sales)

Affiliation Records:

Site Id: 485239

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CHANDER AUTO REPAIR, INC. (Continued)

A100380446

Affiliation Type: Facility Owner
 Company Name: DERICK VASCONCELLOS
 Contact Type: VICE PRESIDENT
 Contact Name: DERICK VASCONCELLOS
 Address1: 109 DIX HIGHWAY
 Address2: Not reported
 City: DIX HILLS
 State: NY
 Zip Code: 11746
 Country Code: 001
 Phone: (347) 682-7429
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 7/30/2013

Site Id: 485239
 Affiliation Type: Mail Contact
 Company Name: Not reported
 Contact Type: Not reported
 Contact Name: DERICK VASCONCELLOS
 Address1: 266 WEST STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (347) 682-7429
 EMail: CHANDERAUTO@YAHOO.COM
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 7/30/2013

Site Id: 485239
 Affiliation Type: On-Site Operator
 Company Name: CHANDER AUTO REPAIR, INC.
 Contact Type: Not reported
 Contact Name: DERICK VASCONCELLOS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (347) 682-7429
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 7/30/2013

Site Id: 485239
 Affiliation Type: Emergency Contact
 Company Name: DERICK VASCONCELLOS
 Contact Type: Not reported
 Contact Name: DERICK VASCONCELLOS
 Address1: Not reported
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CHANDER AUTO REPAIR, INC. (Continued)

A100380446

City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (631) 667-1202
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 7/30/2013

Tank Info:

Tank Number: 1
 Tank Id: 249199

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G06 - Tank Secondary Containment - Remote Impounding Area
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/25/2007
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 07/30/2013
 Material Name: Waste Oil/Used Oil

**AI218 LADDER COMPANY 8
 SE 14 NORTH MOORE STREET
 1/8-1/4 NEW YORK, NY 10013
 0.169 mi.
 892 ft. Site 3 of 3 in cluster AI**

**NY AST A100183556
 N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-606993
 Program Type: PBS
 UTM X: 583890.23354000004
 UTM Y: 4508116.0370699996
 Expiration Date: N/A

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

LADDER COMPANY 8 (Continued)

A100183556

Site Type:	Other
Affiliation Records:	
Site Id:	28848
Affiliation Type:	Facility Owner
Company Name:	FIRE DEPARTMENT CITY OF NEW YORK
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	9 METRO TECH
Address2:	Not reported
City:	BROOKLYN
State:	NY
Zip Code:	11201-3857
Country Code:	001
Phone:	(718) 999-2094
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	28848
Affiliation Type:	Emergency Contact
Company Name:	FIRE DEPARTMENT CITY OF NEW YORK
Contact Type:	Not reported
Contact Name:	F.D.N.Y.
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(718) 999-2094
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	28848
Affiliation Type:	Mail Contact
Company Name:	FDNY BUILDING MAINTENANCE DIV.
Contact Type:	Not reported
Contact Name:	DIRECTOR
Address1:	48-34 35TH STREET
Address2:	Not reported
City:	LONG ISLAND CITY
State:	NY
Zip Code:	11101
Country Code:	001
Phone:	(718) 784-6510
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	28848
Affiliation Type:	On-Site Operator
Company Name:	LADDER COMPANY 8
Contact Type:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

LADDER COMPANY 8 (Continued)

A100183556

Contact Name: COMPANY OFFICER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-9676
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 62143
 Material Code: 0009
 Common Name of Substance: Gasoline

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 I05 - Overfill - Vent Whistle
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 B00 - Tank External Protection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Gasoline

Tank Number: 002
 Tank Id: 62144
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

F05 - Pipe External Protection - Jacketed
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LADDER COMPANY 8 (Continued)

A100183556

C03 - Pipe Location - Aboveground/Underground Combination
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 550
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

**AJ219
 NNW
 1/8-1/4
 0.171 mi.
 901 ft.**

**446 WASHINGTON ST
 NEW YORK, NY 10013
 Site 7 of 9 in cluster AJ**

**EDR US Hist Auto Stat 1015500202
 N/A**

EDR Historical Auto Stations:

Name: MANHATAN AUTOMOTIVE
 Year: 2011
 Address: 446 WASHINGTON ST

Name: MANHATAN AUTOMOTIVE
 Year: 2012
 Address: 446 WASHINGTON ST

**220
 NNE
 1/8-1/4
 0.171 mi.
 902 ft.**

**CON ED - MH1115
 E/S LEE AVE
 BROOKLYN, NY 11211**

**RCRA NonGen / NLR 1007205368
 NY MANIFEST NYP000930156**

RCRA NonGen / NLR:

Date form received by agency: 09/17/1998
 Facility name: CON ED - MH1115
 Facility address: E/S LEE AVE
 BROOKLYN, NY 112110000
 EPA ID: NYP000930156
 Mailing address: 4 IRVING PLACE
 ROOM 300
 NEW YORK, NY 100030000
 Contact: ANTHONY DRUMMINGS
 Contact address: 4 IRVING PLACE
 NEW YORK, NY 100030000
 Contact country: US

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON ED - MH1115 (Continued)

1007205368

Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 09/16/1998
 Facility name: CON ED - MH1115
 Classification: Not a generator, verified

Date form received by agency: 09/15/1998
 Facility name: CON ED - MH1115
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP000930156
 Country: USA
 Mailing Name: NYNEX
 Mailing Contact: V ORCHIER
 Mailing Address: 221 EAST 37TH STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10016
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-338-7126

Document ID: MIA4512907
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: Not reported
 Trans2 State ID: Not reported
 Generator Ship Date: 960928
 Trans1 Recv Date: 960928
 Trans2 Recv Date: 961004
 TSD Site Recv Date: 961025

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON ED - MH1115 (Continued)

1007205368

Part A Recv Date: Not reported
 Part B Recv Date: 961115
 Generator EPA ID: NYP000930156
 Trans1 EPA ID: NYD010951986
 Trans2 EPA ID: NYD046765574
 TSDF ID: MID096963194
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 02400
 Units: P - Pounds
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 96

Document ID: NYG0124695
 Manifest Status: Completed copy
 Trans1 State ID: 80336AB
 Trans2 State ID: Not reported
 Generator Ship Date: 970411
 Trans1 Recv Date: 970411
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970414
 Part A Recv Date: 970425
 Part B Recv Date: 970502
 Generator EPA ID: NYP000930156
 Trans1 EPA ID: NYD006982359
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00001
 Units: Y - Cubic yards* (.85 tons)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00001
 Units: Y - Cubic yards* (.85 tons)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

AP221
 ENE
 1/8-1/4
 0.171 mi.
 903 ft.

**MTA NYCT - CANAL STREET STATION 1 LINE
 CANAL & VARICK ST
 NEW YORK, NY 10013
 Site 1 of 19 in cluster AP**

**RCRA-SQG 1014958088
 NYR000193250**

RCRA-SQG:
 Date form received by agency: 04/27/2012
 Facility name: MTA NYCT - CANAL STREET STATION 1 LINE
 Facility address: CANAL & VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYR000193250

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MTA NYCT - CANAL STREET STATION 1 LINE (Continued)

1014958088

Mailing address: BROADWAY 5TH FL 503
 NEW YORK, NY 10004
 Contact: GERALD LEZEAU
 Contact address: BROADWAY 5TH FL 503
 NEW YORK, NY 10004
 Contact country: US
 Contact telephone: (646) 252-3535
 Contact email: GERALD.LEZEAU@NYCT.COM
 EPA Region: 02
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: MTA NYCT
 Owner/operator address: BROADWAY 5TH FL 503
 NEW YORK, NY 10004

Owner/operator country: US
 Owner/operator telephone: (646) 252-3535
 Legal status: State
 Owner/Operator Type: Owner
 Owner/Op start date: 03/01/1968
 Owner/Op end date: Not reported

Owner/operator name: MTA NYCT
 Owner/operator address: Not reported
 Not reported

Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: State
 Owner/Operator Type: Operator
 Owner/Op start date: 03/01/1968
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D008

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

MTA NYCT - CANAL STREET STATION 1 LINE (Continued)

1014958088

Waste name: LEAD

Violation Status: No violations found

**AP222
ENE
1/8-1/4
0.171 mi.
903 ft.**

**MTA NYCT - CANAL STREET STATION 1 LINE
CANAL & VARICK ST
NEW YORK, NY 10013
Site 2 of 19 in cluster AP**

**NY MANIFEST S113816873
N/A**

NY MANIFEST:

EPA ID: NYR000193250
 Country: USA
 Mailing Name: MTA NYCT - CANAL STREET STATION 1 LINE
 Mailing Contact: NYCT-OSS (CPM) CONT# R 50585
 Mailing Address: 2 BROADWAY ROOM A27.64
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10004
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 646-252-5777

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJR986628162
 Trans2 State ID: Not reported
 Generator Ship Date: 28-Jun-2013 00:00:00
 Trans1 Recv Date: 28-Jun-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 28-Jun-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000193250
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291105
 Waste Code: Not reported
 Quantity: 55
 Units: P - Pounds
 Number of Containers: 1
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 000518071WAS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

AP223 ENE 1/8-1/4 0.171 mi. 905 ft.	NYNEX VARICK & CANAL ST SE NEW YORK, NY Site 3 of 19 in cluster AP	NY MANIFEST 1009233277 N/A
--	---	---

NY MANIFEST:

EPA ID:	NYP000912923
Country:	USA
Mailing Name:	NYNEX
Mailing Contact:	R DEPASO
Mailing Address:	1095 AVE OF AMER
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10036
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-395-8544

Document ID:	CTF0276627
Manifest Status:	Completed copy
Trans1 State ID:	Not reported
Trans2 State ID:	Not reported
Generator Ship Date:	940119
Trans1 Recv Date:	940119
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	940120
Part A Recv Date:	940408
Part B Recv Date:	940128
Generator EPA ID:	NYP000912923
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSD ID:	CTD000604488
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00002
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	94

AM224 NNE 1/8-1/4 0.172 mi. 909 ft.	CON EDISON SERVICE BOX: 28512 HUDSON ST AND CANAL ST SW COR NEW YORK, NY 10013 Site 7 of 7 in cluster AM	RCRA-CESQG 1016149797 NYP004284634
--	---	---

RCRA-CESQG:

Date form received by agency:	01/22/2013
Facility name:	CON EDISON SERVICE BOX: 28512
Facility address:	HUDSON ST AND CANAL ST SW COR NEW YORK, NY 10013
EPA ID:	NYP004284634
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JUAN RODRIGUEZ
Contact address:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 28512 (Continued)

1016149797

Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**AP225
 ENE
 1/8-1/4
 0.172 mi.
 910 ft.**

**LOT 69,TAXBLOCK 227
 74 VARICK STREET
 MANHATTAN, NY 10013**

**NY LTANKS S107417058
 NY E DESIGNATION N/A**

Site 4 of 19 in cluster AP

LTANKS:

Site ID: 354491
 Spill Number/Closed Date: 0508831 / 11/23/2005
 Spill Date: 10/24/2005
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SMSANGES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 69,TAXBLOCK 227 (Continued)

S107417058

Referred To: Not reported
 Reported to Dept: 10/24/2005
 CID: 444
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/24/2005
 Spill Record Last Update: 11/23/2005
 Spiller Name: TERRANCE FARRELL
 Spiller Company: CHASE BANK
 Spiller Address: 74 VARICK STREET
 Spiller City,St,Zip: MANHATTEN, NY
 Spiller County: 001
 Spiller Contact: TERRANCE FARRELL
 Spiller Phone: (718) 441-6800
 Spiller Extention: 134
 DEC Region: 2
 DER Facility ID: 301846
 DEC Memo: Sangesland spoke to Terrance Farrell rep from NY Plumbing who was at the Chase bank site.Small hole in the tank. 5 gallons spilled to cement vault floor. All cleaned, no impact to outside, no drains. Tank has been taken out of service. Repairs are going on today, tank will be pressure tested tomorrow.spill closed
 Remarks: ABOVE GROUND IN BASEMENT IN A VAULT, HAVE CLEANED UP ABOUT 5 GALLONS : Not reported

Material:
 Site ID: 354491
 Operable Unit ID: 1111895
 Operable Unit: 01
 Material ID: 2101940
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

E DESIGNATION:
 Tax Lot(s): 69
 E-No: E-288
 Effective Date: 3/20/2013
 Satisfaction Date: Not reported
 Ceqr Number: 12DCP045M
 Ulurp Number: 120380ZMM
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 69,TAXBLOCK 227 (Continued)

S107417058

Borough Code: MN
 Community District: 102
 Census Tract: 51
 Census Block: 1013
 School District: 02
 City Council District: 03
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: M1-6
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O1
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: J P MORGAN CHASE & CO
 Lot Area: 000005254
 Total Building Floor Area: 00000021849
 Commercial Floor Area: 00000021849
 Office Floor Area: 00000021849
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 003.00
 Residential Units: 00000
 Non and Residential Units: 00016
 Lot Frontage: 0083.92
 Lot Depth: 0080.00
 Building Frontage: 0080.00
 Building Depth: 0094.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000348750
 Total Assessed Value: 00001318500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1922
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0004.16
 Maximum Allowable Far: 10.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 69,TAXBLOCK 227 (Continued)

S107417058

Borough Code: 1
 Borough Tax Block And Lot: 1002270069
 Condominium Number: 00000
 Census Tract 2: 0051
 X Coordinate: 0982579
 Y Coordinate: 0202584
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 69
 E-No: E-288
 Effective Date: 3/20/2013
 Satisfaction Date: Not reported
 Ceqr Number: 12DCP045M
 Ulurp Number: 120380ZMM
 Zoning Map No: 12a
 Description: No operable window or air intakes limitations
 Borough Code: MN
 Community District: 102
 Census Tract: 51
 Census Block: 1013
 School District: 02
 City Council District: 03
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: M1-6
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O1
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: J P MORGAN CHASE & CO
 Lot Area: 000005254
 Total Building Floor Area: 00000021849
 Commercial Floor Area: 00000021849
 Office Floor Area: 00000021849
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 69,TAXBLOCK 227 (Continued)

S107417058

Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 003.00
 Residential Units: 00000
 Non and Residential Units: 00016
 Lot Frontage: 0083.92
 Lot Depth: 0080.00
 Building Frontage: 0080.00
 Building Depth: 0094.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000348750
 Total Assessed Value: 00001318500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1922
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0004.16
 Maximum Allowable Far: 10.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002270069
 Condominium Number: 00000
 Census Tract 2: 0051
 X Coordinate: 0982579
 Y Coordinate: 0202584
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

 Tax Lot(s): 69
 E-No: E-288
 Effective Date: 3/20/2013
 Satisfaction Date: Not reported
 Ceqr Number: 12DCP045M
 Ulurp Number: 120380ZMM
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 69,TAXBLOCK 227 (Continued)

S107417058

Community District:	102
Census Tract:	51
Census Block:	1013
School District:	02
City Council District:	03
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-6
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	O1
Land Use Category:	05
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	J P MORGAN CHASE & CO
Lot Area:	000005254
Total Building Floor Area:	00000021849
Commercial Floor Area:	00000021849
Office Floor Area:	00000021849
Retail Floor Area:	00000000000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area,Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	003.00
Residential Units:	00000
Non and Residential Units:	00016
Lot Frontage:	0083.92
Lot Depth:	0080.00
Building Frontage:	0080.00
Building Depth:	0094.00
Proximity Code:	3
Irregular Lot Code:	Y
Lot Type:	3
Basement Type Grade:	5
Land Assessed Value:	00000348750
Total Assessed Value:	00001318500
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1922
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0004.16
Maximum Allowable Far:	10.00
Borough Code:	1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 69,TAXBLOCK 227 (Continued)

S107417058

Borough Tax Block And Lot: 1002270069
 Condominium Number: 00000
 Census Tract 2: 0051
 X Coordinate: 0982579
 Y Coordinate: 0202584
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

AQ226
WSW
1/8-1/4
0.173 mi.
911 ft.

CON EDISON MANHOLE 61601
N MOORE ST & W SIDE HWY
NEW YORK, NY 10003

RCRA NonGen / NLR 1010326730
NY MANIFEST NYP004142766

Site 1 of 2 in cluster AQ

RCRA NonGen / NLR:

Date form received by agency: 11/17/2006
 Facility name: CON EDISON MANHOLE 61601
 Facility address: N MOORE ST & W SIDE HWY
 NEW YORK, NY 10003
 EPA ID: NYP004142766
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: ANDREW FIORE
 Contact address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 580-8383
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CON EDISON MANHOLE 61601 (Continued)

1010326730

Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 11/16/2006
 Facility name: CON EDISON MANHOLE 61601
 Site name: CON EDISON
 Classification: Not a generator, verified

Date form received by agency: 11/15/2006
 Facility name: CON EDISON MANHOLE 61601
 Site name: CON EDISON
 Classification: Unverified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004142766
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE1593738
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 06/09/2006
 Trans1 Recv Date: 06/09/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/14/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004142766
 Trans1 EPA ID: 12446JT
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00075
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2006

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

AR227 **C. TRUE BUILDING CORPORATION** **NY AST** **U003396844**
North **465 GREENWICH STREET** **NY HIST AST** **N/A**
1/8-1/4 **NEW YORK, NY 10013**
0.173 mi.
912 ft. **Site 1 of 4 in cluster AR**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-602815
 Program Type: PBS
 UTM X: 583695.50179999997
 UTM Y: 4508581.8096500002
 Expiration Date: 2011/11/19
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 24771
 Affiliation Type: Facility Owner
 Company Name: C. TRUE BUILDING CORPORATION C/O ANDREWS BLDG CORP
 Contact Type: MGR
 Contact Name: ANTHONY MILSTIEN
 Address1: 666 BROADWAY 12 FLOOR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 8/30/2006

Site Id: 24771
 Affiliation Type: Mail Contact
 Company Name: C. TRUE BUILDING CORP. C/O ANDREWS BLDG. CORP/
 Contact Type: Not reported
 Contact Name: ANTHONY MILSTEIN
 Address1: 666 BROADWAY 12 FLOOR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 8/30/2006

Site Id: 24771
 Affiliation Type: On-Site Operator
 Company Name: C. TRUE BUILDING CORPORATION
 Contact Type: Not reported
 Contact Name: ELVIS JACQUEZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

C. TRUE BUILDING CORPORATION (Continued)

U003396844

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 343-2346
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 8/30/2006

Site Id: 24771
 Affiliation Type: Emergency Contact
 Company Name: C. TRUE BUILDING CORPORATION C/O ANDREWS BLDG CORP
 Contact Type: Not reported
 Contact Name: EUGENE ANDREWS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 51759
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: 21
 Date Test: 02/13/2002
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: msbaptis

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

C. TRUE BUILDING CORPORATION (Continued)

U003396844

Last Modified: 08/30/2006
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-602815
 SWIS Code: 6201
 Operator: ELUIS JACQUEZ
 Facility Phone: (212) 343-2346
 Facility Addr2: Not reported
 Facility Type: APARTMENT BUILDING
 Emergency: EUGENE ANDREWS
 Emergency Tel: (212) 529-5688
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: C. TRUE BUILDING CORPORATION C/O ANDREWS BLDG CORP
 Owner Address: 666 BROADWAY 12 FLOOR
 Owner City,St,Zip: NEW YORK, NY 10012
 Federal ID: Not reported
 Owner Tel: (212) 529-5688
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: C. TRUE BUILDING CORP. C/O ANDREWS BLDG. CORP/
 Mailing Address: 666 BROADWAY 12 FLOOR
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10012
 Mailing Telephone: (212) 529-5688
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 11/16/2001
 Expiration: 11/19/2006
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

C. TRUE BUILDING CORPORATION (Continued)

U003396844

Tank Internal: 0
 Tank External: 01
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 00
 Overfill Protection: 04
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

AR228
North
1/8-1/4
0.173 mi.
912 ft.

C TRUE BLDG CORP
465 GREENWICH ST
NEW YORK, NY

NY LTANKS S106702922
N/A

Site 2 of 4 in cluster AR

LTANKS:

Site ID: 128028
 Spill Number/Closed Date: 0100787 / 7/14/2003
 Spill Date: 4/20/2001
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 4/20/2001
 CID: 323
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 4/20/2001
 Spill Record Last Update: 7/14/2003
 Spiller Name: EUGENE ANDREWS
 Spiller Company: C TRUE BLDG CORP
 Spiller Address: 465 GREENWICH ST
 Spiller City,St,Zip: NEW YORK, ZZ
 Spiller County: 001
 Spiller Contact: EUGENE ANDREWS
 Spiller Phone: (212) 529-5688
 Spiller Extention: Not reported
 DEC Region: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

C TRUE BLDG CORP (Continued)

S106702922

DER Facility ID: 110484
 DEC Memo: Not reported
 Remarks: ABOVE GROUND TANK IN A VAULT. POSS BAD VENT LINE.

Material:

Site ID: 128028
 Operable Unit ID: 837689
 Operable Unit: 01
 Material ID: 536498
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 128028
 Spill Tank Test: 1526239
 Tank Number: 1
 Tank Size: 5000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

**AJ229
 NNW
 1/8-1/4
 0.176 mi.
 930 ft.**

**CON EDISON SERVICE BOX: 49052
 449 WASHINGTON ST OPPOSITE
 NEW YORK, NY**

**RCRA-CESQG 1016149827
 FINDS NYP004284931**

Site 8 of 9 in cluster AJ

RCRA-CESQG:

Date form received by agency: 01/23/2013
 Facility name: CON EDISON SERVICE BOX: 49052
 Facility address: 449 WASHINGTON ST OPPOSITE
 NEW YORK, NY 10013
 EPA ID: NYP004284931
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49052 (Continued)

1016149827

month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055436862

Environmental Interest/Information System

AQ230
WSW
1/8-1/4
0.177 mi.
935 ft.

CON EDISION - MH40121
N.MOORE ST.AND WEST ST. N.MOOR
NEW YORK, NY 10003

RCRA NonGen / NLR 1007208111
NY MANIFEST NYP004082301

Site 2 of 2 in cluster AQ

RCRA NonGen / NLR:

Date form received by agency: 06/02/2002
 Facility name: CON EDISION - MH40121
 Facility address: N.MOORE ST.AND WEST ST. N.MOOR
 NEW YORK, NY 10003
 EPA ID: NYP004082301
 Mailing address: IRVING PLACE
 NEW YORK, NY 10003
 Contact: ANTHONY DRUMMINGS
 Contact address: IRVING PLACE
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISION - MH40121 (Continued)

1007208111

Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/01/2002
 Facility name: CON EDISION - MH40121
 Classification: Not a generator, verified

Date form received by agency: 05/31/2002
 Facility name: CON EDISION - MH40121
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004082301
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0664074
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 05/11/2001
 Trans1 Recv Date: 05/11/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/11/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004082301

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISION - MH40121 (Continued)

1007208111

Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: 60913AX
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00129
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYE0759528
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 05/10/2001
 Trans1 Recv Date: 05/10/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/11/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004082301
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSDF ID: 20854AD
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 02665
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2001

**AP231
 ENE
 1/8-1/4
 0.178 mi.
 941 ft.**

**DIGITAL DIRIGIBLE
 417 CANAL ST - 8TH FLOOR
 NEW YORK, NY**

**RCRA NonGen / NLR 1004758719
 FINDS NYD987018892**

Site 5 of 19 in cluster AP

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: DIGITAL DIRIGIBLE
 Facility address: 417 CANAL ST - 8TH FLOOR
 NEW YORK, NY 10013
 EPA ID: NYD987018892
 Mailing address: CANAL ST - 8TH FLOOR
 NEW YORK, NY 10013
 Contact: JOAN JANSSON
 Contact address: CANAL ST - 8TH FLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 431-1923
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

DIGITAL DIRIGIBLE (Continued)

1004758719

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0867
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0867
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: DIGITAL DIRIGIBLE
 Classification: Not a generator, verified

Date form received by agency: 10/21/1992
 Facility name: DIGITAL DIRIGIBLE
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004496661

Environmental Interest/Information System

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

DIGITAL DIRIGIBLE (Continued)

1004758719

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

**AP232
 ENE
 1/8-1/4
 0.178 mi.
 941 ft.**

**417 CANAL ST
 417 CANAL ST
 NEW YORK, NY 10013
 Site 6 of 19 in cluster AP**

**NY AST
 NY HIST AST
 NY MANIFEST
 NY Spills
 NY E DESIGNATION**

**S102144882
 N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-158925
 Program Type: PBS
 UTM X: 583978.15044
 UTM Y: 4508430.579359999
 Expiration Date: N/A
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 5346
 Affiliation Type: Facility Owner
 Company Name: RECTOR CHRUCH WARDENS& VESTRUMEN OF TRINITY CHURCH
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 74 TRINITY PLACE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10006
 Country Code: 001
 Phone: (212) 602-0854
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 6/20/2012

Site Id: 5346
 Affiliation Type: On-Site Operator
 Company Name: 417 CANAL ST
 Contact Type: Not reported
 Contact Name: LOU DIGIOVANNI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 216-7575
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Date Last Modified: 6/20/2012

Site Id: 5346
 Affiliation Type: Emergency Contact
 Company Name: RECTOR CHRUCH WARDENS& VESTRUMEN OF TRINITY CHURCH
 Contact Type: Not reported
 Contact Name: DINO CELIC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (917) 440-9701
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 6/20/2012

Site Id: 5346
 Affiliation Type: Mail Contact
 Company Name: TRINITY REAL ESTATE
 Contact Type: Not reported
 Contact Name: PETER A. ST. JOHN
 Address1: 75 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 613-9421
 EMail: PSTJOHN@TRINITYWALLSTREET.ORG
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/10/2013

Tank Info:

Tank Number: 001
 Tank Id: 8555
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None
 E10 - Piping Secondary Containment - Impervious Underlayment
 K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

417 CANAL ST (Continued)

S102144882

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1972
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/21/2007
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 06/20/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-158925
 SWIS Code: 6201
 Operator: PAT POLOS
 Facility Phone: (212) 431-8788
 Facility Addr2: 417 CANAL ST
 Facility Type: Not reported
 Emergency: PAT POLOS
 Emergency Tel: (516) 281-3122
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: RECTOR CHRUCH WARDEN & VESTRUMEN OF TRINITY CHURCH
 Owner Address: 74 TRINITY PLACE
 Owner City,St,Zip: NEW YORK, NY 10006
 Federal ID: Not reported
 Owner Tel: (212) 602-0854
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: RECTOR CHRUCH WARDEN
 Mailing Address: 74 TRINITY PL
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10006
 Mailing Telephone: (212) 602-0854
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 07/31/1997
 Expiration: 06/05/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 4000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

NY MANIFEST:

EPA ID: NYD987018892
 Country: USA
 Mailing Name: DIGITABLE DIRIGIBLE
 Mailing Contact: DIGITABLE DIRIGIBLE
 Mailing Address: 417 CANAL ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-431-1923

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID: 8708613
 Facility Type: ER
 DER Facility ID: 177645
 Site ID: 214404
 DEC Region: 2
 Spill Date: 1/9/1988

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Spill Number/Closed Date: 8708613 / 1/9/1988
 Spill Cause: Equipment Failure
 Spill Class: Not reported
 SWIS: 3101
 Investigator: CANZIANI
 Referred To: Not reported
 Reported to Dept: 1/9/1988
 CID: Not reported
 Water Affected: HUDSON RIVER
 Spill Source: Institutional, Educational, Gov., Other
 Spill Notifier: Responsible Party
 Cleanup Ceased: 1/9/1988
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 1/25/1988
 Spill Record Last Update: 3/13/1989
 Spiller Name: Not reported
 Spiller Company: NYCDEP
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: POWER FAILURE CAUSED PUMP STAION TO BYPASS, NOTIFIED CON ED.

Material:

Site ID: 214404
 Operable Unit ID: 913290
 Operable Unit: 01
 Material ID: 463992
 Material Code: 0062A
 Material Name: RAW SEWAGE
 Case No.: Not reported
 Material FA: Other
 Quantity: -1
 Units: Not reported
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

E DESIGNATION:

Tax Lot(s): 63
 E-No: E-288
 Effective Date: 3/20/2013
 Satisfaction Date: Not reported
 Ceqr Number: 12DCP045M
 Ulurp Number: 120380ZMM
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Community District:	102
Census Tract:	51
Census Block:	1013
School District:	02
City Council District:	03
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	M1-6
Zone District 2:	Not reported
Commercial Overlay1:	Not reported
Commercial Overlay2:	Not reported
Special Purpose District1:	Not reported
Special Purpose District2:	Not reported
All Components1:	M1-6
All Components2:	Not reported
Split Boundary Indicator:	N
Building Class:	O9
Land Use Category:	05
Number of Easements:	0
Owner, Type of Code:	P
Owner Name:	TRINITY CHURCH CORP
Lot Area:	000007863
Total Building Floor Area:	00000070290
Commercial Floor Area:	00000070290
Office Floor Area:	00000065290
Retail Floor Area:	00000005000
Garage Floor Area:	00000000000
Storage Floor Area:	00000000000
Factory Floor Area:	00000000000
Other Floor Area:	00000000000
Floor Area, Total Bld Source Code7	
Number of Buildings:	00001
Number of Floors:	008.00
Residential Units:	00000
Non and Residential Units:	00010
Lot Frontage:	0066.17
Lot Depth:	0132.33
Building Frontage:	0063.00
Building Depth:	0132.00
Proximity Code:	2
Irregular Lot Code:	Y
Lot Type:	3
Basement Type Grade:	5
Land Assessed Value:	00000657000
Total Assessed Value:	00002232000
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1920
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Not reported
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0008.94
Maximum Allowable Far:	10.00
Borough Code:	1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Borough Tax Block And Lot: 1002270063
 Condominium Number: 00000
 Census Tract 2: 0051
 X Coordinate: 0982628
 Y Coordinate: 0202551
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 63
 E-No: E-288
 Effective Date: 3/20/2013
 Satisfaction Date: Not reported
 Ceqr Number: 12DCP045M
 Ulurp Number: 120380ZMM
 Zoning Map No: 12a
 Description: No operable window or air intakes limitations
 Borough Code: MN
 Community District: 102
 Census Tract: 51
 Census Block: 1013
 School District: 02
 City Council District: 03
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: M1-6
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: TRINITY CHURCH CORP
 Lot Area: 000007863
 Total Building Floor Area: 00000070290
 Commercial Floor Area: 00000070290
 Office Floor Area: 00000065290
 Retail Floor Area: 00000005000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area, Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 008.00
 Residential Units: 00000
 Non and Residential Units: 00010
 Lot Frontage: 0066.17
 Lot Depth: 0132.33
 Building Frontage: 0063.00
 Building Depth: 0132.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000657000
 Total Assessed Value: 00002232000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0008.94
 Maximum Allowable Far: 10.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002270063
 Condominium Number: 00000
 Census Tract 2: 0051
 X Coordinate: 0982628
 Y Coordinate: 0202551
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

 Tax Lot(s): 63
 E-No: E-288
 Effective Date: 3/20/2013
 Satisfaction Date: Not reported
 Ceqr Number: 12DCP045M
 Ulurp Number: 120380ZMM
 Zoning Map No: 12a
 Description: Window Wall Attenuation & Alternate Ventilation
 Borough Code: MN
 Community District: 102

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Census Tract: 51
 Census Block: 1013
 School District: 02
 City Council District: 03
 Fire Company: L008
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-6
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: M1-6
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: O9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: TRINITY CHURCH CORP
 Lot Area: 000007863
 Total Building Floor Area: 00000070290
 Commercial Floor Area: 00000070290
 Office Floor Area: 00000065290
 Retail Floor Area: 00000005000
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 008.00
 Residential Units: 00000
 Non and Residential Units: 00010
 Lot Frontage: 0066.17
 Lot Depth: 0132.33
 Building Frontage: 0063.00
 Building Depth: 0132.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 3
 Basement Type Grade: 5
 Land Assessed Value: 00000657000
 Total Assessed Value: 00002232000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0008.94
 Maximum Allowable Far: 10.00
 Borough Code: 1
 Borough Tax Block And Lot: 1002270063

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

417 CANAL ST (Continued)

S102144882

Condominium Number: 00000
 Census Tract 2: 0051
 X Coordinate: 0982628
 Y Coordinate: 0202551
 Zoning Map: 12A
 Sanborn Map: 101N042
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**AP233
 ENE
 1/8-1/4
 0.178 mi.
 942 ft.**

**21ST CENTURY OPTICS
 75 VARICK ST 11TH FLOOR
 NEW YORK, NY 10013**

**RCRA NonGen / NLR 1001961674
 FINDS NYR000084905**

Site 7 of 19 in cluster AP

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: 21ST CENTURY OPTICS
 Facility address: 75 VARICK ST 11TH FLOOR
 NEW YORK, NY 10013
 EPA ID: NYR000084905
 Mailing address: VARICK ST 11TH FLOOR
 NEW YORK, NY 10013
 Contact: BILL BERRY
 Contact address: VARICK ST 11TH FLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 226-5300
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: 21ST CENTURY OPTICS
 Owner/operator address: 75 VARICK ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 226-5300
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported
 Owner/operator name: 21ST CENTURY OPTICS
 Owner/operator address: 75 VARICK ST
 NEW YORK, NY 10013
 Owner/operator country: US

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

21ST CENTURY OPTICS (Continued)

1001961674

Owner/operator telephone: (212) 226-5300
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: 21ST CENTURY OPTICS
 Classification: Not a generator, verified

Date form received by agency: 02/09/2000
 Facility name: 21ST CENTURY OPTICS
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004561457

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AP234
 ENE
 1/8-1/4
 0.178 mi.
 942 ft.

**D & L OFFSET LITHOGRAPHY
 75 VARICK ST - 7TH FLOOR
 NEW YORK, NY 10013**

Site 8 of 19 in cluster AP

**RCRA NonGen / NLR 1000990273
 NYR000002329**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: D & L OFFSET LITHOGRAPHY
 Facility address: 75 VARICK ST - 7TH FLOOR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

D & L OFFSET LITHOGRAPHY (Continued)

1000990273

N SECTION OF FLOOR
 NEW YORK, NY 10013
 EPA ID: NYR000002329
 Mailing address: VARICK ST - 7TH FLOOR
 N SECTION OF FLOOR
 NEW YORK, NY 10013
 Contact: SHANNON HENRY
 Contact address: VARICK ST - 7TH FLOOR N SECTION OF FLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 226-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: THE PARISH OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: THE PARISH OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

D & L OFFSET LITHOGRAPHY (Continued)

1000990273

Facility name: D & L OFFSET LITHOGRAPHY
 Classification: Not a generator, verified

Date form received by agency: 03/27/1995
 Facility name: D & L OFFSET LITHOGRAPHY
 Classification: Small Quantity Generator

Violation Status: No violations found

AP235
ENE
1/8-1/4
0.178 mi.
942 ft.

75 VARICK ST
NEW YORK, NY 10013

EDR US Hist Auto Stat 1015624706
N/A

Site 9 of 19 in cluster AP

EDR Historical Auto Stations:

Name: HOLLAND CAR & TRUCK TOWING
 Year: 2001
 Address: 75 VARICK ST

Name: HOLLAND CAR & TRUCK TOWING
 Year: 2002
 Address: 75 VARICK ST

Name: HOLLAND CAR & TRUCK TOWING
 Year: 2003
 Address: 75 VARICK ST

Name: HOLLAND CAR & TRUCK TOWING
 Year: 2004
 Address: 75 VARICK ST

Name: HOLLAND CAR & TRUCK TOWING
 Year: 2010
 Address: 75 VARICK ST

AP236
ENE
1/8-1/4
0.178 mi.
942 ft.

EUROPADISK LTD
75 VARICK ST - ROOM 403
NEW YORK, NY 10013

RCRA-SQG 1000890050
FINDS NY0000233387
NY MANIFEST

Site 10 of 19 in cluster AP

RCRA-SQG:

Date form received by agency: 01/01/2007
 Facility name: EUROPADISK LTD
 Facility address: 75 VARICK ST - ROOM 403
 NEW YORK, NY 10013
 EPA ID: NY0000233387
 Mailing address: VARICK ST - ROOM 403
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: VARICK ST - ROOM 403
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: EUROPADISK PLATING LTD
 Owner/operator address: 75 VARICK ST - ROOM 403
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 226-4401
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: EUROPADISK PLATING LTD
 Owner/operator address: 75 VARICK ST - ROOM 403
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 226-4401
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: EUROPADISK LTD
 Classification: Small Quantity Generator
 Date form received by agency: 07/14/1999
 Facility name: EUROPADISK LTD
 Classification: Small Quantity Generator
 Date form received by agency: 04/21/1994
 Facility name: EUROPADISK LTD

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004314260

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0000233387
 Country: USA
 Mailing Name: EUROPADISK LTD
 Mailing Contact: JAMES P SHELTON
 Mailing Address: 2402 QUEENS PLZ S
 Mailing Address 2: Not reported
 Mailing City: LONG ISLAND CITY
 Mailing State: NY
 Mailing Zip: 11101
 Mailing Zip4: 4602
 Mailing Country: USA
 Mailing Phone: 212-225-2401

Document ID: NYB7338375
 Manifest Status: Completed copy
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 951013
 Trans1 Recv Date: 951013
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951013
 Part A Recv Date: 951023
 Part B Recv Date: 951026
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 95

Document ID: NYG0666918

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/25/1998
 Trans1 Recv Date: 03/25/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/25/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: 14467AK
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 00.90
 Year: 98

Document ID: NYG1105317
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 12/09/1998
 Trans1 Recv Date: 12/09/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/09/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.01
 Year: 98

Document ID: NYG1401093
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 08/11/1998
 Trans1 Recv Date: 08/11/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/12/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: F003 - UNKNOWN
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2005

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0533196
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/15/2005
 Trans1 Recv Date: 09/15/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/15/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 38333PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00013
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00085
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0171711
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/2001
 Trans1 Recv Date: 09/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYH0211788
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Trans1 Recv Date: 03/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/29/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYG1192275
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 05/13/1999
 Trans1 Recv Date: 05/13/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/13/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0083925
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/1999
 Trans1 Recv Date: 09/27/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0265392
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2002
 Trans1 Recv Date: 03/27/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/27/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00075
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 015
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYH0323685
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 11/25/2002
 Trans1 Recv Date: 11/25/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/25/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYB4266783
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 940329
 Trans1 Recv Date: 940329
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 940329
 Part A Recv Date: Not reported
 Part B Recv Date: 940506
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 01045
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 019
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 101
 Waste Code: Not reported
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 94

Document ID: NYG0211365
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported
 Generator Ship Date: 970821
 Trans1 Recv Date: 970821
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970821
 Part A Recv Date: 970911
 Part B Recv Date: 970912
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D010 - SELENIUM 1.0 MG/L TCLP
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 97

Document ID: NYG0397431
 Manifest Status: Completed copy
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported
 Generator Ship Date: 971119
 Trans1 Recv Date: 971119
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 971119
 Part A Recv Date: 971203
 Part B Recv Date: 971204
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Document ID: NYH0092736
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 01/18/2000
 Trans1 Recv Date: 01/18/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/18/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2000

Document ID: NYH0377406
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Trans2 State ID: Not reported
 Generator Ship Date: 09/08/2003
 Trans1 Recv Date: 09/08/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/08/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00065
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 013
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2003

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Trans2 EPA ID:	Not reported
TSDf ID:	NYD082785429
Waste Code:	D004 - ARSENIC 5.0 MG/L TCLP
Quantity:	00495
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	009
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00220
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	Not reported
Specific Gravity:	01.00
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00020
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00080
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Waste Code:	Not reported
Quantity:	Not reported
Units:	Not reported
Number of Containers:	Not reported
Container Type:	Not reported
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	Not reported
Year:	Not reported

[Click this hyperlink](#) while viewing on your computer to access
 5 additional NY_MANIFEST: record(s) in the EDR Site Report.

EPA ID:	NYD982794125
Country:	USA
Mailing Name:	OLEF CREATIONS
Mailing Contact:	OLEF CREATIONS
Mailing Address:	44-02 11TH ST STE 3FL
Mailing Address 2:	Not reported
Mailing City:	LONG ISLAND CITY
Mailing State:	NY
Mailing Zip:	11101
Mailing Zip4:	5174
Mailing Country:	USA
Mailing Phone:	Not reported

Document ID: NYB7338375

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Manifest Status: Completed copy
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 951013
 Trans1 Recv Date: 951013
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951013
 Part A Recv Date: 951023
 Part B Recv Date: 951026
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 95

Document ID: NYG0666918
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/25/1998
 Trans1 Recv Date: 03/25/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/25/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: 14467AK
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 00.90
 Year: 98

Document ID: NYG1105317
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 12/09/1998
 Trans1 Recv Date: 12/09/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/09/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.01
 Year: 98

Document ID: NYG1401093
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 08/11/1998
 Trans1 Recv Date: 08/11/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/12/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: F003 - UNKNOWN
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2005

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Document ID: NYH0533196
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/15/2005
 Trans1 Recv Date: 09/15/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/15/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 38333PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00013
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00085
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0171711
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Trans1 Recv Date: 09/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYH0211788
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2001
 Trans1 Recv Date: 03/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/29/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYG1192275
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 05/13/1999
 Trans1 Recv Date: 05/13/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/13/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0083925
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/1999
 Trans1 Recv Date: 09/27/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0265392
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2002
 Trans1 Recv Date: 03/27/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/27/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00075

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 015
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYH0323685
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 11/25/2002
 Trans1 Recv Date: 11/25/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/25/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYB4266783
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 940329
 Trans1 Recv Date: 940329
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 940329
 Part A Recv Date: Not reported
 Part B Recv Date: 940506
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 01045
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 019
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 101
 Waste Code: Not reported
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 94

Document ID: NYG0211365
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported
 Generator Ship Date: 970821
 Trans1 Recv Date: 970821
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970821
 Part A Recv Date: 970911
 Part B Recv Date: 970912
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDf ID: NYD082785429
 Waste Code: D010 - SELENIUM 1.0 MG/L TCLP
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 97

Document ID: NYG0397431
 Manifest Status: Completed copy
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported
 Generator Ship Date: 971119
 Trans1 Recv Date: 971119
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 971119
 Part A Recv Date: 971203
 Part B Recv Date: 971204
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDf ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Document ID: NYH0092736
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Trans2 State ID: Not reported
 Generator Ship Date: 01/18/2000
 Trans1 Recv Date: 01/18/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/18/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2000

Document ID: NYH0377406
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/08/2003
 Trans1 Recv Date: 09/08/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/08/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00065
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 013
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2003

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: Not reported

[Click this hyperlink](#) while viewing on your computer to access
 5 additional NY_MANIFEST: record(s) in the EDR Site Report.

EPA ID: NYR000002329
 Country: USA
 Mailing Name: D & L OFFSET LITHOGRAPHY
 Mailing Contact: D & L OFFSET LITHOGRAPHY
 Mailing Address: 75 VARICK STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-226-3770

Document ID: NYB7338375
 Manifest Status: Completed copy
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 951013
 Trans1 Recv Date: 951013
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951013
 Part A Recv Date: 951023
 Part B Recv Date: 951026
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 95

Document ID: NYG0666918
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/25/1998
 Trans1 Recv Date: 03/25/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/25/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 14467AK
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 00.90
 Year: 98

Document ID: NYG1105317
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 12/09/1998
 Trans1 Recv Date: 12/09/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/09/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.01
 Year: 98

Document ID: NYG1401093
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 08/11/1998
 Trans1 Recv Date: 08/11/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/12/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: F003 - UNKNOWN
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2005

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0533196
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/15/2005
 Trans1 Recv Date: 09/15/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/15/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 38333PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00013
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00085
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0171711
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/2001
 Trans1 Recv Date: 09/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYH0211788
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2001
 Trans1 Recv Date: 03/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/29/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYG1192275
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 05/13/1999
 Trans1 Recv Date: 05/13/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/13/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0083925
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/1999
 Trans1 Recv Date: 09/27/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00220

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0265392
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2002
 Trans1 Recv Date: 03/27/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/27/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00075
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 015
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYH0323685
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 11/25/2002
 Trans1 Recv Date: 11/25/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/25/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYB4266783

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 940329
 Trans1 Recv Date: 940329
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 940329
 Part A Recv Date: Not reported
 Part B Recv Date: 940506
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 01045
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 019
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 101
 Waste Code: Not reported
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 94

Document ID: NYG0211365
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported
 Generator Ship Date: 970821
 Trans1 Recv Date: 970821
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970821
 Part A Recv Date: 970911
 Part B Recv Date: 970912
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D010 - SELENIUM 1.0 MG/L TCLP
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 97

Document ID: NYG0397431
 Manifest Status: Completed copy
 Trans1 State ID: PX3640

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Trans2 State ID: Not reported
 Generator Ship Date: 971119
 Trans1 Recv Date: 971119
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 971119
 Part A Recv Date: 971203
 Part B Recv Date: 971204
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Document ID: NYH0092736
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 01/18/2000
 Trans1 Recv Date: 01/18/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/18/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2000

Document ID: NYH0377406
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/08/2003
 Trans1 Recv Date: 09/08/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/08/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Trans2 EPA ID: Not reported
 TSD ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00065
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 013
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2003

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: Not reported

[Click this hyperlink](#) while viewing on your computer to access 5 additional NY_MANIFEST: record(s) in the EDR Site Report.

EPA ID: NYR000089474
 Country: USA
 Mailing Name: TRINITY REAL ESTATE
 Mailing Contact: BEN SANCHEZ
 Mailing Address: 75 VARICK STREET
 Mailing Address 2: Not reported
 Mailing City: SUFFERN
 Mailing State: NY
 Mailing Zip: 10901
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 914-369-7500

Document ID: NYB7338375
 Manifest Status: Completed copy
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 951013
 Trans1 Recv Date: 951013
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951013
 Part A Recv Date: 951023
 Part B Recv Date: 951026

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 95

Document ID: NYG0666918
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/25/1998
 Trans1 Recv Date: 03/25/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/25/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 14467AK
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 00.90
 Year: 98

Document ID: NYG1105317
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 12/09/1998
 Trans1 Recv Date: 12/09/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 12/09/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.01
 Year: 98

Document ID: NYG1401093
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 08/11/1998
 Trans1 Recv Date: 08/11/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/12/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: F003 - UNKNOWN
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2005

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0533196
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/15/2005
 Trans1 Recv Date: 09/15/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/15/2005
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 38333PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00013
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00085
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: 2005

Document ID: NYH0171711
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/2001
 Trans1 Recv Date: 09/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYH0211788
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2001
 Trans1 Recv Date: 03/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/29/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NYG1192275
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 05/13/1999
 Trans1 Recv Date: 05/13/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/13/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 008
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Document ID: NYH0083925
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/27/1999
 Trans1 Recv Date: 09/27/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/27/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00035
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYH0265392
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 03/27/2002
 Trans1 Recv Date: 03/27/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/27/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSD ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00075
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 015
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYH0323685
 Manifest Status: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 11/25/2002
 Trans1 Recv Date: 11/25/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/25/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYB4266783
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: PD9938
 Trans2 State ID: Not reported
 Generator Ship Date: 940329
 Trans1 Recv Date: 940329
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 940329
 Part A Recv Date: Not reported
 Part B Recv Date: 940506
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 01045
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 019
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 101
 Waste Code: Not reported
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 94

Document ID: NYG0211365
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

EUROPADISK LTD (Continued)

1000890050

Generator Ship Date: 970821
 Trans1 Recv Date: 970821
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970821
 Part A Recv Date: 970911
 Part B Recv Date: 970912
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D010 - SELENIUM 1.0 MG/L TCLP
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 97

Document ID: NYG0397431
 Manifest Status: Completed copy
 Trans1 State ID: PX3640
 Trans2 State ID: Not reported
 Generator Ship Date: 971119
 Trans1 Recv Date: 971119
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 971119
 Part A Recv Date: 971203
 Part B Recv Date: 971204
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00030
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Document ID: NYH0092736
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 01/18/2000
 Trans1 Recv Date: 01/18/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01/18/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

TSDF ID: PX3640
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 007
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2000

Document ID: NYH0377406
 Manifest Status: Not reported
 Trans1 State ID: NYD082785429
 Trans2 State ID: Not reported
 Generator Ship Date: 09/08/2003
 Trans1 Recv Date: 09/08/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/08/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: NYD082785429
 Trans2 EPA ID: Not reported
 TSDF ID: 23138PA
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00065
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 013
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2003

Document ID: NYH0504783
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 10/05/2005
 Trans1 Recv Date: 10/05/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/05/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSDF ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00055
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

EUROPADISK LTD (Continued)

1000890050

Document ID: NYH0510732
 Manifest Status: Not reported
 Trans1 State ID: NYD986974376
 Trans2 State ID: Not reported
 Generator Ship Date: 09/02/2005
 Trans1 Recv Date: 09/02/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 09/02/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NY0000233387
 Trans1 EPA ID: 43344PA
 Trans2 EPA ID: Not reported
 TSD ID: NYD082785429
 Waste Code: D004 - ARSENIC 5.0 MG/L TCLP
 Quantity: 00495
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 009
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00220
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: Not reported
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Waste Code: Not reported
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: Not reported
 Year: Not reported

[Click this hyperlink](#) while viewing on your computer to access 5 additional NY_MANIFEST: record(s) in the EDR Site Report.

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

AP237 ENE 1/8-1/4 0.178 mi. 942 ft.	OLEF CREATIONS INC 75 VARICK ST NEW YORK, NY 10013 Site 11 of 19 in cluster AP	RCRA NonGen / NLR FINDS 1000226869 NYD982794125
--	---	--

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: OLEF CREATIONS INC
 Facility address: 75 VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYD982794125
 Mailing address: VARICK ST
 NEW YORK, NY 10013
 Contact: AYDIN AKEMIR
 Contact address: VARICK ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 941-7616
 Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: AKDEMIR AYDIN
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: AKDEMIR AYDIN
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:
 U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

OLEF CREATIONS INC (Continued)

1000226869

Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: OLEF CREATIONS INC
 Classification: Not a generator, verified

Date form received by agency: 08/14/1989
 Facility name: OLEF CREATIONS INC
 Classification: Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
 Area of violation: Generators - General
 Date violation determined: 11/15/1993
 Date achieved compliance: 12/28/1993
 Violation lead agency: EPA
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 11/29/1993
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: EPA
 Proposed penalty amount: Not reported
 Final penalty amount: Not reported
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 06/24/1996
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: State

Evaluation date: 07/01/1993
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Generators - General
 Date achieved compliance: 12/28/1993
 Evaluation lead agency: EPA Contractor/Grantee

FINDS:

Registry ID: 110010296312

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

OLEF CREATIONS INC (Continued)

1000226869

redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110019753104

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110019784713

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110019791073

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110009472613

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110009476664

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110019613845

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110055267385

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

OLEF CREATIONS INC (Continued)

1000226869

Environmental Interest/Information System
 Registry ID: 110019709449

Environmental Interest/Information System
 FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

AP238 75 VARICK ST
ENE 75 VARICK STREET
1/8-1/4 NEW YORK, NY 10013
0.178 mi.
942 ft. Site 12 of 19 in cluster AP

NY AST S100493754
N/A

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-154814
 Program Type: PBS
 UTM X: 583947.91708000004
 UTM Y: 4508392.7126700003
 Expiration Date: 2018/10/01
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 4980
 Affiliation Type: Facility Owner
 Company Name: TRINITY REIT, INC.
 Contact Type: ASST VICE PRESIDENT
 Contact Name: PETER A. ST.JOHN
 Address1: 75 VARICK ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 216-7575
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/10/2013

Site Id: 4980
 Affiliation Type: On-Site Operator
 Company Name: 75 VARICK STREET.
 Contact Type: Not reported
 Contact Name: LOUIS DIGIOVANNI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 216-7575
 EMail: Not reported
 Fax Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

75 VARICK ST (Continued)

S100493754

Modified By: MSBAPTIS
 Date Last Modified: 7/10/2012

Site Id: 4980
 Affiliation Type: Emergency Contact
 Company Name: TRINITY REIT, INC.
 Contact Type: Not reported
 Contact Name: DOUGLAS MARAGH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (917) 567-9760
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/10/2012

Site Id: 4980
 Affiliation Type: Mail Contact
 Company Name: TRINITY REAL ESTATE
 Contact Type: Not reported
 Contact Name: PETER A. ST. JOHN
 Address1: 75 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 613-9421
 EMail: PSTJOHN@TRINITYWALLSTREET.ORG
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/10/2013

Tank Info:

Tank Number: 001
 Tank Id: 8350
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

75 VARICK ST (Continued)

S100493754

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner
 3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1982
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 09/10/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

**AP239
 ENE
 1/8-1/4
 0.178 mi.
 942 ft.**

**75 VARICK ST
 75 VARICK STREET
 NEW YORK, NY 10013
 Site 13 of 19 in cluster AP**

**NY UST U004192911
 N/A**

UST:
 Id/Status: 2-154814 / Active
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: 2018/10/01
 UTM X: 583947.91708000004
 UTM Y: 4508392.7126700003
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 4980
 Affiliation Type: Facility Owner
 Company Name: TRINITY REIT, INC.
 Contact Type: ASST VICE PRESIDENT
 Contact Name: PETER A. ST.JOHN
 Address1: 75 VARICK ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 216-7575
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/10/2013

Site Id: 4980
 Affiliation Type: On-Site Operator
 Company Name: 75 VARICK STREET.
 Contact Type: Not reported
 Contact Name: LOUIS DIGIOVANNI
 Address1: Not reported
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

75 VARICK ST (Continued)

U004192911

City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 216-7575
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/10/2012

Site Id: 4980
 Affiliation Type: Emergency Contact
 Company Name: TRINITY REIT, INC.
 Contact Type: Not reported
 Contact Name: DOUGLAS MARAGH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (917) 567-9760
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/10/2012

Site Id: 4980
 Affiliation Type: Mail Contact
 Company Name: TRINITY REAL ESTATE
 Contact Type: Not reported
 Contact Name: PETER A. ST. JOHN
 Address1: 75 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 613-9421
 EMail: PSTJOHN@TRINITYWALLSTREET.ORG
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/10/2013

Tank Info:

Tank Number: 002
 Tank ID: 246592
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 20000
 Install Date: 01/01/1930
 Date Tank Closed: 12/13/2012
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

75 VARICK ST (Continued)

U004192911

Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: LXZIELIN
 Last Modified: 01/04/2013

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- F00 - Pipe External Protection - None
- G00 - Tank Secondary Containment - None
- J03 - Dispenser - Gravity
- L00 - Piping Leak Detection - None
- C02 - Pipe Location - Underground/On-ground
- I00 - Overfill - None
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None

**AP240
 ENE
 1/8-1/4
 0.178 mi.
 942 ft.**

**COMERCIAL PROPERTY
 75 VARICK ST - MAIN FL
 NEW YORK, NY 10013
 Site 14 of 19 in cluster AP**

**RCRA NonGen / NLR 1004761695
 FINDS NYR000089474**

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007

Facility name: COMERCIAL PROPERTY
 Facility address: 75 VARICK ST - MAIN FL
 NEW YORK, NY 10013

EPA ID: NYR000089474
 Mailing address: VARICK ST - MAIN FL
 NEW YORK, NY 10013

Contact: ANTHONY IOANNOU
 Contact address: VARICK ST - MAIN FL
 NEW YORK, NY 10013

Contact country: US
 Contact telephone: (646) 613-9421
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: THE PARISH OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006

Owner/operator country: US
 Owner/operator telephone: (212) 602-0827
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

COMERCIAL PROPERTY (Continued)

1004761695

Owner/operator name: THE PARISH OF TRINITY CHURCH
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0827
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: COMERCIAL PROPERTY
 Classification: Not a generator, verified

Date form received by agency: 09/05/2000
 Facility name: COMERCIAL PROPERTY
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004564249

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

AP241 ONE HUDSON SQUARE RCRA NonGen / NLR 1001969027
ENE 75 VARICK ST 8TH FLOOR FINDS NYR000085696
1/8-1/4 NEW YORK, NY 10013 NY MANIFEST
0.178 mi.
942 ft. Site 15 of 19 in cluster AP

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: ONE HUDSON SQUARE
 Facility address: 75 VARICK ST 8TH FLOOR
 NEW YORK, NY 10013
 EPA ID: NYR000085696
 Mailing address: TRINITY PL
 NEW YORK, NY 10006
 Contact: ANTHONY IOANNOU
 Contact address: TRINITY PL
 NEW YORK, NY 10006
 Contact country: US
 Contact telephone: (212) 925-2479
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: PARISH OF TRINITY PLACE
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 925-2479
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: PARISH OF TRINITY PLACE
 Owner/operator address: 74 TRINITY PL
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 925-2479
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 Used oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ONE HUDSON SQUARE (Continued)

1001969027

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: ONE HUDSON SQUARE
 Classification: Not a generator, verified

Date form received by agency: 03/16/2000
 Facility name: ONE HUDSON SQUARE
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004561910

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000085696
 Country: USA
 Mailing Name: ONE HUDSON SQ
 Mailing Contact: N/S
 Mailing Address: 74 TRINITY PL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10101
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-925-2479

Document ID: NJA2927100
 Manifest Status: Not reported
 Trans1 State ID: NYD046765574
 Trans2 State ID: Not reported
 Generator Ship Date: 04/21/2000
 Trans1 Recv Date: 04/21/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/24/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000085696
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSDF ID: S8424

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ONE HUDSON SQUARE (Continued)

1001969027

Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00400
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2000

Document ID: NJA2927054
 Manifest Status: Not reported
 Trans1 State ID: NYD046765574
 Trans2 State ID: Not reported
 Generator Ship Date: 03/17/2000
 Trans1 Recv Date: 03/17/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/17/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000085696
 Trans1 EPA ID: NJD991291105
 Trans2 EPA ID: Not reported
 TSDF ID: S8424
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 02600
 Units: P - Pounds
 Number of Containers: 013
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2000

**AP242
 ENE
 1/8-1/4
 0.178 mi.
 942 ft.**

**CONTEL IPC
 75 VARICK ST
 NEW YORK, NY 10013
 Site 16 of 19 in cluster AP**

**RCRA NonGen / NLR 1000399902
 NYD981482862**

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: CONTEL IPC
 Facility address: 75 VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYD981482862
 Mailing address: VARICK ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: VARICK ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONTEL IPC (Continued)

1000399902

Owner/Operator Summary:

Owner/operator name: CONTEL IPC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: CONTEL IPC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: CONTEL IPC
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: CONTEL IPC
 Classification: Not a generator, verified

Date form received by agency: 04/14/1986
 Facility name: CONTEL IPC
 Classification: Large Quantity Generator

Violation Status: No violations found

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

AP243 CON EDISION - MH47356 RCRA NonGen / NLR 1007208314
ENE 75 VARICK ST 75 VARICK ST NY MANIFEST NYP004086468
1/8-1/4 NEW YORK, NY 10003
0.178 mi.
942 ft. Site 17 of 19 in cluster AP

RCRA NonGen / NLR:

Date form received by agency: 06/02/2002
 Facility name: CON EDISION - MH47356
 Facility address: 75 VARICK ST 75 VARICK ST
 NEW YORK, NY 10003
 EPA ID: NYP004086468
 Mailing address: IRVING PLACE
 NEW YORK, NY 10003
 Contact: ANTHONY DRUMMINGS
 Contact address: IRVING PLACE
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/01/2002
 Facility name: CON EDISION - MH47356
 Classification: Not a generator, verified

Date form received by agency: 05/31/2002
 Facility name: CON EDISION - MH47356
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004086468
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISION - MH47356 (Continued)

1007208314

Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0499077
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 07/17/2001
 Trans1 Recv Date: 07/17/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/18/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004086468
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSDF ID: SM1563
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 03227
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2001

**AJ244
 NNW
 1/8-1/4
 0.178 mi.
 942 ft.**

**CON EDISON SERVICE BOX: 49050
 442 442 WASHINGTON ST
 NEW YORK, NY**

**RCRA-CESQG 1016149825
 FINDS NYP004284915**

Site 9 of 9 in cluster AJ

RCRA-CESQG:

Date form received by agency: 01/23/2013
 Facility name: CON EDISON SERVICE BOX: 49050
 Facility address: 442 442 WASHINGTON ST
 NEW YORK, NY 10013
 EPA ID: NYP004284915
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49050 (Continued)

1016149825

other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055436853

Environmental Interest/Information System

**AK245
 East
 1/8-1/4
 0.180 mi.
 948 ft.**

**AT&T
 6 YORK ST
 NEW YORK, NY 10013
 Site 2 of 2 in cluster AK**

**NY UST U000418326
 N/A**

UST:

Id/Status: 2-600487 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 584028.79700999998
 UTM Y: 4508269.6212099995
 Site Type: Other

Affiliation Records:

Site Id: 22468
 Affiliation Type: Facility Owner
 Company Name: AT&T
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 6 YORK ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T (Continued)

U000418326

Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 387-5290
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22468
 Affiliation Type: Mail Contact
 Company Name: AT & T
 Contact Type: Not reported
 Contact Name: CECILIA A. SCOPEL
 Address1: 20 INDEPENDENCE BLVD.
 Address2: ROOM 4B34
 City: WARREN
 State: NJ
 Zip Code: 07059
 Country Code: 001
 Phone: (908) 542-7383
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22468
 Affiliation Type: On-Site Operator
 Company Name: AT&T
 Contact Type: Not reported
 Contact Name: ANGELA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 387-5290
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22468
 Affiliation Type: Emergency Contact
 Company Name: AT&T
 Contact Type: Not reported
 Contact Name: BAUER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (201) 670-6626

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT&T (Continued)

U000418326

EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank ID: 42829
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 4000
 Install Date: 12/01/1980
 Date Tank Closed: 09/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 03
 Date Test: 03/01/1996
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C02 - Pipe Location - Underground/On-ground
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 002
 Tank ID: 42830
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 4000
 Install Date: 12/01/1980
 Date Tank Closed: 09/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 03
 Date Test: 03/01/1996
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT&T (Continued)

U000418326

Last Modified: 03/04/2004
 Equipment Records:
 B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground

**AS246
 North
 1/8-1/4
 0.181 mi.
 958 ft.**

**FRATELLI BRANCA & CO
 115 WATTS ST
 NEW YORK, NY
 Site 1 of 6 in cluster AS**

**RCRA NonGen / NLR 1004762315
 FINDS NYR000095695
 NY MANIFEST**

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: FRATELLI BRANCA & CO
 Facility address: 115 WATTS ST
 NEW YORK, NY 10013
 EPA ID: NYR000095695
 Mailing address: MADISON AVE
 NEW YORK, NY 10022
 Contact: RICCARDO GORI-MONTANELLI
 Contact address: MADISON AVE
 NEW YORK, NY 10022
 Contact country: US
 Contact telephone: (212) 508-2303
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: FRATELLI BRANCA & CO
 Owner/operator address: 115 WATTS ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 508-2303
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

Owner/operator name: FRATELLI BRANCA & CO
 Owner/operator address: 115 WATTS ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 508-2303
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FRATELLI BRANCA & CO (Continued)

1004762315

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: FRATELLI BRANCA & CO
 Classification: Not a generator, verified

Date form received by agency: 03/29/2001
 Facility name: FRATELLI BRANCA & CO
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004568076

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000095695
 Country: USA
 Mailing Name: FRATELLI BRANCO & CO
 Mailing Contact: VERONICA KERO
 Mailing Address: 115 WATTS ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10001
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-508-2303

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FRATELLI BRANCA & CO (Continued)

1004762315

Document ID: NJA3092934
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 04/03/2001
 Trans1 Recv Date: 04/03/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/03/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000095695
 Trans1 EPA ID: NJD002200046
 Trans2 EPA ID: Not reported
 TSD ID: S50059NJ
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00030
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00010
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NJA3092935
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 04/03/2001
 Trans1 Recv Date: 04/03/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/03/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000095695
 Trans1 EPA ID: NJD002200046
 Trans2 EPA ID: Not reported
 TSD ID: S50059NJ
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: U020 - BENZENESULFONYL CHLORIDE(C,R)
 Quantity: 00300
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DF - Fiberboard or plastic drums (glass)

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

FRATELLI BRANCA & CO (Continued)

1004762315

Handling Method:	L Landfill.
Specific Gravity:	01.00
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00001
Units:	P - Pounds
Number of Containers:	001
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	2001

AT247
East
1/8-1/4
0.182 mi.
959 ft.

13 LAIGHT ST
NEW YORK, NY 10013

EDR US Hist Auto Stat 1015200198
N/A

Site 1 of 2 in cluster AT

EDR Historical Auto Stations:

Name:	GALAXY AUTO TOWING INCORPORATED
Year:	1999
Address:	13 LAIGHT ST
Name:	GALAXY AUTO TOWING INCORPORATED
Year:	2000
Address:	13 LAIGHT ST
Name:	AA AUTO REPAIR
Year:	2001
Address:	13 LAIGHT ST
Name:	ALWAYS ACTIVE AUTOMOTIVE TWNG
Year:	2002
Address:	13 LAIGHT ST

248
South
1/8-1/4
0.184 mi.
970 ft.

CON EDISON
8 HARRISON ST FRONT OF
NEW YORK, NY 10013

RCRA-CESQG 1014397100
NYP004194171

RCRA-CESQG:

Date form received by agency:	09/14/2009
Facility name:	CON EDISON
Facility address:	8 HARRISON ST FRONT OF NEW YORK, NY 10013
EPA ID:	NYP004194171
Mailing address:	4 IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	TIMOTHY REGAN
Contact address:	Not reported
	Not reported
Contact country:	Not reported
Contact telephone:	(917) 416-5436
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

1014397100

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AS249
 North
 1/8-1/4
 0.184 mi.
 970 ft.

34 WATTS ST
 34 WATTS ST (110 6TH AVE)
 NY, NY 10013

NY AST U003391110
 NY HIST AST N/A

Site 2 of 6 in cluster AS

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-333662
 Program Type: PBS
 UTM X: 583759.01896000002
 UTM Y: 4508645.52245
 Expiration Date: 2018/04/02
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 15840
 Affiliation Type: Facility Owner
 Company Name: MANHATTAN MANSION
 Contact Type: MANAGING AGENT
 Contact Name: JACQUES OBAYON
 Address1: 43 WEST 75TH ST.
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

34 WATTS ST (Continued)

U003391110

City: NEW YORK
 State: NY
 Zip Code: 10023
 Country Code: 001
 Phone: (212) 769-3706
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 4/11/2013

Site Id: 15840
 Affiliation Type: Mail Contact
 Company Name: MARBROSE REALTY, INC.
 Contact Type: Not reported
 Contact Name: MARIA SANCHEZ
 Address1: 43 W. 75TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10023
 Country Code: 001
 Phone: (212) 769-3706
 EMail: MARBROSE@GMAIL.COM
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 4/11/2013

Site Id: 15840
 Affiliation Type: On-Site Operator
 Company Name: 34 WATTS ST
 Contact Type: Not reported
 Contact Name: MARBROSE REALTY, INC.
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 769-3706
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 15840
 Affiliation Type: Emergency Contact
 Company Name: MANHATTAN MANSION C/O MARBROSE REALTY, INC
 Contact Type: Not reported
 Contact Name: MARBROSE REALTY, INC.
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 769-3706
 EMail: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

34 WATTS ST (Continued)

U003391110

Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 20797
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 I00 - Overfill - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/1985
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 04/11/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-333662
 SWIS Code: 6201
 Operator: MARBROSE REALTY, INC.
 Facility Phone: (212) 769-3706
 Facility Addr2: 34 WATTS ST
 Facility Type: APARTMENT BUILDING
 Emergency: MARBROSE REALTY, INC.
 Emergency Tel: (212) 769-3706
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: MANHATTAN MANSION C/O MARBROSE REALTY, INC
 Owner Address: 43 WEST 75TH ST.
 Owner City,St,Zip: NEW YORK, NY 10023
 Federal ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

34 WATTS ST (Continued)

U003391110

Owner Tel: (212) 769-3706
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: MARIA SANCHEZ
 Mailing Name: MARBROSE REALTY, INC.
 Mailing Address: 43 W. 75TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10023
 Mailing Telephone: (212) 769-3706
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 05/27/1999
 Expiration: 04/02/2003
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 2000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: Not reported
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

AP250 PARISH OF TRINITY CHURCH RCRA-CESQG 1006810655
ENE 76 VARICK ST - ABANDON BLDG FINDS NYR000114777
1/8-1/4 NEW YORK, NY 10013 NY MANIFEST
0.184 mi.
970 ft. Site 18 of 19 in cluster AP

RCRA-CESQG:

Date form received by agency: 01/01/2007
 Facility name: PARISH OF TRINITY CHURCH
 Facility address: 76 VARICK ST - ABANDON BLDG
 NEW YORK, NY 100131909
 EPA ID: NYR000114777
 Mailing address: TRINITY PLACE
 NEW YORK, NY 10006
 Contact: KEITH GEORGE
 Contact address: TRINITY PLACE
 NEW YORK, NY 10006
 Contact country: US
 Contact telephone: (212) 602-0844
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: PARISH OF TRINITY CHURCH
 Owner/operator address: TRINITY PLACE
 NEW YORK, NY 10006
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0844
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 12/31/1979
 Owner/Op end date: Not reported
 Owner/operator name: PARISH OF TRINITY CHURCH
 Owner/operator address: VARICK ST - ABANDON BLDG
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 602-0844
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 12/31/1979
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number
EPA ID Number

Database(s)

PARISH OF TRINITY CHURCH (Continued)

1006810655

Handler Activities Summary:

U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: PARISH OF TRINITY CHURCH
Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 04/10/2003
Facility name: PARISH OF TRINITY CHURCH
Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110014448197

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000114777
Country: USA
Mailing Name: PARISH OF TRINITY CHURCH
Mailing Contact: DUNG VAN NGUYEN
Mailing Address: 76 VARICK STREET
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10025
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 718-794-4300

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PARISH OF TRINITY CHURCH (Continued)

1006810655

Document ID: NYG2807901
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 07/15/2003
 Trans1 Recv Date: 07/15/2003
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/16/2003
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000114777
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 40579PANY
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00750
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2003

**AP251
 ENE
 1/8-1/4
 0.184 mi.
 970 ft.**

**GRAND VARICK CORP (TRINITY REAL ESTATE)
 76 VARICK STREET
 NEW YORK, NY 10006
 Site 19 of 19 in cluster AP**

**NY AST U004046996
 N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-238341
 Program Type: PBS
 UTM X: 583960.09913999995
 UTM Y: 4508391.0743199997
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:

Site Id: 8921
 Affiliation Type: Facility Owner
 Company Name: THE PARISH OF TRINITY CHURCH
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 74 TRINITY PLACE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10006
 Country Code: 001
 Phone: (212) 602-0809
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

GRAND VARICK CORP (TRINITY REAL ESTATE) (Continued)

U004046996

Site Id: 8921
 Affiliation Type: Mail Contact
 Company Name: BUILDERS GROUP
 Contact Type: Not reported
 Contact Name: JOHN KRUPA
 Address1: 115 BROADWAY
 Address2: 18TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10006
 Country Code: 001
 Phone: (212) 635-0760
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 8921
 Affiliation Type: On-Site Operator
 Company Name: GRAND VARICK CORP (TRINITY REAL ESTATE)
 Contact Type: Not reported
 Contact Name: AMERICAN BLDG MAINT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 219-1713
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 8921
 Affiliation Type: Emergency Contact
 Company Name: THE PARISH OF TRINITY CHURCH
 Contact Type: Not reported
 Contact Name: GARY STANTIEWICZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 210-6252
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 96543
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GRAND VARICK CORP (TRINITY REAL ESTATE) (Continued)

U004046996

Equipment Records:

B00 - Tank External Protection - None
 G00 - Tank Secondary Containment - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None

Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 10/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001-A
 Tank Id: 96544
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser
 C02 - Pipe Location - Underground/On-ground

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GRAND VARICK CORP (TRINITY REAL ESTATE) (Continued)

U004046996

Tank Number: 002
 Tank Id: 66468
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

AR252
North
1/8-1/4
0.184 mi.
973 ft.

MANHATTAN AUTO DIAGNOSTIC CTR.
124 WATTS STREET
NEW YORK, NY 10013
Site 3 of 4 in cluster AR

NY UST **U003764769**
NY HIST UST **N/A**

UST:
 Id/Status: 2-604963 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583706.50560999999
 UTM Y: 4508609.6885200003
 Site Type: Retail Gasoline Sales

Affiliation Records:
 Site Id: 26832
 Affiliation Type: Facility Owner
 Company Name: GEORGE & BARBRA GELLERT
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 152 WEST 57TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10019
 Country Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Phone: (212) 581-8000
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 26832
 Affiliation Type: Mail Contact
 Company Name: % BELVEDERE CAPITAL CORP.
 Contact Type: Not reported
 Contact Name: GEORGE & BARBARA GELLERT
 Address1: 152 WEST 57TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10019
 Country Code: 001
 Phone: (212) 581-8000
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 26832
 Affiliation Type: On-Site Operator
 Company Name: MANHATTAN AUTO DIAGNOSTIC CTR.
 Contact Type: Not reported
 Contact Name: NONE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: Not reported
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 26832
 Affiliation Type: Emergency Contact
 Company Name: GEORGE & BARBRA GELLERT
 Contact Type: Not reported
 Contact Name: CHARLES E. STEWART
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (516) 753-6500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Tank Info:

Tank Number: 001
 Tank ID: 59254
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

Tank Number: 002
 Tank ID: 59255
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

Tank Number: 003
 Tank ID: 59256
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

Tank Number: 004
 Tank ID: 59257
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Last Modified: 03/04/2004

Equipment Records:

- G00 - Tank Secondary Containment - None
- H99 - Tank Leak Detection - Other
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction Dispenser
- C02 - Pipe Location - Underground/On-ground
- B00 - Tank External Protection - None

Tank Number: 005
 Tank ID: 59258
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

- C02 - Pipe Location - Underground/On-ground
- B00 - Tank External Protection - None
- G00 - Tank Secondary Containment - None
- H99 - Tank Leak Detection - Other
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D02 - Pipe Type - Galvanized Steel
- J02 - Dispenser - Suction Dispenser

Tank Number: 006
 Tank ID: 59259
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

HIST UST:

PBS Number: 2-604963
 SPDES Number: Not reported
 Emergency Contact: CHARLES E. STEWART
 Emergency Telephone: (516) 753-6500
 Operator: NONE
 Operator Telephone: (000) 000-0000
 Owner Name: GEORGE & BARBRA GELLERT
 Owner Address: 152 WEST 57TH STREET
 Owner City,St,Zip: NEW YORK, NY 10019
 Owner Telephone: (212) 581-8000
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: % BELVEDERE CAPITAL CORP.
 Mailing Address: 152 WEST 57TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10019
 Mailing Contact: GEORGE & BARBARA GELLERT
 Mailing Telephone: (212) 581-8000
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: Not reported
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 01/08/2006
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 002
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 003
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 004
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U003764769

Tank Id: 005
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 006
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: Underground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

AR253		EDR US Hist Auto Stat	1015190711
North	124 WATTS ST		N/A
1/8-1/4	NEW YORK, NY 10013		
0.184 mi.			
973 ft.	Site 4 of 4 in cluster AR		

EDR Historical Auto Stations:

Name:	AUTOMOTIVE TECHNOLOGY OF CANAL
Year:	1999
Address:	124 WATTS ST
Name:	AUTOMOTIVE TECHNOLOGY OF CANAL
Year:	2000
Address:	124 WATTS ST
Name:	DR NESS AUTO SHOP
Year:	2001
Address:	124 WATTS ST
Name:	AUTOMOTIVE TECHNOLOGY OF CANAL
Year:	2002
Address:	124 WATTS ST
Name:	DR NESS AUTO SHOP
Year:	2003
Address:	124 WATTS ST
Name:	VAN NESS AUTO SHOP
Year:	2010
Address:	124 WATTS ST

AS254		EDR US Hist Auto Stat	1015516780
NNE	489 CANAL ST		N/A
1/8-1/4	NEW YORK, NY 10013		
0.188 mi.			
993 ft.	Site 3 of 6 in cluster AS		

EDR Historical Auto Stations:

Name:	SOHO AUTO REPAIR
Year:	2010
Address:	489 CANAL ST
Name:	SOHO AUTO REPAIR
Year:	2011
Address:	489 CANAL ST
Name:	SOHO AUTO REPAIR
Year:	2012
Address:	489 CANAL ST

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

AU255 SSW 1/8-1/4 0.189 mi. 996 ft.	CONSOLIDATED EDISON GREENWICH ST & HARRISON NEW YORK, NY Site 1 of 6 in cluster AU	NY MANIFEST 1009237738 N/A
--	---	---

NY MANIFEST:

EPA ID:	NYP004031266
Country:	USA
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808

Document ID:	NYE0293670
Manifest Status:	Not reported
Trans1 State ID:	NYD006982359
Trans2 State ID:	Not reported
Generator Ship Date:	02/24/1999
Trans1 Recv Date:	02/24/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/25/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004031266
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSD ID:	80303AB
Waste Code:	D018 - BENZENE 0.5 MG/L TCLP
Quantity:	00697
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Waste Code:	D018 - BENZENE 0.5 MG/L TCLP
Quantity:	00050
Units:	K - Kilograms (2.2 pounds)
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	01.00
Year:	99

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

AU256 **CONSOLIDATED EDISON** **NY MANIFEST** **1009236038**
SSW **GREENWICH & HARRISON ST** **N/A**
1/8-1/4 **NEW YORK, NY 10001**
0.189 mi.
996 ft. **Site 2 of 6 in cluster AU**

NY MANIFEST:

EPA ID: NYP004004313
Country: USA
Mailing Name: CONSOLIDATED EDISON
Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NJA2565004
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: S10376
Trans2 State ID: Not reported
Generator Ship Date: 970124
Trans1 Recv Date: 970124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970124
Part A Recv Date: 970221
Part B Recv Date: 970227
Generator EPA ID: NYP004004313
Trans1 EPA ID: NJD003812047
Trans2 EPA ID: Not reported
TSDf ID: NJD002200046
Waste Code: D018 - BENZENE 0.5 MG/L TCLP
Quantity: 00110
Units: G - Gallons (liquids only)* (8.3 pounds)
Number of Containers: 002
Container Type: DM - Metal drums, barrels
Handling Method: B Incineration, heat recovery, burning.
Specific Gravity: 100
Year: 97

Document ID: NJA2565003
Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
Trans1 State ID: 310376
Trans2 State ID: Not reported
Generator Ship Date: 970124
Trans1 Recv Date: 970124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 970124
Part A Recv Date: Not reported
Part B Recv Date: 970227
Generator EPA ID: NYP004004313
Trans1 EPA ID: NJD003812047
Trans2 EPA ID: Not reported
TSDf ID: NJD002200046

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009236038

Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00900
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Document ID: NYB8563437
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: GF12972A0
 Trans2 State ID: Not reported
 Generator Ship Date: 970129
 Trans1 Recv Date: 970129
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970129
 Part A Recv Date: 970219
 Part B Recv Date: 970313
 Generator EPA ID: NYP004004313
 Trans1 EPA ID: NYD006982359
 Trans2 EPA ID: Not reported
 TSDf ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00001
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

**AU257
 SSW
 1/8-1/4
 0.189 mi.
 996 ft.**

**CONSOLIDATED EDISON
 HARRISON & GREENWICH ST
 NEW YORK, NY**

**NY MANIFEST S110305912
 N/A**

Site 3 of 6 in cluster AU

NY MANIFEST:
 EPA ID: NYP004203980
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: THOMAS TEELING
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982369
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

S110305912

Generator Ship Date: 2010-03-13
 Trans1 Recv Date: 2010-03-13
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2010-03-15
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004203980
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: Not reported
 Quantity: 20.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2010
 Manifest Tracking Num: 001440757FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: Y
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982369
 Trans2 State ID: Not reported
 Generator Ship Date: 2010-03-13
 Trans1 Recv Date: 2010-03-13
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2010-03-15
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004203980
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: Not reported
 Quantity: 20.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2010
 Manifest Tracking Num: 001440757FLE
 Import Ind: N
 Export Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

S110305912

Discr Quantity Ind: N
 Discr Type Ind: Y
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

AU258
SSW
1/8-1/4
0.189 mi.
997 ft.

CON EDISON
32-44 HARRISON ST OPP
NEW YORK, NY 10002
Site 4 of 6 in cluster AU

RCRA NonGen / NLR 1014398516
NYP004208704

RCRA NonGen / NLR:

Date form received by agency: 06/14/2010
 Facility name: CON EDISON
 Facility address: 32-44 HARRISON ST OPP
 NEW YORK, NY 10002
 EPA ID: NYP004208704
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: DAVID DUKE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (917) 559-8971
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

AV259 **SOFIA BROS INC**
SSE **139-141 FRANKLIN ST**
1/8-1/4 **NEW YORK, NY 10003**
0.190 mi.
1001 ft. **Site 1 of 3 in cluster AV**

NY AST **U003386525**
NY HIST AST **N/A**

AST:
Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-239372
Program Type: PBS
UTM X: 583839.90332000004
UTM Y: 4508113.34496000004
Expiration Date: 2017/07/07
Site Type: Apartment Building/Office Building

Affiliation Records:
Site Id: 9015
Affiliation Type: Facility Owner
Company Name: 139-141 FRANKLIN ST REALTY CORP
Contact Type: PRESIDENT
Contact Name: JOHN SOFIA, JR.
Address1: 475 AMSTERDAM AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10024
Country Code: 001
Phone: (212) 873-3600
EMail: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/21/2007

Site Id: 9015
Affiliation Type: Mail Contact
Company Name: 139-141 FRANKLIN ST REALTY CORP
Contact Type: PRESIDENT
Contact Name: JOHN SOFIA, JR.
Address1: 475 AMSTERDAM AVENUE
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10024
Country Code: 001
Phone: (212) 873-3600
EMail: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 3/21/2007

Site Id: 9015
Affiliation Type: On-Site Operator
Company Name: SOFIA BROS INC
Contact Type: Not reported
Contact Name: TYRONNE MCKENITH
Address1: Not reported
Address2: Not reported
City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SOFIA BROS INC (Continued)

U003386525

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-0887
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 5/10/2012

Site Id: 9015
 Affiliation Type: Emergency Contact
 Company Name: 139-141 FRANKLIN ST REALTY CORP
 Contact Type: Not reported
 Contact Name: FRANK SOFIA JR.
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (914) 646-7634
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 5/10/2012

Tank Info:

Tank Number: 001
 Tank Id: 10160
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/25/1957
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DXLIVING

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SOFIA BROS INC (Continued)

U003386525

Last Modified: 03/21/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-239372
 SWIS Code: 6201
 Operator: VINCENT MISERENDINO
 Facility Phone: (212) 966-0887
 Facility Addr2: 139 FRANKLIN ST
 Facility Type: OTHER
 Emergency: FRANK SOFIA JR.
 Emergency Tel: (212) 769-2483
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 139-141 FRANKLIN ST REALTY COR
 Owner Address: 475 AMSTERDAM AVENUE
 Owner City,St,Zip: NEW YORK, NY 10024
 Federal ID: Not reported
 Owner Tel: (212) 873-3600
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: VINCENT MISERENDINO
 Mailing Name: 139-141 FRANKLIN ST REALTY COR
 Mailing Address: 475 AMSTERDAM AVENUE
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10024
 Mailing Telephone: (212) 873-3600
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 07/07/1997
 Expiration: 07/07/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 2500
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SOFIA BROS INC (Continued)

U003386525

Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

AU260
SSW
1/8-1/4
0.190 mi.
1002 ft.

CONSOLIDATED EDISON
GREENWICH & HARRISON ST
MANHATTAN, NY 10020

NY MANIFEST

S110046385
N/A

Site 5 of 6 in cluster AU

NY MANIFEST:

EPA ID: NYP004191987
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-08-25
 Trans1 Recv Date: 2009-08-25
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-08-27
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004191987
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: Not reported
 Quantity: 45.0
 Units: K - Kilograms (2.2 pounds)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

S110046385

Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001433304FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-08-25
 Trans1 Recv Date: 2009-08-25
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-08-27
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004191987
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: Not reported
 Quantity: 45.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001433304FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

AU261	CON EDISON	RCRA-CESQG
SSW	GREENWICH ST & HARRISON ST	1014396882
1/8-1/4	NEW YORK, NY 10004	NYP004191987
0.191 mi.		
1007 ft.	Site 6 of 6 in cluster AU	

RCRA-CESQG:

Date form received by agency: 08/25/2009
 Facility name: CON EDISON
 Facility address: GREENWICH ST & HARRISON ST
 NEW YORK, NY 10004
 EPA ID: NYP004191987
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: ANTONIO DELGADO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 580-8383
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

AS262 North 1/8-1/4 0.193 mi. 1018 ft.	NYC DEPT OF GEN SERVICES LAB 480 CANAL ST NEW YORK, NY 10013 Site 4 of 6 in cluster AS	RCRA NonGen / NLR 1000110347 NYD982540015
---	---	--

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: NYC DEPT OF GEN SERVICES LAB
 Facility address: 480 CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYD982540015
 Mailing address: CANAL ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: CANAL ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CITY OF NEW YORK
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: CITY OF NEW YORK
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

NYC DEPT OF GEN SERVICES LAB (Continued)

1000110347

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: NYC DEPT OF GEN SERVICES LAB
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: NYC DEPT OF GEN SERVICES LAB
 Classification: Not a generator, verified

Date form received by agency: 08/01/1988
 Facility name: NYC DEPT OF GEN SERVICES LAB
 Classification: Small Quantity Generator

Violation Status: No violations found

AS263
North
1/8-1/4
0.193 mi.
1018 ft.

NEW YORK CITY DEPT OF GENERAL SERVICES
480 CANAL STREET
NEW YORK, NY 10013
Site 5 of 6 in cluster AS

NY AST **U003390657**
NY MANIFEST **N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-158968
 Program Type: PBS
 UTM X: 583769.18870000006
 UTM Y: 4508601.40409000003
 Expiration Date: 2017/08/26
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 5349
 Affiliation Type: On-Site Operator
 Company Name: 480 CANAL ST
 Contact Type: Not reported
 Contact Name: CHRISTIAN GONZALEZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 602-0816
 EMail: Not reported
 Fax Number: Not reported
 Modified By: JAAVERSA
 Date Last Modified: 3/6/2013

Site Id: 5349
 Affiliation Type: Emergency Contact
 Company Name: TRINITY CHURCH
 Contact Type: Not reported
 Contact Name: RIP PERSAND

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW YORK CITY DEPT OF GENERAL SERVICES (Continued)

U003390657

Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (646) 772-3747
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/20/2012

Site Id: 5349
 Affiliation Type: Facility Owner
 Company Name: TRINITY CHURCH
 Contact Type: AVP OF PROPERTY MGMT.
 Contact Name: PETER A. ST. JOHN
 Address1: 74 TRINITY PLACE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10006
 Country Code: 001
 Phone: (212) 602-0867
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/20/2012

Site Id: 5349
 Affiliation Type: Mail Contact
 Company Name: TRINITY REAL ESTATE
 Contact Type: Not reported
 Contact Name: PETER A. ST. JOHN
 Address1: 75 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (646) 613-9421
 EMail: PSTJOHN@TRINITYWALLSTREET.ORG
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/10/2013

Tank Info:

Tank Number: 001
 Tank Id: 19723
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEW YORK CITY DEPT OF GENERAL SERVICES (Continued)

U003390657

L99 - Piping Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1984
 Capacity Gallons: 20000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JAAVERSA
 Last Modified: 03/06/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

NY MANIFEST:

EPA ID: NYD982540015
 Country: USA
 Mailing Name: NEW YORK CITY DEPT OF GENERAL SERVICES
 Mailing Contact: NEW YORK CITY DEPT OF GENERAL SERVICES
 Mailing Address: 480 CANAL STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-925-5326

NY MANIFEST:

No Manifest Records Available

AS264
 North
 1/8-1/4
 0.193 mi.
 1018 ft.

HARDING & HEAL INC
 480 CANAL ST 3RD FL
 NEW YORK, NY 10013
 Site 6 of 6 in cluster AS

RCRA NonGen / NLR 1000552939
NY MANIFEST NYD986953446

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: HARDING & HEAL INC
 Facility address: 480 CANAL ST 3RD FL
 NEW YORK, NY 10013
 EPA ID: NYD986953446
 Mailing address: CANAL ST 3RD FL
 NEW YORK, NY 10013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Contact: MICHAEL SWEENEY
 Contact address: CANAL ST 3RD FL
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 925-8700
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: HARDING & HEAL INC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: HARDING & HEAL INC
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: HARDING & HEAL INC
 Classification: Not a generator, verified

Date form received by agency: 05/17/1991
 Facility name: HARDING & HEAL INC
 Classification: Small Quantity Generator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYD986953446
 Country: USA
 Mailing Name: HARDING & HEAL INCORPORATED
 Mailing Contact: HARDING & HEAL INCORPORATED
 Mailing Address: 1092 SAINT GEORGES AVE
 Mailing Address 2: Not reported
 Mailing City: RAHWAY
 Mailing State: NJ
 Mailing Zip: 07065
 Mailing Zip4: 2664
 Mailing Country: USA
 Mailing Phone: 212-925-8700

Document ID: NJA1359698
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: NJDEPS869
 Generator Ship Date: 921125
 Trans1 Recv Date: 921125
 Trans2 Recv Date: 921207
 TSD Site Recv Date: 921208
 Part A Recv Date: 921209
 Part B Recv Date: 921221
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: ILD051060408
 TSDf ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00384
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA2801107
 Manifest Status: Not reported
 Trans1 State ID: ILD984908202
 Trans2 State ID: SCD987574647
 Generator Ship Date: 05/19/1999
 Trans1 Recv Date: 05/19/1999
 Trans2 Recv Date: 05/27/1999
 TSD Site Recv Date: 06/04/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: NJD002182897
 Trans2 EPA ID: Not reported
 TSDf ID: NJDEPE086
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00378
 Units: P - Pounds

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NJA2801162
 Manifest Status: Not reported
 Trans1 State ID: ILD984908202
 Trans2 State ID: SCD987574647
 Generator Ship Date: 09/08/1999
 Trans1 Recv Date: 09/08/1999
 Trans2 Recv Date: 09/09/1999
 TSD Site Recv Date: 09/09/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: NJD002182897
 Trans2 EPA ID: Not reported
 TSD ID: 08690
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00196
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NJA1367622
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920909
 Trans1 Recv Date: 920909
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920914
 Part A Recv Date: Not reported
 Part B Recv Date: 920924
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00385
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1320807
 Manifest Status: Completed copy

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 930406
 Trans1 Recv Date: 930406
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930407
 Part A Recv Date: 930413
 Part B Recv Date: 930422
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00384
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93

Document ID: NYC6843532
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: NJD071629976
 Generator Ship Date: 09/04/2002
 Trans1 Recv Date: 09/04/2002
 Trans2 Recv Date: 09/06/2002
 TSD Site Recv Date: 09/13/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: KYD053348108
 Trans2 EPA ID: Not reported
 TSDF ID: NYSS581ZK
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00400
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NJA3085973
 Manifest Status: Not reported
 Trans1 State ID: ILD984908202
 Trans2 State ID: SCR000074591
 Generator Ship Date: 04/12/2000
 Trans1 Recv Date: 04/12/2000
 Trans2 Recv Date: 04/18/2000
 TSD Site Recv Date: 04/18/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Trans1 EPA ID: NJD002182897
 Trans2 EPA ID: Not reported
 TSDF ID: 08690
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00392
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2000

Document ID: NJA1144585
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 910612
 Trans1 Recv Date: 910612
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 910613
 Part A Recv Date: 910620
 Part B Recv Date: 910627
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00384
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 91

Document ID: NJA1648385
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPE086
 Trans2 State ID: Not reported
 Generator Ship Date: 940301
 Trans1 Recv Date: 940301
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 940302
 Part A Recv Date: 940308
 Part B Recv Date: 940311
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00385
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Specific Gravity: 100
 Year: 94

Document ID: NJA1813789
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPE086
 Trans2 State ID: Not reported
 Generator Ship Date: 940906
 Trans1 Recv Date: 940906
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 940908
 Part A Recv Date: Not reported
 Part B Recv Date: 940920
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 94

Document ID: NJA2735747
 Manifest Status: Not reported
 Trans1 State ID: ILD984908202
 Trans2 State ID: Not reported
 Generator Ship Date: 02/05/1998
 Trans1 Recv Date: 02/05/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/17/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: NJD002182897
 Trans2 EPA ID: Not reported
 TSDF ID: 08690
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00768
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

Document ID: NJA1216270
 Manifest Status: Completed copy
 Trans1 State ID: Not reported
 Trans2 State ID: Not reported
 Generator Ship Date: 910911

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HARDING & HEAL INC (Continued)

1000552939

Trans1 Recv Date: 910911
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 910911
 Part A Recv Date: 910919
 Part B Recv Date: 910925
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00400
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 91

Document ID: NJA1213395
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920107
 Trans1 Recv Date: 920107
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920109
 Part A Recv Date: 920114
 Part B Recv Date: 920203
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD002182897
 Waste Code: F003 - UNKNOWN
 Quantity: 00385
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA3215510
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: Not reported
 Generator Ship Date: 10/18/2001
 Trans1 Recv Date: 10/18/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/23/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: NJD002182897
 Trans2 EPA ID: Not reported
 TSD ID: 08690

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HARDING & HEAL INC (Continued)

1000552939

Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00385
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: NJA3163481
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: Not reported
 Generator Ship Date: 03/29/2001
 Trans1 Recv Date: 03/29/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/03/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD986953446
 Trans1 EPA ID: NJD002182897
 Trans2 EPA ID: Not reported

TSD ID: 08690
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00384
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

**AV265
 SE
 1/8-1/4
 0.196 mi.
 1033 ft.**

**ARGO INTL
 140 FRANKLIN ST
 NEW YORK, NY**

Site 2 of 3 in cluster AV

**RCRA NonGen / NLR 1000981313
 FINDS NY0000963694
 NY MANIFEST**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: ARGO INTL
 Facility address: 140 FRANKLIN ST
 NEW YORK, NY 100132916
 EPA ID: NY0000963694
 Mailing address: FRANKLIN ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: FRANKLIN ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ARGO INTL (Continued)

1000981313

Owner/Operator Summary:

Owner/operator name: JOHN CALICCHIO - CHAIRMAN
 Owner/operator address: 140 FRANKLIN ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: JOHN CALICCHIO - CHAIRMAN
 Owner/operator address: 140 FRANKLIN ST
 NEW YORK, NY 10013
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: ARGO INTL
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: ARGO INTL
 Classification: Not a generator, verified

Date form received by agency: 12/05/1994
 Facility name: ARGO INTL
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004322689

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

ARGO INTL (Continued)

1000981313

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0000963694
 Country: USA
 Mailing Name: ARCO INTERNATIONAL
 Mailing Contact: RAY FORESTER
 Mailing Address: 140 FRANKLIN STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3510

Document ID: MAH7209400
 Manifest Status: Completed copy
 Trans1 State ID: 102E84MD
 Trans2 State ID: ME654310
 Generator Ship Date: 941223
 Trans1 Recv Date: 941223
 Trans2 Recv Date: 941227
 TSD Site Recv Date: 941227
 Part A Recv Date: Not reported
 Part B Recv Date: 950111
 Generator EPA ID: NY0000963694
 Trans1 EPA ID: MAD039322250
 Trans2 EPA ID: MAD039322250
 TSDF ID: MAD053452637
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00170
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 100
 Year: 94

Document ID: MAH7208860
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: MA13273
 Trans2 State ID: 619001ME
 Generator Ship Date: 941219
 Trans1 Recv Date: 941219
 Trans2 Recv Date: 941221
 TSD Site Recv Date: 941221
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

ARGO INTL (Continued)

1000981313

Part B Recv Date: 950119
 Generator EPA ID: NY0000963694
 Trans1 EPA ID: MAD039322250
 Trans2 EPA ID: MAD039322250
 TSD ID: MAD980523203
 Waste Code: B001 - PCB OIL (CONC) FROM TRANS, CAP, ETC
 Quantity: 00550
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 94

Document ID: MAH7208850
 Manifest Status: Completed copy
 Trans1 State ID: 13273MA
 Trans2 State ID: 619001ME
 Generator Ship Date: 941219
 Trans1 Recv Date: 941219
 Trans2 Recv Date: 941221
 TSD Site Recv Date: 941221
 Part A Recv Date: Not reported
 Part B Recv Date: 950105
 Generator EPA ID: NY0000963694
 Trans1 EPA ID: MAD039322250
 Trans2 EPA ID: MAD039322250
 TSD ID: MAD053452637
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01750
 Units: P - Pounds
 Number of Containers: 007
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 01100
 Units: P - Pounds
 Number of Containers: 022
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 94

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AW266 80 VARICK STREET GROUP LP
NE 80-92 VARICK STREET
1/8-1/4 NEW YORK, NY 10013
0.198 mi.
1045 ft. Site 1 of 2 in cluster AW

NY AST U004077847
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-342335
 Program Type: PBS
 UTM X: 583939.92203000002
 UTM Y: 4508556.4221999999
 Expiration Date: 2017/07/24
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 16608
 Affiliation Type: Facility Owner
 Company Name: 80 VARICK STREET GROUP LP
 Contact Type: MANAGING AGENT
 Contact Name: MICHAEL SAPERSTEIN
 Address1: P.O. BOX 1495, RADIO CITY STATION
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10101-1495
 Country Code: 001
 Phone: (212) 977-3877
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 5/17/2007

Site Id: 16608
 Affiliation Type: Mail Contact
 Company Name: IAB MANAGEMENT INC
 Contact Type: Not reported
 Contact Name: MICHAEL SAPERSTEIN
 Address1: P.O. BOX 1495
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10101-1495
 Country Code: 001
 Phone: (212) 977-3877
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16608
 Affiliation Type: On-Site Operator
 Company Name: 80 VARICK STREET GROUP LP
 Contact Type: Not reported
 Contact Name: MICHAEL SAPERSTEIN
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

80 VARICK STREET GROUP LP (Continued)

U004077847

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 343-8755
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16608
 Affiliation Type: Emergency Contact
 Company Name: 80 VARICK STREET GROUP LP
 Contact Type: Not reported
 Contact Name: MARK RAMER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 613-9823
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 002
 Tank Id: 32045
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J01 - Dispenser - Pressurized Dispenser
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 L00 - Piping Leak Detection - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1989
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

80 VARICK STREET GROUP LP (Continued)

U004077847

Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/19/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

**AW267
 NE
 1/8-1/4
 0.198 mi.
 1045 ft.**

**VARICK STREET DRY CLEANERS INC
 80 VARICK ST
 NEW YORK, NY**

**RCRA NonGen / NLR
 FINDS
 NY MANIFEST**

**1000247037
 NYD982537797**

Site 2 of 2 in cluster AW

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: VARICK STREET DRY CLEANERS INC
 Facility address: 80 VARICK ST
 NEW YORK, NY 10013
 EPA ID: NYD982537797
 Mailing address: VARICK ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: VARICK ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: SUSAN WALTER
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: SUSAN WALTER
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: VARICK STREET DRY CLEANERS INC
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: VARICK STREET DRY CLEANERS INC
 Classification: Not a generator, verified

Date form received by agency: 05/12/1988
 Facility name: VARICK STREET DRY CLEANERS INC
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004423650

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD982537797
 Country: USA
 Mailing Name: VARICK DRY CLEANERS
 Mailing Contact: VARICK DRY CLEANERS
 Mailing Address: 80 VARICK STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-941-1281

Document ID: NJA0432853
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Trans2 State ID: Not reported
 Generator Ship Date: 890131
 Trans1 Recv Date: 890131
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890131
 Part A Recv Date: 890208
 Part B Recv Date: 890207
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0432855
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890315
 Trans1 Recv Date: 890315
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890315
 Part A Recv Date: 890317
 Part B Recv Date: 890323
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0715249
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 891102
 Trans1 Recv Date: 891102
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891102
 Part A Recv Date: 891108
 Part B Recv Date: 891110
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0572975
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890410
 Trans1 Recv Date: 890410
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890410
 Part A Recv Date: 890417
 Part B Recv Date: 890418
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00420
 Units: P - Pounds
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0618781
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890605
 Trans1 Recv Date: 890605
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890605
 Part A Recv Date: 890613
 Part B Recv Date: 890614
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00280
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Year: 89

Document ID: NJA9627717
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 890713
 Trans1 Recv Date: 890713
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890713
 Part A Recv Date: 890721
 Part B Recv Date: 890720
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0722328
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 891006
 Trans1 Recv Date: 891006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891006
 Part A Recv Date: 891012
 Part B Recv Date: 891017
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00420
 Units: P - Pounds
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0740529
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 891128
 Trans1 Recv Date: 891128

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891128
 Part A Recv Date: 891211
 Part B Recv Date: 891207
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0711625
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890908
 Trans1 Recv Date: 890908
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890908
 Part A Recv Date: 890914
 Part B Recv Date: 890922
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00140
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0720347
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 891228
 Trans1 Recv Date: 891228
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891228
 Part A Recv Date: 900104
 Part B Recv Date: 900103
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0907786
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900614
 Trans1 Recv Date: 900614
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900614
 Part A Recv Date: 900730
 Part B Recv Date: 900625
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA0807316
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900530
 Trans1 Recv Date: 900530
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900530
 Part A Recv Date: 900731
 Part B Recv Date: 900606
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Document ID: NJA0799191
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900221
 Trans1 Recv Date: 900221
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900221
 Part A Recv Date: 900316
 Part B Recv Date: 900307
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00140
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA0817260
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900423
 Trans1 Recv Date: 900423
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900423
 Part A Recv Date: 900530
 Part B Recv Date: 900503
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA0817837
 Manifest Status: Completed copy

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900323
 Trans1 Recv Date: 900323
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900323
 Part A Recv Date: 900413
 Part B Recv Date: 900406
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA0906266
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900904
 Trans1 Recv Date: 900904
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900904
 Part A Recv Date: 900913
 Part B Recv Date: 900911
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA1089669
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 901002
 Trans1 Recv Date: 901002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 901002
 Part A Recv Date: 901025
 Part B Recv Date: 901105
 Generator EPA ID: NYD982537797

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA1047656
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 910219
 Trans1 Recv Date: 910219
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 910219
 Part A Recv Date: 910305
 Part B Recv Date: 910313
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00280
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 91

Document ID: NJA0928245
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900809
 Trans1 Recv Date: 900809
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900809
 Part A Recv Date: 900830
 Part B Recv Date: 900830
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VARICK STREET DRY CLEANERS INC (Continued)

1000247037

Specific Gravity: 100
 Year: 90

Document ID: NJA1060365
 Manifest Status: Completed copy
 Trans1 State ID: 032921
 Trans2 State ID: Not reported
 Generator Ship Date: 901030
 Trans1 Recv Date: 901030
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 901030
 Part A Recv Date: 901108
 Part B Recv Date: 901114
 Generator EPA ID: NYD982537797
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00210
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

[Click this hyperlink](#) while viewing on your computer to access
 9 additional NY_MANIFEST: record(s) in the EDR Site Report.

**AX268
 NNW
 1/8-1/4
 0.198 mi.
 1048 ft.**

**FEDERAL ARMORED EXPRESS
 275 WEST ST
 NEW YORK, NY**

**RCRA NonGen / NLR 1000693807
 FINDS NYD986999274**

Site 1 of 2 in cluster AX

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: FEDERAL ARMORED EXPRESS
 Facility address: 275 WEST ST
 NEW YORK, NY 100131732
 EPA ID: NYD986999274
 Mailing address: WEST ST
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: WEST ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
 Owner/operator name: JAMES L DUNBAR
 Owner/operator address: NOT REQUIRED

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL ARMORED EXPRESS (Continued)

1000693807

NOT REQUIRED, NY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: JAMES L DUNBAR
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, NY 99999

Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: FEDERAL ARMORED EXPRESS
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: FEDERAL ARMORED EXPRESS
 Classification: Not a generator, verified

Date form received by agency: 04/15/1992
 Facility name: FEDERAL ARMORED EXPRESS
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004488787

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FEDERAL ARMORED EXPRESS (Continued)

1000693807

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

AX269 275 WEST STREET
NNW 275 WEST STREET
 1/8-1/4 NEW YORK, NY 10013
 0.198 mi.
 1048 ft. **Site 2 of 2 in cluster AX**

NY AST **U004045335**
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-600628
 Program Type: PBS
 UTM X: 583469.08828999999
 UTM Y: 4508375.5380999995
 Expiration Date: N/A
 Site Type: Trucking/Transportation/Fleet Operation

Affiliation Records:

Site Id: 22608
 Affiliation Type: Facility Owner
 Company Name: PONTE EQUITIES INC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 511 CANAL STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 966-5420
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22608
 Affiliation Type: Mail Contact
 Company Name: 511 CANAL STREET
 Contact Type: Not reported
 Contact Name: JAMES P SMITH
 Address1: Not reported
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 966-5420
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

275 WEST STREET (Continued)

U004045335

Site Id: 22608
 Affiliation Type: On-Site Operator
 Company Name: 275 WEST STREET
 Contact Type: Not reported
 Contact Name: JAMES SMITH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-5420
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22608
 Affiliation Type: Emergency Contact
 Company Name: PONTE EQUITIES INC
 Contact Type: Not reported
 Contact Name: JAMES SMITH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 966-5420
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 43138
 Material Code: 0009
 Common Name of Substance: Gasoline

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 G99 - Tank Secondary Containment - Other

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - In Place
 Pipe Model: Not reported
 Install Date: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

275 WEST STREET (Continued)

U004045335

Capacity Gallons:	4000
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	01/01/1992
Register:	True
Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	Gasoline

AY270
East
1/8-1/4
0.199 mi.
1053 ft.

CON EDISON MANHOLE 46243
47 6 AVE
NEW YORK, NY 10003
Site 1 of 6 in cluster AY

RCRA NonGen / NLR **1010326904**
NY MANIFEST **NYP004143640**

RCRA NonGen / NLR:

Date form received by agency:	11/17/2006
Facility name:	CON EDISON MANHOLE 46243
Facility address:	47 6 AVE
	NEW YORK, NY 10003
EPA ID:	NYP004143640
Mailing address:	4 IRVING PL, RM 828
	NEW YORK, NY 10003
Contact:	PAUL WALSH
Contact address:	4 IRVING PL, RM 828
	NEW YORK, NY 10003
Contact country:	US
Contact telephone:	(212) 580-8383
Contact email:	Not reported
EPA Region:	02
Classification:	Non-Generator
Description:	Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Historical Generators:

Date form received by agency:	11/16/2006
Facility name:	CON EDISON MANHOLE 46243
Site name:	CON EDISON
Classification:	Not a generator, verified

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON MANHOLE 46243 (Continued)

1010326904

Date form received by agency: 11/15/2006
 Facility name: CON EDISON MANHOLE 46243
 Site name: CON EDISON
 Classification: Unverified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004143640
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE1286703
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 07/18/2006
 Trans1 Recv Date: 07/18/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/31/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004143640
 Trans1 EPA ID: 18887JU
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00028
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2006

AV271
SE
1/8-1/4
0.200 mi.
1056 ft.

6 VARICK ST
NEW YORK, NY 10013
Site 3 of 3 in cluster AV

EDR US Hist Cleaners 1015078752
N/A

EDR Historical Cleaners:

Name: FRANKLIN CLEANERS
 Year: 2005
 Address: 6 VARICK ST

Name: FRANKLIN CLEANERS
 Year: 2010

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

(Continued)

1015078752

Address: 6 VARICK ST
 Name: FRANKLIN CLEANERS
 Year: 2011
 Address: 6 VARICK ST
 Name: FRANKLIN CLEANERS
 Year: 2012
 Address: 6 VARICK ST

272
 NNE
 1/8-1/4
 0.202 mi.
 1064 ft.

231-239 HUDSON STREET
 231-239 HUDSON STREET
 MANHATTAN, NY 10013

NY UST U004190185
 N/A

UST:

Id/Status: 2-611804 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: Not reported
 UTM Y: Not reported
 Site Type: Trucking/Transportation/Fleet Operation

Affiliation Records:

Site Id: 463383
 Affiliation Type: Facility Owner
 Company Name: CBCS HUDSON EQUITES LLC
 Contact Type: MEMBER
 Contact Name: JOHN S
 Address1: 225 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (347) 558-1913
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 4/23/2012

Site Id: 463383
 Affiliation Type: Mail Contact
 Company Name: HYDRO TECH ENV CORP
 Contact Type: Not reported
 Contact Name: PAUL MALTI
 Address1: 15 OCEAN AVE 2ND FLOOR
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11225
 Country Code: 001
 Phone: (718) 636-0800
 EMail: Not reported
 Fax Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

231-239 HUDSON STREET (Continued)

U004190185

Modified By: MSBAPTIS
 Date Last Modified: 4/23/2012

Site Id: 463383
 Affiliation Type: On-Site Operator
 Company Name: 231-239 HUDSON STREET
 Contact Type: Not reported
 Contact Name: PAUL MALTI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 636-0800
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 4/23/2012

Site Id: 463383
 Affiliation Type: Emergency Contact
 Company Name: CBCS HUDSON EQUITES LLC
 Contact Type: Not reported
 Contact Name: PAUL MALTI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 636-0800
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 4/23/2012

Tank Info:

Tank Number: 001
 Tank ID: 243768
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 1100
 Install Date: Not reported
 Date Tank Closed: 03/22/2012
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0022
 Common Name of Substance: Waste Oil/Used Oil

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: MSBAPTIS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

231-239 HUDSON STREET (Continued)

U004190185

Last Modified: Equipment Records: Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date: Date Tank Closed: Registered: Tank Location: Tank Type: Material Code: Common Name of Substance: Tightness Test Method: Date Test: Next Test Date: Pipe Model: Modified By: Last Modified: Equipment Records: Tank Number: Tank ID: Tank Status: Material Name: Capacity Gallons: Install Date:	07/25/2012 L00 - Piping Leak Detection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None D00 - Pipe Type - No Piping G00 - Tank Secondary Containment - None J00 - Dispenser - None E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None A00 - Tank Internal Protection - None I00 - Overfill - None B00 - Tank External Protection - None K00 - Spill Prevention - None 002 243769 Closed - Removed Closed - Removed 550 Not reported 03/22/2012 True Underground Fiberglass reinforced plastic [FRP] 0009 Gasoline NN Not reported Not reported Not reported MSBAPTIS 07/25/2012 E00 - Piping Secondary Containment - None H00 - Tank Leak Detection - None F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None L00 - Piping Leak Detection - None A00 - Tank Internal Protection - None D01 - Pipe Type - Steel/Carbon Steel/Iron J02 - Dispenser - Suction Dispenser C02 - Pipe Location - Underground/On-ground I00 - Overfill - None B00 - Tank External Protection - None K00 - Spill Prevention - None 003 243770 Closed - Removed Closed - Removed 550 Not reported
---	---

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

231-239 HUDSON STREET (Continued)

U004190185

Date Tank Closed: 03/22/2012
 Registered: True
 Tank Location: Underground
 Tank Type: Fiberglass reinforced plastic [FRP]
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: MSBAPTIS
 Last Modified: 07/25/2012

Equipment Records:

E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 L00 - Piping Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

AZ273
 North
 1/8-1/4
 0.203 mi.
 1074 ft.

473 GREENWICH ST
NEW YORK, NY 10013

Site 1 of 4 in cluster AZ

EDR US Hist Auto Stat 1015511719
N/A

EDR Historical Auto Stations:

Name: BUDGET AUTOMOTIVE INCORPORATED
 Year: 2000
 Address: 473 GREENWICH ST

AT274
 East
 1/8-1/4
 0.206 mi.
 1089 ft.

CON EDISON
LIGHT ST & CANAL ST
NEW YORK, NY 10014

Site 2 of 2 in cluster AT

RCRA-CESQG 1014395622
NYP004170874

RCRA-CESQG:

Date form received by agency: 06/03/2009
 Facility name: CON EDISON
 Facility address: LIGHT ST & CANAL ST
 NEW YORK, NY 10014
 EPA ID: NYP004170874
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: HERMAN BAKER
 Contact address: Not reported
 Not reported
 Contact country: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

1014395622

Contact telephone: (718) 267-3853
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AY275
East
1/8-1/4
0.207 mi.
1094 ft.

40 AVENUE OF THE AMERICAS
NEW YORK, NY 10013
Site 2 of 6 in cluster AY

EDR US Hist Auto Stat 1015467725
N/A

EDR Historical Auto Stations:

Name: ACC CAR CARE CTR
 Year: 2004
 Address: 40 AVENUE OF THE AMERICAS

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

BA276	CON EDISON SERVICE BOX: 46244	RCRA-CESQG	1016149902
East	LAIGHT ST & 6TH AVE SW COR		NYP004285706
1/8-1/4	NEW YORK, NY 10013		
0.209 mi.			
1103 ft.	Site 1 of 3 in cluster BA		

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 46244
 Facility address: LAIGHT ST & 6TH AVE SW COR
 NEW YORK, NY 10013
 EPA ID: NYP004285706
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

277 ESE 1/8-1/4 0.209 mi. 1104 ft.	CON EDISON WALKER ST. S/W BROADWAY NEW YORK, NY 10013	NY MANIFEST	S113494914 N/A
---	--	--------------------	---------------------------------

NY MANIFEST:

EPA ID:	NYP004286076
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address:	4 IRVING PLACE 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	29-Jan-2013 00:00:00
Trans1 Recv Date:	29-Jan-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	30-Jan-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004286076
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	1500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010707414JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

AY278 A T & T CORP RCRA NonGen / NLR 1000392649
East 32 AVE OF THE AMERICAS FINDS NYD980645808
1/8-1/4 NEW YORK, NY NY MANIFEST
0.209 mi.
1106 ft. Site 3 of 6 in cluster AY

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: A T & T CORP
 Facility address: 32 AVE OF THE AMERICAS
 NEW YORK, NY 10013
 EPA ID: NYD980645808
 Mailing address: W MONROE SUITE 2240
 CHICAGO, NY 60606
 Contact: PROMILA LAL
 Contact address: W MONROE SUITE 2240
 CHICAGO, NY 60606
 Contact country: US
 Contact telephone: (312) 230-5239
 Contact email: Not reported
 EPA Region: 02
 Land type: Private
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: A T & T CORP
 Owner/operator address: 295 MAPLE AVE
 BASKING RIDGE, IL 07920
 Owner/operator country: US
 Owner/operator telephone: (201) 645-4113
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported
 Owner/operator name: A T & T CORP
 Owner/operator address: 295 MAPLE AVE
 BASKING RIDGE, IL 07920
 Owner/operator country: US
 Owner/operator telephone: (201) 645-4113
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A T & T CORP (Continued)

1000392649

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
Facility name: A T & T CORP
Classification: Not a generator, verified

Date form received by agency: 09/25/1997
Facility name: A T & T CORP
Classification: Small Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 01/06/1984
Date achieved compliance: 08/24/1984
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/13/1984
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 01/06/1984
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 08/24/1984
Evaluation lead agency: State

FINDS:

Registry ID: 110008011793

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A T & T CORP (Continued)

1000392649

it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

NY MANIFEST:

EPA ID: NYD980645808
 Country: USA
 Mailing Name: AMERICAN TELEPHONE & TELEGRAPH
 Mailing Contact: J D SANDERS
 Mailing Address: 440 HAMILTON AVE
 Mailing Address 2: Not reported
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-334-6546

Document ID: NYG0166158
 Manifest Status: Not reported
 Trans1 State ID: NJN0000JA338
 Trans2 State ID: NJD003812047
 Generator Ship Date: 06/23/1998
 Trans1 Recv Date: 06/23/1998
 Trans2 Recv Date: 06/30/1998
 TSD Site Recv Date: 06/30/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: OHD055522429
 Trans2 EPA ID: Not reported
 TSDF ID: JA338
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00100
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 98

Document ID: PAE9446732
 Manifest Status: Not reported
 Trans1 State ID: PAD014146179
 Trans2 State ID: Not reported
 Generator Ship Date: 04/16/1998
 Trans1 Recv Date: 04/16/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/17/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A T & T CORP (Continued)

1000392649

Generator EPA ID: NYD980645808
 Trans1 EPA ID: PAD987367216
 Trans2 EPA ID: Not reported
 TSDF ID: PAAH0056
 Waste Code: D009 - MERCURY 0.2 MG/L TCLP
 Quantity: 00360
 Units: P - Pounds
 Number of Containers: 036
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 01.00
 Year: 98

Document ID: MDC0806503
 Manifest Status: Not reported
 Trans1 State ID: SCD987574647
 Trans2 State ID: NJD054126164
 Generator Ship Date: 10/19/1999
 Trans1 Recv Date: 10/19/1999
 Trans2 Recv Date: 10/20/1999
 TSD Site Recv Date: 10/21/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: MDD980554653
 Trans2 EPA ID: Not reported
 TSDF ID: HWH32399A
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00010
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 99

Document ID: NYO3079026
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: JA-108
 Trans2 State ID: PA067
 Generator Ship Date: 840201

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A T & T CORP (Continued)

1000392649

Trans1 Recv Date: 840201
 Trans2 Recv Date: 840201
 TSD Site Recv Date: 840202
 Part A Recv Date: 840221
 Part B Recv Date: 840427
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: NJD011647781
 Trans2 EPA ID: Not reported
 TSD ID: PAD073613663
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 40500
 Units: P - Pounds
 Number of Containers: 030
 Container Type: DT - Dump trucks
 Handling Method: Not reported
 Specific Gravity: 100
 Year: 84

Document ID: NYO3079035
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: JA108
 Trans2 State ID: PA-067
 Generator Ship Date: 840126
 Trans1 Recv Date: 840126
 Trans2 Recv Date: 840126
 TSD Site Recv Date: 840201
 Part A Recv Date: 840221
 Part B Recv Date: 840221
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: NJD011647781
 Trans2 EPA ID: Not reported
 TSD ID: PAD073613663
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 02700
 Units: P - Pounds
 Number of Containers: 020
 Container Type: DT - Dump trucks
 Handling Method: Not reported
 Specific Gravity: 100
 Year: 84

Document ID: NYG0688662
 Manifest Status: Not reported
 Trans1 State ID: AZD983473539
 Trans2 State ID: Not reported
 Generator Ship Date: 03/09/1999
 Trans1 Recv Date: 03/09/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/17/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: AZ0000337360
 Trans2 EPA ID: Not reported
 TSD ID: AZ002

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

A T & T CORP (Continued)

1000392649

Waste Code: D009 - MERCURY 0.2 MG/L TCLP
 Quantity: 00714
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 113
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 01.00
 Year: 99

Document ID: MAF0432630
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: 50C143OH
 Trans2 State ID: Not reported
 Generator Ship Date: 910226
 Trans1 Recv Date: 910226
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 910227
 Part A Recv Date: 910508
 Part B Recv Date: 910311
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: MAD039322250
 Trans2 EPA ID: Not reported
 TSDF ID: MAD053452637
 Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
 Quantity: 01210
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 91

Document ID: ARA5884700
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: H-53DC-75
 Trans2 State ID: Not reported
 Generator Ship Date: 841108
 Trans1 Recv Date: 841108
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 841112
 Part A Recv Date: 841121
 Part B Recv Date: 850125
 Generator EPA ID: NYD980645808
 Trans1 EPA ID: NCD000603910
 Trans2 EPA ID: Not reported
 TSDF ID: ARP000404000
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00800
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 84

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

A T & T CORP (Continued)

1000392649

Document ID:	NJA1954021
Manifest Status:	Completed copy
Trans1 State ID:	NJDEPE086
Trans2 State ID:	Not reported
Generator Ship Date:	950308
Trans1 Recv Date:	950308
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	950309
Part A Recv Date:	950420
Part B Recv Date:	950324
Generator EPA ID:	NYD980645808
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSD ID:	NJD002182897
Waste Code:	F001 - UNKNOWN
Quantity:	03570
Units:	P - Pounds
Number of Containers:	015
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	95

AY279 32 6TH AVE
East 32 6TH AVE
1/8-1/4 NEW YORK, NY 10013
0.209 mi.
1106 ft. Site 4 of 6 in cluster AY

NY AST A100292112
N/A

AST:	
Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-607493
Program Type:	PBS
UTM X:	584025.7084
UTM Y:	4508184.40515
Expiration Date:	2015/06/30
Site Type:	Other
Affiliation Records:	
Site Id:	29345
Affiliation Type:	On-Site Operator
Company Name:	32 6TH AVE
Contact Type:	Not reported
Contact Name:	DUTY TECH
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 274-7679
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	9/20/2010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 6TH AVE (Continued)

A100292112

Site Id: 29345
 Affiliation Type: Emergency Contact
 Company Name: TATA COMMUNICATIONS (US) INC
 Contact Type: Not reported
 Contact Name: JOHN FOTENOS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 274-7679
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/20/2010

Site Id: 29345
 Affiliation Type: Mail Contact
 Company Name: TATA COMMUNICATIONS (US) INC
 Contact Type: MGR
 Contact Name: JOHN FOTENOS
 Address1: 32 AVE OF THE AMERICAS 9TH FLR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 274-7679
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/20/2010

Site Id: 29345
 Affiliation Type: Facility Owner
 Company Name: TATA COMMUNICATIONS (US) INC
 Contact Type: MGR
 Contact Name: JOHN FOTENOS
 Address1: 32 AVE OF THE AMERICAS 9TH FLR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 274-7679
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/20/2010

Tank Info:

Tank Number: 286367
 Tank Id: 63082
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 6TH AVE (Continued)

A100292112

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B00 - Tank External Protection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 07/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

AY280
 East
 1/8-1/4
 0.209 mi.
 1106 ft.

32 SIXTH AVENUE COMPANY LLC
32 AVENUE OF THE AMERICAS
NEW YORK, NY 10013
Site 5 of 6 in cluster AY

NY UST U003074679
NY AST N/A
NY Spills

UST:

Id/Status: 2-341665 / Administratively Closed
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 584057.80255999998
 UTM Y: 4508184.7987700002
 Site Type: Other

Affiliation Records:

Site Id: 16549
 Affiliation Type: Facility Owner
 Company Name: RUDIN MNGMT CO INC AGENT FOR 32 SIXTH AVE CO LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 345 PARK AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 407-2400
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Site Id: 16549
 Affiliation Type: Mail Contact
 Company Name: RUDIN MANAGEMENT CO INC AS AGENT FOR
 Contact Type: Not reported
 Contact Name: WILLIAM EXNER
 Address1: 32 SIXTH AVENUE CO. LLC
 Address2: 345 PARK AVENUE
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 407-2400
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16549
 Affiliation Type: On-Site Operator
 Company Name: 32 SIXTH AVENUE COMPANY LLC
 Contact Type: Not reported
 Contact Name: GEORGE SAMMIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16549
 Affiliation Type: Emergency Contact
 Company Name: RUDIN MNGMT CO INC AGENT FOR 32 SIXTH AVE CO LLC
 Contact Type: Not reported
 Contact Name: GEORGE SAMMIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 006
 Tank ID: 31797
 Tank Status: Closed - In Place
 Material Name: Closed - In Place

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Capacity Gallons: 20000
 Install Date: 06/01/1955
 Date Tank Closed: 08/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None

Tank Number: 007
 Tank ID: 31798
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 20000
 Install Date: 06/01/1955
 Date Tank Closed: 08/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-608208
 Program Type: PBS
 UTM X: 584025.7084
 UTM Y: 4508184.40515
 Expiration Date: 2018/01/31
 Site Type: Other

Affiliation Records:

Site Id: 30060
 Affiliation Type: Facility Owner
 Company Name: MCI DBA VERIZON BUSINESS
 Contact Type: ENVIRONMENTAL MGR
 Contact Name: THOMAS BOSSHARD
 Address1: 2400 N. GLENVILLE DR
 Address2: Not reported
 City: RICHARDSON
 State: TX
 Zip Code: 75082
 Country Code: 001
 Phone: (972) 729-5441
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/14/2013

Site Id: 30060
 Affiliation Type: Emergency Contact
 Company Name: MCI DBA VERIZON BUSINESS
 Contact Type: Not reported
 Contact Name: VERIZON GLOBAL EH & S COMPLIANCE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (800) 386-9639
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/14/2013

Site Id: 30060
 Affiliation Type: Mail Contact
 Company Name: VERIZON GLOBAL EH & S COMPLIANCE
 Contact Type: Not reported
 Contact Name: THOMAS BOSSHARD
 Address1: 501 NORTH OCEAN AVE
 Address2: Not reported
 City: PATCHOGUE
 State: NY
 Zip Code: 11772
 Country Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Phone: (631) 654-7920
 EMail: THOMAS.BOSSHARD@VERIZON.COM
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/26/2013

Site Id: 30060
 Affiliation Type: On-Site Operator
 Company Name: MCI DBA VERIZON BUSINESS
 Contact Type: Not reported
 Contact Name: MCI DBA VERIZON BUSINESS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: 732(4) 968-428
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/14/2013

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F05 - Pipe External Protection - Jacketed
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- F00 - Pipe External Protection - None
- J00 - Dispenser - None
- H05 - Tank Leak Detection - In-Tank System (ATG)
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- K99 - Spill Prevention - Other
- E01 - Piping Secondary Containment - Diking (Aboveground)
- G03 - Tank Secondary Containment - Vault (w/o access)
- I02 - Overfill - High Level Alarm
- L00 - Piping Leak Detection - None
- B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Affiliation Records:

Site Id: 31052
 Affiliation Type: Mail Contact
 Company Name: 32 SIXTH AVENUE CO LLC
 Contact Type: Not reported
 Contact Name: RICH CONCANNON
 Address1: % RUDIN MANAGEMENT CO.
 Address2: 345 PARK AVENUE
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 407-2400
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/2/2013

Site Id: 31052
 Affiliation Type: Facility Owner
 Company Name: 32 SIXTH AVENUE CO LLC
 Contact Type: AVP
 Contact Name: WILLIAM EXNER
 Address1: 345 PARK AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 407-2515
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/2/2013

Site Id: 31052
 Affiliation Type: Emergency Contact
 Company Name: 32 SIXTH AVENUE CO LLC
 Contact Type: Not reported
 Contact Name: JOHN BONIBERGER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/2/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Site Id: 31052
 Affiliation Type: On-Site Operator
 Company Name: 32 SIXTH AVENUE COMPANY LLC
 Contact Type: Not reported
 Contact Name: JOHN BONIBERGER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 7/2/2013

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Id: 250079

Equipment Records:

- G12 - Tank Secondary Containment - Double-Wall (Aboveground)
- J00 - Dispenser - None
- C01 - Pipe Location - Aboveground
- F00 - Pipe External Protection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- B02 - Tank External Protection - Original Sacrificial Anode
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service

Pipe Model: Not reported

Install Date: 08/01/2013

Capacity Gallons: 10000

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: Not reported

Register: True

Modified By: MSBAPTIS

Last Modified: 11/19/2013

Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001

Tank Id: 31792

Material Code: 0001

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- I00 - Overfill - None
- G00 - Tank Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None

Tank Location: 3

Tank Type: Steel/Carbon Steel/Iron

Tank Status: Closed - Removed

Pipe Model: Not reported

Install Date: 06/01/1955

Capacity Gallons: 2200

Tightness Test Method: NN

Date Test: Not reported

Next Test Date: Not reported

Date Tank Closed: 05/23/2000

Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

E07 - Piping Secondary Containment - Trench Liner
 6
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- F05 - Pipe External Protection - Jacketed
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

2
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Affiliation Records:

Site Id: 55698
 Affiliation Type: On-Site Operator
 Company Name: BCE NEXXIA CORP. POINT OF PRESENCE (POP) SITE
 Contact Type: Not reported
 Contact Name: BCE NEXXIA CORPORATION
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: N/A
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 7/9/2009

Site Id: 55698
 Affiliation Type: Mail Contact
 Company Name: SNC-LAVALIN NEXACOR / AGENT
 Contact Type: Not reported
 Contact Name: ENVIRONMENTAL MANAGER
 Address1: 87 ONTARIO ST., WEST, BUREAU 200
 Address2: Not reported
 City: MONTREAL, QUEBEC, CANADA
 State: NN
 Zip Code: H2X 2C5
 Country Code: 039
 Phone: (519) 744-0202
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 7/9/2009

Site Id: 55698
 Affiliation Type: Emergency Contact
 Company Name: BCE NEXXIA CORPORATION
 Contact Type: Not reported
 Contact Name: DANNY ESPINOZA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 965-9560
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 7/9/2009

Site Id: 55698
 Affiliation Type: Facility Owner
 Company Name: BCE NEXXIA CORPORATION
 Contact Type: ASSOC DIR. BELL CANADA, RE SERVICES
 Contact Name: FRANK FORREST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Address1: 87 ONTARIO STREET WEST, BUREAU 200
 Address2: Not reported
 City: MONTREAL, QUEBEC, CANADA
 State: NN
 Zip Code: H2X 2C5
 Country Code: 039
 Phone: (888) 932-6666
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 7/9/2009

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- L07 - Piping Leak Detection - Pressurized Piping Leak Detector
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- F05 - Pipe External Protection - Jacketed
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- K99 - Spill Prevention - Other
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- F05 - Pipe External Protection - Jacketed
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- I00 - Overfill - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

I02 - Overfill - High Level Alarm
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Affiliation Records:

Site Id: 59137
 Affiliation Type: Facility Owner
 Company Name: T-MOBILE USA, INC.
 Contact Type: CORPORATE COUNSEL/ LEGAL & REGULATORY AFFAIRS
 Contact Name: MARIN FETTMAN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Address1: 12920 SE 38TH STREET
 Address2: Not reported
 City: BELLEVUE
 State: WA
 Zip Code: 98006
 Country Code: 001
 Phone: (425) 378-4000
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/15/2004

Site Id: 59137
 Affiliation Type: Mail Contact
 Company Name: T-MOBILE USA, INC.
 Contact Type: Not reported
 Contact Name: MARIN FETTMAN
 Address1: 12920 SE 38TH STREET
 Address2: Not reported
 City: BELLEVUE
 State: WA
 Zip Code: 98006
 Country Code: 001
 Phone: (425) 383-5244
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/28/2009

Site Id: 59137
 Affiliation Type: On-Site Operator
 Company Name: T-MOBILE MANHATTAN SWITCH
 Contact Type: Not reported
 Contact Name: T-MOBILE USA, INC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 343-1989
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/15/2004

Site Id: 59137
 Affiliation Type: Emergency Contact
 Company Name: T-MOBILE USA, INC.
 Contact Type: Not reported
 Contact Name: JEFFREY HELLER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Phone: (917) 213-9911
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/15/2004

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

I02 - Overfill - High Level Alarm

K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- F05 - Pipe External Protection - Jacketed
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

F00 - Pipe External Protection - None
 3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Affiliation Records:

Site Id: 406185
 Affiliation Type: Facility Owner
 Company Name: STEVE KALALIAN
 Contact Type: PRES
 Contact Name: STEVE KALALIAN
 Address1: 320 AVE OF THE AMERICAS
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Phone: (212) 334-4667
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 11/4/2008

Site Id: 406185
 Affiliation Type: Mail Contact
 Company Name: IMPACT DIGITAL
 Contact Type: Not reported
 Contact Name: STEVE KALALIAN
 Address1: 32 AVENUE OF THE AMERICAS
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10001
 Country Code: 001
 Phone: (212) 792-2703
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 11/4/2008

Site Id: 406185
 Affiliation Type: On-Site Operator
 Company Name: IMPACT DIGITAL
 Contact Type: Not reported
 Contact Name: STEVE KALALIAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 792-2703
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 11/4/2008

Site Id: 406185
 Affiliation Type: Emergency Contact
 Company Name: STEVE KALALIAN
 Contact Type: Not reported
 Contact Name: STEVE KALALIAN
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 792-2703
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 11/4/2008

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- F05 - Pipe External Protection - Jacketed
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Location: B00 - Tank External Protection - None
 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A01 - Tank Internal Protection - Epoxy Liner
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Affiliation Records:

Site Id: 461169
 Affiliation Type: Facility Owner
 Company Name: XO COMMUNICATIONS, LLC
 Contact Type: INSPECTOR
 Contact Name: RICHARD H. LEMANSKY, PE
 Address1: 111 EIGHTH AVE.-- FLOOR 12
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10011
 Country Code: 001
 Phone: (212) 981-0192
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/21/2012

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Site Id: 461169
 Affiliation Type: Mail Contact
 Company Name: RHL ENGINEERING, LLC C/O XO COMMUNICATIONS
 Contact Type: Not reported
 Contact Name: RICHARD H. LEMANSKY, PE
 Address1: 15 ROUND HILL RD
 Address2: Not reported
 City: SCOTCH PALMS
 State: NJ
 Zip Code: 07076
 Country Code: 001
 Phone: (212) 981-0192
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/21/2012

Site Id: 461169
 Affiliation Type: On-Site Operator
 Company Name: 32 SIXTH AVE COMPANY, LLC
 Contact Type: Not reported
 Contact Name: THOMAS FLETCHER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/21/2012

Site Id: 461169
 Affiliation Type: Emergency Contact
 Company Name: XO COMMUNICATIONS, LLC
 Contact Type: Not reported
 Contact Name: SANDER GJOKAJ
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 981-0192
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 2/21/2012

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F05 - Pipe External Protection - Jacketed
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Affiliation Records:

Site Id: 488421
 Affiliation Type: Facility Owner
 Company Name: EUGENE BONIBERGER/RUDIN MGMT COMPANY INC.
 Contact Type: DIR
 Contact Name: MELISA PUGLISI
 Address1: 345 PARK AVE.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 998-1086
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/29/2013

Site Id: 488421
 Affiliation Type: Mail Contact
 Company Name: Not reported
 Contact Type: Not reported
 Contact Name: CELESTE RUFER
 Address1: ASTOR PLACE. 6TH FLOOR
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

City: NEW YORK
 State: NY
 Zip Code: 10003
 Country Code: 001
 Phone: (212) 998-1086
 EMail: CELESTE.RUFER@NYU.EDU
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/29/2013

Site Id: 488421
 Affiliation Type: On-Site Operator
 Company Name: NEW YORK UNIVERSITY
 Contact Type: Not reported
 Contact Name: RICHARD COLLINS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 998-1167
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/29/2013

Site Id: 488421
 Affiliation Type: Emergency Contact
 Company Name: EUGENE BONIBERGER/RUDIN MGMT COMPANY INC.
 Contact Type: Not reported
 Contact Name: NYU PIBLIC SAFETY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 998-2222
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/29/2013

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F05 - Pipe External Protection - Jacketed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- I00 - Overfill - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- G00 - Tank Secondary Containment - None
- H00 - Tank Leak Detection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005
 Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Affiliation Records:

Site Id: 16549
 Affiliation Type: Facility Owner
 Company Name: RUDIN MNGMT CO INC AGENT FOR 32 SIXTH AVE CO LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 345 PARK AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 407-2400
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16549
 Affiliation Type: Mail Contact
 Company Name: RUDIN MANAGEMENT CO INC AS AGENT FOR
 Contact Type: Not reported
 Contact Name: WILLIAM EXNER
 Address1: 32 SIXTH AVENUE CO. LLC
 Address2: 345 PARK AVENUE
 City: NEW YORK
 State: NY
 Zip Code: 10154
 Country Code: 001
 Phone: (212) 407-2400
 EMail: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16549
 Affiliation Type: On-Site Operator
 Company Name: 32 SIXTH AVENUE COMPANY LLC
 Contact Type: Not reported
 Contact Name: GEORGE SAMMIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16549
 Affiliation Type: Emergency Contact
 Company Name: RUDIN MNGMT CO INC AGENT FOR 32 SIXTH AVE CO LLC
 Contact Type: Not reported
 Contact Name: GEORGE SAMMIS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 925-0156
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 66793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 C01 - Pipe Location - Aboveground
 A01 - Tank Internal Protection - Epoxy Liner
 F05 - Pipe External Protection - Jacketed
 J00 - Dispenser - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/16/2001
 Capacity Gallons: 14500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 07/02/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 250079

Equipment Records:

G12 - Tank Secondary Containment - Double-Wall (Aboveground)
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B02 - Tank External Protection - Original Sacrificial Anode
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2013
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 11/19/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 31792
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 225987
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L07 - Piping Leak Detection - Pressurized Piping Leak Detector
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 F05 - Pipe External Protection - Jacketed
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/2008
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Last Modified: 11/04/2008
 Material Name: Diesel

Tank Number: 001
 Tank Id: 180046
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K99 - Spill Prevention - Other
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E07 - Piping Secondary Containment - Trench Liner

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/14/2001
 Capacity Gallons: 11000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KXTANG
 Last Modified: 09/15/2004
 Material Name: Diesel

Tank Number: 001-XO
 Tank Id: 242885
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F05 - Pipe External Protection - Jacketed
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/31/2012
 Capacity Gallons: 12000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 02/21/2012
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 31793
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 31794
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/27/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 31795
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 2800
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 005

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Tank Id: 31796
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 06/01/1955
 Capacity Gallons: 3400
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 05/23/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 1
 Tank Id: 64895
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64896
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A01 - Tank Internal Protection - Epoxy Liner
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 01/14/2013
 Material Name: Diesel

Tank Number: N402238-400
 Tank Id: 179155
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

F00 - Pipe External Protection - None
 J00 - Dispenser - None
 H05 - Tank Leak Detection - In-Tank System (ATG)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

K99 - Spill Prevention - Other
 E01 - Piping Secondary Containment - Diking (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 L00 - Piping Leak Detection - None
 B00 - Tank External Protection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/2001
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: kxtang
 Last Modified: 06/17/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

SPILLS:

Facility ID: 9007744
 Facility Type: ER
 DER Facility ID: 277610
 Site ID: 215609
 DEC Region: 2
 Spill Date: 10/15/1990
 Spill Number/Closed Date: 9007744 / 10/3/2012
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: VXBREVDO
 Referred To: Not reported
 Reported to Dept: 10/15/1990
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 11/7/1990
 Spill Record Last Update: 10/3/2012
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller Company: 999
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MUNTEANU"10/15/90: (1) TANK DRY OTHER TANK WATER & SLUDGE, FEMLEY &

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

NICHOL ON SCENE PUMPING OUT TANK SLUDGE SITTING UNDER SIDEWALK ON SLAB, FENLEY & NICHOL RECOMMENDED WELLS, WELLS TO BE PUT IN BY FENLEY & NICHOL. REF TO 99-09981. THE CORRECT ADDRESS TO THIS SITE IS ACTUALLY 32 Ave of the Americas. 11/06/07 DEC Lead name changed from I. Munteanu to V. Brevdo.10/03/2012 - V. BrevdoThis spill is related to the aforementioned spill no. 9909981 which was closed in 1999. No information verifying soil and or groundwater contamination is availalbe. USTs appear to have been emptied. Site is a multi-story commercial building. No reports of petroleum odor have been received over the period of 20 years since the date of the spill report. Given the lack of sampling data, no reported visual or olfactory signs of contamination, it is appropriate to close this spill case. Spill is closed effective October 3, 2012.

Remarks: FOUND BURIED TANKS, EMPTY SINCE MARCH 1989, SMALL LEAK TO BLDG FROM FOUNDATION WALL, FUEL & WATER SEEPING THRU CRACK IN FOUNDATION, (2) 20K TANKS, TANKS EMPTIED, TO BE CLOSED.

Material:

Site ID: 215609
 Operable Unit ID: 945047
 Operable Unit: 01
 Material ID: 431589
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 9909981
 Facility Type: ER
 DER Facility ID: 178565
 Site ID: 215610
 DEC Region: 2
 Spill Date: 1/1/1994
 Spill Number/Closed Date: 9909981 / 12/14/1999
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 11/17/1999
 CID: 382
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

32 SIXTH AVENUE COMPANY LLC (Continued)

U003074679

UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 11/17/1999
 Spill Record Last Update: 12/14/1999
 Spiller Name: Not reported
 Spiller Company: AT&T COMMUNICATIONS
 Spiller Address: 32 AVE OF THE AMERICAS
 Spiller City,St,Zip: MANHATTAN, NY 10013-001
 Spiller Company: 001
 Contact Name: UNKNOWN
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: contaminated soil at above location back in 1994

Material:

Site ID: 215610
 Operable Unit ID: 1084752
 Operable Unit: 01
 Material ID: 299044
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**BB281
 SE
 1/8-1/4
 0.211 mi.
 1112 ft.**

**CON EDISON SERVICE BOX: 48995
 WHITE ST & W BROADWAY
 NEW YORK, NY 10013
 Site 1 of 4 in cluster BB**

**RCRA-CESQG 1016149954
 NYP004286225**

RCRA-CESQG:

Date form received by agency: 01/30/2013
 Facility name: CON EDISON SERVICE BOX: 48995
 Facility address: WHITE ST & W BROADWAY
 NEW YORK, NY 10013
 EPA ID: NYP004286225
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 48995 (Continued)

1016149954

waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

BB282
SE
1/8-1/4
0.211 mi.
1112 ft.

CON EDISON SERVICE BOX: 48996
WHITE ST & W BROADWAY
NEW YORK, NY 10013
Site 2 of 4 in cluster BB

RCRA-CESQG 1016149955
NYP004286233

RCRA-CESQG:

Date form received by agency: 01/30/2013
 Facility name: CON EDISON SERVICE BOX: 48996
 Facility address: WHITE ST & W BROADWAY
 NEW YORK, NY 10013
 EPA ID: NYP004286233
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 48996 (Continued)

1016149955

land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

AY283
 East
 1/8-1/4
 0.211 mi.
 1113 ft.

**RUDIN MGMT CO I-32 AVE OF THE AMERICAS
 32 AVE OF THE AMERICAS 26TH FL
 NEW YORK, NY 10013**

**RCRA-CESQG 1004762370
 FINDS NYR000096248
 PA MANIFEST
 NY MANIFEST**

Site 6 of 6 in cluster AY

RCRA-CESQG:

Date form received by agency: 01/01/2007
 Facility name: RUDIN MGMT CO I-32 AVE OF THE AMERICAS
 Facility address: 32 AVE OF THE AMERICAS 26TH FL
 NEW YORK, NY 10013
 EPA ID: NYR000096248
 Mailing address: PARK AVE - RUDIN MGMT
 NEW YORK, NY 10154
 Contact: CELIA PRIVRAT
 Contact address: PARK AVE - RUDIN MGMT
 NEW YORK, NY 10154
 Contact country: US
 Contact telephone: (212) 407-2537
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: RUDIN MGMT CO INC
 Owner/operator address: 345 PARK AVE 33RD FL
 NEW YORK, NY 10154
 Owner/operator country: US
 Owner/operator telephone: (212) 407-2400
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

Owner/operator name: RUDIN MGMT CO INC
 Owner/operator address: 345 PARK AVE 33RD FL
 NEW YORK, NY 10154
 Owner/operator country: Not reported
 Owner/operator telephone: (212) 407-2400
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 01/01/0001
 Owner/Op end date: Not reported

Owner/operator name: RUDIN MGMT CO INC
 Owner/operator address: 345 PARK AVE 33RD FL
 NEW YORK, NY 10154
 Owner/operator country: US
 Owner/operator telephone: (212) 407-2400
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 01/01/2001
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: RUDIN MGMT CO I-32 AVE OF THE AMERICAS
 Classification: Not a generator, verified

Date form received by agency: 04/15/2002
 Facility name: RUDIN MGMT CO I-32 AVE OF THE AMERICAS
 Classification: Small Quantity Generator

Date form received by agency: 04/24/2001
 Facility name: RUDIN MGMT CO I-32 AVE OF THE AMERICAS
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D008
 Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110007906025

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

PA MANIFEST:

Year: 2006
 Manifest Number: PAH223742
 Manifest Type: T
 Generator EPA Id: NYR000096248
 Generator Date: 04/06/2006
 Mailing Address: Not reported
 Mailing City, St, Zip: Not reported
 Contact Name: Not reported
 Contact Phone: Not reported
 TSD Epa Id: PAD067098822
 TSD Date: Not reported
 TSD Facility Name: CYCLE CHEM INC
 TSD Facility Address: 550 INDUSTRIAL DRIVE
 TSD Facility City: LEWISBERRY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

TSD Facility State: PA
 Facility Telephone: 212-925-0156
 Page Number: 1
 Line Number: 1
 Waste Number: D001
 Container Number: 1
 Container Type: Metal drums, barrels, kegs
 Waste Quantity: 50
 Unit: Gallons (liquids only)
 Handling Code: Not reported
 TSP EPA Id: Not reported
 Date TSP Sig: Not reported

NY MANIFEST:

EPA ID: NYR000096248
 Country: USA
 Mailing Name: 32 AVENUE OF THE AMERICAS
 Mailing Contact: KWAPISIEWICZ
 Mailing Address: 32 AVENUE OF THE AMERICAS
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-407-2400

Document ID: NYG2935593
 Manifest Status: Not reported
 Trans1 State ID: NYD077444263
 Trans2 State ID: Not reported
 Generator Ship Date: 04/27/2001
 Trans1 Recv Date: 04/27/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/30/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000096248
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: PD1010NY
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 01000
 Units: P - Pounds
 Number of Containers: 005
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2001

Document ID: PAH0223742
 Manifest Status: Not reported
 Trans1 State ID: NJR000011528
 Trans2 State ID: Not reported
 Generator Ship Date: 04/06/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

Trans1 Recv Date: 04/06/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/07/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000096248
 Trans1 EPA ID: PAAH0554
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2006

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-12-03
 Trans1 Recv Date: 2009-12-03
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-12-07
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000096248
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: Not reported
 Quantity: 50.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001050393GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: PAH0223742
 Manifest Status: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

Trans1 State ID: NJR000011528
 Trans2 State ID: Not reported
 Generator Ship Date: 04/06/2006
 Trans1 Recv Date: 04/06/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 04/07/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000096248
 Trans1 EPA ID: PAAH0554
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00050
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2006

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-12-03
 Trans1 Recv Date: 2009-12-03
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-12-07
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000096248
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: Not reported
 Quantity: 50.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001050393GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-12-03
 Trans1 Recv Date: 2009-12-03
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-12-07
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000096248
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: PAD067098822
 Waste Code: Not reported
 Quantity: 160.0
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 4.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001050393GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: 06
 Manifest Status: PAH0223742
 Trans1 State ID: NYR000096248
 Trans2 State ID: Not reported
 Generator Ship Date: PAD067098822
 Trans1 Recv Date: Not reported
 Trans2 Recv Date: NJR000011528
 TSD Site Recv Date: Not reported
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: N
 Trans1 EPA ID: N
 Trans2 EPA ID: N
 TSD ID: N
 Waste Code: N
 Quantity: Not reported
 Units: 1
 Number of Containers: DM
 Container Type: 50
 Handling Method: G
 Specific Gravity: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RUDIN MGMT CO I-32 AVE OF THE AMERICAS (Continued)

1004762370

Waste Code: B
 Quantity: Not reported
 Units: Not reported
 Number of Containers: Not reported
 Container Type: Not reported
 Handling Method: Not reported
 Specific Gravity: Not reported
 Year: Not reported

**BC284
 SE
 1/8-1/4
 0.212 mi.
 1118 ft.**

**CONSOLIDATED EDISON - MH 386
 WEST BROADWAY & FRANKLIN ST
 NEW YORK, NY 10020
 Site 1 of 5 in cluster BC**

**NY MANIFEST S111157811
 N/A**

NY MANIFEST:

EPA ID: NYP004233067
 Country: USA
 Mailing Name: CONSOLIDATED EDISON - MH 386
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-03-30
 Trans1 Recv Date: 2011-03-30
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-03-31
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004233067
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: Not reported
 Quantity: 150.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2011
 Manifest Tracking Num: 003206876FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CONSOLIDATED EDISON - MH 386 (Continued)

S111157811

Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

BD285 260 WEST BROADWAY CONDOMINIUM
ESE 260 WEST BROADWAY
1/8-1/4 NEW YORK, NY 10013
0.212 mi.
1118 ft. Site 1 of 9 in cluster BD

NY AST U000394164
NY HIST AST N/A

AST:

Region:	STATE
DEC Region:	2
Site Status:	Unregulated
Facility Id:	2-063347
Program Type:	PBS
UTM X:	584020.2857999995
UTM Y:	4508185.8167500002
Expiration Date:	N/A
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	1252
Affiliation Type:	Facility Owner
Company Name:	260 WEST BROADWAY CONDOMINIUM
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	855 6TH AVENUE
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 868-8320
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Site Id:	1252
Affiliation Type:	Mail Contact
Company Name:	260 WEST BROADWAY CONDOMINIUM
Contact Type:	Not reported
Contact Name:	K. DAVID MEIT
Address1:	C/O LAWRENCE PROPERTIES
Address2:	855 6TH AVENUE
City:	NEW YORK
State:	NY
Zip Code:	10001
Country Code:	001
Phone:	(212) 868-8320
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

260 WEST BROADWAY CONDOMINIUM (Continued)

U000394164

Site Id: 1252
 Affiliation Type: On-Site Operator
 Company Name: 260 WEST BROADWAY CONDOMINIUM
 Contact Type: Not reported
 Contact Name: JOHN O'KEEFE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 941-1741
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 1252
 Affiliation Type: Emergency Contact
 Company Name: 260 WEST BROADWAY CONDOMINIUM
 Contact Type: Not reported
 Contact Name: DAVID MEIT
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 868-8320
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 2295
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

260 WEST BROADWAY CONDOMINIUM (Continued)

U000394164

Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 03/01/1995
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-063347
 SWIS Code: 6201
 Operator: JOHN O'KEEFE
 Facility Phone: (212) 941-1741
 Facility Addr2: 260 WEST BROADWAY
 Facility Type: APARTMENT BUILDING
 Emergency: DAVID MEIT
 Emergency Tel: (212) 868-8320
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 260 WEST BROADWAY CONDOMINIUM
 Owner Address: 855 6TH AVENUE
 Owner City,St,Zip: NEW YORK, NY 10001
 Federal ID: Not reported
 Owner Tel: (212) 868-8320
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: K. DAVID MEIT
 Mailing Name: 260 WEST BROADWAY CONDOMINIUM
 Mailing Address: C/O LAWRENCE PROPERTIES
 Mailing Address 2: 855 6TH AVENUE
 Mailing City,St,Zip: NEW YORK, NY 10001
 Mailing Telephone: (212) 868-8320
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Certification Flag: False
 Certification Date: 04/22/1992
 Expiration: 01/14/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2
 Tank ID: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

260 WEST BROADWAY CONDOMINIUM (Continued)

U000394164

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 03/01/1995
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

BD286 AMERICAN THREAD CLEANERS
ESE 260 W BROADWAY
1/8-1/4 NEW YORK, NY 10013
0.212 mi.
1118 ft. Site 2 of 9 in cluster BD

RCRA-CESQG 1000358730
FINDS NYD981087398
RI MANIFEST
NY MANIFEST
NY DRYCLEANERS
US AIRS

RCRA-CESQG:

Date form received by agency: 01/01/2007
 Facility name: AMERICAN THREAD CLEANERS
 Facility address: 260 W BROADWAY
 NEW YORK, NY 10013
 EPA ID: NYD981087398
 Mailing address: W BROADWAY
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: W BROADWAY
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Land type: Facility is not located on Indian land. Additional information is not known.
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: Not reported
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: AMERICAN THREAD CLEANERS
 Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/14/1999
 Facility name: AMERICAN THREAD CLEANERS
 Classification: Small Quantity Generator

Date form received by agency: 07/22/1985
 Facility name: AMERICAN THREAD CLEANERS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN THREAD CLEANERS (Continued)

1000358730

Classification: Large Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported
 Area of violation: Generators - General
 Date violation determined: 03/17/1989
 Date achieved compliance: 05/26/1989
 Violation lead agency: State
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 05/09/1989
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: Not reported
 Final penalty amount: Not reported
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 03/17/1989
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Generators - General
 Date achieved compliance: 05/26/1989
 Evaluation lead agency: State

FINDS:

Registry ID: 110001610784

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

RI MANIFEST:

GEN Cert Date: 9/1/2010
 Transporter Receipt Date: 9/1/2010

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN THREAD CLEANERS (Continued)

1000358730

Number Of Containers: 1
 Container Type: DM
 Waste Code1: D007
 Waste Code2: D029
 Waste Code3: D039
 Comment: Not reported
 Fee Exempt Code: Not reported
 TSD Name: Not reported
 TSD ID: Not reported
 TSD Date: Not reported
 Transporter 2 Name: 9/7/2010
 Transporter 2 ID: NJD071629976
 Manifest Docket Number: 003865570FLE
 Waste Description: TOXIC LIQUIDS ORGANIC NOS
 Quantity: 150
 WT/Vol Units: P
 Item Number: 1
 Transporter Name: SAFETY KLEEN
 Transporter EPA ID: TXR000050930
 GEN Cert Date: 9/1/2010
 Transporter Recpt Date: 9/1/2010
 Transporter 2 Recpt Date: 9/7/2010
 TSD Recpt Date: Not reported
 EPA ID: NYD981087398
 Transporter 2 ID: NJD071629976

NY MANIFEST:

EPA ID: NYD981087398
 Country: USA
 Mailing Name: AMERICAN THREAD CLEANERS
 Mailing Contact: AMERICAN THREAD CLEANERS
 Mailing Address: 260 WEST BROADWAY
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-431-8760

Document ID: MNA5055299
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 870422
 Trans1 Recv Date: 870422
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 870422
 Part A Recv Date: 870427
 Part B Recv Date: 870429
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: NJD000768093
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 87

Document ID: NJA0510134
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 881025
 Trans1 Recv Date: 881025
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 881025
 Part A Recv Date: 881102
 Part B Recv Date: 881118
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00160
 Units: P - Pounds
 Number of Containers: 002
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 88

Document ID: NJA0506680
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890117
 Trans1 Recv Date: 890117
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890117
 Part A Recv Date: 890118
 Part B Recv Date: 890123
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00320
 Units: P - Pounds

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Number of Containers: 004
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0636303
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890613
 Trans1 Recv Date: 890613
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890613
 Part A Recv Date: 890705
 Part B Recv Date: 890620
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00160
 Units: P - Pounds
 Number of Containers: 002
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA1443529
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921028
 Trans1 Recv Date: 921028
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921028
 Part A Recv Date: 921113
 Part B Recv Date: 921109
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00220
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1432796
 Manifest Status: Completed copy

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920414
 Trans1 Recv Date: 920414
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920414
 Part A Recv Date: 920428
 Part B Recv Date: 920427
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00060
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1423077
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920319
 Trans1 Recv Date: 920319
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920319
 Part A Recv Date: 920326
 Part B Recv Date: 920330
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00120
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1440947
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920515
 Trans1 Recv Date: 920515
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920515
 Part A Recv Date: Not reported
 Part B Recv Date: 920608
 Generator EPA ID: NYD981087398

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN THREAD CLEANERS (Continued)

1000358730

Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00060
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA2207734
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 950922
 Trans1 Recv Date: 950922
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 950922
 Part A Recv Date: 960105
 Part B Recv Date: 951005
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00180
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2251110
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 951108
 Trans1 Recv Date: 951108
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951108
 Part A Recv Date: 951127
 Part B Recv Date: 960222
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

TSDF ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00180
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 95

Document ID: NYC6548793
 Manifest Status: Not reported
 Trans1 State ID: SCR000075150
 Trans2 State ID: MOD095038998
 Generator Ship Date: 11/09/2001
 Trans1 Recv Date: 11/09/2001
 Trans2 Recv Date: 11/20/2001
 TSD Site Recv Date: 11/21/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: OHD980587364
 Trans2 EPA ID: Not reported
 TSDF ID: 08690
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00585
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2001

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: OKD981588791
 Generator Ship Date: 2008-01-17
 Trans1 Recv Date: 2008-01-17
 Trans2 Recv Date: 2008-01-25
 TSD Site Recv Date: 2008-01-28
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: OHD980587364
 Waste Code: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Quantity: 175.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000106375SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H020

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: OKD981588791
 Generator Ship Date: 2008-01-17
 Trans1 Recv Date: 2008-01-17
 Trans2 Recv Date: 2008-01-25
 TSD Site Recv Date: 2008-01-28
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: OHD980587364
 Waste Code: Not reported
 Quantity: 120.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 000106375SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H020

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Document ID: NJA0620311
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 890516
 Trans1 Recv Date: 890516
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890516
 Part A Recv Date: 890518
 Part B Recv Date: 890525
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 001
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NYA9622945
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 890807
 Trans1 Recv Date: 890807
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 890807
 Part A Recv Date: 890810
 Part B Recv Date: 890815
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00160
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0740528
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 891206
 Trans1 Recv Date: 891206
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 891206
 Part A Recv Date: 891211

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Part B Recv Date: 891212
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00160
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 89

Document ID: NJA0733050
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900124
 Trans1 Recv Date: 900124
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900124
 Part A Recv Date: 900131
 Part B Recv Date: 900201
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00160
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 90

Document ID: NJA1419777
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920914
 Trans1 Recv Date: 920914
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920914
 Part A Recv Date: Not reported
 Part B Recv Date: 920922
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00195
 Units: P - Pounds
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN THREAD CLEANERS (Continued)

1000358730

Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Waste Code: Not reported
 Quantity: 00120
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1456370
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920707
 Trans1 Recv Date: 920707
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920707
 Part A Recv Date: 920717
 Part B Recv Date: 920715
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00180
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1631449
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 930412
 Trans1 Recv Date: 930412
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930412
 Part A Recv Date: 930420
 Part B Recv Date: 930430
 Generator EPA ID: NYD981087398
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV
 Quantity: 00180
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AMERICAN THREAD CLEANERS (Continued)

1000358730

Specific Gravity: 100
 Year: 93

[Click this hyperlink](#) while viewing on your computer to access
 142 additional NY_MANIFEST: record(s) in the EDR Site Report.

DRYCLEANERS:

Facility ID: 2-6205-00312
 Phone Number: 212-252-6145
 Region: Not reported
 Registration Effective Date: 1/3/2002 11:08:07:206
 Inspection Date: 08DEC8
 Install Date: 99
 Drop Shop: Not reported
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: Not reported

AIRS (AFS):

Airs Minor Details:

EPA plant ID: 110001610784
 Plant name: AMERICAN THREAD CLEANERS
 Plant address: 260 W BROADWAY
 NEW YORK, NY 100132259
 County: NEW YORK
 Region code: 02
 Dunn & Bradst #: Not reported
 Air quality cntrl region: 043
 Sic code: 7216
 Sic code desc: DRYCLEANING PLANTS, EXCEPT RUG
 North Am. industrial classf: 812320
 NAIC code description: Drycleaning and Laundry Services (except Coin-Operated)
 Default compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Default classification: POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
 Govt facility: ALL OTHER FACILITIES NOT OWNED OR OPERATED BY A FEDERAL, STATE, OR
 LOCAL GOVERNMENT
 Current HPV: Not reported

Compliance and Enforcement Major Issues:

Air program: SIP SOURCE
 National action type: Not reported
 Date achieved: 00000
 Penalty amount: Not reported

Air program: SIP SOURCE
 National action type: Not reported
 Date achieved: 00000
 Penalty amount: Not reported

Air program: Not reported
 National action type: Not reported
 Date achieved: Not reported
 Penalty amount: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Historical Compliance Minor Sources:

State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1101
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1102
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1103
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1104
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1202
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1203
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1204
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1301
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1303
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1004
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1004
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1101
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1102
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1103
Air prog code hist file:	SIP SOURCE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1104
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1202
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1203
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1204
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1301
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1302
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1302
Air prog code hist file:	MACT (SECTION 63 NESHAPS)
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1303
Air prog code hist file:	MACT (SECTION 63 NESHAPS)

Compliance & Violation Data by Minor Sources:

Air program code:	SIP SOURCE
Plant air program pollutant:	Not reported
Default pollutant classification:	POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
Def. poll. compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Def. attainment/non atnmnt:	ATTAINMENT AREA FOR GIVEN POLLUTANT
Repeat violator date:	Not reported
Turnover compliance:	Not reported

Air program code:	MACT (SECTION 63 NESHAPS)
Plant air program pollutant:	Not reported
Default pollutant classification:	POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
Def. poll. compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Def. attainment/non atnmnt:	ATTAINMENT AREA FOR GIVEN POLLUTANT
Repeat violator date:	Not reported
Turnover compliance:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AMERICAN THREAD CLEANERS (Continued)

1000358730

Air program code: SIP SOURCE
 Plant air program pollutant: Not reported
 Default pollutant classification: POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
 Def. poll. compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Def. attainment/non attainment: UNCLASSIFIED
 Repeat violator date: Not reported
 Turnover compliance: Not reported

Air program code: MACT (SECTION 63 NESHAPS)
 Plant air program pollutant: Not reported
 Default pollutant classification: POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
 Def. poll. compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Def. attainment/non attainment: ATTAINMENT AREA FOR GIVEN POLLUTANT
 Repeat violator date: Not reported
 Turnover compliance: Not reported

Air program code: MACT (SECTION 63 NESHAPS)
 Plant air program pollutant: Not reported
 Default pollutant classification: POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR
 Def. poll. compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Def. attainment/non attainment: UNCLASSIFIED
 Repeat violator date: Not reported
 Turnover compliance: Not reported

**BD287
 ESE
 1/8-1/4
 0.212 mi.
 1118 ft.**

**260 W BROADWAY
 NEW YORK, NY 10013
 Site 3 of 9 in cluster BD**

**EDR US Hist Cleaners 1015029963
 N/A**

EDR Historical Cleaners:

Name: AMERICAN THREAD CLEANERS
 Year: 2001
 Address: 260 W BROADWAY

Name: AMERICAN THREAD CLEANERS INC
 Year: 2003
 Address: 260 W BROADWAY

Name: AMERICAN THREAD CLEANERS INC
 Year: 2004
 Address: 260 W BROADWAY

Name: AMERICAN THREAD DRY CLEANERS & CUSTO
 Year: 2005
 Address: 260 W BROADWAY

Name: AMERICAN THREAD DRY CLEANERS & CUSTO
 Year: 2006
 Address: 260 W BROADWAY

Name: AMERICAN THREAD DRY CLEANERS & CUSTO
 Year: 2007
 Address: 260 W BROADWAY

Name: AMERICAN THREAD CLEANERS INC
 Year: 2008
 Address: 260 W BROADWAY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

(Continued)

1015029963

Name: AMERICAN THREAD CLEANERS
 Year: 2009
 Address: 260 W BROADWAY

Name: AMERICAN THREAD DRY CLEANERS
 Year: 2010
 Address: 260 W BROADWAY

Name: AMERICAN THREAD DRY CLEANERS
 Year: 2011
 Address: 260 W BROADWAY

Name: AMERICAN THREAD DRY CLEANERS
 Year: 2012
 Address: 260 W BROADWAY

BA288 **CON EDISON**
ENE **4 THOMPSON ST**
1/8-1/4 **NEW YORK, NY 10013**
0.215 mi.
1135 ft. **Site 2 of 3 in cluster BA**

NY MANIFEST **S113816672**
N/A

NY MANIFEST:

EPA ID: NYP004331377
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PLACE 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: NJD003812047
 Generator Ship Date: 18-Jul-2013 00:00:00
 Trans1 Recv Date: 18-Jul-2013 00:00:00
 Trans2 Recv Date: 22-Jul-2013 00:00:00
 TSD Site Recv Date: 22-Jul-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004331377
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113816672

Year: 2013
 Manifest Tracking Num: 002085362GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: Y
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

BE289
 North
 1/8-1/4
 0.215 mi.
 1137 ft.

CON EDISON
10 RENWICK ST
NEW YORK, NY 10013

NY MANIFEST S113494756
N/A

Site 1 of 2 in cluster BE

NY MANIFEST:

EPA ID: NYP004284436
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 21-Jan-2013 00:00:00
 Trans1 Recv Date: 21-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 22-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284436
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010456064JJK

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494756

Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

BE290
North
1/8-1/4
0.215 mi.
1137 ft.

511 CANAL STREET
511 CANAL ST
NEW YORK, NY 10013

NY AST **U004045613**
N/A

Site 2 of 2 in cluster BE

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-362026
 Program Type: PBS
 UTM X: 583686.14676000003
 UTM Y: 4508699.7166999998
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:

Site Id: 18296
 Affiliation Type: Facility Owner
 Company Name: ALMAVI ENTERPRISES
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: C/O 268 WEST STREET - 5TH FLOOR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 274-1555
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 18296
 Affiliation Type: Mail Contact
 Company Name: ALMAVI ENTERPRISES
 Contact Type: Not reported
 Contact Name: JOHN D. MELE
 Address1: C/O 268 WEST STREET
 Address2: 5TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

511 CANAL STREET (Continued)

U004045613

Phone: (212) 274-1555
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 18296
 Affiliation Type: On-Site Operator
 Company Name: 511 CANAL STREET
 Contact Type: Not reported
 Contact Name: MARTY TENDLER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 274-1555
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 18296
 Affiliation Type: Emergency Contact
 Company Name: ALMAVI ENTERPRISES
 Contact Type: Not reported
 Contact Name: JOHN D. MELE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 274-1555
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 25896
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I00 - Overfill - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 B99 - Tank External Protection - Other
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

511 CANAL STREET (Continued)

U004045613

A01 - Tank Internal Protection - Epoxy Liner
 Tank Location: 1
 Tank Type: Stainless Steel Alloy
 Tank Status: Closed - In Place
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 12/01/1999
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

**BC291
 SE
 1/8-1/4
 0.216 mi.
 1138 ft.**

**PACKPROD INTERNATIONAL CONDO
 220 W BROADWAY
 NEW YORK, NY 10013
 Site 2 of 5 in cluster BC**

**NY AST U003391777
 NY HIST AST N/A**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-215368
 Program Type: PBS
 UTM X: 583952.25696000003
 UTM Y: 4508069.0317700002
 Expiration Date: 2017/10/15
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 8045
 Affiliation Type: Facility Owner
 Company Name: PACKPROD INTERNATIONAL CONDOMINIUM
 Contact Type: MANAGER
 Contact Name: EILEEN BOSMAN
 Address1: 6 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 7/24/2013

Site Id: 8045
 Affiliation Type: Mail Contact
 Company Name: PACKPROD CONDOMINIUM
 Contact Type: Not reported
 Contact Name: EILEEN BOSMAN, MANAGER
 Address1: % ANDREWS BUILDING CORP.
 Address2: 666 BROADWAY - 12TH A

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PACKPROD INTERNATIONAL CONDO (Continued)

U003391777

City:	NEW YORK
State:	NY
Zip Code:	10012
Country Code:	001
Phone:	(212) 529-5688
E-Mail:	EBOSMAN@ANDREWSBC.COM
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	7/24/2013
Site Id:	8045
Affiliation Type:	Emergency Contact
Company Name:	PACKPROD INTERNATIONAL CONDOMINIUM
Contact Type:	Not reported
Contact Name:	EILEEN BOSMAN
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	999
Phone:	(212) 529-5688
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	DMMOLOUG
Date Last Modified:	7/24/2013
Site Id:	8045
Affiliation Type:	On-Site Operator
Company Name:	PACKPROD INTERNATIONAL CONDOMINIUM
Contact Type:	Not reported
Contact Name:	ANGELO QUINONES
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 226-9133
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Tank Info:

Tank Number:	001
Tank Id:	22257
Material Code:	0001
Common Name of Substance:	#2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

PACKPROD INTERNATIONAL CONDO (Continued)

U003391777

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/10/1975
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 07/24/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-215368
 SWIS Code: 6201
 Operator: ANGELO QUINONES
 Facility Phone: (212) 226-9133
 Facility Addr2: 220 W BROADWAY
 Facility Type: APARTMENT BUILDING
 Emergency: NADREW BLDG CORP
 Emergency Tel: (212) 529-5688
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: PACKPROD INTERNATIONAL CONDO
 Owner Address: 220-224 W BROADWAY 2-8 VARICK
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 226-9133
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: PARK PROD INTERNATIONAL
 Mailing Address: % ANDREWS BUILDING CORP
 Mailing Address 2: 382 LAFAYETTE STREET
 Mailing City,St,Zip: NEW YORK, NY 10003
 Mailing Telephone: (212) 370-9200
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 01/29/1993
 Expiration: 10/15/1997
 Renew Flag: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PACKPROD INTERNATIONAL CONDO (Continued)

U003391777

Renew Date: Not reported
 Total Capacity: 4000
 FAMS: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 4000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 01
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 00
 Tank Containment: Diking
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

BF292
SSW
1/8-1/4
0.216 mi.
1139 ft.

NYC DEPT OF EDUCATION - PS 840M
334 GREENWICH ST
NEW YORK, NY
Site 1 of 2 in cluster BF

RCRA-SQG 1016144426
FINDS NYR000200063

RCRA-SQG:

Date form received by agency: 04/23/2013
 Facility name: NYC DEPT OF EDUCATION - PS 840M
 Facility address: 334 GREENWICH ST
 NEW YORK, NY 10013
 EPA ID: NYR000200063
 Mailing address: THOMSON AVE
 LONG ISLAND CITY, NY 11101
 Contact: ALEXANDER LEMPERT
 Contact address: THOMSON AVE
 LONG ISLAND CITY, NY 11101
 Contact country: US

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NYC DEPT OF EDUCATION - PS 840M (Continued)

1016144426

Contact telephone: (718) 472-8501
 Contact email: ALEMPERT@NYCSCA.ORG
 EPA Region: 02
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NYC DEPT OF SCHOOL FACILITIES
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Municipal
 Owner/Operator Type: Operator
 Owner/Op start date: 12/31/1974
 Owner/Op end date: Not reported

Owner/operator name: NYC DEPT OF EDUCATION
 Owner/operator address: THOMSON AVE
 LONG ISLAND CITY, NY 11101
 Owner/operator country: US
 Owner/operator telephone: (718) 472-8501
 Legal status: Municipal
 Owner/Operator Type: Owner
 Owner/Op start date: 12/31/1974
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: B004
 Waste name: B004
 Waste code: B007
 Waste name: B007

Violation Status: No violations found

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

NYC DEPT OF EDUCATION - PS 840M (Continued)

1016144426

FINDS:

Registry ID: 110055471804
 Environmental Interest/Information System

**BD293
 ESE
 1/8-1/4
 0.216 mi.
 1143 ft.**

**CON EDISON MANHOLE: 46239
 W 6TH AVE & W BROADWAY
 NEW YORK, NY 10012
 Site 4 of 9 in cluster BD**

**RCRA-CESQG 1016149929
 NYP004285979**

RCRA-CESQG:

Date form received by agency: 01/29/2013
 Facility name: CON EDISON MANHOLE: 46239
 Facility address: W 6TH AVE & W BROADWAY
 NEW YORK, NY 10012
 EPA ID: NYP004285979
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

CON EDISON MANHOLE: 46239 (Continued)

1016149929

Used oil transfer facility: No
 Used oil transporter: No
 Violation Status: No violations found

BD294 CON EDISON SERVICE BOX: 49613
ESE W BROADWAY & LISPENARD ST
1/8-1/4 NEW YORK, NY 10012
0.216 mi.
1143 ft. Site 5 of 9 in cluster BD

RCRA-CESQG 1016149927
NYP004285953

RCRA-CESQG:

Date form received by agency: 01/29/2013
 Facility name: CON EDISON SERVICE BOX: 49613
 Facility address: W BROADWAY & LISPENARD ST
 NEW YORK, NY 10012
 EPA ID: NYP004285953
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EDR ID Number
 EPA ID Number

CON EDISON SERVICE BOX: 49613 (Continued)

1016149927

Violation Status: No violations found

**BD295
 ESE
 1/8-1/4
 0.216 mi.
 1143 ft.**

**CONSOLIDATED EDISON
 6TH AVE & LISPENARD ST
 NEW YORK, NY 10020**

**NY MANIFEST S108650611
 N/A**

Site 6 of 9 in cluster BD

NY MANIFEST:

EPA ID: NYP004150355
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2007-05-07
 Trans1 Recv Date: 2007-05-07
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2007-05-08
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004150355
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: Not reported
 Quantity: 150.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2007
 Manifest Tracking Num: 001450199FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

S108650611

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 5/7/2007
 Trans1 Recv Date: 5/7/2007
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 5/8/2007
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004150355
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: Not reported
 Quantity: 150
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 3
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1
 Year: 2007
 Manifest Tracking Num: 001450199FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

BD296
ESE
1/8-1/4
0.216 mi.
1143 ft.

CON EDISON SERVICE BOX: 49610
6TH AVE & W BROADWAY NW COR
NEW YORK, NY 10012

RCRA-CESQG 1016149926
NYP004285946

Site 7 of 9 in cluster BD

RCRA-CESQG:

Date form received by agency: 01/29/2013
 Facility name: CON EDISON SERVICE BOX: 49610
 Facility address: 6TH AVE & W BROADWAY NW COR
 NEW YORK, NY 10012
 EPA ID: NYP004285946
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 49610 (Continued)

1016149926

month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**BD297
 ESE
 1/8-1/4
 0.218 mi.
 1149 ft.**

**CONSOLIDATED EDISON
 6 CIM-FRANKLIN & W BROADWAY
 NEW YORK, NY**

**NY MANIFEST 1009237520
 N/A**

Site 8 of 9 in cluster BD

NY MANIFEST:

EPA ID: NYP004028049
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0175217
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

1009237520

Generator Ship Date: 11/07/1998
 Trans1 Recv Date: 11/07/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/07/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004028049
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: 43056AN
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00060
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 98

Document ID: NYE0176782
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 11/07/1998
 Trans1 Recv Date: 11/07/1998
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/07/1998
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004028049
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSDF ID: 43056AN
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00068
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 98

BC298 221-23 WEST BROADWAY
SE 221-23 WEST BROADWAY (5-7 WHITE)
1/8-1/4 NEW YORK, NY 10013
0.218 mi.
1149 ft. Site 3 of 5 in cluster BC

NY AST U003383821
NY HIST AST N/A

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-063584
 Program Type: PBS
 UTM X: 583934.40942000004
 UTM Y: 4508119.1896200003
 Expiration Date: 1997/03/10

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

221-23 WEST BROADWAY (Continued)

U003383821

Site Type:	Unknown
Affiliation Records:	
Site Id:	1270
Affiliation Type:	Facility Owner
Company Name:	SALVATORE CUCINOTTA
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	45 SUTTON PL SO
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 758-7901
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	1270
Affiliation Type:	Mail Contact
Company Name:	SALVATORE CUCINOTTA
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	45 SUTTON PL SO
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10022
Country Code:	001
Phone:	(212) 758-7901
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	1270
Affiliation Type:	On-Site Operator
Company Name:	221-23 WEST BROADWAY
Contact Type:	Not reported
Contact Name:	SALVATORE CUCINOTTA
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 758-7901
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	1270
Affiliation Type:	Emergency Contact
Company Name:	SALVATORE CUCINOTTA
Contact Type:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

221-23 WEST BROADWAY (Continued)

U003383821

Contact Name: WILLIAM ANTINOW
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-4038
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 2320
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-063584
 SWIS Code: 6201
 Operator: SALVATORE CUCINOTTA
 Facility Phone: (212) 758-7901
 Facility Addr2: 221 WEST BROADWAY
 Facility Type: Not reported
 Emergency: WILLIAM ANTINOW
 Emergency Tel: (212) 226-4038
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

221-23 WEST BROADWAY (Continued)

U003383821

Result of Inspection: Not reported
 Owner Name: SALVATORE CUCINOTTA
 Owner Address: 45 SUTTON PL SO
 Owner City,St,Zip: NEW YORK, NY 10022
 Federal ID: Not reported
 Owner Tel: (212) 758-7901
 Owner Type: Not reported
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: SALVATORE CUCINOTTA
 Mailing Address: 45 SUTTON PL SO
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10022
 Mailing Telephone: (212) 758-7901
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 02/28/1992
 Expiration: 03/10/1997
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 3000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 3000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: None
 Leak Detection: 0
 Overfill Protection: 4
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

221-23 WEST BROADWAY (Continued)

U003383821

Deleted:	False
Updated:	False
SPDES Number:	Not reported
Lat/Long:	Not reported

**BD299
ESE
1/8-1/4
0.219 mi.
1154 ft.**

**CON EDISON VAULT 76
2 LISPENARD ST
NEW YORK, NY 10013

Site 9 of 9 in cluster BD**

**RCRA-CESQG 1015746919
NYP004249189**

RCRA-CESQG:

Date form received by agency:	04/05/2012
Facility name:	CON EDISON VAULT 76
Facility address:	2 LISPENARD ST NEW YORK, NY 10013
EPA ID:	NYP004249189
Mailing address:	4 IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	LUIS MANTUANO
Contact address:	Not reported
Contact country:	Not reported
Contact telephone:	(212) 780-3756
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON VAULT 76 (Continued)

1015746919

Used oil transporter: No

Historical Generators:
 Date form received by agency: 03/06/2012
 Facility name: CON EDISON VAULT 76
 Classification: Conditionally Exempt Small Quantity Generator

Violation Status: No violations found

BG300
 South
 1/8-1/4
 0.220 mi.
 1159 ft.

NYNEX - ENV MATTERS
73 HUDSON ST-RM 3025
NEW YORK, NY 10036
Site 1 of 12 in cluster BG

NY MANIFEST 1009233428
N/A

NY MANIFEST:

EPA ID:	NYP000915181
Country:	USA
Mailing Name:	NYNEX - ENV MATTERS
Mailing Contact:	ALEX DIACHOK
Mailing Address:	1095 AVE OF AMER-RM 3025
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10036
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-397-2156

Document ID:	CTF0204661
Manifest Status:	Completed copy
Trans1 State ID:	XW51DV
Trans2 State ID:	Not reported
Generator Ship Date:	940531
Trans1 Recv Date:	940531
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	940602
Part A Recv Date:	940701
Part B Recv Date:	940614
Generator EPA ID:	NYP000915181
Trans1 EPA ID:	MAD039322250
Trans2 EPA ID:	Not reported
TSD ID:	CTD000604488
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00001
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Year:	94

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BA301 CON EDISON NY MANIFEST S113917684
East FO 393 CANAL ST N/A
1/8-1/4 NEW YORK, NY 10013
0.220 mi.
1162 ft. Site 3 of 3 in cluster BA

NY MANIFEST:

EPA ID: NYP004335758
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: NJD003812047
 Generator Ship Date: 25-Jul-2013 00:00:00
 Trans1 Recv Date: 25-Jul-2013 00:00:00
 Trans2 Recv Date: 26-Jul-2013 00:00:00
 TSD Site Recv Date: 26-Jul-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004335758
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD991291105
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 002085709GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

BC302 CONSOLIDATED EDISON
SE 215 W BROADWAY
1/8-1/4 NEW YORK, NY 10013
0.220 mi.
1162 ft. Site 4 of 5 in cluster BC

NY MANIFEST 1009239503
N/A

NY MANIFEST:

EPA ID:	NYP004062139
Country:	USA
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808

Document ID:	CTF0940883
Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	Not reported
Generator Ship Date:	10/09/2000
Trans1 Recv Date:	10/09/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/13/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004063947
Trans1 EPA ID:	CTD000604488
Trans2 EPA ID:	Not reported
TSD ID:	51440MASS
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00003
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	2000

EPA ID:	NYP004063947
Country:	USA
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLIN MURRAY
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808

Document ID: CTF0940883

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

CONSOLIDATED EDISON (Continued)

1009239503

Manifest Status:	Not reported
Trans1 State ID:	MAD039322250
Trans2 State ID:	Not reported
Generator Ship Date:	10/09/2000
Trans1 Recv Date:	10/09/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/13/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004063947
Trans1 EPA ID:	CTD000604488
Trans2 EPA ID:	Not reported
TSD ID:	51440MASS
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	00003
Units:	Y - Cubic yards* (.85 tons)
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	01.00
Year:	2000

BG303
South
1/8-1/4
0.220 mi.
1164 ft.

CONSOLIDATED EDISON
1 WORTH STREET
NEW YORK, NY 10020
Site 2 of 12 in cluster BG

NY MANIFEST **S110045580**
N/A

NY MANIFEST:

EPA ID:	NYP004176111
Country:	USA
Mailing Name:	CONSOLIDATED EDISON
Mailing Contact:	FRANKLYN MURRAY
Mailing Address:	4 IRVING PLACE RM 828
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-2808

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	2009-07-01
Trans1 Recv Date:	2009-07-01
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	2009-07-01
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004176111
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

S110045580

Quantity: 2000.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001083876GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-07-01
 Trans1 Recv Date: 2009-07-01
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-07-01
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004176111
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 2000.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 001083876GBF
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

AZ304 **475 GREENWICH STREET**
North **475 GREENWICH STREET**
1/8-1/4 **NEW YORK, NY 10013**
0.221 mi.
1165 ft. **Site 2 of 4 in cluster AZ**

NY UST **U004109445**
N/A

UST:
 Id/Status: 2-610635 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583670.44116000005
 UTM Y: 4508656.1534299999
 Site Type: Retail Gasoline Sales

Affiliation Records:
 Site Id: 386239
 Affiliation Type: Facility Owner
 Company Name: GREENWICH TRIANGLE III, LLC
 Contact Type: Not reported
 Contact Name: MATTHEW FELDMAN
 Address1: 42-09 235TH STREET
 Address2: Not reported
 City: DOUGLASTON
 State: NY
 Zip Code: 11363
 Country Code: 001
 Phone: (212) 400-9292 204
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 8/22/2007

Site Id: 386239
 Affiliation Type: Mail Contact
 Company Name: GREENWICH TRIANGLE III, LLC
 Contact Type: Not reported
 Contact Name: MATTHEW FELDMAN
 Address1: 42-09 235TH STREET
 Address2: Not reported
 City: DOUGLASTON
 State: NY
 Zip Code: 11363
 Country Code: 001
 Phone: (212) 400-9292 204
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 8/22/2007

Site Id: 386239
 Affiliation Type: On-Site Operator
 Company Name: 475 GREENWICH STREET
 Contact Type: Not reported
 Contact Name: JOE SCULLY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

475 GREENWICH STREET (Continued)

U004109445

Zip Code: Not reported
 Country Code: 001
 Phone: (212) 334-7190
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 8/22/2007

Site Id: 386239
 Affiliation Type: Emergency Contact
 Company Name: GREENWICH TRIANGLE III, LLC
 Contact Type: Not reported
 Contact Name: JOE SCULLY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (347) 386-4143
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 8/22/2007

Tank Info:

Tank Number: 001
 Tank ID: 219005
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

A00 - Tank Internal Protection - None
 J00 - Dispenser - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

475 GREENWICH STREET (Continued)

U004109445

Tank Number: 002
 Tank ID: 219006
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/28/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

A00 - Tank Internal Protection - None
 J00 - Dispenser - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 003
 Tank ID: 219007
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

475 GREENWICH STREET (Continued)

U004109445

Tank Number: 004
 Tank ID: 219008
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 005
 Tank ID: 219009
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

475 GREENWICH STREET (Continued)

U004109445

Tank Number: 006
 Tank ID: 219010
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

H00 - Tank Leak Detection - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 J00 - Dispenser - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 007
 Tank ID: 219011
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

475 GREENWICH STREET (Continued)

U004109445

Tank Number: 008
 Tank ID: 219012
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 009
 Tank ID: 219013
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

475 GREENWICH STREET (Continued)

U004109445

Tank Number: 010
 Tank ID: 219014
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

J00 - Dispenser - None
 H00 - Tank Leak Detection - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

Tank Number: 011
 Tank ID: 219015
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 07/25/2006
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: DXLIVING
 Last Modified: 08/22/2007

Equipment Records:

A00 - Tank Internal Protection - None
 J00 - Dispenser - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BG305 **CON EDISON SERVICE BOX: 53094** **RCRA-CESQG** **1016150007**
South **WORTH ST & HUDSON ST** **NYP004286761**
1/8-1/4 **NEW YORK, NY 10013**
0.221 mi.
1165 ft. **Site 3 of 12 in cluster BG**

RCRA-CESQG:

Date form received by agency: 02/01/2013
 Facility name: CON EDISON SERVICE BOX: 53094
 Facility address: WORTH ST & HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYP004286761
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

BC306	211 WEST BROADWAY	NY LTANKS	S104621175
SE	211 WEST BROADWAY		N/A
1/8-1/4	NEW YORK, NY		
0.221 mi.			
1167 ft.	Site 5 of 5 in cluster BC		

LTANKS:

Site ID: 310138
 Spill Number/Closed Date: 0003715 / 11/14/2013
 Spill Date: 6/26/2000
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: VXBREUDO
 Referred To: Not reported
 Reported to Dept: 6/26/2000
 CID: 281
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 6/26/2000
 Spill Record Last Update: 11/14/2013
 Spiller Name: DAVID STERN/EMPIRE FUEL
 Spiller Company: UNKNOWN
 Spiller Address: 211 WEST BROADWAY
 Spiller City,St,Zip: NEW YORK, NY - 001
 Spiller Contact: DAVID STERN
 Spiller Phone: (718) 627-5100
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 250361
 DEC Memo: 10/25/05spoke with Renee at Empire fuel. Faxed her spill report. waiting for reply. Scott ReichingerPrior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD"01/26/04Transferred from Rommel to Austin02/17/04: Reassigned from AUSTIN to KRIMGOLD.07/16/13 - Spill Case is transferred from Leszek Zielinski (PBS Unit) to V. Brevdo (Section B) as per DER Region 2 decision - Tank Test Failure Spill Case. VB07/24/13 - Called David Stern of Hess. Mr. Stern followed up with the following e-mail:Vadim, Empire State Fuel was sold in 2008. We no longer have their records. There is a notation on the account that Andrews Building Corp hired AL Eastmond in June of 2000. I have no other information. AL Eastmond is 718-378-3000. Sorry I can't be of more help. David Stern Manager, Burner ServiceHess CorporationDirect 718.665.5700 Mobile 718.644.9746Fax 718.621.8119DStern@hess.com www.hessenergy.com07/24/13 - Called Neal of Al Eastmond at 718-378-3000. Neal stated he does not have records prior to 2006 but will double check. I stated that if he has records of tank tests after 2000 in the followng years, it still would be helpful. I gave Nean my phone number and e-mail address. Neal said will get back to me in a few days. V. Brevdo11/14/2013 - V. BrevdoThis tank test

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

211 WEST BROADWAY (Continued)

S104621175

failure can not be confirmed. Department's file does not contain documents or information indicating tank actually failed. The Department does not appear to have sent Tank Test Failure letter to RP or site owner. Attempts to locate any documents/information concerning alleged tank test failure did not yield any information which would enable the Department to persue this alleged tank test failure. The structure at the indicated address is a six story residential building. In the absence of major site redevelopment, removal of concrete floor slab, soil excavation or soil disturbance on the site human exposure would be highly unlikely. Given lack of documents/informaton which would verify tank test failure, date of the spill case - 13 years ago from today, fact that the Department does not appear to have sent TTF/Violation letter to site owner, little to none risk of human exposure under the current site conditions, the Department does not see environmental or human health benefits in keeping this spill case open. Therefore, spill case is closed effective 11/14/2013. V.B.

Remarks: TANK TEST FAILURE AT ABOVE LOCATION. PROPERTY IS RESIDENTAL/COMM.CALLER HIRED BY EMPIRE FUELS. FURTHER TESTING TO BE PERFORMED.NO CALL BACK REQUESTED.

Material:

Site ID: 310138
 Operable Unit ID: 826103
 Operable Unit: 01
 Material ID: 548467
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 310138
 Spill Tank Test: 1525722
 Tank Number: 1
 Tank Size: 1080
 Test Method: 03
 Leak Rate: 0
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

BB307 SE 1/8-1/4 0.223 mi. 1180 ft. **5-7 WHITE ST, 5-7 WHITE STREET NEW YORK, NY 10013**
Site 3 of 4 in cluster BB

NY AST A100292456 N/A

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-609142
 Program Type: PBS
 UTM X: 584113.79108
 UTM Y: 4507977.461459999
 Expiration Date: 2008/07/24
 Site Type: Apartment Building/Office Building

Affiliation Records:
 Site Id: 30988
 Affiliation Type: Mail Contact
 Company Name: JOHN S. GRUPP, AGENT
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 1005 GLEN COVE AVENUE
 Address2: Not reported
 City: GLEN HEAD
 State: NY
 Zip Code: 11545
 Country Code: 001
 Phone: (516) 609-8700
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30988
 Affiliation Type: Facility Owner
 Company Name: 5-7 WHITE ST. CO. % JOHN S. GRUPP
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 1005 GLEN COVE AVE
 Address2: Not reported
 City: GLEN HEAD
 State: NY
 Zip Code: 11545
 Country Code: 001
 Phone: (516) 609-8700
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30988
 Affiliation Type: On-Site Operator
 Company Name: 5-7 WHITE ST,
 Contact Type: Not reported
 Contact Name: FERRANTINO FUEL OIL
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

5-7 WHITE ST, (Continued)

A100292456

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 832-6700
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 30988
 Affiliation Type: Emergency Contact
 Company Name: 5-7 WHITE ST. CO. % JOHN S. GRUPP
 Contact Type: Not reported
 Contact Name: JULIAN FERRER, SUPT.
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 780-4898
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 66578
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

I05 - Overfill - Vent Whistle
 C03 - Pipe Location - Aboveground/Underground Combination
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

5-7 WHITE ST, (Continued)

A100292456

Modified By:	TRANSLAT
Last Modified:	03/04/2004
Material Name:	#2 Fuel Oil (On-Site Consumption)

<p>BH308 NNW 1/8-1/4 0.224 mi. 1183 ft.</p>	<p>BRIDGE LAND WEST LLC PFL 460 WASHINGTON ST NEW YORK, NY</p> <p>Site 1 of 5 in cluster BH</p>	<p>RCRA-LQG 1016144482 FINDS NYR000200642</p>
--	---	---

RCRA-LQG:

Date form received by agency:	05/31/2013
Facility name:	BRIDGE LAND WEST LLC PFL
Facility address:	460 WASHINGTON ST NEW YORK, NY 10023
EPA ID:	NYR000200642
Mailing address:	COLUMBUS CIR NEW YORK, NY 10023
Contact:	BRYAN CHO
Contact address:	COLUMBUS CIR NEW YORK, NY 10023
Contact country:	US
Contact telephone:	(212) 801-1145
Contact email:	BCHO@RELATED.COM
EPA Region:	02
Classification:	Large Quantity Generator
Description:	Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:

Owner/operator name:	BRIDGE LANE WEST LLC
Owner/operator address:	COLUMBUS CIR NEW YORK, NY 10023
Owner/operator country:	US
Owner/operator telephone:	(212) 801-1145
Legal status:	Private
Owner/Operator Type:	Owner
Owner/Op start date:	12/12/2011
Owner/Op end date:	Not reported
Owner/operator name:	BRIDGE LANE WEST LLC
Owner/operator address:	COLUMBUS CIR NEW YORK, NY 10023
Owner/operator country:	US
Owner/operator telephone:	(212) 801-1145
Legal status:	Private
Owner/Operator Type:	Operator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRIDGE LAND WEST LLC PFL (Continued)

1016144482

Owner/Op start date: 12/12/2011
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Hazardous Waste Summary:

Waste code: D008
 Waste name: LEAD

Violation Status: No violations found

FINDS:

Registry ID: 110055471029

Environmental Interest/Information System

**BI309
 NNW
 1/8-1/4
 0.225 mi.
 1186 ft.**

**WEST & WATTS DEVELOPMENT
 281 WEST STREET AND 456 WASHINGTON STREET
 NEW YORK, NY 10013**

**NY BROWNFIELDS S111455783
 N/A**

Site 1 of 2 in cluster BI

BROWNFIELDS:

Program: BCP
 Site Code: 459779
 Site Description: Location: The Site is located at 460 Washington Street (281 West Street) in New York, New York (Tax Block 595, Lot 1). The Site was previously identified as Block 595, Lots 1 and 22 but the two lots were combined into one lot (Lot 1) on June 1, 2012. The Site is approximately 25,800 square feet and is bordered by mixed-use commercial/residential properties to the north, Washington Street to the east, Watts Street to the south, and West Street (Route 9A Highway) to the west. Site Features: The western portion of the Site (formerly Lot 1) is occupied by an approximately 13,320 square-foot (0.31 acres) asphalt-paved parking lot and the eastern portion of the Site (formerly Lot 22) is occupied by two interconnected one- and two-story buildings. The two-story building, located on the northeastern portion of the Site, has a basement. This portion of the Site occupies an area of approximately 12,480 square feet (0.287 acres). The majority of the Site is improved with a concrete and asphalt-paved vacant lot. The Site is protected from unauthorized

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number
EPA ID Number

Database(s)

WEST & WATTS DEVELOPMENT (Continued)

S111455783

access by a locked chain link perimeter security fence. Demolition of site buildings is underway. The Site is generally level with surface elevation (el) ranging from approximately 4 feet (ft) to 6 ft above Borough of Manhattan Datum (BMD). Surrounding sidewalk elevations range from approximately el 4 to el 7.5. The Site and regional topography slopes gently to the west towards the Hudson River. Current Zoning: In October 2010, the City Council adopted the North Tribeca Rezoning, which is intended to continue the neighborhood's transformation from industrial uses to "family-friendly" residential uses. The rezoning created the Special Tribeca Mixed Use District in which the Site is located. Currently, adjacent properties consist of residential to the north and south, mixed commercial and residential to the east; the Hudson River and West Side Highway to the west and the Holland tunnel to the northwest. Historic Uses: Former lots 1 and 22 were developed with two to five-story buildings in 1894 with unknown use. In 1905, a warehouse was built on the northern two-thirds of lot 22 and used to store steel through 1925. In 1922 lot 1 was developed into a building with use labeled as Tower Stores Inc. Lot 1 was then used as a gasoline filling station from 1950 through 1968. Subsequently, it has been used as a parking lot. From 1928 to 2005, lot 22 was used as a railroad freight station/freight warehouse. Site Geology: The generalized stratigraphy underlying the Site is composed of a layer of historic fill overlying natural clay and sand deposits with varying amounts of silt, clay, and gravel followed by bedrock between approximately 85 and 98 feet below grade surface (bgs). The surficial fill layer extends to a maximum depth of approximately 23 feet bgs and is comprised of gray, black, and brown, coarse to fine sand with varying amounts of silt, gravel, crushed stone, concrete, brick, wood and shell fragments. The fill layer is underlain by a layer of organic clay or clay with varying amounts of silt and shell fragments in the western portion of the Site. The clay layer was encountered immediately below the fill layer at depths ranging from 11 to 23 feet bgs. A layer of sand with varying amounts of silt, clay, and gravel was encountered throughout the Site below the fill or clay layer. Bedrock was encountered between approximately 85 and 98 feet bgs during the geotechnical subsurface investigation. Site Hydrology: Groundwater underlying the Site ranges from approximately 4.7 ft to 7.6 ft bgs (approximately el 3.5 to el -2.0) based on gauging of site wells during the investigation. The groundwater elevation is highest in the southeast and appears to slope toward the west, northwest across the majority of the Site, with some redirection toward the east along the western Site border. The lowest groundwater elevation, approximately el -2.0, was documented at a monitoring well located in the center of the parking lot on former Lot 1. Regional groundwater is presumed to flow west towards the Hudson River.

Env Problem: Nature and Extent of Contamination: Based on the results of the Remedial Investigation there are elevated levels of petroleum related Volatile Organic Compounds (VOCs) in soil and groundwater in the northwestern section of lot 1 and elevated levels of semi-volatile organic compounds (SVOCs) and metals in the soil at lot 22. See attached Table 1 for concentrations compared to the Part 375 Soil Cleanup Objectives (SCOs). Soil: Historic Fill Impacts - The historic fill layer contained exceedances of the Restricted Residential Use Soil Cleanup Objectives (RRUSCOs) for VOCs, SVOCs, metals, and polychlorinated biphenyls (PCBs). PCB exceedances were only reported in the eastern portion of former Lot 1. SVOCs and metals were detected

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

WEST & WATTS DEVELOPMENT (Continued)

S111455783

at concentrations exceeding the RRUSCOs throughout the fill layer that were typical of historic urban fill material, except for the following: Metals exceeding RRUSCOs were identified in fill from between 1 and 10 feet bgs in the western half of the Site, and in fill from between 2 and 12 feet bgs in the southeastern portion of the Site. Fill material from intervals between 1 and 12 feet bgs on the southern portion of former Lot 22 contained the following metal concentrations: arsenic up to 58 parts per million (ppm) ; barium up to 510 ppm; cadmium up to 17 ppm; nickel up to 12,000 ppm; mercury up to 20 ppm ; lead up to 9,600 ppm; and copper up to 51,000 ppm. SVOCs, specifically carcinogenic polycyclic aromatic hydrocarbons (cPAHs), were reported at concentrations above RRUSCOs throughout the Site, but at anomalously higher concentrations in fill between 2 and 12 feet bgs in the southeastern portion of the Site. The following concentrations that exceed RRUSCOs were reported for fill from between 2 and 12 feet bgs: naphthalene up to 190 ppm; benzo(a)anthracene up to 86 ppm; benzo(a)pyrene up to 59 ppm; benzo(b)fluoranthene up to 78 ppm; benzo(k)fluoranthene up to 24 ppm; dibenzo(a,h)anthracene up to 8.9 ppm; chrysene up to 82 ppm; indeno(1,2,3-cd)pyrene up to 31 ppm; fluoranthene up to 160 ppm; phenanthrene up to 220 ppm; and pyrene up to 200 ppm. Petroleum-Impacted Fill - Petroleum-impacted soil/fill was encountered in the northwestern corner of the Site and is likely related to historic use of the lot as a gasoline filling/service station. Petroleum-impacted soil/fill (based on visual observations and analytical results) was identified at depths ranging from 5 to 15 feet bgs, straddling the groundwater table. Borings with VOC exceedances are located in the northwestern portion of the Site. The VOCs include 1,2,4-trimethylbenzene at 460 ppm; 1,3,5-trimethylbenzene at 180 ppm; ethylbenzene at 270 ppm; benzene at 1.2 ppm; toluene at 50 ppm; total xylenes at 860 ppm; n-propylbenzene at 120 ppm; sec-butylbenzene at 14 ppm; and n-butylbenzene at 13 ppm. Underground Storage Tanks (USTs) - USTs were not uncovered during the test pit investigation conducted in the northwestern portion of the Site as part of the RI; however, a fragment of an apparent former fill or vent line was observed, indicating a tank may have previously been located in this area. USTs may still be located at the Site. Groundwater: Petroleum-related VOCs and SVOCs were identified in groundwater at concentrations exceeding the applicable groundwater standards at MW-1, MW-3, RI-MW5, and/or RI-MW6 in the northwestern portion of the Site. Petroleum-related VOC exceedances in groundwater are limited to the northwest corner of the Site. Based on RI data, groundwater flow in this area of the site is to the east southeast. The two wells at the western site perimeter (RI-MW5 and RI-MW6) had total BTEX concentrations ranging from 26.9 to 126 parts per billion (ppb). Monitoring well MW-1, located west of the site perimeter wells and within what is estimated to be the most-impacted petroleum area, had a total BTEX concentration of 11,956 ppb. Petroleum-related VOCs were also identified in soil samples collected from boring EB-1, and RI-SB1; therefore, it is likely that petroleum impacts to groundwater are related to the historic petroleum-release identified in the same area. Metal contaminants in the groundwater that exceeded applicable groundwater standards included iron, lead, manganese, mercury, selenium, sodium and magnesium in unfiltered samples. This likely arises from the quality of the fill material. However, filtered groundwater samples exhibited exceedances for sodium, magnesium and selenium only. The

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WEST & WATTS DEVELOPMENT (Continued)

S111455783

presence of sodium and magnesium can be attributed to saltwater intrusion. SVOC contaminants that exceeded applicable groundwater standards included the cPAHs - benzo(a)pyrene, benzo(b)fluoranthene, benzo(k) fluoranthene - chrysene and naphthalene. However, this exceedance was exhibited at well MW-1 which is located in the northwest section of the Site where petroleum contamination was identified. Off-site migration is expected to be limited based on groundwater analytical data. Soil Vapor: Soil vapor sampling results indicated the presence of several VOCs, namely those associated with petroleum such as tri-methylbenzene, ethyl benzene, toluene and xylenes, above the anticipated range of background concentrations. Total VOCs in the subsurface soil vapor samples ranged from 155 micrograms per cubic meter (g/m3) in RI-SV5 to 802 g/m3 in RI-SV1. VOC concentrations in soil vapor are greatest in the eastern and western most portions of the Site. VOCs may be due to a combination of petroleum impacts in the northwestern portion of the Site and unknown off-site sources.

Health Problem: NYSDEC has reviewed site-specific conditions and concludes that a detailed health assessment is not necessary. If during the course of the remedial program new data indicate that a re-evaluation of potential health hazards associated with site contamination is warranted, the NYSDOH will be consulted.

**BJ310
 SSE
 1/8-1/4
 0.225 mi.
 1189 ft.**

**CON EDISION - MH59695
 31 LEONARD ST 31 LEONARD ST
 NEW YORK, NY 10003
 Site 1 of 8 in cluster BJ**

**RCRA NonGen / NLR 1007207831
 NY MANIFEST NYP004076360**

RCRA NonGen / NLR:

Date form received by agency: 06/02/2002
 Facility name: CON EDISION - MH59695
 Facility address: 31 LEONARD ST 31 LEONARD ST
 NEW YORK, NY 10003
 EPA ID: NYP004076360
 Mailing address: IRVING PLACE
 NEW YORK, NY 10003
 Contact: ANTHONY DRUMMINGS
 Contact address: IRVING PLACE
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CON EDISION - MH59695 (Continued)

1007207831

Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 06/01/2002
 Facility name: CON EDISION - MH59695
 Classification: Not a generator, verified

Date form received by agency: 05/31/2002
 Facility name: CON EDISION - MH59695
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004076360
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: CTF0833799
 Manifest Status: Not reported
 Trans1 State ID: MAD039322250
 Trans2 State ID: Not reported
 Generator Ship Date: 03/06/2001
 Trans1 Recv Date: 03/06/2001
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 03/07/2001
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004076360
 Trans1 EPA ID: CTD000604488
 Trans2 EPA ID: Not reported
 TSDF ID: 13014MA
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00002
 Units: Y - Cubic yards* (.85 tons)
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2001

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

AZ311		EDR US Hist Auto Stat	1015522082
North	500 CANAL ST		N/A
1/8-1/4	NEW YORK, NY 10013		
0.228 mi.			
1205 ft.	Site 3 of 4 in cluster AZ		

EDR Historical Auto Stations:

Name:	GREENWICH AUTO REPAIR INCORPORATED
Year:	1999
Address:	500 CANAL ST
Name:	GREENWICH AUTO REPAIR INCORPORATED
Year:	2000
Address:	500 CANAL ST
Name:	ABRAMOWITZ TRANSMISSIONS
Year:	2002
Address:	500 CANAL ST
Name:	ABRAMOWITZ TRANSMISSIONS
Year:	2003
Address:	500 CANAL ST

AZ312	MANHATTAN AUTO DIAGNOSTIC CTR.	NY UST	U001840856
North	500 CANAL STREET	NY HIST UST	N/A
1/8-1/4	NEW YORK, NY 10013		
0.228 mi.			
1205 ft.	Site 4 of 4 in cluster AZ		

UST:

Id/Status:	2-477591 / Unregulated
Program Type:	PBS
Region:	STATE
DEC Region:	2
Expiration Date:	N/A
UTM X:	583706.06426000001
UTM Y:	4508663.7495499998
Site Type:	Retail Gasoline Sales

Affiliation Records:

Site Id:	21190
Affiliation Type:	Facility Owner
Company Name:	GEORGE & BARBARA GELLERT
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	152 WEST 57TH STREET
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10019
Country Code:	001
Phone:	(212) 581-8000
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	21190
Affiliation Type:	Mail Contact
Company Name:	C/O BELVEDERE CAPITAL CORP.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Contact Type: Not reported
 Contact Name: GEORGE & BARBARA GELLERT
 Address1: 152 WEST 57TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10019
 Country Code: 001
 Phone: (212) 581-8000
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 21190
 Affiliation Type: On-Site Operator
 Company Name: MANHATTAN AUTO DIAGNOSTIC CTR.
 Contact Type: Not reported
 Contact Name: -CLOSED-
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: Not reported
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 21190
 Affiliation Type: Emergency Contact
 Company Name: GEORGE & BARBARA GELLERT
 Contact Type: Not reported
 Contact Name: CHARLES E. STEWART
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (516) 753-6500
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank ID: 38357
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 B00 - Tank External Protection - None

Tank Number: 002
 Tank ID: 38358
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 B00 - Tank External Protection - None

Tank Number: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Tank ID: 38359
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None

Tank Number: 004
 Tank ID: 38360
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None

Tank Number: 005
 Tank ID: 38361
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 B00 - Tank External Protection - None

Tank Number: 006
 Tank ID: 38362
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 B00 - Tank External Protection - None

Tank Number: 007
 Tank ID: 38363
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None

Tank Number: 008
 Tank ID: 38364
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None

Tank Number: 009
 Tank ID: 38365
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 I04 - Overfill - Product Level Gauge (A/G)
 B00 - Tank External Protection - None

Tank Number: 010
 Tank ID: 38366
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Tank Type: Steel/carbon steel
 Material Code: 0008
 Common Name of Substance: Diesel

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 B00 - Tank External Protection - None

Tank Number: 011
 Tank ID: 38367
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: 10/01/2000
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0008
 Common Name of Substance: Diesel

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G00 - Tank Secondary Containment - None
 H99 - Tank Leak Detection - Other
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 B00 - Tank External Protection - None

HIST UST:

PBS Number: 2-477591
 SPDES Number: Not reported
 Emergency Contact: CHARLES E. STEWART

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Emergency Telephone: (516) 753-6500
 Operator: -CLOSED-
 Operator Telephone: (000) 000-0000
 Owner Name: GEORGE & BARBARA GELLERT
 Owner Address: 152 WEST 57TH STREET
 Owner City,St,Zip: NEW YORK, NY 10019
 Owner Telephone: (212) 581-8000
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Name: C/O BELVEDERE CAPITAL CORP.
 Mailing Address: 152 WEST 57TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10019
 Mailing Contact: GEORGE & BARBARA GELLERT
 Mailing Telephone: (212) 581-8000
 Owner Mark: Second Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons and Subpart 360-14.
 Facility Addr2: Not reported
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: RETAIL GASOLINE SALES
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: Not reported
 Expiration Date: 10/10/2005
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2
 Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 002
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 003
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 004
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 005
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 006
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 007
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Updated: True
 Lat/long: Not reported

Tank Id: 008
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 009
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN AUTO DIAGNOSTIC CTR. (Continued)

U001840856

Tank Id: 010
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

Tank Id: 011
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: DIESEL
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: None
 Pipe Location: None
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: None
 Pipe External: None
 Second Containment: None
 Leak Detection: Other
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data
 Date Closed: 10/01/2000
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

BK313	CON ED	NY MANIFEST
East	FO 387 CANAL ST	S113917685
1/8-1/4	NEW YORK, NY 10013	N/A
0.228 mi.		
1206 ft.	Site 1 of 14 in cluster BK	

NY MANIFEST:

EPA ID:	NYP004335766
Country:	USA
Mailing Name:	CON ED
Mailing Contact:	TOM TEELING
Mailing Address:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD003812047
Trans2 State ID:	NJD003812047
Generator Ship Date:	25-Jul-2013 00:00:00
Trans1 Recv Date:	25-Jul-2013 00:00:00
Trans2 Recv Date:	26-Jul-2013 00:00:00
TSD Site Recv Date:	26-Jul-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004335766
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD991291105
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	002085708GBF
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site
 Database(s)
 EPA ID Number
 EDR ID Number

BL314 **SUSAN MAINTENANCE** **RCRA NonGen / NLR** **1000556871**
ENE **74 6TH AVE** **FINDS** **NYD986994523**
1/8-1/4 **NEW YORK, NY 10013** **NY MANIFEST**
0.229 mi.
1207 ft. **Site 1 of 4 in cluster BL**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: SUSAN MAINTENANCE
 Facility address: 74 6TH AVE
 NEW YORK, NY 100131697
 EPA ID: NYD986994523
 Mailing address: 6TH AVE
 NEW YORK, NY 10036
 Contact: Not reported
 Contact address: 6TH AVE
 NEW YORK, NY 10036
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: SUSAN LAMMEY
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, NY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: SUSAN LAMMEY
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, NY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SUSAN MAINTENANCE (Continued)

1000556871

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: SUSAN MAINTENANCE
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: SUSAN MAINTENANCE
 Classification: Not a generator, verified

Date form received by agency: 03/06/1992
 Facility name: SUSAN MAINTENANCE
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004486798

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

NY MANIFEST:

EPA ID: NYD986994523
 Country: USA
 Mailing Name: SUSAN MAINTENANCE
 Mailing Contact: DONNA FURNISH
 Mailing Address: 74 6TH AVE
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10036
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-563-2081

Document ID: NJA1435448
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920616
 Trans1 Recv Date: 920616

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SUSAN MAINTENANCE (Continued)

1000556871

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920616
 Part A Recv Date: Not reported
 Part B Recv Date: 920625
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00172
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1452711
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920522
 Trans1 Recv Date: 920522
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920522
 Part A Recv Date: Not reported
 Part B Recv Date: 920609
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00303
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA2253101
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951030
 Trans1 Recv Date: 951030
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951030
 Part A Recv Date: Not reported
 Part B Recv Date: 951108
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SUSAN MAINTENANCE (Continued)

1000556871

Quantity: 00012
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2208026
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951004
 Trans1 Recv Date: 951004
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951004
 Part A Recv Date: Not reported
 Part B Recv Date: 951020
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2233658
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951228
 Trans1 Recv Date: 951228
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951228
 Part A Recv Date: Not reported
 Part B Recv Date: 960112
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSDF ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00024
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SUSAN MAINTENANCE (Continued)

1000556871

Document ID: NJA2249037
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 951130
 Trans1 Recv Date: 951130
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 951130
 Part A Recv Date: Not reported
 Part B Recv Date: 951213
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00018
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA1612305
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921218
 Trans1 Recv Date: 921218
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921218
 Part A Recv Date: Not reported
 Part B Recv Date: 921231
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00086
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1432553
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921103
 Trans1 Recv Date: 921103
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921103
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SUSAN MAINTENANCE (Continued)

1000556871

Part B Recv Date: 921118
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00217
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1429507
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920716
 Trans1 Recv Date: 920716
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920716
 Part A Recv Date: Not reported
 Part B Recv Date: 920728
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00172
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA2089510
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 950717
 Trans1 Recv Date: 950717
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 950717
 Part A Recv Date: Not reported
 Part B Recv Date: 950906
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00022
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SUSAN MAINTENANCE (Continued)

1000556871

Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2228978
 Manifest Status: Completed copy
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 960126
 Trans1 Recv Date: 960126
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 960126
 Part A Recv Date: Not reported
 Part B Recv Date: 960206
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00034
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 96

Document ID: NJA2148207
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 950811
 Trans1 Recv Date: 950811
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 950811
 Part A Recv Date: Not reported
 Part B Recv Date: 950901
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00018
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 95

Document ID: NJA2522137
 Manifest Status: Completed copy
 Trans1 State ID: 08690

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SUSAN MAINTENANCE (Continued)

1000556871

Trans2 State ID: Not reported
 Generator Ship Date: 960719
 Trans1 Recv Date: 960719
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 960719
 Part A Recv Date: Not reported
 Part B Recv Date: 960802
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00017
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 96

Document ID: NJA2696712
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: 08690
 Trans2 State ID: Not reported
 Generator Ship Date: 960923
 Trans1 Recv Date: 960923
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 960923
 Part A Recv Date: Not reported
 Part B Recv Date: 961024
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD984908202
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00029
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 96

Document ID: NJA1368694
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921009
 Trans1 Recv Date: 921009
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921009
 Part A Recv Date: Not reported
 Part B Recv Date: 921023
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SUSAN MAINTENANCE (Continued)

1000556871

Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00172
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1641578
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 930201
 Trans1 Recv Date: 930201
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930201
 Part A Recv Date: Not reported
 Part B Recv Date: 930212
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00042
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 006
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 93

Document ID: NJA1412685
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 920921
 Trans1 Recv Date: 920921
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 920921
 Part A Recv Date: Not reported
 Part B Recv Date: 921005
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00217
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SUSAN MAINTENANCE (Continued)

1000556871

Year: 92

Document ID: NJA1375514
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 921009
 Trans1 Recv Date: 921009
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 921009
 Part A Recv Date: Not reported
 Part B Recv Date: 921023
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00090
 Units: P - Pounds
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 92

Document ID: NJA1639286
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 930329
 Trans1 Recv Date: 930329
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930329
 Part A Recv Date: Not reported
 Part B Recv Date: 930409
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00025
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 100
 Year: 93

Document ID: NJA1655942
 Manifest Status: Completed copy
 Trans1 State ID: NJDEPS869
 Trans2 State ID: Not reported
 Generator Ship Date: 930423
 Trans1 Recv Date: 930423

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SUSAN MAINTENANCE (Continued)

1000556871

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 930423
 Part A Recv Date: Not reported
 Part B Recv Date: 930507
 Generator EPA ID: NYD986994523
 Trans1 EPA ID: ILD051060408
 Trans2 EPA ID: Not reported
 TSD ID: NJD000768093
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 00044
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 93

[Click this hyperlink](#) while viewing on your computer to access
 48 additional NY_MANIFEST: record(s) in the EDR Site Report.

BM315
North
1/8-1/4
0.229 mi.
1207 ft.

CON EDISON SERVICE BOX: 36286
CANAL ST & GREENWICH ST SW COR
NEW YORK, NY 10013

RCRA-CESQG 1016149806
NYP004284725

Site 1 of 14 in cluster BM

RCRA-CESQG:
 Date form received by agency: 01/22/2013
 Facility name: CON EDISON SERVICE BOX: 36286
 Facility address: CANAL ST & GREENWICH ST SW COR
 NEW YORK, NY 10013
 EPA ID: NYP004284725
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 36286 (Continued)

1016149806

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**BI316
 NNW
 1/8-1/4
 0.229 mi.
 1210 ft.**

**HUDSON RIVER PARK
 WEST ST/ WATT ST
 MANHATTAN, NY
 Site 2 of 2 in cluster BI**

**NY LTANKS S108639502
 N/A**

LTANKS:

Site ID: 380744
 Spill Number/Closed Date: 0701262 / 8/1/2007
 Spill Date: 4/30/2007
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: rmpiper
 Referred To: Not reported
 Reported to Dept: 4/30/2007
 CID: 408
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 4/30/2007
 Spill Record Last Update: 8/1/2007
 Spiller Name: MARC BODDEWYN
 Spiller Company: HUDSON RIVER PARK
 Spiller Address: WEST ST/ WATT ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: AXEL SCHWENDT
 Spiller Phone: (646) 388-3529
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 330168

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON RIVER PARK (Continued)

S108639502

DEC Memo: Sangesland spoke with Marcus Simmons with AKRF. Tank was uncovered and pulled. Contaminated soil was found. CSL letter was sent to: Marc Boddewyn Hudson River Park Trust Pier 40 @ West Houston St - 2nd Fl New York, NY 100147/26/07 Left message w. Axel requesting callback. 8/1/07- DEC Piper received report from AKRF. During installation of sewer, a 8k ust was discovered. The tank was removed along with 82 tons of soil. Endpoints revealed SVOC over TAGM. GW samples were collected which indicated slightly elevated levels of VOC's. The GW discharges to the hudson and is 15yds waway. Based on information and remediation to date, this spill is closed. See report on e-docs if warranted.

Remarks: HAS BEEN CONTAINED AND TANK WILL BE REMOVED ON WED.;

Material:
 Site ID: 380744
 Operable Unit ID: 1138222
 Operable Unit: 01
 Material ID: 2128201
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**BN317
 SW
 1/8-1/4
 0.231 mi.
 1222 ft.**

**BATTERY PARK BALLFIELD
 WEST ST MURRAY & N. END
 MANHATTAN, NY
 Site 1 of 2 in cluster BN**

**NY LTANKS S105234755
 NY Spills N/A**

LTANKS:
 Site ID: 287844
 Spill Number/Closed Date: 0202933 / 1/12/2004
 Spill Date: 6/20/2002
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TJDMEEO
 Referred To: Not reported
 Reported to Dept: 6/20/2002
 CID: 211
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BATTERY PARK BALLFIELD (Continued)

S105234755

Remediation Phase: 0
 Date Entered In Computer: 6/20/2002
 Spill Record Last Update: 1/12/2004
 Spiller Name: JIM NEWTON
 Spiller Company: BATTERY PARK BALLFIELD
 Spiller Address: WEST ST
 Spiller City,St,Zip: MANHATTAN, ZZ
 Spiller County: 001
 Spiller Contact: JIM NEWTON
 Spiller Phone: (631) 249-3150
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 233161
 DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEMO"6/20/02 TJDSoil contamination discovered during tank removal. 300 gallons #2 pumped out of tank prior to its removal. Impacted soils will be excavated and disposed of in accordance with regulations. Closure report to be sent in about one month.Contact: Mike Piccirillo (Liro Engineering) 201 522 92181/12/04 TJDClosure report submitted. Tyree excavated approximately 25 yds of contaminated soils for disposal. Elevated SVOC concentrations noted in sidewall samples. VOC and SVOC contamination noted in groundwater samples. DEC required additional remedial measures. Liro proposed and subsequently performed bio remediation on site using Waste Stream Technology's Bioblend M-5. Bioproduct was injected into sub-surface on 2/28/03. Subsequent sampling revealed soils and groundwater had been remediated to within established regualtory limits. No further action required. Spill closed.

Remarks: DURING REMOVAL OF 1000 UST SOIL CONTAMINATION DISCOVERED CLEAN UP IN PROGRESS

Material:

Site ID: 287844
 Operable Unit ID: 855921
 Operable Unit: 01
 Material ID: 520770
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

SPILLS:

Facility ID: 0107251
 Facility Type: ER
 DER Facility ID: 104542
 Site ID: 120390
 DEC Region: 2
 Spill Date: 10/14/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BATTERY PARK BALLFIELD (Continued)

S105234755

Spill Number/Closed Date: 0107251 / 10/15/2001
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: JMROMMEL
 Referred To: Not reported
 Reported to Dept: 10/14/2001
 CID: 266
 Water Affected: HUDSON RIVER
 Spill Source: Commercial Vehicle
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 10/14/2001
 Spill Record Last Update: 10/31/2001
 Spiller Name: Not reported
 Spiller Company: UNKNOWN
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ -
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL"MINOR HYDRAULIC OIL LEAK FROM WEEKS MARINE CRANE #524 DEC RESPONDED TO SITE, BOOMS DEPLOYED, SPILL DISSIPATED.Sangesland responded to site per direction of J. Rommel and Tom Kunkel (DEC). Small spill of hydraulic fluid into Hudson River just north of the WTC "Ground Zero". System was repaired. Spill disipated.Spill Closed

Remarks: A CRANE OPERATING AT "GROUND ZERO" IS LEAKING AN UNKNOWN PETROLEUM PRODUCT. PRODUCT IS ENTERING THE HUDSON RIVER BY PIER 25. VISIBLE SHEEN ON THE WATER. NOTIFIER SAYS THAT THE CRANE THAT IS LEAKING WILL BE OBVIOUS.

Material:
 Site ID: 120390
 Operable Unit ID: 844297
 Operable Unit: 01
 Material ID: 532077
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

BN318 SW 1/8-1/4 0.231 mi. 1222 ft.	WEST STREET AND HUDSON STREET WEST STREET AND HUDSON STREET NEW YORK CITY, NY 10006 Site 2 of 2 in cluster BN	RCRA NonGen / NLR NY MANIFEST	1007207056 NYP004036679
--	--	--	--

RCRA NonGen / NLR:

Date form received by agency: 01/03/2001
 Facility name: WEST STREET AND HUDSON STREET
 Facility address: WEST STREET AND HUDSON STREET
 NEW YORK CITY, NY 10006

 EPA ID: NYP004036679
 Mailing address: CONSOLIDATED EDISON INC.
 4 IRVING PLACE -- ROOM 300
 NEW YORK, NY 10003

 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC.
 NEW YORK, NY 10003

 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/02/2001
 Facility name: WEST STREET AND HUDSON STREET
 Classification: Not a generator, verified

Date form received by agency: 01/01/2001
 Facility name: WEST STREET AND HUDSON STREET
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004036679
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

WEST STREET AND HUDSON STREET (Continued)

1007207056

Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NJA2960655
 Manifest Status: Not reported
 Trans1 State ID: NJD003812047
 Trans2 State ID: Not reported
 Generator Ship Date: 04/23/1999
 Trans1 Recv Date: 04/23/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/05/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004036679
 Trans1 EPA ID: NJD002200046
 Trans2 EPA ID: Not reported
 TSDF ID: S10376
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 10000
 Units: P - Pounds
 Number of Containers: 025
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

BO319
East
1/8-1/4
0.232 mi.
1225 ft.

293 W BROADWAY
NEW YORK, NY 10013
Site 1 of 2 in cluster BO

EDR US Hist Auto Stat 1015394797
N/A

EDR Historical Auto Stations:

Name: ROMANUFACTURED TRANSMISSION CORP
 Year: 2003
 Address: 293 W BROADWAY

Name: ROMANUFACTURED TRANSMISSION CORP
 Year: 2004
 Address: 293 W BROADWAY

Name: REMANUFACTURED TRANSMISSION
 Year: 2010
 Address: 293 W BROADWAY

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BM320 CON EDISON NY MANIFEST S113494778
North 508 CANAL ST N/A
1/8-1/4 NEW YORK, NY 10013
0.233 mi.
1232 ft. Site 2 of 14 in cluster BM

NY MANIFEST:

EPA ID: NYP004284659
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 22-Jan-2013 00:00:00
 Trans1 Recv Date: 22-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 28-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284659
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 1000
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707036JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

BM321 North 1/8-1/4 0.233 mi. 1232 ft.	CON EDISON SERVICE BOX: 28496 508 CANAL ST NEW YORK, NY 10013 Site 3 of 14 in cluster BM	RCRA-CESQG FINDS 1016149799 NYP004284659
---	---	---

RCRA-CESQG:

Date form received by agency: 01/22/2013
 Facility name: CON EDISON SERVICE BOX: 28496
 Facility address: 508 CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYP004284659
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055465740

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 28496 (Continued)

1016149799

Environmental Interest/Information System

BB322 SE 1/8-1/4 0.234 mi. 1238 ft.	GLUE FAST EQUIPMENT CO INC 9-11 WHITE ST NEW YORK, NY	RCRA NonGen / NLR FINDS	1000196633 NYD001356542
	Site 4 of 4 in cluster BB		

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007

Facility name: GLUE FAST EQUIPMENT CO INC

Facility address: 9-11 WHITE ST
NEW YORK, NY 10013

EPA ID: NYD001356542

Mailing address: WHITE ST
NEW YORK, NY 10013

Contact: Not reported

Contact address: WHITE ST
NEW YORK, NY 10013

Contact country: US

Contact telephone: Not reported

Contact email: Not reported

EPA Region: 02

Land type: Facility is not located on Indian land. Additional information is not known.

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported

Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212

Legal status: Private

Owner/Operator Type: Operator

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Owner/operator name: Not reported

Owner/operator address: NOT REQUIRED
NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212

Legal status: Private

Owner/Operator Type: Owner

Owner/Op start date: Not reported

Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GLUE FAST EQUIPMENT CO INC (Continued)

1000196633

Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: GLUE FAST EQUIPMENT CO INC
 Classification: Not a generator, verified

Date form received by agency: 12/31/1979
 Facility name: GLUE FAST EQUIPMENT CO INC
 Classification: Not a generator, verified

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date: 11/13/1990
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Not reported
 Date achieved compliance: Not reported
 Evaluation lead agency: State

FINDS:

Registry ID: 110004334024

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

BM323
North
1/8-1/4
0.235 mi.
1239 ft.

510 CANAL ST
NEW YORK, NY 10013

Site 4 of 14 in cluster BM

EDR US Hist Auto Stat 1015530492
N/A

EDR Historical Auto Stations:

Name: MANHATTAN TRANSMISSIONS
 Year: 1999
 Address: 510 CANAL ST

Name: ABRAMOWITZ TRANSMISSIONS
 Year: 2004
 Address: 510 CANAL ST

Name: ABRAMOWITZ TRANSMISSIONS
 Year: 2010
 Address: 510 CANAL ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

(Continued)

1015530492

Name: AMERICAN EAGLE TOWING & AUTO REPAIR
 Year: 2011
 Address: 510 CANAL ST

Name: AMERICAN EAGLE TOWING & AUTO REPAIR
 Year: 2012
 Address: 510 CANAL ST

BM324 **FIVE STAR AUTOTEC**
North **510 CANAL STREET**
1/8-1/4 **NEW YORK, NY 11101**
0.235 mi.
1239 ft. **Site 5 of 14 in cluster BM**

NY UST **U003297797**
N/A

UST:
 Id/Status: 2-600422 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583673.52870000002
 UTM Y: 4508695.1335199997
 Site Type: Retail Gasoline Sales

Affiliation Records:
 Site Id: 22404
 Affiliation Type: Facility Owner
 Company Name: AMI LASKER/FIVE STAR AUTOTEC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 34-14 31ST STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 11100
 Country Code: 001
 Phone: (718) 361-6363
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22404
 Affiliation Type: Mail Contact
 Company Name: FIVE STAR AUTOTEC
 Contact Type: Not reported
 Contact Name: AMI LASKER
 Address1: 510 CANAL STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 226-6767
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FIVE STAR AUTOTEC (Continued)

U003297797

Site Id: 22404
 Affiliation Type: On-Site Operator
 Company Name: FIVE STAR AUTOTEC
 Contact Type: Not reported
 Contact Name: AMI LASKER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-6767
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 22404
 Affiliation Type: Emergency Contact
 Company Name: AMI LASKER/FIVE STAR AUTOTEC
 Contact Type: Not reported
 Contact Name: AMI LASKER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-6767
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank ID: 42597
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FIVE STAR AUTOTEC (Continued)

U003297797

H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 002
 Tank ID: 42598
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

Tank Number: 003
 Tank ID: 42599
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FIVE STAR AUTOTEC (Continued)

U003297797

Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 C02 - Pipe Location - Underground/On-ground
 B00 - Tank External Protection - None

Tank Number: 004
 Tank ID: 42600
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 C02 - Pipe Location - Underground/On-ground

Tank Number: 005
 Tank ID: 42601
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FIVE STAR AUTOTEC (Continued)

U003297797

Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground

Tank Number: 006
 Tank ID: 42602
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 C02 - Pipe Location - Underground/On-ground
 G00 - Tank Secondary Containment - None
 F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser

Tank Number: 007
 Tank ID: 53782
 Tank Status: Closed - Removed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FIVE STAR AUTOTEC (Continued)

U003297797

Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 008
 Tank ID: 53783
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 550
 Install Date: 02/01/1998
 Date Tank Closed: 02/01/1998
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 C02 - Pipe Location - Underground/On-ground
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

FIVE STAR AUTOTEC (Continued)

U003297797

B00 - Tank External Protection - None

BM325	CON EDISON	NY MANIFEST	S113494777
North	510 CANAL ST		N/A
1/8-1/4	NEW YORK, NY 10013		
0.235 mi.			
1239 ft.	Site 6 of 14 in cluster BM		

NY MANIFEST:

EPA ID:	NYP004284642
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	22-Jan-2013 00:00:00
Trans1 Recv Date:	22-Jan-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	28-Jan-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004284642
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010707035JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

BM326	CON EDISON SERVICE BOX: 28495	RCRA-CESQG	1016149798
North	510 CANAL ST	FINDS	NYP004284642
1/8-1/4	NEW YORK, NY 10013		
0.235 mi.			
1239 ft.	Site 7 of 14 in cluster BM		

RCRA-CESQG:

Date form received by agency: 01/22/2013
 Facility name: CON EDISON SERVICE BOX: 28495
 Facility address: 510 CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYP004284642
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110019488259

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 28495 (Continued)

1016149798

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

**BH327
NNW
1/8-1/4
0.238 mi.
1257 ft.**

**CON EDISON SERVICE BOX: 49065
463 WASHINGTON ST
NEW YORK, NY 10013**

**RCRA-CESQG 1016149843
FINDS NYP004285094**

Site 2 of 5 in cluster BH

RCRA-CESQG:

Date form received by agency: 01/24/2013
 Facility name: CON EDISON SERVICE BOX: 49065
 Facility address: 463 WASHINGTON ST
 NEW YORK, NY 10013
 EPA ID: NYP004285094
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 49065 (Continued)

1016149843

Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055420682

Environmental Interest/Information System

**BH328
 NNW
 1/8-1/4
 0.238 mi.
 1257 ft.**

**CON EDISON
 OPP 463 WASHINGTON ST
 NEW YORK, NY 10013**

Site 3 of 5 in cluster BH

**NY MANIFEST S113494817
 N/A**

NY MANIFEST:

EPA ID: NYP004285086
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 24-Jan-2013 00:00:00
 Trans1 Recv Date: 24-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 30-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004285086
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010707059JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON (Continued)

S113494817

Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

**BH329
NNW
1/8-1/4
0.238 mi.
1257 ft.**

**CON EDISON
463 WASHINGTON ST
NEW YORK, NY

Site 4 of 5 in cluster BH**

**NY MANIFEST S113494818
N/A**

NY MANIFEST:

EPA ID:	NYP004285094
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	24-Jan-2013 00:00:00
Trans1 Recv Date:	24-Jan-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	30-Jan-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004285094
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	2000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010707060JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

CON EDISON (Continued)

S113494818

Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

BH330	CON EDISON SERVICE BOX: 49060	RCRA-CESQG	1016149842
NNW	463 WASHINGTON ST OPPOSITE		NYP004285086
1/8-1/4	NEW YORK, NY 10013		
0.238 mi.			
1257 ft.	Site 5 of 5 in cluster BH		

RCRA-CESQG:

Date form received by agency: 01/24/2013
 Facility name: CON EDISON SERVICE BOX: 49060
 Facility address: 463 WASHINGTON ST OPPOSITE
 NEW YORK, NY 10013
 EPA ID: NYP004285086
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

CON EDISON SERVICE BOX: 49060 (Continued)

1016149842

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

**BL331
 ENE
 1/8-1/4
 0.238 mi.
 1259 ft.**

**CON EDISON MANHOLE 46264
 GRAND ST & 6TH AVE
 NEW YORK, NY 10003**

**RCRA NonGen / NLR 1010327052
 NY MANIFEST NYP004144382**

Site 2 of 4 in cluster BL

RCRA NonGen / NLR:

Date form received by agency: 01/11/2007
 Facility name: CON EDISON MANHOLE 46264
 Facility address: GRAND ST & 6TH AVE
 NE CORNER OF GRAND
 NEW YORK, NY 10003
 EPA ID: NYP004144382
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: TIMOTHY REGAN
 Contact address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (718) 204-4221
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/10/2007
 Facility name: CON EDISON MANHOLE 46264
 Site name: CON EDISON
 Classification: Not a generator, verified

Date form received by agency: 01/09/2007
 Facility name: CON EDISON MANHOLE 46264
 Site name: CON EDISON
 Classification: Unverified

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

CON EDISON MANHOLE 46264 (Continued)

1010327052

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004144382
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PL RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE1587942
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 08/08/2006
 Trans1 Recv Date: 08/08/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08/09/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004144382
 Trans1 EPA ID: 69526JR
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00202
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2006

BK332 FORMERLY MOBIL S/S 17-509
East 386 CANAL STREET
1/8-1/4 MANHATTAN, NY 10013
0.239 mi.
1260 ft. Site 2 of 14 in cluster BK

NY UST U003312829
N/A

UST:

Id/Status: 2-157988 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 584089.40928999998
 UTM Y: 4508310.16411999999
 Site Type: Retail Gasoline Sales

Affiliation Records:

Site Id: 5261
 Affiliation Type: Emergency Contact

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

Company Name: MOBIL OIL CORPORATION
 Contact Type: Not reported
 Contact Name: ENVIRONMENTAL HELP DESK
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (800) 662-4567
 EMail: Not reported
 Fax Number: Not reported
 Modified By: BKFALVEY
 Date Last Modified: 10/3/2006

Site Id: 5261
 Affiliation Type: Facility Owner
 Company Name: MOBIL OIL CORPORATION
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 3225 GALLOWS RD., 6W307
 Address2: Not reported
 City: FAIRFAX
 State: VA
 Zip Code: 22037
 Country Code: 001
 Phone: (703) 849-6252
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 5261
 Affiliation Type: Mail Contact
 Company Name: MOBIL OIL C/O NDE ENVIRONMENTAL
 Contact Type: Not reported
 Contact Name: NORMA HILL
 Address1: P.O. BOX 142667
 Address2: Not reported
 City: AUSTIN
 State: TX
 Zip Code: 78714-2667
 Country Code: 001
 Phone: (800) 327-8431
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 5261
 Affiliation Type: On-Site Operator
 Company Name: FORMERLY MOBIL S/S 17-509
 Contact Type: Not reported
 Contact Name: HARVINDER SINGH
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 343-2446
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 0001
 Tank ID: 47244
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 06/01/1993
 Date Tank Closed: 11/01/1996
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 07/01/1993
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 I01 - Overfill - Float Vent Valve
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 B03 - Tank External Protection - Original Impressed Current
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 0002
 Tank ID: 47245
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 06/01/1993
 Date Tank Closed: 11/01/1996
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

Tightness Test Method: 01
 Date Test: 07/01/1993
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I01 - Overfill - Float Vent Valve
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 B03 - Tank External Protection - Original Impressed Current
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 0003
 Tank ID: 47246
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 06/01/1993
 Date Tank Closed: 11/01/1996
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 07/01/1993
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I01 - Overfill - Float Vent Valve
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 B03 - Tank External Protection - Original Impressed Current
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 0004
 Tank ID: 47247
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

Install Date: 06/01/1993
 Date Tank Closed: 11/01/1996
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 07/01/1993
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 B03 - Tank External Protection - Original Impressed Current
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I01 - Overfill - Float Vent Valve
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin

Tank Number: 0005
 Tank ID: 47248
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 06/01/1993
 Date Tank Closed: 11/01/1996
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 07/01/1993
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 I01 - Overfill - Float Vent Valve
 B03 - Tank External Protection - Original Impressed Current
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 001
 Tank ID: 40162
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 12/01/1967
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B08 - Tank External Protection - Retrofitted Impressed Current
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 I01 - Overfill - Float Vent Valve
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 002
 Tank ID: 40163
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 12/01/1967
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I01 - Overfill - Float Vent Valve
 B08 - Tank External Protection - Retrofitted Impressed Current
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin

Tank Number: 003
 Tank ID: 40164
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 12/01/1967
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 I01 - Overfill - Float Vent Valve
 B08 - Tank External Protection - Retrofitted Impressed Current
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 004
 Tank ID: 40165
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 12/01/1967
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B08 - Tank External Protection - Retrofitted Impressed Current
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 I01 - Overfill - Float Vent Valve
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 005
 Tank ID: 40166
 Tank Status: Closed - In Place
 Material Name: Closed - In Place
 Capacity Gallons: 4000
 Install Date: 12/01/1967
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B08 - Tank External Protection - Retrofitted Impressed Current
 F04 - Pipe External Protection - Fiberglass
 K01 - Spill Prevention - Catch Basin
 C02 - Pipe Location - Underground/On-ground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 J01 - Dispenser - Pressurized Dispenser
 I01 - Overfill - Float Vent Valve
 D06 - Pipe Type - Fiberglass Reinforced Plastic (FRP)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Number: 006
 Tank ID: 40167
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: 12/01/1967

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

FORMERLY MOBIL S/S 17-509 (Continued)

U003312829

Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel

Tank Number: 007
 Tank ID: 40168
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: 12/01/1967
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

I00 - Overfill - None
 G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 B00 - Tank External Protection - None

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BK333 MOBIL OIL CORP SS #509 RCRA NonGen / NLR 1000553806
East 386 CANAL ST FINDS NYD986962405
1/8-1/4 NEW YORK, NY 10013 NY LTANKS
0.239 mi. Site 3 of 14 in cluster BK NY MANIFEST
1260 ft. NY Spills

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: MOBIL OIL CORP SS #509
 Facility address: 386 CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYD986962405
 Mailing address: GALLOWS RD - MKTG ENVIRON
 FAIRFAX, NY 220370001
 Contact: Not reported
 Contact address: GALLOWS RD - MKTG ENVIRON
 FAIRFAX, NY 220370001
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: MOBIL OIL CORP
 Owner/operator address: 3225 GALLOWS RD
 FAIRFAX, VA 22037
 Owner/operator country: US
 Owner/operator telephone: (703) 849-3330
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: MOBIL OIL CORP
 Owner/operator address: 3225 GALLOWS RD
 FAIRFAX, VA 22037
 Owner/operator country: US
 Owner/operator telephone: (703) 849-3330
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL OIL CORP SS #509 (Continued)

1000553806

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: MOBIL OIL CORP SS #509
 Classification: Not a generator, verified

Date form received by agency: 07/21/1999
 Facility name: MOBIL OIL CORP SS #509
 Classification: Large Quantity Generator

Date form received by agency: 06/15/1998
 Facility name: MOBIL OIL CORP SS #509
 Site name: MOBIL OIL #17-509
 Classification: Large Quantity Generator

Date form received by agency: 04/10/1991
 Facility name: MOBIL OIL CORP SS #509
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004472366

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

LTANKS:

Site ID: 82182
 Spill Number/Closed Date: 9601700 / 5/7/1998
 Spill Date: 5/3/1996
 Spill Cause: Tank Overfill
 Spill Source: Gasoline Station
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SPSARNOW
 Referred To: Not reported
 Reported to Dept: 5/3/1996
 CID: 349
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL OIL CORP SS #509 (Continued)

1000553806

Remediation Phase: 0
 Date Entered In Computer: 5/3/1996
 Spill Record Last Update: 9/11/2003
 Spiller Name: JOANNE WALLACH
 Spiller Company: EXXONMOBIL
 Spiller Address: 3225 GALLOWS ROAD
 Spiller City,St,Zip: FAIRFAX, VA 22037-001
 Spiller County: 001
 Spiller Contact: MR PERODE
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 57353
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SARNOWICZ" This spill site has been transferred from DEC Sigona to RemedialBureau B, on August 4, 2003. CLOSE OUT & CROSS REFERENCE TO SPILL # 8802456. reassigned from O'Connell to Sigona on 11/1/00
 Remarks: Caller didn't get name of Gas Station - caller stated "overflow"

Material:

Site ID: 82182
 Operable Unit ID: 1033265
 Operable Unit: 01
 Material ID: 351508
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 59309
 Spill Number/Closed Date: 9512066 / 5/7/1998
 Spill Date: 12/25/1995
 Spill Cause: Tank Overfill
 Spill Source: Gasoline Station
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SPSARNOW
 Referred To: Not reported
 Reported to Dept: 12/25/1995
 CID: 349
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL OIL CORP SS #509 (Continued)

1000553806

Remediation Phase: 0
 Date Entered In Computer: 12/25/1995
 Spill Record Last Update: 9/11/2003
 Spiller Name: MIKE MEOLA
 Spiller Company: EXXONMOBIL CORP.
 Spiller Address: 464 DOUGHTY BLVD.
 Spiller City,St,Zip: INWOOD, NY 11096
 Spiller County: 001
 Spiller Contact: HARRY SINGH
 Spiller Phone: (212) 343-2446
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 57353
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

Remarks: "SARNOWICZ" This spill site has been transferred from DEC Sigona to RemedialBureau B, on August 4, 2003. CLOSE OUT & CROSS REFERENCE TO SPILL # 8802456 reassigned from O'Dowd to Sigona on 11/1/00
 FDNY on scene applied speedy dry for clean up - spill occurred during delivery

Material:
 Site ID: 59309
 Operable Unit ID: 1026275
 Operable Unit: 01
 Material ID: 359383
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

NY MANIFEST:
 EPA ID: NYD986962405
 Country: USA
 Mailing Name: MOBIL OIL CORP #509
 Mailing Contact: ROSEANN FAVARO
 Mailing Address: 3225 GALLOWS RD
 Mailing Address 2: Not reported
 Mailing City: FAIRFAX
 Mailing State: VA
 Mailing Zip: 22037
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 703-849-3330

Document ID: NJA2760963
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: S5811

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL OIL CORP SS #509 (Continued)

1000553806

Trans2 State ID: Not reported
 Generator Ship Date: 971204
 Trans1 Recv Date: 971204
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 971204
 Part A Recv Date: Not reported
 Part B Recv Date: 980120
 Generator EPA ID: NYD986962405
 Trans1 EPA ID: NJ0000027193
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01295
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

Document ID: NYG0414162
 Manifest Status: Completed after the designated time period for a TSD to get a copy to the DEC
 Trans1 State ID: PD1011NY
 Trans2 State ID: Not reported
 Generator Ship Date: 971230
 Trans1 Recv Date: 971231
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 971231
 Part A Recv Date: 980120
 Part B Recv Date: 980130
 Generator EPA ID: NYD986962405
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D001 - NON-LISTED IGNITABLE WASTES
 Quantity: 01600
 Units: P - Pounds
 Number of Containers: 004
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

SPILLS:

Facility ID: 9601699
 Facility Type: ER
 DER Facility ID: 57353
 Site ID: 59310
 DEC Region: 2
 Spill Date: 5/3/1996
 Spill Number/Closed Date: 9601699 / 5/9/1996
 Spill Cause: Equipment Failure
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: SPSARNOW

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL OIL CORP SS #509 (Continued)

1000553806

Referred To: Not reported
 Reported to Dept: 5/3/1996
 CID: 201
 Water Affected: Not reported
 Spill Source: Commercial Vehicle
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 5/3/1996
 Spill Record Last Update: 9/11/2003
 Spiller Name: MIKE MEOLA
 Spiller Company: EXXONMOBIL CORPORATION
 Spiller Address: 464 DOUGHTY BLVD.
 Spiller City,St,Zip: INWOOD, NY 11096
 Spiller Company: 001
 Contact Name: CALLER
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SARNOWICZ" This spill site has been transferred from DEC Sigona to RemedialBureau B, on August 4, 2003. Reassigned from DEC Katz to Sigona on 11/1/00
 Remarks: NOTIFIER MAKING GAS DELIVERY SPILLED GAS ON PAVEMENT-SPILL CLEANEDUP

Material:
 Site ID: 59310
 Operable Unit ID: 1033263
 Operable Unit: 01
 Material ID: 351507
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 8802456
 Facility Type: ER
 DER Facility ID: 57353
 Site ID: 59308
 DEC Region: 2
 Spill Date: 4/18/1988
 Spill Number/Closed Date: 8802456 / 5/28/2013
 Spill Cause: Unknown
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: KPSARNOW

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL OIL CORP SS #509 (Continued)

1000553806

Referred To: PILOT STUDY HAS BEEN EXTENDED
 Reported to Dept: 6/17/1988
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: True
 Remediation Phase: 0
 Date Entered In Computer: 6/24/1988
 Spill Record Last Update: 6/7/2013
 Spiller Name: MIKE MEOLA
 Spiller Company: EXXONMOBIL CORP.
 Spiller Address: 464 DOUGHTY BLVD.
 Spiller City,St,Zip: INWOOD, NY 11096
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SARNOWICZ" This spill site has been transferred from DEC Sigona to Remedial Bureau B, on August 4, 2003. Reassigned from Sullivan to Sigona on 11/1/00. On August 10, 2000, DEC (Sigona) and NYSDOH (McDonald) performed a site investigation with MTA (Transit Authority) and ExxonMobil (Meola) and Handex representatives to address gasoline seepage and gasoline vapors into subsurface MTA offices at Canal Street and Sixth Avenue Subway Station. According to Handex June 5, 2000 report, air samples were compared with vapor analysis from Monitoring well No. 3. There has been a presence of free product in MW No. 3 in recent months 1999-2000. ExxonMobil agreed to install a vapor treatment system and perform remediation of seepage from groundwater into subway tunnel. This spill site has been transferred from DEC Sigona to Remedial Bureau B, Sarnowicz, on August 4, 2003. The RegenOx and ORC injection are being monitored for continued effectiveness. 3/3/10 - A feasibility study was conducted to evaluate the structural integrity and efficacy of utilizing lateral screened pipes beneath the slab of the on-site building. PID screening values and laboratory analytical data of air samples collected indicate the potential for vapor phase hydrocarbon recovery is minimal. 5/21/10 - Exxon Mobil request approval to perform another RegenOx and ORC injection. 3/29/10 - The SSUR was submitted for review. 5/26/10 - The Department approved another round of RegenOx and ORC injections. 6/20/10 - The RegenOx and ORC injections were implemented at the site. 9/8/10 - The SSUR was submitted for review. 5/26/11 - The Department approved Kleinfelder to shut down the indoor air treatment system to collect samples without the system running to gather data to determine its effectiveness. 6/10/11 - SSUR submitted requesting another round of RegenOx and ORC injections. Kleinfelder scheduled the injection for 6/25/11. DOT scheduled a review of the permit for 3:45 PM on 6/28/11. The injection will be rescheduled after the meeting. The indoor air treatment system is proposed to be shut down beginning 6/30 to gather data without it running. 6/24/11 - nine monitoring wells were gauged and six monitoring wells were sampled. Liquid-phase hydrocarbons (LPH) were not detected in the monitoring wells gauged. Laboratory analytical

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL OIL CORP SS #509 (Continued)

1000553806

data indicates that dissolved-phase hydrocarbon concentrations are generally consistent with last quarter's data collected from the Site. groundwater samples collected from monitoring wells MW-1, MW-6 and MW-11 were analyzed for general petroleum degraders. The results indicate that fluorescent pseudomonas are present in monitoring wells MW-1 and MW-11. The presence of petroleum degrading microbial organisms, as well as dissolved oxygen, indicates that conditions remain favorable for natural degradation to continue. June 28, 2011 - The VAS was temporarily shut down in accordance with a May 26, 2011 New York State Department of Environmental Conservation (NYSDEC) letter approving temporary shutdown contingent upon a series of air sampling events. Six indoor air sampling events are currently being conducted in accordance with the May 26, 2011 NYSDEC letter. An Indoor Air Evaluation Report will be submitted within 60 days after receipt of analytical data from the last indoor air sampling event. July 9 and 10, 2011, remedial injections of RegenOx and ORC Advanced were performed in accordance with the work plan outlined in the April 21, 2008 Remedial Action Plan Amendment. The RegenOx and ORC injections are being monitored for continued effectiveness. November 7, 2011 - DER reviewed the SSUR submitted on 9/7/11. The Department found the report unacceptable. On 10/11/11 The Department requested the conclusions and recommendation section be revised to explain the rise in BTEX concentrations at monitoring well MW-11. The Department also request a monitoring well be installed down gradient of MW-11 to demonstrate that the remedial plan is working and plume has not simply migrated down gradient. On 10/19/11 the Department agreed to allow Kleinfelder to address the comments in the SSUR that is scheduled to be submitted on 11/18/11. December 19, 2011 - Kleinfelder submitted the SSUR dated 11/15/11 that included a response to the Department's comments. Kleinfelder has assessed potential locations for the installation of a monitoring well down gradient (northeast) of monitoring well MW-11, and the value installation of this monitoring well would provide. Based on this evaluation, Kleinfelder does not propose installation of a down-gradient well since it would have to be installed downgradient beyond the underground structures in the flow path. On November 23, 2011 Kleinfelder submitted an indoor air investigation report that included a request to permanently shut down the VAS system. DEC forward the report to NYSDOH for review. DOH agreed to shut the system down and collect another round of samples in March 2012 to evaluate the indoor air with the VAS system not running during the heating season. 2/28/12 - The Department was notified on 2/8/12 that another ORC injection event was planned for February. The SSUR was submitted on 2/13/12. 4/11/12 - The SSUR was submitted on 4/5/12. On 3/8 and 9/12, an Indoor Air Quality (IAQ) assessment was conducted adjacent to the site within the New York City Metropolitan Transit Authority (MTA) subway office located beneath Sixth Avenue. On 3/9/12 a total of nine monitoring wells were gauged and eight monitoring wells were sampled. Liquid-phase hydrocarbons were not detected in the monitoring wells gauged. On 3/14 and 15/12 a chemical oxidation injection event was completed. A total of 225 pounds of RegenOx-Part B (activator complex) and 245 pounds of RegenOx-Part A (oxidizer complex) were mixed with approximately 995 gallons of water and injected under pressure into monitoring wells MW-5, MW-10 and MW-11. Dissolved phase concentrations of benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl tertiary butyl ether (MTBE) in monitoring wells MW-1, MW-2, MW-7, and MW-9 were below laboratory detection limits.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL OIL CORP SS #509 (Continued)

1000553806

Concentrations of BTEX and MTBE in monitoring wells MW-5, MW-6, MW-10 and MW-11 are generally consistent with the last reporting period. 5/22/12 - The Department and NYSDOH approved the shutdown of the VAS system at the site on 5/18/12. Future indoor monitoring and sampling is no longer required. November 29, 2012 - Department has received and is reviewing a SSUR dated October 23, 2012. During September 10, 2012 - Nine monitoring wells were gauged and eight monitoring wells were sampled. Liquid-phase hydrocarbons were not detected in the monitoring wells gauged. Dissolved phase concentrations of benzene, toluene, ethylbenzene, total xylenes (BTEX), and methyl tertiary butyl ether (MTBE) in monitoring wells MW-2, MW-6, MW-7 and MW-9 were below laboratory detection limits. Concentrations of BTEX and MTBE in monitoring wells MW-5 and MW-10 are generally consistent with the last reporting period. Concentrations of BTEX and MTBE in monitoring well MW-1 is higher than the last reporting period. The next groundwater gauging and sampling event will occur in the fourth quarter of 2012. The SSUR does not conclude if another round of RegenOx and ORC injections would be beneficial. The Department will draft comments regarding this SSUR and send them to ExxonMobil. December 20, 2012 - Revised SSUR was submitted for review on 12/18/12. Based on the most recent quarterly groundwater sampling data from September 10, 2012, all monitoring wells exhibit concentrations that are below 1,000 ppb BTEX and 500 ppb MTBE. Total BTEX and MTBE in monitoring wells MW-2, MW-6, MW-7 and MW-9 were below laboratory detection limits. The Hydro/Concentration graphs prepared by GES show a decreasing trend in concentrations for monitoring wells MW-5, MW-10 and MW-11 when compared to the previous groundwater samples events. Following this trend, GES believes that BTEX and MTBE concentrations will continue to decrease throughout the first quarter of 2013. GES will continue to monitor ground water analytical data throughout the first quarter of 2013, and depending on the results, proposes up to two RegenOx injection events for 2013 followed by continued monitoring of groundwater concentration trends. Should these additional groundwater sampling events show stable and/or decreasing trends in groundwater quality, GES will request no further action. March 21, 2013 - GES met with the Department on 2/28/13 to discuss this spill. GES believes that no further action is warranted and will complete an Exposure Assessment in support of a NFA request. May 1, 2013 - Site Status Update Report prepared was submitted for review. GES is finalizing an Exposure Assessment and additional Site Status Update Report in support of Departmental evaluation of site conditions for no further action. May 16, 2013 - An Exposure Assessment with request for spill closure was submitted for review.

Remarks: PRODUCT FOUND IN OBSERVATION WELLS, MOBIL HIRED CONSULTANTS TO CLEAN SPILL.

Material:
 Site ID: 59308
 Operable Unit ID: 919676
 Operable Unit: 01
 Material ID: 458022
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL OIL CORP SS #509 (Continued)

1000553806

Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**BP334
 ENE
 1/8-1/4
 0.239 mi.
 1260 ft.**

**TRINITY CHURCH - PROPERTY OWNER
 101 AVE OF THE AMERICAS
 NEW YORK, NY
 Site 1 of 2 in cluster BP**

**RCRA-SQG 1000103442
 FINDS NYD986885564
 NY MANIFEST**

RCRA-SQG:

Date form received by agency: 08/29/2013
 Facility name: NEW YORK GENOME CENTER
 Facility address: 101 AVE OF THE AMERICAS
 NEW YORK, NY 10013
 EPA ID: NYD986885564
 Mailing address: AVE OF THE AMERICAS
 NEW YORK, NY 10013
 Contact: TANJA SMITH
 Contact address: AVE OF THE AMERICAS
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (917) 753-3353
 Contact email: TSMITH@NYGENOME.ORG
 EPA Region: 02
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: NEW YORK GENOME CENTER
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 07/22/2013
 Owner/Op end date: Not reported

Owner/operator name: NEW YORK GENOME CENTER
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 07/22/2013
 Owner/Op end date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2007
 Facility name: NEW YORK GENOME CENTER
 Site name: TRINITY CHURCH - PROPERTY OWNER
 Classification: Not a generator, verified

Date form received by agency: 01/01/2006
 Facility name: NEW YORK GENOME CENTER
 Site name: TRINITY CHURCH - PROPERTY OWNER
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: NEW YORK GENOME CENTER
 Site name: TRINITY CHURCH - PROPERTY OWNER
 Classification: Not a generator, verified

Date form received by agency: 12/29/1989
 Facility name: NEW YORK GENOME CENTER
 Site name: TRINITY CHURCH - PROPERTY OWNER
 Classification: Large Quantity Generator

Hazardous Waste Summary:

Waste code: D001
 Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKEY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Waste code: F003
 Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Violation Status: No violations found

FINDS:

Registry ID: 110008036026

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986885564
 Country: USA
 Mailing Name: TRINITY CHURCH
 Mailing Contact: N/S
 Mailing Address: 74 TRINITY PL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10006
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-602-0814

Document ID: NYB1336635
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900216
 Trans1 Recv Date: 900216
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900219
 Part A Recv Date: 900312
 Part B Recv Date: 900306
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: ILD099202681
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Quantity:	41280
Units:	P - Pounds
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	90
Document ID:	NYB1336617
Manifest Status:	Completed copy
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	900222
Trans1 Recv Date:	900222
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	900223
Part A Recv Date:	900312
Part B Recv Date:	900308
Generator EPA ID:	NYD986885564
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSD ID:	NYD049836679
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	04300
Units:	P - Pounds
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	90
Document ID:	NYB1375578
Manifest Status:	Completed copy
Trans1 State ID:	000000000
Trans2 State ID:	000000000
Generator Ship Date:	900222
Trans1 Recv Date:	900222
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	900223
Part A Recv Date:	900313
Part B Recv Date:	900308
Generator EPA ID:	NYD986885564
Trans1 EPA ID:	NYD051809952
Trans2 EPA ID:	Not reported
TSD ID:	NYD049836679
Waste Code:	D008 - LEAD 5.0 MG/L TCLP
Quantity:	37500
Units:	P - Pounds
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	90

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Document ID: NYB1336428
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: ILD099202681
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 42980
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1336455
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: ILD099202681
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 48200
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1336671
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900220
 Trans1 Recv Date: 900220
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900221
 Part A Recv Date: 900307

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Part B Recv Date: 900306
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: ILD099202681
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 34880
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1336212
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900223
 Trans1 Recv Date: 900223
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900226
 Part A Recv Date: 900313
 Part B Recv Date: 900308
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: ILD099202681
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 39280
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375533
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900222
 Trans1 Recv Date: 900222
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900223
 Part A Recv Date: 900312
 Part B Recv Date: 900308
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 37820
 Units: P - Pounds
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1336572
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900221
 Trans1 Recv Date: 900221
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900222
 Part A Recv Date: 900312
 Part B Recv Date: 900306
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 42460
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375650
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900226
 Trans1 Recv Date: 900226
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900227
 Part A Recv Date: 900319
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD046765574
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 65300
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375560
 Manifest Status: Completed copy
 Trans1 State ID: 000000000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Trans2 State ID: 000000000
 Generator Ship Date: 900222
 Trans1 Recv Date: 900222
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900223
 Part A Recv Date: 900312
 Part B Recv Date: 900308
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 32400
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375848
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900319
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 37840
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1336581
 Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC
 Trans1 State ID: 38852BNY
 Trans2 State ID: Not reported
 Generator Ship Date: 900221
 Trans1 Recv Date: 900221
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900222
 Part A Recv Date: 900313
 Part B Recv Date: 900320
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 43800
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375758
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900226
 Trans1 Recv Date: 900226
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900227
 Part A Recv Date: 900320
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 41020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1336563
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900221
 Trans1 Recv Date: 900221
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900222
 Part A Recv Date: 900312
 Part B Recv Date: 900306
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSDF ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 42300
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Year: 90

Document ID: NYB1375794
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 40160
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375713
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900226
 Trans1 Recv Date: 900226
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900227
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 40560
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375785
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 38440
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375803
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 37900
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DT - Dump trucks
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 90

Document ID: NYB1375812
 Manifest Status: Completed copy
 Trans1 State ID: 000000000
 Trans2 State ID: 000000000
 Generator Ship Date: 900227
 Trans1 Recv Date: 900227
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 900228
 Part A Recv Date: 900316
 Part B Recv Date: 900313
 Generator EPA ID: NYD986885564
 Trans1 EPA ID: NYD051809952
 Trans2 EPA ID: Not reported
 TSD ID: NYD049836679
 Waste Code: D008 - LEAD 5.0 MG/L TCLP

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

TRINITY CHURCH - PROPERTY OWNER (Continued)

1000103442

Quantity:	38840
Units:	P - Pounds
Number of Containers:	001
Container Type:	DT - Dump trucks
Handling Method:	L Landfill.
Specific Gravity:	100
Year:	90

[Click this hyperlink](#) while viewing on your computer to access
46 additional NY_MANIFEST: record(s) in the EDR Site Report.

**BP335
ENE
1/8-1/4
0.239 mi.
1260 ft.**

**HRH CONSTRUCTION CORP
101 AVENUE OF AMERICAS
NEW YORK, NY**

**NY LTANKS S102142152
N/A**

Site 2 of 2 in cluster BP

LTANKS:

Site ID:	165222
Spill Number/Closed Date:	8910872 / 10/21/2003
Spill Date:	2/14/1990
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	3101
Investigator:	SIGONA
Referred To:	Not reported
Reported to Dept:	2/14/1990
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	2/14/1990
Spill Record Last Update:	10/21/2003
Spiller Name:	JOHN FEDELI
Spiller Company:	HRH CONSTRUCTION CORP
Spiller Address:	Not reported
Spiller City,St,Zip:	ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	139282
DEC Memo:	Not reported
Remarks:	DURING TEST PIT DIGGING, UNK TANK DISCOVERED - DURING TANK REMOVAL BACKHOE OPERATOR LIFTED TANKK, SPILLING GASOLINE - PULVER-MILLER REQUESTS CALL BACK

Material:
Site ID: 165222

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HRH CONSTRUCTION CORP (Continued)

S102142152

Operable Unit ID: 936401
 Operable Unit: 01
 Material ID: 440424
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

BM336
North
1/8-1/4
0.240 mi.
1265 ft.

CON EDISON
484 GREENWICH ST
NEW YORK, NY 10013

NY MANIFEST S113494757
N/A

Site 8 of 14 in cluster BM

NY MANIFEST:

EPA ID: NYP004284444
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 21-Jan-2013 00:00:00
 Trans1 Recv Date: 21-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 22-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284444
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494757

Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010456054JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**BM337
 North
 1/8-1/4
 0.240 mi.
 1265 ft.**

**CON EDISON SERVICE BOX: 36290
 484 GREENWICH ST
 NEW YORK, NY**

**RCRA-CESQG 1016149778
 FINDS NYP004284444**

Site 9 of 14 in cluster BM

RCRA-CESQG:

Date form received by agency: 01/21/2013
 Facility name: CON EDISON SERVICE BOX: 36290
 Facility address: 484 GREENWICH ST
 NEW YORK, NY 10013
 EPA ID: NYP004284444
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX: 36290 (Continued)

1016149778

Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055465642

Environmental Interest/Information System

**338
 ESE
 1/8-1/4
 0.240 mi.
 1265 ft.**

**CON EDISON GAS MAIN 6CI
 15 WALKER ST
 NEW YORK, NY 10013**

**RCRA NonGen / NLR 1010326254
 NY MANIFEST NYP004140224**

RCRA NonGen / NLR:

Date form received by agency: 07/05/2006
 Facility name: CON EDISON GAS MAIN 6CI
 Facility address: 15 WALKER ST
 NEW YORK, NY 10013
 EPA ID: NYP004140224
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: MICHAEL D'AGOSTINO
 Contact address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (917) 559-8958
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON GAS MAIN 6CI (Continued)

1010326254

Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 07/04/2006
 Facility name: CON EDISON GAS MAIN 6CI
 Site name: CON EDISON
 Classification: Not a generator, verified

Date form received by agency: 07/03/2006
 Facility name: CON EDISON GAS MAIN 6CI
 Site name: CON EDISON
 Classification: Unverified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004140224
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: CONSOLIDATED EDISON
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE1538892
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 02/23/2006
 Trans1 Recv Date: 02/23/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/24/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004140224
 Trans1 EPA ID: 12446JT
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2006

Document ID: NYE1538892
 Manifest Status: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON GAS MAIN 6CI (Continued)

1010326254

Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 02/23/2006
 Trans1 Recv Date: 02/23/2006
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 02/24/2006
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004140224
 Trans1 EPA ID: 12446JT
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00110
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 002
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2006

BF339
SSW
1/8-1/4
0.240 mi.
1266 ft.

CON EDISON
SE JAY ST & GREENWICH ST
NEW YORK, NY 10013
Site 2 of 2 in cluster BF

NY MANIFEST S113494479
N/A

NY MANIFEST:
 EPA ID: NYP004255055
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: Not reported

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 18-Feb-2013 00:00:00
 Trans1 Recv Date: 18-Feb-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 22-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004255055
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 200

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

CON EDISON (Continued)

S113494479

Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010841345JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

BK340
East
1/8-1/4
0.240 mi.
1267 ft.

CONSOLIDATED EDISON
W BROADWAY & CANAL ST
NEW YORK, NY 10013

NY MANIFEST 1009239702
N/A

Site 4 of 14 in cluster BK

NY MANIFEST:

EPA ID: NYP004064549
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: CTF0826961
 Manifest Status: Not reported
 Trans1 State ID: MAD039322250
 Trans2 State ID: Not reported
 Generator Ship Date: 10/12/2000
 Trans1 Recv Date: 10/12/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 10/13/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004064549
 Trans1 EPA ID: CTD000604488
 Trans2 EPA ID: Not reported
 TSDF ID: 51440MASS
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00003
 Units: Y - Cubic yards* (.85 tons)
 Number of Containers: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site Database(s) EPA ID Number
 EDR ID Number

CONSOLIDATED EDISON (Continued)

1009239702

Container Type: DT - Dump trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2000

BK341
East
1/8-1/4
0.240 mi.
1267 ft.

CON EDISON SERVICE BOX: 49625
W BROADWAY & CANAL ST
NEW YORK, NY 10013

RCRA-CESQG

1016150056
NYP004287272

Site 5 of 14 in cluster BK

RCRA-CESQG:

Date form received by agency: 02/05/2013
 Facility name: CON EDISON SERVICE BOX: 49625
 Facility address: W BROADWAY & CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYP004287272
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: BENJAMIN BAMONTE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9549
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 49625 (Continued)

1016150056

Used oil transporter: No

Violation Status: No violations found

BK342 CON EDISON SERVICE BOX: 49618
East W BROADWAY & CANAL
1/8-1/4 NEW YORK, NY 10013
0.240 mi.
1267 ft. Site 6 of 14 in cluster BK

RCRA-CESQG 1016150021
NYP004286902

RCRA-CESQG:

Date form received by agency: 02/02/2013

Facility name: CON EDISON SERVICE BOX: 49618

Facility address: W BROADWAY & CANAL
 NEW YORK, NY 10013

EPA ID: NYP004286902

Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003

Contact: JOSE MONTALVO

Contact address: Not reported
 Not reported

Contact country: Not reported

Contact telephone: (212) 427-1331

Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No

Mixed waste (haz. and radioactive): No

Recycler of hazardous waste: No

Transporter of hazardous waste: No

Treater, storer or disposer of HW: No

Underground injection activity: No

On-site burner exemption: No

Furnace exemption: No

Used oil fuel burner: No

Used oil processor: No

User oil refiner: No

Used oil fuel marketer to burner: No

Used oil Specification marketer: No

Used oil transfer facility: No

Used oil transporter: No

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 49618 (Continued)

1016150021

Violation Status: No violations found

BK343
East
1/8-1/4
0.240 mi.
1267 ft.

CON EDISON SERVICE BOX: 28529
CANAL ST & W BROADWAY
NEW YORK, NY 10013
Site 7 of 14 in cluster BK

RCRA-CESQG 1016149906
NYP004285748

RCRA-CESQG:

Date form received by agency: 01/28/2013
 Facility name: CON EDISON SERVICE BOX: 28529
 Facility address: CANAL ST & W BROADWAY
 NEW YORK, NY 10013
 EPA ID: NYP004285748
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JOSE MONTALVO
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 427-1331
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

BK344 **CON EDISON**
East **W BROADAWY & CANAL**
1/8-1/4 **NEW YORK, NY 10013**
0.240 mi.
1267 ft. **Site 8 of 14 in cluster BK**

NY MANIFEST **S113495032**
N/A

NY MANIFEST:

EPA ID:	NYP004287298
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	TOM TEELING
Mailing Address:	4 IRVING PLACE - 15TH FLOOR
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	05-Feb-2013 00:00:00
Trans1 Recv Date:	05-Feb-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08-Feb-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004287298
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	1000
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010840261JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BK345 CON EDISON NY MANIFEST S113495030
East W BROADWAY & CANAL N/A
1/8-1/4 NEW YORK, NY 10013
0.240 mi.
1267 ft. Site 9 of 14 in cluster BK

NY MANIFEST:

EPA ID: NYP004287272
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: TOM TEELING
 Mailing Address: 4 IRVING PLACE - 15TH FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 05-Feb-2013 00:00:00
 Trans1 Recv Date: 05-Feb-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 08-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004287272
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010840223JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

1009226160

Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

NY MANIFEST:
 No Manifest Records Available

BK348
East
1/8-1/4
0.240 mi.
1267 ft.

CON EDISON MANHOLE: 49623
W BROADWAY & CANAL ST
NEW YORK, NY 10013
Site 12 of 14 in cluster BK

RCRA-CESQG 1016150058
NYP004287298

RCRA-CESQG:
 Date form received by agency: 02/05/2013
 Facility name: CON EDISON MANHOLE: 49623
 Facility address: W BROADWAY & CANAL ST
 NEW YORK, NY 10013
 EPA ID: NYP004287298
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: BENJAMIN BAMONTE
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (212) 894-9549
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:
 U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Database(s)	EPA ID Number
Site		

CON EDISON MANHOLE: 49623 (Continued)

1016150058

Furnace exemption:	No
Used oil fuel burner:	No
Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

BK349	CON EDISON SERVICE BOX: 28530	RCRA-CESQG
East	CANAL & W BROADWAY	1016149900
1/8-1/4	NEW YORK, NY 10013	NYP004285680
0.240 mi.		
1267 ft.	Site 13 of 14 in cluster BK	

RCRA-CESQG:

Date form received by agency:	01/28/2013
Facility name:	CON EDISON SERVICE BOX: 28530
Facility address:	CANAL & W BROADWAY NEW YORK, NY 10013
EPA ID:	NYP004285680
Mailing address:	IRVING PL, RM 828 NEW YORK, NY 10003
Contact:	JOSE MONTALVO
Contact address:	Not reported
Contact country:	Not reported
Contact telephone:	(212) 427-1331
Contact email:	Not reported
EPA Region:	02
Classification:	Conditionally Exempt Small Quantity Generator
Description:	Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste:	No
Mixed waste (haz. and radioactive):	No
Recycler of hazardous waste:	No
Transporter of hazardous waste:	No
Treater, storer or disposer of HW:	No
Underground injection activity:	No
On-site burner exemption:	No
Furnace exemption:	No
Used oil fuel burner:	No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 28530 (Continued)

1016149900

Used oil processor:	No
User oil refiner:	No
Used oil fuel marketer to burner:	No
Used oil Specification marketer:	No
Used oil transfer facility:	No
Used oil transporter:	No

Violation Status: No violations found

BM350	CON EDISON	NY MANIFEST
North	483 GREENWICH ST	S113494753
1/8-1/4	NEW YORK, NY 10013	N/A
0.240 mi.	Site 10 of 14 in cluster BM	
1267 ft.		

NY MANIFEST:

EPA ID:	NYP004284402
Country:	USA
Mailing Name:	CON EDISON
Mailing Contact:	CON EDISON
Mailing Address:	4 IRVING PL 15TH FL
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10003
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-460-3770

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJ0000027193
Trans2 State ID:	Not reported
Generator Ship Date:	21-Jan-2013 00:00:00
Trans1 Recv Date:	21-Jan-2013 00:00:00
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	22-Jan-2013 00:00:00
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYP004284402
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSD ID:	NJD002200046
Waste Code:	Not reported
Quantity:	500
Units:	P - Pounds
Number of Containers:	1
Container Type:	TT - Cargo tank, tank trucks
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	1
Year:	2013
Manifest Tracking Num:	010456052JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494753

Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**BM351
 North
 1/8-1/4
 0.240 mi.
 1267 ft.**

**CON EDISON SERVICE BOX: 36295
 483 GREENWICH ST
 NEW YORK, NY 10013**

**RCRA-CESQG 1016149774
 NYP004284402**

Site 11 of 14 in cluster BM

RCRA-CESQG:

Date form received by agency: 01/21/2013
 Facility name: CON EDISON SERVICE BOX: 36295
 Facility address: 483 GREENWICH ST
 NEW YORK, NY 10013
 EPA ID: NYP004284402
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

CON EDISON SERVICE BOX: 36295 (Continued)

1016149774

Used oil transfer facility: No
 Used oil transporter: No
 Violation Status: No violations found

BM352
North
1/8-1/4
0.240 mi.
1267 ft.

CON EDISON SERVICE BOX: 36294
483 GREENWICH ST
NEW YORK, NY 10013
Site 12 of 14 in cluster BM

RCRA-CESQG **1016149776**
FINDS **NYP004284428**

RCRA-CESQG:

Date form received by agency: 01/21/2013
 Facility name: CON EDISON SERVICE BOX: 36294
 Facility address: 483 GREENWICH ST
 NEW YORK, NY 10013
 EPA ID: NYP004284428
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site		Database(s) EPA ID Number

CON EDISON SERVICE BOX: 36294 (Continued)

1016149776

Violation Status: No violations found

FINDS:

Registry ID: 110055465624

Environmental Interest/Information System

BM353
North
1/8-1/4
0.240 mi.
1267 ft.

CON EDISON
483 GREENWICH ST
NEW YORK, NY 10013
Site 13 of 14 in cluster BM

NY MANIFEST S113494755
N/A

NY MANIFEST:

EPA ID: NYP004284428
Country: USA
Mailing Name: CON EDISON
Mailing Contact: CON EDISON
Mailing Address: 4 IRVING PL 15TH FL
Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA
Mailing Phone: 212-460-3770

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJ0000027193
Trans2 State ID: Not reported
Generator Ship Date: 21-Jan-2013 00:00:00
Trans1 Recv Date: 21-Jan-2013 00:00:00
Trans2 Recv Date: Not reported
TSD Site Recv Date: 22-Jan-2013 00:00:00
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYP004284428
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSD ID: NJD002200046
Waste Code: Not reported
Quantity: 500
Units: P - Pounds
Number of Containers: 1
Container Type: TT - Cargo tank, tank trucks
Handling Method: T Chemical, physical, or biological treatment.
Specific Gravity: 1
Year: 2013
Manifest Tracking Num: 010456053JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON (Continued)

S113494755

Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H110

BG354
South
1/8-1/4
0.242 mi.
1277 ft.

BCE NEXXIA CORP. POINT OF PRESENCE (POP) SITE
60 HUDSON STREET
NEW YORK, NY 10013

NY AST **A100293202**
N/A

Site 4 of 12 in cluster BG

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-609613
Program Type:	PBS
UTM X:	583705.56055000005
UTM Y:	4507871.0373400003
Expiration Date:	2014/06/16
Site Type:	Apartment Building/Office Building

Affiliation Records:

Site Id:	55697
Affiliation Type:	Mail Contact
Company Name:	SNC-LAVALIN NEXACOR / AGENTS
Contact Type:	Not reported
Contact Name:	ENVIRONMENTAL MANAGER
Address1:	87 ONTARIO STREET WEST, BUREAU 200
Address2:	Not reported
City:	MONTREAL, QUEBEC, CANADA
State:	NN
Zip Code:	H2X 2C5
Country Code:	001
Phone:	(519) 744-020
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	7/9/2009

Site Id:	55697
Affiliation Type:	On-Site Operator
Company Name:	BCE NEXXIA CORP. POINT OF PRESENCE (POP) SITE
Contact Type:	Not reported
Contact Name:	BCE NEXXIA CORPORATION
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	N/A
E-Mail:	Not reported
Fax Number:	Not reported
Modified By:	dxliving
Date Last Modified:	7/9/2009

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BCE NEXXIA CORP. POINT OF PRESENCE (POP) SITE (Continued)

A100293202

Site Id: 55697
 Affiliation Type: Emergency Contact
 Company Name: BCE NEXXIA CORPORATION
 Contact Type: Not reported
 Contact Name: DANNY ESPINOZA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 965-9560
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 7/9/2009

Site Id: 55697
 Affiliation Type: Facility Owner
 Company Name: BCE NEXXIA CORPORATION
 Contact Type: ASSOC DIR. BELL CANADA, RE SERVICES
 Contact Name: FRANK FORREST
 Address1: 87 ONTARIO STREET WEST, BUREAU 200
 Address2: Not reported
 City: MONTREAL, QUEBEC, CANADA
 State: NN
 Zip Code: H2X 2C5
 Country Code: 039
 Phone: (888) 932-6666
 EMail: Not reported
 Fax Number: Not reported
 Modified By: dxliving
 Date Last Modified: 7/9/2009

Tank Info:

Tank Number: 40001
 Tank Id: 179153
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 B99 - Tank External Protection - Other
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 K99 - Spill Prevention - Other
 C03 - Pipe Location - Aboveground/Underground Combination
 E99 - Piping Secondary Containment - Other
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F99 - Pipe External Protection - Other
 J00 - Dispenser - None
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BCE NEXXIA CORP. POINT OF PRESENCE (POP) SITE (Continued)

A100293202

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 07/01/2001
 Capacity Gallons: 1200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 09/28/2005
 Material Name: Diesel

Tank Number: 40002
 Tank Id: 208143
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D11 - Pipe Type - Flexible Piping
 J00 - Dispenser - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 B99 - Tank External Protection - Other
 K99 - Spill Prevention - Other
 G09 - Tank Secondary Containment - Modified Double-Walled
 (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 L00 - Piping Leak Detection - None
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 07/01/2001
 Capacity Gallons: 155
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 09/28/2005
 Material Name: Diesel

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

BG355 **CENTURYLINK - HUDSON ST.** **NY AST** **A100183490**
South **60 HUDSON STREET, 20TH FLOOR** **N/A**
1/8-1/4 **NEW YORK, NY 10013**
0.242 mi.
1277 ft. **Site 5 of 12 in cluster BG**

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-606922
 Program Type: PBS
 UTM X: 583705.56055000005
 UTM Y: 4507871.0373400003
 Expiration Date: 2016/09/10
 Site Type: Other

Affiliation Records:

Site Id: 28777
 Affiliation Type: Mail Contact
 Company Name: CENTURYLINK
 Contact Type: Not reported
 Contact Name: HARLAN PINCUS
 Address1: 55 CHURCH STREET
 Address2: FIRST FLOOR
 City: WHITE PLAINS
 State: NY
 Zip Code: 10601
 Country Code: 001
 Phone: (914) 686-7952
 EMail: HARLAN.PINCUS@CENTURYLINK.COM
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 9/9/2011

Site Id: 28777
 Affiliation Type: Emergency Contact
 Company Name: QWEST COMMUNICATIONS CORP.
 Contact Type: Not reported
 Contact Name: HARLAN PINCUS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (914) 420-2528
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TJWALKER
 Date Last Modified: 1/21/2011

Site Id: 28777
 Affiliation Type: Facility Owner
 Company Name: QWEST COMMUNICATIONS CO. LLC DBA CENTURYLINK QCC
 Contact Type: SAFETY & ENVIRONMENTAL MANAGER
 Contact Name: HARLAN PINCUS
 Address1: 55 CHURCH ST., 1ST FL.
 Address2: Not reported
 City: WHITE PLAINS

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CENTURYLINK - HUDSON ST. (Continued)

A100183490

State: NY
 Zip Code: 10601
 Country Code: 001
 Phone: (914) 686-7952
 EMail: Not reported
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 9/9/2011

Site Id: 28777
 Affiliation Type: On-Site Operator
 Company Name: CENTURYLINK-HUDSON ST.
 Contact Type: Not reported
 Contact Name: ANTHONY DEBIASE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 619-6601
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 7/29/2011

Tank Info:

Tank Number: 001
 Tank Id: 62042
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J00 - Dispenser - None
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/1999
 Capacity Gallons: 4900
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CENTURYLINK - HUDSON ST. (Continued)

A100183490

Date Tank Closed: Not reported
 Register: True
 Modified By: MSBAPTIS
 Last Modified: 07/29/2011
 Material Name: Diesel

Tank Number: 002
 Tank Id: 62043
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 09/09/2011
 Material Name: Diesel

Tank Number: 003
 Tank Id: 62044
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L00 - Piping Leak Detection - None
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

CENTURYLINK - HUDSON ST. (Continued)

A100183490

	C01 - Pipe Location - Aboveground
	E00 - Piping Secondary Containment - None
	I03 - Overfill - Automatic Shut-Off
Tank Location:	3
Tank Type:	Steel/Carbon Steel/Iron
Tank Status:	In Service
Pipe Model:	Not reported
Install Date:	04/01/1999
Capacity Gallons:	75
Tightness Test Method:	NN
Date Test:	Not reported
Next Test Date:	Not reported
Date Tank Closed:	Not reported
Register:	True
Modified By:	CGFREEDM
Last Modified:	09/09/2011
Material Name:	Diesel

BG356
South
1/8-1/4
0.242 mi.
1277 ft.

WESTERN UNION TELEGRAPG CO
60 HUDSON ST
NEW YORK, NY 10013

NY MANIFEST S104650467
NY Spills N/A

Site 6 of 12 in cluster BG

NY MANIFEST:

EPA ID:	NYD064932973
Country:	USA
Mailing Name:	WESTERN UNION TELEGRAPG CO
Mailing Contact:	WESTERN UNION TELEGRAPG CO
Mailing Address:	60 HUDSON ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10013
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	212-577-4142

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID:	0801066
Facility Type:	ER
DER Facility ID:	121575
Site ID:	396928
DEC Region:	2
Spill Date:	4/26/2008
Spill Number/Closed Date:	0801066 / 10/16/2008
Spill Cause:	Equipment Failure
Spill Class:	Known release that creates potential for fire or hazard. DEC Response. Unable/unwilling Responsible Party. Corrective action taken. (ISR)
SWIS:	3101
Investigator:	SFRAHMAN
Referred To:	Not reported
Reported to Dept:	4/26/2008
CID:	71

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WESTERN UNION TELEGRAPG CO (Continued)

S104650467

<p>Water Affected: Spill Source: Spill Notifier: Cleanup Ceased: Cleanup Meets Std: Last Inspection: Recommended Penalty: UST Trust: Remediation Phase: Date Entered In Computer: Spill Record Last Update: Spiller Name: Spiller Company: Spiller Address: Spiller City,St,Zip: Spiller Company: Contact Name: Contact Phone: DEC Memo:</p>	<p>Not reported Commercial/Industrial Responsible Party Not reported False Not reported False False 0 4/26/2008 10/16/2008 JUAN LOPEZ XO COMMUNICATIONS 60 HUDSON ST NEW YORK, NY 001 JUAN LOPEZ (646) 302-2585 Tank was 500 gal, spill was 20 gal.Rahman responded to the site.04/28/08 I received a call through hotline reporting 500 gallon diesel spill at that address.I called facility personnel Mike Strippoli, he was not sure about the amount of spill as he was not at the site that time. I responded to the site and found that the spill was about 25 gallon from a 500 gallon day tank. Spill occurred from the threaded 'union' near a valve, poured on the floor.No drain on the floor. PTC was on site to do the clean up.FD responded initially and put down 'speedy dry'.PTC swept the floor and AIG will do further clean up to remove residual petroleum impact from the floor.Odor was not too strong at the time I responded and the room where spill occurred is used for 'switching instruments' for the XO Communication company.(sr)08/12/08 I spoke with Chris Schanaithman of Xo communication today and he told me that the clean up was completed by Miller Environmental and closure report will be sent to DEC in two weeks.(sr)10/16/08 Letter report from Xo Communications.Miller completed the clean up around the fuel piping, air conditioning duct work, and floor tiles in the area of the spill.Report(with waste manifest) in edocs.Spill closed.(sr)</p>
<p>Remarks:</p>	<p>BROKEN RISER PIPE. SPILL CONTAINED TO 9TH FLOOR HALLWAYS AND ELEVATOR SHAFT. CLEAN UP IN PROGRESS. SECONDARY CONTACT # - MIKE STRIPPOLI 201-682-0174.</p>
<p>Material:</p>	<p>Site ID: 396928 Operable Unit ID: 1153895 Operable Unit: 01 Material ID: 2144674 Material Code: 0008 Material Name: Diesel Case No.: Not reported Material FA: Petroleum Quantity: 500 Units: Gallons Recovered: No Resource Affected: Not reported Oxygenate: False</p>

Tank Test:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WESTERN UNION TELEGRAPG CO (Continued)

S104650467

Facility ID: 9914332
 Facility Type: ER
 DER Facility ID: 121575
 Site ID: 142444
 DEC Region: 2
 Spill Date: 3/20/2000
 Spill Number/Closed Date: 9914332 / 5/6/2005
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 3/20/2000
 CID: 281
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 3/20/2000
 Spill Record Last Update: 5/6/2005
 Spiller Name: BRETT WEINBARGER
 Spiller Company: CABLE AND WIRELESS USA
 Spiller Address: 1919 GALLOWS RD
 Spiller City,St,Zip: VIENNA, VA 22183-
 Spiller Company: 001
 Contact Name: BRETT WEINBARGER
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND"

 Remarks: ABOVE MATERIAL DISCOVERED AT ABOVE LOCATION. SPILL APPEARS TO BE HISTORIC IN NATURE. TANK BEING REMOVED AT TIME OF CALL AND AREA TO BE CLEANED. NO CALL BACK REQUESTED.

 Material:
 Site ID: 142444
 Operable Unit ID: 1092468
 Operable Unit: 01
 Material ID: 292615
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WESTERN UNION TELEGRAPG CO (Continued)

S104650467

Facility ID: 0010520
 Facility Type: ER
 DER Facility ID: 121575
 Site ID: 142442
 DEC Region: 2
 Spill Date: 12/18/2000
 Spill Number/Closed Date: 0010520 / 5/24/2004
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 12/19/2000
 CID: 382
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 12/19/2000
 Spill Record Last Update: 5/24/2004
 Spiller Name: NEIL BRUNO
 Spiller Company: Not reported
 Spiller Address: 60 HUDSON ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: NEIL BRUNO
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: OIL LEAK FROM FUEL LINE CAUSED SPILL INTO SECONDARY CONTAINMENT. CLEAN UP IN PROGRESS BY PETROLEUM TANK CLEANERS

Material:
 Site ID: 142442
 Operable Unit ID: 832546
 Operable Unit: 01
 Material ID: 544415
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 40
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BG357 **VERIZON BUSINESS METRO ACCESS TRANSMISSION** **RCRA NonGen / NLR** **1000402159**
South **60 HUDSON STREET** **FINDS** **NYD064932973**
1/8-1/4 **NEW YORK, NY**
0.242 mi.
1277 ft. **Site 7 of 12 in cluster BG**

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: WESTERN UNION CORP
 Facility address: 60 HUDSON ST
 NEW YORK, NY 100133379
 EPA ID: NYD064932973
 Mailing address: LAKE ST
 UPPER SADDLE RIVER, NY 07458
 Contact: Not reported
 Contact address: LAKE ST
 UPPER SADDLE RIVER, NY 07458
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: WESTERN UNION CORP
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: WESTERN UNION CORP
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VERIZON BUSINESS METRO ACCESS TRANSMISSION (Continued)

1000402159

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: WESTERN UNION CORP
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: WESTERN UNION CORP
 Classification: Not a generator, verified

Date form received by agency: 01/06/1989
 Facility name: WESTERN UNION CORP
 Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110056152835

Environmental Interest/Information System
 Registry ID: 110029003209

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

Registry ID: 110022444684

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110001611337

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

FIS (New York - Facility Information System) is New York's Department

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

VERIZON BUSINESS METRO ACCESS TRANSMISSION (Continued)

1000402159

of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110019192844

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

BG358
 South
 1/8-1/4
 0.242 mi.
 1277 ft.

HUDSON TELEGRAPH ASSOCIATES
60 HUDSON ST - 1ST FLOOR
NEW YORK, NY 10013

RCRA-SQG 1004761245
FINDS NYR000082214
NY MANIFEST

Site 8 of 12 in cluster BG

RCRA-SQG:

Date form received by agency: 12/16/2008
 Facility name: HUDSON TELEGRAPH ASSOCIATES
 Facility address: 60 HUDSON ST - 1ST FLOOR
 NEW YORK, NY 10013
 EPA ID: NYR000082214
 Mailing address: HUDSON ST - 1ST FLOOR
 NEW YORK, NY 10013
 Contact: SHAUN MOONEY
 Contact address: HUDSON ST - 1ST FLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 619-2890
 Contact email: Not reported
 EPA Region: 02
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: HUDSON TELEGRAPH ASSOCIATES
 Owner/operator address: 380 MADISON AVE
 NEW YORK, NY 10017
 Owner/operator country: US
 Owner/operator telephone: (212) 716-3500
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported
 Owner/operator name: 60 HUDSON OWNERS LLC
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON TELEGRAPH ASSOCIATES (Continued)

1004761245

Owner/Op start date: 10/04/2006
 Owner/Op end date: Not reported

Owner/operator name: 60 HUDSON OWNERS LLC
 Owner/operator address: Not reported
 Not reported

Owner/operator country: Not reported
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 10/04/2006
 Owner/Op end date: Not reported

Owner/operator name: HUDSON TELEGRAPH ASSOCIATES
 Owner/operator address: 380 MADISON AVE
 NEW YORK, NY 10017

Owner/operator country: US
 Owner/operator telephone: (212) 716-3500
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2007
 Facility name: HUDSON TELEGRAPH ASSOCIATES
 Classification: Not a generator, verified

Date form received by agency: 01/01/2006
 Facility name: HUDSON TELEGRAPH ASSOCIATES
 Classification: Not a generator, verified

Date form received by agency: 04/20/2000
 Facility name: HUDSON TELEGRAPH ASSOCIATES
 Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D008
 Waste name: LEAD

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON TELEGRAPH ASSOCIATES (Continued)

1004761245

Violation Status: No violations found

FINDS:

Registry ID: 110004559558

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYR000082214
 Country: USA
 Mailing Name: HUDSON TELEGRAPH ASSC
 Mailing Contact: JAMES HEENAN
 Mailing Address: 60 HUDSON AVE
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 917-292-2971

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD064748304
 Trans2 State ID: NJD080631369
 Generator Ship Date: 2009-01-12
 Trans1 Recv Date: 2009-01-12
 Trans2 Recv Date: 2009-01-16
 TSD Site Recv Date: 2009-01-16
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000082214
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 1200.0
 Units: P - Pounds
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 004718571JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON TELEGRAPH ASSOCIATES (Continued)

1004761245

Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD064748304
 Trans2 State ID: NJD080631369
 Generator Ship Date: 2009-01-12
 Trans1 Recv Date: 2009-01-12
 Trans2 Recv Date: 2009-01-16
 TSD Site Recv Date: 2009-01-16
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000082214
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 1200.0
 Units: P - Pounds
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 004718571JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: NYG2427552
 Manifest Status: Not reported
 Trans1 State ID: NJD986607380
 Trans2 State ID: Not reported
 Generator Ship Date: 06/13/2000
 Trans1 Recv Date: 06/13/2000
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 07/12/2000
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000082214
 Trans1 EPA ID: OHD055522429

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON TELEGRAPH ASSOCIATES (Continued)

1004761245

Trans2 EPA ID: Not reported
 TSDF ID: NYNJ334
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00150
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2000

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD064748304
 Trans2 State ID: NJD080631369
 Generator Ship Date: 2009-01-12
 Trans1 Recv Date: 2009-01-12
 Trans2 Recv Date: 2009-01-16
 TSD Site Recv Date: 2009-01-16
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000082214
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD980536593
 Waste Code: Not reported
 Quantity: 1200.0
 Units: P - Pounds
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 004718571JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD064748304
 Trans2 State ID: NJD080631369
 Generator Ship Date: 2009-01-12
 Trans1 Recv Date: 2009-01-12
 Trans2 Recv Date: 2009-01-16
 TSD Site Recv Date: 2009-01-16
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUDSON TELEGRAPH ASSOCIATES (Continued)

1004761245

Part B Recv Date: Not reported
 Generator EPA ID: NYR000082214
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDf ID: NJD980536593
 Waste Code: Not reported
 Quantity: 1200.0
 Units: P - Pounds
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 004718571JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

BG359
 South
 1/8-1/4
 0.242 mi.
 1277 ft.

CABLE & WIRELESS USA
60 HUDSON STREET, 16TH FLOOR
NEW YORK, NY 10013

NY AST U004046276
N/A

Site 9 of 12 in cluster BG

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-453323
 Program Type: PBS
 UTM X: 583745.96190999995
 UTM Y: 4507883.1853200002
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:
 Site Id: 19846
 Affiliation Type: Facility Owner
 Company Name: CABLE & WIRELESS USA
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 8219 LESBURG PIKE
 Address2: Not reported
 City: VIENNA
 State: VA
 Zip Code: 22182
 Country Code: 001
 Phone: (703) 760-3405
 EMail: Not reported
 Fax Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CABLE & WIRELESS USA (Continued)

U004046276

Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	19846
Affiliation Type:	Mail Contact
Company Name:	CABLE & WIRELESS USA
Contact Type:	Not reported
Contact Name:	DARREN VACCHIO
Address1:	1919 GALLOWS ROAD
Address2:	Not reported
City:	VIENNA
State:	VA
Zip Code:	22182
Country Code:	001
Phone:	(703) 760-3408
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	19846
Affiliation Type:	On-Site Operator
Company Name:	CABLE & WIRELESS USA
Contact Type:	Not reported
Contact Name:	JIM GALLESHAW
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 227-1505
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	19846
Affiliation Type:	Emergency Contact
Company Name:	CABLE & WIRELESS USA
Contact Type:	Not reported
Contact Name:	HARRY HOYTE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 227-1505
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004

Tank Info:

Tank Number:	002
--------------	-----

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CABLE & WIRELESS USA (Continued)

U004046276

Tank Id: 35760
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

BG360
South
1/8-1/4
0.242 mi.
1277 ft.

HUDSON TELEGRAPH ASSOCIATES
60 HUDSON STREET
NEW YORK, NY 10013
Site 10 of 12 in cluster BG

NY HIST UST **U003074660**
N/A

HIST UST:

PBS Number: 2-148237
 SPDES Number: Not reported
 Emergency Contact: ALBERT PISANO
 Emergency Telephone: (212) 619-2890
 Operator: JOHN POIDOMANI
 Operator Telephone: (212) 619-2890
 Owner Name: HUDSON TELEGRAPH ASSOC
 Owner Address: 380 MADISON AVE
 Owner City,St,Zip: NYC, NY 10017
 Owner Telephone: (212) 619-2890
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: WILLIAM REALTY SERVICES
 Mailing Address: 60 HUDSON ST
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NYC, NY 10013
 Mailing Contact: ALBERT PISANO
 Mailing Telephone: (212) 619-2890
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON TELEGRAPH ASSOCIATES (Continued)

U003074660

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist
 or not at the facility.

Facility Addr2: 60 HUDSON ST
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 05/15/2000
 Expiration Date: 01/07/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 35735
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Tank Id: 002
 Tank Location: UNDERGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (gals): 16000
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Diking
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 01/01/1993
 Test Method: Not reported
 Deleted: False
 Updated: True
 Lat/long: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

BG361 MCI
South 60 HUDSON STREET
1/8-1/4 NEW YORK, NY 10013
0.242 mi.
1277 ft. Site 11 of 12 in cluster BG

NY AST U000411261
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Administratively Closed
 Facility Id: 2-480576
 Program Type: PBS
 UTM X: 583745.96190999995
 UTM Y: 4507883.1853200002
 Expiration Date: N/A
 Site Type: Other

Affiliation Records:

Site Id: 21449
 Affiliation Type: Facility Owner
 Company Name: MCI-EAST REGION OPERATIONS
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 123-51 SUNRISE VALLEY DRIVE
 Address2: Not reported
 City: RESTON
 State: VA
 Zip Code: 22091
 Country Code: 001
 Phone: (703) 758-3100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 21449
 Affiliation Type: Mail Contact
 Company Name: MCI-EAST REGION OPERATIONS
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 123-51 SUNRISE VALLEY DRIVE
 Address2: Not reported
 City: RESTON
 State: VA
 Zip Code: 22091
 Country Code: 001
 Phone: (703) 758-3100
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 21449
 Affiliation Type: On-Site Operator
 Company Name: MCI
 Contact Type: Not reported
 Contact Name: MCI
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 341-2340
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 21449
 Affiliation Type: Emergency Contact
 Company Name: MCI-EAST REGION OPERATIONS
 Contact Type: Not reported
 Contact Name: DOUG ABEL
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 341-2318
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 06/17/2013
 Material Name: Diesel

 Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- K00 - Spill Prevention - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

6
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

1
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- I05 - Overfill - Vent Whistle

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 L00 - Piping Leak Detection - None
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I03 - Overfill - Automatic Shut-Off
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
- H02 - Tank Leak Detection - Interstitial - Manual Monitoring
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- B01 - Tank External Protection - Painted/Asphalt Coating
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle
 K00 - Spill Prevention - None
 Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction Dispenser
- H00 - Tank Leak Detection - None
- D00 - Pipe Type - No Piping
- G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H04 - Tank Leak Detection - Groundwater Well
- C01 - Pipe Location - Aboveground
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

H99 - Tank Leak Detection - Other
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- K02 - Spill Prevention - Transfer Station Containment
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- A01 - Tank Internal Protection - Epoxy Liner
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 A01 - Tank Internal Protection - Epoxy Liner
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- F05 - Pipe External Protection - Jacketed
- I00 - Overfill - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 25972
 Affiliation Type: On-Site Operator
 Company Name: MCI D/B/A VERIZON BUSINESS
 Contact Type: Not reported
 Contact Name: VERIZON BUSINESS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Zip Code: Not reported
 Country Code: 001
 Phone: (732) 496-8428
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 12/20/2013

Site Id: 25972
 Affiliation Type: Emergency Contact
 Company Name: 60 HUDSON OWNERS LLC % COLLIERS INTL NY LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: Not reported
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/31/2013

Site Id: 25972
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNERS LLC % COLLIERS INTL NY LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 380 MADISON AVENUE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10017
 Country Code: 001
 Phone: (212) 716-3697
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 10/31/2013

Site Id: 25972
 Affiliation Type: Mail Contact
 Company Name: VERIZON GLOBAL EH&S COMPLIANCE
 Contact Type: Not reported
 Contact Name: THOMAS H. BOSSHARD
 Address1: 501 NORTH OCEAN AVENUE
 Address2: Not reported
 City: PATCHOGUE
 State: NY
 Zip Code: 11772
 Country Code: 001
 Phone: (631) 654-7920
 EMail: THOMAS.BOSSHARD@VERIZON.COM
 Fax Number: Not reported
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Last Modified: 12/26/2013

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction Dispenser
- H00 - Tank Leak Detection - None
- D00 - Pipe Type - No Piping
- G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- F02 - Pipe External Protection - Original Sacrificial Anode
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- I03 - Overfill - Automatic Shut-Off
- G03 - Tank Secondary Containment - Vault (w/o access)
- I02 - Overfill - High Level Alarm
- B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I01 - Overfill - Float Vent Valve
- K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- A01 - Tank Internal Protection - Epoxy Liner
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 A01 - Tank Internal Protection - Epoxy Liner
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Name: Diesel
 Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 J03 - Dispenser - Gravity
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 F05 - Pipe External Protection - Jacketed
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 29871
 Affiliation Type: Mail Contact
 Company Name: 60 HUDSON OWNERS, LLC
 Contact Type: Not reported
 Contact Name: STEVEN J MADSON
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 571-0832
 EMail: STEVE.MADSON@COLLIERS.COM
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 3/13/2013

Site Id: 29871

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Affiliation Type: On-Site Operator
 Company Name: SWITCH & DATA COMPANY
 Contact Type: Not reported
 Contact Name: JOHN STANSBURY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 571-0832
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 3/13/2013

Site Id: 29871
 Affiliation Type: Emergency Contact
 Company Name: 60 HUDSON OWNERS, LLC/COLLIERS INTERNATIONAL
 Contact Type: Not reported
 Contact Name: CHRIS VLACHOS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 571-0832
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 3/13/2013

Site Id: 29871
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNERS, LLC/COLLIERS INTERNATIONAL
 Contact Type: DIRECTOR OF SECURITY & LIFE SAFETY
 Contact Name: STEVEN J MADSON
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 3/13/2013

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 L00 - Piping Leak Detection - None
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: K00 - Spill Prevention - None
 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I01 - Overfill - Float Vent Valve
- K00 - Spill Prevention - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J01 - Dispenser - Pressurized Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- A01 - Tank Internal Protection - Epoxy Liner
- L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- A01 - Tank Internal Protection - Epoxy Liner
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- C01 - Pipe Location - Aboveground
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- C01 - Pipe Location - Aboveground
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- K02 - Spill Prevention - Transfer Station Containment
- C01 - Pipe Location - Aboveground
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 J03 - Dispenser - Gravity
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- F05 - Pipe External Protection - Jacketed
- I00 - Overfill - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 29949
 Affiliation Type: Facility Owner
 Company Name: GENUITY INC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 235 PRESIDENTIAL WAY
 Address2: Not reported
 City: WOBURN
 State: MA
 Zip Code: 01888
 Country Code: 001
 Phone: (781) 865-3860
 EMail: Not reported
 Fax Number: Not reported
 Modified By: ANAUSTIN
 Date Last Modified: 6/21/2005

Site Id: 29949
 Affiliation Type: Mail Contact
 Company Name: GENUITY INC
 Contact Type: Not reported
 Contact Name: WILLIAM IRWIN
 Address1: 235 PRESIDENTIAL WAY
 Address2: Not reported
 City: WOBURN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

State: MA
 Zip Code: 01888
 Country Code: 001
 Phone: (781) 865-3860
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 29949
 Affiliation Type: On-Site Operator
 Company Name: GENUITY INC
 Contact Type: Not reported
 Contact Name: JOE CONTI
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NY
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 233-3062
 EMail: Not reported
 Fax Number: Not reported
 Modified By: ANAUSTIN
 Date Last Modified: 6/21/2005

Site Id: 29949
 Affiliation Type: Emergency Contact
 Company Name: GENUITY INC
 Contact Type: Not reported
 Contact Name: SECURITY OPERATIONS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (781) 865-2222
 EMail: Not reported
 Fax Number: Not reported
 Modified By: ANAUSTIN
 Date Last Modified: 6/21/2005

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I02 - Overfill - High Level Alarm
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 L00 - Piping Leak Detection - None
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I01 - Overfill - Float Vent Valve
- K00 - Spill Prevention - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J01 - Dispenser - Pressurized Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- A01 - Tank Internal Protection - Epoxy Liner
- L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- K00 - Spill Prevention - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- G00 - Tank Secondary Containment - None
- J00 - Dispenser - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- L09 - Piping Leak Detection - Exempt Suction Piping
- J00 - Dispenser - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- G07 - Tank Secondary Containment - Excavation Liner
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

(Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

G04 - Tank Secondary Containment - Double-Walled (Underground)
 1
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 J03 - Dispenser - Gravity
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 29977
 Affiliation Type: Mail Contact
 Company Name: SPRINT COMMUNICATIONS
 Contact Type: Not reported
 Contact Name: SPRINT EHS DEPARTMENT
 Address1: PO BOX 7994
 Address2: Not reported
 City: SHAWNEE MISSION
 State: KS
 Zip Code: 66207
 Country Code: 001
 Phone: (877) 347-4457
 EMail: EHSCOMPLIANCE@SPRINT.COM
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/23/2012

Site Id: 29977
 Affiliation Type: On-Site Operator
 Company Name: SPRINT COMMUNICATIONS
 Contact Type: Not reported
 Contact Name: LYNDON FORDE
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 238-6441
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 12/8/2006

Site Id: 29977
 Affiliation Type: Emergency Contact

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Company Name: SPRINT COMMUNICATIONS
 Contact Type: Not reported
 Contact Name: CATHRYN STAFFORD
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (877) 347-4457
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/23/2012

Site Id: 29977
 Affiliation Type: Facility Owner
 Company Name: SPRINT COMMUNICATIONS
 Contact Type: E.H.S. SPECIALIST
 Contact Name: CATHRYN STAFFORD
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 238-6441
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 10/23/2012

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- K00 - Spill Prevention - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- I05 - Overfill - Vent Whistle
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- G03 - Tank Secondary Containment - Vault (w/o access)
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H05 - Tank Leak Detection - In-Tank System (ATG)
 L00 - Piping Leak Detection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 2
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

1
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 F05 - Pipe External Protection - Jacketed
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 30015
 Affiliation Type: Mail Contact
 Company Name: 60 HUDSON OWNERS, LLC.
 Contact Type: Not reported
 Contact Name: SHAUN MOONEY
 Address1: 60 HUDSON ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: STEVE.MADSON@COLLIERS.COM
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/31/2013

Site Id: 30015
 Affiliation Type: On-Site Operator
 Company Name: THE TELX GROUP
 Contact Type: Not reported
 Contact Name: MONER SALEH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 587-1117
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/31/2013

Site Id: 30015
 Affiliation Type: Emergency Contact
 Company Name: THE TELX GROUP % 60 HUDSON OWNER LLC
 Contact Type: Not reported
 Contact Name: MICHAEL TERLIZZI
 Address1: Not reported
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 587-1117
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/31/2013

Site Id: 30015
 Affiliation Type: Facility Owner
 Company Name: THE TELX GROUP % 60 HUDSON OWNER LLC
 Contact Type: DIRECTOR OF SECURITY
 Contact Name: STEVE MADSON
 Address1: 60 HUDSON ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 587-1117
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 1/31/2013

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- K00 - Spill Prevention - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

6
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

1
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- I05 - Overfill - Vent Whistle

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 L00 - Piping Leak Detection - None
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 F06 - Pipe External Protection - Wrapped
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 C01 - Pipe Location - Aboveground
 I01 - Overfill - Float Vent Valve
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 I01 - Overfill - Float Vent Valve
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H05 - Tank Leak Detection - In-Tank System (ATG)
 L00 - Piping Leak Detection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- H99 - Tank Leak Detection - Other
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- B01 - Tank External Protection - Painted/Asphalt Coating
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- F05 - Pipe External Protection - Jacketed
- I00 - Overfill - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B00 - Tank External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- F00 - Pipe External Protection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 30700
 Affiliation Type: Mail Contact
 Company Name: 60 HUDSON OWNERS, LLC
 Contact Type: Not reported
 Contact Name: STEVEN J. MADSON
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: STEVE.MADSON@COLLIERS.COM
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 4/17/2013

Site Id: 30700
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNERS LLC
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 60 HUDSON ST
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 4/17/2013

Site Id: 30700
 Affiliation Type: Emergency Contact
 Company Name: 60 HUDSON OWNERS LLC
 Contact Type: Not reported
 Contact Name: GAETANO SPANO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 231-3605
 EMail: Not reported
 Fax Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Date Last Modified: 4/17/2013

Site Id: 30700
 Affiliation Type: On-Site Operator
 Company Name: GLOBAL CROSSING
 Contact Type: Not reported
 Contact Name: PAT SETTEMBRINO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (800) 649-3757
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 4/17/2013

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C03 - Pipe Location - Aboveground/Underground Combination
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None
 Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 I01 - Overfill - Float Vent Valve
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H05 - Tank Leak Detection - In-Tank System (ATG)
 L00 - Piping Leak Detection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I03 - Overfill - Automatic Shut-Off
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
- H02 - Tank Leak Detection - Interstitial - Manual Monitoring
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- B01 - Tank External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

(Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 A01 - Tank Internal Protection - Epoxy Liner
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 F05 - Pipe External Protection - Jacketed
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 30884

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Affiliation Type: On-Site Operator
 Company Name: XO COMMUNICATIONS
 Contact Type: Not reported
 Contact Name: SHAWN WOOLFORD
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 981-0045
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Site Id: 30884
 Affiliation Type: Emergency Contact
 Company Name: 60 HUDSON OWNERS, LLC.
 Contact Type: Not reported
 Contact Name: SHAWN WOOLFORD
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 981-0045
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Site Id: 30884
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNERS, LLC.
 Contact Type: DIRECTOR OF SECURITY
 Contact Name: STEVEN MADSON
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Site Id: 30884
 Affiliation Type: Mail Contact
 Company Name: 60 HUDSON OWENRS, LLC.
 Contact Type: Not reported
 Contact Name: STEVEN MADSON
 Address1: C/O COLLIERS INTL
 Address2: 60 HUDSON ST

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: STEVE.MADSON@COLLIERS.COM
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

K00 - Spill Prevention - None
 1
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

6
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- H04 - Tank Leak Detection - Groundwater Well
- C01 - Pipe Location - Aboveground
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

H99 - Tank Leak Detection - Other
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- K02 - Spill Prevention - Transfer Station Containment
- I00 - Overfill - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- C01 - Pipe Location - Aboveground
- H00 - Tank Leak Detection - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- A01 - Tank Internal Protection - Epoxy Liner
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 A01 - Tank Internal Protection - Epoxy Liner
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- F05 - Pipe External Protection - Jacketed
- I00 - Overfill - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 31040
 Affiliation Type: Mail Contact
 Company Name: 60 HUDSON ONWERS, LLC.
 Contact Type: Not reported
 Contact Name: STEVEN MADSON
 Address1: COLLIER INTL
 Address2: 60 HUDSON ST
 City: NEW YORK
 State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: STEVE.MADSON@COLLIER.COM
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Site Id: 31040
 Affiliation Type: Emergency Contact
 Company Name: 60 HUDSON OWNERS
 Contact Type: Not reported
 Contact Name: ERNESTO MARTINEZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Site Id: 31040
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNERS
 Contact Type: DIRECTOR OF SECURITY
 Contact Name: STEVEN MADSON
 Address1: 60 HUDSON ST.
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 6/17/2013

Site Id: 31040
 Affiliation Type: On-Site Operator
 Company Name: WINSTAR
 Contact Type: Not reported
 Contact Name: ERNESTO MARTINEZ
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Last Modified: 6/17/2013

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- B00 - Tank External Protection - None
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- J02 - Dispenser - Suction Dispenser
- H00 - Tank Leak Detection - None
- D00 - Pipe Type - No Piping
- G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- F02 - Pipe External Protection - Original Sacrificial Anode
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- I03 - Overfill - Automatic Shut-Off
- G03 - Tank Secondary Containment - Vault (w/o access)
- I02 - Overfill - High Level Alarm
- B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I01 - Overfill - Float Vent Valve
- K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- K01 - Spill Prevention - Catch Basin
- A01 - Tank Internal Protection - Epoxy Liner
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 A01 - Tank Internal Protection - Epoxy Liner
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Name: Diesel
 Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 J03 - Dispenser - Gravity
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 F05 - Pipe External Protection - Jacketed
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H00 - Tank Leak Detection - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- G03 - Tank Secondary Containment - Vault (w/o access)
- I05 - Overfill - Vent Whistle
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F06 - Pipe External Protection - Wrapped
- H99 - Tank Leak Detection - Other
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

- C01 - Pipe Location - Aboveground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 L00 - Piping Leak Detection - None
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C03 - Pipe Location - Aboveground/Underground Combination
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I01 - Overfill - Float Vent Valve
- K00 - Spill Prevention - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J01 - Dispenser - Pressurized Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- A01 - Tank Internal Protection - Epoxy Liner
- L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled
 (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled
 (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled
 (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Name: Diesel
 Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 2
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

1
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 F05 - Pipe External Protection - Jacketed
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- F05 - Pipe External Protection - Jacketed
- I00 - Overfill - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B00 - Tank External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- F00 - Pipe External Protection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 379162
 Affiliation Type: Facility Owner
 Company Name: CABLEVISION/LIGHTPATH
 Contact Type: AGENT
 Contact Name: RAY WHITAKER
 Address1: 111 NEW SOUTH ROAD
 Address2: Not reported
 City: HICKSVILLE
 State: NY
 Zip Code: 11801
 Country Code: 001
 Phone: (516) 390-5967
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 5/7/2012

Site Id: 379162
 Affiliation Type: Mail Contact
 Company Name: CABLEVISION/LIGHTPATH
 Contact Type: Not reported
 Contact Name: RAY WHITAKER
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 3/30/2007

Site Id: 379162
 Affiliation Type: On-Site Operator
 Company Name: 60 HUDSON STREET
 Contact Type: Not reported
 Contact Name: IVAN RODRIGUEZ
 Address1: Not reported
 Address2: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 3/30/2007

Site Id: 379162
 Affiliation Type: Emergency Contact
 Company Name: CABELVISION/LIGHTPATH
 Contact Type: Not reported
 Contact Name: RAY WHITAKER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (516) 315-8239
 EMail: Not reported
 Fax Number: Not reported
 Modified By: CGFREEDM
 Date Last Modified: 3/30/2007

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- K00 - Spill Prevention - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- B01 - Tank External Protection - Painted/Asphalt Coating
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- B01 - Tank External Protection - Painted/Asphalt Coating
- I02 - Overfill - High Level Alarm
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- K00 - Spill Prevention - None
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 L00 - Piping Leak Detection - None
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G10 - Tank Secondary Containment - Impervious Underlayment
- J02 - Dispenser - Suction Dispenser
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- F06 - Pipe External Protection - Wrapped
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- H05 - Tank Leak Detection - In-Tank System (ATG)
- L00 - Piping Leak Detection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- I03 - Overfill - Automatic Shut-Off
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
- H02 - Tank Leak Detection - Interstitial - Manual Monitoring
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1
 Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- A01 - Tank Internal Protection - Epoxy Liner
- C01 - Pipe Location - Aboveground
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- I04 - Overfill - Product Level Gauge (A/G)
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- H99 - Tank Leak Detection - Other
- C01 - Pipe Location - Aboveground
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- G04 - Tank Secondary Containment - Double-Walled (Underground)
- H99 - Tank Leak Detection - Other
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- C01 - Pipe Location - Aboveground
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- E01 - Piping Secondary Containment - Diking (Aboveground)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- I03 - Overfill - Automatic Shut-Off
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- J03 - Dispenser - Gravity
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

- B01 - Tank External Protection - Painted/Asphalt Coating
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- F01 - Pipe External Protection - Painted/Asphalt Coating
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- B01 - Tank External Protection - Painted/Asphalt Coating
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- F05 - Pipe External Protection - Jacketed
- G03 - Tank Secondary Containment - Vault (w/o access)
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- F05 - Pipe External Protection - Jacketed
- I00 - Overfill - None
- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B00 - Tank External Protection - None
- G04 - Tank Secondary Containment - Double-Walled (Underground)
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- F00 - Pipe External Protection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Affiliation Records:

Site Id: 4406
 Affiliation Type: Mail Contact
 Company Name: 60 HUDSON OWNER LLC
 Contact Type: Not reported
 Contact Name: MICHAEL TOTH
 Address1: 60 HUDSON STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 619-2890
 EMail: MICHAEL.TOTH@COLLIERS.COM
 Fax Number: Not reported
 Modified By: BVCAMPBE
 Date Last Modified: 7/2/2010

Site Id: 4406
 Affiliation Type: On-Site Operator
 Company Name: 60 HUDSON OWNER LLC
 Contact Type: Not reported
 Contact Name: MICHAEL TOTH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/26/2005

Site Id: 4406
 Affiliation Type: Emergency Contact
 Company Name: 60 HUDSON OWNER LLC
 Contact Type: Not reported
 Contact Name: SHAUN MOONEY
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Modified By: KXTANG
 Date Last Modified: 9/26/2005

Site Id: 4406
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNER LLC
 Contact Type: PROPERTY MANAGER
 Contact Name: SHAUN F. MOONEY
 Address1: 380 MADISION AVE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10017
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/26/2005

Tank Info:

Tank Number: 0009
 Tank Id: 66734
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C03 - Pipe Location - Aboveground/Underground Combination
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/01/1996
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 001
 Tank Id: 216592

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 02/22/2007
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: CGFREEDM
 Last Modified: 03/30/2007
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 207457
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 001
 Tank Id: 28312
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)
 I05 - Overfill - Vent Whistle
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 8000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 001
 Tank Id: 39187
 Tank Location: 4
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 001
 Tank Id: 56018
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 H00 - Tank Leak Detection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None

Tank Location: 6
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 12/01/1919
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 001
 Tank Id: 64567
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 0015
 Tank Id: 66186

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H05 - Tank Leak Detection - In-Tank System (ATG)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2003
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 64568
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1986
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 002
 Tank Id: 207458
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 11/13/2007
 Material Name: Not reported

Tank Number: 002
 Tank Id: 39188
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 05/01/1985
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Not reported

Tank Number: 002
 Tank Id: 64603
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 B01 - Tank External Protection - Painted/Asphalt Coating
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 16000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 07/01/2000
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 45451
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 H04 - Tank Leak Detection - Groundwater Well
 C01 - Pipe Location - Aboveground
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Tank Converted to Non-Regulated Use
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 9650
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 214861
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 004
 Tank Id: 45452
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 I05 - Overfill - Vent Whistle
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 G03 - Tank Secondary Containment - Vault (w/o access)
 K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1993
 Capacity Gallons: 17500

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 004
 Tank Id: 214862
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F06 - Pipe External Protection - Wrapped
- L00 - Piping Leak Detection - None
- F02 - Pipe External Protection - Original Sacrificial Anode
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm
- K00 - Spill Prevention - None

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2006
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 12/08/2006
 Material Name: Diesel

Tank Number: 005
 Tank Id: 206281
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- K01 - Spill Prevention - Catch Basin
- F06 - Pipe External Protection - Wrapped
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- C01 - Pipe Location - Aboveground
- I01 - Overfill - Float Vent Valve

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 006
 Tank Id: 206282
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 I01 - Overfill - Float Vent Valve
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 F06 - Pipe External Protection - Wrapped
 F02 - Pipe External Protection - Original Sacrificial Anode
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E12 - Piping Secondary Containment - Double-Wall (Aboveground)
 H05 - Tank Leak Detection - In-Tank System (ATG)
 L00 - Piping Leak Detection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 03/01/2005
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: BVCAMPBE
 Last Modified: 07/02/2010
 Material Name: Diesel

Tank Number: 01
 Tank Id: 65875
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C03 - Pipe Location - Aboveground/Underground Combination
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I01 - Overfill - Float Vent Valve
 K00 - Spill Prevention - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J01 - Dispenser - Pressurized Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 A01 - Tank Internal Protection - Epoxy Liner
 L00 - Piping Leak Detection - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 01
 Tank Id: 64164
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

K00 - Spill Prevention - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 I02 - Overfill - High Level Alarm
 Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 64165
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 L09 - Piping Leak Detection - Exempt Suction Piping
 J00 - Dispenser - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 G07 - Tank Secondary Containment - Excavation Liner
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/01/2000
 Capacity Gallons: 330
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUG
 Last Modified: 03/13/2013
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 02
 Tank Id: 66024
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 A01 - Tank Internal Protection - Epoxy Liner
 F06 - Pipe External Protection - Wrapped
 H99 - Tank Leak Detection - Other

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/05/1990
 Capacity Gallons: 250
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 03
 Tank Id: 242781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 04
 Tank Id: 242782
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I03 - Overfill - Automatic Shut-Off
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 G09 - Tank Secondary Containment - Modified Double-Walled (Aboveground)
 H02 - Tank Leak Detection - Interstitial - Manual Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/17/2013
 Material Name: Diesel

Tank Number: 09
 Tank Id: 213684
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None
 E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 B01 - Tank External Protection - Painted/Asphalt Coating

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MCI (Continued)

U000411261

F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1
 Tank Id: 38993
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Id: 64537
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1080
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 10
 Tank Id: 64545
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 L00 - Piping Leak Detection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 75
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 11
 Tank Id: 64546
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- C01 - Pipe Location - Aboveground
- E00 - Piping Secondary Containment - None
- I03 - Overfill - Automatic Shut-Off
- K00 - Spill Prevention - None
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- J02 - Dispenser - Suction Dispenser
- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- L00 - Piping Leak Detection - None
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 60
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 12
 Tank Id: 64547
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

- E09 - Piping Secondary Containment - Modified Double-Walled

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

(Aboveground)
 K02 - Spill Prevention - Transfer Station Containment
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G00 - Tank Secondary Containment - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 20
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 1204
 Tank Id: 213344
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 K01 - Spill Prevention - Catch Basin
 A01 - Tank Internal Protection - Epoxy Liner
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 95
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 13
 Tank Id: 213685
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 1302
 Tank Id: 223623
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 A01 - Tank Internal Protection - Epoxy Liner
 C01 - Pipe Location - Aboveground
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 08/07/2006
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: KAKYER
 Last Modified: 06/17/2013
 Material Name: Diesel

Tank Number: 2
 Tank Id: 56016
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

H99 - Tank Leak Detection - Other
 C01 - Pipe Location - Aboveground
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 2
 Tank Id: 64538
 Material Code: 0008
 Common Name of Substance: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/01/1996
 Capacity Gallons: 1500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 3
 Tank Id: 56017
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 H99 - Tank Leak Detection - Other
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 4000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Date Tank Closed: 11/19/2002
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: Diesel

Tank Number: 3
 Tank Id: 64539
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1999
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 4
 Tank Id: 64540
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 C01 - Pipe Location - Aboveground
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 5
 Tank Id: 56637
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 K01 - Spill Prevention - Catch Basin
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: 6
 Tank Id: 64541
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

G04 - Tank Secondary Containment - Double-Walled (Underground)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 11/01/1998
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

Tank Number: 7
 Tank Id: 64542
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H00 - Tank Leak Detection - None
 I03 - Overfill - Automatic Shut-Off
 K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L00 - Piping Leak Detection - None
 G00 - Tank Secondary Containment - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: 8
 Tank Id: 64543
 Material Code: 9999
 Common Name of Substance: Other

Equipment Records:

H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 E09 - Piping Secondary Containment - Modified Double-Walled (Aboveground)
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K02 - Spill Prevention - Transfer Station Containment
 C01 - Pipe Location - Aboveground
 I00 - Overfill - None
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1990
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 04/25/2012
 Material Name: Other

Tank Number: 9
 Tank Id: 64544
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

K00 - Spill Prevention - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G02 - Tank Secondary Containment - Vault (w/access)
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

E01 - Piping Secondary Containment - Diking (Aboveground)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 I03 - Overfill - Automatic Shut-Off
 B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: 01/01/1998
 Capacity Gallons: 200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 08/01/2006
 Register: True
 Modified By: NRLOMBAR
 Last Modified: 10/31/2013
 Material Name: Diesel

Tank Number: GTE001
 Tank Id: 222779
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 J03 - Dispenser - Gravity
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/1996
 Capacity Gallons: 3000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Tank Number: GTE1107
 Tank Id: 222781
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 06/03/1996
 Capacity Gallons: 150
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE131
 Tank Id: 222778
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

Install Date: 05/01/1996
 Capacity Gallons: 275
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE16
 Tank Id: 64748
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 B01 - Tank External Protection - Painted/Asphalt Coating
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 I03 - Overfill - Automatic Shut-Off
 F05 - Pipe External Protection - Jacketed
 G03 - Tank Secondary Containment - Vault (w/o access)
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 11/01/2002
 Capacity Gallons: 3200
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: GTE307
 Tank Id: 64749
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 K01 - Spill Prevention - Catch Basin
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MCI (Continued)

U000411261

J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 F05 - Pipe External Protection - Jacketed
 I00 - Overfill - None
 C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 G04 - Tank Secondary Containment - Double-Walled (Underground)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 09/01/2002
 Capacity Gallons: 260
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: dxliving
 Last Modified: 05/05/2008
 Material Name: Diesel

Tank Number: TANK 1
 Tank Id: 64437
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

B00 - Tank External Protection - None
 G04 - Tank Secondary Containment - Double-Walled (Underground)
 C01 - Pipe Location - Aboveground
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 F00 - Pipe External Protection - None
 H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
 I02 - Overfill - High Level Alarm

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Administratively Closed
 Pipe Model: Not reported
 Install Date: 01/01/1999
 Capacity Gallons: 6000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: JMKRIMGO
 Last Modified: 09/25/2006
 Material Name: Diesel

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

BG362 **60 HUDSON OWNER LLC**
South **60 HUDSON STREET**
1/8-1/4 **NEW YORK, NY 10013**
0.242 mi.
1277 ft. **Site 12 of 12 in cluster BG**

NY UST **U004076395**
N/A

UST:

Id/Status: 2-148237 / Active
Program Type: PBS
Region: STATE
DEC Region: 2
Expiration Date: 2015/09/26
UTM X: 583745.96190999995
UTM Y: 4507883.1853200002
Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 4406
Affiliation Type: Mail Contact
Company Name: 60 HUDSON OWNER LLC
Contact Type: Not reported
Contact Name: MICHAEL TOTH
Address1: 60 HUDSON STREET
Address2: Not reported
City: NEW YORK
State: NY
Zip Code: 10013
Country Code: 001
Phone: (212) 619-2890
EMail: MICHAEL.TOTH@COLLIERS.COM
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 7/2/2010

Site Id: 4406
Affiliation Type: On-Site Operator
Company Name: 60 HUDSON OWNER LLC
Contact Type: Not reported
Contact Name: MICHAEL TOTH
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN
Zip Code: Not reported
Country Code: 001
Phone: (212) 619-2890
EMail: Not reported
Fax Number: Not reported
Modified By: KXTANG
Date Last Modified: 9/26/2005

Site Id: 4406
Affiliation Type: Emergency Contact
Company Name: 60 HUDSON OWNER LLC
Contact Type: Not reported
Contact Name: SHAUN MOONEY
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

60 HUDSON OWNER LLC (Continued)

U004076395

Zip Code: Not reported
 Country Code: 999
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/26/2005

Site Id: 4406
 Affiliation Type: Facility Owner
 Company Name: 60 HUDSON OWNER LLC
 Contact Type: PROPERTY MANAGER
 Contact Name: SHAUN F. MOONEY
 Address1: 380 MADISION AVE
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10017
 Country Code: 001
 Phone: (212) 619-2890
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KXTANG
 Date Last Modified: 9/26/2005

Tank Info:

Tank Number: 002
 Tank ID: 28313
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 16000
 Install Date: Not reported
 Date Tank Closed: 01/01/1993
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 B00 - Tank External Protection - None

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Distance (ft.) Site Database(s) EPA ID Number

BJ363 CONSOLIDATED EDISON NY MANIFEST 1009241388
SSE LEONARD & W BROADWAY MH59694 N/A
1/8-1/4 NEW YORK, NY 10003
0.243 mi.
1285 ft. Site 2 of 8 in cluster BJ

NY MANIFEST:

EPA ID: NYP004098240
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0640512
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 05/06/2002
 Trans1 Recv Date: 05/06/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/07/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004098240
 Trans1 EPA ID: NYD980593636
 Trans2 EPA ID: Not reported
 TSD ID: SM1708
 Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB
 Quantity: 01464
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2002

Document ID: NYE0627624
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 05/06/2002
 Trans1 Recv Date: 05/06/2002
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/07/2002
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004098240
 Trans1 EPA ID: NYD077444263
 Trans2 EPA ID: Not reported
 TSD ID: 48122AN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

1009241388

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES
 Quantity: 00128
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 01.00
 Year: 2002

**BJ364
 SSE
 1/8-1/4
 0.243 mi.
 1285 ft.**

**CONSOLIDATED EDISON
 LEONARD ST & VARICK ST MH 58078
 NEW YORK, NY
 Site 3 of 8 in cluster BJ**

**NY MANIFEST S109155678
 N/A**

NY MANIFEST:
 EPA ID: NYP004159158
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLYN MURRAY
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-06-14
 Trans1 Recv Date: 2008-06-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-06-16
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004159158
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: Not reported
 Quantity: 200.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001450689FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

S109155678

Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-06-14
 Trans1 Recv Date: 2008-06-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-06-16
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004159158
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NYD077444263
 Waste Code: Not reported
 Quantity: 200.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001450689FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 2008-06-14
 Trans1 Recv Date: 2008-06-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2008-06-16
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004159158
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSOLIDATED EDISON (Continued)

S109155678

TSDF ID: NYD077444263
 Waste Code: Not reported
 Quantity: 200.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001450689FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

**BL365
 ENE
 1/8-1/4
 0.244 mi.
 1290 ft.**

**MTA NYCT - CANAL STREET STATION
 GRAND & 6TH AVE BELOW GRD STA
 NEW YORK, NY 10013
 Site 3 of 4 in cluster BL**

**RCRA-CESQG 1001223952
 NY MANIFEST NYR000051680
 NJ MANIFEST**

RCRA-CESQG:

Date form received by agency: 01/01/2007
 Facility name: MTA NYCT - CANAL STREET STATION
 Facility address: GRAND & 6TH AVE BELOW GRD STA
 MEZZANINE AREA COLUMN ZONE
 NEW YORK, NY 10013
 EPA ID: NYR000051680
 Mailing address: COLUMBUS CIR 25TH FLOOR
 NEW YORK, NY 10019
 Contact: Not reported
 Contact address: COLUMBUS CIR 25TH FLOOR
 NEW YORK, NY 10019
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MTA NYCT - CANAL STREET STATION (Continued)

1001223952

hazardous waste

Owner/Operator Summary:

Owner/operator name: MTA NEW YORK CITY TRANSIT
 Owner/operator address: 10 COLUMBUS CIR 25TH FLOOR
 NEW YORK, NY 10019
 Owner/operator country: US
 Owner/operator telephone: (212) 307-6010
 Legal status: Municipal
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: MTA NEW YORK CITY TRANSIT
 Owner/operator address: 10 COLUMBUS CIR 25TH FLOOR
 NEW YORK, NY 10019
 Owner/operator country: US
 Owner/operator telephone: (212) 307-6010
 Legal status: Municipal
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: MTA NYCT - CANAL STREET STATION
 Classification: Conditionally Exempt Small Quantity Generator

Date form received by agency: 07/08/1999
 Facility name: MTA NYCT - CANAL STREET STATION
 Classification: Not a generator, verified

Date form received by agency: 03/13/1998
 Facility name: MTA NYCT - CANAL STREET STATION
 Classification: Small Quantity Generator

Violation Status: No violations found

NY MANIFEST:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MTA NYCT - CANAL STREET STATION (Continued)

1001223952

EPA ID: NYR000051680
 Country: USA
 Mailing Name: NYCTA CANAL ST STA
 Mailing Contact: NYCTA CANAL ST STA
 Mailing Address: 2 BROADWAY 2ND FLOOR
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10004
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 646-252-3500

Document ID: NJA5104680
 Manifest Status: Not reported
 Trans1 State ID: S8424
 Trans2 State ID: Not reported
 Generator Ship Date: 05/06/2004
 Trans1 Recv Date: 05/06/2004
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 05/06/2004
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000051680
 Trans1 EPA ID: NYD046765574
 Trans2 EPA ID: Not reported
 TSDF ID: NJD991291
 Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00020
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 2004

NJ MANIFEST:

Manifest Code: NJA5104680
 EPA ID: NYR000051680
 Date Shipped: 05/06/2004
 TSDF EPA ID: NJD991291105
 Transporter EPA ID: NYD046765574
 Transporter 2 EPA ID: Not reported
 Transporter 3 EPA ID: Not reported
 Transporter 4 EPA ID: Not reported
 Transporter 5 EPA ID: Not reported
 Transporter 6 EPA ID: Not reported
 Transporter 7 EPA ID: Not reported
 Transporter 8 EPA ID: Not reported
 Transporter 10 EPA ID: Not reported
 Date Trans1 Transported Waste: 05/06/2004
 Date Trans2 Transported Waste: Not reported
 Date Trans3 Transported Waste: Not reported
 Date Trans4 Transported Waste: Not reported
 Date Trans5 Transported Waste: Not reported
 Date Trans6 Transported Waste: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MTA NYCT - CANAL STREET STATION (Continued)

1001223952

Date Trans7 Transported Waste: Not reported
 Date Trans8 Transported Waste: Not reported
 Date Trans9 Transported Waste: Not reported
 Date Trans10 Transported Waste: Not reported
 Date TSDF Received Waste: 05/06/2004
 Tranporter 1 Decal: Not reported
 Tranporter 2 Decal: Not reported
 Generator EPA Facility Name: Not reported
 Transporter-1 EPA Facility Name: Not reported
 Transporter-2 EPA Facility Name: Not reported
 Transporter-3 EPA Facility Name: Not reported
 Transporter-4 EPA Facility Name: Not reported
 Transporter-5 EPA Facility Name: Not reported
 TSDF EPA Facility Name: Not reported
 QTY Units: Not reported
 Transporter SEQ ID: Not reported
 Transporter-1 Date: Not reported
 Waste SEQ ID: Not reported
 Waste Type Code 2: Not reported
 Waste Type Code 3: Not reported
 Waste Type Code 4: Not reported
 Waste Type Code 5: Not reported
 Waste Type Code 6: Not reported
 Date Accepted: Not reported
 Manifest Discrepancy Type: Not reported
 Data Entry Number: 06090422
 Reference Manifest Number: Not reported
 Was Load Rejected (Y/N): No
 Reason Load Was Rejected: Not reported
 Waste Code: Not reported
 Manifest Year: Not reported
 Quantity: Not reported
 Unit: Not reported
 Hand Code: Not reported

BJ366
SSE
1/8-1/4
0.244 mi.
1290 ft.

GULF SERVICE STATION
LEONARD ST / WEST BROADWAY
NY, NY 10013

NY UST **U001839067**
N/A

Site 4 of 8 in cluster BJ

UST:

Id/Status: 2-336785 / Administratively Closed
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583870.7892
 UTM Y: 4508012.9008900002
 Site Type: Unknown

Affiliation Records:

Site Id: 16118
 Affiliation Type: On-Site Operator
 Company Name: GULF SERVICE STATION
 Contact Type: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

GULF SERVICE STATION (Continued)

U001839067

Contact Name: LOUIS PROVENZANO INC
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-6836
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16118
 Affiliation Type: Emergency Contact
 Company Name: CUMBERLAND FARMS INC
 Contact Type: Not reported
 Contact Name: ROBERT H PHAROH
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (201) 625-1829
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 16118
 Affiliation Type: Facility Owner
 Company Name: CUMBERLAND FARMS, INC.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 777 DEDHAM STREET
 Address2: Not reported
 City: CANTON
 State: MA
 Zip Code: 02021
 Country Code: 001
 Phone: (617) 828-4912
 EMail: Not reported
 Fax Number: Not reported
 Modified By: wlseven
 Date Last Modified: 2/11/2008

Site Id: 16118
 Affiliation Type: Mail Contact
 Company Name: CUMBERLAND FARMS, INC.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 777 DEDHAM STREET
 Address2: Not reported
 City: CANTON
 State: MA
 Zip Code: 02021

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GULF SERVICE STATION (Continued)

U001839067

Country Code: 001
 Phone: (617) 828-4912
 EMail: Not reported
 Fax Number: Not reported
 Modified By: wlsteven
 Date Last Modified: 2/11/2008

Tank Info:

Tank Number: 001
 Tank ID: 28485
 Tank Status: Administratively Closed
 Material Name: Administratively Closed
 Capacity Gallons: 550
 Install Date: 01/01/1952
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 09/01/1989
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 H04 - Tank Leak Detection - Groundwater Well
 G03 - Tank Secondary Containment - Vault (w/o access)
 I00 - Overfill - None

Tank Number: 002
 Tank ID: 28486
 Tank Status: Administratively Closed
 Material Name: Administratively Closed
 Capacity Gallons: 550
 Install Date: 01/01/1952
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 09/01/1989
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GULF SERVICE STATION (Continued)

U001839067

Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 I00 - Overfill - None
 B00 - Tank External Protection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 H04 - Tank Leak Detection - Groundwater Well

Tank Number: 003
 Tank ID: 28487
 Tank Status: Administratively Closed
 Material Name: Administratively Closed
 Capacity Gallons: 550
 Install Date: 10/01/1963
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 09/01/1989
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 I00 - Overfill - None
 H04 - Tank Leak Detection - Groundwater Well
 B00 - Tank External Protection - None

Tank Number: 004
 Tank ID: 28488
 Tank Status: Administratively Closed
 Material Name: Administratively Closed
 Capacity Gallons: 550
 Install Date: 10/01/1963
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GULF SERVICE STATION (Continued)

U001839067

Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 09/01/1989
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 G03 - Tank Secondary Containment - Vault (w/o access)
 H04 - Tank Leak Detection - Groundwater Well
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 005
 Tank ID: 28489
 Tank Status: Administratively Closed
 Material Name: Administratively Closed
 Capacity Gallons: 550
 Install Date: 10/01/1963
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 H04 - Tank Leak Detection - Groundwater Well
 I00 - Overfill - None

Tank Number: 006
 Tank ID: 28490
 Tank Status: Administratively Closed
 Material Name: Administratively Closed

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GULF SERVICE STATION (Continued)

U001839067

Capacity Gallons: 550
 Install Date: 10/01/1963
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: 01
 Date Test: 09/01/1989
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G03 - Tank Secondary Containment - Vault (w/o access)
 I00 - Overfill - None
 H04 - Tank Leak Detection - Groundwater Well
 B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel
 J02 - Dispenser - Suction Dispenser

Tank Number: 007
 Tank ID: 28491
 Tank Status: Administratively Closed
 Material Name: Administratively Closed
 Capacity Gallons: 550
 Install Date: 06/01/1956
 Date Tank Closed: 09/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 9999
 Common Name of Substance: Other

Tightness Test Method: 01
 Date Test: 09/01/1989
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 G00 - Tank Secondary Containment - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D02 - Pipe Type - Galvanized Steel

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Distance (ft.) Site Database(s) EPA ID Number

BQ367 CON EDISON GAS MAIN RCRA NonGen / NLR 1009218110
NNE 255 HUDSON ST GAS MAIN NY MANIFEST NYP004137725
1/8-1/4 NEW YORK, NY 10001
0.245 mi. Site 1 of 5 in cluster BQ
1293 ft.

RCRA NonGen / NLR:

Date form received by agency: 11/25/2005
 Facility name: CON EDISON GAS MAIN
 Facility address: 255 HUDSON ST GAS MAIN
 NEW YORK, NY 10001
 EPA ID: NYP004137725
 Mailing address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: ANTONIO DELGADO
 Contact address: 4 IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact country: US
 Contact telephone: (718) 204-4201
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 11/24/2005
 Facility name: CON EDISON GAS MAIN
 Site name: CON EDISON
 Classification: Not a generator, verified

Date form received by agency: 11/23/2005
 Facility name: CON EDISON GAS MAIN
 Site name: CON EDISON
 Classification: Unverified

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP004137725
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: FRANKLIN MURRAY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON GAS MAIN (Continued)

1009218110

Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2808

Document ID: NYE0628263
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 11/12/2005
 Trans1 Recv Date: 11/12/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/14/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004137725
 Trans1 EPA ID: 69526JR
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: 2005

Document ID: NYE0628263
 Manifest Status: Not reported
 Trans1 State ID: NYD006982359
 Trans2 State ID: Not reported
 Generator Ship Date: 11/12/2005
 Trans1 Recv Date: 11/12/2005
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 11/14/2005
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004137725
 Trans1 EPA ID: 69526JR
 Trans2 EPA ID: Not reported
 TSD ID: NYD077444263
 Waste Code: D018 - BENZENE 0.5 MG/L TCLP
 Quantity: 00040
 Units: G - Gallons (liquids only)* (8.3 pounds)
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 01.00
 Year: Not reported

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

BL368 GRAND STREET PARTNERS, LLC.
ENE 26-32 GRAND STREET
1/8-1/4 NEW YORK, NY 10013
0.247 mi.
1302 ft. Site 4 of 4 in cluster BL

NY AST U004046995
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Unregulated
 Facility Id: 2-602810
 Program Type: PBS
 UTM X: 584061.52405000001
 UTM Y: 4508529.13083000002
 Expiration Date: N/A
 Site Type: Private Residence

Affiliation Records:

Site Id: 24766
 Affiliation Type: Facility Owner
 Company Name: GRAND STREET PARTNERS, LLC.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 75 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 431-5625
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24766
 Affiliation Type: Mail Contact
 Company Name: GRAND STREET PARTNERS, LLC.
 Contact Type: Not reported
 Contact Name: NINO VENDOME
 Address1: 75 VARICK STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10013
 Country Code: 001
 Phone: (212) 431-5625
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24766
 Affiliation Type: On-Site Operator
 Company Name: GRAND STREET PARTNERS, LLC.
 Contact Type: Not reported
 Contact Name: NINO VENDOME
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

GRAND STREET PARTNERS, LLC. (Continued)

U004046995

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 431-5625
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 24766
 Affiliation Type: Emergency Contact
 Company Name: GRAND STREET PARTNERS, LLC.
 Contact Type: Not reported
 Contact Name: NINO VENDOME
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 431-5625
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 01
 Tank Id: 51698
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D10 - Pipe Type - Copper
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

3
 Tank Location:
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 10/01/1996
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BJ369 L PROVENZANO INC RCRA NonGen / NLR 1000458421
SSE 180 W BROADWAY FINDS NYD986938132
1/8-1/4 NEW YORK, NY 10013
0.247 mi.
1303 ft. Site 5 of 8 in cluster BJ

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: L PROVENZANO INC
 Facility address: 180 W BROADWAY
 NEW YORK, NY 100132906
 EPA ID: NYD986938132
 Mailing address: W BROADWAY
 NEW YORK, NY 10013
 Contact: Not reported
 Contact address: W BROADWAY
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: Not reported
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: LOUIS PROVENZANO
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: LOUIS PROVENZANO
 Owner/operator address: NOT REQUIRED
 NOT REQUIRED, WY 99999
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L PROVENZANO INC (Continued)

1000458421

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: L PROVENZANO INC
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: L PROVENZANO INC
 Classification: Not a generator, verified

Date form received by agency: 01/29/1991
 Facility name: L PROVENZANO INC
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004459498

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

BJ370 L. PROVENZANO INC
SSE 180 WEST BROADWAY
1/8-1/4 NEW YORK, NY 10013
0.247 mi.
1303 ft. Site 6 of 8 in cluster BJ

NY LTANKS U001841050
NY UST N/A
NY HIST UST
NY MANIFEST
NY Spills

LTANKS:

Site ID: 332742
 Spill Number/Closed Date: 0408104 / 3/25/2005
 Spill Date: 10/21/2004
 Spill Cause: Tank Failure
 Spill Source: Gasoline Station
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: KMFOLEY
 Referred To: Not reported
 Reported to Dept: 10/21/2004
 CID: 408
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

Remediation Phase: 0
 Date Entered In Computer: 10/21/2004
 Spill Record Last Update: 3/25/2005
 Spiller Name: GERALD HICKSON
 Spiller Company: GAS STATION
 Spiller Address: 180 BROADWAY
 Spiller City,St,Zip: NEW YORK, NY
 Spiller County: 001
 Spiller Contact: GERALD HICKSON
 Spiller Phone: (631) 581-4058
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 267952
 DEC Memo: 10/22/04 Notes from Tipple:P. Brinckerhoff investigating for potential buyer.Ross Provenzano owner's rep.Found 4-550 previously abandoned tanks 1" gasoline on the water table, GW at +-12" Contaminated soil3/25/05 Reassigned from Rommel to Foley. Changed address from 180 Broadway to 180 West Broadway. Investigation/remediation to be completed under spill #0408744.(KMF)
 Remarks: PHASE 2 INVESTIGATION, GEOPROBE WORK, WITH AN OLD GAS STATION. 4 TANKS THERE. GASOLINE IS IN SOIL SURROUNDING TANKS AND ON THE GROUNDWATER TABLE.

Material:
 Site ID: 332742
 Operable Unit ID: 1094954
 Operable Unit: 01
 Material ID: 575087
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

UST:
 Id/Status: 2-481947 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 583876.10672000004
 UTM Y: 4507938.1672799997
 Site Type: Unknown

Affiliation Records:
 Site Id: 21574
 Affiliation Type: Facility Owner
 Company Name: ROSS PROVENZANO INC
 Contact Type: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L. PROVENZANO INC (Continued)

U001841050

Contact Name:	Not reported
Address1:	180 WEST BROADWAY
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 226-6836
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	21574
Affiliation Type:	Mail Contact
Company Name:	ROSS PROVENZANO INC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	180 WEST BROADWAY
Address2:	Not reported
City:	NEW YORK
State:	NY
Zip Code:	10013
Country Code:	001
Phone:	(212) 226-6836
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	21574
Affiliation Type:	On-Site Operator
Company Name:	L. PROVENZANO INC
Contact Type:	Not reported
Contact Name:	ROSS PROVENZANO INC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported
Country Code:	001
Phone:	(212) 226-6836
EMail:	Not reported
Fax Number:	Not reported
Modified By:	TRANSLAT
Date Last Modified:	3/4/2004
Site Id:	21574
Affiliation Type:	Emergency Contact
Company Name:	ROSS PROVENZANO INC
Contact Type:	Not reported
Contact Name:	ROSS PROVENZANO INC
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NN
Zip Code:	Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

Country Code: 001
 Phone: (212) 226-6836
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank ID: 41149
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 I00 - Overfill - None
 H00 - Tank Leak Detection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 G00 - Tank Secondary Containment - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser

Tank Number: 002
 Tank ID: 41150
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 003
 Tank ID: 41151
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 004
 Tank ID: 41152
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None

Tank Number: 005
 Tank ID: 41153
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91
 Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

Tank Number: 006
 Tank ID: 41154
 Tank Status: Closed Prior to Micro Conversion, 03/91
 Material Name: Closed Prior to Micro Conversion, 03/91

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L. PROVENZANO INC (Continued)

U001841050

Capacity Gallons: 550
 Install Date: Not reported
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0009
 Common Name of Substance: Gasoline

Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

G00 - Tank Secondary Containment - None
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I00 - Overfill - None
 B00 - Tank External Protection - None

HIST UST:

PBS Number: 2-481947
 SPDES Number: Not reported
 Emergency Contact: ROSS PROVENZANO INC
 Emergency Telephone: (212) 226-6836
 Operator: ROSS PROVENZANO INC
 Operator Telephone: (212) 226-6836
 Owner Name: ROSS PROVENZANO INC
 Owner Address: 180 WEST BROADWAY
 Owner City,St,Zip: NEW YORK, NY 10013
 Owner Telephone: (212) 226-6836
 Owner Type: Not reported
 Owner Subtype: Not reported
 Mailing Name: ROSS PROVENZANO INC
 Mailing Address: 180 WEST BROADWAY
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10013
 Mailing Contact: Not reported
 Mailing Telephone: (212) 226-6836
 Owner Mark: First Owner
 Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons) and Subpart 360-14.
 Facility Addr2: 180 WEST BROADWAY
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: Not reported
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L. PROVENZANO INC (Continued)

U001841050

Certification Flag: False
 Certification Date: 10/09/1990
 Expiration Date: 10/05/1995
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 0
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: Minor Data Missing
 Tank Screen: 0
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: Closed Before April 1, 1991
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

Tank Id: 002
 Tank Location: UNDERGROUND
 Tank Status: Closed Before April 1, 1991
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

Tank Id: 003
 Tank Location: UNDERGROUND
 Tank Status: Closed Before April 1, 1991
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

Tank Id: 004
 Tank Location: UNDERGROUND
 Tank Status: Closed Before April 1, 1991
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L. PROVENZANO INC (Continued)

U001841050

Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

Tank Id: 005
 Tank Location: UNDERGROUND
 Tank Status: Closed Before April 1, 1991
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

Tank Id: 006
 Tank Location: UNDERGROUND
 Tank Status: Closed Before April 1, 1991
 Install Date: Not reported
 Capacity (gals): 550
 Product Stored: UNLEADED GASOLINE
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: None
 Leak Detection: None
 Overfill Prot: Not reported
 Dispenser: Suction
 Date Tested: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 Lat/long: Not reported

NY MANIFEST:

EPA ID: NYD986938132
 Country: USA
 Mailing Name: L PROVENZANO INCORPORATED
 Mailing Contact: STANLEY PRYLUCK
 Mailing Address: 180 WEST BROADWAY
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-226-6836

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID: 0408744
 Facility Type: ER
 DER Facility ID: 267952
 Site ID: 333481
 DEC Region: 2
 Spill Date: 11/6/2004
 Spill Number/Closed Date: 0408744 / 9/27/2010
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: jamaison
 Referred To: CLOSED
 Reported to Dept: 11/8/2004
 CID: 407
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 11/8/2004
 Spill Record Last Update: 9/27/2010
 Spiller Name: MIKE BULLOCK
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller Company: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L. PROVENZANO INC (Continued)

U001841050

Contact Name: MIKE BULLOCK
 Contact Phone: (718) 391-1218
 DEC Memo: See PBS # 2-336785 (and 2-481947 unregulated)former gas station at this location, corner of Leonard Street and West Broadway is synonymous with 180 West Broadway. Groundwater well installed, GW at 9' , well screened from 5'-15'. Petroleum found appeared to be gasoline as per discussion with Mr. Bullock. Sample will be analyzed within the next week.11/9/04 Reassigned from Rommel to Foley.(KMF)12/8/04 Issued contaminated soil/gw letter. Report to be submitted 2/8/05.1/14/05 Spoke to Sue Bianchetti, Parsons Brinkerhoff (212-465-5419, Home 631-673-4653). Will send copies of Phase I and Phase II reports next week. Will also prepare a workplan to be submitted the week of 1/24/05. Site is currently occupied by a car dealership, a bar (Buster's Garage) with a parking lot. An apartment building is proposed. Construction is to include dewatering (GW at 9-10'bgs).1/26/05 Received Phase I and Phase II reports from Parsons Brinkerhoff. Pending submittal of a workplan.The site was operated as a gas station from approx 1950 to at least 1985. The site is currently occupied by two commerical establishments in the first floor of the building. A car dealership occupies the northern portion of the building and a restaurant/bar occupies the southern portion. Business offices are located in the second and third floors.Six gas tanks are shown on the Sanborn maps. The PBS database lists six 550gal gas USTs which were closed before 1/1/91 and are registered to L. Provenzano, the current property owner. An oil water separator with a 1275gal UST is apparently located beneath the floor of the restaurant. A site investigation was performed 10/20/04-10/22/04. GW was encountered at approx 10'bgs. Bedrock at approx 93'bgs. There is a subway structure located beneath W Broadway at about 23-24' deep.Six soil borings were drilled by Geoprobe to depths between 10 and 16'bgs. One inch of free product was detected in GH-4 during sample collection. The only soil sample that exhibited VOC impacts is GH-3, which is located at the area of suspected gasoline USTs, but no BTEX. Fingerprint analysis for GH-3 identified gasoline. The other samples returned as an unknown diesel range organic.Semivolatiles were identified above soil cleanup guidance in GH-1 and GH-6 and, to a lesser extent, GH-2.Barium, lead and mercury were detected above cleanup guidance in GH-1, GH-2(lead,mercury) and GH-3(mercury).The presence of fill material and lack of GW infiltration prevented GW samples from being collected.PB recommends that all the identified USTs on site be removed with impacted soils. if contaminated soils remain due to constraints from the building, PB is recommending another remedial measure such as bioremediation or soil venting.3/1/05 Spoke to Sue Bianchetti, PB. Will submit workplan by the end of this week or beginning of next week.4/18/05 Received draft RAP dated April 2005. The buyer plans to demolish the existing building and construct a 13-story mixed-use (retail & residential) building comprised of 89,722 sq ft. Potential sources include the former gas USTs which were abandoned in place, the oil/water separator UST(there is no documentation indicating these were properly closed), and possibly fill materials.6/13/05 Conditionally approved Draft RAP. Will be removing tanks and source materials followed by post-ex sampling. Hot spots exist along northeast(gasoline) and along the east(fuel oil or waste oil). No groundwater data to date. Will be dewatering for approx 3 months. Samples will be taken every week prior to discharge by NYC permit. Requested two additional well points(adjacent to GH-1 and GH-4) in

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

L. PROVENZANO INC (Continued)

U001841050

addition to the three that they had proposed. Samples at highest PID and directly above watertable. Analysis by 8021+MTBE and 8270. Also specified that the Dept may require a supplemental RAP depending upon groundwater conditions which would address GW and possibly vapor mitigation/investigation.6/20/05 Conference call with Rory Levy and John Lousinger, NYC Board of Standards and Appeals(BSA), Susan Shaw and Ross Markowitz of Strock, Sue Bianchetti of Parsons Brinkerhoff(PB).7/26/05 Letter from PB received which confirms they will be doing work as per 6/13/05 letter.8/18/05 Stipulation mailed out, due back 9/8/05.1/5/06 Update from Sue Bianchetti, Parsons Brinkerhoff. Still going through NYC Board of Standards and Appeals hearings. Redesigning building and renegotiating lease. Possibly do more phase I on other portion/parking lot.6/30/06 DEC lead transferred from K. Foley to J.A. Maisonave. - JAM7/27/06 Received call from Susan Bianchetti from Parsons Brinkerhoff (PB). PB plans to start work on the site in August and needs to obtain a sidewalk permit. The remediation plan includes excavating the entire site for the basement of an apartment building and disposing of soil. Groundwater is around 10 feet and the excavation will go down to 14 feet. The area will be continuously dewatered during excavation and for three months after. - JAM8/1/06 I composed a letter requesting all NYC agencies cooperation in expediting the remediation of this site. PB will use this to obtain a DOT sidewalk permit. - JAM10/10/06 Received a call from S. Bianchetti, PB. She requests changing the location of the upgradient monitoring well from the southeast corner of W. Broadway and Leonard to the northeast corner of W. Broadway and Leonard and if I can revise the Sidewalk Permit accordingly. I agreed and sent the new sidewalk permit via email and regular mail. Revised sidewalk permit in edocs. - JAM6/13/07 Call from Sue Bianchetti from PB. Ms. Bianchetti said the building has been demolished and all tanks are removed. They have begun excavating the site. Analytical showed that downgradient wells have hits for petroleum related VOCs. I asked her to send me an email with some more details. - JAM2/21/08 Visited the site today to meet with Sue Bianchetti from PB. Site has been excavated below the water table and the dewatering system has been running. Water is being treated and discharged on-site. The two downgradient wells could not be located. One must have been paved over in the parking garage and the other covered in the showroom for the coming apartments/condos. I asked Ms. Bianchetti for more frequent site updates as well as quarterly groundwater sampling. If the wells cannot be located then they would have to be replaced. I also would like samples taken from the dewatering system before the treatment system to see if the residual dissolved phase contaminants are present. - JAM9/26/08 Reviewed the Groundwater Monitoring Report submitted by PB Americas, Inc. dated June 2008. The report was submitted to the DEC on September 3, 2008. The report summarizes remedial and construction activities performed at the site and the January 2007 and March/April 2008 sampling events. To date Six USTs and one oil/water separator was removed along with all contaminated soil on the property. The site was continuously dewatered for a period of nearly 6 months beginning in February 2008.The January 2007 sampling event (prior to dewatering) showed VOCs in wells MW-3 and MW-4. On March 31 and April 1, 2008, groundwater samples were collected from MW-2, MW-3, Temp. well (located near MW-1 and used to monitor groundwater levels beneath the site) and at the pre-treatment tank of the dewatering system. The only VOC detected was Benzene at 6.6ug/L at the pre-treatment tank.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

MW-1 and MW-4 were not sampled because they were destroyed. Report uploaded to eDocs. I met with representatives from PB America and the property owner at the site today to discuss future work. I requested that a monitoring well be installed near former well MW-4 and at least one additional round of groundwater sampling be conducted. When the new well is installed and groundwater samples are collected, a comprehensive summary report will be submitted with recommendations.

- JAM2/23/09 Reviewed the Remedial Closure Report submitted by Parsons Brinkerhoff (PB) dated January 30, 2009. The report summarizes all investigation and remediation performed at the site and includes all analytical data in the appendices. In April and October 2008, groundwater was monitored from all accessible monitoring wells. Upgradient well MW-2 and downgradient well MW-3 were ND both rounds. Another downgradient well MW-4 was only sampled in October 2008 and benzene, ethyl benzene and N-propylbenzene were detected above TOGs. PB states that "The contamination in MW-4 appears to be from a localized source in the vicinity or some other off-site source not associated with the Site." I called Kevin Heaphy at (212) 465-5092 and stated that there are no obvious sources for the contamination in well MW-4 and requested that wells MW-3 and MW-4 be sampled once more for VOCs. Spill closure will be reevaluated when those samples are returned. The report is uploaded to eDocs without appendices.

- JAM3/26/09 Reviewed Groundwater Monitoring Report for March 2009 submitted by Parsons Brinkerhoff (PB) dated March 19, 2009. Wells MW-3 and MW-4 were sampled on March 2, 2009 and the results showed an increase since the last monitoring event in October, 2008. I had a conference call with R Squared and PB and requested another round of GW sampling. I also suggested that either an ORC sock be installed or using ChemOx to try and bring the VOCs down in well MW-4. The report is uploaded to eDocs.

- JAM4/1/09 RSquared requested that I send a letter to DEP stating that "based on the available information, the on-site contamination has been adequately remediated and will pose no threat to future occupants of the on-site building." The letter was sent to: Calista Nazaire NYC DEP 59-17 Junction Blvd. Elmhurst, NY 11372. The letter is uploaded to eDocs.

- JAM4/30/10 Received the Groundwater Monitoring Report From Offsite Wells dated March 10, 2010 and submitted April 2, 2010. Monitoring wells MW-3 and MW-4 were sampled on February 25, 2010. Total VOCs in well MW-3 decreased to nearly ND levels since the last monitoring event on March 2, 2009. The only VOC detected above TOGS was Benzene at an estimated value of 0.92ug/L. Total VOCs in well MW-4 increased from 366ug/L to 635ug/L. I spoke to Kevin Heaphy at PB who said that ownership of the property has transferred to R Squared to iStar Financial. After our discussion I received the following follow-up email from Mr. Heaphy: "Based on our discussion today, the DEC's position and potential directives are as follows: 1. Attributing the offsite contamination to the spill at the site. 2. It is the responsibility of the owner to show/document any other sources of contamination. 3. Conduct quarterly ground water sampling. The next sample round should be done in May 2010. 4. [Conduct] Quarterly water level measurements in all available wells. Provide a groundwater flow direction and hydraulic gradient map. 5. Look into the laboratory QA/QC related to the sample dilutions. You were concerned that the diluted samples in the last round since they were about half the value of the undiluted samples for some constituents. I explained that the delay in the sampling you asked for last year was due to property transfer issues and that we were not authorized to perform this work

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

L. PROVENZANO INC (Continued)

U001841050

until this year. We also know you requested installation of ORC socks. However, the client (IStar) wanted to first determine the groundwater conditions at this time. The DEC is willing to meet with PB when possible. However, you recommend we do so after the next round of sampling is complete. I will discuss these items with our client and get back to you asap." - JAM9/27/10 Received the Groundwater Monitoring Report dated and submitted on July 29, 2010 by Parsons Brinkerhoff (PB). Monitoring wells MW-3 and MW-4 were sampled on June 23, 2010. Total VOCs in well MW-3 decreased to nearly ND levels since the last monitoring event on February 25, 2010. Two VOCs were detected below TOGS. Total VOCs in well MW-4 decreased from 635ug/L to 250ug/L with five individual VOCs slightly above TOGS. PB recommends closure of this spill case. Report uploaded to eDocs. The source material has been removed during remediation performed in 2008. Relatively minor residual, dissolved-phase contamination remains in one downgradient monitoring well, which has exhibited a decreasing trend. It is believed that the residual contamination will continue to attenuate. This spill case is closed and a copy of the closed spill report was emailed to the responsible party. - JAM
 Not reported

Remarks:
 Material:
 Site ID: 333481
 Operable Unit ID: 1095636
 Operable Unit: 01
 Material ID: 575757
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False
 Site ID: 333481
 Operable Unit ID: 1095636
 Operable Unit: 01
 Material ID: 575759
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BK371 CONSOLIDATED EDISON NY MANIFEST S110823533
East 375 CANAL ST (WEST BWAY) N/A
1/8-1/4 NEW YORK, NY 10013
0.247 mi.
1303 ft. Site 14 of 14 in cluster BK

NY MANIFEST:

EPA ID: NYP004223913
 Country: USA
 Mailing Name: CONSOLIDATED EDISON
 Mailing Contact: DENNIS HUACON
 Mailing Address: 4 IRVING PLACE RM 828
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-2757

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-01-14
 Trans1 Recv Date: 2011-01-14
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-01-14
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004223913
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD002200046
 Waste Code: Not reported
 Quantity: 5000.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1.0
 Year: 2011
 Manifest Tracking Num: 007655737JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H111

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Distance (ft.) Site Database(s) EPA ID Number

372 HANOVER RIVER HOUSE
SSW 335 GREENWICH ST
1/8-1/4 NEW YORK CITY, NY 10013
0.247 mi.
1304 ft.

NY AST U003390102
NY HIST AST N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-310468
 Program Type: PBS
 UTM X: 583611.90601999999
 UTM Y: 4507920.1957799997
 Expiration Date: 2017/08/17
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 14192
 Affiliation Type: Facility Owner
 Company Name: HANOVER RIVER HOUSE % TUDOR REALTY SVC.
 Contact Type: DIRECTOR
 Contact Name: ANTHONY COLELLA
 Address1: 250 PARK AVE SOUTH 4TH FL
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10003
 Country Code: 001
 Phone: (212) 557-3600
 EMail: Not reported
 Fax Number: Not reported
 Modified By: MSBAPTIS
 Date Last Modified: 9/6/2012

Site Id: 14192
 Affiliation Type: On-Site Operator
 Company Name: HANOVER RIVER HOUSE
 Contact Type: Not reported
 Contact Name: LUIS BARBOSA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 941-9396
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 12/3/2007

Site Id: 14192
 Affiliation Type: Emergency Contact
 Company Name: HANOVER RIVER HOUSE % TUDOR REALTY SVC.
 Contact Type: Not reported
 Contact Name: DREW MUSCHELLA
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HANOVER RIVER HOUSE (Continued)

U003390102

State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 557-3600
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 12/3/2007

Site Id: 14192
 Affiliation Type: Mail Contact
 Company Name: TUDOR REALTY SERVICES
 Contact Type: Not reported
 Contact Name: ANTHONY COLELLA
 Address1: 250 PARK AVENUE SOUTH
 Address2: 4TH FLOOR
 City: NEW YORK
 State: NY
 Zip Code: 10003
 Country Code: 001
 Phone: (212) 557-3600
 EMail: Not reported
 Fax Number: Not reported
 Modified By: NRLOMBAR
 Date Last Modified: 9/11/2012

Tank Info:

Tank Number: 001
 Tank Id: 18341
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 G03 - Tank Secondary Containment - Vault (w/o access)
 H99 - Tank Leak Detection - Other

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 2500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 02/01/1997
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HANOVER RIVER HOUSE (Continued)

U003390102

Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 52102
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 F00 - Pipe External Protection - None
 I04 - Overfill - Product Level Gauge (A/G)
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 J02 - Dispenser - Suction Dispenser
 L09 - Piping Leak Detection - Exempt Suction Piping
 G03 - Tank Secondary Containment - Vault (w/o access)

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 12/01/1996
 Capacity Gallons: 2000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-310468
 SWIS Code: 6201
 Operator: LUIS BARBOSA
 Facility Phone: (212) 431-7899
 Facility Addr2: 335 GREENWICH ST
 Facility Type: APARTMENT BUILDING
 Emergency: LUIS BARBOSA
 Emergency Tel: (212) 431-7899
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: HANOVER RIVER HOUSE, INC. C/O CANTOR REAL ESTATE
 Owner Address: 7401 RIDGE BLVD. - SUITE 1B
 Owner City,St,Zip: BROOKLYN, NY 11207
 Federal ID: Not reported
 Owner Tel: (718) 833-6600
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: GUS DIBIASI
 Mailing Name: HANOVER RIVER HOUSE, INC.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HANOVER RIVER HOUSE (Continued)

U003390102

Mailing Address: CANTOR REAL ESTATE CORP.
 Mailing Address 2: 7401 RIDGE BLVD. - SUITE 1B
 Mailing City,St,Zip: BROOKLYN, NY 11207
 Mailing Telephone: (718) 833-6600
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 02/14/1997
 Expiration: 08/17/2002
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 2000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: Closed-Removed
 Install Date: Not reported
 Capacity (Gal): 2500
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 9
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: 02/01/1997
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Distance (ft.) Site Database(s) EPA ID Number

BR373 CON EDISON
North 26 RENWICK ST
1/8-1/4 NEW YORK, NY 10013
0.248 mi.
1307 ft. Site 1 of 2 in cluster BR

NY MANIFEST S113494765
N/A

NY MANIFEST:

EPA ID: NYP004284527
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 21-Jan-2013 00:00:00
 Trans1 Recv Date: 21-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 22-Jan-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004284527
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010456060JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

BR374 North 1/8-1/4 0.248 mi. 1307 ft.	CON EDISON SERVICE BOX: 40381 26 RENWICK ST FRONT OF NEW YORK, NY 10013 Site 2 of 2 in cluster BR	RCRA-CESQG 1016149786 NYP004284527
---	--	---

RCRA-CESQG:

Date form received by agency: 01/21/2013
 Facility name: CON EDISON SERVICE BOX: 40381
 Facility address: 26 RENWICK ST FRONT OF
 NEW YORK, NY 10013
 EPA ID: NYP004284527
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: ROBERT LINDELOF
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (917) 559-3860
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

BS375 **CRG WEST**
ESE **32 AVE OF AMERICAS**
1/8-1/4 **NEW YORK, NY 10013**
0.248 mi.
1308 ft. **Site 1 of 2 in cluster BS**

NY AST **A100320200**
N/A

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-610876
 Program Type: PBS
 UTM X: 575005.43787000002
 UTM Y: 4593774.52929
 Expiration Date: 2008/07/08
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 400869
 Affiliation Type: Facility Owner
 Company Name: CRG WEST AVE OF THE AMERICAS, LLC
 Contact Type: SR VP
 Contact Name: TOM J. GUINN
 Address1: 1050 17TH STREET SUITE 900
 Address2: Not reported
 City: DENVER
 State: CO
 Zip Code: 80265
 Country Code: 001
 Phone: (408) 434-6820
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 7/8/2008

Site Id: 400869
 Affiliation Type: Mail Contact
 Company Name: CRG WEST AVE OF THE AMERICAS, LLC
 Contact Type: Not reported
 Contact Name: TOM J. GUINN
 Address1: 1656 MCCARTHY BLVD
 Address2: Not reported
 City: MILPITAS
 State: CA
 Zip Code: 95035
 Country Code: 001
 Phone: (408) 434-6820
 EMail: TGUIN@CRGWEST.COM
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 7/8/2008

Site Id: 400869
 Affiliation Type: On-Site Operator
 Company Name: CRG WEST
 Contact Type: Not reported
 Contact Name: PAUL DJENFER
 Address1: Not reported
 Address2: Not reported
 City: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CRG WEST (Continued)

A100320200

State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 716-2715
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 7/8/2008

Site Id: 400869
 Affiliation Type: Emergency Contact
 Company Name: CRG WEST AVE OF THE AMERICAS, LLC
 Contact Type: Not reported
 Contact Name: PAUL DJENFER
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (917) 716-2715
 EMail: Not reported
 Fax Number: Not reported
 Modified By: msbaptis
 Date Last Modified: 7/8/2008

Tank Info:

Tank Number: 001
 Tank Id: 224058
 Material Code: 0008
 Common Name of Substance: Diesel

Equipment Records:

- B01 - Tank External Protection - Painted/Asphalt Coating
- F00 - Pipe External Protection - None
- K01 - Spill Prevention - Catch Basin
- C01 - Pipe Location - Aboveground
- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- G01 - Tank Secondary Containment - Diking (Aboveground)
- G02 - Tank Secondary Containment - Vault (w/access)
- J02 - Dispenser - Suction Dispenser
- E12 - Piping Secondary Containment - Double-Wall (Aboveground)
- L01 - Piping Leak Detection - Interstitial - Electronic Monitoring
- H01 - Tank Leak Detection - Interstitial - Electronic Monitoring
- I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 05/01/2008
 Capacity Gallons: 10000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CRG WEST (Continued)

A100320200

Date Tank Closed:	Not reported
Register:	True
Modified By:	msbaptis
Last Modified:	07/08/2008
Material Name:	Diesel

**BS376
ESE
1/8-1/4
0.248 mi.
1308 ft.**

**CENTURYLINK-AOA
32 AVENUE OF AMERICAS 14TH FLOOR
NEW YORK, NY 10013**

**NY AST A100183489
N/A**

Site 2 of 2 in cluster BS

AST:

Region:	STATE
DEC Region:	2
Site Status:	Active
Facility Id:	2-606921
Program Type:	PBS
UTM X:	584025.7084
UTM Y:	4508184.40515
Expiration Date:	2016/09/10
Site Type:	Other

Affiliation Records:

Site Id:	28776
Affiliation Type:	Facility Owner
Company Name:	QWEST COMMUNICATIONS COMPANY LLC
Contact Type:	DIRECTOR
Contact Name:	EDWARD WELDON
Address1:	55 CHURCH ST, 1ST FLR
Address2:	Not reported
City:	WHITE PLAINS
State:	NY
Zip Code:	10601
Country Code:	001
Phone:	(303) 672-2937
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	7/29/2011

Site Id:	28776
Affiliation Type:	Mail Contact
Company Name:	CENTURYLINK
Contact Type:	Not reported
Contact Name:	HARLAN PINCUS
Address1:	55 CHURCH STREET, 1ST FLOOR
Address2:	Not reported
City:	WHITE PLAINS,
State:	NY
Zip Code:	10601
Country Code:	001
Phone:	(914) 686-7952
EMail:	Not reported
Fax Number:	Not reported
Modified By:	MSBAPTIS
Date Last Modified:	7/29/2011

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CENTURYLINK-AOA (Continued)

A100183489

Site Id: 28776
 Affiliation Type: On-Site Operator
 Company Name: QWEST COMMUNICATIONS CORP.
 Contact Type: Not reported
 Contact Name: CHAMP ROBERTS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (646) 613-1636
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 28776
 Affiliation Type: Emergency Contact
 Company Name: QUEST COMMUNICATIONS
 Contact Type: Not reported
 Contact Name: HARLAN PINCUS
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (914) 420-2528
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 62038
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 F05 - Pipe External Protection - Jacketed
 H99 - Tank Leak Detection - Other
 J00 - Dispenser - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm
 Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CENTURYLINK-AOA (Continued)

A100183489

Install Date: 04/01/2001
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

Tank Number: 002
 Tank Id: 62039
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 C01 - Pipe Location - Aboveground
 F05 - Pipe External Protection - Jacketed
 H99 - Tank Leak Detection - Other
 J00 - Dispenser - None
 G03 - Tank Secondary Containment - Vault (w/o access)
 I02 - Overfill - High Level Alarm

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 04/01/2001
 Capacity Gallons: 17500
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #2 Fuel Oil (On-Site Consumption)

BO377
East
1/8-1/4
0.248 mi.
1311 ft.

CON EDISON SERVICE BOX 49622
375 CANAL ST W OF BROADWAY
NEW YORK, NY 10013

RCRA NonGen / NLR 1014918772
NYP004223913

Site 2 of 2 in cluster BO

RCRA NonGen / NLR:

Date form received by agency: 03/06/2012
 Facility name: CON EDISON SERVICE BOX 49622
 Site name: CON EDISON - SERVICE BOX 49622
 Facility address: 375 CANAL ST W OF BROADWAY
 NEW YORK, NY 10013
 EPA ID: NYP004223913
 Mailing address: IRVING PL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX 49622 (Continued)

1014918772

NEW YORK, NY 10003
 Contact: DENNIS HUACON
 Contact address: Not reported
 Not reported
 Contact country: US
 Contact telephone: (212) 460-2757
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: CON EDISON CO OF NY INC
 Owner/operator address: IRVING PL 15TH FL
 NEW YORK, NY 10003
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 01/14/2011
 Owner/Op end date: Not reported

Owner/operator name: CON EDISON CO OF NY INC
 Owner/operator address: IRVING PL15TH FL
 NEW YORK, NY 10003
 Owner/operator country: US
 Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 01/14/2011
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 02/13/2011
 Facility name: CON EDISON SERVICE BOX 49622
 Classification: Not a generator, verified

Date form received by agency: 01/14/2011
 Facility name: CON EDISON SERVICE BOX 49622

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON SERVICE BOX 49622 (Continued)

1014918772

Classification: Conditionally Exempt Small Quantity Generator

Hazardous Waste Summary:

Waste code: D008
 Waste name: LEAD

Biennial Reports:

Last Biennial Reporting Year: 2013

Annual Waste Handled:

Waste code: D008
 Waste name: LEAD
 Amount (Lbs): 5000

Violation Status: No violations found

BJ378
SSE
1/8-1/4
0.248 mi.
1312 ft.

CON EDISON
184 W BROADWAY
NEW YORK, NY 10013
Site 7 of 8 in cluster BJ

NY MANIFEST S113494943
N/A

NY MANIFEST:

EPA ID: NYP004286365
 Country: USA
 Mailing Name: CON EDISON
 Mailing Contact: CON EDISON
 Mailing Address: 4 IRVING PL 15TH FL
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10003
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-460-3770

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJ0000027193
 Trans2 State ID: Not reported
 Generator Ship Date: 30-Jan-2013 00:00:00
 Trans1 Recv Date: 30-Jan-2013 00:00:00
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 01-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYP004286365
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD002200046
 Waste Code: Not reported
 Quantity: 500
 Units: P - Pounds
 Number of Containers: 1
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: T Chemical, physical, or biological treatment.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON EDISON (Continued)

S113494943

Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 010456782JJK
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H110

**BJ379
 SSE
 1/8-1/4
 0.248 mi.
 1312 ft.**

**CON EDISON SERVICE BOX: 49574
 184 W BROADWAY
 NEW YORK, NY**

**RCRA-CESQG 1016149968
 FINDS NYP004286365**

Site 8 of 8 in cluster BJ

RCRA-CESQG:

Date form received by agency: 01/30/2013
 Facility name: CON EDISON SERVICE BOX: 49574
 Facility address: 184 W BROADWAY
 NEW YORK, NY 10013
 EPA ID: NYP004286365
 Mailing address: IRVING PL, RM 828
 NEW YORK, NY 10003
 Contact: JUAN RODRIGUEZ
 Contact address: Not reported
 Not reported
 Contact country: Not reported
 Contact telephone: (347) 865-5931
 Contact email: Not reported
 EPA Region: 02
 Classification: Conditionally Exempt Small Quantity Generator
 Description: Handler: generates 100 kg or less of hazardous waste per calendar month, and accumulates 1000 kg or less of hazardous waste at any time; or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

CON EDISON SERVICE BOX: 49574 (Continued)

1016149968

Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Violation Status: No violations found

FINDS:

Registry ID: 110055469899

Environmental Interest/Information System

BM380
 North
 1/8-1/4
 0.249 mi.
 1313 ft.

488 GREENWICH ST
NEW YORK, NY 10013

Site 14 of 14 in cluster BM

EDR US Hist Auto Stat 1015516601
N/A

EDR Historical Auto Stations:

Name: ACC CAR CARE CTR
 Year: 2003
 Address: 488 GREENWICH ST

381
 South
 1/8-1/4
 0.249 mi.
 1315 ft.

CON ED - V 4979
56 HUDSON ST
NEW YORK, NY 10013

RCRA NonGen / NLR 1007205282
NY MANIFEST NYP000928663

RCRA NonGen / NLR:

Date form received by agency: 02/28/1998
 Facility name: CON ED - V 4979
 Facility address: 56 HUDSON ST
 NEW YORK, NY 100130000
 EPA ID: NYP000928663
 Mailing address: CONSOLIDATED EDISON INC
 4 IRVING PL RM 300
 NEW YORK, NY 100030000
 Contact: ANTHONY DRUMMINGS
 Contact address: CONSOLIDATED EDISON INC
 NEW YORK, NY 100030000
 Contact country: US
 Contact telephone: (212) 460-3770
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON ED - V 4979 (Continued)

1007205282

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 02/27/1998
 Facility name: CON ED - V 4979
 Classification: Not a generator, verified

Date form received by agency: 02/26/1998
 Facility name: CON ED - V 4979
 Classification: Large Quantity Generator

Violation Status: No violations found

NY MANIFEST:

EPA ID: NYP000928663
 Country: USA
 Mailing Name: NYNEX
 Mailing Contact: V ORCHIER
 Mailing Address: 221 EAST 37TH STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10016
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-338-7126

Document ID: MIA4512954
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: Not reported
 Trans2 State ID: Not reported
 Generator Ship Date: 960903
 Trans1 Recv Date: 960903
 Trans2 Recv Date: 961101
 TSD Site Recv Date: 961118
 Part A Recv Date: Not reported
 Part B Recv Date: 961211
 Generator EPA ID: NYP000928663
 Trans1 EPA ID: NYD010951986
 Trans2 EPA ID: NYD046765574
 TSDf ID: MID096963194

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CON ED - V 4979 (Continued)

1007205282

Waste Code: D008 - LEAD 5.0 MG/L TCLP
 Quantity: 00400
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DM - Metal drums, barrels
 Handling Method: L Landfill.
 Specific Gravity: 100
 Year: 96

Document ID: NYG0123948
 Manifest Status: Completed copy
 Trans1 State ID: SM1563
 Trans2 State ID: Not reported
 Generator Ship Date: 970315
 Trans1 Recv Date: 970315
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 970317
 Part A Recv Date: 970327
 Part B Recv Date: 970326
 Generator EPA ID: NYP000928663
 Trans1 EPA ID: NYD006982359
 Trans2 EPA ID: Not reported
 TSDF ID: NYD980593636
 Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB
 Quantity: 01593
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 001
 Container Type: TT - Cargo tank, tank trucks
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 97

**BQ382
 NNE
 1/8-1/4
 0.250 mi.
 1318 ft.**

**P D M LITHO
 250 HUDSON ST 8TH FLOOR
 NEW YORK, NY 10013
 Site 2 of 5 in cluster BQ**

**RCRA NonGen / NLR 1001460207
 NYR000066498**

RCRA NonGen / NLR:
 Date form received by agency: 01/01/2007
 Facility name: P D M LITHO
 Facility address: 250 HUDSON ST 8TH FLOOR
 NEW YORK, NY 10013
 EPA ID: NYR000066498
 Mailing address: HUDSON ST 8TH FLOOR
 NEW YORK, NY 10013
 Contact: TOM ADAMS
 Contact address: HUDSON ST 8TH FLOOR
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 989-3445
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

P D M LITHO (Continued)

1001460207

Owner/Operator Summary:

Owner/operator name: JACK RESNICK & SONS
 Owner/operator address: 250 HUDSON ST
 NEW YORK, NY 10019
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: JACK RESNICK & SONS
 Owner/operator address: 250 HUDSON ST
 NEW YORK, NY 10019
 Owner/operator country: US
 Owner/operator telephone: (212) 555-1212
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: P D M LITHO
 Classification: Not a generator, verified

Date form received by agency: 02/03/1999
 Facility name: P D M LITHO
 Classification: Small Quantity Generator

Violation Status: No violations found

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BQ383 BRITA LITHO INC RCRA NonGen / NLR 1001405170
NNE 250 HUDSON ST FINDS NYR000066340
1/8-1/4 NEW YORK, NY NY MANIFEST
0.250 mi. US AIRS
1318 ft. Site 3 of 5 in cluster BQ

RCRA NonGen / NLR:

Date form received by agency: 01/01/2007
 Facility name: BRITA LITHO
 Facility address: 250 HUDSON ST
 NEW YORK, NY 10013
 EPA ID: NYR000066340
 Mailing address: HUDSON ST
 NEW YORK, NY 10013
 Contact: THOMAS GALANTE
 Contact address: HUDSON ST
 NEW YORK, NY 10013
 Contact country: US
 Contact telephone: (212) 555-1212
 Contact email: Not reported
 EPA Region: 02
 Classification: Non-Generator
 Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: JACK RESNICK & SONS
 Owner/operator address: 110 E 59TH ST
 NEW YORK, NY 10022
 Owner/operator country: US
 Owner/operator telephone: (212) 421-1300
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Owner/operator name: JACK RESNICK & SONS
 Owner/operator address: 110 E 59TH ST
 NEW YORK, NY 10022
 Owner/operator country: US
 Owner/operator telephone: (212) 421-1300
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: Not reported
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRITA LITHO INC (Continued)

1001405170

Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2006
 Facility name: BRITA LITHO
 Classification: Not a generator, verified

Date form received by agency: 02/01/1999
 Facility name: BRITA LITHO
 Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110019428029

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110019254670

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

Registry ID: 110009487135

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRITA LITHO INC (Continued)

1001405170

NY MANIFEST:

EPA ID: NYR000066340
 Country: USA
 Mailing Name: BRITA LITHO
 Mailing Contact: JAMES COSENTINO
 Mailing Address: 250 HUDSON ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-929-0624

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: MAD039322250
 Trans2 State ID: NJD000692061
 Generator Ship Date: 2008-09-20
 Trans1 Recv Date: 2008-09-24
 Trans2 Recv Date: 2008-09-30
 TSD Site Recv Date: 2008-10-01
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000066340
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NCD000648451
 Waste Code: Not reported
 Quantity: 40.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001192761FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: MAD039322250
 Trans2 State ID: NJD000692061
 Generator Ship Date: 2008-09-20
 Trans1 Recv Date: 2008-09-24

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

BRITA LITHO INC (Continued)

1001405170

Trans2 Recv Date: 2008-09-30
 TSD Site Recv Date: 2008-10-01
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYR000066340
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NCD000648451
 Waste Code: Not reported
 Quantity: 80.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2008
 Manifest Tracking Num: 001192761FLE
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

AIRS (AFS):

Compliance and Violation Data Major Sources:

EPA plant ID: 110007155229
 Plant name: BRITA LITHO INC
 Plant address: 250 HUDSON STREET
 NEW YORK, NY 10013
 County: NEW YORK
 Region code: 02
 Dunn & Bradst #: Not reported
 Air quality cntrl region: 043
 Sic code: 2752
 Sic code desc: COMMERCIAL PRINTING, LITHOGRAPHIC
 North Am. industrial classf: Not reported
 NAIC code description: Not reported
 Default compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Default classification: POTENTIAL EMISSIONS ARE BELOW ALL APPLICABLE MAJOR SOURCE THRESHOLDS
 IF AND ONLY IF THE SOURCE COMPLIES WITH FEDERALLY ENFORCEABLE
 REGULATIONS OR LIMITATIONS.
 Govt facility: ALL OTHER FACILITIES NOT OWNED OR OPERATED BY A FEDERAL, STATE, OR
 LOCAL GOVERNMENT
 Current HPV: Not reported

Historical Compliance Minor Sources:

State compliance status: IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
 Hist compliance date: 1004
 Air prog code hist file: SIP SOURCE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BRITA LITHO INC (Continued)

1001405170

State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1101
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1103
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1201
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1202
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1204
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1301
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1303
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1102
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1104
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1203
Air prog code hist file:	SIP SOURCE
State compliance status:	IN COMPLIANCE WITH PROCEDURAL REQUIREMENTS
Hist compliance date:	1302
Air prog code hist file:	SIP SOURCE

BQ384 **250 HUDSON STREET**
NNE **250 HUDSON STREET**
1/8-1/4 **NEW YORK, NY 10013**
0.250 mi.
1318 ft. **Site 4 of 5 in cluster BQ**

NY AST **U003396341**
NY HIST AST **N/A**

AST:
 Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-601839
 Program Type: PBS
 UTM X: 583826.9815399995

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

250 HUDSON STREET (Continued)

U003396341

UTM Y: 4508577.4112799997
 Expiration Date: 2004/05/06
 Site Type: Other

Affiliation Records:

Site Id: 23801
 Affiliation Type: Facility Owner
 Company Name: 250 HUDSON CO.
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 100 EAST 59TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 421-1300
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 23801
 Affiliation Type: Mail Contact
 Company Name: JACK RESNICK & SONS, INC.
 Contact Type: Not reported
 Contact Name: MARVIN WAX
 Address1: 110 EAST 59TH STREET
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10022
 Country Code: 001
 Phone: (212) 421-1300
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 23801
 Affiliation Type: On-Site Operator
 Company Name: 250 HUDSON STREET
 Contact Type: Not reported
 Contact Name: GEORGE ROA
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 929-5882
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 23801
 Affiliation Type: Emergency Contact

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

250 HUDSON STREET (Continued)

U003396341

Company Name: 250 HUDSON CO.
 Contact Type: Not reported
 Contact Name: MARVIN WAX
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 570-6674
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001
 Tank Id: 48015
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B00 - Tank External Protection - None
 G99 - Tank Secondary Containment - Other
 C01 - Pipe Location - Aboveground
 H00 - Tank Leak Detection - None
 F00 - Pipe External Protection - None
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 I05 - Overfill - Vent Whistle

Tank Location: 1
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 15000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: TRANSLAT
 Last Modified: 03/04/2004
 Material Name: #6 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-601839
 SWIS Code: 6201
 Operator: GEORGE ROA
 Facility Phone: (212) 929-5882
 Facility Addr2: Not reported
 Facility Type: OTHER
 Emergency: MARVIN WAX
 Emergency Tel: (212) 570-6674
 Old PBSNO: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

250 HUDSON STREET (Continued)

U003396341

Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 250 HUDSON CO.
 Owner Address: 100 EAST 59TH STREET
 Owner City,St,Zip: NEW YORK, NY 10022
 Federal ID: Not reported
 Owner Tel: (212) 421-1300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: MARVIN WAX
 Mailing Name: JACK RESNICK & SONS, INC.
 Mailing Address: 110 EAST 59TH STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10022
 Mailing Telephone: (212) 421-1300
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 04/06/1999
 Expiration: 05/06/2004
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 15000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: No Missing Data
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 15000
 Product Stored: NOS 5 OR 6 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 0
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: 0
 Tank Containment: Double-Walled
 Leak Detection: 0
 Overfill Protection: 6
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: No Missing Data

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

250 HUDSON STREET (Continued)

U003396341

Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

BQ385
NNE
1/4-1/2
0.255 mi.
1344 ft.

LOT 87,TAXBLOCK 594
261 HUDSON STREET
MANHATTAN, NY 10013
Site 5 of 5 in cluster BQ

NY BROWNFIELDS
NY E DESIGNATION

S108075457
N/A

BROWNFIELDS:

Program: BCP
 Site Code: 483976

Site Description: Location: The 261 Hudson Street Development site is located on the west side of Manhattan in the Hudson Square section of the city. The site is bounded by commercial properties and Spring Street to the north, Hudson Street to the east, commercial/residential properties and Canal Street to the south, and Renwick Street to the west. Site Features: The site is formally identified as 261 Hudson Street, Block 594, Lot 87. Lot 87 encompasses approximately 0.61 acres of property. On April 18, 2013, the NYC Department of Finance approved an application for a lot merger to consolidate lots 61, 69 and 94 into lot 87. Thus, the site (lot 87) includes parcels that which had been until recently, four separate properties. The current status of the site and former parcels is as follows: Lot 87 (80% of site) includes a one story vacant building; lot 61 (<1%) is vacant property; lot 69 (11%) includes a vacant three story building and lot 94 (9%) is a parking lot. The Manhattan bound tube of the Holland Tunnel, running northwest-southeast in the area is just north of the site. The tunnel exit is one block east of the site. The Hudson River is located approximately 0.2 miles west of the site. Current Zoning and Land Use: The site is zoned C6-2A for commercial use, which has a residential equivalent of R8A. The block was included as part of the recent Hudson Square District rezoning. The intended use of the site is for commercial and restricted residential Use. Past Use of the Site: Lot 69 (northwestern portion of the property) was used for unspecified manufacturing in 1950 and commercial/office space from 1968-2011. Lot 87 (central portion of the property) was occupied from 1950 through 1968 by a motor freight station which reportedly had two underground storage tanks for gasoline. From 1976 to 2005 the building was used as a NYC Waterfront Community Hiring Hall and was most recently used as event space up until 2012. Lot 94 (southern portion of the property) has been vacant since 1950 and is currently a parking lot. Prior to 1950, this lot was occupied by a multi-story residential building with ground-level stores. Lot 61 has always been vacant. Site Geology and Hydrogeology: The ground level elevation on the property ranges from approximately 13 to 15 feet above mean sea level. The topography of the site and the surrounding area slopes gently to the west towards the Hudson River. The site is underlain by a layer of historic fill that is approximately 7 to 19 feet thick starting just below the ground and pavement surface. The historic fill generally consists of fine to coarse brown sand with some silt, gravel, brick, wood, asphalt, and concrete. The native soils below the historic fill consist of reddish brown sand with some silt and clay. The average depth to groundwater is 13.7 feet below ground

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 87,TAXBLOCK 594 (Continued)

S108075457

surface (bgs), with the range in depth from 11.8 feet to 16.4 feet. Groundwater flow is from the southeast to northwest towards the Hudson River.10/3/13-DEC signed the Brownfield Cleanup Program Acceptance Letter for this site.

Env Problem: Nature and Extent of Contamination:Soil - A total of 20 subsurface soil samples were collected at the site. Fourteen of these samples were of the historic fill materials at various depths and six were of the native soils beneath. The fill materials are impacted above both the Part 375 unrestricted and restricted residential use SCOs for PAHs and selected metals. PAHs in the historic fill were found at concentrations up to approximately 400 times the cleanup standards (benzo[a]pyrene at 390 ppm) and lead was found above the cleanup standards (400 ppm) at 2,650 ppm. The native soils below the fill are generally not impacted. Groundwater - PCE is found in groundwater at one monitoring well location in the north central end of the property. The 9.7 ppb concentration of PCE in this well is only marginally above the groundwater standard of 5.0 ppb. Filtered samples of groundwater exceeded SCGs for the common salts, sodium, manganese and magnesium as well as for iron and selenium.Soil Vapor - Soil vapor on the property was found to be impacted by chlorinated solvents at all five locations sampled. PCE was detected at all locations in the range of 20 to 120 ug/cubic meter. TCE was detected at four of the five locations in the range of 28 to 63 ug/cubic meter. Not reported

Health Problem: People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. The site is fenced and mostly covered by asphalt or concrete, therefore it is unlikely that people will come into contact with contaminated soil. However, persons who enter the site could contact contaminants in the soil by walking on or otherwise disturbing exposed soil, or by digging beneath the surface. Volatile organic compounds in the groundwater may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. The potential for soil vapor intrusion to occur on and off-site needs to be evaluated.

E DESIGNATION:

Tax Lot(s):	87
E-No:	E-116
Effective Date:	8/19/2003
Satisfaction Date:	Not reported
Ceqr Number:	03DCP014M
Ulurp Number:	030237 ZMM
Zoning Map No:	12a
Description:	Underground Gasoline Storage Tanks* Testing Protocol.
Borough Code:	MN
Community District:	102
Census Tract:	53
Census Block:	1007
School District:	02
City Council District:	03
Fire Company:	L008
Health Area:	15
Police Precinct:	001
Zone District 1:	C6-2A

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 87,TAXBLOCK 594 (Continued)

S108075457

Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: Not reported
 Special Purpose District2: Not reported
 All Components1: C6-2A
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: P9
 Land Use Category: 08
 Number of Easements: 0
 Owner, Type of Code: P
 Owner Name: PONTE EQUITIES INC
 Lot Area: 000021020
 Total Building Floor Area: 00000013902
 Commercial Floor Area: 00000013902
 Office Floor Area: 00000000000
 Retail Floor Area: 00000000000
 Garage Floor Area: 00000013902
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 001.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0193.17
 Lot Depth: 0090.00
 Building Frontage: 0193.00
 Building Depth: 0090.00
 Proximity Code: 3
 Irregular Lot Code: Y
 Lot Type: 4
 Basement Type Grade: 5
 Land Assessed Value: 00000900000
 Total Assessed Value: 00001305000
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1920
 Year Built Code: Not reported
 Year Altered1: 1975
 Year Altered2: 1996
 Historic District Name: Not reported
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0000.66
 Maximum Allowable Far: 6.02
 Borough Code: 1
 Borough Tax Block And Lot: 1005940087
 Condominium Number: 00000
 Census Tract 2: 0053
 X Coordinate: 0982013
 Y Coordinate: 0203479
 Zoning Map: 12A
 Sanborn Map: 101N063
 Tax Map: 10208
 E Designation No: E-116

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 87,TAXBLOCK 594 (Continued)

S108075457

Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

**386
 NNW
 1/4-1/2
 0.272 mi.
 1435 ft.**

**MANHATTAN WEST 01 DOS -DDC
 297 WEST STREET
 NEW YORK, NY 10013**

**NY LTANKS
 NY MANIFEST
 NY Spills**

**S104950873
 N/A**

LTANKS:

Site ID: 240195
 Spill Number/Closed Date: 0011671 / 2/6/2006
 Spill Date: 1/29/2001
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MDMACCAB
 Referred To: Not reported
 Reported to Dept: 1/29/2001
 CID: 207
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/29/2001
 Spill Record Last Update: 2/6/2006
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller County: 001
 Spiller Contact: GEORGE MCDERMOTT
 Spiller Phone: (516) 485-0000
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 309192
 DEC Memo: UST was closed in place May 19, 2003. See PBS # 2-455830.
 Remarks: Not reported

Material:

Tank Test:

Site ID: 240195
 Spill Tank Test: 1526078

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

Tank Number: 1
 Tank Size: 2000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

Site ID: 240198
 Spill Number/Closed Date: 9804683 / 7/11/2006
 Spill Date: 7/13/1998
 Spill Cause: Tank Overfill
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: ADZHITOM
 Referred To: Not reported
 Reported to Dept: 7/14/1998
 CID: 281
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 7/14/1998
 Spill Record Last Update: 7/11/2006
 Spiller Name: NICK ARGIRO
 Spiller Company: NYC DEPT OF SANITATION
 Spiller Address: 297 WEST ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: KEN ROSS
 Spiller Phone: (516) 249-3150
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 309192
 DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMIRSKY" The spill is also referred to spill # 9712858. The site is currently under remediation by LiRo Engineers. - II (03/02/05).7/21/2005- Reviewed Quaterly Monitoring Report received in June 2005. ORC socks were installed in wells MW-2, 10 and 13R. In February 2005 LiRo conducted additional soil excavations that were requested by DEC. LiRo recommended continued operation and monitoring. The Department concurred. AZ11/08/09 - Reviewed Quarterly Monitoring Report received in October 2005. MW-13 exhibited total VOCs concentrations of 179 ppb. Concentrations in this well fluctuate between 34 ppb and 230 ppb - unstable plume conditions. MW-2, a downgradient well, exhibited concentrations of 68 ppb up from previous reading 4 ppb. My conclusions: plume conditions are unstable. Sentinel well is contaminated. Further monitoring is

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

needed. AZ 7/11/2006 Reviewed Sensitive Receptor Survey Report by LiRo. The site underwent remediation: excavation of a contaminated fill port area along Canal Street, installation of a soil vapor extraction system (SVE), bio-nutrient application and the application of oxygen release compound (ORC). Fill port excavation was completed in 2001. ORC was applied in March 2003 and September 2003 in 8 eight wells in the southern portion of the site and in 12 wells in the northern portion of the site. For the soil bioremediation, a bacteria-nutrient slurry mix was injected for 6 consecutive weeks starting on March 11, 2003. The SVE system was working from July 29, 2003 until a shutdown in October 2004. The shutdown was approved by DEC. The ORC socks were installed in October 2004 and April 2005. Additional soil excavation was performed in January/February 2005, as requested by DEC. LiRo stated that there is no known direct exposure pathways within 2,000 feet of the site. Site groundwater appears to be controlled by Holland tunnel dewatering system. LiRo recommended closure of this spill. Jon Kolleeny suggested closure of this spill.

Remarks: AZ
 CALLER RESPONDED TO ABOVE LOCATION FOR TANK UPGRADE. UPONREMOVAL OF OLD TANK SOIL CONTAMINATION WAS DISCOVERED. SOILHAS BEEN REMOVED AND FURTHER TESTING AND TANK REPLACEMENTTO FOLLOW. NO CALL BACK REQUEST.

Material:

Site ID:	240198
Operable Unit ID:	1062606
Operable Unit:	01
Material ID:	319454
Material Code:	0008
Material Name:	Diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False
Site ID:	240198
Operable Unit ID:	1062606
Operable Unit:	01
Material ID:	319455
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

Site ID:	135631
Spill Number/Closed Date:	9404493 / 5/30/2007
Spill Date:	6/30/1994

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JAKOLLEE
 Referred To: Not reported
 Reported to Dept: 6/30/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/4/1994
 Spill Record Last Update: 5/30/2007
 Spiller Name: Not reported
 Spiller Company: NYC DEPT OF SANITATION
 Spiller Address: 297 WEST STREET
 Spiller City,St,Zip: NEW YORK, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 309192
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMIRSKY"7/21/2005- Reviewed Quaterly Monitoring Report received in June 2005. ORC socks were installed in wells MW-2, 10 and 13R. In February 2005 LiRo conducted additional soil excavations that were requested by DEC. LiRo recommended continued operation and monitoring. The Department concurred. AZ05/30/07: This spill case transferred to J. Kolleeny. LiRo Engineers undertook remediation of this site under DDC Consent Order. Remedial actions included excavation of contaminated soil from several areas, installation/operation of SVE system, bio-nutrient application, and ORC application. Results of LiRo's February 2006 Sensitive Receptor Survey (in eDocs for related spill 9804683) for site indicate low-level residual GW contamination in two monitoring wells is unlikely to pose a threat to environment or public health. LiRo's remedial actions and well network addressed entire site, all tanks. OK to close spill. - J. Kolleeny
 Remarks: Not reported

Material:
 Site ID: 135631
 Operable Unit ID: 1001573
 Operable Unit: 01
 Material ID: 381105
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 135631
 Spill Tank Test: 1542917
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Unknown

Site ID: 240197
 Spill Number/Closed Date: 9712858 / 3/2/2005
 Spill Date: 2/18/1998
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: ADZHITOM
 Referred To: Not reported
 Reported to Dept: 2/18/1998
 CID: 257
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0

Date Entered In Computer: 2/18/1998
 Spill Record Last Update: 7/7/2005
 Spiller Name: TONY MARINO
 Spiller Company: MANHATTAN WEST ONE
 Spiller Address: 297 WEST ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: TONY MARINO
 Spiller Phone: (718) 391-1062
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 309192
 DEC Memo:

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMIRSKY"REPORT IS BEING PRODUCED BY URS. 2/18/98.The spill is closed in consultation with Alex to consolidate with spill # 9804683. The spill site is currently under remediation by LiRo Engineers. - II (03/02/05).

Remarks: call just recieved result for soil samples

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

Material:

Site ID:	240197
Operable Unit ID:	1055712
Operable Unit:	01
Material ID:	327440
Material Code:	0008
Material Name:	Diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False
Site ID:	240197
Operable Unit ID:	1055712
Operable Unit:	01
Material ID:	327441
Material Code:	0009
Material Name:	Gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	0
Units:	Gallons
Recovered:	No
Resource Affected:	Not reported
Oxygenate:	False

Tank Test:

NY MANIFEST:

EPA ID:	NYD986870145
Country:	USA
Mailing Name:	WEST #1 DEPT OF SANITATION
Mailing Contact:	PAUL L ABBATE
Mailing Address:	297 WEST ST
Mailing Address 2:	Not reported
Mailing City:	NEW YORK
Mailing State:	NY
Mailing Zip:	10013
Mailing Zip4:	Not reported
Mailing Country:	USA
Mailing Phone:	516-249-3150

NY MANIFEST:

No Manifest Records Available

SPILLS:

Facility ID:	0012882
Facility Type:	ER
DER Facility ID:	309192
Site ID:	240196
DEC Region:	2
Spill Date:	2/13/2001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

Spill Number/Closed Date: 0012882 / 5/30/2007
 Spill Cause: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: JAKOLLEE
 Referred To: Not reported
 Reported to Dept: 3/7/2001
 CID: 207
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 3/7/2001
 Spill Record Last Update: 5/30/2007
 Spiller Name: Not reported
 Spiller Company: NYC SANITATION GARAGE
 Spiller Address: 135 W 131ST ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: GEORGE MCDERMOTT
 Contact Phone: (516) 485-0000
 DEC Memo: 05/30/07: This spill case transferred to J. Kolleeny. LiRo Engineers performed remediation of this site under DDC Consent Order. Remedial actions included excavation of contaminated soil from several areas, installation & operation of SVE system, bio-nutrient injections and ORC injections. Results of LiRo's February 2006 Sensitive Receptor Survey (in eDocs for related spill 9804683) indicate that low-level residual GW contamination in two wells is unlikely to pose a hazard to environment or public health. Remedial actions and well network addressed entire site, all tanks, including these hoist oil and motor oil tanks. OK to close spill. - JK

Remarks: CONTAMINATED SOIL FOUND IN THE COURSE OF A TANK ABANDONMENTTANKS ARE VAULTED AND ARE NEXT TO VAULTED TANKS STILL IN USE

Material:
 Site ID: 240196
 Operable Unit ID: 834432
 Operable Unit: 01
 Material ID: 539606
 Material Code: 0010
 Material Name: Hydraulic Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False
 Site ID: 240196
 Operable Unit ID: 834432
 Operable Unit: 01
 Material ID: 539607

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MANHATTAN WEST 01 DOS -DDC (Continued)

S104950873

Material Code: 0015
 Material Name: Motor Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**387
 SSE
 1/4-1/2
 0.281 mi.
 1485 ft.**

**51 LEONARD STREET
 51 LEONARD STREET
 MANHATTAN, NY**

**NY LTANKS S102672068
 N/A**

LTANKS:

Site ID: 99473
 Spill Number/Closed Date: 9211595 / 1/8/1993
 Spill Date: 1/8/1993
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: 1/8/1993
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: CAMMISA
 Referred To: Not reported
 Reported to Dept: 1/8/1993
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/11/1993
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 88385
 DEC Memo: Not reported
 Remarks: TANK CHART MISREAD CONTAINED ON SIDEWALK-CLEANUP DONE

Material:
 Site ID: 99473

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

51 LEONARD STREET (Continued)

S102672068

Operable Unit ID: 978561
 Operable Unit: 01
 Material ID: 404982
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**388
 ENE
 1/4-1/2
 0.294 mi.
 1553 ft.**

**RESIDENTIAL BUILDING - TTF
 34 WATT STREET
 MANHATTAN, NY**

**NY LTANKS S111063836
 N/A**

LTANKS:

Site ID: 449593
 Spill Number/Closed Date: 1102101 / Not Reported
 Spill Date: 5/25/2011
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TJDEMEO
 Referred To: Not reported
 Reported to Dept: 5/25/2011
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 5/25/2011
 Spill Record Last Update: 8/15/2012
 Spiller Name: MARLON JOSEPH
 Spiller Company: UNK
 Spiller Address: 34 WATT STREET
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 999
 Spiller Contact: MARLON JOSEPH
 Spiller Phone: 718-624-4842
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 404184
 DEC Memo: 8/15/2012 TTF Spill Case transferred to DEC Tim DeMeo.
 Remarks: TANK TEST FAIL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

RESIDENTIAL BUILDING - TTF (Continued)

S111063836

Material:

Site ID: 449593
 Operable Unit ID: 1199800
 Operable Unit: 01
 Material ID: 2196201
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**389
 NNE
 1/4-1/2
 0.300 mi.
 1583 ft.**

**ALISON ON DOMINICK ST
 38 DOMINICK ST
 MANHATTAN, NY**

**NY LTANKS S102555949
 N/A**

LTANKS:

Site ID: 228963
 Spill Number/Closed Date: 9612894 / 1/6/2000
 Spill Date: 1/30/1997
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 1/30/1997
 CID: 369
 Water Affected: Not reported
 Spill Notifier: Affected Persons
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/30/1997
 Spill Record Last Update: 1/6/2000
 Spiller Name: FRANK DOBBS
 Spiller Company: FRANK DOBBS BLDG OWNER
 Spiller Address: 38 DOMINICK ST
 Spiller City,St,Zip: MANHATTAN, NY 10013-001
 Spiller County: MANHATTAN, NY 10013-001
 Spiller Contact: BRUCE LEVINSON
 Spiller Phone: (212) 727-1188
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 188774

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

ALISON ON DOMINICK ST (Continued)

S102555949

DEC Memo: Not reported
 Remarks: DOUBLE TANK RUPTURED AND OIL SMELL IS GOING THROUGH RESTAURANT AND HELP IS BECOMING PHYSICALLY ILL DUE TO SMELL VERY SIZABLE LEAK OIL IS POOLING IN THE SUBBASEMENT BACKING UP THROUGH THE WASTE LINE OFFICE # (212)7509898

Material:

Site ID: 228963
 Operable Unit ID: 1040640
 Operable Unit: 01
 Material ID: 341539
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

BT390
North
1/4-1/2
0.300 mi.
1584 ft.

507-509 GREENWICH STREET
507-509 GREENWICH STREET
NEW YORK CITY, NY

NY LTANKS S104275598
N/A

Site 1 of 3 in cluster BT

LTANKS:

Site ID: 117540
 Spill Number/Closed Date: 9006678 / 12/3/1999
 Spill Date: 9/18/1990
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SULLIVAN
 Referred To: Not reported
 Reported to Dept: 9/18/1990
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 9/20/1990
 Spill Record Last Update: 12/3/1999
 Spiller Name: QUEVA J. LUTZ
 Spiller Company: GREENWICH CARRIAGE HOUSE
 Spiller Address: 503 GREENWICH STREET
 Spiller City, St, Zip: MANHATTAN, NY 10013-

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

507-509 GREENWICH STREET (Continued)

S104275598

Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: (212) 966-4335
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 102245
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SULLIVAN/MULQUEEN"REFER TO SPILL # 98-06774, MULQUEEN SPILL.
 Remarks: 4K TANK FAILED HYDROSTATIC TEST, WILL EXCAVATE, ISOLATE & RETEST.

Material:

Site ID: 117540
 Operable Unit ID: 947221
 Operable Unit: 01
 Material ID: 434127
 Material Code: 0008
 Material Name: Diesel
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 117540
 Spill Tank Test: 1537557
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Unknown

BT391
North
1/4-1/2
0.300 mi.
1584 ft.

507-509 GREENWICH ST
507-509 GREENWICH ST
MANHATTAN, NY
Site 2 of 3 in cluster BT

NY LTANKS S104277297
N/A

LTANKS:

Site ID: 298985
 Spill Number/Closed Date: 9806774 / 9/9/1998
 Spill Date: 8/28/1998
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MMMULQUE
 Referred To: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

507-509 GREENWICH ST (Continued)

S104277297

Reported to Dept: 9/2/1998
 CID: 257
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 9/2/1998
 Spill Record Last Update: 6/18/2004
 Spiller Name: Not reported
 Spiller Company: GREENWICH CARRIAGE HOUSE
 Spiller Address: 507-509 GREENWICH ST
 Spiller City,St,Zip: MANHATTEN, NY
 Spiller County: 001
 Spiller Contact: TOM PONZIO
 Spiller Phone: (212) 673-0990
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 241889
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MULQUEEN"CONTAMINATED SOILS REMOVED DOWN TO WATER TABLE. WATER CLEAN, NO SHEEN OBSERVED, REMAINING SOILS CLEAN ALSO. NO FURTHER ACTION REQUIRED.SEE ALSO 90-06678, 01-01564, 01-01432.
 Remarks: CALLER REMOVED ABOUT 200 YARDS OF SOIL AND WOULD LIKE SOMEONE TO CALL HIM SO THAT HE CAN FILL IN THE HOLE AND HE DOES HAVE A SOIL SAMPLE AND RESULTS CALLERS PAGER NUMBER 917-240-8286.

Material:
 Site ID: 298985
 Operable Unit ID: 1067929
 Operable Unit: 01
 Material ID: 317918
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

BU392
 South
 1/4-1/2
 0.301 mi.
 1588 ft.

SPILL NUMBER 9813390
DUANE & BROADWAY
MANHATTAN, NY
Site 1 of 2 in cluster BU

NY LTANKS S105054522
N/A

LTANKS:
 Site ID: 182775
 Spill Number/Closed Date: 9813390 / 7/18/2003
 Spill Date: 2/2/1999
 Spill Cause: Tank Overfill

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPILL NUMBER 9813390 (Continued)

S105054522

Spill Source: Commercial Vehicle
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 2/2/1999
 CID: 322
 Water Affected: Not reported
 Spill Notifier: Citizen
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/2/1999
 Spill Record Last Update: 7/18/2003
 Spiller Name: Not reported
 Spiller Company: MYSTIC TRANSPORTATION
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ -
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 153119
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND" FAXED TO DEP.
 Remarks: caller states driver overfilled tank - oil came out of vent pipe and is running across the street and into a drain - driver appears "overwelmed" and is not cleaning this up

Material:
 Site ID: 182775
 Operable Unit ID: 1073839
 Operable Unit: 01
 Material ID: 310110
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

393 BUILDING SERVICES HQ DEP -DDC NY LTANKS S100153666
ENE 58-52 GRAND AVENUE N/A
1/4-1/2 NEW YORK CITY, NY
0.302 mi.
1596 ft.

LTANKS:

Site ID: 167948
 Spill Number/Closed Date: 9101777 / 2/18/2005
 Spill Date: 5/14/1991
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 4101
 Investigator: ADZHITOM
 Referred To: Not reported
 Reported to Dept: 5/14/1991
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 5/15/1991
 Spill Record Last Update: 2/18/2005
 Spiller Name: Not reported
 Spiller Company: NYCDEP
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 141498
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHITOMIRSKY"TRANSFERRED FROM Y.KRIMGOLD. The site managed by Y. Krimgold and then transferred to A. Zhitomirsky. The site was remediated under NYCDDC Consent Order. The site was initially managed by URS and then transferred to PMS/Shaw. ORC socks were used as a remedial technology.NFA letter was issued on 6/23/2004. Alex Zhitomirsky 2/18/2005
 Remarks: (2) 550GAL TANKS MANIFOLDED FAILED AIR PRESSURE TEST,2LB/1/2HR,WILL EXCAVATE & INVESTIGATE. Also see spill # 9610043.

Material:

Site ID: 167948
 Operable Unit ID: 952886
 Operable Unit: 01
 Material ID: 424318
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

BUILDING SERVICES HQ DEP -DDC (Continued)

S100153666

Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 167948
 Spill Tank Test: 1538551
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Unknown

BT394
North
1/4-1/2
0.305 mi.
1608 ft.

BARRETTI CARTING CORP.
509 GREENWICH STREET
NEW YORK, NY 10013
Site 3 of 3 in cluster BT

NY SWF/LF S105841764
N/A

SWF/LF:

Flag: INACTIVE
 Region Code: 2
 Phone Number: 2129257056
 Owner Name: Not reported
 Owner Type: Not reported
 Owner Address: Not reported
 Owner Addr2: Not reported
 Owner City,St,Zip: Not reported
 Owner Email: Not reported
 Owner Phone: Not reported
 Contact Name: PHILIP BARRETTI; PRESIDENT
 Contact Address: Not reported
 Contact Addr2: Not reported
 Contact City,St,Zip: Not reported
 Contact Email: Not reported
 Contact Phone: Not reported
 Activity Desc: Transfer station - permit
 Activity Number: [31T06]
 Active: No
 East Coordinate: 583600
 North Coordinate: 4508900
 Accuracy Code: Not reported
 Regulatory Status: Not reported
 Waste Type: Not reported
 Authorization #: 2-6205-00036
 Authorization Date: Not reported
 Expiration Date: Not reported

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

395 SSE 1/4-1/2 0.307 mi. 1623 ft.	NEWMARK & COMPANY 40 WORTH ST MANHATTAN, NY	NY LTANKS NY Spills S102238979 N/A
---	--	---

LTANKS:

Site ID: 488216
 Spill Number/Closed Date: 1307544 / Not Reported
 Spill Date: 10/22/2013
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: HRPATEL
 Referred To: Not reported
 Reported to Dept: 10/23/2013
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 10/23/2013
 Spill Record Last Update: 11/14/2013
 Spiller Name: MARK SALAMACK
 Spiller Company: OWNER
 Spiller Address: 40 WORTH STREET
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 999
 Spiller Contact: MARK SALAMACK
 Spiller Phone: (718) 624-4842
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 443300
 DEC Memo: 10/23/13-Vought-Called PTC (Ph:718-624-4842) for more information Christopher Steele and they have two tanks and they have leak around manhole cover and subcontractor will disconnect piping as it goes through manhole cover to replace gasket. leaks are above gasket and no spill noted by PTC and tank was cleaned a few weeks ago. Vought to send out TTF letter.10/24/13-Vought-As per PBS Registration 2-243248, Site has one 19000-gallon #6 Fuel oil UST, one 15000-gallon #6 fuel oil AST and one closed in place 15,000-gallon #6 fuel oil AST. Owner of tank is:Newmark Knight Frank125 Park Avenue11th FloorNew York, NY 10017Attn: James CoffeyPh:(212)372-2000Vought sent TTF letter to Patel for signature as per request of Patel.11/12/13-Hiralkumar Patel.3:31 PM:- left message for Mark at PTC.4:06 PM:- received call from Mark. he mentioned that one of the two tank system passed the tightness test after minor repair in manhole area. Mark will send copy of test result. they will do second tank cleaning later this month.11/13/13-Hiralkumar Patel. received fax from PTC including system test result for 15,000 gal tank. test was performed on 10/28/13 which shows tank system tight.

Remarks: failed tank - swicthing tanks out

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

NEWMARK & COMPANY (Continued)

S102238979

Material:

Site ID: 488216
 Operable Unit ID: 1237844
 Operable Unit: 01
 Material ID: 2237615
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

SPILLS:

Facility ID: 9514064
 Facility Type: ER
 DER Facility ID: 227892
 Site ID: 280657
 DEC Region: 2
 Spill Date: 2/5/1996
 Spill Number/Closed Date: 9514064 / 2/20/1996
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 2/5/1996
 CID: 312
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 2/5/1996
 Spill Record Last Update: 1/26/1998
 Spiller Name: Not reported
 Spiller Company: NEWMARK & COMPANY
 Spiller Address: 40 WORTH ST
 Spiller City,St,Zip: MANHATTAN, ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: (212) 227-8332
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"CLEANED BY OIL CO.
 Remarks: MALFUNCTIONING VALVE THAT WORKS TWO TANKS - SPILL CONTAINED

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

NEWMARK & COMPANY (Continued)

S102238979

Material:

Site ID: 280657
 Operable Unit ID: 1028609
 Operable Unit: 01
 Material ID: 357764
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 50
 Units: Gallons
 Recovered: 50
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

396 HUMAN RESOURCES ADMINISTRATION
SE 250 CHURCH ST
1/4-1/2 NEW YORK, NY 10013
0.309 mi.
1631 ft.

NY LTANKS S102662765
NY MANIFEST N/A

LTANKS:

Site ID: 180655
 Spill Number/Closed Date: 9611132 / 12/10/1996
 Spill Date: 12/10/1996
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMMARTIN
 Referred To: Not reported
 Reported to Dept: 12/10/1996
 CID: 205
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/10/1996
 Spill Record Last Update: 12/16/1996
 Spiller Name: MIKE
 Spiller Company: MYSTIC TRANSPROTATION
 Spiller Address: 1901 STEINWAY ST
 Spiller City,St,Zip: ASTORIA, NY 11105-
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 151519

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

HUMAN RESOURCES ADMINISTRATION (Continued)

S102662765

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"
 Remarks: OVERFILLED TANK, SPILL CLEANED UP .

Material:
 Site ID: 180655
 Operable Unit ID: 1042687
 Operable Unit: 01
 Material ID: 343333
 Material Code: 0002A
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

NY MANIFEST:
 EPA ID: NYR000082446
 Country: USA
 Mailing Name: HUMAN RESOURCES ADMINISTRATION
 Mailing Contact: PERVAIZ MAHRTOD
 Mailing Address: 250 CHURCH ST
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10013
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-274-6573

NY MANIFEST: No Manifest Records Available

**BV397
 SE
 1/4-1/2
 0.313 mi.
 1654 ft.**

**39 WHITE ST
 39 WHITE ST
 NYC, NY
 Site 1 of 2 in cluster BV**

**NY LTANKS S102671849
 N/A**

LTANKS:
 Site ID: 309664
 Spill Number/Closed Date: 9112755 / 3/15/1992
 Spill Date: 3/12/1992
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Not reported
 Cleanup Ceased: 3/15/1992
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: MCTIBBE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

39 WHITE ST (Continued)

S102671849

Referred To: Not reported
 Reported to Dept: 3/14/1992
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/20/1992
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 249984
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"
 Remarks: Not reported

Material:

Site ID: 309664
 Operable Unit ID: 963234
 Operable Unit: 01
 Material ID: 414315
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 8
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**BV398
 SE
 1/4-1/2
 0.320 mi.
 1690 ft.**

**SPILL NUMBER 9900783
 42 WHITE ST
 MANHATTAN, NY
 Site 2 of 2 in cluster BV**

**NY LTANKS S104620136
 N/A**

LTANKS:

Site ID: 254330
 Spill Number/Closed Date: 9900783 / 1/13/2000
 Spill Date: 4/21/1999
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SPILL NUMBER 9900783 (Continued)

S104620136

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 4/21/1999
 CID: 211
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 4/21/1999
 Spill Record Last Update: 2/18/2000
 Spiller Name: ANTHONY LARA
 Spiller Company: Not reported
 Spiller Address: 42 WHITE ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: ANTHONY LARA
 Spiller Phone: (718) 624-4842
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 208316
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND"
 Remarks: caller removing tank and found contaminated soil under concrete floor
 - address is an apartment building

Material:
 Site ID: 254330
 Operable Unit ID: 1075561
 Operable Unit: 01
 Material ID: 307902
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction EDR ID Number
 Distance Database(s) EPA ID Number
 Distance (ft.)Site

BU399 137 WEST BROADWAY NY LTANKS S106702400
 South 137 WEST BROADWAY N/A
 1/4-1/2 NEW YORK CITY, NY
 0.322 mi.
 1699 ft. Site 2 of 2 in cluster BU

LTANKS:

Site ID: 101632
 Spill Number/Closed Date: 0313842 / 3/21/2006
 Spill Date: 3/18/2004
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: HRPATEL
 Referred To: Not reported
 Reported to Dept: 3/18/2004
 CID: 403
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/18/2004
 Spill Record Last Update: 3/21/2006
 Spiller Name: ANTHONY LARA
 Spiller Company: Not reported
 Spiller Address: 137 WEST BROADWAY
 Spiller City,St,Zip: NEW YORK CITY, NY
 Spiller County: 001
 Spiller Contact: ANTHONY LARA
 Spiller Phone: (732) 416-0269
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 90043
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIPPLE"12/19/05 Feroze. Spill is transferred from Ketani to Feroze.03/15/06. Spill is transferred from Feroze to Kumer Patel.03/21/06-Hiralkumar Patel. Spoke with Anthony J. Lara at Petroleum. he will call me with information. Received call from Anthony. he told me that it was 275 gal AST and they had cleaned site after spill that was about 1 gal. they had replaced tank at location. received invoice copy and copy of waste disposal manifest from petroleum. as per invoice they have charged \$1800 to pump out tank, clean it and replace it. invoice date is 03/25/2004. Petroleum has done this work for insurance company so they don't have owner's name or number. no oil stains found on floor.from property shark and reverse phone directory, following information found for owner.Klein, Sardi137 W Broadway, Apt 5New York, NY 10013-3358(212) 608-2777as per Petroleum's records it was 1 gal spill and all cleaned up. new tank installed. no further action required. case closed.
 Remarks: tank had a hole in it that caused about 1 gallon of oil to spill. the spill has been cleaned up. it was a 275 gallon tank. they are going to remove it an replace it

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

137 WEST BROADWAY (Continued)

S106702400

Material:

Site ID: 101632
 Operable Unit ID: 880885
 Operable Unit: 01
 Material ID: 495430
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1
 Units: Gallons
 Recovered: Yes
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**400
 SSE
 1/4-1/2
 0.330 mi.
 1740 ft.**

**62 THOMAS STREET
 62 THOMAS STREET
 NEW YORK, NY**

**NY LTANKS
 NY Spills**

**S103568545
 N/A**

LTANKS:

Site ID: 273568
 Spill Number/Closed Date: 9416643 / 2/12/2004
 Spill Date: 3/24/1995
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 3/24/1995
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 4/27/1995
 Spill Record Last Update: 2/12/2004
 Spiller Name: Not reported
 Spiller Company: MYSTIC TRANSPORTATION
 Spiller Address: 19-01 STEINWAY STREET
 Spiller City,St,Zip: ASTORIA, NY 11105
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 222558

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

62 THOMAS STREET (Continued)

S103568545

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SANGESLAND"2/12/2004 Sangesland received a letter from Katherine Delp property manager for 62 Thomas St., NYC.Submittal came with photos of the fill port, vent line and boiler room area. All areas were clean. Spill was a 5 gal spill from 9 years ago.Spill Closed

Remarks: CLEANUP IN PROGRESS.

Material:

Site ID: 273568
 Operable Unit ID: 1013759
 Operable Unit: 01
 Material ID: 371791
 Material Code: 0002A
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: 5
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

SPILLS:

Facility ID: 9510954
 Facility Type: ER
 DER Facility ID: 222558
 Site ID: 273570
 DEC Region: 2
 Spill Date: 11/30/1995
 Spill Number/Closed Date: 9510954 / 12/1/1995
 Spill Cause: Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: GUTIERREZ
 Referred To: Not reported
 Reported to Dept: 11/30/1995
 CID: 207
 Water Affected: Not reported
 Spill Source: Unknown
 Spill Notifier: Local Agency
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 11/30/1995
 Spill Record Last Update: 12/4/1995
 Spiller Name: Not reported
 Spiller Company: DELANEY
 Spiller Address: Not reported
 Spiller City,St,Zip: NY

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

62 THOMAS STREET (Continued)

S103568545

Spiller Company: 999
 Contact Name: ED CONWAY
 Contact Phone: (212) 338-4448
 DEC Memo: Not reported
 Remarks: WHILE WORKING IN A STREET EXCAVATION -CONTRACTOR STRUCK A RETIREDSTEAM LINE AND DAMAGED A WATER SUPPLY LINE RELEASING ASBESTOS INTO THE SOIL BELOW - NO AIRBORNE ASBESTOS RELEASED

Material:

Site ID: 273570
 Operable Unit ID: 1025300
 Operable Unit: 01
 Material ID: 358309
 Material Code: 0026A
 Material Name: ASBESTOS
 Case No.: 01332214
 Material FA: Hazardous Material
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**401
 ENE
 1/4-1/2
 0.335 mi.
 1768 ft.**

**W & J GARAGE
 360 WEST BROADWAY
 NEW YORK, NY 10013**

**NY LTANKS U000409045
 NY UST N/A
 NY Spills**

LTANKS:

Site ID: 270284
 Spill Number/Closed Date: 9405382 / 7/7/2000
 Spill Date: 7/20/1994
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 7/20/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/11/1994
 Spill Record Last Update: 7/11/2006
 Spiller Name: Not reported
 Spiller Company: W & J GARAGE PARKING
 Spiller Address: 356- 360 W. BRAODWAY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

W & J GARAGE (Continued)

U000409045

Spiller City,St,Zip: NEW YORK, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 220105
 DEC Memo: Switched from Tibbe to Tomasello on 5/2/2000. Fenley & Nicol Environmental did subsurface investigation. Contamination was found again. Awaiting a report.7/7/2000 - S. Miller closed spill report No. 9405382 as per former spill responder C.P. Tomasselo's closure of apperent duplicate spill report 9411507 on 5/17/2000. Reportedly, closure work and recently submitted report by F&N for 356-360 W. Broadway, Manhattan was adequate. Cross referencing spill report numbers was entered into database. As per spill report No. 9411507, file had been archived.

Remarks: DISCOVERED SOIL IN TANK PULL- MARK TIBBE IS AWARE OF SITE.

Material:
 Site ID: 270284
 Operable Unit ID: 1002588
 Operable Unit: 01
 Material ID: 381971
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 270285
 Spill Number/Closed Date: 9411507 / 6/20/2000
 Spill Date: 8/10/1994
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 11/29/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

W & J GARAGE (Continued)

U000409045

Date Entered In Computer: 1/12/1995
 Spill Record Last Update: 11/14/2000
 Spiller Name: Not reported
 Spiller Company: W & J GARAGE
 Spiller Address: 360 WEST BROADWAY
 Spiller City,St,Zip: NEW YROK, NY 10013-
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 220105
 DEC Memo: Not reported
 Remarks: EXCAVATION & MOVING TANK FOUND CONTAIN SOIL, SOIL REMOVED BY J. M. ASSOCIATES, INC. SITE CLEANED UP. CALLED CHRIS T. AT TIME OF SPILL -NO RESPONSE.

Material:

Site ID: 270285
 Operable Unit ID: 1005254
 Operable Unit: 01
 Material ID: 569956
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

UST:

Id/Status: 2-349720 / Unregulated
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: N/A
 UTM X: 584224.22692000004
 UTM Y: 4508495.76346
 Site Type: Retail Gasoline Sales

Affiliation Records:

Site Id: 17228
 Affiliation Type: Facility Owner
 Company Name: DENNIS & DOROTHY FENNELL
 Contact Type: Not reported
 Contact Name: Not reported
 Address1: 9201 SHORE ROAD
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11209

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

W & J GARAGE (Continued)

U000409045

Country Code: 001
 Phone: (718) 833-8112
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 17228
 Affiliation Type: Mail Contact
 Company Name: DENNIS & DOROTHY FENNELL
 Contact Type: Not reported
 Contact Name: W & J GARAGE INC.
 Address1: 9201 SHORE ROAD
 Address2: Not reported
 City: BROOKLYN
 State: NY
 Zip Code: 11209
 Country Code: 001
 Phone: (718) 833-8112
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 17228
 Affiliation Type: On-Site Operator
 Company Name: W & J GARAGE
 Contact Type: Not reported
 Contact Name: DENNIS FENNELL
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 226-8742
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 17228
 Affiliation Type: Emergency Contact
 Company Name: DENNIS & DOROTHY FENNELL
 Contact Type: Not reported
 Contact Name: DOROTHY FENNELL
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (718) 833-8112
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

W & J GARAGE (Continued)

U000409045

Tank Info:

Tank Number: 001
 Tank ID: 33592
 Tank Status: Closed - Removed
 Material Name: Closed - Removed
 Capacity Gallons: 2000
 Install Date: 05/01/1976
 Date Tank Closed: 10/01/1994
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0000
 Common Name of Substance: Empty

Tightness Test Method: 01
 Date Test: 11/01/1988
 Next Test Date: Not reported
 Pipe Model: Not reported
 Modified By: TRANSLAT
 Last Modified: 03/04/2004

Equipment Records:

B00 - Tank External Protection - None
 D00 - Pipe Type - No Piping
 G00 - Tank Secondary Containment - None
 I00 - Overfill - None
 A00 - Tank Internal Protection - None
 C00 - Pipe Location - No Piping
 F00 - Pipe External Protection - None
 H00 - Tank Leak Detection - None

SPILLS:

Facility ID: 0007768
 Facility Type: ER
 DER Facility ID: 220105
 Site ID: 270283
 DEC Region: 2
 Spill Date: 10/2/2000
 Spill Number/Closed Date: 0007768 / 6/3/2009
 Spill Cause: Equipment Failure
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: hrpatel
 Referred To: Not reported
 Reported to Dept: 10/2/2000
 CID: 396
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: True
 Remediation Phase: 0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

W & J GARAGE (Continued)

U000409045

Date Entered In Computer: 10/2/2000
 Spill Record Last Update: 6/3/2009
 Spiller Name: Not reported
 Spiller Company: W & J GARAGE PARKING
 Spiller Address: 356-360 WEST BROADWAY
 Spiller City,St,Zip: NEW YORK, NY 10013-001
 Spiller Company: 001
 Contact Name: MARTIN LIPSON
 Contact Phone: (973) 642-5700
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ROMMEL."This spill case was reassigned from DEC (Sigona) to Rommel on 01/07/2004.Also see Spill Nos. 9405382 & 9411507.On October 16, 2000, DEC Sigona received Phase II Site Investigation report regarding the investigation of this property.7/11/2006 - iabeilby: Contacted caller (Chuck Mulligan at IVI Environmental - 914-694-9600) and he is going to ask the Phase II group to look for any information regarding the spill and get back to the DEC PM.08/18/2006 - iabeilby: Consultant did not get back to DEC PM. Would suggest a site visit and an attempt to contact IVI Environmental again.4/2/09 - Austin - Transferred from Needs Reassignment to Patel for further work to remediate and close - end06/03/09-Hiralkumar Patel.alternate addresses: 356-360 W Broadway, 34-38 Thompson St according to property shark, site has two or more story parking garage and property owner is:Deihl Realty Co Inc28 Clinton StNewark NJ 07102-3704PBS #: 2-349720 for W&J Garage. record shows one 2000 gal UST removed in 1994.no other spills (other than 9405382 & 9411507)/PBS record found. <-----review of old file:spill #: 9405382 was reported on 07/20/1994 as found contaminated soil. case closed based on work done under spill #: 9411507.spill #: 9411507 was reported on 11/29/1994 as found contaminated soil. case closed on 06/20/2000 based on report submitted by F&N, dated 05/05/2000. NFA sent on 06/20/2000. F&N installed one boring in the area where the tank was removed in the basement parking garage. boring was installed to depth of 7 ft; groundwater was found at 5 ft depth; collected two soil samples (0-2 ft and 2-4 ft) and found no PID readings. no soil samples collected for analysis. one groundwater sample collected for analysis. no contamination found in groundwater sample.spill #: 0007768 was reported on 10/02/2000 as found soil contamination. this case reported after DEC Chris closed previous case in June 2000.found old hand written notes in old file for the case. this notes were written on 01/25/1985 regarding gasoline odor complaint from next door apartment building. could not find spill number related to this notes. notes from DEC case manager in 1985: "went to the Gulf Garage located at 360 West Broadway, NY regarding a reported complaintof a tenant who lives in a apartment building at 362 West Broadway concerning a strong gasoline odors in his basement. I was unable to locate the complainant at 362 West Broadway but I was informed by an unidentified male tenant that a Mr. Daphnis made the complaint to the NYCFD. He further states that the fire department flushed gasoline out of the two sidewalk sewers that are located in the front of 360 and 362 W. Broadway. I accompanied the tenant in the basement at 362 West Broadway and notice a distinct gasoline odor and further that a exhaust fan was put into operating in the basement to help remove the odor. I later ascertained that the fan was installed by employees from Petroleum Construction of Brooklyn, Inc., 1038 Rockaway Ave, Brooklyn, NY telephone (718) 385-8800 who were at this time doing a pressure test on the Gulf tanks at 360 West Broadway. I spoke to the

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

W & J GARAGE (Continued)

U000409045

assistant manager of the Gulf Garage who is David Hulse and he states that he lost approximately 62 gal of gasoline in the past two weeks. He states there are three 550 gal tanks and one 2000 gal tank and that all the tanks are filled with water. I checked the two sewer that are located in front of 360 and 362 W Broadway and found product in each sewer. I spoke with Mr. John Sinkiewaicz who is employed as a licensed plumber by Petroleum Construction of Brooklyn, Inc. and he states he was doing a preliminary pressure test on the Gulf tanks and that he did install the exhaust fan in the basement at 362 Weest Broadway. The name of the Gulf garage is 'To West Broadway Garage' operated by W&J Garage Inc., 356-360 W. Broadway and 34-38 Thompson Street, NY, NY telephone CA68742. The garage is managed by Walter and Joseph Fennell. I went to the Cyclone auto service gasoline station at 372 West Broadway, telephone 925- and it appears that this station is permanantly closed. The above mentioned unidentified tenant at 362 West Broadway states that there was an explosion on this station approximately two months ago and the station had been closed since then."also found well gauging report in old file. three wells were gauged on 07/05/1985 on 360 West Broadway and found no product in it. groundwater was found at 9.5 ft bg.also found sewer system map in file.abstract of phase II report, submitted by IVI, dated 09/13/00 (revised 10/05/00):- advanced six borings to a depths ranging between 3 ft to 8 ft bg- no groundwater encountered- elevated PID readings were detected in borings B4 (75 ppm) and B6 (250 ppm)- during the advancement of the boring, the reinforced concrete slab was found to be 2-3 ft thick in the immediate vicinity of the 1,100 gal UST- due to the thickness of the concrete slab and the presence of underground utilities and fill debris, IVI was unable to advance borings in the immediate vicinity of the UST to a sufficient depth to collect soil samples (so no soil samples collected from B1 to B3 and B5)- borings B4 and B6 were advanced, approx. 15 ft away from tank location, to a depth of 8 ft bg where refusal encountered- two soil samples collected: one from B4 and one from B6 with highest PID- found VOC compounds in both samples, but well below TAGM limitbased on all availabe information, case closed.

Remarks:

UST has been removed for quite a while...they were done soil sampling and found soil contamination-caller states there was another spill number assigned to this address was hoping to have the same case mngr. assigned to this number.

Material:

Site ID: 270283
 Operable Unit ID: 830271
 Operable Unit: 01
 Material ID: 545294
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

402 North 1/4-1/2 0.337 mi. 1778 ft. 522 GREENWICH AV/MANH/UPS 522 GREENWICH AVENUE NEW YORK CITY, NY NY LTANKS S104275650 N/A

LTANKS:

Site ID: 112363
 Spill Number/Closed Date: 9100225 / 2/9/1998
 Spill Date: 4/4/1991
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates a file or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SULLIVAN
 Referred To: Not reported
 Reported to Dept: 4/4/1991
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 4/17/1991
 Spill Record Last Update: 2/9/2004
 Spiller Name: Not reported
 Spiller Company: UPS
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 98156
 DEC Memo: Not reported
 Remarks: (4) 1500 GAL TANKS FAILED TANK AUDITOR WITH A LEAK RATE OF .29849GPH.

Material:

Site ID: 112363
 Operable Unit ID: 951051
 Operable Unit: 01
 Material ID: 426435
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

522 GREENWICH AV/MANH/UPS (Continued)

S104275650

Site ID:	112363
Spill Tank Test:	1538422
Tank Number:	Not reported
Tank Size:	0
Test Method:	00
Leak Rate:	0
Gross Fail:	Not reported
Modified By:	Spills
Last Modified:	10/1/2004
Test Method:	Unknown

**403
ESE
1/4-1/2
0.350 mi.
1847 ft.**

**60 LISPENARD ST
60 LISPENARD ST
NEW YORK, NY**

**NY LTANKS S106703609
N/A**

LTANKS:

Site ID:	102230
Spill Number/Closed Date:	9112756 / 3/15/1992
Spill Date:	3/12/1992
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	3/15/1992
Cleanup Meets Standard:	True
SWIS:	3101
Investigator:	MCTIBBE
Referred To:	Not reported
Reported to Dept:	3/14/1992
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	3/20/1992
Spill Record Last Update:	6/7/2004
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller City,St,Zip:	***Update***, ZZ
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	90545
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"
Remarks:	Not reported

Material:

Site ID:	102230
Operable Unit ID:	963236

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

60 LISPENARD ST (Continued)

S106703609

Operable Unit: 01
 Material ID: 414316
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**404
 SE
 1/4-1/2
 0.354 mi.
 1867 ft.**

**PRIVATE HOME
 58 WHITE STREET
 MANHATTAN, NY**

**NY LTANKS S107658685
 N/A**

LTANKS:

Site ID: 360306
 Spill Number/Closed Date: 0513769 / 5/22/2006
 Spill Date: 3/1/2006
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: HRPATEL
 Referred To: Not reported
 Reported to Dept: 3/1/2006
 CID: 444
 Water Affected: Not reported
 Spill Notifier: Fire Department
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/1/2006
 Spill Record Last Update: 5/22/2006
 Spiller Name: Not reported
 Spiller Company: LEIBLIBH OIL CO
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: JOSEPH DILIPARTO
 Spiller Phone: (212) 685-0780
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 310433
 DEC Memo: Sangesland spoke with Rene at EastmondThey responded to the site 550gal that had an epoxy patch on the side that come off. Tank was previously lined with epoxy. Tank is in very bad shape.Eastmond

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PRIVATE HOME (Continued)

S107658685

drained the tank and set up a temporary 275 gal tank. Tank is resting directly on the soil in the basement. Eastmond did the immediate cleanup in the tank area, but this tank needs to be replaced and there may be contamination under the tank. 03/02/06 Feroze, CSL is sent to: Property Owner 58 White Street New York, NY 03/15/06. Spill is transferred from Feroze to Kumer Patel. 04/06/06-Hiralkumar Patel. Spoke with another person at Joseph's office. he told me that site is cleaned. Eastmond has installed temporary tanks on site. old tank was on concrete pad. he doesn't have more information. left message for Joseph. 04/07/06-Hiralkumar Patel. Received call from Joseph. he doesn't know concrete condition in tank room. he will go onsite next week. asked him to take color photographs of old tank location and tank room floor from different angles. as per him, they are not going to put new tank on same tank location. instead they are installing two 275 gal tank outside of the tank room. 04/21/06-Hiralkumar Patel. Spoke with Mr. Mungra at Eastmond. they have removed old tank. they found this tank was on solid concrete pad. no cracks in concrete. no soil/groundwater contamination. only contamination was surface contamination and they power washed it. Eastmond has installed two new 275 gal tanks on same location. all work done. they are switching lines back to this new tanks. Mr. Mungra will send report by end of next week. 05/05/06-Hiralkumar Patel. Spoke to Isaac. he will send final report soon once he gets all the documents. 05/22/06-Hiralkumar Patel. Received call from Mr. Mungra. he will fax final report. Received fax from Mr. Mungra. abstract of work performed:- install one 275 gal temp tank- pump out, squeegee clean, gas free and remove 550 gal #2 fuel oil tank- clean up area under tank and surrounding areas- removed 2 drums of contaminated oil soaked absorbent- install two 275 gal tanks- pump out and removed temp tank- tank room floor is solid concrete with no indication of cracks and/or services. based on available information case is closed.

Remarks: CLEAN UP ENROUTE, THERE IS A SUMP PUMP IN AREA, FIRE DEPT ON SCENE

Material:

Site ID: 360306
 Operable Unit ID: 1117480
 Operable Unit: 01
 Material ID: 2107993
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 70
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

405 South 1/4-1/2 0.358 mi. 1892 ft.	APARTMENT BUILDING 144 DUANE ST. MANHATTAN, NY	NY LTANKS S106385684 N/A
---	---	--

LTANKS:

Site ID: 286328
 Spill Number/Closed Date: 0314059 / 4/6/2004
 Spill Date: 3/25/2004
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 3101

Investigator: CESAWYER

Referred To: Not reported

Reported to Dept: 3/25/2004

CID: 403

Water Affected: Not reported

Spill Notifier: Other

Last Inspection: Not reported

Recommended Penalty: False

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 3/25/2004

Spill Record Last Update: 4/6/2004

Spiller Name: BILL JOHNSON

Spiller Company: APARTMENT BUILDING

Spiller Address: 144 DUANE ST.

Spiller City,St,Zip: MANHATTAN, NY

Spiller County: 001

Spiller Contact: BILL JOHNSON

Spiller Phone: (516) 315-8165

Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 232064

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "SAWYER"3/25/2004 Sangesland spoke to Bill Johnson (516-315-8165). He's a contractor working on a building renovation in Manhattan. The basement floor of this building was being "dug down" to create more headroom in the basement. During this digging, a buried tank was found and a joint on the top was broken. This caused a small amount of oil to flow into the soil around the tank. Sangesland told the contractor to do the following: 1) Take photos of the tank/spill now before the cleanup 2) Take photos of the area after the cleanup is done. 3) Either pull the tank and get 1 end point sample -OR- 4) Abandon the tank in place with cement AFTER 1 clean soil boring is taken through the center of the tank. 5) Manifest any contaminated soil from the site. 6) Send in test results, manifests and a summary of events to Cris Sawyer for review and closure. 3/30/04 Mr. Johnson called back to say that groundwater is 1 ft below the basement floor. There is a water proof seal over the whole floor (except for the manway to the buried tank). He says they are NOT able to take a soil sample or a water sample through or near the tank. 3/31/04 - Sawyer - Talked to Mark Sonnino the owner of site, but he says there is no spill. He is required to pressure test the tank and upon passing the

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APARTMENT BUILDING (Continued)

S106385684

Remarks: tank tightness test the spill will be closed.4/06/04 - Sawyer -
 Received a passed tank tightness test from Mark Sonnino done by AL
 Eastmond. Closed.
 they are removing an underground tank that has holes in it

Material:

Site ID: 286328
 Operable Unit ID: 881000
 Operable Unit: 01
 Material ID: 495643
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**406
 East
 1/4-1/2
 0.368 mi.
 1942 ft.**

**SPILL NUMBER 9810677
 33 GREENE ST
 MANHATTAN, NY**

**NY LTANKS S104619829
 N/A**

LTANKS:

Site ID: 260983
 Spill Number/Closed Date: 9810677 / 11/23/1998
 Spill Date: 11/23/1998
 Spill Cause: Tank Overfill
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: HUANG
 Referred To: Not reported
 Reported to Dept: 11/23/1998
 CID: 281
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 11/23/1998
 Spill Record Last Update: 11/23/1998
 Spiller Name: VINCENT DEMARCO
 Spiller Company: GOTHAM PETROLEUM
 Spiller Address: 245 RUSSEL ST
 Spiller City,St,Zip: BROOKLYN, NY 11211-001
 Spiller County: 001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPILL NUMBER 9810677 (Continued)

S104619829

Spiller Contact: VINCENT DEMARCO
 Spiller Phone: (718) 389-7160
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 213136
 DEC Memo: Not reported
 Remarks: TANK OVERFILL AT ABOVE LOCATION. ALL MATERIAL RECOVERED. NO CALLBACK REQUESTED.

Material:

Site ID: 260983
 Operable Unit ID: 1071698
 Operable Unit: 01
 Material ID: 314543
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10
 Units: Gallons
 Recovered: 10
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**407
 NE
 1/4-1/2
 0.369 mi.
 1948 ft.**

**MOBIL S/S#17-AML
 140-52 6TH AVE
 NEW YORK, NY**

**NY LTANKS S104513535
 NY Spills N/A**

LTANKS:

Site ID: 106112
 Spill Number/Closed Date: 8912181 / 4/9/1990
 Spill Date: 3/23/1990
 Spill Cause: Tank Overfill
 Spill Source: Gasoline Station
 Spill Class: Not reported
 Cleanup Ceased: 4/9/1990
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 3/23/1990
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: True
 Remediation Phase: 0
 Date Entered In Computer: 4/19/1990
 Spill Record Last Update: 10/26/2000
 Spiller Name: MIKE MEOLA
 Spiller Company: EXXONMOBIL CORPORATION

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

MOBIL S/S#17-AML (Continued)

S104513535

Spiller Address: 464 DOUGHTY BLVD
 Spiller City,St,Zip: INWOOD, NY 11096
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 93533
 DEC Memo: Not reported
 Remarks: SPILLER WASHED GASOLINE IN SEWER.

Material:

Site ID: 106112
 Operable Unit ID: 937898
 Operable Unit: 01
 Material ID: 441654
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

SPILLS:

Facility ID: 9406927
 Facility Type: ER
 DER Facility ID: 93533
 Site ID: 106114
 DEC Region: 2
 Spill Date: 8/22/1994
 Spill Number/Closed Date: 9406927 / 3/29/1995
 Spill Cause: Equipment Failure
 Spill Class: Not reported
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 8/22/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Responsible Party
 Cleanup Ceased: 3/29/1995
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: True
 Remediation Phase: 0
 Date Entered In Computer: 10/21/1994
 Spill Record Last Update: 10/26/2000
 Spiller Name: MIKE MEOLA

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S#17-AML (Continued)

S104513535

Spiller Company: EXXONMOBIL CORPORATION
 Spiller Address: 464 DOUGHTY BLVD
 Spiller City,St,Zip: INWOOD, NY 11096
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Not reported
 Remarks: SECONDARY CONTAINMENT UNDER DISPENSES.

Material:

Site ID: 106114
 Operable Unit ID: 1001225
 Operable Unit: 01
 Material ID: 564335
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 0401621
 Facility Type: ER
 DER Facility ID: 93533
 Site ID: 106111
 DEC Region: 2
 Spill Date: 5/14/2004
 Spill Number/Closed Date: 0401621 / 10/18/2005
 Spill Cause: Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: DKHARRIN
 Referred To: Not reported
 Reported to Dept: 5/14/2004
 CID: 403
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 5/14/2004
 Spill Record Last Update: 10/18/2005
 Spiller Name: FRANK MESSINA
 Spiller Company: EXXON MOBIL CORP
 Spiller Address: 1545 ROUTE 22 EAST
 Spiller City,St,Zip: ANNANDALE, NJ 08801

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S#17-AML (Continued)

S104513535

Spiller Company: 001
 Contact Name: FRANK MESSINA
 Contact Phone: (908) 730-2055
 DEC Memo: 10/18/2005: Site remediation being tracked under spill no. 92-07631.
 (Harrington)
 Remarks: sheen of product detected in the onsite monitoring well

Material:
 Site ID: 106111
 Operable Unit ID: 883473
 Operable Unit: 01
 Material ID: 492817
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Facility ID: 9207631
 Facility Type: ER
 DER Facility ID: 93533
 Site ID: 106113
 DEC Region: 2
 Spill Date: 10/1/1992
 Spill Number/Closed Date: 9207631 / Not Reported
 Spill Cause: Housekeeping
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: RXKEATIN
 Referred To: Not reported
 Reported to Dept: 10/1/1992
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Affected Persons
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 4
 Date Entered In Computer: 10/2/1992
 Spill Record Last Update: 8/16/2013
 Spiller Name: FRANK MESSINA
 Spiller Company: EXXONMOBIL CORP
 Spiller Address: 1545 ROUTE 22 EAST
 Spiller City,St,Zip: ANNANDALE, NJ 08801
 Spiller Company: 001
 Contact Name: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S#17-AML (Continued)

S104513535

Contact Phone:
 DEC Memo:

Not reported
 2/10/2004: This spill case was reassigned from Sigona to Rommel for management. (Sigona)7/2/2004: Site transferred to D. Harrington (Central Office) for management. (Rommel)12/2/2004: Sent letter to Exxon Mobil approving RI work plan. Monitoring well installation to occur on the west side of Sullivan Street. Monthly EFR events to begin in mid-January 2005. (Harrington)10/18/2005: Sent letter to Exxon Mobil approving the supplemental SI report. Closed spill nos. 04-01621, 04-11106, and 04-12443. (Harrington)6/2/2006: Sent e-mail to Exxon Mobil requesting clarification on the proposed remedial work plan. Specifically requested more info on the chem-ox and ORC injection program. (Harrington)6/13/2006: Product no longer observed in on-site monitoring wells. EFR events have been discontinued. (Harrington)8/15/2006: Sent e-mail to Exxon Mobil approving the remedial work plan. Plan calls for chem-ox and ORC injections in source areas throughout the southern portion of the site. (Harrington)10/26/07 - Tom Gibbons is PM for site. An approved CAP was provided to the DEE attorney and a draft CO was sent to EM on February 13, 2007. DEC received a draft RAP on March 2, 2007 and comments were issued on March 13, 2007. A revised RAP was received on March 14, 2007 and a final approval letter was issued. Implementation of the RAP began on March 28, 2007. The onsite borings and two rounds of ISCO injections were largely completed by mid April. Demolition of the onsite building is complete. Following demo, additional injection wells (both onsite and offsite) and onsite monitoring wells were installed and ISCO injections completed May18, 2007. The post-injection soil data was presented in a Supplemental Remedial Work Plan and recommended a third injection. This work plan was approved August 7 and the work was conducted the week of August 20, 2007. A second round of post-injection soil sampling was completed on September 24, 2007. Waiting on data to determine if a fourth injection is warranted. May 2010 - Implementation of the RAP began on March 28, 2007. Three rounds of ISCO injections have been completed since this work plan was approved. A Remedial Action Report was received on September 11, 2007 and comments were issued on September 27, 2007. A RAR Addendum was received on November 7, 2007 and was approved on November 28, 2007. The Site Status Update Report was received on April 24, 2008 and a Supplemental Remedial Action Plan (SRAP) was received on May 21, 2008. Comments have been issued on the Supplemental Remedial Action Report (June 16, 2008) and SRAP on June 17, 2008. Received request on April 16, 2009 to change the groundwater sampling schedule and this request was approved on May 26, 2009. Another ISCO injection was conducted on July 22-23, 2009. The last SSUR was issued on February 23, 2010. The latest rounds of groundwater samples were collected on December 7, 2009 and March 29, 2010. The results will determine the need for further remedial action in the form of additional ISCO injections. July 2010 - Another ISCO injection was conducted July 27-28, 2010. Oct. 2010 - A SSUR was received. Feb. 2011 - An SSUR was received. July 2011 - Another ISCO injection was conducted on July 11-12, 2011. A telephone conference was held with EM and the owner and new developer to discuss the RAWP. They wanted to change the RAWP to minimize the excavation since it wasn't necessary for the new proposed building. Staff said no, follow the RAWP as per the consent order. Sept. 2011 - a consultant for the developer submitted a report regarding excavation at the site, again, trying to minimize the excavation. This is being reviewed by staff. SSUR was submitted on 9/9/11. Oct. 2011 - the report and data were

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S#17-AML (Continued)

S104513535

reviewed by staff. It contained a vague proposal for limited excavation at the site. The proposal was rejected by staff.11/22/2011 - Site transferred to R. Keating for management.12/13/2011 - Site visit made with representatives from ExxonMobil, Kleinfelder, Langan, Mueser Rutledge, and Madison Equities, LLC. The purpose was to do a site walkover and become familiar with the site.12/20/2011 - Response letter sent to Kleinfelder to the letter they sent on November 1, 2011 regarding modifications to the Supplemental Revised Remedial Action Plan (SRRAP). A conference call was held to discuss the comments presented in the letter. 1/25/2012 - Kleinfelder submitted a revised SRRAP. Comments were sent via email to add specific groundwater goals to the SRRAP so that the remediation can be monitored more closely to determine if remedial goals are being achieved. The consultant is revising the report. 2/28/2012 - The SRRAP was approved.4/26/2012 - The start of the Remedial Action is planned for the spring of 2012. The site owner is in the process of obtaining permits to do the work.5/24/2012 - The SSUR was submitted. 7/24/2012 - Klienfelder indicated that the site owner still has not received permits to discharge water into the sewer system. They indicated that the site owner is still in the process of obtaining permits to do the work.8/20/2012 - The developer having some difficulty obtaining the dewatering discharge permits. They anticipate starting the work under the SRRAP in fourth quarter of 2012.11/26/2012 - Klienfelder asked for an interpretation of the limits of the excavation as detailed in the SRRAP. The developer seemed satisfied with the explanation and believes that field work will be done in the spring of 2013. 1/10/2013 - A groundwater sampling event was completed on November 8, 2012 and a SSUR will be submitted to the on January 15, 2013. Development activities have not yet started at the site, but is anticipated to start in the near future since the remedial agreement between ExxonMobil and the site developer is close to approval.2/25/2013 - There are still some permit issued holding up the start of this project. It might be April that the developer starts work.6/24/2013 - The developer's construction plans have changed and the consultant is in the process of reviewing the developer's changes. They will evaluate the possible effects to the Revised Supplemental Remedial Action Plan (RSRAP) that was approved on February 28, 2012.8/16/2013 - A new development plan may be proposed for this site. It might impact the approved SRRAP.

Remarks: NYCTA NOTICED GASOLINE ODOR IN SUBWAY-NYCFD INVESTIGATED DETECTED ODORSTOPPED DELIV. TO S/S-MOBIL TO TEST SUPER UNLEADED TANK 1ST,REG & SPL TANKS TESTED AND PASSED IN SEPT.-NYCTA & NYCFD

Material:

Site ID: 106113
 Operable Unit ID: 974446
 Operable Unit: 01
 Material ID: 408258
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: True
 Site ID: 106113

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S#17-AML (Continued)

S104513535

Operable Unit ID: 974446
 Operable Unit: 01
 Material ID: 2106632
 Material Code: 1213A
 Material Name: MTBE (METHYL-TERT-BUTYL ETHER)
 Case No.: 01634044
 Material FA: Hazardous Material
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: True

Tank Test:

Facility ID: 0411106
 Facility Type: ER
 DER Facility ID: 93533
 Site ID: 336359
 DEC Region: 2
 Spill Date: 1/13/2005
 Spill Number/Closed Date: 0411106 / 10/18/2005
 Spill Cause: Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: DKHARRIN
 Referred To: Not reported
 Reported to Dept: 1/13/2005
 CID: 444
 Water Affected: Not reported
 Spill Source: Gasoline Station
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 1/18/2005
 Spill Record Last Update: 10/18/2005
 Spiller Name: FRANK MESSINA
 Spiller Company: EXXON MOBIL CORP
 Spiller Address: 1545 ROUTE 22 EAST
 Spiller City,St,Zip: ANNANDALE, NJ 08801
 Spiller Company: 001
 Contact Name: FRANK MESSINA
 Contact Phone: (908) 730-2055
 DEC Memo: 10/18/2005: Site remediation being tracked under spill no. 92-07631. (Harrington)
 Remarks: APX. 3 INCHES OF GASOLINE, DETECTED FLOATING IN MONITORING WELL: GASOLINE WILL BE VACED WITH A VAC TRUCK:

Material:

Site ID: 336359
 Operable Unit ID: 1098385

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

MOBIL S/S#17-AML (Continued)

S104513535

Operable Unit: 01
 Material ID: 578555
 Material Code: 0009
 Material Name: Gasoline
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**408
 NNW
 1/4-1/2
 0.369 mi.
 1949 ft.**

**WB ENTRANCE TO
 HOLLAND TUNNEL
 MANHATTAN, NY**

**NY LTANKS S103829278
 N/A**

LTANKS:

Site ID: 205717
 Spill Number/Closed Date: 9815149 / 2/24/2003
 Spill Date: 3/21/1999
 Spill Cause: Tank Overfill
 Spill Source: Passenger Vehicle
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 3/22/1999
 CID: 365
 Water Affected: Not reported
 Spill Notifier: Affected Persons
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/22/1999
 Spill Record Last Update: 2/24/2003
 Spiller Name: Not reported
 Spiller Company: unknown
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 170822
 DEC Memo: Not reported
 Remarks: HAPPENED DURING VERY HEAVY TRAFFIC - VEH OVERHEATED SPILLING 1/2 GALLONS OF ANTIFREEZE ONTO ROADWAY - HOLLAND TUNNEL EMERGENCY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

WB ENTRANCE TO (Continued)

S103829278

RESPONSE PERSONNEL CAME TO CLEAN UP

Material:

Site ID: 205717
 Operable Unit ID: 1073013
 Operable Unit: 01
 Material ID: 308269
 Material Code: 0043A
 Material Name: ANTIFREEZE
 Case No.: Not reported
 Material FA: Other
 Quantity: 1
 Units: Gallons
 Recovered: Yes
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

BW409
SSE
 1/4-1/2
 0.371 mi.
 1961 ft.

AT&T - THOMAS ST
33 THOMAS ST
NEW YORK, NY

Site 1 of 3 in cluster BW

RCRA-SQG 1000392651
FINDS NYD980645824
NY MANIFEST
NY MOSF

RCRA-SQG:

Date form received by agency: 07/06/2012
 Facility name: A T & T
 Facility address: 33 THOMAS ST
 NEW YORK, NY 100071199
 EPA ID: NYD980645824
 Mailing address: AT&T WAY
 RRC RECORDKEEPER 2C140
 BEDMINSTER, NJ 07921
 Contact: GEOFF SMITH
 Contact address: AT&T WAY RRC RECORDKEEPER 2C140
 BEDMINSTER, NJ 07921
 Contact country: US
 Contact telephone: (800) 566-9347
 Telephone ext.: 4
 Contact email: EHSRRC@LIST.ATT.COM
 EPA Region: 02
 Land type: Private
 Classification: Small Small Quantity Generator
 Description: Handler: generates more than 100 and less than 1000 kg of hazardous waste during any calendar month and accumulates less than 6000 kg of hazardous waste at any time; or generates 100 kg or less of hazardous waste during any calendar month, and accumulates more than 1000 kg of hazardous waste at any time

Owner/Operator Summary:

Owner/operator name: AT&T
 Owner/operator address: Not reported
 Not reported
 Owner/operator country: US

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Owner/operator telephone: Not reported
 Legal status: Private
 Owner/Operator Type: Operator
 Owner/Op start date: 11/01/2005
 Owner/Op end date: Not reported

Owner/operator name: AT&T
 Owner/operator address: SOUTH AKARD
 DALLAS, TX 75202

Owner/operator country: US
 Owner/operator telephone: 8005669347 X4
 Legal status: Private
 Owner/Operator Type: Owner
 Owner/Op start date: 11/01/2005
 Owner/Op end date: Not reported

Handler Activities Summary:

U.S. importer of hazardous waste: No
 Mixed waste (haz. and radioactive): No
 Recycler of hazardous waste: No
 Transporter of hazardous waste: No
 Treater, storer or disposer of HW: No
 Underground injection activity: No
 On-site burner exemption: No
 Furnace exemption: No
 Used oil fuel burner: No
 Used oil processor: No
 User oil refiner: No
 Used oil fuel marketer to burner: No
 Used oil Specification marketer: No
 Used oil transfer facility: No
 Used oil transporter: No

Historical Generators:

Date form received by agency: 01/01/2007
 Facility name: A T & T
 Site name: A T & T CORP
 Classification: Not a generator, verified

Date form received by agency: 01/01/2006
 Facility name: A T & T
 Site name: A T & T CORP
 Classification: Not a generator, verified

Date form received by agency: 07/08/1999
 Facility name: A T & T
 Site name: A T & T CORP
 Classification: Not a generator, verified

Date form received by agency: 07/07/1997
 Facility name: A T & T
 Site name: A T & T CORP
 Classification: Small Quantity Generator

Hazardous Waste Summary:

Waste code: D001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.

Waste code: D002
 Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.

Facility Has Received Notices of Violations:

Regulation violated: Not reported
 Area of violation: Generators - General
 Date violation determined: 01/27/1984
 Date achieved compliance: 08/24/1984
 Violation lead agency: State
 Enforcement action: WRITTEN INFORMAL
 Enforcement action date: 07/13/1984
 Enf. disposition status: Not reported
 Enf. disp. status date: Not reported
 Enforcement lead agency: State
 Proposed penalty amount: Not reported
 Final penalty amount: Not reported
 Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 01/27/1984
 Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
 Area of violation: Generators - General
 Date achieved compliance: 08/24/1984
 Evaluation lead agency: State

FINDS:

Registry ID: 110004388403

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking environmental facility information found across the State.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

NY MANIFEST:

EPA ID: NYD980645824
 Country: USA
 Mailing Name: AT&T
 Mailing Contact: R. J. HEARN
 Mailing Address: 440 HAMILTON AVE-
 Mailing Address 2: Not reported
 Mailing City: WHITE PLAINS
 Mailing State: NY
 Mailing Zip: 10601
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 201-468-7933

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD080631369
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 2220.0
 Units: P - Pounds
 Number of Containers: 16.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680629VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 5600.0
 Units: P - Pounds
 Number of Containers: 14.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 800.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 35.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Trans2 EPA ID: Not reported
 TSDF ID: NJD980536593
 Waste Code: Not reported
 Quantity: 3000.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: CF - Fiber or plastic boxes, cartons
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSDF ID: NJD980536593
 Waste Code: Not reported
 Quantity: 400.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 80.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 550.0
 Units: P - Pounds
 Number of Containers: 2.0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 25.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-23
 Trans1 Recv Date: 2012-07-23
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-23
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 2.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680633VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 360.0
 Units: P - Pounds
 Number of Containers: 3.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 200.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 400.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 800.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 1600.0
 Units: P - Pounds
 Number of Containers: 4.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Quantity: 50.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD000692061
 Trans2 State ID: Not reported
 Generator Ship Date: 2012-07-24
 Trans1 Recv Date: 2012-07-24
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2012-07-24
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 500.0
 Units: P - Pounds
 Number of Containers: 5.0
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 000680721VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Document ID: NJA2783139
 Manifest Status: Not reported
 Trans1 State ID: NJD080631369
 Trans2 State ID: Not reported
 Generator Ship Date: 06/02/1999
 Trans1 Recv Date: 06/02/1999
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 06/07/1999
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: NJD980536593
 Trans2 EPA ID: Not reported
 TSD ID: NJDEP5016
 Waste Code: D002 - NON-LISTED CORROSIVE WASTES
 Quantity: 00080
 Units: P - Pounds
 Number of Containers: 001
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: T Chemical, physical, or biological treatment.
 Specific Gravity: 01.00
 Year: 99

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: NJD080631369
 Trans2 State ID: Not reported
 Generator Ship Date: 2009-09-28
 Trans1 Recv Date: 2009-09-28
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2009-09-28
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: NJD980536593
 Waste Code: Not reported
 Quantity: 25.0
 Units: K - Kilograms (2.2 pounds)
 Number of Containers: 1.0
 Container Type: DM - Metal drums, barrels
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0
 Year: 2009
 Manifest Tracking Num: 000347563VES
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

AT&T - THOMAS ST (Continued)

1000392651

Mgmt Method Type Code: H141

Document ID: NYO2302506
 Manifest Status: Completed after the designated time period for a TSDf to get a copy to the DEC
 Trans1 State ID: Not reported
 Trans2 State ID: Not reported
 Generator Ship Date: 830613
 Trans1 Recv Date: 830613
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 830617
 Part A Recv Date: 030712
 Part B Recv Date: 030712
 Generator EPA ID: NYD980645824
 Trans1 EPA ID: NCD000603910
 Trans2 EPA ID: Not reported
 TSDf ID: ARD069748192
 Waste Code: B009 - OTHER PCB WASTES (SEE B007)
 Quantity: 01371
 Units: P - Pounds
 Number of Containers: 003
 Container Type: DM - Metal drums, barrels
 Handling Method: B Incineration, heat recovery, burning.
 Specific Gravity: 100
 Year: 83

[Click this hyperlink](#) while viewing on your computer to access
 18 additional NY_MANIFEST: record(s) in the EDR Site Report.

MOSF:
 Facility ID: 2-2560
 Program Type: MOSF
 Tank Status: No Longer MOSF
 Expiration Date: N/A
 Dec Region: 2
 UTMX: 583920.34203000
 UTM Y: 4507758.3830899

BW410 AT&T
SSE 33 THOMAS STREET
1/4-1/2 NEW YORK CITY, NY 10007
0.371 mi.
1961 ft. Site 2 of 3 in cluster BW

NY MOSF AST S102637013
N/A

MOSF AST:
 MOSF Number: 2-2560
 SWIS Code: 62
 Facility Town: NEW YORK
 Facility Phone: (212) 513-2061
 Emergency Contact Name: TERRY CAMPION
 Emergency Contact Phone: (212) 513-2061
 Total Tanks: 8
 Total Capacity: 118000
 Daily Throughput: 0
 License Status: 1
 Facility Type: MANUFACTURING
 Product Transfer Operation: Tank Truck

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT&T (Continued)

S102637013

Facility Status: NO LONGER A MAJOR FACILITY
 Operator Name: CHET MACEY
 Owner Name: AT&T
 Owner Address: 440 HAMILTON AVENUE
 Owner City,St,Zip: WHITE PLAINS, NY 10601-
 Owner Phone: (914) 397-6198
 Owner Type: Corporate/Commercial
 Owner Status: 2
 Owner Mark: First Owner
 Mailing Name: AT&T
 Mailing Address: 33 THOMAS STREET
 Mailing Address 2: ROOM A-60
 Mailing City,St,Zip: NEW YORK, NY 10007-
 Mailing Contact: RICHARD DIDIO
 Mailing Phone: (212) 513-2061
 Legal Agent Name: RAYMOND BRENNER ASSISTANT LEGAL COUNCIL
 Legal Agent Address: 32 AVENUE OF THE THE AMERICAS
 Legal Agent City,St,Zip: NEW YORK, NY 10013-
 LIC Expires: 03/31/2004

Tank ID: 1
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 06/73
 Product: NOS 1,2, OR 4 FUEL OIL
 Tank Status: In Service
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Contain: 18
 Leak Detection: None
 Overfill Protection: Product Level Gauge
 Dispensing Mthd: Suction
 Test Date: Not reported
 Date Closed: 06/98
 Status of Data: Complete
 Capacity (gal): 18000
 Lat/Long: Not reported
 Federal ID: Not reported
 Inspected Date: 05/10/1995
 Inspector: AS
 Renew Date: 11/07/1997
 Inspected State: Not reported
 Pipe Flag: True
 Vessel ID: Not reported
 Reserve Flag: True
 Status of Data: In Service
 COI Date: / /

Date License Issued: 04/01/1998
 Date License Application Received: 02/25/1998
 Chemical Bulk Storage Number: Not reported
 Pollution Discharge Elimination System Num: Not reported
 Date Legal Agent Filed with Secretary of State: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT&T (Continued)

S102637013

Tank ID: 2
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 06/73
 Product: NOS 1,2, OR 4 FUEL OIL
 Tank Status: In Service
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Contain: 18
 Leak Detection: None
 Overfill Protection: Product Level Gauge
 Dispensing Mthd: Suction
 Test Date: Not reported
 Date Closed: 06/98
 Status of Data: Complete
 Capacity (gal): 18000
 Lat/Long: Not reported
 Federal ID: Not reported
 Inspected Date: 05/10/1995
 Inspector: AS
 Renew Date: 11/07/1997
 Inspected State: Not reported
 Pipe Flag: True
 Vessel ID: Not reported
 Reserve Flag: True
 Status of Data: In Service
 COI Date: / /
 Date License Issued: 04/01/1998
 Date License Application Received: 02/25/1998
 Chemical Bulk Storage Number: Not reported
 Pollution Discharge Elimination System Num: Not reported
 Date Legal Agent Filed with Secretary of State: Not reported

Tank ID: 3
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 06/73
 Product: NOS 1,2, OR 4 FUEL OIL
 Tank Status: In Service
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Contain: 18
 Leak Detection: None
 Overfill Protection: Product Level Gauge
 Dispensing Mthd: Suction
 Test Date: Not reported
 Date Closed: 06/98
 Status of Data: Complete

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

AT&T (Continued)

S102637013

Capacity (gal): 18000
 Lat/Long: Not reported
 Federal ID: Not reported
 Inspected Date: 05/10/1995
 Inspector: AS
 Renew Date: 11/07/1997
 Inspected State: Not reported
 Pipe Flag: True
 Vessel ID: Not reported
 Reserve Flag: True
 Status of Data: In Service
 COI Date: / /
 Date License Issued: 04/01/1998
 Date License Application Received: 02/25/1998
 Chemical Bulk Storage Number: Not reported
 Pollution Discharge Elimination System Num: Not reported
 Date Legal Agent Filed with Secretary of State: Not reported

Tank ID: 4
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 06/73
 Product: NOS 1,2, OR 4 FUEL OIL
 Tank Status: In Service
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Contain: 18
 Leak Detection: None
 Overfill Protection: Product Level Gauge
 Dispensing Mthd: Suction
 Test Date: Not reported
 Date Closed: 05/98
 Status of Data: Complete
 Capacity (gal): 18000
 Lat/Long: Not reported
 Federal ID: Not reported
 Inspected Date: 05/10/1995
 Inspector: AS
 Renew Date: 11/07/1997
 Inspected State: Not reported
 Pipe Flag: True
 Vessel ID: Not reported
 Reserve Flag: True
 Status of Data: In Service
 COI Date: / /
 Date License Issued: 04/01/1998
 Date License Application Received: 02/25/1998
 Chemical Bulk Storage Number: Not reported
 Pollution Discharge Elimination System Num: Not reported
 Date Legal Agent Filed with Secretary of State: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT&T (Continued)

S102637013

Tank ID: 5
 Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE
 Install Date: 06/73
 Product: NOS 1,2, OR 4 FUEL OIL
 Tank Status: In Service
 Tank Type: Steel/carbon steel
 Tank Internal: None
 Tank External: 1
 Pipe Location: Aboveground
 Pipe Type: STEEL/IRON
 Pipe Internal: None
 Pipe External: Painted/Asphalt Coating
 Second Contain: 18
 Leak Detection: None
 Overfill Protection: Product Level Gauge
 Dispensing Mthd: Suction
 Test Date: Not reported
 Date Closed: 05/98
 Status of Data: Complete
 Capacity (gal): 18000
 Lat/Long: Not reported
 Federal ID: Not reported
 Inspected Date: 05/10/1995
 Inspector: AS
 Renew Date: 11/07/1997
 Inspected State: Not reported
 Pipe Flag: True
 Vessel ID: Not reported
 Reserve Flag: True
 Status of Data: In Service
 COI Date: / /
 Date License Issued: 04/01/1998
 Date License Application Received: 02/25/1998
 Chemical Bulk Storage Number: Not reported
 Pollution Discharge Elimination System Num: Not reported
 Date Legal Agent Filed with Secretary of State: Not reported

[Click this hyperlink](#) while viewing on your computer to access
 18 additional NY_AST_MOS: record(s) in the EDR Site Report.

BW411
SSE
1/4-1/2
0.372 mi.
1965 ft.

AT & T
33 THOMAS ST
MANHATTAN, NY
Site 3 of 3 in cluster BW

NY LTANKS **S103558265**
N/A

LTANKS:

Site ID: 249184
 Spill Number/Closed Date: 9809747 / 1/5/2000
 Spill Date: 11/3/1998
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MCTIBBE

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AT & T (Continued)

S103558265

Referred To: Not reported
 Reported to Dept: 11/3/1998
 CID: 366
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 11/3/1998
 Spill Record Last Update: 1/7/2000
 Spiller Name: GREG MANTEL
 Spiller Company: AT & T
 Spiller Address: 33 THOMAS ST
 Spiller City,St,Zip: MANHATTAN, NY 10003-001
 Spiller County: 001
 Spiller Contact: GREG MANTEL
 Spiller Phone: (703) 709-8946
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 204325
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"REFER ALSO TO 9800199.
 Remarks: CALLER REPORTING CONTAMINATED SOIL. SOIL TO BE REMOVED.

Material:

Site ID: 249184
 Operable Unit ID: 1070824
 Operable Unit: 01
 Material ID: 313643
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 2
 Units: Gallons
 Recovered: 2
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

412
 ESE
 1/4-1/2
 0.381 mi.
 2013 ft.

**387 WEST BROADWAY
 387 WEST BROADWAY
 MANHATTAN, NY**

**NY LTANKS S102672361
 NY Spills N/A**

LTANKS:

Site ID: 267302
 Spill Number/Closed Date: 9312922 / 2/2/1994
 Spill Date: 2/2/1994
 Spill Cause: Tank Overfill
 Spill Source: Tank Truck
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

387 WEST BROADWAY (Continued)

S102672361

Cleanup Ceased: 2/2/1994
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SMMARTIN
 Referred To: Not reported
 Reported to Dept: 2/2/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/3/1994
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: SKAGGS WALSH
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 217754
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"
 Remarks: SPILL CONTAINED & MILRO TO CLEAN UP (800)773-6780 -

Material:

Site ID: 267302
 Operable Unit ID: 994817
 Operable Unit: 01
 Material ID: 388327
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -3
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

SPILLS:

Facility ID: 9911036
 Facility Type: ER
 DER Facility ID: 60584
 Site ID: 62502
 DEC Region: 2
 Spill Date: 12/17/1999
 Spill Number/Closed Date: 9911036 / 12/29/1999
 Spill Cause: Equipment Failure

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 Database(s) EPA ID Number

387 WEST BROADWAY (Continued)

S102672361

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 12/17/1999
 CID: 205
 Water Affected: Not reported
 Spill Source: Private Dwelling
 Spill Notifier: Responsible Party
 Cleanup Ceased: Not reported
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 12/17/1999
 Spill Record Last Update: 12/29/1999
 Spiller Name: OWNER
 Spiller Company: ADVANTAGE PROPERTIES
 Spiller Address: 75 WOOSTER ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001
 Contact Name: GLEN GORAL
 Contact Phone: (508) 795-0110
 DEC Memo: Not reported
 Remarks: caller reported alarm failed to ring. cleanup crew enroute.

Material:
 Site ID: 62502
 Operable Unit ID: 1085805
 Operable Unit: 01
 Material ID: 296507
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

413
 East
 1/4-1/2
 0.390 mi.
 2057 ft.

**GOING AWAY LCC
 22 MERCER STREET
 MANHATTAN, NY**

**NY LTANKS S106971968
 N/A**

LTANKS:
 Site ID: 346968
 Spill Number/Closed Date: 0502570 / 7/27/2005
 Spill Date: 6/3/2005
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

GOING AWAY LCC (Continued)

S106971968

Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 3101

Investigator: SFRAHMAN

Referred To: Not reported

Reported to Dept: 6/3/2005

CID: 444

Water Affected: Not reported

Spill Notifier: Other

Last Inspection: Not reported

Recommended Penalty: False

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 6/3/2005

Spill Record Last Update: 7/27/2005

Spiller Name: JAY SCHWIMMER

Spiller Company: GOING AWAY LCC

Spiller Address: 22 MERCER STREET

Spiller City,St,Zip: MANHATTEN, NY

Spiller County: 001

Spiller Contact: JAY SCHWIMMER

Spiller Phone: (212) 274-0118

Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 293243

DEC Memo: Sangesland spoke to Ray Lara at PTC. Tank was emptied & cleaned. PTC has submitted a bid to the owner to repair the tank.06/21/05-SR//Spoke to management company-will send documentation to DEC.07/27/05.. Recvd waste disposal manifest, photographs and work invoice for spill clean up.Tank was removed and application was filed to DEC for deregistration.

Remarks: LEAKING TANK AT THIS LOCATION:

Material:

Site ID: 346968

Operable Unit ID: 1104715

Operable Unit: 01

Material ID: 1262043

Material Code: 0001A

Material Name: #2 Fuel Oil

Case No.: Not reported

Material FA: Petroleum

Quantity: Not reported

Units: Gallons

Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction Distance Distance (ft.)Site Database(s) EPA ID Number EDR ID Number

414 NE 1/4-1/2 0.391 mi. 2063 ft. SPRING AMERICA 161 6TH AVENUE MANHATTAN, NY NY LTANKS S102672767 N/A

LTANKS:

Site ID: 273478
 Spill Number/Closed Date: 9413221 / 1/4/1995
 Spill Date: 1/4/1995
 Spill Cause: Tank Overfill
 Spill Source: Unknown
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: 1/4/1995
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 1/4/1995
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/17/1995
 Spill Record Last Update: 2/18/2003
 Spiller Name: Not reported
 Spiller Company: WHALECO FUEL OIL CO
 Spiller Address: 1 COFFEY STREET
 Spiller City,St,Zip: BROOKLYN, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 222487
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD"
 Remarks: OVERFILLED TANK SPILLED ON SIDEWALK- DRIVER WAITING FOR A REP. FROM COMPANY TO WM AND CLEAN UP

Material:

Site ID: 273478
 Operable Unit ID: 1006843
 Operable Unit: 01
 Material ID: 371967
 Material Code: 0002A
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 5
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPRING AMERICA (Continued)

S102672767

Tank Test:

**BX415
 ESE
 1/4-1/2
 0.398 mi.
 2099 ft.**

**OFFICE BUILDING
 401 BROADWAY
 MANHATTAN, NY 10013
 Site 1 of 3 in cluster BX**

**NY LTANKS S106972491
 N/A**

LTANKS:

Site ID: 350138
 Spill Number/Closed Date: 0505188 / 4/17/2013
 Spill Date: 7/29/2005
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: RVKETANI
 Referred To: 041513 REVIEWED PRY CANT REMEDIATE LETTER
 Reported to Dept: 7/29/2005
 CID: 444
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 7/29/2005
 Spill Record Last Update: 4/17/2013
 Spiller Name: EAST COAST PETRO
 Spiller Company: OFFICE BUILDING
 Spiller Address: 401 BROADWAY
 Spiller City,St,Zip: MANHATTAN, NY 10013
 Spiller County: 999
 Spiller Contact: EAST COAST PETRO
 Spiller Phone: (718) 402-5100
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 296581
 DEC Memo: TTF letter sent to:401 Broadway Realty Co.401 Broadway - Suite 2118New York, NY 100139/2/2005 - Sangesland received a letter from Arnold Fleming of Fleming Lee Shue Environmental saying that they have been hired to remove the 15,000 gal tank and piping and to deal with whatever contamination issues are found. Contact: Arnold Fleming 212-675-3225.02/03/06 Sharif Rahman//Rec'd site investigation report prepared by Fleming Lee Shue.FLS initially installed two soil borings on the AST vault floor and free product was encountered beneath the vault's concrete floor.GW level is at depth of 4'-6'below AST vault.Boring 3 was installed between the sewage ejector pump and the AST vault, free product was also observed at 6-16' below grade.For further delineation, borings 4,5 and 6 were installed along the north wall of the basement and all borings encountered petroleum contamination.FLS proposes installation of a oil/water separator to separate the free phase petroleum from the water, and evaluation will

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number
EPA ID Number

Database(s)

OFFICE BUILDING (Continued)

S106972491

be made for any further remediation thereafter. Spill case has been transferred to Koon Tang for reassignment and subsequent approval of RAP.02-10-06: Transferred from Tang to Tibbe. Initial investigation report identified free product in several borings. No wells installed and plume not delineated. Sent letter to require an RIWP.11/12/10 - spill re-assigned from Tibbe to Joe O'Connell1/28/2013 - Raphael Ketani. The spill was reassigned to me during early January 2013. The spill was originally called in on 7/29/05 due to a tank system integrity test failure. According to ACRIS, the present owner of this site at block and lot 194/42 is: 401 Broadway Building, LLC, c/o Albert Russo, 401 Broadway, Ste 1712, Manhattan, 10013. According to Property Shark, the building is at the corner of Walker Street and Broadway with alternate addresses of: 401-403 Broadway and 60-62 Walker Street. The building is a high rise office building that was constructed during 1930. The PBS registration is #2-607060. Two tanks are listed: a 12,000 gal. AST in a vault with #4 oil that was closed and removed on 10/31/05; an 8,000 gal. AST on saddles with #4 oil that is in service. The 1/10/06 Fleming Lee Shue Subsurface Investigation Report states that oil was observed in the sewer ejector pit prior to the tank being removed. The oil stopped flowing once the tank was removed. Eight (8) borings were installed. SB-1 and SB-2 were hand dug below the vault and had odors and oil staining in the soil samples. SB-3 was drilled to 16 feet below grade between the ejector pump and the vault. Product was found from 6 to 16 feet bgs and on the water table at 16 feet down. SB-4 to SB-6 were installed along the north wall of the building (which is adjacent to 3 other buildings) and all of the borings encountered oil stained soil. SB-7 was installed between the vault and the boiler and had stained soil. SB-8 was installed under the Walker Street sidewalk and no signs of oil contamination were found. It was determined that the petroleum contamination was under the north wing of the building. A revised work plan for soil and groundwater contamination delineation dated 11/1/07 was submitted by Environmental Technologies Group, Inc. (ETG) and approved by DEC in a letter dated 11/26/07 (the Fleming Lee Shue November 2005 report is in the work plan). The delineation investigation moved forward. ETG submitted an investigation report dated 5/11/10. The report stated that the spill was from a 15,000 gal. AST in a vault in a sub-basement which was 8 feet below the basement. The vault was opened up and product was found in the north end of the vault. The tank and its piping were removed. A total of 8 borings were performed by Fleming Lee Shue (FLS) west of the vault, along the north building wall and south of the AST. FLS did not do groundwater sampling due to limited vertical access. A tar like substance was seen in the basement sump pit, but its presence stopped after the tank was removed. During January 2010. ETG drilled deeper with a geoprobe to further delineate the contamination. SB-1 was drilled to 20 inches only and hit refusal at a concrete slab. Oil vapors and staining were found in the soil. SB-2/2A was drilled to 9 feet down and there were no signs of oil. SB-4/MW-2 was drilled to 15 feet down and found vapor and soil staining at the groundwater. SB-8 hit refusal at shallow depths down to 3 feet below the vault and found soil staining. SB-9 was drilled in the vault to 12 feet bgs and found staining at the water table and several feet further down. SB-10 and SB-11 were drilled inside the vault to refusal at 3 feet down and encountered staining. SB-12 was drilled east of the vault to refusal at 6 feet bgs and encountered staining at the water table. The soil

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

OFFICE BUILDING (Continued)

S106972491

results were virtually entirely non-detect for VOCs. Most of the results for SVOCs were also non-detect with a small number of low SVOC hits and a small number of low benzo series exceedences. The narrative in the report states that groundwater samples were taken from MW-2, MW-3 and the sump. There were no VOCs in the sample from MW-3. However, several low chlorinated solvent hits were found in the sample from MW-2. There were no SVOC hits in the sample from the sump. Table 3 for the report was missing. From the 2010 investigation, ETG determined and stated that there was no oil contamination outside the building. However, this is not known as no borings were done in the basements of the 3 adjacent buildings. Also, as Table 3 of the ETG 5/11/10 report is missing, it is not clear what the full picture of the groundwater results actually were. I drafted a letter to Mr. Russo requesting that the investigation continue and be expanded to include the areas of the basements of the 3 adjacent buildings. I also asked for Table 3 of the latest report. A deadline of February 22, 2013 was set for the submission of the work plan for the contamination delineation. The letter was sent to Mr. Hussein for his review. 1/30/13 - Raphael Ketani. Mr. Hussein reviewed and approved the letter and it was sent out certified and return receipt. 2/12/13 - Raphael Ketani. Today I received the green return card for the 1/30/13 Russo letter. 2/14/13 - Raphael Ketani. Dave Pry, P.C. (862) 377-1209 called to say that he had been retained by 401 Broadway LLC to write and submit a work plan for delineating the extent of the oil contamination. Mr. Pry said that he had worked on the project years ago and knew the spill. He added that this was a #6 oil spill and so he didn't believe that it had traveled off site. However, he will write up the delineation work plan and get the access agreements to the neighboring properties. Mr. Pry asked for an extension of the deadline for submitting the work plan to March 1. I granted the extension. 2/22/13 - Raphael Ketani. Mr. Pry called today. He asked me to explain the rationale for conducting exploratory boring off site. I explained to him that there was no information regarding how far the oil had spread underground and whether it had spread under the neighboring buildings. Mr. Pry said that the oil wasn't a vapor threat, nor a threat to the groundwater as no one drinks the water here. I told Mr. Pry that any spill has to be investigated fully and this wasn't done in the past. Whether the oil is on the water table is unknown at this time, but, I told him, this must be determined. I added that the extent of the spill needed to be delineated and, if possible, the oil needed to be recovered. Mr. Pry stated that drilling inside of a building would be very difficult. I told him that the work had to be done. He asked that we meet on site in order for him to show me the conditions of his client's building and the neighboring buildings. We agreed to meet on Wednesday, March 13, at 10:30AM at 401 Broadway. 3/1/13 - Raphael Ketani. Martin Rothman, attorney (212) 966-5020, called yesterday. I spoke to him today. He said that he used to be a co-owner of the site. However, things are not amicable between Mr. Russo and him right now. He wanted to know what was taking place at the site at this time. I informed him that a site visit will take place on March 13 to assess the property conditions and determine whether it was feasible to have borings done through the floors of the neighboring buildings. The borings would be done in order to see whether the oil had spread beyond the site footprint. Mr. Rothman said that he will be at the site meeting. 3/13/13 - Raphael Ketani. The site visit took place as planned. I met Mr. Pry, Mr. Rothman, Michael Carlino, super., and the

MAP FINDINGS

Map ID
Direction
Distance
Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

OFFICE BUILDING (Continued)

S106972491

secretary for the maintenance office. I took 14 pictures of the site and 1 picture of a valve room in the basement of the neighboring condo building at 58 Walker Street. We went down to the basement of 401 Broadway and then to the former AST room. The room was now a storage room. I could see oil staining on the wall across from the me and on the wall to the right. There was also a stain below a palate on the floor. None of the stains had odors. I assumed that the stain below the palate had come from a container that had leaked. There were no odors in the former AST room. I turned on my PID meter, but it didn't detect anything. Next, I was shown the floor of the room that was before the AST room. I could see some concrete patches where borings had been done. The PID meter started to detect some vapors, but I could not sense any odors. Following this, I was shown the floor of the paint storage room. Here there were two concrete patches. There was a moderate odor of paint. The PID meter detected elevated concentrations of VOCs in the air. The next stop was the sewage ejector sump room. Mr. Carlino explained that this sump received all of the waste water from the sinks, toilets and showers in the offices above. I could see matter floating in the sump water, but no oil. There were moderate sewage odors, but no oil odors. The opening to the sump looked like there was black staining from the oil that had been present in the past and which had overflowed the sump opening. Next, we descended a long stairs at the west side of the basement. I saw a room where the floor was covered in water. Mr. Carlino explained that this sump was used to collect the oil from the water table below when the spill had taken place. He called the room the groundwater sump room. Here I saw groundwater flowing from two designed openings in the opposite wall of the room. The water was pooling over the floor and was about 4 inches deep. There was no sheen, no stains and no odors. The PID meter didn't detect any Vapors. Mr. Carlino showed me the alleyway in back of the building which was outside the former AST room. I could see large tiles, some wet stains and some brown bubbles next to the stains, but nothing else. He stated that the alleyway was below the floor of the AST room. Next, we visited the valve room in the basement of the condo building next door at 58 Walker Street. Here, the floor looked wet, but there was no standing water. It was possible that the water table was touching the underside of the floor in the room. There were no odors or stains. After this, the meeting ended. 3/15/13 - Raphael Ketani. Mr. Pry (862) 377-1209 sent me a letter requesting closure of the spill case. The letter contained a rationale regarding why the case should be closed. Among the points were that the oil is viscous #6 and wouldn't have traveled outside the building footprint and that the groundwater is presently clean. 4/4/13 - Raphael Ketani. The spill case was presented to staff in the Division of Remediation. Staff's comments were that the oil saturated soil below the basement floor must be dug out. If the owners can not dig out the soil, then they must explain why in a letter and state that it is not feasible. Also, if they are not going to dig the soil out, then they should try to pump it out through a number of recovery wells. They also wanted to see a cross section of the basement and its various features in order to get an idea of where the groundwater was below the site. I relayed this information to Mr. Pry in an e-mail. 4/15/13 - Raphael Ketani. Mr. Pry sent me a letter with an attached cross section of the site showing the groundwater level in relationship to the basement features. In the letter he explained why the excavation and/or remediation of the spill was not possible. The reasons why

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

OFFICE BUILDING (Continued)

S106972491

remediation was not possible were: (1) access was difficult - the soil in question was below a 6 to 12 inch floor slab and no equipment can be brought in to dig out the soil, so all of the excavation will have to be by hand (2) the debris below the floor is historical fill - so this would involve removing wood, concrete and brick which would be difficult by hand (3) #6 oil is thick - it would not be possible to melt the oil so that it could be extracted without excavation. Mr. Pry stated in the letter it should be considered that the concentrations of the contaminants observed could be, at least partly, due to the presence of the historical fill. Also, the basement of 50 Walker Street and the floor of the air conditioning pit are lower than the floor of the tank room and did not exhibit product seeps. 4/17/13 - Raphael Ketani. The spill case was presented to staff in Unit C of DER Region 2 and accepted for closure. Based upon the information in the case record, the lack of contamination in the 2010 borings and the absence of product in the sewer ejector sump, the groundwater sump and the valve room in the basement of the neighboring building, I am closing the spill case effective today.
 Remarks: CLEAN TANK AND DISCONNECT THE LINES AND FURTHER INVESTIGATE

Material:

Site ID: 350138
 Operable Unit ID: 1107719
 Operable Unit: 01
 Material ID: 2097608
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 100
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 350138
 Spill Tank Test: 1549137
 Tank Number: 1
 Tank Size: 15000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: RVKETANI
 Last Modified: 1/28/2013
 Test Method: Horner EZ Check I or II

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

BX416	402 BROADWAY	NY LTANKS	S101103236
ESE	402 BROADWAY		N/A
1/4-1/2	NYC, NY		
0.398 mi.			
2101 ft.	Site 2 of 3 in cluster BX		

LTANKS:

Site ID: 325883
 Spill Number/Closed Date: 9401137 / 7/23/1994
 Spill Date: 4/23/1994
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates a file or hazard. DEC Response. Unknown Responsible Party. Corrective action taken. (ISR)
 Cleanup Ceased: 7/23/1994
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 4/23/1994
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 5/26/1994
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: FRANKLIN CLEANERS
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 262512
 DEC Memo: Not reported
 Remarks: DEC SIGONA RESPONDED. ARRIVED ON AT 12:50/AM DEP HAZ MAT (COSMOS) KEN FRANKLIN AND MOUTAFER ON SCENE. FD USING FANS TO VENTILATE, APARTMENT ABOVE CLEANERS WAS EVACUATED ODOR IS DISSIPATING. FED.EPA &

Material:

Site ID: 325883
 Operable Unit ID: 994971
 Operable Unit: 01
 Material ID: 384903
 Material Code: 0066A
 Material Name: UNKNOWN PETROLEUM
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -10
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

402 BROADWAY (Continued)

S101103236

Tank Test:

BX417 LOT 38,TAXBLOCK 194
ESE 407 BROADWAY
1/4-1/2 MANHATTAN, NY 10013
0.399 mi.
2107 ft. Site 3 of 3 in cluster BX

NY LTANKS S104782304
NY E DESIGNATION N/A

LTANKS:

Site ID: 241064
 Spill Number/Closed Date: 0007058 / 1/4/2002
 Spill Date: 9/14/2000
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TJDEMEO
 Referred To: Not reported
 Reported to Dept: 9/14/2000
 CID: 365
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 9/14/2000
 Spill Record Last Update: 1/4/2002
 Spiller Name: Not reported
 Spiller Company: DUANE READE DRUGS
 Spiller Address: 407 BROADWAY
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: THOMAS KEEGAN
 Spiller Phone: (212) 924-8298
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 198201
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO"12/3/2001 Levent Eskicakit of ATC Associates (212-353-8280) submitted a report discussing the closure of a UST and the associated subsurface investigation.ATC was hired by Chase Manhattan Bank to do this report for 407 Broadway, NYC. Site formerly was a Chase Bank and is now a Drugstore.One 5,500 gallon UST (#2 Fuel) was tightness tested and failed. The tank is located below the basement floor of the building. When an opening was made in the floor to isolate the tank, free phase product was discovered.The tank has been drained, manually cleaned and filled with concrete. Contaminated soil excavated from beneath fill line has been removed for off-site disposal. On May 30, 2001 ATC conducted a subsurface investigation in the vicinity of the tank to evaluate if soil or groundwater quality was impacted. Seven borings were drilled through the basement floor. Four soil and Four groundwater samples were collected. (Water table

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 38,TAXBLOCK 194 (Continued)

S104782304

is approx 7 ft below basement floor). All soil samples had hits, but were below TAGM, except for #B-2 Benzo(a)pyrene = 340 ug/kg (ppb) where the TAGM limit is 61ug/kg. Water samples also had hits. B-5 had a couple of hits just over the NYSDEC TOGS Memo Guidance Values. B-3 also had several hits just over the Guidance Values. Conclusions: ATC says that the soil is clean and the hits found in the water are very small and should not have any impact on human safety. Based on the information provided by ATC the NYSDEC believes the minor levels of contamination remaining will naturally degrade over time. Spill is Closed - No Further Action.

Remarks: POSS BROKEN VENT LINE BUT TANK IS BURIED SO THEY ARE NOT SURE YET - IT IS UP TO THE BUYER (MR KEEGAN) WHAT STEPS THEY TAKE NEXT

Material:

Site ID: 241064
 Operable Unit ID: 829869
 Operable Unit: 01
 Material ID: 548159
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 241064
 Spill Tank Test: 1525891
 Tank Number: 1
 Tank Size: 5000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

E DESIGNATION:

Tax Lot(s): 38
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Air Quality - HVAC fuel limited to natural gas
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 1001
 School District: 02
 City Council District: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 38,TAXBLOCK 194 (Continued)

S104782304

Fire Company: L001
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 407 BROAD/CANAL
 Lot Area: 000005475
 Total Building Floor Area: 00000015914
 Commercial Floor Area: 00000015914
 Office Floor Area: 00000008414
 Retail Floor Area: 00000007500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0052.50
 Lot Depth: 0103.25
 Building Frontage: 0053.00
 Building Depth: 0103.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000472500
 Total Assessed Value: 00001255500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1926
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca East
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.91
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1001940038
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0983532
 Y Coordinate: 0201246

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 38,TAXBLOCK 194 (Continued)

S104782304

Zoning Map: 12A
 Sanborn Map: 101N046
 Tax Map: 10105
 E Designation No: Not reported
 Date of RPAD Data: 11/2005
 Date of DCAS Data: 01/2006
 Date of Zoning Data: 11/2005
 Date of Major Property Data: 11/2005
 Date of Landmark Data: 12/2005
 Date of Base Map Data: 01/2006
 Date of Mass Appraisal Data: 11/2005
 Date of Political and Adm Data: 08/2005
 Pluto-Base Map Indicator: 1

Tax Lot(s): 38
 E-No: E-257
 Effective Date: 10/13/2010
 Satisfaction Date: Not reported
 Ceqr Number: 10DCP039M
 Ulurp Number: 100369zmm
 Zoning Map No: 12a
 Description: Hazardous Materials* Phase I and Phase II Testing Protocol
 Borough Code: MN
 Community District: 101
 Census Tract: 33
 Census Block: 1001
 School District: 02
 City Council District: 01
 Fire Company: L001
 Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 407 BROAD/CANAL
 Lot Area: 000005475
 Total Building Floor Area: 00000015914
 Commercial Floor Area: 00000015914
 Office Floor Area: 00000008414
 Retail Floor Area: 00000007500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 38,TAXBLOCK 194 (Continued)

S104782304

Residential Units:	00000
Non and Residential Units:	00001
Lot Frontage:	0052.50
Lot Depth:	0103.25
Building Frontage:	0053.00
Building Depth:	0103.00
Proximity Code:	2
Irregular Lot Code:	Y
Lot Type:	5
Basement Type Grade:	5
Land Assessed Value:	00000472500
Total Assessed Value:	00001255500
Land Exempt Value:	00000000000
Total Exempt Value:	00000000000
Year Built:	1926
Year Built Code:	Not reported
Year Altered1:	0000
Year Altered2:	0000
Historic District Name:	Tribeca East
Landmark Name:	Not reported
Built Floor Area Ratio-Far:	0002.91
Maximum Allowable Far:	5.00
Borough Code:	1
Borough Tax Block And Lot:	1001940038
Condominium Number:	00000
Census Tract 2:	0033
X Coordinate:	0983532
Y Coordinate:	0201246
Zoning Map:	12A
Sanborn Map:	101N046
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1
Tax Lot(s):	38
E-No:	E-257
Effective Date:	10/13/2010
Satisfaction Date:	Not reported
Ceqr Number:	10DCP039M
Ulurp Number:	100369zmm
Zoning Map No:	12a
Description:	Window Wall Attenuation & Alternate Ventilation
Borough Code:	MN
Community District:	101
Census Tract:	33
Census Block:	1001
School District:	02
City Council District:	01
Fire Company:	L001

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LOT 38,TAXBLOCK 194 (Continued)

S104782304

Health Area: 15
 Police Precinct: 001
 Zone District 1: M1-5
 Zone District 2: Not reported
 Commercial Overlay1: Not reported
 Commercial Overlay2: Not reported
 Special Purpose District1: TMU
 Special Purpose District2: Not reported
 All Components1: M1-5/TMU
 All Components2: Not reported
 Split Boundary Indicator: N
 Building Class: K9
 Land Use Category: 05
 Number of Easements: 0
 Owner, Type of Code: Not reported
 Owner Name: 407 BROAD/CANAL
 Lot Area: 000005475
 Total Building Floor Area: 00000015914
 Commercial Floor Area: 00000015914
 Office Floor Area: 00000008414
 Retail Floor Area: 00000007500
 Garage Floor Area: 00000000000
 Storage Floor Area: 00000000000
 Factory Floor Area: 00000000000
 Other Floor Area: 00000000000
 Floor Area,Total Bld Source Code7
 Number of Buildings: 00001
 Number of Floors: 004.00
 Residential Units: 00000
 Non and Residential Units: 00001
 Lot Frontage: 0052.50
 Lot Depth: 0103.25
 Building Frontage: 0053.00
 Building Depth: 0103.00
 Proximity Code: 2
 Irregular Lot Code: Y
 Lot Type: 5
 Basement Type Grade: 5
 Land Assessed Value: 00000472500
 Total Assessed Value: 00001255500
 Land Exempt Value: 00000000000
 Total Exempt Value: 00000000000
 Year Built: 1926
 Year Built Code: Not reported
 Year Altered1: 0000
 Year Altered2: 0000
 Historic District Name: Tribeca East
 Landmark Name: Not reported
 Built Floor Area Ratio-Far: 0002.91
 Maximum Allowable Far: 5.00
 Borough Code: 1
 Borough Tax Block And Lot: 1001940038
 Condominium Number: 00000
 Census Tract 2: 0033
 X Coordinate: 0983532
 Y Coordinate: 0201246
 Zoning Map: 12A

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s) EPA ID Number

LOT 38, TAXBLOCK 194 (Continued)

S104782304

Sanborn Map:	101N046
Tax Map:	10105
E Designation No:	Not reported
Date of RPAD Data:	11/2005
Date of DCAS Data:	01/2006
Date of Zoning Data:	11/2005
Date of Major Property Data:	11/2005
Date of Landmark Data:	12/2005
Date of Base Map Data:	01/2006
Date of Mass Appraisal Data:	11/2005
Date of Political and Adm Data:	08/2005
Pluto-Base Map Indicator:	1

**418
ENE
1/4-1/2
0.400 mi.
2110 ft.**

**390 WEST BROADWAY
390 WEST BROADWAY
MANHATTAN, NY**

**NY LTANKS S104502756
NY Spills N/A**

LTANKS:

Site ID:	140396
Spill Number/Closed Date:	0303372 / 12/16/2003
Spill Date:	6/30/2003
Spill Cause:	Tank Failure
Spill Source:	Commercial/Industrial
Spill Class:	Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
Cleanup Ceased:	Not reported
Cleanup Meets Standard:	False
SWIS:	3101
Investigator:	JXZHAO
Referred To:	Not reported
Reported to Dept:	6/30/2003
CID:	216
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	6/30/2003
Spill Record Last Update:	12/23/2003
Spiller Name:	Not reported
Spiller Company:	UNKNOWN
Spiller Address:	Not reported
Spiller City, St, Zip:	ZZ -
Spiller County:	001
Spiller Contact:	RUSS ESHMAN
Spiller Phone:	(631) 269-8800
Spiller Extention:	Not reported
DEC Region:	2
DER Facility ID:	119903
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ZHAO" Sangesland spoke with Russ Eshman of Impact Environmental. He said they did some soil testing around buried tanks and came back with some minor hits. If the levels are just over the limits, it may be OK to close out A soil testing report is being prepared and will be sent to Jie Zhao. 12/9/03 - Report received by e-mail. One 550 gal

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

390 WEST BROADWAY (Continued)

S104502756

Remarks: tank involved. Boring up to six feet below the basement floor. Minor impact on one of the three boring samples. 12/16/03 - Kevin Kleaka explained that 6 feet below the basement surface material could not be penetrate through. Spill closed.
 LAB RESULTS SHOWED ELEVATED LEVELS OF SEMI - VOLATLE CONTAMINATION

Material:
 Site ID: 140396
 Operable Unit ID: 871413
 Operable Unit: 01
 Material ID: 504244
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

SPILLS:
 Facility ID: 9613061
 Facility Type: ER
 DER Facility ID: 119903
 Site ID: 140397
 DEC Region: 2
 Spill Date: 2/4/1997
 Spill Number/Closed Date: 9613061 / 2/4/1997
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 SWIS: 3101
 Investigator: SMMARTIN
 Referred To: Not reported
 Reported to Dept: 2/4/1997
 CID: 266
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: Not reported
 Cleanup Meets Std: False
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 2/4/1997
 Spill Record Last Update: 2/6/1997
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: 390 WEST BROADWAY
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller Company: 001

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)Site	Database(s)	EPA ID Number

390 WEST BROADWAY (Continued)

S104502756

Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MARTINKAT"
 Remarks: LEAK FROM WHERE FILL MEETS TANK. ONTO CONCRETE BASEMENT FLOOR. SPILLER NOTIFIED OF PROBLEM. CLEANED UP.

Material:
 Site ID: 140397
 Operable Unit ID: 1040725
 Operable Unit: 01
 Material ID: 341711
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 4
 Units: Gallons
 Recovered: 4
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

<p>BY419 ENE 1/4-1/2 0.402 mi. 2122 ft.</p>	<p>REAL ESTATE TRANS. 476 BROOME STREET NEW YORK, NY 10013</p> <p>Site 1 of 2 in cluster BY</p>	<p>NY LTANKS NY HIST AST</p>	<p>S107784268 N/A</p>
---	---	---	--

LTANKS:
 Site ID: 369287
 Spill Number/Closed Date: 0606003 / 4/16/2007
 Spill Date: 8/24/2006
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: BKFALVEY
 Referred To: Not reported
 Reported to Dept: 8/24/2006
 CID: 444
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 8/24/2006
 Spill Record Last Update: 4/16/2007
 Spiller Name: ABRAHAM WEXLER
 Spiller Company: REAL ESTATE TRANS.
 Spiller Address: 476 BROOME STREET
 Spiller City,St,Zip: MANHATTEN, NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

REAL ESTATE TRANS. (Continued)

S107784268

Spiller County: 001
 Spiller Contact: ABRAHAM WEXLER
 Spiller Phone: (718) 731-7011
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 27204
 DEC Memo: 8/28/06 ttf letter sent. bf4/16/07 NFA. Spill combined into previous tank test failure of same tank (Spill #0605754). bf
 Remarks: SHOULD EMPTY TANK:

Material:

Site ID: 369287
 Operable Unit ID: 1127127
 Operable Unit: 01
 Material ID: 2116710
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 369287
 Spill Tank Test: 1550217
 Tank Number: 1
 Tank Size: 2000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Watchdog
 Last Modified: 8/24/2006
 Test Method: Horner EZ Check I or II

Site ID: 368984
 Spill Number/Closed Date: 0605754 / Not Reported
 Spill Date: 8/17/2006
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: VXBREUDO
 Referred To: Not reported
 Reported to Dept: 8/17/2006
 CID: 410
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

REAL ESTATE TRANS. (Continued)

S107784268

UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 8/17/2006
 Spill Record Last Update: 7/16/2013
 Spiller Name: BRT REALITY
 Spiller Company: BRT REALITY TRUST
 Spiller Address: 476-478 BROOME ST.
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: BRT REALITY
 Spiller Phone: (718) 567-4924
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 27204
 DEC Memo:

need to trace owner & send TTF letter8/28/06 ttf letter sent.
 bf9/6/06 Spoke to Bernie at NYC Tank. They will clear off concrete
 from tank and determine why tank failed. Also, received letter from
 Aaron Adams, ex-owner, explaining that building is no longer his.
 Deed was signed over to 476 Broome Property, LLC, 41 Madison Avenue,
 29th Floor, New York, NY 10010 on 8/24/06 (Acris).9/7/06 Spoke to Mr.
 Haliday of Gindi Group and 476 Broome Property, LLC (212)207-9216.
 They are having NYC Tank repair and or replace tank within next 5
 days. bf9/12/06 Sent ttf letter to new owner's manager: Solly Halbi,
 600 Madison Avenue, 24th Floor, NYC 10022. Faxed letter to NYC Tanks
 at their request. bf9/19/06 Received fax letter from Gindi Group.
 Second fax received. Tank needs to be closed with DEC
 application.9/22/06 Called Solly Halabi (sp?) of Gindi Group. Left
 message for him to call back re: application. bf4/25/07 Property has
 been sold as of 9/06. Not able to find a contact phone number for new
 owner. Sent letter requesting closure application for tank to:476
 Broome Street Property LLC/o National Registered Agents875 Avenue of
 the Americas, Suite 501New York, NY 10001Letter gives them 30 days to
 submit application. bf5/25/07 Received letter from National
 Registered Agents stating that 476 Broome Street Property is not
 represented by them. bf1/31/08 bf: Found new owner via ACRIS. Letter
 (ttf) sent to:476 Broome Property LLC41 Madison Avenue, 29th FloorNew
 York, NY 100105/19/08 Inspected facility on 5/9/08. Nobody at site.
 Photos taken . Fill port not color coded. Sent NOV to 476 Broome
 Property LLC at address above. Administrative settlement conference
 scheduled for 6/10/08 at 2:30 PM. bf2/11/10 A consent order was
 signed on 7/22/08 to settle the PBS and Spill violations. UUnder the
 order, the respondent was required to provide compliance
 documentation to DEC within 30 days. To date no documentation was
 received. PDF file of consent order was placed into e-docs.
 bf07/16/13 - Spill Case is transferred from Brian Falvey (PBS Unit)
 to V. Brevdo (Section B) as per DER Region 2 decision - Tank Test
 Failure Spill Case. VB

Remarks: CALLER REPORTS IT WAS A DRY LEAK AS A RESULT OF THE VENT AND MANHOLE COVER:

Material:
 Site ID: 368984
 Operable Unit ID: 1126834
 Operable Unit: 01
 Material ID: 2116398
 Material Code: 0001A
 Material Name: #2 Fuel Oil

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

REAL ESTATE TRANS. (Continued)

S107784268

Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 368984
 Spill Tank Test: 1550204
 Tank Number: 1
 Tank Size: 2000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Watchdog
 Last Modified: 8/17/2006
 Test Method: Horner EZ Check I or II

HIST AST:

PBS Number: 2-605446
 SWIS Code: 6201
 Operator: JAIPER SAUD
 Facility Phone: (718) 966-2712
 Facility Addr2: Not reported
 Facility Type: OTHER
 Emergency: ADAMS & ADAMS
 Emergency Tel: (718) 328-3300
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: ADAMS & ADAMS
 Owner Address: 347 COSTER STREET
 Owner City,St,Zip: BRONX, NY 10013
 Federal ID: Not reported
 Owner Tel: (718) 328-3300
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: Not reported
 Mailing Name: ADAMS & ADAMS
 Mailing Address: 347 COSTER STREET
 Mailing Address 2: Not reported
 Mailing City,St,Zip: BRONX, NY 10013
 Mailing Telephone: (718) 328-3300
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 03/23/2001
 Expiration: 03/19/2006
 Renew Flag: False
 Renew Date: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

REAL ESTATE TRANS. (Continued)

S107784268

Total Capacity: 2000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 0
 Tank External: 1
 Pipe Location: Not reported
 Pipe Type: Not reported
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Not reported
 Leak Detection: Not reported
 Overfill Protection: Not reported
 Dispenser Method: Not reported
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**BZ420
 SE
 1/4-1/2
 0.407 mi.
 2147 ft.**

**OFFICE BLDG
 359 BROADWAY
 NEW YORK, NY**

Site 1 of 2 in cluster BZ

**NY LTANKS S106471805
 N/A**

LTANKS:

Site ID: 105085
 Spill Number/Closed Date: 0402329 / 4/4/2006
 Spill Date: 6/2/2004
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Possible release with minimal potential for fire or hazard or Known release with no damage. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: LJALDEN

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

OFFICE BLDG (Continued)

S106471805

Referred To: Not reported
 Reported to Dept: 6/2/2004
 CID: 406
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 6/2/2004
 Spill Record Last Update: 4/4/2006
 Spiller Name: JOHN PEETE
 Spiller Company: OFFICE BLDG
 Spiller Address: 359 BROADWAY
 Spiller City,St,Zip: NEW YORK, NY 10013
 Spiller County: 001
 Spiller Contact: JOHN PEETE
 Spiller Phone: (212) 971-5838
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 92755
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "DEMEO" TTF letter sent to: Pioneer Realty Company 401 Broadway Suite 1712 NY NY 10013-3019 Attn: Albert Russo, Property Manager telephone #212-966-0775 11/29/05 - L. Alden - Sent new letter to owner requesting information. 4/4/06 - L. Alden - Received 3/29/06 letter from ProTest detailing cleanup. Tank tested tight; problem was in vent and fill lines. Lines repaired, contaminated soil removed. Close spill
 Remarks: Tank is a Wrapped AST. Tank Test Failure.

Material:

Site ID: 105085
 Operable Unit ID: 884011
 Operable Unit: 01
 Material ID: 489953
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 105085
 Spill Tank Test: 1529319
 Tank Number: Not reported
 Tank Size: 2000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

OFFICE BLDG (Continued)

S106471805

Test Method: Horner EZ Check I or II

**BZ421
SE
1/4-1/2
0.407 mi.
2147 ft.**

**COMMERCIAL PROPERTY TTF
359 BROADWAY
MANHATTAN, NY
Site 2 of 2 in cluster BZ**

**NY LTANKS S109829647
N/A**

LTANKS:

Site ID: 415315
 Spill Number/Closed Date: 0903217 / Not Reported
 Spill Date: 6/18/2009
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 3101

Investigator: TJDMEIO

Referred To: Not reported

Reported to Dept: 6/18/2009

CID: Not reported

Water Affected: Not reported

Spill Notifier: Tank Tester

Last Inspection: Not reported

Recommended Penalty: False

UST Involvement: False

Remediation Phase: 1

Date Entered In Computer: 6/18/2009

Spill Record Last Update: 8/13/2012

Spiller Name: ALBERT RUSSO

Spiller Company: PIONEER REALTY

Spiller Address: 359 BROADWAY

Spiller City,St,Zip: MANHATTAN, NY

Spiller County: 999

Spiller Contact: BOB URBAN

Spiller Phone: (631) 321-4670

Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 364427

DEC Memo: Sangesland spoke to John Leddy at ProtestRemote fill and vent lines were installed with electrical type treaded pipes which leak during vacuum test.Protest provided the owner with a proposal to do work.TTF Letter sent to:Mr. Albert RussoPioneer Realty Co.401 Broadway - Suite 1712New York, NY 100138/6/2009 e-mail from John Leddy at Protest:"At the time of the test, the indoor portions of the remote fill and vent piping were observed to be obvious causes of the failure. The tank is a wrapped AST in the basement. We plan to isolate and repair these lines and then anticipate a successful system retest. We will inform you of the results as soon as it is done. John Leddy"08/13/12 - LZ As Randy Austin requested, the spill has been reassigned to Tim DeMeo TANK TEST FAILURE ON A 2000 GALLON AST INCASED IN CONCRETE. UNK IF ANY PRODUCT SPILLED.

Remarks:

Material:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

COMMERCIAL PROPERTY TTF (Continued)

S109829647

Site ID: 415315
 Operable Unit ID: 1171658
 Operable Unit: 01
 Material ID: 2163477
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

BY422
ENE
1/4-1/2
0.414 mi.
2185 ft.

CBJE CONDO LTD TTF
472 BROOME ST
MANHATTAN, NY
Site 2 of 2 in cluster BY

NY LTANKS **S111319232**
N/A

LTANKS:

Site ID: 457222
 Spill Number/Closed Date: 1109446 / 1/19/2012
 Spill Date: 10/28/2011
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 10/28/2011
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/28/2011
 Spill Record Last Update: 1/19/2012
 Spiller Name: BOB IRVIN
 Spiller Company: CBJE CONDO LTD
 Spiller Address: 472 BROOME ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 999
 Spiller Contact: BOB IRVIN
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 411703
 DEC Memo: 1/19/2012 - Sangesland reviewed a letter/report from Pro Test dated

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CBJE CONDO LTD TTF (Continued)

S111319232

Remarks: Dec 9, 2011 Tank was isolated and passed a pressure test. Both fill line and vent line failed. Both lines were aboveground and visible. Repairs were made to the fittings on the fill box connections and vent alarm. After repairs were made the whole system passed. There was no evidence of visible contamination.
 tank test failure w/ dry leak, retest unk

Material:

Site ID: 457222
 Operable Unit ID: 1207348
 Operable Unit: 01
 Material ID: 2204601
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**423
 NNE
 1/4-1/2
 0.417 mi.
 2200 ft.**

**APT BUILDING
 98 CHARLTON ST
 NEW YORK, NY**

**NY LTANKS S110611355
 N/A**

LTANKS:

Site ID: 441668
 Spill Number/Closed Date: 1008195 / 3/31/2011
 Spill Date: 11/3/2010
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SFRAHMAN
 Referred To: Not reported
 Reported to Dept: 11/4/2010
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 11/4/2010
 Spill Record Last Update: 3/31/2011
 Spiller Name: Not reported
 Spiller Company: APT BUILDING
 Spiller Address: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

APT BUILDING (Continued)

S110611355

Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: UNKNOWN
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 396698
 DEC Memo: 11/4/10-HRAHMED-DEC Rahman is responding to the site.11/05/10 Performed site visit.Building super was present during my inspection.The tank is 1,500 gallon, vaulted(cemented all over).No evidence of spill observed arounf the tank.No spill seen coming through the weephole.Super removed cinderblock from the top of the tank encasement to see the bottom of the tank.The bottom is dry.Tank failed the tightness test.Unsure where the leak is.As per the delivery slip, tank was delivered 1,300 gallons oil.Tank needs to be investigated for leak.csl was sent out toA B Ilibassi Realty CoP.O. Box 3545New Hyde ParkNY 11040(sr)12/08/10 Stopped by the site today.PTC removed the vaulted tank and currently excavating the tank grave. Excavation is approx 15'x6', 4' deep.Tank room has strong odor of petroleum. End point sample will be taken.PTC found holes at the bottom of the tank.(sr)03/31/11 Rec'd closure report. Tank was removed and found to be corroded and contained numerous holes.Excavation extended 15'x 8'x 8'.A total of twenty yards of contaminated soil and debris were removed.Two end point samples were taken from the bottom of the excavation. Minor VOCs left in the soil. ORC applied before backfilling. Vapor barrier was installed. Floor was epoxy painted.Report in edocs.Case closed.(sr) 1500gal agt is leaking/ leak is contained to vault area/vault is located inside, basement area/tank was filled day before yesterday

Material:
 Site ID: 441668
 Operable Unit ID: 1192217
 Operable Unit: 01
 Material ID: 2187445
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 1300
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

424	CONSTRUCTION SITE	NY LTANKS	S106737530
East	40 MERCER STREET		N/A
1/4-1/2	MANHATTAN, NY		
0.430 mi.			
2273 ft.			

LTANKS:

Site ID: 334952
 Spill Number/Closed Date: 0410068 / 2/21/2006
 Spill Date: 12/10/2004
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported

Cleanup Meets Standard: False

SWIS: 3101

Investigator: Con Ed Unassigned

Referred To: Not reported

Reported to Dept: 12/10/2004

CID: 444

Water Affected: Not reported

Spill Notifier: Other

Last Inspection: Not reported

Recommended Penalty: False

UST Involvement: False

Remediation Phase: 0

Date Entered In Computer: 12/10/2004

Spill Record Last Update: 8/13/2008

Spiller Name: PAUL ALBA

Spiller Company: CONSTRUCTION SITE

Spiller Address: 40 MERCER STREET

Spiller City,St,Zip: MANHATTEN, NY

Spiller County: 001

Spiller Contact: PAUL ALBA

Spiller Phone: (646) 302-2189

Spiller Extention: Not reported

DEC Region: 2

DER Facility ID: 270184

DEC Memo: 12/19/05 Feroze. Spill is transferred from Ketani to Feroze.02/13/06. Feroze. PBS of this spill is # 2-609880.Called Mr. Jime Gottshcalk 212-230-2300. TTF is sent to:Mr.James Gottshcalk Hines Equity Partners885 Third Ave; Suit 2700New York, NY 1002202/21/06. Feroze, Talked with Mark Salamack of Petroleum Tank Cleaners. He told me that they closed and removed the tank and cleaned the site. According to PBS documents the tank was closed and removed on 12/01/04.The spill is closed.

Remarks: WHILE EXCAVATING HIT A TANK THAT THEY DID NOT KNOW WAS THERE, AND CAUSED LEAKAGE: CREW ENROUTE TO CLEAN UP:

Material:

Site ID: 334952

Operable Unit ID: 1097062

Operable Unit: 01

Material ID: 576984

Material Code: 0003A

Material Name: #6 Fuel Oil

Case No.: Not reported

Material FA: Petroleum

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CONSTRUCTION SITE (Continued)

S106737530

Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**425
 South
 1/4-1/2
 0.432 mi.
 2283 ft.**

**75 WARREN ST
 75 WARREN ST
 MANHATTAN, NY**

**NY LTANKS S102233279
 N/A**

LTANKS:

Site ID: 141120
 Spill Number/Closed Date: 9513843 / 1/31/1996
 Spill Date: 1/30/1996
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 1/31/1996
 CID: 257
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 1/31/1996
 Spill Record Last Update: 2/12/1996
 Spiller Name: NANCY MANTAR
 Spiller Company: APARTMENT BUILDING
 Spiller Address: 75 WARREN ST
 Spiller City,St,Zip: MANHATTAN, NY
 Spiller County: 001
 Spiller Contact: NANCY MANTAR
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 120520
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "KRIMGOLD"
 Remarks: tank was leaking and today oil company did pump out tank and cleaned up spill new tank to be put in

Material:

Site ID: 141120
 Operable Unit ID: 1024688
 Operable Unit: 01

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

75 WARREN ST (Continued)

S102233279

Material ID: 357550
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10
 Units: Gallons
 Recovered: 10
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**426
 SSE
 1/4-1/2
 0.433 mi.
 2287 ft.**

**READE-CHURCH EQUITIES
 78 - 82 READE ST
 MANHATTAN, NY**

**NY LTANKS S100166645
 N/A**

LTANKS:

Site ID: 91172
 Spill Number/Closed Date: 8808754 / 2/8/1989
 Spill Date: 2/7/1989
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Not reported
 Cleanup Ceased: 2/8/1989
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: TAYLOR
 Referred To: Not reported
 Reported to Dept: 2/8/1989
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/3/1989
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: SAME
 Spiller Address: Not reported
 Spiller City,St,Zip: ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 82175
 DEC Memo: Not reported
 Remarks: EPOXY PATCH GAVE WAY, SPILL CONTAINED BY BAERENKLAU.

Material:
 Site ID: 91172

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

READE-CHURCH EQUITIES (Continued)

S100166645

Operable Unit ID: 924672
 Operable Unit: 01
 Material ID: 453520
 Material Code: 0002A
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 20
 Units: Gallons
 Recovered: 20
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

427
 SE
 1/4-1/2
 0.441 mi.
 2328 ft.

**80 WHITE STREET
 80 WHITE STREET
 MANHATTAN, NY**

**NY LTANKS S102671986
 N/A**

LTANKS:

Site ID: 199545
 Spill Number/Closed Date: 9209332 / 11/11/1992
 Spill Date: 11/11/1992
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: 11/11/1992
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: O'DOWD
 Referred To: Not reported
 Reported to Dept: 11/11/1992
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 11/18/1992
 Spill Record Last Update: 9/30/2004
 Spiller Name: Not reported
 Spiller Company: Not reported
 Spiller Address: Not reported
 Spiller City,St,Zip: ***Update***, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 166092
 DEC Memo: Not reported
 Remarks: PETRO HEAT CLEANED IT UP WITH ABSORBENT PADS ONLY ON SIDEWALK NO CALL

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

80 WHITE STREET (Continued)

S102671986

BACK

Material:

Site ID: 199545
 Operable Unit ID: 972987
 Operable Unit: 01
 Material ID: 406383
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 3
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

428
 ENE
 1/4-1/2
 0.441 mi.
 2331 ft.

TTF
65 GREENE STREET
NEW YORK CITY, NY

NY LTANKS S112148820
N/A

LTANKS:

Site ID: 466068
 Spill Number/Closed Date: 1203271 / Not Reported
 Spill Date: 7/3/2012
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 7/3/2012
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 1
 Date Entered In Computer: 7/3/2012
 Spill Record Last Update: 7/6/2012
 Spiller Name: BILL MAKKOS EQUITIES
 Spiller Company: UNKNOWN
 Spiller Address: 65 GREENE STREET
 Spiller City,St,Zip: NEW YORK CITY, NY
 Spiller County: 999
 Spiller Contact: BILL MAKKOS EQUITIES
 Spiller Phone: 2127368700
 Spiller Extention: Not reported

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

TTF (Continued)

S112148820

DEC Region: 2
 DER Facility ID: 420413
 DEC Memo: Not reported
 Remarks: failed tank - leaking - clean up pending

Material:
 Site ID: 466068
 Operable Unit ID: 1216078
 Operable Unit: 01
 Material ID: 2214240
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

CA429
East
1/4-1/2
0.442 mi.
2332 ft.

UNDER GROUND TTF
457 BROOME ST
NEW YORK CITY, NY
Site 1 of 2 in cluster CA

NY LTANKS S109829707
N/A

LTANKS:
 Site ID: 417194
 Spill Number/Closed Date: 0904963 / 8/18/2009
 Spill Date: 7/29/2009
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JMKRIMGO
 Referred To: Not reported
 Reported to Dept: 7/29/2009
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 7/29/2009
 Spill Record Last Update: 8/18/2009
 Spiller Name: Not reported
 Spiller Company: 2000 GALLON TANK
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

UNDER GROUND TTF (Continued)

S109829707

Spiller Contact: SAME AS ABOVE
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 366288
 DEC Memo: 8/10/2009 TTF letter sent to:Mr. Sean LowBeam-Rich Inc. 511 Avenue of Americas, Suite 151NY, NY 100118/18/09. J.Krimgold reviewed the letter report submitted by PTC and dated 08/12/09. Based on the data presented the tested tank is encased in concrete with all piping except fill line above ground. Tank was isolated from piping retested and failed again. Fill pipe passed the test. After tank being cleaned the interior was visually inspected, but no apparent corrosion holes were found. The concrete wrap also show no signs of past releases. Four soil samples were taken through the tank bottom and analyzed for VOCs and SVOCs. The lab data shows that some SVOCs contaminants marginally exceed TAGM levels.Case closed.

Remarks: 2000 gallon tank test failure. They have to re-place the tank.

Material:
 Site ID: 417194
 Operable Unit ID: 1173430
 Operable Unit: 01
 Material ID: 2165356
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Not reported
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

CB430
SE
1/4-1/2
0.446 mi.
2357 ft.

358 BROADWAY
59 FRANKLIN ST
NEW YORK, NY
Site 1 of 2 in cluster CB

NY LTANKS **S104516772**
N/A

LTANKS:
 Site ID: 187927
 Spill Number/Closed Date: 9914114 / 4/6/2000
 Spill Date: 3/14/2000
 Spill Cause: Tank Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SMSANGES
 Referred To: Not reported
 Reported to Dept: 3/14/2000
 CID: 233

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

358 BROADWAY (Continued)

S104516772

Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/14/2000
 Spill Record Last Update: 4/6/2000
 Spiller Name: ALLEN ROSEN
 Spiller Company: 358 BROADWAY
 Spiller Address: 59 FRANKLIN ST
 Spiller City,St,Zip: NEW YORK, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 157035
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND"Bob Arkaro - Tone Tank 718-331-5003 4/6/2000 SANGESLAND WENT TO THE SITE AND MET REPS OF THE OWNER AND ENVIRONMENTAL FIRM. OLD TANK HAD BEEN REMOVED, VAULT AREA WAS CLEANED, FLOOR WAS SECURE CEMENT WITH NO VISIBLE SIGNS OF CONTAMINATION OR CONTACT WITH THE EARTH BELOW.ALAN ROSEN INDICATED A NEW TANK WAS GOING TO BE RE INSTALLED IN THE AREA. ALL PBS DOCUMENTS ARE IN THE WORKS.SPILL NUMBER CLOSED OUT

Remarks: above ground tank 2000 gal tank caller did a phase 1 investigation and the tank appears to be leaking property owner was advised caller states that the tank appears to be rusted tank in in the basment area and the soil under the tanks is wet from the sprinkler system but also shows oil contamination

Material:
 Site ID: 187927
 Operable Unit ID: 1092362
 Operable Unit: 01
 Material ID: 292406
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID Direction Distance Distance (ft.) Site Database(s) EPA ID Number EDR ID Number

CC431 ENE 1/4-1/2 0.448 mi. 2368 ft. PROPERTIES SOLUTIONS 155 SPRING STREET MANHATTAN, NY Site 1 of 2 in cluster CC NY LTANKS S107658769 N/A

LTANKS:

Site ID: 360975
 Spill Number/Closed Date: 0514284 / 11/23/2007
 Spill Date: 3/14/2006
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: rmpiper
 Referred To: Not reported
 Reported to Dept: 3/14/2006
 CID: 444
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 3/14/2006
 Spill Record Last Update: 3/5/2008
 Spiller Name: CRAIG
 Spiller Company: PROPERTIES SOLUTIONS
 Spiller Address: 155 SPRING STREET
 Spiller City,St,Zip: MANHATTEN, NY
 Spiller County: 001
 Spiller Contact: CRAIG
 Spiller Phone: (732) 417-0999
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 311156
 DEC Memo: mailed ttf toMrs. Emile MercierCharles Jourdan USA Inc.2 Caesar PlaceMoonachie, NY 07074andCharles Jourdan USA Inc.136 West 11th StreetNew York, NY 10011No PBS records on property. Spoke w/ craig norris of Properties solutions. He is a contractor representing potential buyer. He will also look into current ownership.3/30/6- faxed pbs application to donna.The tightness test failure eas due to a line leak, tank passed.5/8/06- DEC Piper left message for Donna (Rep for prop.)201-974-1286 cell-201-906-7995 Repairs have been made though a PBS application needs to be submitted.2/28/07- DEC Piper left message for donna requesting callback and info.3/5/07- DEC Piper psoke w. Donna, The building has been sold and she will get back to me with contact.11/23/07- DECP iperreviewed case. Spill closed though PBS violations exist. Referred to PBS for enforcement.3/5/08 PBS inspection yesterday. NOV issued for failing to register, failing to color code fill port, and failure to label AST. Administrative settlement conference scheduled for 3/27/08. bf

Remarks: Not reported

Material: Site ID: 360975

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

PROPERTIES SOLUTIONS (Continued)

S107658769

Operable Unit ID: 1118076
 Operable Unit: 01
 Material ID: 2108589
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

Site ID: 360975
 Spill Tank Test: 1549798
 Tank Number: 1
 Tank Size: 1500
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Watchdog
 Last Modified: 3/14/2006
 Test Method: Horner EZ Check I or II

**CB432
 SE
 1/4-1/2
 0.450 mi.
 2375 ft.**

**CLOSED-LACKOF RECENT INFO
 54 FRANKLIN ST
 NEW YORK CITY, NY**

**NY LTANKS S100167510
 N/A**

Site 2 of 2 in cluster CB

LTANKS:

Site ID: 204659
 Spill Number/Closed Date: 8709978 / 3/4/2003
 Spill Date: 2/26/1988
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 2401
 Investigator: ADMIN. CLOSED
 Referred To: Not reported
 Reported to Dept: 2/26/1988
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/29/1988
 Spill Record Last Update: 3/4/2003
 Spiller Name: Not reported
 Spiller Company: BUD'S WOODWORK

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

CLOSED-LACKOF RECENT INFO (Continued)

S100167510

Spiller Address: 54 FRANKLIN ST
 Spiller City,St,Zip: BROOKLYN, NY
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 170124
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "ADMIN.CLOSED"02/26/88: Action Unknown. 03/04/2003-Closed Due To The Nature / Extent Of The Spill Report
 Remarks: 2K TANK SYSTEM FAILED PETRO TITE, L R = -.411GPH. 8/23/88 : 2K TANK SYSTEM FAILED RETEST PETRO-TITE, L R = -.0882 GPH. CLOSED DUE TO LACK OF ANY RECENT INFO-DOES NOT MEET ANY CLEAN UP REQUIREMENTS.

Material:
 Site ID: 204659
 Operable Unit ID: 915401
 Operable Unit: 01
 Material ID: 461766
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Pounds
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: 204659
 Spill Tank Test: 1533325
 Tank Number: Not reported
 Tank Size: 0
 Test Method: 00
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Unknown

CA433 451 BROOME STREET
East 451 BROOME STREET
1/4-1/2 NEW YORK, NY 10013
0.452 mi.
2388 ft. Site 2 of 2 in cluster CA

NY LTANKS U003397195
NY AST N/A
NY HIST AST

LTANKS:
 Site ID: 332798
 Spill Number/Closed Date: 0485058 / 3/13/2006
 Spill Date: 8/23/2004
 Spill Cause: Tank Failure
 Spill Source: Private Dwelling
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

451 BROOME STREET (Continued)

U003397195

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: Con Ed Unassigned
 Referred To: Not reported
 Reported to Dept: 10/22/2004
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 10/22/2004
 Spill Record Last Update: 3/13/2006
 Spiller Name: Not reported
 Spiller Company: ANDREWS BUILDING CORP
 Spiller Address: 451 BROOME
 Spiller City,St,Zip: NEW YORK, NY
 Spiller County: 001
 Spiller Contact: RENEE LEWIS
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 268019
 DEC Memo: 12/19/05 Feroze. Spill is transferred from Ketani to Feroze.01/04/06 Feroze. Mr. Steven Sharp (Owner, 212-725-8424)is called and a message is left for him. PBS reg. of this tank is also expired. TTF is sent. PBS of this spill 2-60347201/19/06. Feroze . TTF is sent to :Steven ShapiroSequdia Property Management.suite 1000, 350 Fifth Ave, NY 10118.01/31/06. Feroze. TTF return to DEC. Sequdia Property Management. suite 1000, 350 Fifth Ave, NY 10118, no longer manage that property. A message is left for Stephen Philyp 212-431-9327.02/13/06 Feroze , Called and A message is left for Stephen Philyp 212-431-9327. TTF is sent to :Stephen Philyp451 Broomy Streey New York, NY 10013Mr. Philyp called me and told me to talk to Management comp. to Ms. Selvia 212-529-5688 ext 273.Fax 212-529-7987. They removed the old tank by (Eastmount & Son) and set a new one on the site. Ms.Silnia told me that she will submit DEC the documents soon.02/21/06. Feroze, Mr. Philyp called and told me that he will fax me the document.02/24/06 Feroze, They closed a tank but didn't submit closer report and set a new tank but didn't submit PBS application. PBS applicatiobn is sent to :Andrews Building Corp.666 Broadway 12th FloorNew York, NY 10012Attn;Ms. Selvia 03/02/06 Feroze received a certificate that prepared by Eastmond & sons Boiler Repair& welding Service, Inc. (718-378-7000) 1200 Oakpoint Ave , Bronx,NY. It provides the information that Eastmond & Sons removed tank and piping on June 2005. They cut the fill and vent line and filled it with cement.PBS registration of this site is expired on 05/08/03. Andrews Building Corp mentioned that the old tank is removed and they are going to install a new tank. Application for Registration renewal is sent to Andrews Building Corp. If they submit the registration with necessary fee the spill case may be closed. There are some documents in file cabinet.03/13/06 Feroze, The spill is closed.

Remarks: 10-15 cy of pertoleum contaminated debris

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

451 BROOME STREET (Continued)

U003397195

Material:

Site ID: 332798
 Operable Unit ID: 1095010
 Operable Unit: 01
 Material ID: 575138
 Material Code: 0002A
 Material Name: #4 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 500
 Units: Gallons
 Recovered: 500
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

AST:

Region: STATE
 DEC Region: 2
 Site Status: Active
 Facility Id: 2-603472
 Program Type: PBS
 UTM X: 584439.16151000001
 UTM Y: 4508395.0720699998
 Expiration Date: 2018/05/08
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 25388
 Affiliation Type: Facility Owner
 Company Name: 451 BROOME STREET CORPORATION % ANDREWS BLDG. CORP
 Contact Type: PRESIDENT
 Contact Name: BATIA SMIRA
 Address1: 666 BROADWAY, 12TH FLOOR
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 8/1/2013

Site Id: 25388
 Affiliation Type: Mail Contact
 Company Name: 451 BROOME STREET CORP.
 Contact Type: Not reported
 Contact Name: STUART SMOLAR
 Address1: C/O ANDREWS BLDG. CORP.
 Address2: 666 BROADWAY, 12TH FLOOR
 City: NEW YORK
 State: NY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

451 BROOME STREET (Continued)

U003397195

Zip Code: 10012
 Country Code: 001
 Phone: (212) 529-5688
 EMail: SSMOLAR@ANDREWSBC.COM
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 8/1/2013

Site Id: 25388
 Affiliation Type: On-Site Operator
 Company Name: 451 BROOME STREET
 Contact Type: Not reported
 Contact Name: STEVEN PHILLIP
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 431-9237
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DXLIVING
 Date Last Modified: 5/9/2006

Site Id: 25388
 Affiliation Type: Emergency Contact
 Company Name: 451 BROOME STREET CORPORATION % ANDREWS BLDG. CORP
 Contact Type: Not reported
 Contact Name: STUART SMOLAR
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 999
 Phone: (212) 529-5688
 EMail: Not reported
 Fax Number: Not reported
 Modified By: DMMOLOUG
 Date Last Modified: 8/1/2013

Tank Info:

Tank Number: 001
 Tank Id: 54473
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 J02 - Dispenser - Suction Dispenser

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

451 BROOME STREET (Continued)

U003397195

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 H00 - Tank Leak Detection - None
 I05 - Overfill - Vent Whistle
 L00 - Piping Leak Detection - None
 K00 - Spill Prevention - None

Tank Location: 2
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: Closed - Removed
 Pipe Model: Not reported
 Install Date: Not reported
 Capacity Gallons: 5000
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: 10/30/2005
 Register: True
 Modified By: DXLIVING
 Last Modified: 05/09/2006
 Material Name: #6 Fuel Oil (On-Site Consumption)

Tank Number: 003
 Tank Id: 211575
 Material Code: 0003
 Common Name of Substance: #6 Fuel Oil (On-Site Consumption)

Equipment Records:

C01 - Pipe Location - Aboveground
 E00 - Piping Secondary Containment - None
 F01 - Pipe External Protection - Painted/Asphalt Coating
 I05 - Overfill - Vent Whistle
 A00 - Tank Internal Protection - None
 D01 - Pipe Type - Steel/Carbon Steel/Iron
 G01 - Tank Secondary Containment - Diking (Aboveground)
 G10 - Tank Secondary Containment - Impervious Underlayment
 J02 - Dispenser - Suction Dispenser
 B01 - Tank External Protection - Painted/Asphalt Coating
 I04 - Overfill - Product Level Gauge (A/G)
 B05 - Tank External Protection - Jacketed
 H06 - Tank Leak Detection - Impervious Barrier/Concrete Pad (A/G)
 L00 - Piping Leak Detection - None
 K00 - Spill Prevention - None

Tank Location: 3
 Tank Type: Steel/Carbon Steel/Iron
 Tank Status: In Service
 Pipe Model: Not reported
 Install Date: 10/30/2005
 Capacity Gallons: 4678
 Tightness Test Method: NN
 Date Test: Not reported
 Next Test Date: Not reported
 Date Tank Closed: Not reported
 Register: True
 Modified By: DMMOLOUD
 Last Modified: 08/01/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

451 BROOME STREET (Continued)

U003397195

Material Name: #6 Fuel Oil (On-Site Consumption)

HIST AST:

PBS Number: 2-603472
 SWIS Code: 6201
 Operator: STEPHEN PHILYP
 Facility Phone: (212) 431-9327
 Facility Addr2: 451 BROMME STREET
 Facility Type: Not reported
 Emergency: STEVEN SHAPIRO
 Emergency Tel: (212) 725-8424
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: 451 BROOME STREET CORPORATION
 Owner Address: 451 BROOME STREET
 Owner City,St,Zip: NEW YORK, NY 10013
 Federal ID: Not reported
 Owner Tel: (212) 275-8424
 Owner Type: Private Resident
 Owner Subtype: Not reported
 Mailing Contact: STEVEN SHAPIRO
 Mailing Name: SEQUDIA PROPERTY MANAGEMENT, CORPORATION
 Mailing Address: SUITE 1000
 Mailing Address 2: 350 FIFTH AVENUE
 Mailing City,St,Zip: NEW YORK, NY 10118-1099
 Mailing Telephone: (212) 725-8424
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.

Certification Flag: False
 Certification Date: 06/01/1998
 Expiration: 05/08/2003
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: Minor Data Missing
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY
 County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 001
 Tank Location: ABOVEGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: 1

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

451 BROOME STREET (Continued)

U003397195

Tank External: 05
 Pipe Location: Aboveground
 Pipe Type: GALVANIZED STEEL
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Not reported
 Leak Detection: 00
 Overfill Protection: 6
 Dispenser Method: Gravity
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: True
 SPDES Number: Not reported
 Lat/Long: Not reported

**434
 NNE
 1/4-1/2
 0.452 mi.
 2389 ft.**

**LITTLE RED SCHOOL HOUSE
 40 CHARLTON STREET
 MANHATTAN, NY**

**NY LTANKS S105997589
 N/A**

LTANKS:

Site ID: 322090
 Spill Number/Closed Date: 0209395 / 7/24/2003
 Spill Date: 12/12/2002
 Spill Cause: Tank Test Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response.
 Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: JBVOUGHT
 Referred To: Not reported
 Reported to Dept: 12/12/2002
 CID: 266
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/12/2002
 Spill Record Last Update: 7/24/2003
 Spiller Name: MICHELLE
 Spiller Company: LITTLE RED SCHOOL HOUSE
 Spiller Address: 40 CHARLTON STREET
 Spiller City,St,Zip: NEW YORK, NY 10014-001
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 259469

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

LITTLE RED SCHOOL HOUSE (Continued)

S105997589

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "VOUGHT"5/1/2003-Vought-Spoke with William Conroy (631-423-1240) who is consultant for property. NFA request has been prepared for 0209395 and 0209396 and reports will be sent to NYSDEC. Conroy requesting NFA letter sent to him.7/24/2003-Vought-Received report from Conroy Environmental Consultants. Tank is a 1500-gallon AST in basement encased in concrete vault. Tightness test indicated leak was in a dry portion of the tank. Petroleum Tank Cleaners was hired and pumped fuel from tank, cleaned tank interior, removed and resealed manhole cover, repaired broken vent line and petrometer connection. Tank passed tightness test once repairs were completed (tightness test results sent to NYSDEC). Spill closed by Vought.

Remarks: TANK IS AN ABOVE GROUND TANK. TO BE EVALUATED AND RETESTED.

Material:
 Site ID: 322090
 Operable Unit ID: 862511
 Operable Unit: 01
 Material ID: 516370
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:
 Site ID: 322090
 Spill Tank Test: 1527823
 Tank Number: 1
 Tank Size: 1500
 Test Method: 03
 Leak Rate: 0
 Gross Fail: F
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

435
 SSE
 1/4-1/2
 0.465 mi.
 2453 ft.

**305 BROADWAY/MANHATTAN
 305 BROADWAY
 NEW YORK CITY, NY**

**NY LTANKS S102671335
 N/A**

LTANKS:
 Site ID: 148441
 Spill Number/Closed Date: 8807814 / 12/4/1992
 Spill Date: 12/26/1988
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: 12/4/1992

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

305 BROADWAY/MANHATTAN (Continued)

S102671335

Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 12/26/1988
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 12/30/1988
 Spill Record Last Update: 12/4/1992
 Spiller Name: Not reported
 Spiller Company: HESS
 Spiller Address: 1 HESS PLAZA
 Spiller City,St,Zip: WOODBRIBGE, NJ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 126336
 DEC Memo: Not reported
 Remarks: HESS IS CLEANING UP SPILL.

Material:

Site ID: 148441
 Operable Unit ID: 924369
 Operable Unit: 01
 Material ID: 452586
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 20
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

CC436 COMMERCIAL BUILDING
ENE 145 SPRING ST
1/4-1/2 NEW YORK, NY
0.468 mi.
2472 ft. Site 2 of 2 in cluster CC

NY LTANKS S111319271
N/A

LTANKS:

Site ID: 458099
 Spill Number/Closed Date: 1110287 / 12/20/2011
 Spill Date: 11/18/2011
 Spill Cause: Tank Test Failure
 Spill Source: Commercial/Industrial

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

COMMERCIAL BUILDING (Continued)

S111319271

Spill Class: Not reported
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: BKFALVEY
 Referred To: Not reported
 Reported to Dept: 11/18/2011
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 11/18/2011
 Spill Record Last Update: 12/20/2011
 Spiller Name: Not reported
 Spiller Company: RBH /LINDA MONTANEZ
 Spiller Address: Not reported
 Spiller City,St,Zip: NY
 Spiller County: 999
 Spiller Contact: RBH /LINDA MONTANEZ
 Spiller Phone: (212) 685-7833
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 412595
 DEC Memo: Dry leak-TTF was sent out to RBH Management16 W 36th StreetNew York, NY 10018(sr)12/20/11 Yesterday, received letter from Pro Test requesting closure of this case. Vent line, fill line, and petrometer line were replaced. After lines were replaced, tank passed ttt on 12/9/11. No contamination found. No PBS Number for this site, may be because tank is 1080 gal. and used for consumption on-site. NFA. bf
 Remarks: 1080 gal agt

Material:
 Site ID: 458099
 Operable Unit ID: 1208209
 Operable Unit: 01
 Material ID: 2205540
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: Not reported
 Units: Gallons
 Recovered: Not reported
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

437	SPRING ST ASSOC	NY LTANKS	U001838200
ENE	131-137 SPRING ST	NY HIST AST	N/A
1/4-1/2	NY, NY 10012		
0.480 mi.			
2535 ft.			

LTANKS:

Site ID: 250009
 Spill Number/Closed Date: 9906032 / 6/9/2000
 Spill Date: 8/19/1999
 Spill Cause: Tank Test Failure
 Spill Source: Private Dwelling
 Spill Class: Known release that creates potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: MCTIBBE
 Referred To: Not reported
 Reported to Dept: 8/19/1999
 CID: 270
 Water Affected: Not reported
 Spill Notifier: Tank Tester
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 8/19/1999
 Spill Record Last Update: 6/9/2000
 Spiller Name: DAVID PUCHKOFF
 Spiller Company: SPRING STREET ASSOCIATES
 Spiller Address: 131 SPRING STREET
 Spiller City,St,Zip: MANHATTAN, NY 10012-001
 Spiller County: 001
 Spiller Contact: LAURA BRENNAN
 Spiller Phone: (212) 906-9446
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 204926
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TIBBE"CONTACT FOR SPILL LOCATION IS ACTUALLY THE CONSULTANT.SEE FILE.
 Not reported

Remarks: BAD CUT OUT PATCH

Material:

Site ID: 250009
 Operable Unit ID: 1080483
 Operable Unit: 01
 Material ID: 302306
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

SPRING ST ASSOC (Continued)

U001838200

Tank Test:

Site ID: 250009
 Spill Tank Test: 1547511
 Tank Number: 1
 Tank Size: 2000
 Test Method: 03
 Leak Rate: 0
 Gross Fail: Not reported
 Modified By: Spills
 Last Modified: 10/1/2004
 Test Method: Horner EZ Check I or II

HIST AST:

PBS Number: 2-400246
 SWIS Code: 6201
 Operator: DAVIO PUCHKOFF
 Facility Phone: (212) 941-1441
 Facility Addr2: 131 SPRING ST
 Facility Type: APARTMENT BUILDING
 Emergency: RICARDO HERNANDEZ
 Emergency Tel: (212) 616-1079
 Old PBSNO: Not reported
 Date Inspected: Not reported
 Inspector: Not reported
 Result of Inspection: Not reported
 Owner Name: SPRING ST ASSOC
 Owner Address: 131 SPRING ST
 Owner City,St,Zip: NY, NY 10012
 Federal ID: Not reported
 Owner Tel: (212) 941-1441
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Contact: DAVID PUCHKOFF
 Mailing Name: SPRING ST ASSOC
 Mailing Address: 131 SPRING ST
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NY, NY 10012
 Mailing Telephone: (212) 941-1441
 Owner Mark: First Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Certification Flag: False
 Certification Date: 01/16/1998
 Expiration: 01/07/2003
 Renew Flag: False
 Renew Date: Not reported
 Total Capacity: 2000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: Minor Data Missing
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

SPRING ST ASSOC (Continued)

U001838200

County Code: 62
 Town or City Code: 01
 Region: 2

Tank ID: 002
 Tank Location: UNDERGROUND, VAULTED, WITH ACCESS
 Tank Status: In Service
 Install Date: Not reported
 Capacity (Gal): 2000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Tank Containment: Diking
 Leak Detection: 9
 Overfill Protection: 4
 Dispenser Method: Suction
 Date Tested: Not reported
 Next Test Date: Not reported
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Not reported
 Deleted: False
 Updated: False
 SPDES Number: Not reported
 Lat/Long: Not reported

438 EPA BUILDING
SSE 290 BROADWAY
1/4-1/2 NEW YORK, NY 10007
0.493 mi.
2601 ft.

CERC-NFRAP 1006371356
NYN000204405

CERC-NFRAP:
 Site ID: 0204405
 Federal Facility: Not a Federal Facility
 NPL Status: Not on the NPL
 Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

CERCLIS-NFRAP Site Contact Details:
 Contact Sequence ID: 2380928.00000
 Person ID: 2272030.00000

Contact Sequence ID: 2381018.00000
 Person ID: 2272030.00000

CERCLIS-NFRAP Assessment History:
 Action: REMOVAL ASSESSMENT
 Date Started: 11/01/01
 Date Completed: 11/15/01
 Priority Level: Not reported

Action: ARCHIVE SITE

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)	Site	Database(s)	EPA ID Number

EPA BUILDING (Continued)

1006371356

Date Started: / /
 Date Completed: 09/30/04
 Priority Level: Not reported

CD439
NNE
1/4-1/2
0.493 mi.
2602 ft.

AJ CLARKE MGT
50 KING STREET
MANHATTAN, NY
Site 1 of 2 in cluster CD

NY LTANKS **S102673472**
N/A

LTANKS:

Site ID: 155549
 Spill Number/Closed Date: 9607652 / 9/18/1996
 Spill Date: 9/18/1996
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: SIGONA
 Referred To: Not reported
 Reported to Dept: 9/18/1996
 CID: 275
 Water Affected: Not reported
 Spill Notifier: Responsible Party
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 9/18/1996
 Spill Record Last Update: 9/24/1996
 Spiller Name: EDGAR
 Spiller Company: AJ CLARKE MGT
 Spiller Address: 50 KING STRRET
 Spiller City,St,Zip: MANHATTAN, NY 13207-001
 Spiller County: 001
 Spiller Contact: EDGAR
 Spiller Phone: (212) 675-7221
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 131752
 DEC Memo: Not reported
 Remarks: faulty gauge on customers tank - spill on grassy area - apill contained - spill crew enroute to clean

Material:

Site ID: 155549
 Operable Unit ID: 1035768
 Operable Unit: 01
 Material ID: 346909
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

AJ CLARKE MGT (Continued)

S102673472

Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

CD440 50 KING STREET
NNE 50 KING STREET
1/4-1/2 NEW YORK, NY 10014
0.493 mi.
2602 ft. Site 2 of 2 in cluster CD

NY LTANKS U003297768
NY UST N/A
NY HIST UST
NY Spills

LTANKS:

Site ID: 155548
 Spill Number/Closed Date: 9212531 / 2/5/1993
 Spill Date: 2/4/1993
 Spill Cause: Tank Overfill
 Spill Source: Commercial/Industrial
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: 2/5/1993
 Cleanup Meets Standard: True
 SWIS: 3101
 Investigator: SJMILLER
 Referred To: Not reported
 Reported to Dept: 2/4/1993
 CID: Not reported
 Water Affected: Not reported
 Spill Notifier: Local Agency
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0
 Date Entered In Computer: 2/8/1993
 Spill Record Last Update: 2/24/1993
 Spiller Name: Not reported
 Spiller Company: CASTLE HILL SVC
 Spiller Address: Not reported
 Spiller City,St,Zip: BRONX, ZZ
 Spiller County: 001
 Spiller Contact: Not reported
 Spiller Phone: Not reported
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 131752
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "MILLER"
 Remarks: DURING DELIVERY OIL SPILLED-NO CLEANUP YET NOTIF WANTS CALL BACK

Material:

Site ID: 155548
 Operable Unit ID: 979542
 Operable Unit: 01
 Material ID: 402373
 Material Code: 0001A

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

50 KING STREET (Continued)

U003297768

Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: -1
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

UST:

Id/Status: 2-117633 / Active
 Program Type: PBS
 Region: STATE
 DEC Region: 2
 Expiration Date: 2018/02/17
 UTM X: 584085.11563000001
 UTM Y: 4509023.9654200003
 Site Type: Apartment Building/Office Building

Affiliation Records:

Site Id: 4021
 Affiliation Type: Facility Owner
 Company Name: L. KING CORPORATION C/O AJ CLARKE R.E. CORP.
 Contact Type: AGENT
 Contact Name: STEPHEN DENARDO
 Address1: 1881 BROADWAY
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10023
 Country Code: 001
 Phone: (212) 541-4477
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 2/8/2013

Site Id: 4021
 Affiliation Type: On-Site Operator
 Company Name: 50 KING STREET
 Contact Type: Not reported
 Contact Name: L KING CORPORATION
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 924-7740
 EMail: Not reported
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 2/8/2013

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

50 KING STREET (Continued)

U003297768

Site Id: 4021
 Affiliation Type: Emergency Contact
 Company Name: L. KING CORPORATION C/O AJ CLARKE R.E. CORP.
 Contact Type: Not reported
 Contact Name: EDGARD LONDONO
 Address1: Not reported
 Address2: Not reported
 City: Not reported
 State: NN
 Zip Code: Not reported
 Country Code: 001
 Phone: (212) 924-7740
 EMail: Not reported
 Fax Number: Not reported
 Modified By: TRANSLAT
 Date Last Modified: 3/4/2004

Site Id: 4021
 Affiliation Type: Mail Contact
 Company Name: C/O AJ CLARKE R.E. CORP.
 Contact Type: Not reported
 Contact Name: STEPHEN DENARDO
 Address1: 1881 BROADWAY
 Address2: Not reported
 City: NEW YORK
 State: NY
 Zip Code: 10023
 Country Code: 001
 Phone: (212) 541-4477
 EMail: SDENARDO@AJCLARKENYC.COM
 Fax Number: Not reported
 Modified By: KAKYER
 Date Last Modified: 12/20/2006

Tank Info:

Tank Number: 001
 Tank ID: 16779
 Tank Status: In Service
 Material Name: In Service
 Capacity Gallons: 5000
 Install Date: 05/01/1957
 Date Tank Closed: Not reported
 Registered: True
 Tank Location: Underground
 Tank Type: Steel/carbon steel
 Material Code: 0001
 Common Name of Substance: #2 Fuel Oil (On-Site Consumption)

Tightness Test Method: 21
 Date Test: 06/21/2012
 Next Test Date: 06/21/2017
 Pipe Model: Not reported
 Modified By: KAKYER
 Last Modified: 02/08/2013

Equipment Records:

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

50 KING STREET (Continued)

U003297768

- A00 - Tank Internal Protection - None
- D01 - Pipe Type - Steel/Carbon Steel/Iron
- J02 - Dispenser - Suction Dispenser
- L09 - Piping Leak Detection - Exempt Suction Piping
- E00 - Piping Secondary Containment - None
- H00 - Tank Leak Detection - None
- G07 - Tank Secondary Containment - Excavation Liner
- C00 - Pipe Location - No Piping
- F00 - Pipe External Protection - None
- I04 - Overfill - Product Level Gauge (A/G)
- B00 - Tank External Protection - None
- K00 - Spill Prevention - None

HIST UST:

PBS Number: 2-117633
 SPDES Number: Not reported
 Emergency Contact: EDGARD LONDONO
 Emergency Telephone: (212) 924-7740
 Operator: L KING CORPORATION
 Operator Telephone: (212) 924-7740
 Owner Name: L. KING CORPORATION C/O AJ CLARKE MANGEMENT
 Owner Address: 1881 BROADWAY
 Owner City,St,Zip: NEW YORK, NY 10023
 Owner Telephone: (212) 547-4477
 Owner Type: Corporate/Commercial
 Owner Subtype: Not reported
 Mailing Name: C/O AJ CLARKE MANAGEMENT
 Mailing Address: 1881 BROADWAY
 Mailing Address 2: Not reported
 Mailing City,St,Zip: NEW YORK, NY 10023
 Mailing Contact: STEPHEN DENARDO
 Mailing Telephone: (212) 541-4477
 Owner Mark: Second Owner
 Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist or not at the facility.
 Facility Addr2: 50 KING STREET
 SWIS ID: 6201
 Old PBS Number: Not reported
 Facility Type: APARTMENT BUILDING
 Inspected Date: Not reported
 Inspector: Not reported
 Inspection Result: Not reported
 Federal ID: Not reported
 Certification Flag: False
 Certification Date: 02/19/1998
 Expiration Date: 02/17/2003
 Renew Flag: False
 Renewal Date: Not reported
 Total Capacity: 5000
 FAMT: True
 Facility Screen: No Missing Data
 Owner Screen: No Missing Data
 Tank Screen: Minor Data Missing
 Dead Letter: False
 CBS Number: Not reported
 Town or City: NEW YORK CITY

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

50 KING STREET (Continued)

U003297768

County Code: 62
 Town or City: 01
 Region: 2

Tank Id: 001
 Tank Location: UNDERGROUND
 Tank Status: In Service
 Install Date: Not reported
 Capacity (gals): 5000
 Product Stored: NOS 1,2, OR 4 FUEL OIL
 Tank Type: Steel/carbon steel
 Tank Internal: Not reported
 Tank External: Not reported
 Pipe Location: Not reported
 Pipe Type: STEEL/IRON
 Pipe Internal: Not reported
 Pipe External: Not reported
 Second Containment: Vault (w/o access)
 Leak Detection: None
 Overfill Prot: Product Level Gauge
 Dispenser: Suction
 Date Tested: 05/01/1998
 Next Test Date: 05/01/2003
 Missing Data for Tank: Minor Data Missing
 Date Closed: Not reported
 Test Method: Horner EZ Check
 Deleted: False
 Updated: True
 Lat/long: Not reported

SPILLS:

Facility ID: 9212514
 Facility Type: ER
 DER Facility ID: 131752
 Site ID: 155547
 DEC Region: 2
 Spill Date: 2/4/1993
 Spill Number/Closed Date: 9212514 / 2/4/1993
 Spill Cause: Equipment Failure
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.

SWIS: 3101
 Investigator: KSTANG
 Referred To: Not reported
 Reported to Dept: 2/4/1993
 CID: Not reported
 Water Affected: Not reported
 Spill Source: Commercial/Industrial
 Spill Notifier: Other
 Cleanup Ceased: 2/4/1993
 Cleanup Meets Std: True
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Trust: False
 Remediation Phase: 0
 Date Entered In Computer: 2/8/1993
 Spill Record Last Update: 9/30/2004

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number
 EPA ID Number

Database(s)

50 KING STREET (Continued)

U003297768

Spiller Name: Not reported
 Spiller Company: 50 KING STREET TENANTS
 Spiller Address: 50 KING STREET
 Spiller City,St,Zip: MANHATTAN, ZZ
 Spiller Company: 001
 Contact Name: Not reported
 Contact Phone: Not reported
 DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was "TANG"
 Remarks: DRIVER AND SUPT CHECKED GAUGE=1026 GALS EXISTING-DRIVER PUMPED 2675 GALS OIL CAME OUT VENT TANK=5K OIL LEAKED TO CONCRETE SIDEWALK-DRIZOLL APPLIED-WILL P/U AND DISPOSE

Material:
 Site ID: 155547
 Operable Unit ID: 976955
 Operable Unit: 01
 Material ID: 402358
 Material Code: 0003A
 Material Name: #6 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 10
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

**441
 ENE
 1/4-1/2
 0.498 mi.
 2629 ft.**

**WORK SPACE INC.
 106 SP5RING ST
 NEW YORK CITY, NY**

**NY LTANKS S103238869
 N/A**

LTANKS:
 Site ID: 85443
 Spill Number/Closed Date: 9803015 / 3/3/2003
 Spill Date: 6/3/1998
 Spill Cause: Tank Failure
 Spill Source: Institutional, Educational, Gov., Other
 Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken.
 Cleanup Ceased: Not reported
 Cleanup Meets Standard: False
 SWIS: 3101
 Investigator: TOMASELLO
 Referred To: Not reported
 Reported to Dept: 6/8/1998
 CID: 369
 Water Affected: Not reported
 Spill Notifier: Other
 Last Inspection: Not reported
 Recommended Penalty: False
 UST Involvement: False
 Remediation Phase: 0

MAP FINDINGS

Map ID			EDR ID Number
Direction			
Distance			
Distance (ft.)Site		Database(s)	EPA ID Number

WORK SPACE INC. (Continued)

S103238869

Date Entered In Computer: 6/8/1998
 Spill Record Last Update: 3/3/2003
 Spiller Name: PIERRE CLARK
 Spiller Company: WORK SPACE INC.
 Spiller Address: 106 SP5RING ST
 Spiller City,St,Zip: NEW YORK CITY, NY
 Spiller County: 001
 Spiller Contact: PIERRE CLARK
 Spiller Phone: (212) 334-3209
 Spiller Extention: Not reported
 DEC Region: 2
 DER Facility ID: 78503
 DEC Memo: Not reported
 Remarks: tank failure.

Material:

Site ID: 85443
 Operable Unit ID: 1063673
 Operable Unit: 01
 Material ID: 321335
 Material Code: 0001A
 Material Name: #2 Fuel Oil
 Case No.: Not reported
 Material FA: Petroleum
 Quantity: 0
 Units: Gallons
 Recovered: No
 Resource Affected: Not reported
 Oxygenate: False

Tank Test:

442 ESE 1/2-1 0.527 mi. 2784 ft.	CON EDISON - CANAL ST. WORKS MGP CANAL STREET NEW YORK, NY 10013	EDR MGP	1008408208 N/A
---	---	----------------	---------------------------------

Manufactured Gas Plants:
 No additional information available

443 SE 1/2-1 0.584 mi. 3081 ft.	CON EDISON - CROSS/LITTLE WATER STS. MGP 60 CENTRE ST NEW YORK, NY 10007	EDR MGP	1008407979 N/A
--	---	----------------	---------------------------------

Manufactured Gas Plants:
 No additional information available

MAP FINDINGS

Map ID		EDR ID Number
Direction		
Distance		
Distance (ft.)	Site	Database(s)
		EPA ID Number

444 North 1/2-1 0.720 mi. 3803 ft.	HUDSON DRY CLEANERS INCORPORATED 462 HUDSON STREET NYEW YORK, NY 10014	NY SHWS NY MANIFEST NY DRYCLEANERS	S110246833 N/A
---	---	---	---------------------------------

SHWS:

Program: HW
 Site Code: 486480
 Classification: P
 Region: 2
 Acres: .570
 HW Code: 231085
 Record Add: 09/04/2013
 Record Upd: 09/04/2013
 Updated By: BXANDERS

Site Description: Location: The 25,000 square foot (0.57 acre) site is located at 462 Hudson Street in the Borough of Manhattan in an urban area. The site is bordered by Hudson Street to the west, Barrow Street to the north, on and two-family brownstones to the east, and by Morton Street to the south. Site Features: The site is occupied by a two 6-story apartment buildings with commercial uses on the first floor along Hudson St. The dry cleaner occupies the northwest corner of the first floor of the northern building. Current Zoning/Use(s): The site is zoned as C1-6/R6 for commercial and residential uses. Historical Use(s): The on-site building was constructed in 1925. A dry cleaner has operated at the site since at least 1986. The site is a RCRA large quantity generator (EPA ID # NYD981141948) of spent solvent, waste code F002. Site Topography, Geology and Hydrogeology: The Site is generally level and is at an elevation of approximately 36 feet above mean sea level. The geology of New York County consists of unconsolidated glacial deposits overlying crystalline bedrock. Soil cores collected during investigation on a nearby site generally consisted of historic fill material containing brown sand and silt with fine gravel and brick fragments to a depth of 8 to 15 feet bgs. The Site is located 1300 feet east of the Hudson River. Groundwater in the vicinity of the site was encountered at approximately 27 feet bgs and is expected to flow to the west towards the Hudson River.

Env Problem: Nature and Extent of Contamination: Information is based on the results of a site characterization investigation performed at the nearby property at 75 Morton Street by the NYC School Construction Authority. That investigation was triggered by the discovery of elevated levels of cVOCs in groundwater on that site. The subsequent Supplemental Site Investigation (SSI) indicated that elevated concentrations of cVOCs (namely PCE) existed along the adjacent sidewalk on the eastern side of Hudson Street. The SSI ascertained that the 75 Morton Street site was not a source of the contamination. Eleven temporary groundwater wells were installed on and upgradient from the Morton Street property and samples were collected for lab analysis. One well was installed immediately in front of and downgradient from the Hudson Cleaners site. Groundwater: Tetrachloroethylene (PCE) was detected at elevated concentrations in groundwater samples taken immediately in front of the Hudson Cleaners site. PCE was detected at a concentration of 2900 ppb at that location, with concentrations decreasing in the downgradient direction consistent with the inferred contaminant plume. The groundwater flow direction was confirmed to be from east to west based on surveyed groundwater elevation measurements collected during the 75 Morton St. SSI. Significant Threat: Evaluation of significant

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON DRY CLEANERS INCORPORATED (Continued)

S110246833

Health Problem: threat will be made following completion of the Site Characterization.
 Not reported
 As information for this site becomes available, it will be reviewed by the NYSDOH to determine if site contamination presents public health exposure concerns.

Dump: Not reported
 Structure: Not reported
 Lagoon: Not reported
 Landfill: Not reported
 Pond: Not reported
 Disp Start: Not reported
 Disp Term: Not reported
 Lat/Long: Not reported
 Dell: Not reported
 Record Add: Not reported
 Record Upd: Not reported
 Updated By: Not reported
 Own Op: On-Site Operator
 Sub Type: E
 Owner Name: Byung Woo Kim
 Owner Company: Hudson Kim Cleaners, Inc.
 Owner Address: 462 Hudson Street
 Owner Addr2: Not reported
 Owner City,St,Zip: New York, NY 10014
 Owner Country: United States of America
 Own Op: Owner
 Sub Type: E
 Owner Name: Michael Sass
 Owner Company: Z H Control Co., LLC
 Owner Address: c/o ABS Partners Real Estate
 Owner Addr2: 200 Park Avenue South, 10th Floor
 Owner City,St,Zip: New York, NY 10003
 Owner Country: United States of America
 HW Code: Not reported
 Waste Type: Not reported
 Waste Quantity: Not reported
 Waste Code: Not reported
 Crossref ID: Not reported
 Cross Ref Type Code: Not reported
 Cross Ref Type: Not reported
 Record Added Date: Not reported
 Record Updated: Not reported
 Updated By: Not reported

NY MANIFEST:

EPA ID: NYD981141948
 Country: USA
 Mailing Name: HUDSON DRY CLEANERS INCORPORATED
 Mailing Contact: HUDSON DRY CLEANERS INCORPORATED
 Mailing Address: 462 HUDSON STREET
 Mailing Address 2: Not reported
 Mailing City: NEW YORK
 Mailing State: NY
 Mailing Zip: 10014
 Mailing Zip4: Not reported
 Mailing Country: USA
 Mailing Phone: 212-242-4518

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON DRY CLEANERS INCORPORATED (Continued)

S110246833

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: NJD071629976
 Generator Ship Date: 2012-03-15
 Trans1 Recv Date: 2012-03-15
 Trans2 Recv Date: 2012-03-26
 TSD Site Recv Date: 2012-03-27
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981141948
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: RID084802842
 Waste Code: Not reported
 Quantity: 200.0
 Units: P - Pounds
 Number of Containers: 4.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 003247060SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-07-26
 Trans1 Recv Date: 2011-07-26
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-08-01
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981141948
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: RID084802842
 Waste Code: Not reported
 Quantity: 50.0
 Units: P - Pounds
 Number of Containers: 1.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON DRY CLEANERS INCORPORATED (Continued)

S110246833

Year: 2011
 Manifest Tracking Num: 002668443SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: Not reported
 Generator Ship Date: 2011-07-26
 Trans1 Recv Date: 2011-07-26
 Trans2 Recv Date: Not reported
 TSD Site Recv Date: 2011-08-01
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981141948
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: RID084802842
 Waste Code: Not reported
 Quantity: 200.0
 Units: P - Pounds
 Number of Containers: 2.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0

Year: 2011
 Manifest Tracking Num: 002668443SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H020

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000081205
 Trans2 State ID: NJD071629976
 Generator Ship Date: 12-Jan-2013 00:00:00
 Trans1 Recv Date: 12-Jan-2013 00:00:00

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON DRY CLEANERS INCORPORATED (Continued)

S110246833

Trans2 Recv Date: 19-Feb-2013 00:00:00
 TSD Site Recv Date: 26-Feb-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981141948
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: RID084802842
 Waste Code: Not reported
 Quantity: 100
 Units: P - Pounds
 Number of Containers: 1
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 003479263SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H020

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000081205
 Trans2 State ID: NJD986607380
 Generator Ship Date: 12-Jul-2013 00:00:00
 Trans1 Recv Date: 12-Jul-2013 00:00:00
 Trans2 Recv Date: 18-Jul-2013 00:00:00
 TSD Site Recv Date: 23-Jul-2013 00:00:00
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981141948
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: RID084802842
 Waste Code: Not reported
 Quantity: 390
 Units: P - Pounds
 Number of Containers: 6
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1
 Year: 2013
 Manifest Tracking Num: 003479480SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N

MAP FINDINGS

Map ID
 Direction
 Distance
 Distance (ft.)Site

EDR ID Number

Database(s) EPA ID Number

HUDSON DRY CLEANERS INCORPORATED (Continued)

S110246833

Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H020

Document ID: Not reported
 Manifest Status: Not reported
 Trans1 State ID: TXR000050930
 Trans2 State ID: NJD071629976
 Generator Ship Date: 2012-03-15
 Trans1 Recv Date: 2012-03-15
 Trans2 Recv Date: 2012-03-26
 TSD Site Recv Date: 2012-03-27
 Part A Recv Date: Not reported
 Part B Recv Date: Not reported
 Generator EPA ID: NYD981141948
 Trans1 EPA ID: Not reported
 Trans2 EPA ID: Not reported
 TSD ID: RID084802842
 Waste Code: Not reported
 Quantity: 200.0
 Units: P - Pounds
 Number of Containers: 4.0
 Container Type: DF - Fiberboard or plastic drums (glass)
 Handling Method: R Material recovery of more than 75 percent of the total material.
 Specific Gravity: 1.0
 Year: 2012
 Manifest Tracking Num: 003247060SKS
 Import Ind: N
 Export Ind: N
 Discr Quantity Ind: N
 Discr Type Ind: N
 Discr Residue Ind: N
 Discr Partial Reject Ind: N
 Discr Full Reject Ind: N
 Manifest Ref Num: Not reported
 Alt Fac RCRA Id: Not reported
 Alt Fac Sign Date: Not reported
 Mgmt Method Type Code: H141

DRYCLEANERS:
 Facility ID: 2-6205-00290
 Phone Number: 212-242-4518
 Region: Not reported
 Registration Effective Date: 9/8/2003 11:12:38:006
 Inspection Date: 08JUN13
 Install Date: 90/02
 Drop Shop: Not reported
 Shutdown: Not reported
 Alternate Solvent: Not reported
 Current Business: Not reported

MAP FINDINGS

Map ID	Direction	Distance	Distance (ft.)	Site	Database(s)	EPA ID Number
--------	-----------	----------	----------------	------	-------------	---------------

445	ESE	1/2-1	0.732 mi. 3866 ft.	CON EDISON - HESTER ST. GAS WORKS MGP HESTER STREET NEW YORK, NY 10002	EDR MGP	1008407991 N/A
-----	-----	-------	-----------------------	--	---------	-------------------

Manufactured Gas Plants:
No additional information available

446	SE	1/2-1	0.812 mi. 4286 ft.	CON EDISON - ROOSEVELT ST. STATION MGP PEARL ST. BETWEEN PARK ROW AND SOUTH ST. NEW YORK, NY 10007	EDR MGP	1008408209 N/A
-----	----	-------	-----------------------	--	---------	-------------------

Manufactured Gas Plants:
No additional information available

447	SSE	1/2-1	0.977 mi. 5159 ft.	CON EDISON - 286 WATER ST. SITE MGP 312 WATER STREET NEW YORK, NY 10038	EDR MGP	1008407977 N/A
-----	-----	-------	-----------------------	---	---------	-------------------

Manufactured Gas Plants:
No additional information available

Count: 20 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BRIARCLIFF MANOR	1007208016	CON EDISION - MH4706	ROUTE 100 OPP. MILLWOOD S/S RO	10003	RCRA NonGen / NLR, NY MANIFEST
BROOKLYN	1007208397	CON EDISION - MH38210	S/INT KINGS HWY & W 7 ST. S/IN	10003	RCRA NonGen / NLR, NY MANIFEST
CORTLANDT	1000790422	NYSDOT BIN 1005150	RTE 9 OVER COUNTY RTE 306	10566	RCRA NonGen / NLR, NY MANIFEST
HANOVER TWP	S106763258	PINE PLAZA SHOPPING CENTER	RTE 10 EAST OF RTE 287	10003	NJ VCP
NEW YORK	S109064422	BELL ATLANTIC NY	30TH ST & WESTSIDE HWY SE MANH		NY MANIFEST
NEW YORK	S109064446	BELL ATLANTIC NY	W 31ST ST & WESTSIDE HWY MANHL		NY MANIFEST
NEW YORK	1016332693	NYC-DOS WEST 59TH ST MTS	W 59 ST & WEST SIDE HIGHWAY		FINDS
NEW YORK	S109942993	59TH GENERATION STATION	59TH ST OFF THE WEST SIDE HIGH		NY Spills
NEW YORK	1012187136	NYSDOT BIN 2232019	RTE 907L OVER SOUTH ST	10038	RCRA-LQG
NEW YORK	1012185577	CON EDISON	RTE 9A BTWN CEDAR & LIBERTY ST	10006	RCRA-CESQG
NEW YORK	1009238433	CONSOLIDATED EDISON	10819-RONALDS AVE & KINGS HWY	10003	NY MANIFEST
NEW YORK	1009241386	CONSOLIDATED EDISON	FARRAGUT AVE & RTE 9 EXCAV	10003	NY MANIFEST
NEW YORK	1011568790	NYCDOS - GANSVOORT ST MARINE TRANS	GANSVOORT & W SIDE HWY NEW	10014	ICIS
NEW YORK	1014398050	CON EDISON	HARRISON ST BTWN RTE 9A &	10013	RCRA NonGen / NLR
NEW YORK	1005444312	HUDSON RIVER PARK TRUST	JANE ST & RTE 9A PIER 51	10014	RCRA NonGen / NLR, NY MANIFEST
NEW YORK	1007571215	LAW & ORDER PRODUCTIONS	PIER 62 W 23RD ST WESTSIDE HWY	10011	RCRA-CESQG, NY MANIFEST, NJ MANIFEST
NEW YORK	1001961563	MEGA ART	PIER 40 WESTSIDE HWY &	10014	RCRA NonGen / NLR, NY MANIFEST
NEW YORK CITY	1007207470	VS3610	E.14TH ST. AND KINGS HIGHWAY	11235	RCRA NonGen / NLR, NY MANIFEST
NEW YORK CITY	1007207151	MH51640	E/S WESTSIDE HIGHWAY 66' N/O M	10013	RCRA NonGen / NLR, NY MANIFEST
OLD BRIDGE	S106591158	STRATFORD APARTMENTS	RTE 9 NB BLDGS 2 & 15	10006	NJ VCP

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: N/A
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 01/21/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: N/A
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 01/09/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991	Source: EPA
Date Data Arrived at EDR: 02/02/1994	Telephone: 202-564-4267
Date Made Active in Reports: 03/30/1994	Last EDR Contact: 08/15/2011
Number of Days to Update: 56	Next Scheduled EDR Contact: 11/28/2011
	Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: N/A
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 01/09/2014
Number of Days to Update: 78	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/28/2014
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 05/31/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 07/08/2013	Telephone: 703-603-8704
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/10/2014
Number of Days to Update: 151	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/25/2013	Source: EPA
Date Data Arrived at EDR: 11/11/2013	Telephone: 703-412-9810
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 02/28/2014
Number of Days to Update: 94	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 09/10/2013
Date Data Arrived at EDR: 10/02/2013
Date Made Active in Reports: 12/16/2013
Number of Days to Update: 75

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 03/13/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 12/17/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/14/2014	Telephone: 703-603-0695
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 03/10/2014
Number of Days to Update: 14	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 12/17/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/14/2014	Telephone: 703-603-0695
Date Made Active in Reports: 01/28/2014	Last EDR Contact: 03/10/2014
Number of Days to Update: 14	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 11/20/2013	Source: Department of the Navy
Date Data Arrived at EDR: 11/21/2013	Telephone: 843-820-7326
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 02/14/2014
Number of Days to Update: 95	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/30/2013	Source: National Response Center, United States Coast Guard
Date Data Arrived at EDR: 10/01/2013	Telephone: 202-267-2180
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 02/07/2014
Number of Days to Update: 66	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

NY SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 11/13/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/13/2013	Telephone: 518-402-9622
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 03/27/2014
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NJ SHWS: Known Contaminated Sites in New Jersey

The Known Contaminated Sites in New Jersey includes sites under the purview of the Site Remediation Program which have contamination present at levels greater than the applicable cleanup criteria for soil and/or groundwater standards. The sites appearing in Known Contaminated Sites in New Jersey are classified as either active, where the site is assigned to a specific remedial program area, or pending, where the site is awaiting assignment to a specific remedial program area. Sites where no further action (NFA) designation has been given are not included in this report unless there are other areas of identified contamination which have not been remediated. This report includes sites being remediated under all of the various regulatory programs administered by the Site Remediation Program such as: Federal Superfund Program, Federal Resource Conservation and Recovery Act (RCRA), New Jersey's Industrial Site Recovery Act (ISRA), New Jersey's Underground Storage of Hazardous Substances Act, New Jersey's Spill Compensation and Control Act, New Jersey's Solid Waste Management Act, New Jersey's Water Pollution Control Act.

Date of Government Version: 04/17/2012	Source: New Jersey Department of Environmental Protection
Date Data Arrived at EDR: 05/31/2012	Telephone: 609-292-8761
Date Made Active in Reports: 06/27/2012	Last EDR Contact: 02/26/2014
Number of Days to Update: 27	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Varies

NY VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 01/01/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 02/20/2013	Telephone: 518-402-9814
Date Made Active in Reports: 03/15/2013	Last EDR Contact: 02/19/2014
Number of Days to Update: 23	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

NY SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 12/12/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/07/2014	Telephone: 518-457-2051
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 01/06/2014
Number of Days to Update: 35	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Semi-Annually

NJ SWF/LF: Solid Waste Facility Directory

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 01/01/2014	Source: Department of Environmental Protection
Date Data Arrived at EDR: 02/07/2014	Telephone: 609-984-6741
Date Made Active in Reports: 03/11/2014	Last EDR Contact: 02/07/2014
Number of Days to Update: 32	Next Scheduled EDR Contact: 05/19/2014
	Data Release Frequency: Quarterly

State and tribal leaking storage tank lists

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 11/19/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/22/2013	Telephone: 518-402-9549
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 02/19/2014
Number of Days to Update: 81	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Varies

NY HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 07/08/2005	Telephone: 518-402-9549
Date Made Active in Reports: 07/14/2005	Last EDR Contact: 07/07/2005
Number of Days to Update: 6	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 03/01/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2013	Telephone: 415-972-3372
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 42	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 11/06/2013	Source: EPA Region 10
Date Data Arrived at EDR: 11/07/2013	Telephone: 206-553-2857
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 29	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 02/13/2014	Source: EPA, Region 5
Date Data Arrived at EDR: 02/14/2014	Telephone: 312-886-7439
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 08/27/2013	Source: EPA Region 7
Date Data Arrived at EDR: 08/27/2013	Telephone: 913-551-7003
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 66	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 09/12/2011	Source: EPA Region 6
Date Data Arrived at EDR: 09/13/2011	Telephone: 214-665-6597
Date Made Active in Reports: 11/11/2011	Last EDR Contact: 02/21/2014
Number of Days to Update: 59	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/21/2013	Source: EPA Region 4
Date Data Arrived at EDR: 11/26/2013	Telephone: 404-562-8677
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 90	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 02/01/2013	Source: EPA Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/30/2014
Number of Days to Update: 184	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 08/27/2012	Source: EPA Region 8
Date Data Arrived at EDR: 08/28/2012	Telephone: 303-312-6271
Date Made Active in Reports: 10/16/2012	Last EDR Contact: 01/27/2014
Number of Days to Update: 49	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

State and tribal registered storage tank lists

NY TANKS: Storage Tank Facility Listing

This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 12/30/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/02/2014	Telephone: 518-402-9543
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 01/02/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Quarterly

NY UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 12/30/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/02/2014	Telephone: 518-402-9549
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 01/02/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: No Update Planned

NJ UST: Underground Storage Tank Data

Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/19/2013
Date Data Arrived at EDR: 12/11/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 30

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Varies

NY CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

NY MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: Varies

NY AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 12/30/2013
Date Data Arrived at EDR: 01/02/2014
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 40

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 01/02/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: No Update Planned

NY CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

NY MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

NY CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 12/30/2013
Date Data Arrived at EDR: 01/02/2014
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 40

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 01/02/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 12/30/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 01/02/2014	Telephone: 518-402-9549
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 01/02/2014
Number of Days to Update: 40	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 02/05/2013	Source: EPA Region 10
Date Data Arrived at EDR: 02/06/2013	Telephone: 206-553-2857
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 65	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 12/31/2012	Source: EPA Region 7
Date Data Arrived at EDR: 02/28/2013	Telephone: 913-551-7003
Date Made Active in Reports: 04/12/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 43	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 01/29/2014	Source: EPA Region 6
Date Data Arrived at EDR: 01/29/2014	Telephone: 214-665-7591
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 42	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Semi-Annually

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 02/01/2013	Source: EPA, Region 1
Date Data Arrived at EDR: 05/01/2013	Telephone: 617-918-1313
Date Made Active in Reports: 01/27/2014	Last EDR Contact: 01/30/2014
Number of Days to Update: 271	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 07/29/2013	Source: EPA Region 8
Date Data Arrived at EDR: 08/01/2013	Telephone: 303-312-6137
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 92	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/13/2014	Source: EPA Region 5
Date Data Arrived at EDR: 02/14/2014	Telephone: 312-886-6136
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 10	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/21/2013	Source: EPA Region 4
Date Data Arrived at EDR: 11/26/2013	Telephone: 404-562-9424
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 90	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 07/29/2013	Source: EPA Region 9
Date Data Arrived at EDR: 07/30/2013	Telephone: 415-972-3368
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/27/2014
Number of Days to Update: 129	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Quarterly

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010	Source: FEMA
Date Data Arrived at EDR: 02/16/2010	Telephone: 202-646-5797
Date Made Active in Reports: 04/12/2010	Last EDR Contact: 01/13/2014
Number of Days to Update: 55	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

NY ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 11/13/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/13/2013	Telephone: 518-402-9553
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 03/27/2014
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Quarterly

NJ ENG CONTROLS: Declaration Environmental Restriction/Deed Notice Sites

Legal Document that restricts the use of contaminated property; holds owner(s) to the regulatory/statutory requirements for cleanup.

Date of Government Version: 12/31/2013	Source: Department of Environmental Protection
Date Data Arrived at EDR: 02/13/2014	Telephone: 609-341-3121
Date Made Active in Reports: 03/03/2014	Last EDR Contact: 02/24/2014
Number of Days to Update: 18	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 11/13/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/13/2013	Telephone: 518-402-9553
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 03/27/2014
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Quarterly

NJ INST CONTROL: Classification Exception Area Sites

A Classification Exception Area is an institutional control providing notice that ground water contamination exists in a particular location above State standards.

Date of Government Version: 12/31/2013	Source: Department of Environmental Protection
Date Data Arrived at EDR: 02/13/2014	Telephone: 609-341-3121
Date Made Active in Reports: 03/03/2014	Last EDR Contact: 02/24/2014
Number of Days to Update: 18	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Varies

NY RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 11/18/2010	Source: NYC Department of City Planning
Date Data Arrived at EDR: 12/23/2010	Telephone: 212-720-3401
Date Made Active in Reports: 02/11/2011	Last EDR Contact: 03/24/2014
Number of Days to Update: 50	Next Scheduled EDR Contact: 07/07/2014
	Data Release Frequency: No Update Planned

State and tribal voluntary cleanup sites

NY VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 11/13/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/13/2013	Telephone: 518-402-9711
Date Made Active in Reports: 11/20/2013	Last EDR Contact: 03/27/2014
Number of Days to Update: 7	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Semi-Annually

NJ VCP: Voluntary Cleanup Program Sites

Through the VCP, responsible parties, developers, local officials, or individuals may work with the department to remediate non-priority contaminated sites that pose no immediate threat to human health or the environment.

Date of Government Version: 08/17/2013	Source: Department of Environmental Protection
Date Data Arrived at EDR: 11/27/2013	Telephone: 609-341-3121
Date Made Active in Reports: 01/10/2014	Last EDR Contact: 01/06/2014
Number of Days to Update: 44	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008	Source: EPA, Region 7
Date Data Arrived at EDR: 04/22/2008	Telephone: 913-551-7365
Date Made Active in Reports: 05/19/2008	Last EDR Contact: 04/20/2009
Number of Days to Update: 27	Next Scheduled EDR Contact: 07/20/2009
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/17/2013	Source: EPA, Region 1
Date Data Arrived at EDR: 10/01/2013	Telephone: 617-918-1102
Date Made Active in Reports: 12/06/2013	Last EDR Contact: 01/03/2014
Number of Days to Update: 66	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Varies

State and tribal Brownfields sites

NY ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 11/13/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/13/2013	Telephone: 518-402-9622
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 03/27/2014
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Quarterly

NY BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 11/13/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 11/13/2013	Telephone: 518-402-9764
Date Made Active in Reports: 11/18/2013	Last EDR Contact: 03/27/2014
Number of Days to Update: 5	Next Scheduled EDR Contact: 06/02/2014
	Data Release Frequency: Semi-Annually

NJ BROWNFIELDS: Brownfields Database

Brownfields are identified as former or current commercial or industrial use sites that are presently vacant or underutilized, on which there is suspected to have been a discharge of a contamination to the soil or groundwater at concentrations greater than applicable cleanup criteria.

Date of Government Version: 12/03/2012	Source: Department of Environmental Protection
Date Data Arrived at EDR: 02/27/2013	Telephone: 609-292-1251
Date Made Active in Reports: 04/05/2013	Last EDR Contact: 02/10/2014
Number of Days to Update: 37	Next Scheduled EDR Contact: 05/26/2014
	Data Release Frequency: Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 09/24/2013
Date Data Arrived at EDR: 09/24/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/20/2014
Next Scheduled EDR Contact: 07/07/2014
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: No Update Planned

NY SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 12/12/2013
Date Data Arrived at EDR: 01/07/2014
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-8705
Last EDR Contact: 01/06/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Semi-Annually

NY SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006
Date Data Arrived at EDR: 11/15/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 15

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 01/23/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Annually

NJ SWRCY: Approved Class B Recycling Facilities

"Class B recyclable material" means a source separated recyclable material which is subject to Department approval prior to receipt, storage, processing or transfer at a recycling center in accordance with N.J.S.A. 13:1E-99.34b.

Date of Government Version: 01/01/2014
Date Data Arrived at EDR: 02/07/2014
Date Made Active in Reports: 03/11/2014
Number of Days to Update: 32

Source: Department of Environmental Protection
Telephone: 609-984-6650
Last EDR Contact: 02/07/2014
Next Scheduled EDR Contact: 05/19/2014
Data Release Frequency: Varies

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 12/04/2013
Date Data Arrived at EDR: 12/10/2013
Date Made Active in Reports: 02/13/2014
Number of Days to Update: 65

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/04/2014
Next Scheduled EDR Contact: 06/16/2014
Data Release Frequency: Quarterly

NY DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 11/13/2013
Date Data Arrived at EDR: 11/13/2013
Date Made Active in Reports: 11/18/2013
Number of Days to Update: 5

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 03/27/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007
Date Data Arrived at EDR: 11/19/2008
Date Made Active in Reports: 03/30/2009
Number of Days to Update: 131

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/04/2014
Next Scheduled EDR Contact: 06/16/2014
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

NY HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ("Superfund") lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/06/2013
Date Data Arrived at EDR: 04/25/2013
Date Made Active in Reports: 05/10/2013
Number of Days to Update: 15

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

NY LIENS: Spill Liens Information

Lien information from the Oil Spill Fund.

Date of Government Version: 11/19/2013
Date Data Arrived at EDR: 11/20/2013
Date Made Active in Reports: 01/30/2014
Number of Days to Update: 71

Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Varies

NJ LIENS: Environmental LIENS

A listing of properties with environmental liens. The listing includes sites from the Site Remediation & Waste Management Program Sites where the Department has placed either a 1st Priority or Regular Spill Fund Lien against. 1st Priority Type Lien - a lien placed against the property where the discharged occurred providing that the owners of the property have some responsibility towards the discharge. First Priority Lien is superior to other types of liens. Non-Priority (Regular) Type Lien - a lien placed against the Responsible Party & their revenues and all real and personal property, other than the real property comprising the location of the discharge.

Date of Government Version: 10/22/2013
Date Data Arrived at EDR: 12/05/2013
Date Made Active in Reports: 01/09/2014
Number of Days to Update: 35

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 02/17/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 01/03/2014
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 52

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 01/03/2014
Next Scheduled EDR Contact: 01/13/2014
Data Release Frequency: Annually

NY SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/19/2013
Date Data Arrived at EDR: 11/22/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 81

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/19/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Varies

NY HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NY SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NY SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NJ SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 09/02/1997
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/06/2013
Number of Days to Update: 62

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

NJ SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 06/15/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/11/2013
Number of Days to Update: 39

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 09/10/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 10/02/2013	Telephone: (212) 637-3660
Date Made Active in Reports: 12/16/2013	Last EDR Contact: 03/13/2014
Number of Days to Update: 75	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transportation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012	Source: Department of Transportation, Office of Pipeline Safety
Date Data Arrived at EDR: 08/07/2012	Telephone: 202-366-4595
Date Made Active in Reports: 09/18/2012	Last EDR Contact: 02/06/2014
Number of Days to Update: 42	Next Scheduled EDR Contact: 05/19/2014
	Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005	Source: USGS
Date Data Arrived at EDR: 11/10/2006	Telephone: 888-275-8747
Date Made Active in Reports: 01/11/2007	Last EDR Contact: 01/15/2014
Number of Days to Update: 62	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2011	Source: U.S. Army Corps of Engineers
Date Data Arrived at EDR: 02/26/2013	Telephone: 202-528-4285
Date Made Active in Reports: 03/13/2013	Last EDR Contact: 03/10/2014
Number of Days to Update: 15	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2013	Source: Department of Justice, Consent Decree Library
Date Data Arrived at EDR: 01/24/2014	Telephone: Varies
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 12/26/2013
Number of Days to Update: 31	Next Scheduled EDR Contact: 04/14/2014
	Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013	Source: EPA
Date Data Arrived at EDR: 12/12/2013	Telephone: 703-416-0223
Date Made Active in Reports: 02/24/2014	Last EDR Contact: 03/11/2014
Number of Days to Update: 74	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010	Source: Department of Energy
Date Data Arrived at EDR: 10/07/2011	Telephone: 505-845-0011
Date Made Active in Reports: 03/01/2012	Last EDR Contact: 02/25/2014
Number of Days to Update: 146	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Varies

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/01/2013	Source: Department of Labor, Mine Safety and Health Administration
Date Data Arrived at EDR: 09/05/2013	Telephone: 303-231-5959
Date Made Active in Reports: 10/03/2013	Last EDR Contact: 03/05/2014
Number of Days to Update: 28	Next Scheduled EDR Contact: 06/16/2014
	Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2011	Source: EPA
Date Data Arrived at EDR: 07/31/2013	Telephone: 202-566-0250
Date Made Active in Reports: 09/13/2013	Last EDR Contact: 02/26/2014
Number of Days to Update: 44	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006	Source: EPA
Date Data Arrived at EDR: 09/29/2010	Telephone: 202-260-5521
Date Made Active in Reports: 12/02/2010	Last EDR Contact: 03/28/2014
Number of Days to Update: 64	Next Scheduled EDR Contact: 07/07/2014
	Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009	Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/24/2014
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009	Source: EPA
Date Data Arrived at EDR: 04/16/2009	Telephone: 202-566-1667
Date Made Active in Reports: 05/11/2009	Last EDR Contact: 02/24/2014
Number of Days to Update: 25	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2007
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/01/2007	Telephone: 202-564-2501
Date Made Active in Reports: 04/10/2007	Last EDR Contact: 12/17/2008
Number of Days to Update: 40	Next Scheduled EDR Contact: 03/17/2008
	Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009	Source: EPA
Date Data Arrived at EDR: 12/10/2010	Telephone: 202-564-4203
Date Made Active in Reports: 02/25/2011	Last EDR Contact: 01/28/2014
Number of Days to Update: 77	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 07/20/2011	Source: Environmental Protection Agency
Date Data Arrived at EDR: 11/10/2011	Telephone: 202-564-5088
Date Made Active in Reports: 01/10/2012	Last EDR Contact: 10/09/2014
Number of Days to Update: 61	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 06/01/2013	Source: EPA
Date Data Arrived at EDR: 07/17/2013	Telephone: 202-566-0500
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 01/28/2014
Number of Days to Update: 107	Next Scheduled EDR Contact: 04/28/2014
	Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 07/22/2013	Source: Nuclear Regulatory Commission
Date Data Arrived at EDR: 08/02/2013	Telephone: 301-415-7169
Date Made Active in Reports: 11/01/2013	Last EDR Contact: 03/10/2014
Number of Days to Update: 91	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/09/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 01/10/2014	Telephone: 202-343-9775
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 01/10/2014
Number of Days to Update: 61	Next Scheduled EDR Contact: 04/21/2014
	Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/18/2013	Source: EPA
Date Data Arrived at EDR: 02/27/2014	Telephone: (212) 637-3000
Date Made Active in Reports: 03/12/2014	Last EDR Contact: 03/14/2014
Number of Days to Update: 13	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995	Source: EPA
Date Data Arrived at EDR: 07/03/1995	Telephone: 202-564-4104
Date Made Active in Reports: 08/07/1995	Last EDR Contact: 06/02/2008
Number of Days to Update: 35	Next Scheduled EDR Contact: 09/01/2008
	Data Release Frequency: No Update Planned

RMP: Risk Management Plans

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 11/01/2013	Source: Environmental Protection Agency
Date Data Arrived at EDR: 12/12/2013	Telephone: 202-564-8600
Date Made Active in Reports: 02/13/2014	Last EDR Contact: 01/27/2014
Number of Days to Update: 63	Next Scheduled EDR Contact: 05/12/2014
	Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2011	Source: EPA/NTIS
Date Data Arrived at EDR: 02/26/2013	Telephone: 800-424-9346
Date Made Active in Reports: 04/19/2013	Last EDR Contact: 02/28/2014
Number of Days to Update: 52	Next Scheduled EDR Contact: 06/09/2014
	Data Release Frequency: Biennially

NY HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 10/20/2006	Telephone: 518-402-9564
Date Made Active in Reports: 11/30/2006	Last EDR Contact: 05/26/2009
Number of Days to Update: 41	Next Scheduled EDR Contact: 08/24/2009
	Data Release Frequency: No Update Planned

NY UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 12/09/2013	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 12/12/2013	Telephone: 518-402-8056
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 03/12/2014
Number of Days to Update: 61	Next Scheduled EDR Contact: 06/23/2014
	Data Release Frequency: Quarterly

NJ UIC: Underground Injection Wells Database

A listing of underground injection well locations. The UIC Program is responsible for regulating the construction, operation, permitting, and closure of injection wells that place fluids underground for storage or disposal.

Date of Government Version: 01/09/2009	Source: Department of Environmental Protection
Date Data Arrived at EDR: 02/25/2009	Telephone: 609-292-0407
Date Made Active in Reports: 03/11/2009	Last EDR Contact: 11/04/2013
Number of Days to Update: 14	Next Scheduled EDR Contact: 02/17/2014
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 11/01/2013
Date Data Arrived at EDR: 11/07/2013
Date Made Active in Reports: 11/18/2013
Number of Days to Update: 11

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 03/12/2014
Next Scheduled EDR Contact: 05/19/2014
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 08/28/2012
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/17/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Annually

NY DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 01/21/2014
Date Data Arrived at EDR: 01/22/2014
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 20

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 03/17/2014
Next Scheduled EDR Contact: 06/30/2014
Data Release Frequency: Varies

NJ DRYCLEANERS: Drycleaner List

A listing of registered drycleaners.

Date of Government Version: 02/27/2014
Date Data Arrived at EDR: 02/28/2014
Date Made Active in Reports: 03/11/2014
Number of Days to Update: 11

Source: Department of Environmental Protection
Telephone: 609-292-2795
Last EDR Contact: 02/24/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Varies

NY SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 07/15/2013
Date Data Arrived at EDR: 07/17/2013
Date Made Active in Reports: 09/09/2013
Number of Days to Update: 54

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: No Update Planned

NJPDES: New Jersey Pollutant Discharge Elimination System Dischargers

The NJPDES contains the names, addresses and other information of all permitted New Jersey Pollutant Discharge Elimination System dischargers.

Date of Government Version: 02/17/2014
Date Data Arrived at EDR: 02/19/2014
Date Made Active in Reports: 03/11/2014
Number of Days to Update: 20

Source: Department of Environmental Protection
Telephone: 609-984-4428
Last EDR Contact: 02/19/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 11/01/2013
Date Made Active in Reports: 01/09/2014
Number of Days to Update: 69

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 01/27/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Annually

NY E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 12/10/2013
Date Data Arrived at EDR: 12/26/2013
Date Made Active in Reports: 01/31/2014
Number of Days to Update: 36

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 03/24/2014
Next Scheduled EDR Contact: 07/07/2014
Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 01/15/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Varies

NY Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 11/01/2013
Date Data Arrived at EDR: 12/05/2013
Date Made Active in Reports: 02/17/2014
Number of Days to Update: 74

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 01/06/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Varies

NY COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 01/07/2014
Date Data Arrived at EDR: 01/09/2014
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 33

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 01/06/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Varies

NY Financial Assurance 1: Financial Assurance Information Listing Financial assurance information.

Date of Government Version: 01/07/2014
Date Data Arrived at EDR: 01/07/2014
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 35

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 01/06/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Quarterly

US AIRS MINOR: Air Facility System Data A listing of minor source facilities.

Date of Government Version: 10/23/2013
Date Data Arrived at EDR: 11/06/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 30

Source: EPA
Telephone: 202-564-5962
Last EDR Contact: 12/26/2013
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Annually

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/23/2013
Date Data Arrived at EDR: 11/06/2013
Date Made Active in Reports: 12/06/2013
Number of Days to Update: 30

Source: EPA
Telephone: 202-564-5962
Last EDR Contact: 12/26/2013
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Annually

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 01/13/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 01/15/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: N/A

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931 and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 01/29/2013
Date Data Arrived at EDR: 02/14/2013
Date Made Active in Reports: 02/27/2013
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 01/03/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: Varies

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 11/11/2011
Date Data Arrived at EDR: 05/18/2012
Date Made Active in Reports: 05/25/2012
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 02/14/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Varies

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 04/15/2013
Date Data Arrived at EDR: 07/03/2013
Date Made Active in Reports: 09/13/2013
Number of Days to Update: 72

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 01/02/2014
Next Scheduled EDR Contact: 04/14/2014
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 06/30/2013
Date Data Arrived at EDR: 08/13/2013
Date Made Active in Reports: 09/13/2013
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 02/10/2014
Next Scheduled EDR Contact: 05/26/2014
Data Release Frequency: Quarterly

NJ COAL ASH: Coal Ash Listing

Coal combustion survey ash listing.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 05/10/2010
Date Data Arrived at EDR: 05/12/2010
Date Made Active in Reports: 06/28/2010
Number of Days to Update: 47

Source: Department of Environmental Protection
Telephone: 609-984-6985
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/30/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Varies

NJ Financial Assurance: Financial Assurance Information Listing

Financial Assurance information.

Date of Government Version: 10/22/2013
Date Data Arrived at EDR: 11/25/2013
Date Made Active in Reports: 01/09/2014
Number of Days to Update: 45

Source: Department of Environmental Protection
Telephone: 609-341-3121
Last EDR Contact: 03/04/2014
Next Scheduled EDR Contact: 05/12/2014
Data Release Frequency: Semi-Annually

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010
Date Data Arrived at EDR: 01/03/2011
Date Made Active in Reports: 03/21/2011
Number of Days to Update: 77

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 03/11/2014
Next Scheduled EDR Contact: 06/23/2014
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 11/20/2013
Date Data Arrived at EDR: 12/03/2013
Date Made Active in Reports: 02/13/2014
Number of Days to Update: 72

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 02/14/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

EDR US Hist Auto Stat: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A	Source: EDR, Inc.
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR US Hist Cleaners: EDR Proprietary Historic Dry Cleaners - Cole

Date of Government Version: N/A	Source: N/A
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR US Hist Auto Stat: EDR Proprietary Historic Gas Stations - Cole

Date of Government Version: N/A	Source: N/A
Date Data Arrived at EDR: N/A	Telephone: N/A
Date Made Active in Reports: N/A	Last EDR Contact: N/A
Number of Days to Update: N/A	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/10/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 193	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

NY RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A	Source: Department of Environmental Conservation
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/30/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 182	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

NJ RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A	Source: New Jersey Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 01/10/2014	Last EDR Contact: 06/01/2012
Number of Days to Update: 193	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

NJ RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the New Jersey Department of Environmental Protection in New Jersey.

Date of Government Version: N/A	Source: New Jersey Department of Environmental Protection
Date Data Arrived at EDR: 07/01/2013	Telephone: N/A
Date Made Active in Reports: 12/24/2013	Last EDR Contact: 06/01/2012
Number of Days to Update: 176	Next Scheduled EDR Contact: N/A
	Data Release Frequency: Varies

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 12/17/2013	Source: Cortland County Health Department
Date Data Arrived at EDR: 12/18/2013	Telephone: 607-753-5035
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 02/05/2014
Number of Days to Update: 55	Next Scheduled EDR Contact: 05/19/2014
	Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 12/17/2013	Source: Cortland County Health Department
Date Data Arrived at EDR: 12/18/2013	Telephone: 607-753-5035
Date Made Active in Reports: 02/11/2014	Last EDR Contact: 02/05/2014
Number of Days to Update: 55	Next Scheduled EDR Contact: 05/19/2014
	Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 11/20/2013
Date Data Arrived at EDR: 11/22/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 81

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/21/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 11/20/2013
Date Data Arrived at EDR: 11/22/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 81

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/21/2014
Next Scheduled EDR Contact: 04/21/2014
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 12/17/2013
Date Data Arrived at EDR: 12/18/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 55

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 03/10/2014
Next Scheduled EDR Contact: 06/23/2014
Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 12/17/2013
Date Data Arrived at EDR: 12/18/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 55

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 03/10/2014
Next Scheduled EDR Contact: 06/23/2014
Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Date of Government Version: 07/08/2013
Date Data Arrived at EDR: 09/10/2013
Date Made Active in Reports: 11/25/2013
Number of Days to Update: 76

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 02/18/2014
Next Scheduled EDR Contact: 05/19/2014
Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 07/08/2013
Date Data Arrived at EDR: 09/10/2013
Date Made Active in Reports: 11/25/2013
Number of Days to Update: 76

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 02/18/2014
Next Scheduled EDR Contact: 05/19/2014
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 12/18/2013
Date Data Arrived at EDR: 12/19/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 54

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 12/18/2013
Date Data Arrived at EDR: 12/19/2013
Date Made Active in Reports: 02/11/2014
Number of Days to Update: 54

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 11/04/2013
Next Scheduled EDR Contact: 02/17/2014
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/21/2014
Next Scheduled EDR Contact: 06/02/2014
Data Release Frequency: Annually

NJ MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2011
Date Data Arrived at EDR: 07/19/2012
Date Made Active in Reports: 08/28/2012
Number of Days to Update: 40

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 01/17/2014
Next Scheduled EDR Contact: 04/28/2014
Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

PA MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 07/24/2013
Date Made Active in Reports: 08/19/2013
Number of Days to Update: 26

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Annually

RI MANIFEST: Manifest information

Hazardous waste manifest information

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 06/21/2013
Date Made Active in Reports: 08/05/2013
Number of Days to Update: 45

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/24/2014
Next Scheduled EDR Contact: 06/09/2014
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data

Hazardous waste manifest information.

Date of Government Version: 12/30/2013
Date Data Arrived at EDR: 02/11/2014
Date Made Active in Reports: 03/11/2014
Number of Days to Update: 28

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 01/20/2014
Next Scheduled EDR Contact: 05/05/2014
Data Release Frequency: Annually

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 08/09/2013
Date Made Active in Reports: 09/27/2013
Number of Days to Update: 49

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/17/2014
Next Scheduled EDR Contact: 06/30/2014
Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data

Source: Rextag Strategies Corp.

Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers

Source: Department of Health

Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK[®] - PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

11 HUBERT ST
11 HUBERT STREET
NEW YORK, NY 10013

TARGET PROPERTY COORDINATES

Latitude (North):	40.7214 - 40° 43' 17.04"
Longitude (West):	74.0092 - 74° 0' 33.12"
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	583680.6
UTM Y (Meters):	4508091.0

USGS TOPOGRAPHIC MAP

Target Property Map:	40074-F1 JERSEY CITY, NJ NY
Most Recent Revision:	1981
East Map:	40073-F8 BROOKLYN, NY
Most Recent Revision:	1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General WNW

Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County
NEW YORK, NY

FEMA Flood
Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 3604970046B - FEMA Q3 Flood data

Additional Panels in search area:
3604970047B - FEMA Q3 Flood data
3604970054B - FEMA Q3 Flood data
3604970055B - FEMA Q3 Flood data
34017C - FEMA DFIRM Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property
JERSEY CITY

NWI Electronic
Data Coverage
YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles
Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

<u>MAP ID</u>	<u>LOCATION</u> <u>FROM TP</u>	<u>GENERAL DIRECTION</u> <u>GROUNDWATER FLOW</u>
Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era: Paleozoic
System: Ordovician
Series: Lower Ordovician and Cambrian carbonate rocks
Code: OC (*decoded above as Era, System & Series*)

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
Layer	Boundary		Soil Texture Class	Classification		Permeability Rate (in/hr)	Soil Reaction (pH)
	Upper	Lower		AASHTO Group	Unified Soil		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

<u>DATABASE</u>	<u>SEARCH DISTANCE (miles)</u>
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000829836	0 - 1/8 Mile East
A2	USGS40000829847	0 - 1/8 Mile WNW
B3	USGS40000829795	0 - 1/8 Mile SSE
B4	USGS40000829794	0 - 1/8 Mile SSE
B5	USGS40000829793	0 - 1/8 Mile SSE
B6	USGS40000829796	0 - 1/8 Mile SSE
B7	USGS40000829799	0 - 1/8 Mile SSE
B8	USGS40000829798	0 - 1/8 Mile SSE
B9	USGS40000829797	0 - 1/8 Mile SSE
B10	USGS40000829783	0 - 1/8 Mile SSE
A11	USGS40000829895	0 - 1/8 Mile NNW
A12	USGS40000829897	0 - 1/8 Mile NNW
A13	USGS40000829896	0 - 1/8 Mile NNW
14	USGS40000829750	1/8 - 1/4 Mile SSW
15	USGS40000829684	1/8 - 1/4 Mile SE
C16	USGS40000829846	1/4 - 1/2 Mile East
17	USGS40000829937	1/4 - 1/2 Mile ENE
18	USGS40000830018	1/4 - 1/2 Mile NE
C19	USGS40000829825	1/4 - 1/2 Mile East
D20	USGS40000829618	1/4 - 1/2 Mile South
D21	USGS40000829619	1/4 - 1/2 Mile South
D22	USGS40000829620	1/4 - 1/2 Mile South
E23	USGS40000829617	1/4 - 1/2 Mile SSE
E24	USGS40000829635	1/4 - 1/2 Mile SSE
F25	USGS40000829885	1/4 - 1/2 Mile East
F26	USGS40000829886	1/4 - 1/2 Mile East
G27	USGS40000830097	1/4 - 1/2 Mile NNE
G28	USGS40000830099	1/4 - 1/2 Mile NNE
G29	USGS40000830098	1/4 - 1/2 Mile NNE
30	USGS40000829723	1/4 - 1/2 Mile ESE
F31	USGS40000829869	1/4 - 1/2 Mile East
F32	USGS40000829870	1/4 - 1/2 Mile East
H33	USGS40000829590	1/4 - 1/2 Mile SSE
H34	USGS40000829579	1/4 - 1/2 Mile SSE
35	USGS40000829599	1/4 - 1/2 Mile SE
I36	USGS40000830224	1/2 - 1 Mile NNE
K38	USGS40000829781	1/2 - 1 Mile East
K39	USGS40000829782	1/2 - 1 Mile East
L40	USGS40000829508	1/2 - 1 Mile SSW
41	USGS40000830200	1/2 - 1 Mile NNE
I42	USGS40000830201	1/2 - 1 Mile NNE
L43	USGS40000829502	1/2 - 1 Mile SSW
I44	USGS40000830231	1/2 - 1 Mile North
J45	USGS40000829501	1/2 - 1 Mile SSE
I46	USGS40000830230	1/2 - 1 Mile NNE
M47	USGS40000829683	1/2 - 1 Mile ESE
M48	USGS40000829658	1/2 - 1 Mile ESE
49	USGS40000829500	1/2 - 1 Mile SSE
50	USGS40000829462	1/2 - 1 Mile South
51	USGS40000829894	1/2 - 1 Mile East
52	USGS40000830321	1/2 - 1 Mile North
53	USGS40000829733	1/2 - 1 Mile ESE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
N54	USGS40000830392	1/2 - 1 Mile North
N55	USGS40000830393	1/2 - 1 Mile North
N56	USGS40000830394	1/2 - 1 Mile North
O57	USGS40000829400	1/2 - 1 Mile South
O58	USGS40000829399	1/2 - 1 Mile South
P59	USGS40000829948	1/2 - 1 Mile ENE
Q60	USGS40000829780	1/2 - 1 Mile East
P61	USGS40000829989	1/2 - 1 Mile ENE
Q63	USGS40000829749	1/2 - 1 Mile East
R64	USGS40000830493	1/2 - 1 Mile NNE
S65	USGS40000829354	1/2 - 1 Mile South
66	USGS40000829893	1/2 - 1 Mile East
67	USGS40000829390	1/2 - 1 Mile SSE
68	USGS40000829470	1/2 - 1 Mile SE
S69	USGS40000829344	1/2 - 1 Mile South
70	USGS40000829657	1/2 - 1 Mile ESE
71	USGS40000829343	1/2 - 1 Mile SSE
T72	USGS40000829748	1/2 - 1 Mile East
73	USGS40000829507	1/2 - 1 Mile SE
U74	USGS40000829387	1/2 - 1 Mile SSE
U75	USGS40000829388	1/2 - 1 Mile SSE
U76	USGS40000829389	1/2 - 1 Mile SSE
77	USGS40000829312	1/2 - 1 Mile South
78	USGS40000829342	1/2 - 1 Mile SSE
79	USGS40000829292	1/2 - 1 Mile South
T80	USGS40000829747	1/2 - 1 Mile East
T81	USGS40000829746	1/2 - 1 Mile East
82	USGS40000830096	1/2 - 1 Mile ENE
V83	USGS40000829431	1/2 - 1 Mile SE
W84	USGS40000829562	1/2 - 1 Mile ESE
X85	USGS40000829339	1/2 - 1 Mile SSE
X86	USGS40000829338	1/2 - 1 Mile SSE
X87	USGS40000829341	1/2 - 1 Mile SSE
X88	USGS40000829340	1/2 - 1 Mile SSE
Y89	USGS40000829499	1/2 - 1 Mile ESE
V90	USGS40000829430	1/2 - 1 Mile SE
Z91	USGS40000829309	1/2 - 1 Mile SSE
Z92	USGS40000829308	1/2 - 1 Mile SSE
Z93	USGS40000829311	1/2 - 1 Mile SSE
Z94	USGS40000829310	1/2 - 1 Mile SSE
W95	USGS40000829530	1/2 - 1 Mile ESE
Y96	USGS40000829461	1/2 - 1 Mile SE
97	USGS40000830175	1/2 - 1 Mile ENE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
J37	NY0001616	1/2 - 1 Mile SSE

Note: PWS System location is not always the same as well location.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE DATABASE WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
No Wells Found		

OTHER STATE DATABASE INFORMATION

STATE OIL/GAS WELL INFORMATION


<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
A1	NYOG70000000068	0 - 1/8 Mile ENE
A2	NYOG70000000069	0 - 1/8 Mile ENE
3	NYOG70000000067	0 - 1/8 Mile SSE
B4	NYOG70000000081	1/8 - 1/4 Mile North
B5	NYOG70000000082	1/8 - 1/4 Mile North
6	NYOG70000000061	1/8 - 1/4 Mile SE
B7	NYOG70000000083	1/8 - 1/4 Mile North
B8	NYOG70000000084	1/8 - 1/4 Mile North
B10	NYOG70000000087	1/4 - 1/2 Mile North
B9	NYOG70000000086	1/4 - 1/2 Mile North
11	NYOG70000000085	1/4 - 1/2 Mile NNE
C12	NYOG70000000057	1/4 - 1/2 Mile South
C13	NYOG70000000056	1/4 - 1/2 Mile South
C14	NYOG70000000053	1/4 - 1/2 Mile South
C15	NYOG70000000050	1/4 - 1/2 Mile South
C16	NYOG70000000051	1/4 - 1/2 Mile South
C17	NYOG70000000052	1/4 - 1/2 Mile South
18	NYOG70000000060	1/4 - 1/2 Mile ESE
19	NYOG70000000054	1/4 - 1/2 Mile SE
20	NYOG70000000045	1/2 - 1 Mile South
D21	NYOG70000000093	1/2 - 1 Mile NNE
E22	NYOG70000000065	1/2 - 1 Mile East
D23	NYOG70000000095	1/2 - 1 Mile NNE
E24	NYOG70000000066	1/2 - 1 Mile East
F25	NYOG70000000059	1/2 - 1 Mile ESE
F26	NYOG70000000058	1/2 - 1 Mile ESE
27	NYOG70000000070	1/2 - 1 Mile East
28	NYOG70000000062	1/2 - 1 Mile ESE
29	NYOG70000000079	1/2 - 1 Mile East
G30	NYOG70000000064	1/2 - 1 Mile East
H31	NYOG70000000091	1/2 - 1 Mile NE
32	NYOG70000000097	1/2 - 1 Mile NNE
H33	NYOG70000000094	1/2 - 1 Mile NE
G34	NYOG70000000063	1/2 - 1 Mile East
I36	NYOG70000000074	1/2 - 1 Mile East
I35	NYOG70000000073	1/2 - 1 Mile East
37	NYOG70000000044	1/2 - 1 Mile SE
I38	NYOG70000000077	1/2 - 1 Mile East
I39	NYOG70000000078	1/2 - 1 Mile East
I40	NYOG70000000071	1/2 - 1 Mile East
I41	NYOG70000000072	1/2 - 1 Mile East
I43	NYOG70000000076	1/2 - 1 Mile East
I42	NYOG70000000075	1/2 - 1 Mile East
44	NYOG70000000047	1/2 - 1 Mile SE
45	NYOG70000000055	1/2 - 1 Mile ESE
46	NYOG70000000030	1/2 - 1 Mile SSE

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

STATE OIL/GAS WELL INFORMATION

<u>MAP ID</u>	<u>WELL ID</u>	<u>LOCATION FROM TP</u>
47	NYOG70000000088	1/2 - 1 Mile ENE
48	NYOG70000000098	1/2 - 1 Mile North
J49	NYOG70000000036	1/2 - 1 Mile SE
50	NYOG70000000049	1/2 - 1 Mile ESE
J51	NYOG70000000038	1/2 - 1 Mile SE
52	NYOG70000000092	1/2 - 1 Mile ENE
53	NYOG70000000046	1/2 - 1 Mile ESE
54	NYOG70000000043	1/2 - 1 Mile SE

PHYSICAL SETTING SOURCE MAP - 3893682.2s



- County Boundary
- Major Roads
- Contour Lines
- Airports
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME: 11 Hubert St
 ADDRESS: 11 Hubert Street
 New York NY 10013
 LAT/LONG: 40.7214 / 74.0092

CLIENT: Airtek Env. Corp.
 CONTACT: Kevin Cordes
 INQUIRY #: 3893682.2s
 DATE: March 28, 2014 11:03 am

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

1
East
0 - 1/8 Mile
Higher

FED USGS USGS40000829836

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404317074003001		
Monloc name:	NY 237. 1		
Monloc type:	Well		
Monloc desc:	29B-GEO-03/W		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7215189
Longitude:	-74.0081952	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	16.85
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported		
Welldepth units:	ft	Welldepth:	96
Wellholedepth units:	Not Reported	Wellholedepth:	Not Reported

Ground-water levels, Number of Measurements: 0

A2
WNW
0 - 1/8 Mile
Lower

FED USGS USGS40000829847

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404318074003801		
Monloc name:	NY 23		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7217689
Longitude:	-74.0101397	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	35
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

B3
SSE
0 - 1/8 Mile
Higher

FED USGS USGS40000829795

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003303		
Monloc name:	NY 5		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	40
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

B4
SSE
0 - 1/8 Mile
Higher

FED USGS USGS40000829794

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003302		
Monloc name:	NY 4		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	46
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B5
SSE
0 - 1/8 Mile
Higher**

FED USGS USGS40000829793

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003301		
Monloc name:	NY 3		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	47
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B6
SSE
0 - 1/8 Mile
Higher**

FED USGS USGS40000829796

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003304		
Monloc name:	NY 6		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	49
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

B7
SSE
0 - 1/8 Mile
Higher

FED USGS USGS40000829799

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003307		
Monloc name:	NY 9		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	40
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

B8
SSE
0 - 1/8 Mile
Higher

FED USGS USGS40000829798

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003306		
Monloc name:	NY 8		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	38
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B9
SSE
0 - 1/8 Mile
Higher**

FED USGS USGS40000829797

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404313074003305		
Monloc name:	NY 7		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.72038
Longitude:	-74.0087508	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	44
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**B10
SSE
0 - 1/8 Mile
Higher**

FED USGS USGS40000829783

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404312074003101		
Monloc name:	NY 213		
Monloc type:	Well		
Monloc desc:	ERICSSON ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7202967
Longitude:	-74.0084452	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	18.49
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	525
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

A11
NNW
0 - 1/8 Mile
Lower

FED USGS USGS40000829895

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404321074003701		
Monloc name:	NY 35		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7226022
Longitude:	-74.0098619	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	39
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

A12
NNW
0 - 1/8 Mile
Lower

FED USGS USGS40000829897

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404321074003703		
Monloc name:	NY 37		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7226022
Longitude:	-74.0098619	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	61
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**A13
NNW
0 - 1/8 Mile
Lower**

FED USGS USGS40000829896

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404321074003702		
Monloc name:	NY 36		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7226022
Longitude:	-74.0098619	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	38
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**14
SSW
1/8 - 1/4 Mile
Lower**

FED USGS USGS40000829750

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404310074003901		
Monloc name:	NY 22		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7195467
Longitude:	-74.0104175	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	60
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

15
SE
1/8 - 1/4 Mile
Higher

FED USGS USGS40000829684

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404306074002501		
Monloc name:	NY 228		
Monloc type:	Well		
Monloc desc:	FRANKLIN ST-B		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7186856
Longitude:	-74.006584	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	11.40
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	Not Reported
Welldepth units:	Not Reported	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

C16
East
1/4 - 1/2 Mile
Lower

FED USGS USGS40000829846

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404318074001701		
Monloc name:	NY 13		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7217689
Longitude:	-74.0043062	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	55
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

17
ENE
1/4 - 1/2 Mile
Lower

FED USGS USGS40000829937

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404323074001701		
Monloc name:	NY 74		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7231578
Longitude:	-74.0043062	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	160
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

18
NE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000830018

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404328074002201		
Monloc name:	NY 143		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7245466
Longitude:	-74.0056951	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	40
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

C19
East
1/4 - 1/2 Mile
Lower

FED USGS USGS40000829825

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404316074001501		
Monloc name:	NY 95		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7212134
Longitude:	-74.0037506	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	55
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

D20
South
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829618

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404301074003801		
Monloc name:	NY 133		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7170468
Longitude:	-74.0101397	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	78
Construction date:	Not Reported	Wellholeddepth:	92
Welldepth units:	ft		
Wellholeddepth units:	ft		

Ground-water levels, Number of Measurements: 0

D21
South
1/4 - 1/2 Mile
Higher

FED USGS

USGS40000829619

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404301074003802		
Monloc name:	NY 134		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7170468
Longitude:	-74.0101397	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	71
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

D22
South
1/4 - 1/2 Mile
Higher

FED USGS

USGS40000829620

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404301074003803		
Monloc name:	NY 135		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7170468
Longitude:	-74.0101397	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	31
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

E23
SSE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829617

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404301074002801		
Monloc name:	NY 142		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7170468
Longitude:	-74.0073618	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	50
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

E24
SSE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829635

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404302074002401		
Monloc name:	NY 16		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7173246
Longitude:	-74.0062507	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	56
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

F25
East
1/4 - 1/2 Mile
Lower

FED USGS USGS40000829885

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404320074001201		
Monloc name:	NY 64		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7223245
Longitude:	-74.0029173	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	31
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

F26
East
1/4 - 1/2 Mile
Lower

FED USGS USGS40000829886

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404320074001202		
Monloc name:	NY 65		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7223245
Longitude:	-74.0029173	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	31
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

G27
NNE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000830097

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404334074003001		
Monloc name:	NY 26		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7262133
Longitude:	-74.0079174	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	80
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

G28
NNE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000830099

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404334074003003		
Monloc name:	NY 28		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7262133
Longitude:	-74.0079174	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	Not Reported
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	Not Reported		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

G29
NNE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000830098

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404334074003002		
Monloc name:	NY 27		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7262133
Longitude:	-74.0079174	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	80
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

30
ESE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829723

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404308074001201		
Monloc name:	NY 149		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7189912
Longitude:	-74.0029173	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	38
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

F31
East
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829869

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404319074000901		
Monloc name:	NY 11		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7220467
Longitude:	-74.0020839	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	52
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

F32
East
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829870

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404319074000902		
Monloc name:	NY 12		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7220467
Longitude:	-74.0020839	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	52
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**H33
SSE
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000829590

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404259074002301		
Monloc name:	NY 98		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7164912
Longitude:	-74.0059729	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	30
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	46
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**H34
SSE
1/4 - 1/2 Mile
Higher**

FED USGS USGS40000829579

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404258074002101		
Monloc name:	NY 101		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7162135
Longitude:	-74.0054173	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	35
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Welldepth: 51
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 0

35
SE
1/4 - 1/2 Mile
Higher

FED USGS USGS40000829599

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404300074001001
 Monloc name: NY 214. 1
 Monloc type: Well
 Monloc desc: FRANKLIN ST-A
 Huc code: 02030101
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -74.0025339
 Horiz Acc measure: .01
 Horiz Collection method: Transit, theodolite, or other surveying method
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Level or other surveying method
 Vert coord refsys: NGVD29
 Aquifername: New England crystalline-rock aquifers
 Formation type: Basement Complex
 Aquifer type: Not Reported
 Construction date: 20030911
 Welldepth units: ft
 Wellholeddepth units: ft
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7170107
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 19.88
 Vertacc measure val: .01
 Countrycode: US
 Welldepth: 545
 Wellholeddepth: 545

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		-4.29	2004-11-10		-0.32
2004-07-26		3.17	2004-04-19		-0.17
2004-02-18		-0.29	2003-11-12		-0.01

I36
NNE
1/2 - 1 Mile
Higher

FED USGS USGS40000830224

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404343074002601
 Monloc name: NY 172
 Monloc type: Well
 Monloc desc: HUDSON & HOUSTON STREETS-B
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -74.0068063
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7287132
 Sourcemap scale: 24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	1	Horiz Acc measure units:	minutes
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	17.32
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	640.7
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

J37
SSE
1/2 - 1 Mile
Higher

FRDS PWS NY0001616

PWS ID: NY0001616
 Date Initiated: Not Reported Date Deactivated: Not Reported
 PWS Name: CAMP NORTHWOOD
 RD #1, NORTHWOOD ROAD
 REMSEN, NY 13438

Addressee / Facility: System Owner/Responsible Party
 FELT GORDON W
 CAMP NORTHWOOD INC.
 10 W 66TH STREET
 NEW YORK, NY 10023

Facility Latitude:	40 42 51	Facility Longitude:	074 00 23
City Served:	RUSSIA (T)		
Treatment Class	Not Reported	Population:	Not Reported

Violations information not reported.

K38
East
1/2 - 1 Mile
Higher

FED USGS USGS40000829781

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404312073595901		
Monloc name:	NY 216		
Monloc type:	Well		
Monloc desc:	GRAND ST-B		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.720269
Longitude:	-73.9993894	Sourcemap scale:	24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	25.61
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	547.4
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 4

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2004-07-26		1.20	2004-04-21		1.22
2004-02-18		1.26	2003-11-24		1.31

K39
East
1/2 - 1 Mile
Higher

FED USGS

USGS40000829782

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404312073595902		
Monloc name:	NY 244. 1		
Monloc type:	Well		
Monloc desc:	GRAND ST-W		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.720269
Longitude:	-73.9993894	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	25.63
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	66.6
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

L40
SSW
1/2 - 1 Mile
Lower

FED USGS

USGS40000829508

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404251074004701		
Monloc name:	NY 105		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.714269
Longitude:	-74.0126398	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	5
Vert measure units:	feet	Vertacc measure val:	2
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	67
Welldepth units:	ft	Wellholedepth:	69
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

41
NNE
1/2 - 1 Mile
Higher

FED USGS USGS40000830200

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404341074001801		
Monloc name:	NY 57		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7281577
Longitude:	-74.004584	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	65
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

I42
NNE
1/2 - 1 Mile
Higher

FED USGS USGS40000830201

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404341074002501		
Monloc name:	NY 184. 1		
Monloc type:	Well		
Monloc desc:	HOUSTON ST-A		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7287854
Longitude:	-74.0065924	Sourcemap scale:	24000
Horiz Acc measure:	.01	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	16.57
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20020412	Welldepth:	663.84
Welldepth units:	ft	Wellholedepth:	663.84
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

L43
SSW
1/2 - 1 Mile
Lower

FED USGS USGS40000829502

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404250074004401		
Monloc name:	NY 110		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7139913
Longitude:	-74.0118064	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	56
Construction date:	Not Reported	Wellholeddepth:	61
Welldepth units:	ft		
Wellholeddepth units:	ft		

Ground-water levels, Number of Measurements: 0

I44
North
1/2 - 1 Mile
Higher

FED USGS

USGS40000830231

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404344074002801		
Monloc name:	NY 32		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.728991
Longitude:	-74.0073619	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	15
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	70
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

J45
SSE
1/2 - 1 Mile
Higher

FED USGS

USGS40000829501

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404250074002201		
Monloc name:	NY 10		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7139913
Longitude:	-74.0056951	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	35
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	52
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

I46
NNE
1/2 - 1 Mile
Higher

FED USGS USGS40000830230

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404344074002601		
Monloc name:	NY 248. 1		
Monloc type:	Well		
Monloc desc:	28B-GEO-02/W		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7291854
Longitude:	-74.0068896	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	17.82
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	100
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

M47
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000829683

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404306073595801		
Monloc name:	NY 229		
Monloc type:	Well		
Monloc desc:	HESTER ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7185746
Longitude:	-73.9992505	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	19.08
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Welldepth: 548
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 5

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2004-11-10		1.11	2004-07-26		1.49
2004-04-19		1.36	2004-04-02		1.31
2004-02-18		1.21			

M48
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000829658

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404304073595701
 Monloc name: NY 230
 Monloc type: Well
 Monloc desc: BAXTER ST-A
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9988894
 Horiz Acc measure: .1
 Horiz Collection method: Transit, theodolite, or other surveying method
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Level or other surveying method
 Vert coord refsys: NGVD29
 Aquifername: Not Reported
 Formation type: Bedrock
 Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7181023
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 21.48
 Vertacc measure val: 0.1
 Countrycode: US
 Welldepth: 528.8
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 0

49
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829500

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404250074001401
 Monloc name: NY 34
 Monloc type: Well
 Monloc desc: Not Reported
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -74.0034728
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7139913
 Sourcemap scale: 24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	100
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

50
South
1/2 - 1 Mile
Higher

FED USGS USGS40000829462

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404246074002901		
Monloc name:	NY 2		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7128802
Longitude:	-74.0076396	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	66
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

51
East
1/2 - 1 Mile
Higher

FED USGS USGS40000829894

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404321073595301		
Monloc name:	NY 232		
Monloc type:	Well		
Monloc desc:	CROSBY ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7228522
Longitude:	-73.9978894	Sourcemap scale:	24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	33.47
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	578
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 3

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2004-04-19		2.44	2004-04-05		2.43
2004-02-18		2.76			

52
North
1/2 - 1 Mile
Higher

FED USGS USGS40000830321

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404349074002701		
Monloc name:	NY 40		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7303798
Longitude:	-74.0070841	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	52
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

53
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000829733

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404309073595101
 Monloc name: NY 215. 1
 Monloc type: Well
 Monloc desc: GRAND ST-A
 Huc code: 02030101
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9971143
 Horiz Acc measure: .01
 Horiz Collection method: Transit, theodolite, or other surveying method
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Level or other surveying method
 Vert coord refsys: NGVD29
 Aquifername: New England crystalline-rock aquifers
 Formation type: Basement Complex
 Aquifer type: Not Reported
 Construction date: 20021030
 Welldepth units: ft
 Wellholedepth units: ft

Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7193162
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 28.25
 Vertacc measure val: .01
 Countrycode: US
 Welldepth: 599.7
 Wellholedepth: 599.7

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		0.23	2004-11-10		3.06
2004-07-26		3.44	2004-04-19		3.18
2004-02-18		2.90	2004-02-18		2.90

**N54
North
1/2 - 1 Mile
Higher**

FED USGS

USGS40000830392

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404352074003101
 Monloc name: NY 130
 Monloc type: Well
 Monloc desc: Not Reported
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -74.0081952
 Horiz Acc measure: 3
 Horiz Collection method: Interpolated from map
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Interpolated from topographic map
 Vert coord refsys: NGVD29
 Aquifername: Sand and gravel aquifers (glaciated regions)
 Formation type: Sand

Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7312131
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 10
 Vertacc measure val: 5
 Countrycode: US

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	35
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

N55
North
1/2 - 1 Mile
Higher

FED USGS

USGS40000830393

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404352074003102		
Monloc name:	NY 131		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7312131
Longitude:	-74.0081952	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	35
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

N56
North
1/2 - 1 Mile
Higher

FED USGS

USGS40000830394

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404352074003103		
Monloc name:	NY 132		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7312131
Longitude:	-74.0081952	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	10
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	35
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

O57
South
1/2 - 1 Mile
Higher

FED USGS

USGS40000829400

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404240074002901		
Monloc name:	NY 41. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7112136
Longitude:	-74.0076396	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	30.0
Vert measure units:	feet	Vertacc measure val:	1
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	54
Welldepth units:	ft	Wellholedepth:	76
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

O58
South
1/2 - 1 Mile
Higher

FED USGS

USGS40000829399

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404240074002601		
Monloc name:	NY 97		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7112136
Longitude:	-74.0068063	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	30
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Welldepth: 65
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 0

P59
ENE
1/2 - 1 Mile
Higher

FED USGS USGS40000829948

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404324073594501
 Monloc name: NY 231
 Monloc type: Well
 Monloc desc: MULBERRY ST-A
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9956115
 Horiz Acc measure: .1
 Horiz Collection method: Transit, theodolite, or other surveying method
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Level or other surveying method
 Vert coord refsys: NGVD29
 Aquifername: Not Reported
 Formation type: Bedrock
 Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7234633
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 42.07
 Vertacc measure val: 0.1
 Countrycode: US
 Welldepth: 570
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 3

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2004-04-19		3.56	2004-04-05		3.65
2004-02-18		3.98			

Q60
East
1/2 - 1 Mile
Higher

FED USGS USGS40000829780

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404312073594401
 Monloc name: NY 178. 1
 Monloc type: Well
 Monloc desc: ELIZABETH ST-A
 Huc code: 02030101
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9952337
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7201329
 Sourcemap scale: 24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.01	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	37.88
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20020718	Welldepth:	600
Welldepth units:	ft	Wellholedepth:	600
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 9

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		2.18	2004-11-10		4.24
2004-07-26		4.57	2004-04-19		4.30
2004-02-18		4.08	2003-09-24		4.02
2003-08-27		4.23	2003-06-24		4.24
2002-10-09		3.77			

P61
ENE
1/2 - 1 Mile
Higher

FED USGS USGS40000829989

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404326073594501		
Monloc name:	NY 119		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7239911
Longitude:	-73.995417	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	45
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	65
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

R62
North
1/2 - 1 Mile
Higher

Site ID:	16311	AQUIFLOW	4531
Groundwater Flow:	NOT REPORTED		
Water Table Depth:	4.96-5.92		
Date:	10/01/92		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

Q63
East
1/2 - 1 Mile
Higher

FED USGS USGS40000829749

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404310073594201		
Monloc name:	NY 169. 1		
Monloc type:	Well		
Monloc desc:	BROOME STREET-B		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7197245
Longitude:	-73.9947087	Sourcemap scale:	24000
Horiz Acc measure:	.01	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	38.57
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20010405	Welldepth:	664.82
Welldepth units:	ft	Wellholedepth:	664.82
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 12

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		4.15	2004-11-10		5.67
2004-07-26		6.06	2004-04-19		5.71
2004-02-18		5.50	2003-09-24		5.99
2003-08-27		6.19	2003-06-24		6.15
2002-10-09		5.81	2002-06-25		6.09
2002-04-03		6.03	2002-01-09		5.90

R64
NNE
1/2 - 1 Mile
Higher

FED USGS USGS40000830493

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404356074002401		
Monloc name:	NY 199		
Monloc type:	Well		
Monloc desc:	GROVE STREET-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7323242
Longitude:	-74.0062507	Sourcemap scale:	24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	1	Horiz Acc measure units:	minutes
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	20.87
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	644.77
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

S65
South
1/2 - 1 Mile
Higher

FED USGS USGS40000829354

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404236074003701		
Monloc name:	NY 114. 1		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	02030201	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7101025
Longitude:	-74.0098619	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	30.0
Vert measure units:	feet	Vertacc measure val:	1
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	77
Welldepth units:	ft	Wellholedepth:	77
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 0

66
East
1/2 - 1 Mile
Higher

FED USGS USGS40000829893

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404321073594101		
Monloc name:	NY 192. 1		
Monloc type:	Well		
Monloc desc:	PRINCE & ELIZABETH STREETS-A		
Huc code:	02030101	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7227245
Longitude:	-73.9943031	Sourcemap scale:	24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.01	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	46.87
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20010410	Welldepth:	665
Welldepth units:	ft	Wellholedepth:	665
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 19

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		2.32	2004-11-10		4.52
2004-07-26		4.68	2004-06-28		4.56
2004-04-19		4.32	2004-02-18		4.47
2004-01-07		4.51	2003-11-21		4.40
2003-10-08		4.21	2003-10-01		4.28
2003-10-01		4.25	2003-09-29		4.28
2003-09-17		4.42	2003-08-27		4.63
2003-06-24		4.75	2002-10-09		3.83
2002-06-25		3.71	2002-04-03		3.67
2002-01-09		3.72			

67
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829390

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404239074001001		
Monloc name:	NY 179		
Monloc type:	Well		
Monloc desc:	MPP-5 POLICE PLAZA		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7111303
Longitude:	-74.0026117	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	19.36
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	644.85
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Ground-water levels, Number of Measurements: 16

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		-0.59	2004-11-10		-0.19
2004-10-06		5.13	2004-07-29		5.31
2004-06-28		4.81	2004-04-19		4.95
2004-02-18		4.62	2004-01-07		4.47
2003-11-21		4.76	2003-10-08		4.73
2003-09-19		5.05	2003-09-15		4.96
2002-10-09		4.94	2002-06-25		4.50
2002-04-03		4.69	2002-01-09		4.68

**68
SE
1/2 - 1 Mile
Higher**

FED USGS

USGS40000829470

Org. Identifier:	USGS-NY	Drainagearea value:	Not Reported
Formal name:	USGS New York Water Science Center	Contrib drainagearea:	Not Reported
Monloc Identifier:	USGS-404247073595801	Latitude:	40.7132663
Monloc name:	NY 193. 1	Sourcemap scale:	24000
Monloc type:	Well	Horiz Acc measure units:	seconds
Monloc desc:	ST JAMES PLACE-A		
Huc code:	02030101		
Drainagearea Units:	Not Reported		
Contrib drainagearea units:	Not Reported		
Longitude:	-73.9984449		
Horiz Acc measure:	.01		
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	29.21
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20010507	Welldepth:	651.9
Welldepth units:	ft	Wellholedepth:	651.9
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 20

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-09		-0.11	2004-11-29		0.58
2004-11-10		0.51	2004-10-06		1.38
2004-07-26		1.48	2004-06-28		1.40
2004-04-19		1.49	2004-02-18		1.15
2004-01-07		0.98	2003-11-21		1.18
2003-10-08		1.13	2003-09-19		1.35
2003-09-17		1.25			
2003-09-15		1.27			
Note: Water level was affected by tide stage.					
2003-08-27		1.27	2003-06-24		1.43
2002-10-09		1.33	2002-06-25		1.03
2002-04-03		1.11	2002-01-09		1.16

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
 Direction
 Distance
 Elevation

Database EDR ID Number

S69
South
1/2 - 1 Mile
Higher

FED USGS USGS40000829344

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074004101		
Monloc name:	NY 140		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.010973	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	68
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

70
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000829657

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404304073594101		
Monloc name:	NY 148		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7178801
Longitude:	-73.9943059	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	40
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	35
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

71
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829343

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074002201		
Monloc name:	NY 113		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.0056951	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	57
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

T72
East
1/2 - 1 Mile
Higher

FED USGS USGS40000829748

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404310073593701		
Monloc name:	NY 175		
Monloc type:	Well		
Monloc desc:	FORSYTH ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7198245
Longitude:	-73.9934726	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	40.31
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Welldepth: 600.87
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 3

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2002-10-09		3.24	2002-07-09		3.11
2002-06-25		3.08			

73
SE
1/2 - 1 Mile
Higher

FED USGS USGS40000829507

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404251073594801
 Monloc name: NY 203. 1
 Monloc type: Well
 Monloc desc: DIVISION ST-A
 Huc code: 02030101
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9962949
 Horiz Acc measure: .01
 Horiz Collection method: Transit, theodolite, or other surveying method
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Level or other surveying method
 Vert coord refsys: NGVD29
 Aquifername: New England crystalline-rock aquifers
 Formation type: Basement Complex
 Aquifer type: Not Reported
 Construction date: 20020927
 Welldepth units: ft
 Wellholeddepth units: ft
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7142858
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 42.32
 Vertacc measure val: .01
 Countrycode: US
 Welldepth: 604.3
 Wellholeddepth: 604.3

Ground-water levels, Number of Measurements: 6

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		0.60	2004-11-10		1.61
2004-10-13		1.92	2004-07-26		2.06
2004-04-19		2.11	2004-02-18		1.72

U74
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829387

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404239074000501		
Monloc name:	NY 54		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7109358
Longitude:	-74.0009728	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	52
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	114
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

**U75
SSE
1/2 - 1 Mile
Higher**

FED USGS USGS40000829388

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404239074000502		
Monloc name:	NY 55		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7109358
Longitude:	-74.0009728	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	87
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

U76
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829389

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404239074000503		
Monloc name:	NY 56		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7109358
Longitude:	-74.0009728	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand and Gravel		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	83
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

77
South
1/2 - 1 Mile
Higher

FED USGS USGS40000829312

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404232074003101		
Monloc name:	NY 111		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7089914
Longitude:	-74.0081952	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	65
Construction date:	Not Reported	Wellholeddepth:	70
Welldepth units:	ft		
Wellholeddepth units:	ft		

Ground-water levels, Number of Measurements: 0

78
SSE
1/2 - 1 Mile
Lower

FED USGS USGS40000829342

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074001101		
Monloc name:	NY 17		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.0026395	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	42
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

79
South
1/2 - 1 Mile
Higher

FED USGS USGS40000829292

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404231074002401		
Monloc name:	NY 21		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7087136
Longitude:	-74.0062507	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	25
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	57
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

T80
East
1/2 - 1 Mile
Higher

FED USGS

USGS40000829747

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404310073593402		
Monloc name:	NY 109		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7195468
Longitude:	-73.9923614	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	45
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	177
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

T81
East
1/2 - 1 Mile
Higher

FED USGS

USGS40000829746

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404310073593401		
Monloc name:	NY 108		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7195468
Longitude:	-73.9923614	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	45
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	402
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

82
ENE
1/2 - 1 Mile
Higher

FED USGS USGS40000830096

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404334073593601		
Monloc name:	NY 202		
Monloc type:	Well		
Monloc desc:	BOND ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7262411
Longitude:	-73.9931392	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	47.37
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	604
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

V83
SE
1/2 - 1 Mile
Higher

FED USGS USGS40000829431

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404243073595001		
Monloc name:	NY 186		
Monloc type:	Well		
Monloc desc:	CATHERINE STREET-1		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7120469
Longitude:	-73.996806	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	minutes
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	19.25
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	625
Construction date:	Not Reported	Wellholedepth:	Not Reported
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 16

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		0.23	2004-11-10		0.80
2004-10-13		2.28	2004-07-26		2.60
2004-04-19		2.62	2004-02-18		2.47
2004-01-07		2.49	2003-11-21		2.80
2003-10-08		2.97	2003-09-19		4.56
2003-09-15		4.34			
Note: Water level was affected by tide stage.					
2003-08-27		3.84	2003-06-24		2.04
2002-10-09		2.15	2002-06-25		2.02
2002-04-03		2.61			

**W84
ESE
1/2 - 1 Mile
Higher**

FED USGS USGS40000829562

Org. Identifier:	USGS-NY	Drainagearea value:	Not Reported
Formal name:	USGS New York Water Science Center	Contrib drainagearea:	Not Reported
Monloc Identifier:	USGS-404256073593701	Latitude:	40.7158802
Monloc name:	NY 189	Sourcemap scale:	24000
Monloc type:	Well	Horiz Acc measure units:	seconds
Monloc desc:	ELDRIDGE ST-A	Vert measure val:	43.54
Huc code:	Not Reported	Vertacc measure val:	0.1
Drainagearea Units:	Not Reported	Countrycode:	US
Contrib drainagearea units:	Not Reported	Welldepth:	600.41
Longitude:	-73.9932225	Wellholedepth:	Not Reported
Horiz Acc measure:	.1		
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83		
Vert measure units:	feet		
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29		
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported		
Welldepth units:	ft		
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 11

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		2.64	2004-11-10		3.38
2004-10-17		3.40	2004-07-26		3.75
2004-04-19		3.83	2004-02-18		3.42
2003-08-27		3.56	2003-06-24		3.56
2002-10-09		3.18	2002-07-10		2.96
2002-06-25		2.92			

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

X85
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829339

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074000302		
Monloc name:	NY 49		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.0004172	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	46
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

X86
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829338

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074000301		
Monloc name:	NY 48		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.0004172	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type:	Not Reported	Welldepth:	46
Construction date:	Not Reported	Wellholeddepth:	Not Reported
Welldepth units:	ft		
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

X87
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829341

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074000304		
Monloc name:	NY 51		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.0004172	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	46
Welldepth units:	ft	Wellholeddepth:	Not Reported
Wellholeddepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

X88
SSE
1/2 - 1 Mile
Higher

FED USGS USGS40000829340

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404235074000303		
Monloc name:	NY 50		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7098247
Longitude:	-74.0004172	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Pleistocene Series		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Welldepth: 46
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 0

Y89
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000829499

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404250073593901
 Monloc name: NY 182
 Monloc type: Well
 Monloc desc: FORSYTH ST-B
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9939726
 Horiz Acc measure: .1
 Horiz Collection method: Unknown
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Unknown
 Vert coord refsys: NGVD29
 Aquifername: Not Reported
 Formation type: Bedrock
 Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.714158
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 38.50
 Vertacc measure val: 0.1
 Countrycode: US
 Welldepth: 600
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 11

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		-0.02	2004-11-10		1.27
2004-10-13		2.25	2004-07-26		2.37
2004-04-19		2.45	2004-02-18		2.07
2003-08-27		1.58	2003-06-24		2.69
2002-10-09		2.61	2002-07-10		2.27
2002-06-25		2.19			

V90
SE
1/2 - 1 Mile
Higher

FED USGS USGS40000829430

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404243073594901
 Monloc name: NY 218. 1
 Monloc type: Well
 Monloc desc: MADISON ST-C
 Huc code: 02030101
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.995967
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7121164
 Sourcemap scale: 24000

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Horiz Acc measure:	.01	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	24.99
Vert measure units:	feet	Vertacc measure val:	.01
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Basement Complex		
Aquifer type:	Not Reported		
Construction date:	20021017	Welldepth:	604
Welldepth units:	ft	Wellholedepth:	604
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 7

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		0.84	2004-11-10		1.35
2004-10-06		2.24	2004-07-26		1.99
2004-02-18		1.78	2003-09-15		13.74
2003-08-27		9.43			

Z91
SSE
1/2 - 1 Mile
Lower

FED USGS USGS40000829309

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404232074000702		
Monloc name:	NY 43		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7089914
Longitude:	-74.0015283	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	36
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

Z92
SSE
1/2 - 1 Mile
Lower

FED USGS USGS40000829308

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404232074000701		
Monloc name:	NY 42		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7089914
Longitude:	-74.0015283	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	36
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

Z93
SSE
1/2 - 1 Mile
Lower

FED USGS USGS40000829311

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404232074000704		
Monloc name:	NY 45		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7089914
Longitude:	-74.0015283	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	36
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database EDR ID Number

Z94
SSE
1/2 - 1 Mile
Lower

FED USGS USGS40000829310

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404232074000703		
Monloc name:	NY 44		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7089914
Longitude:	-74.0015283	Sourcemap scale:	24000
Horiz Acc measure:	3	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	20
Vert measure units:	feet	Vertacc measure val:	10
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Sand and gravel aquifers (glaciated regions)		
Formation type:	Sand		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	36
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 0

W95
ESE
1/2 - 1 Mile
Higher

FED USGS USGS40000829530

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404253073593601		
Monloc name:	NY 201		
Monloc type:	Well		
Monloc desc:	ALLEN ST-A		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7148524
Longitude:	-73.9931392	Sourcemap scale:	24000
Horiz Acc measure:	.1	Horiz Acc measure units:	seconds
Horiz Collection method:	Transit, theodolite, or other surveying method		
Horiz coord refsys:	NAD83	Vert measure val:	42.26
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Level or other surveying method		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Welldepth: 600
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 7

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2005-02-14		3.15	2004-11-10		2.65
2004-10-14		2.25	2004-10-07		4.25
2004-07-26		4.31	2004-04-19		4.17
2004-02-18		4.05			

Y96
SE
1/2 - 1 Mile
Higher

FED USGS USGS40000829461

Org. Identifier: USGS-NY
 Formal name: USGS New York Water Science Center
 Monloc Identifier: USGS-404246073594001
 Monloc name: NY 200
 Monloc type: Well
 Monloc desc: HENRY ST-A
 Huc code: Not Reported
 Drainagearea Units: Not Reported
 Contrib drainagearea units: Not Reported
 Longitude: -73.9941392
 Horiz Acc measure: .1
 Horiz Collection method: Unknown
 Horiz coord refsys: NAD83
 Vert measure units: feet
 Vert accmeasure units: feet
 Vertcollection method: Unknown
 Vert coord refsys: NGVD29
 Aquifername: Not Reported
 Formation type: Bedrock
 Aquifer type: Not Reported
 Construction date: Not Reported
 Welldepth units: ft
 Wellholeddepth units: Not Reported
 Drainagearea value: Not Reported
 Contrib drainagearea: Not Reported
 Latitude: 40.7131302
 Sourcemap scale: 24000
 Horiz Acc measure units: seconds
 Vert measure val: 36.09
 Vertacc measure val: 0.1
 Countrycode: US
 Welldepth: 604.65
 Wellholeddepth: Not Reported

Ground-water levels, Number of Measurements: 4

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2002-10-09		2.44	2002-07-09		2.07
2002-06-25		1.96	2002-04-03		2.17

97
ENE
1/2 - 1 Mile
Higher

FED USGS USGS40000830175

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Org. Identifier:	USGS-NY		
Formal name:	USGS New York Water Science Center		
Monloc Identifier:	USGS-404339073593301		
Monloc name:	NY 185		
Monloc type:	Well		
Monloc desc:	EAST 4TH STREET & BOWERY		
Huc code:	Not Reported	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	40.7276022
Longitude:	-73.9920836	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	minutes
Horiz Collection method:	Unknown		
Horiz coord refsys:	NAD83	Vert measure val:	44.19
Vert measure units:	feet	Vertacc measure val:	0.1
Vert accmeasure units:	feet		
Vertcollection method:	Unknown		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Not Reported		
Formation type:	Bedrock		
Aquifer type:	Not Reported		
Construction date:	Not Reported	Welldepth:	653.68
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 10

Date	Feet below Surface	Feet to Sealevel	Date	Feet below Surface	Feet to Sealevel
2004-07-26		5.42	2004-04-21		6.12
2004-02-18		6.60	2003-09-15		6.78
2003-08-27		6.75	2003-06-24		6.48
2002-10-09		5.34	2002-06-25		5.24
2002-04-03		5.37	2002-01-09		5.57

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

A1
ENE
0 - 1/8 Mile

OIL_GAS NYOG70000000068

Api wellno:	31061237530000	Cnty:	New York
Hole:	23753	Sidetrck:	0
Completion:	0		
Well nm:	Holland - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	24-JUN-96
Dt comp:	11-JUL-96	Well typ:	Stratigraphic
Dtd:	542		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.00807		
Yloc:	40.72161		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000068

A2
ENE
0 - 1/8 Mile

OIL_GAS NYOG70000000069

Api wellno:	31061237540000	Cnty:	New York
Hole:	23754	Sidetrck:	0
Completion:	0		
Well nm:	Holland - 2		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	15-JUL-96
Dt comp:	29-JUL-96	Well typ:	Stratigraphic
Dtd:	541		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00808		
Yloc:	40.72171		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000069

3
SSE
0 - 1/8 Mile

OIL_GAS NYOG70000000067

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210440000	Cnty:	New York
Hole:	21044	Sidetrck:	0
Completion:	0		
Well nm:	Ericsson A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	16-APR-03	Dt spud:	29-MAY-03
Dt comp:	25-JUN-03	Well typ:	Stratigraphic
Dtd:	529		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00825		
Yloc:	40.72018		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Manhattan Schist	Elevation:	15
Dt mod:	18-APR-06	Site id:	NYOG70000000067

**B4
North
1/8 - 1/4 Mile**

OIL_GAS

NYOG70000000081

Api wellno:	31061237560000	Cnty:	New York
Hole:	23756	Sidetrck:	0
Completion:	0		
Well nm:	W-1		
Coname:	471 Washington Street Partners		
Opno:	2371		
Dt approv:	12-MAR-07	Dt spud:	27-JUL-07
Dt comp:	12-OCT-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential
Xloc:	-74.00985		
Yloc:	40.72472		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	10
Dt mod:	06-DEC-07	Site id:	NYOG70000000081

**B5
North
1/8 - 1/4 Mile**

OIL_GAS

NYOG70000000082

Api wellno:	31061237560001	Cnty:	New York
Hole:	23756	Sidetrck:	0
Completion:	1		
Well nm:	W-1		
Coname:	471 VE LLC		
Opno:	2565		
Dt approv:	16-JAN-08	Dt spud:	28-FEB-08
Dt comp:	06-MAY-08	Well typ:	Not Listed
Dtd:	1525		
WI status:	Temporarily Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00997		
Yloc:	40.72475		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	10
Dt mod:	09-MAY-11	Site id:	NYOG70000000082

6

SE

1/8 - 1/4 Mile

OIL_GAS

NYOG70000000061

Api wellno:	31061210610000	Cnty:	New York
Hole:	21061	Sidetrck:	0
Completion:	0		
Well nm:	Franklin St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	31-DEC-03	Dt spud:	19-JAN-04
Dt comp:	20-FEB-04	Well typ:	Stratigraphic
Dtd:	555		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00644		
Yloc:	40.71861		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	30
Dt mod:	24-APR-06	Site id:	NYOG70000000061

B7

North

1/8 - 1/4 Mile

OIL_GAS

NYOG70000000083

Api wellno:	31061237570000	Cnty:	New York
Hole:	23757	Sidetrck:	0
Completion:	0		
Well nm:	W-2		
Coname:	471 Washington Street Partners		
Opno:	2371		
Dt approv:	12-MAR-07	Dt spud:	27-JUL-07
Dt comp:	12-OCT-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential
Xloc:	-74.00995		
Yloc:	40.72492		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	10
Dt mod:	06-DEC-07	Site id:	NYOG70000000083

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

B8
North
1/8 - 1/4 Mile

OIL_GAS NYOG70000000084

Api wellno:	31061237570001	Cnty:	New York
Hole:	23757	Sidetrck:	0
Completion:	1		
Well nm:	W-2		
Coname:	471 VE LLC		
Opno:	2565		
Dt approv:	16-JAN-08	Dt spud:	13-FEB-08
Dt comp:	23-APR-08	Well typ:	Not Listed
Dtd:	1530		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00995		
Yloc:	40.72492		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	10
Dt mod:	18-JAN-11	Site id:	NYOG70000000084

B10
North
1/4 - 1/2 Mile

OIL_GAS NYOG70000000087

Api wellno:	31061237580001	Cnty:	New York
Hole:	23758	Sidetrck:	0
Completion:	1		
Well nm:	W-3		
Coname:	471 VE LLC		
Opno:	2565		
Dt approv:	16-JAN-08	Dt spud:	10-MAR-08
Dt comp:	20-MAY-08	Well typ:	Not Listed
Dtd:	1530		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00988		
Yloc:	40.72503		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	10
Dt mod:	18-JAN-11	Site id:	NYOG70000000087

B9
North
1/4 - 1/2 Mile

OIL_GAS NYOG70000000086

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237580000	Cnty:	New York
Hole:	23758	Sidetrck:	0
Completion:	0		
Well nm:	W-3		
Coname:	471 Washington Street Partners		
Opno:	2371		
Dt approv:	12-MAR-07	Dt spud:	27-JUL-07
Dt comp:	12-OCT-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential
Xloc:	-74.00988		
Yloc:	40.72503		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Confidential	Elevation:	10
Dt mod:	06-DEC-07	Site id:	NYOG70000000086

**11
NNE
1/4 - 1/2 Mile**

OIL_GAS NYOG70000000085

Api wellno:	31061237480000	Cnty:	New York
Hole:	23748	Sidetrck:	0
Completion:	0		
Well nm:	Broome - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	12-AUG-97
Dt comp:	26-AUG-97	Well typ:	Stratigraphic
Dtd:	567		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.00784		
Yloc:	40.72494		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000085

**C12
South
1/4 - 1/2 Mile**

OIL_GAS NYOG70000000057

Api wellno:	31061210250000	Cnty:	New York
Hole:	21025	Sidetrck:	0
Completion:	0		
Well nm:	156 Reade St. NY-302		
Coname:	Abdalla, Susan		
Opno:	2376		
Dt approv:	01-DEC-00	Dt spud:	24-JAN-01
Dt comp:	27-JAN-01	Well typ:	Geothermal
Dtd:	1100		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00864		
Yloc:	40.71732		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	11
Dt mod:	08-JUL-09	Site id:	NYOG70000000057

C13
South
1/4 - 1/2 Mile

OIL_GAS NYOG70000000056

Api wellno:	31061210290000	Cnty:	New York
Hole:	21029	Sidetrck:	0
Completion:	0		
Well nm:	333 Greenwich St. NY-303		
Coname:	Downtown Greenwich LLC		
Opno:	2043		
Dt approv:	01-DEC-00	Dt spud:	29-JAN-01
Dt comp:	23-MAR-01	Well typ:	Geothermal
Dtd:	40		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00858		
Yloc:	40.71722		
Confid:	Well does not have confidential information.		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	11
Dt mod:	30-OCT-06	Site id:	NYOG70000000056

C14
South
1/4 - 1/2 Mile

OIL_GAS NYOG70000000053

Api wellno:	31061237510000	Cnty:	New York
Hole:	23751	Sidetrck:	0
Completion:	0		
Well nm:	Duane - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	25-FEB-97
Dt comp:	17-MAR-97	Well typ:	Stratigraphic
Dtd:	566		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.0092		
Yloc:	40.71709		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000053

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

C15
South
1/4 - 1/2 Mile

OIL_GAS NYOG70000000050

Api wellno:	31061210270000	Cnty:	New York
Hole:	21027	Sidetrck:	0
Completion:	0		
Well nm:	150 Reade St. NY-304		
Coname:	Downtown Development LLC		
Opno:	2044		
Dt approv:	01-DEC-00	Dt spud:	23-FEB-01
Dt comp:	09-MAR-01	Well typ:	Geothermal
Dtd:	1100		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00875		
Yloc:	40.71708		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	11
Dt mod:	29-NOV-05	Site id:	NYOG70000000050

C16
South
1/4 - 1/2 Mile

OIL_GAS NYOG70000000051

Api wellno:	31061210280000	Cnty:	New York
Hole:	21028	Sidetrck:	0
Completion:	0		
Well nm:	152 Reade St. NY-300		
Coname:	Downtown Development LLC		
Opno:	2044		
Dt approv:	01-DEC-00	Dt spud:	29-JAN-01
Dt comp:	05-FEB-01	Well typ:	Geothermal
Dtd:	1100		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00866		
Yloc:	40.71708		
Confid:	Well does not have confidential information.		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	11
Dt mod:	29-NOV-05	Site id:	NYOG70000000051

C17
South
1/4 - 1/2 Mile

OIL_GAS NYOG70000000052

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210260000	Cnty:	New York
Hole:	21026	Sidetrck:	0
Completion:	0		
Well nm:	148 Reade St. NY-305		
Coname:	Merrin, Alfred and Venessa		
Opno:	2097		
Dt approv:	01-DEC-00	Dt spud:	19-FEB-01
Dt comp:	22-FEB-01	Well typ:	Geothermal
Dtd:	1100		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00857		
Yloc:	40.71708		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	11
Dt mod:	08-JUL-09	Site id:	NYOG70000000052

**18
ESE**

1/4 - 1/2 Mile

OIL_GAS

NYOG70000000060

Api wellno:	31061210630000	Cnty:	New York
Hole:	21063	Sidetrck:	0
Completion:	0		
Well nm:	Walker St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	31-DEC-03	Dt spud:	20-JAN-04
Dt comp:	06-FEB-04	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Expired Permit	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00196		
Yloc:	40.71842		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	20
Dt mod:	19-JUL-06	Site id:	NYOG70000000060

**19
SE**

1/4 - 1/2 Mile

OIL_GAS

NYOG70000000054

Api wellno:	31061210430000	Cnty:	New York
Hole:	21043	Sidetrck:	0
Completion:	0		
Well nm:	Franklin St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	16-APR-03	Dt spud:	26-AUG-03
Dt comp:	11-SEP-03	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-74.00235		
Yloc:	40.71709		
Confid:	Released		
Wellst:	Other Well		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Fordham Gneiss	Elevation:	25
Dt mod:	26-JUN-09	Site id:	NYOG70000000054

20
South
1/2 - 1 Mile

OIL_GAS NYOG70000000045

Api wellno:	31061237550000	Cnty:	New York
Hole:	23755	Sidetrck:	0
Completion:	0		
Well nm:	Murray - 2		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	12-MAY-97
Dt comp:	27-MAY-97	Well typ:	Stratigraphic
Dtd:	576		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Fordham Gneiss
Xloc:	-74.00924		
Yloc:	40.7139		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000045

D21
NNE
1/2 - 1 Mile

OIL_GAS NYOG70000000093

Api wellno:	31061210780000	Cnty:	New York
Hole:	21078	Sidetrck:	0
Completion:	0		
Well nm:	Houston St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	30-JUN-04	Dt spud:	06-MAR-02
Dt comp:	12-APR-02	Well typ:	Stratigraphic
Dtd:	664		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00649		
Yloc:	40.72876		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000093

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

E22
East
1/2 - 1 Mile

OIL_GAS NYOG70000000065

Api wellno:	31061210570000	Cnty:	New York
Hole:	21057	Sidetrck:	0
Completion:	0		
Well nm:	Grand St. - C		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	10-DEC-03	Dt spud:	19-JAN-04
Dt comp:	20-FEB-04	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Expired Permit	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99926		
Yloc:	40.72008		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	25.2
Dt mod:	26-OCT-05	Site id:	NYOG70000000065

D23
NNE
1/2 - 1 Mile

OIL_GAS NYOG70000000095

Api wellno:	31061210790000	Cnty:	New York
Hole:	21079	Sidetrck:	0
Completion:	0		
Well nm:	Hudson St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	12-AUG-04	Dt spud:	14-JAN-04
Dt comp:	06-FEB-04	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00683		
Yloc:	40.72888		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Newark	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	Not Reported
Dt mod:	14-FEB-06	Site id:	NYOG70000000095

E24
East
1/2 - 1 Mile

OIL_GAS NYOG70000000066

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210510000	Cnty:	New York
Hole:	21051	Sidetrck:	0
Completion:	0		
Well nm:	Grand St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	18-SEP-03	Dt spud:	06-OCT-03
Dt comp:	17-OCT-03	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99919		
Yloc:	40.72017		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Not Applicable	Elevation:	25.2
Dt mod:	20-APR-06	Site id:	NYOG70000000066

**F25
ESE
1/2 - 1 Mile**

OIL_GAS NYOG70000000059

Api wellno:	31061210520000	Cnty:	New York
Hole:	21052	Sidetrck:	0
Completion:	0		
Well nm:	Hester St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	18-SEP-03	Dt spud:	01-OCT-03
Dt comp:	17-OCT-03	Well typ:	Stratigraphic
Dtd:	548		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-73.99913		
Yloc:	40.71827		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	19
Dt mod:	20-APR-06	Site id:	NYOG70000000059

**F26
ESE
1/2 - 1 Mile**

OIL_GAS NYOG70000000058

Api wellno:	31061210420000	Cnty:	New York
Hole:	21042	Sidetrck:	0
Completion:	0		
Well nm:	Baxter St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	16-APR-03	Dt spud:	16-MAY-03
Dt comp:	20-JUN-03	Well typ:	Stratigraphic
Dtd:	529		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.99907		
Yloc:	40.71774		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Manhattan Schist	Elevation:	40
Dt mod:	19-JUL-07	Site id:	NYOG70000000058

27
East
1/2 - 1 Mile

OIL_GAS NYOG70000000070

Api wellno:	31061210600000	Cnty:	New York
Hole:	21060	Sidetrck:	0
Completion:	0		
Well nm:	Crosby St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	10-DEC-03	Dt spud:	26-JAN-04
Dt comp:	06-FEB-04	Well typ:	Stratigraphic
Dtd:	578		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99776		
Yloc:	40.72256		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	35
Dt mod:	24-APR-06	Site id:	NYOG70000000070

28
ESE
1/2 - 1 Mile

OIL_GAS NYOG70000000062

Api wellno:	31061236190000	Cnty:	New York
Hole:	23619	Sidetrck:	0
Completion:	0		
Well nm:	Grand St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	21-MAR-05	Dt spud:	27-JUN-02
Dt comp:	26-JUL-02	Well typ:	Stratigraphic
Dtd:	600		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.997		
Yloc:	40.71913		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000062

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

29
East
1/2 - 1 Mile

OIL_GAS NYOG70000000079

Api wellno:	31061210620000	Cnty:	New York
Hole:	21062	Sidetrck:	0
Completion:	0		
Well nm:	Mulberry St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	31-DEC-03	Dt spud:	26-JAN-04
Dt comp:	10-FEB-04	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99553		
Yloc:	40.72327		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	Not Reported
Deepestfor:	Manhattan Schist	Elevation:	40
Dt mod:	24-APR-06	Site id:	NYOG70000000079

G30
East
1/2 - 1 Mile

OIL_GAS NYOG70000000064

Api wellno:	31061236180000	Cnty:	New York
Hole:	23618	Sidetrck:	0
Completion:	0		
Well nm:	Elizabeth St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	21-MAR-05	Dt spud:	20-JUN-02
Dt comp:	26-JUL-02	Well typ:	Stratigraphic
Dtd:	600		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99512		
Yloc:	40.71996		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000064

H31
NE
1/2 - 1 Mile

OIL_GAS NYOG70000000091

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210410000	Cnty:	New York
Hole:	21041	Sidetrck:	0
Completion:	0		
Well nm:	534 LaGuardia Place AIA 2		
Coname:	Amer. Institute of Architects NY Chapter		
Opno:	2154		
Dt approv:	09-APR-03	Dt spud:	05-MAY-03
Dt comp:	05-MAY-03	Well typ:	Geothermal
Dtd:	1250		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99843		
Yloc:	40.72866		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	36
Dt mod:	08-JUL-09	Site id:	NYOG70000000091

32
NNE
1/2 - 1 Mile

OIL_GAS NYOG70000000097

Api wellno:	31061210800000	Cnty:	New York
Hole:	21080	Sidetrck:	0
Completion:	0		
Well nm:	Grove St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	23-JUL-04	Dt spud:	07-SEP-04
Dt comp:	19-MAY-01	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-74.00632		
Yloc:	40.73223		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Manhattan Schist	Elevation:	18
Dt mod:	28-DEC-05	Site id:	NYOG70000000097

H33
NE
1/2 - 1 Mile

OIL_GAS NYOG70000000094

Api wellno:	31061210400000	Cnty:	New York
Hole:	21040	Sidetrck:	0
Completion:	0		
Well nm:	534 LaGuardia Place AIA 1		
Coname:	Amer. Institute of Architects NY Chapter		
Opno:	2154		
Dt approv:	08-APR-03	Dt spud:	23-APR-03
Dt comp:	16-MAY-03	Well typ:	Geothermal
Dtd:	1250		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.99833		
Yloc:	40.72879		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	36
Dt mod:	08-JUL-09	Site id:	NYOG70000000094

G34
East
1/2 - 1 Mile

OIL_GAS NYOG70000000063

Api wellno:	31061236150000	Cnty:	New York
Hole:	23615	Sidetrck:	0
Completion:	0		
Well nm:	Broome - 2		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	21-MAR-05	Dt spud:	06-MAR-01
Dt comp:	05-APR-01	Well typ:	Stratigraphic
Dtd:	665		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Inwood Marble
Xloc:	-73.99471		
Yloc:	40.71973		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	39
Dt mod:	30-OCT-07	Site id:	NYOG70000000063

I36
East
1/2 - 1 Mile

OIL_GAS NYOG70000000074

Api wellno:	31061237280001	Cnty:	New York
Hole:	23728	Sidetrck:	0
Completion:	1		
Well nm:	Geothermal 1		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	07-MAY-08	Dt spud:	22-JUL-08
Dt comp:	15-OCT-08	Well typ:	Not Listed
Dtd:	0		
WI status:	Cancelled	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99394		
Yloc:	40.72301		
Confid:	Not Reported		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	42
Dt mod:	23-JUL-08	Site id:	NYOG70000000074

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

I35
East
1/2 - 1 Mile

OIL_GAS NYOG70000000073

Api wellno:	31061237280000	Cnty:	New York
Hole:	23728	Sidetck:	0
Completion:	0		
Well nm:	Geothermal 1		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	20-AUG-07	Dt spud:	30-MAY-07
Dt comp:	14-JUN-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential
Xloc:	-73.99394		
Yloc:	40.72301		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Confidential	Elevation:	42
Dt mod:	24-APR-08	Site id:	NYOG70000000073

37
SE
1/2 - 1 Mile

OIL_GAS NYOG70000000044

Api wellno:	31061236200000	Cnty:	New York
Hole:	23620	Sidetck:	0
Completion:	0		
Well nm:	St. James - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	21-MAR-05	Dt spud:	13-APR-01
Dt comp:	05-JUL-02	Well typ:	Stratigraphic
Dtd:	652		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99829		
Yloc:	40.71307		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000044

I38
East
1/2 - 1 Mile

OIL_GAS NYOG70000000077

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061237300000	Cnty:	New York
Hole:	23730	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 3		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	20-AUG-07	Dt spud:	30-MAY-07
Dt comp:	14-JUN-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential
Xloc:	-73.9937		
Yloc:	40.7232		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Confidential	Elevation:	42
Dt mod:	24-APR-08	Site id:	NYOG70000000077

139
East
1/2 - 1 Mile

OIL_GAS NYOG70000000078

Api wellno:	31061237300001	Cnty:	New York
Hole:	23730	Sidetrck:	0
Completion:	1		
Well nm:	Geothermal 3		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	07-MAY-08	Dt spud:	22-JUL-08
Dt comp:	15-OCT-08	Well typ:	Not Listed
Dtd:	0		
WI status:	Cancelled	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.9937		
Yloc:	40.7232		
Confid:	Not Reported		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	42
Dt mod:	23-JUL-08	Site id:	NYOG70000000078

140
East
1/2 - 1 Mile

OIL_GAS NYOG70000000071

Api wellno:	31061237290000	Cnty:	New York
Hole:	23729	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 2		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	20-AUG-07	Dt spud:	30-MAY-07
Dt comp:	14-JUN-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.99365		
Yloc:	40.72294		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Confidential	Elevation:	42
Dt mod:	24-APR-08	Site id:	NYOG70000000071

I41
East
1/2 - 1 Mile

OIL_GAS NYOG70000000072

Api wellno:	31061237290001	Cnty:	New York
Hole:	23729	Sidetrck:	0
Completion:	1		
Well nm:	Geothermal 2		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	07-MAY-08	Dt spud:	22-JUL-08
Dt comp:	15-OCT-08	Well typ:	Not Listed
Dtd:	0		
WI status:	Cancelled	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99365		
Yloc:	40.72294		
Confid:	Not Reported		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	42
Dt mod:	23-JUL-08	Site id:	NYOG70000000072

I43
East
1/2 - 1 Mile

OIL_GAS NYOG70000000076

Api wellno:	31061237310001	Cnty:	New York
Hole:	23731	Sidetrck:	0
Completion:	1		
Well nm:	Geothermal 4		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	07-MAY-08	Dt spud:	22-JUL-08
Dt comp:	15-OCT-08	Well typ:	Not Listed
Dtd:	0		
WI status:	Cancelled	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99363		
Yloc:	40.72308		
Confid:	Not Reported		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Not Applicable	Elevation:	42
Dt mod:	23-JUL-08	Site id:	NYOG70000000076

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

142
East
1/2 - 1 Mile

OIL_GAS NYOG70000000075

Api wellno:	31061237310000	Cnty:	New York
Hole:	23731	Sidetrck:	0
Completion:	0		
Well nm:	Geothermal 4		
Coname:	250 Bowery Project, LLC		
Opno:	2350		
Dt approv:	20-AUG-07	Dt spud:	30-MAY-07
Dt comp:	14-JUN-07	Well typ:	Confidential
Dtd:	0		
WI status:	Confidential	Town:	Manhattan
Field:	Confidential	Prodform:	Confidential
Xloc:	-73.99363		
Yloc:	40.72308		
Confid:	We have confidential information for 6 months.		
Wellst:	CON		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Confidential	Elevation:	42
Dt mod:	24-APR-08	Site id:	NYOG70000000075

44
SE
1/2 - 1 Mile

OIL_GAS NYOG70000000047

Api wellno:	31061236170000	Cnty:	New York
Hole:	23617	Sidetrck:	0
Completion:	0		
Well nm:	Division St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	21-MAR-05	Dt spud:	27-AUG-02
Dt comp:	26-JUL-02	Well typ:	Stratigraphic
Dtd:	604		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99615		
Yloc:	40.7141		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Manhattan Schist	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000047

45
ESE
1/2 - 1 Mile

OIL_GAS NYOG70000000055

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061210950000	Cnty:	New York
Hole:	21095	Sidetrck:	0
Completion:	0		
Well nm:	Forsyth - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	28-JAN-05	Dt spud:	11-MAR-02
Dt comp:	17-APR-02	Well typ:	Stratigraphic
Dtd:	601		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99332		
Yloc:	40.71714		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	None Specified	Elevation:	40
Dt mod:	26-APR-06	Site id:	NYOG70000000055

**46
SSE
1/2 - 1 Mile**

OIL_GAS NYOG70000000030

Api wellno:	31061237520000	Cnty:	New York
Hole:	23752	Sidetrck:	0
Completion:	0		
Well nm:	Frank - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	23-APR-97
Dt comp:	08-MAY-97	Well typ:	Stratigraphic
Dtd:	569		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.00211		
Yloc:	40.70972		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000030

**47
ENE
1/2 - 1 Mile**

OIL_GAS NYOG70000000088

Api wellno:	31061210900000	Cnty:	New York
Hole:	21090	Sidetrck:	0
Completion:	0		
Well nm:	Bond St - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	18-OCT-02
Dt comp:	13-NOV-02	Well typ:	Stratigraphic
Dtd:	604		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.99312		
Yloc:	40.72623		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Not Reported	Quadsec:	Not Reported
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	24-JAN-07	Site id:	NYOG70000000088

48
North
1/2 - 1 Mile

OIL_GAS NYOG70000000098

Api wellno:	31061237490000	Cnty:	New York
Hole:	23749	Sidetrck:	0
Completion:	0		
Well nm:	Charles - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	29-JAN-07	Dt spud:	27-JUL-97
Dt comp:	11-AUG-97	Well typ:	Stratigraphic
Dtd:	576		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Manhattan Schist
Xloc:	-74.00602		
Yloc:	40.73455		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Jersey City	Quadsec:	C
Deepestfor:	Not Applicable	Elevation:	Not Reported
Dt mod:	20-JUL-07	Site id:	NYOG70000000098

J49
SE
1/2 - 1 Mile

OIL_GAS NYOG70000000036

Api wellno:	31061210930000	Cnty:	New York
Hole:	21093	Sidetrck:	0
Completion:	0		
Well nm:	Catherine - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	27-JAN-05	Dt spud:	02-JAN-02
Dt comp:	01-JAN-79	Well typ:	Stratigraphic
Dtd:	624		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.9969		
Yloc:	40.71163		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Fordham Gneiss	Elevation:	19
Dt mod:	26-APR-06	Site id:	NYOG70000000036

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance

Database EDR ID Number

50
ESE
1/2 - 1 Mile

OIL_GAS NYOG70000000049

Api wellno:	31061210940000	Cnty:	New York
Hole:	21094	Sidetrck:	0
Completion:	0		
Well nm:	Eldridge - 1		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	28-JAN-05	Dt spud:	19-MAR-02
Dt comp:	21-MAR-05	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99306		
Yloc:	40.71571		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	None Specified	Elevation:	44
Dt mod:	26-APR-06	Site id:	NYOG70000000049

J51
SE
1/2 - 1 Mile

OIL_GAS NYOG70000000038

Api wellno:	31061210980000	Cnty:	New York
Hole:	21098	Sidetrck:	0
Completion:	0		
Well nm:	Madison St. - C		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	28-JAN-05	Dt spud:	09-SEP-02
Dt comp:	17-OCT-02	Well typ:	Stratigraphic
Dtd:	604		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99597		
Yloc:	40.71212		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	None Specified	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000038

52
ENE
1/2 - 1 Mile

OIL_GAS NYOG70000000092

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Api wellno:	31061236050000	Cnty:	New York
Hole:	23605	Sidetrck:	0
Completion:	0		
Well nm:	Prince St. - A		
Coname:	U.S. Geological Survey		
Opno:	2370		
Dt approv:	28-JAN-05	Dt spud:	21-MAR-01
Dt comp:	10-APR-01	Well typ:	Stratigraphic
Dtd:	665		
WI status:	Active	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99397		
Yloc:	40.72871		
Confid:	Released		
Wellst:	Other Well		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	None Specified	Elevation:	0
Dt mod:	26-JUN-09	Site id:	NYOG70000000092

53
ESE
1/2 - 1 Mile

OIL_GAS NYOG70000000046

Api wellno:	31061210960000	Cnty:	New York
Hole:	21096	Sidetrck:	0
Completion:	0		
Well nm:	Forsyth St. - B		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	28-JAN-05	Dt spud:	08-MAY-02
Dt comp:	17-APR-02	Well typ:	Stratigraphic
Dtd:	0		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable
Xloc:	-73.99382		
Yloc:	40.71399		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	None Specified	Elevation:	0
Dt mod:	31-AUG-06	Site id:	NYOG70000000046

54
SE
1/2 - 1 Mile

OIL_GAS NYOG70000000043

Api wellno:	31061210970000	Cnty:	New York
Hole:	21097	Sidetrck:	0
Completion:	0		
Well nm:	Henry St. - A		
Coname:	New York City Dept. of Environmental Protection		
Opno:	2127		
Dt approv:	27-JAN-05	Dt spud:	12-FEB-02
Dt comp:	19-MAR-02	Well typ:	Stratigraphic
Dtd:	605		
WI status:	Plugged and Abandoned	Town:	Manhattan
Field:	Not Applicable	Prodform:	Not Applicable

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Xloc:	-73.99396		
Yloc:	40.71294		
Confid:	Released		
Wellst:	Other Well Plugged		
Quad:	Brooklyn	Quadsec:	A
Deepestfor:	Fordham Gneiss	Elevation:	36
Dt mod:	26-APR-06	Site id:	NYOG70000000043

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
NEW YORK	NYC (BRONX)	91	1.59	0.85	16
NEW YORK	NYC (KINGS)	416	1.93	1.19	28.2
NEW YORK	NYC (NEW YORK)	108	2.15	0.98	49.5
NEW YORK	NYC (QUEENS)	501	1.24	0.77	23.8
NEW YORK	NYC (RICHMOND)	225	1.44	0.76	14.1

Federal EPA Radon Zone for NEW YORK County: 3

- Note: Zone 1 indoor average level > 4 pCi/L.
- : Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
- : Zone 3 indoor average level < 2 pCi/L.

Not Reported

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8072

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon

Source: Department of Health

Telephone: 518-402-7556

Radon Test Results

Area Radon Information

Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones

Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey


PHYSICAL SETTING SOURCE RECORDS SEARCHED


STREET AND ADDRESS INFORMATION



© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix-B: Photographs













Appendix-C: GPR Report



Hydro Tech Environmental, Corp.

Main Office
77 Arkay Drive, Suite G
Hauppauge, New York 11788
T (631) 462-5866 • F (631) 462-5877

NYC Office
15 Ocean Avenue, 2nd Floor
Brooklyn, New York 11225
T (718) 636-0800 • F (718) 636-0900

WWW.HYDROTECHENVIRONMENTAL.COM

May 1, 2014

JMW Hubert LLC
156 West 56th Street, 4th Floor
New York, NY

**Re: GPR Survey - 11 Hubert Street, Manhattan NY
Hydro Tech Job No. 140099**

Dear Sir:

Hydro Tech Environmental, Corp. has performed a Ground Penetrating Radar (GPR) survey at the above referenced Site. The GPR survey was conducted to investigate all accessible areas of the property which included all accessible areas of the site to identify any anomalies representing the presence of an underground storage tank (UST). No vent pipes or fill pipes were noted on the property.

SITE DETAILS

The Site is approximately 5,000 square feet in area and consists of a 3-story commercial with a basement and a private garage with no basement. The first floor of the building is currently used for offices. The second and third floors are reportedly residential. Upon inspection, the basement was used as a warehouse and storage space.

DESCRIPTION OF FIELDWORK

The GPR survey was performed on April 25, 2014 utilizing a GSSI SIR-3000 Control Unit and a 400-megahertz shielded antenna. Prior to the commencement of the survey a visual inspection of the property was performed to identify specific areas where USTs could be present.

The GPR takes one "scan" per set unit. The number of scans per unit is based upon the estimated sizes of targets. Based upon the typical size of a UST, the GPR was set to run at 50 scans per foot. As each scan is performed, the antenna emits specific radar amplitude into the subsurface. The amplitude of the radar reflected back to the antenna is based upon the differences in the dielectric constants of the subsurface materials. The difference in amplitude obtained during each scan is then graphically displayed on the Control Unit, which are then interpreted by the GPR operator the time of the survey. Additional interpretations are then conducted in the office utilizing specialized computer software.


JMW Hubert LLC
May 1, 2014
Page 2

GPR RESULTS

No anomalies indicative of USTs or any other underground structures were found during the survey.

I hope that this information has proven valuable to this phase of your assessment. Should you have any questions, please feel free to contact our office at your convenience.

Very Truly Yours,
Hydro Tech Environmental, Corp.

A handwritten signature in black ink, appearing to read 'Carlos Quinonez', is written over the typed name. The signature is stylized with a large loop at the end.

Carlos Quinonez
Operations Manager

Encs.

cc: Hydro Tech File 140099

EXCLUSIONS & DISCLAIMER

The observations described in this report were made under the conditions stated therein. The conclusions presented in the report were based solely upon the services described therein, and not on scientific tasks or procedures beyond the scope of described services or the time and budgetary constraints imposed by the Client.

Observations were made of the subject property and/or of structures on the subject property as indicated within the report. Where access to portions of the subject property or to structures on the subject property was unavailable or limited, **Hydro Tech Environmental, Corp.** renders no opinion as to the presence of non-hazardous or hazardous materials, or to the presence of indirect evidence relating to a non hazardous or hazardous materials, in that portion of the subject property or structure. In addition, **Hydro Tech Environmental, Corp.** renders no opinion as to the presence of hazardous materials, or the presence of indirect evidence relating to hazardous materials, where direct observation of the interior walls, floors, or ceiling of a structure on a subject property was obstructed by objects or coverings on or over these surfaces.

The conclusions and recommendations contained in this report are based in part, where noted, upon various types of chemical data and are contingent upon their validity. The data have been reviewed and interpretations were made in the report. As indicated within the report, some of the data may be preliminary "screening" level data, and should be confirmed with quantitative analyses if more specific information is necessary. Moreover, it should be noted that variations in the types and concentrations of contaminants and variations in their flow paths may occur due to seasonal water table fluctuations, past disposal practices, the passage of time, and other factors. Should additional chemical data become available in the future, the data should be reviewed, and the conclusions and recommendations presented herein modified accordingly.

Any GPR survey described above was performed in accordance with good commercial and customary practice and generally accepted protocols within the consulting industry. **Hydro Tech Environmental, Corp.** does not accept responsibility for survey limitations due to inherent technological limitations or site specific conditions, however, made appropriate effort to identify and notify the client of such limitations and conditions. In particular, please note that the survey described above does not represent a full utility clearance survey, and does not relieve any party of applicable legal obligations to notify a utility one-call service prior to excavating or drilling.

Appendix-D: Soil Boring Logs



Hydro Tech Environmental, Corp.

Main Office

77 Arkay Drive, Suite G
Hauppauge, NY 11788

T (631) 462-5866 · F (631) 462-5877

www.hydrotechenvironmental.com

NYC Office

15 Ocean Avenue, 2nd Floor
Brooklyn, New York 11238

T (718) 636-0800 · F (718) 636-0900

Soil Probe Log

Job No:	Date: 4/25/14	Page: 1 of 1
Location:	11 Hubert Street Manhattan, New York	Sampling Interval: 2 Feet
Boring No.:	SP-1	Sampling Method: Grab
Drilling Method:	Direct Push	Driller: Oscar
Total Depth:	8 feet	Depth to Water: 7.5 feet

USCS SYMBOLS

GW - Well Graded Gravel	SW - Well Graded Sand	ML - Inorganic Silt / Sandy Silt	CH - Inorganic Clay, High Plastic
GP - Poorly Graded Gravel	SP - Poorly Graded Sand	CL - Inorganic Clays/Sandy Clay	OH - Organic Silt / Clay
GM - Silty Gravel	SM - Silty Sand	OL - Inorganic Silts/Organic Silty Clay	PT - Peat/High Organics
GC - Clayey Gravel	SC - Clayey Sand	MH - Elastic Silts	

Depth Below Grade and Lithology	PID Reading (ppm)	USCS	Soil Description
---------------------------------	-------------------	------	------------------

0	10.9	SP	Concrete, brick fill material, compacted brown sand
-2	85.6	SP	Fine grained compacted brown sand and trace brick and concrete fill material wth black staining and odor
-4	111	SP	Fine grained compacted brown sand and trace brick and concrete fill material wth black staining and odor
-6	86.3	SP	Brown compacted soil with black staining and petroleum odor. Wet soil at 7.5'bgs
-8			



Hydro Tech Environmental, Corp.

Main Office

77 Arkay Drive, Suite G
Hauppauge, NY 11788

T (631) 462-5866 · F (631) 462-5877

www.hydrotechenvironmental.com

NYC Office

15 Ocean Avenue, 2nd Floor
Brooklyn, New York 11238

T (718) 636-0800 · F (718) 636-0900

Soil Probe Log

Job No:	Date: 4/30/14	Page: 1 of 1
Location:	11 Hubert Street Manhattan, New York	Sampling Interval: 2 Feet
Boring No.:	SP-2	Sampling Method: Grab
Drilling Method:	Direct Push	Driller: Oscar
Total Depth:	8 feet	Depth to Water: 7 feet

USCS SYMBOLS

GW - Well Graded Gravel	SW - Well Graded Sand	ML - Inorganic Silt / Sandy Silt	CH - Inorganic Clay, High Plastic
GP - Poorly Graded Gravel	SP - Poorly Graded Sand	CL - Inorganic Clays/Sandy Clay	OH - Organic Silt / Clay
GM - Silty Gravel	SM - Silty Sand	OL - Inorganic Silts/Organic Silty Clay	PT - Peat/High Organics
GC - Clayey Gravel	SC - Clayey Sand	MH - Elastic Silts	

Depth Below Grade and Lithology	PID Reading (ppm)	USCS	Soil Description
---------------------------------	-------------------	------	------------------

0	0.0	SP	Concrete, fine brown sand and pebbles
-2	0.0	SP	Fine brown sand and pebbles
-4	0.0	SP	Fine brown sand and pebbles
-6	0.0	SP	Fine brown sand and pebbles. Water encountered at 7'bgs
-8			



Hydro Tech Environmental, Corp.

Main Office

77 Arkay Drive, Suite G
Hauppauge, NY 11788

T (631) 462-5866 · F (631) 462-5877

www.hydrotechenvironmental.com

NYC Office

15 Ocean Avenue, 2nd Floor
Brooklyn, New York 11238

T (718) 636-0800 · F (718) 636-0900

Soil Probe Log

Job No:	Date: 4/30/14	Page: 1 of 1
Location:	11 Hubert Street Manhattan, New York	Sampling Interval: 2 Feet
Boring No.:	SP-3	Sampling Method: Grab
Drilling Method:	Direct Push	Driller: Oscar
Total Depth:	8 feet	Depth to Water: 7 feet

USCS SYMBOLS

GW - Well Graded Gravel	SW - Well Graded Sand	ML - Inorganic Silt / Sandy Silt	CH - Inorganic Clay, High Plastic
GP - Poorly Graded Gravel	SP - Poorly Graded Sand	CL - Inorganic Clays/Sandy Clay	OH - Organic Silt / Clay
GM - Silty Gravel	SM - Silty Sand	OL - Inorganic Silts/Organic Silty Clay	PT - Peat/High Organics
GC - Clayey Gravel	SC - Clayey Sand	MH - Elastic Silts	

Depth Below Grade and Lithology	PID Reading (ppm)	USCS	Soil Description
---------------------------------	-------------------	------	------------------

0	0.0	SP	Concrete, pebbles
-2	0.0	SP	Brown coarse sand with trace brick and pebbles
-4	0.0	SP	Brown coarse sand with trace brick and pebbles
-6	0.0	SP	Black stained sand with odor. Water encountered at 7' bgs
-8			



Hydro Tech Environmental, Corp.

Main Office

77 Arkay Drive, Suite G
Hauppauge, NY 11788

T (631) 462-5866 · F (631) 462-5877

www.hydrotechenvironmental.com

NYC Office

15 Ocean Avenue, 2nd Floor
Brooklyn, New York 11238

T (718) 636-0800 · F (718) 636-0900

Soil Probe Log

Job No:	Date: 4/29/14	Page: 1 of 1
Location:	11 Hubert Street Manhattan, New York	Sampling Interval: 2 Feet
Boring No.:	SP-4	Sampling Method: Grab
Drilling Method:	Direct Push	Driller: Oscar
Total Depth:	8 feet	Depth to Water: 7 feet

USCS SYMBOLS

GW - Well Graded Gravel	SW - Well Graded Sand	ML - Inorganic Silt / Sandy Silt	CH - Inorganic Clay, High Plastic
GP - Poorly Graded Gravel	SP - Poorly Graded Sand	CL - Inorganic Clays/Sandy Clay	OH - Organic Silt / Clay
GM - Silty Gravel	SM - Silty Sand	OL - Inorganic Silts/Organic Silty Clay	PT - Peat/High Organics
GC - Clayey Gravel	SC - Clayey Sand	MH - Elastic Silts	

Depth Below Grade and Lithology	PID Reading (ppm)	USCS	Soil Description
---------------------------------	-------------------	------	------------------

0	0.0	SP	Concrete, brown coarse sand
-2	0.0	SP	Trace concrete, wood fill, brown coarse sand
-4	0.0	SP	Brown fine grained sand with pebbles
-6	0.0	SP	Brown fine grained sand with trace silt. Water encountered at 7' bgs
-8			



Hydro Tech Environmental, Corp.

Main Office

77 Arkay Drive, Suite G
Hauppauge, NY 11788

T (631) 462-5866 · F (631) 462-5877

www.hydrotechenvironmental.com

NYC Office

15 Ocean Avenue, 2nd Floor
Brooklyn, New York 11238

T (718) 636-0800 · F (718) 636-0900

Soil Probe Log

Job No:	Date: 4/28/14	Page: 1 of 1
Location:	11 Hubert Street Manhattan, New York	Sampling Interval: 2 Feet
Boring No.:	SP-5	Sampling Method: Grab
Drilling Method:	Direct Push	Driller: Oscar
Total Depth:	12 feet	Depth to Water: N/A

USCS SYMBOLS

GW - Well Graded Gravel	SW - Well Graded Sand	ML - Inorganic Silt / Sandy Silt	CH - Inorganic Clay, High Plastic
GP - Poorly Graded Gravel	SP - Poorly Graded Sand	CL - Inorganic Clays/Sandy Clay	OH - Organic Silt / Clay
GM - Silty Gravel	SM - Silty Sand	OL - Inorganic Silts/Organic Silty Clay	PT - Peat/High Organics
GC - Clayey Gravel	SC - Clayey Sand	MH - Elastic Silts	

Depth Below Grade and Lithology	PID Reading (ppm)	USCS	Soil Description
---------------------------------	-------------------	------	------------------

0	0.0	SP	Concrete, brick fill material
-2	0.0	SP	Concrete, brick fill material
-4	0.0	SP	Concrete, pebbles, brick fill, coarse sand
-6	2.6	SP	Coarse sand, pebbles, trace silt
-8			

Appendix-E: Monitoring Well Construction



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE:
 77 ARKAY DRIVE, SUITE G
 HAUPPAUGE, NEW YORK 11788
 PHONE: (631) 462-5866 FAX: (631) 462-5877

NYC OFFICE:
 15 OCEAN AVENUE, SECOND FLOOR
 BROOKLYN, NEW YORK 11238

WELL CONSTRUCTION LOG

Job No: 140099 Date: 04-29-2014 Page: 1 OF 1

Location: 11 HUBERT STREET, NYC

Well Number: MW-3 Screen Size: 0.010"

Drilling Method: DIRECT PUSH Screen Interval: 10.00'

Total Depth: 13.00' Diameter: 1"

Depth to Water: 5.67' Riser Length: 3.00'

Manhole Size: 5" Sand Size: #2

Depth Below Grade (ft.)	Sample Interval (ft.)	Well Construction	Description
2			<p>5" Manhole Cover.</p> <p>0'-2.00' - Native Soil.</p> <p>2.00'-3.00' - Bentonite Seal.</p> <p>3.00'-13.00' - #2 Sand.</p> <p>0'-3.00' - Riser</p> <p>3.00'-13.00' - Screen</p>
4			
6			
8			
10			
12			
14			
16			
18			
20			
22			
24			
26			
28			
30			
32			
34			
36			

DRILLER: OSCAR
 GEOLOGIST: ERICA



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE:
77 ARKAY DRIVE, SUITE G
HAUPPAUGE, NEW YORK 11788
PHONE: (631) 462-5866 FAX: (631) 462-5877

NYC OFFICE:
15 OCEAN AVENUE, SECOND FLOOR
BROOKLYN, NEW YORK 11238

WELL CONSTRUCTION LOG

Job No: 140099 Date: 04-29-2014 Page: 1 OF 1

Location: 11 HUBERT STREET, NYC

Well Number: MW-2 Screen Size: 0.010"

Drilling Method: DIRECT PUSH Screen Interval: 10.00'

Total Depth: 13.00' Diameter: 1"

Depth to Water: 8.68' Riser Length: 3.00'

Manhole Size: 5" Sand Size: #2

Depth Below Grade (ft.)	Sample Interval (ft.)	Well Construction	Description
2			5" Manhole Cover.
4			0'-2.00' - Native Soil.
6			2.00'-3.00' - Bentonite Seal.
8			3.00'-13.00' - #2 Sand.
10			0'-3.00' - Riser
12			3.00'-13.00' - Screen
14			
16			
18			
20			
22			
24			
26			
28			
30			
32			
34			
36			

DRILLER: OSCAR
GEOLOGIST: ERICA



HYDRO TECH ENVIRONMENTAL CORP.

MAIN OFFICE:
 77 ARKAY DRIVE, SUITE G
 HAUPPAUGE, NEW YORK 11788
 PHONE: (631) 462-5866 FAX: (631) 462-5877

NYC OFFICE:
 15 OCEAN AVENUE, SECOND FLOOR
 BROOKLYN, NEW YORK 11238

WELL CONSTRUCTION LOG

Job No: 140099 Date: 04-29-2014 Page: 1 OF 1

Location: 11 HUBERT STREET, NYC

Well Number: MW-1 Screen Size: 0.010"

Drilling Method: DIRECT PUSH Screen Interval: 10.00'

Total Depth: 13.00' Diameter: 1"

Depth to Water: 5.43' Riser Length: 3.00'

Manhole Size: 5" Sand Size: #2

Depth Below Grade (ft.)	Sample Interval (ft.)	Well Construction	Description
2			<p>5" Manhole Cover.</p> <p>0'-2.00' - Native Soil.</p> <p>2.00'-3.00' - Bentonite Seal.</p> <p>3.00'-13.00' - #2 Sand.</p> <p>0'-3.00' - Riser</p> <p>3.00'-13.00' - Screen</p>
4			
6			
8			
10			
12			
14			
16			
18			
20			
22			
24			
26			
28			
30			
32			
34			
36			

DRILLER: OSCAR
 GEOLOGIST: ERICA

Appendix-F: Monitoring Well Sampling Log

Appendix-G:
Laboratory Deliverables for
Soil Analytical Data



ANALYTICAL REPORT

Lab Number:	L1408774
Client:	Hydro Tech Environmental, Corp. 77 Arkay Drive Suite G Hauppauge, NY 11788
ATTN:	Erica Johnston
Phone:	(631) 462-5866
Project Name:	11 HUBERT ST
Project Number:	140099
Report Date:	05/02/14

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), USDA (Permit #P-330-11-00240), NC (666), TX (T104704476), DOD (L2217), US Army Corps of Engineers.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1408774-01	SP-1 (2'-4')	11 HUBERT ST. NYC	04/25/14 13:40
L1408774-02	SP-1 (6'-8')	11 HUBERT ST. NYC	04/25/14 13:45

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Performance criteria for CAM and RCP methods allow for some LCS compound failures to occur and still be within method compliance. In these instances, the specific failures are not narrated but are noted in the associated QC table. This information is also incorporated in the Data Usability format for our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Volatile Organics

L1408774-01 and -02 have elevated detection limits due to the dilutions required by the elevated concentrations of non-target compounds in the samples.

Pesticides

L1408774-01 and -02 have elevated detection limits due to the dilutions required by the sample matrices. L1408774-01: The internal standard (IS) response was below the acceptance criteria; re-analysis of the sample at higher dilution (10x) achieved similar results. The results of the original analysis are reported.

Total Metals

L1408774-01 and -02 have elevated detection limits for all elements, with the exception of mercury, due to the dilutions required by matrix interferences encountered during analysis.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Michelle M. Morris

Title: Technical Director/Representative

Date: 05/02/14

ORGANICS

VOLATILES

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01 D
 Client ID: SP-1 (2'-4')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 04/28/14 17:22
 Analyst: BN
 Percent Solids: 88%

Date Collected: 04/25/14 13:40
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	920	180	2
1,1-Dichloroethane	ND		ug/kg	140	16.	2
Chloroform	ND		ug/kg	140	34.	2
Carbon tetrachloride	ND		ug/kg	92	19.	2
1,2-Dichloropropane	ND		ug/kg	320	21.	2
Dibromochloromethane	ND		ug/kg	92	28.	2
1,1,2-Trichloroethane	ND		ug/kg	140	28.	2
Tetrachloroethene	ND		ug/kg	92	13.	2
Chlorobenzene	ND		ug/kg	92	32.	2
Trichlorofluoromethane	ND		ug/kg	460	11.	2
1,2-Dichloroethane	ND		ug/kg	92	13.	2
1,1,1-Trichloroethane	ND		ug/kg	92	10.	2
Bromodichloromethane	ND		ug/kg	92	21.	2
trans-1,3-Dichloropropene	ND		ug/kg	92	11.	2
cis-1,3-Dichloropropene	ND		ug/kg	92	12.	2
1,1-Dichloropropene	ND		ug/kg	460	42.	2
Bromoform	ND		ug/kg	370	38.	2
1,1,2,2-Tetrachloroethane	ND		ug/kg	92	16.	2
Benzene	ND		ug/kg	92	11.	2
Toluene	34	J	ug/kg	140	10.	2
Ethylbenzene	ND		ug/kg	92	14.	2
Chloromethane	ND		ug/kg	460	72.	2
Bromomethane	ND		ug/kg	180	31.	2
Vinyl chloride	ND		ug/kg	180	13.	2
Chloroethane	ND		ug/kg	180	29.	2
1,1-Dichloroethene	ND		ug/kg	92	19.	2
trans-1,2-Dichloroethene	ND		ug/kg	140	19.	2
Trichloroethene	ND		ug/kg	92	14.	2
1,2-Dichlorobenzene	ND		ug/kg	460	17.	2
1,3-Dichlorobenzene	ND		ug/kg	460	17.	2
1,4-Dichlorobenzene	ND		ug/kg	460	22.	2

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01 D

Date Collected: 04/25/14 13:40

Client ID: SP-1 (2'-4')

Date Received: 04/25/14

Sample Location: 11 HUBERT ST. NYC

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	180	9.6	2
p/m-Xylene	40	J	ug/kg	180	30.	2
o-Xylene	ND		ug/kg	180	25.	2
cis-1,2-Dichloroethene	ND		ug/kg	92	14.	2
Dibromomethane	ND		ug/kg	920	15.	2
Styrene	ND		ug/kg	180	28.	2
Dichlorodifluoromethane	ND		ug/kg	920	20.	2
Acetone	ND		ug/kg	920	280	2
Carbon disulfide	ND		ug/kg	920	180	2
2-Butanone	ND		ug/kg	920	33.	2
Vinyl acetate	ND		ug/kg	920	44.	2
4-Methyl-2-pentanone	ND		ug/kg	920	22.	2
1,2,3-Trichloropropane	ND		ug/kg	920	21.	2
2-Hexanone	ND		ug/kg	920	17.	2
Bromochloromethane	ND		ug/kg	460	18.	2
2,2-Dichloropropane	ND		ug/kg	460	21.	2
1,2-Dibromoethane	ND		ug/kg	370	16.	2
1,3-Dichloropropane	ND		ug/kg	460	16.	2
1,1,1,2-Tetrachloroethane	ND		ug/kg	92	29.	2
Bromobenzene	ND		ug/kg	460	19.	2
n-Butylbenzene	640		ug/kg	92	18.	2
sec-Butylbenzene	510		ug/kg	92	19.	2
tert-Butylbenzene	98	J	ug/kg	460	52.	2
o-Chlorotoluene	ND		ug/kg	460	15.	2
p-Chlorotoluene	ND		ug/kg	460	14.	2
1,2-Dibromo-3-chloropropane	ND		ug/kg	460	72.	2
Hexachlorobutadiene	ND		ug/kg	460	39.	2
Isopropylbenzene	170		ug/kg	92	15.	2
p-Isopropyltoluene	ND		ug/kg	92	18.	2
Naphthalene	ND		ug/kg	460	71.	2
Acrylonitrile	ND		ug/kg	920	22.	2
n-Propylbenzene	390		ug/kg	92	12.	2
1,2,3-Trichlorobenzene	ND		ug/kg	460	15.	2
1,2,4-Trichlorobenzene	ND		ug/kg	460	72.	2
1,3,5-Trimethylbenzene	ND		ug/kg	460	13.	2
1,2,4-Trimethylbenzene	ND		ug/kg	460	53.	2
1,4-Dioxane	ND		ug/kg	9200	1600	2
1,4-Diethylbenzene	660		ug/kg	370	15.	2
4-Ethyltoluene	ND		ug/kg	370	11.	2

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-01 D

Date Collected: 04/25/14 13:40

Client ID: SP-1 (2'-4')

Date Received: 04/25/14

Sample Location: 11 HUBERT ST. NYC

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
1,2,4,5-Tetramethylbenzene	4600		ug/kg	370	12.	2
Ethyl ether	ND		ug/kg	460	24.	2
trans-1,4-Dichloro-2-butene	ND		ug/kg	460	41.	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	90		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	114		70-130
Dibromofluoromethane	97		70-130

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02 D
 Client ID: SP-1 (6'-8')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Analytical Method: 1,8260C
 Analytical Date: 04/28/14 17:50
 Analyst: BN
 Percent Solids: 85%

Date Collected: 04/25/14 13:45
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	850	170	2
1,1-Dichloroethane	ND		ug/kg	130	15.	2
Chloroform	ND		ug/kg	130	32.	2
Carbon tetrachloride	ND		ug/kg	85	18.	2
1,2-Dichloropropane	ND		ug/kg	300	19.	2
Dibromochloromethane	ND		ug/kg	85	26.	2
1,1,2-Trichloroethane	ND		ug/kg	130	26.	2
Tetrachloroethene	ND		ug/kg	85	12.	2
Chlorobenzene	ND		ug/kg	85	30.	2
Trichlorofluoromethane	ND		ug/kg	420	10.	2
1,2-Dichloroethane	ND		ug/kg	85	12.	2
1,1,1-Trichloroethane	ND		ug/kg	85	9.4	2
Bromodichloromethane	ND		ug/kg	85	20.	2
trans-1,3-Dichloropropene	ND		ug/kg	85	10.	2
cis-1,3-Dichloropropene	ND		ug/kg	85	11.	2
1,1-Dichloropropene	ND		ug/kg	420	39.	2
Bromoform	ND		ug/kg	340	35.	2
1,1,2,2-Tetrachloroethane	ND		ug/kg	85	14.	2
Benzene	ND		ug/kg	85	10.	2
Toluene	20	J	ug/kg	130	9.5	2
Ethylbenzene	ND		ug/kg	85	12.	2
Chloromethane	ND		ug/kg	420	67.	2
Bromomethane	ND		ug/kg	170	29.	2
Vinyl chloride	ND		ug/kg	170	12.	2
Chloroethane	ND		ug/kg	170	27.	2
1,1-Dichloroethene	ND		ug/kg	85	18.	2
trans-1,2-Dichloroethene	ND		ug/kg	130	18.	2
Trichloroethene	ND		ug/kg	85	13.	2
1,2-Dichlorobenzene	ND		ug/kg	420	16.	2
1,3-Dichlorobenzene	ND		ug/kg	420	16.	2
1,4-Dichlorobenzene	ND		ug/kg	420	20.	2

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02 D

Date Collected: 04/25/14 13:45

Client ID: SP-1 (6'-8')

Date Received: 04/25/14

Sample Location: 11 HUBERT ST. NYC

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	170	8.9	2
p/m-Xylene	ND		ug/kg	170	27.	2
o-Xylene	ND		ug/kg	170	23.	2
cis-1,2-Dichloroethene	ND		ug/kg	85	13.	2
Dibromomethane	ND		ug/kg	850	14.	2
Styrene	ND		ug/kg	170	26.	2
Dichlorodifluoromethane	ND		ug/kg	850	18.	2
Acetone	ND		ug/kg	850	260	2
Carbon disulfide	ND		ug/kg	850	170	2
2-Butanone	ND		ug/kg	850	30.	2
Vinyl acetate	ND		ug/kg	850	41.	2
4-Methyl-2-pentanone	ND		ug/kg	850	21.	2
1,2,3-Trichloropropane	ND		ug/kg	850	19.	2
2-Hexanone	ND		ug/kg	850	16.	2
Bromochloromethane	ND		ug/kg	420	17.	2
2,2-Dichloropropane	ND		ug/kg	420	19.	2
1,2-Dibromoethane	ND		ug/kg	340	15.	2
1,3-Dichloropropane	ND		ug/kg	420	15.	2
1,1,1,2-Tetrachloroethane	ND		ug/kg	85	27.	2
Bromobenzene	ND		ug/kg	420	18.	2
n-Butylbenzene	120		ug/kg	85	17.	2
sec-Butylbenzene	110		ug/kg	85	18.	2
tert-Butylbenzene	ND		ug/kg	420	48.	2
o-Chlorotoluene	ND		ug/kg	420	14.	2
p-Chlorotoluene	ND		ug/kg	420	13.	2
1,2-Dibromo-3-chloropropane	ND		ug/kg	420	67.	2
Hexachlorobutadiene	ND		ug/kg	420	36.	2
Isopropylbenzene	25	J	ug/kg	85	14.	2
p-Isopropyltoluene	ND		ug/kg	85	16.	2
Naphthalene	ND		ug/kg	420	66.	2
Acrylonitrile	ND		ug/kg	850	20.	2
n-Propylbenzene	48	J	ug/kg	85	11.	2
1,2,3-Trichlorobenzene	ND		ug/kg	420	14.	2
1,2,4-Trichlorobenzene	ND		ug/kg	420	67.	2
1,3,5-Trimethylbenzene	ND		ug/kg	420	12.	2
1,2,4-Trimethylbenzene	ND		ug/kg	420	49.	2
1,4-Dioxane	ND		ug/kg	8500	1500	2
1,4-Diethylbenzene	110	J	ug/kg	340	14.	2
4-Ethyltoluene	ND		ug/kg	340	10.	2

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-02 D

Date Collected: 04/25/14 13:45

Client ID: SP-1 (6'-8')

Date Received: 04/25/14

Sample Location: 11 HUBERT ST. NYC

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
1,2,4,5-Tetramethylbenzene	690		ug/kg	340	11.	2
Ethyl ether	ND		ug/kg	420	23.	2
trans-1,4-Dichloro-2-butene	ND		ug/kg	420	38.	2

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	90		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	120		70-130
Dibromofluoromethane	97		70-130

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 04/28/14 08:41
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02 Batch: WG685808-3					
Methylene chloride	ND		ug/kg	500	100
1,1-Dichloroethane	ND		ug/kg	75	8.9
Chloroform	ND		ug/kg	75	18.
Carbon tetrachloride	ND		ug/kg	50	10.
1,2-Dichloropropane	ND		ug/kg	180	11.
Dibromochloromethane	ND		ug/kg	50	15.
1,1,2-Trichloroethane	ND		ug/kg	75	15.
Tetrachloroethene	ND		ug/kg	50	7.0
Chlorobenzene	ND		ug/kg	50	17.
Trichlorofluoromethane	ND		ug/kg	250	6.1
1,2-Dichloroethane	ND		ug/kg	50	7.3
1,1,1-Trichloroethane	ND		ug/kg	50	5.5
Bromodichloromethane	ND		ug/kg	50	11.
trans-1,3-Dichloropropene	ND		ug/kg	50	6.0
cis-1,3-Dichloropropene	ND		ug/kg	50	6.4
1,1-Dichloropropene	ND		ug/kg	250	23.
Bromoform	ND		ug/kg	200	21.
1,1,2,2-Tetrachloroethane	ND		ug/kg	50	8.5
Benzene	ND		ug/kg	50	5.9
Toluene	ND		ug/kg	75	5.6
Ethylbenzene	ND		ug/kg	50	7.4
Chloromethane	ND		ug/kg	250	39.
Bromomethane	28	J	ug/kg	100	17.
Vinyl chloride	ND		ug/kg	100	7.1
Chloroethane	ND		ug/kg	100	16.
1,1-Dichloroethene	ND		ug/kg	50	10.
trans-1,2-Dichloroethene	ND		ug/kg	75	10.
Trichloroethene	ND		ug/kg	50	7.6
1,2-Dichlorobenzene	ND		ug/kg	250	9.2
1,3-Dichlorobenzene	ND		ug/kg	250	9.2
1,4-Dichlorobenzene	ND		ug/kg	250	12.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 04/28/14 08:41
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02 Batch: WG685808-3					
Methyl tert butyl ether	ND		ug/kg	100	5.2
p/m-Xylene	ND		ug/kg	100	16.
o-Xylene	ND		ug/kg	100	14.
Xylene (Total)	ND		ug/kg	100	14.
cis-1,2-Dichloroethene	ND		ug/kg	50	7.5
Dibromomethane	ND		ug/kg	500	8.2
Styrene	ND		ug/kg	100	15.
Dichlorodifluoromethane	ND		ug/kg	500	11.
Acetone	ND		ug/kg	500	160
Carbon disulfide	ND		ug/kg	500	100
2-Butanone	ND		ug/kg	500	18.
Vinyl acetate	ND		ug/kg	500	24.
4-Methyl-2-pentanone	ND		ug/kg	500	12.
1,2,3-Trichloropropane	ND		ug/kg	500	11.
2-Hexanone	ND		ug/kg	500	9.4
Bromochloromethane	ND		ug/kg	250	9.8
2,2-Dichloropropane	ND		ug/kg	250	11.
1,2-Dibromoethane	ND		ug/kg	200	8.9
1,3-Dichloropropane	ND		ug/kg	250	8.6
1,1,1,2-Tetrachloroethane	ND		ug/kg	50	16.
Bromobenzene	ND		ug/kg	250	10.
n-Butylbenzene	ND		ug/kg	50	9.9
sec-Butylbenzene	ND		ug/kg	50	10.
tert-Butylbenzene	ND		ug/kg	250	28.
o-Chlorotoluene	ND		ug/kg	250	8.0
p-Chlorotoluene	ND		ug/kg	250	7.7
1,2-Dibromo-3-chloropropane	ND		ug/kg	250	39.
Hexachlorobutadiene	ND		ug/kg	250	21.
Isopropylbenzene	ND		ug/kg	50	8.4
p-Isopropyltoluene	ND		ug/kg	50	9.6
Naphthalene	ND		ug/kg	250	38.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 04/28/14 08:41
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02 Batch: WG685808-3					
Acrylonitrile	ND		ug/kg	500	12.
Isopropyl Ether	ND		ug/kg	200	7.0
tert-Butyl Alcohol	ND		ug/kg	3000	45.
n-Propylbenzene	ND		ug/kg	50	6.3
1,2,3-Trichlorobenzene	ND		ug/kg	250	8.4
1,2,4-Trichlorobenzene	ND		ug/kg	250	39.
1,3,5-Trimethylbenzene	ND		ug/kg	250	7.2
1,2,4-Trimethylbenzene	ND		ug/kg	250	29.
Methyl Acetate	ND		ug/kg	1000	38.
Ethyl Acetate	ND		ug/kg	1000	41.
Acrolein	ND		ug/kg	1200	460
Cyclohexane	ND		ug/kg	1000	54.
1,4-Dioxane	ND		ug/kg	5000	870
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/kg	1000	14.
1,4-Diethylbenzene	ND		ug/kg	200	8.0
4-Ethyltoluene	ND		ug/kg	200	5.8
1,2,4,5-Tetramethylbenzene	ND		ug/kg	200	6.5
Tetrahydrofuran	ND		ug/kg	1000	19.
Ethyl ether	ND		ug/kg	250	13.
trans-1,4-Dichloro-2-butene	ND		ug/kg	250	22.
Methyl cyclohexane	ND		ug/kg	200	63.
Ethyl-Tert-Butyl-Ether	ND		ug/kg	200	21.
Tertiary-Amyl Methyl Ether	ND		ug/kg	200	29.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 04/28/14 08:41
 Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-02 Batch: WG685808-3					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	92		70-130
Toluene-d8	91		70-130
4-Bromofluorobenzene	92		70-130
Dibromofluoromethane	95		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02 Batch: WG685808-1 WG685808-2								
Methylene chloride	116		115		70-130	1		30
1,1-Dichloroethane	111		109		70-130	2		30
Chloroform	112		112		70-130	0		30
Carbon tetrachloride	118		113		70-130	4		30
1,2-Dichloropropane	115		114		70-130	1		30
Dibromochloromethane	100		101		70-130	1		30
1,1,2-Trichloroethane	101		102		70-130	1		30
Tetrachloroethene	104		100		70-130	4		30
Chlorobenzene	102		100		70-130	2		30
Trichlorofluoromethane	122		115		70-139	6		30
1,2-Dichloroethane	109		111		70-130	2		30
1,1,1-Trichloroethane	115		110		70-130	4		30
Bromodichloromethane	114		114		70-130	0		30
trans-1,3-Dichloropropene	97		98		70-130	1		30
cis-1,3-Dichloropropene	114		114		70-130	0		30
1,1-Dichloropropene	116		110		70-130	5		30
Bromoform	95		96		70-130	1		30
1,1,2,2-Tetrachloroethane	94		96		70-130	2		30
Benzene	114		111		70-130	3		30
Toluene	98		96		70-130	2		30
Ethylbenzene	100		98		70-130	2		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02 Batch: WG685808-1 WG685808-2								
Chloromethane	103		102		52-130	1		30
Bromomethane	139		140		57-147	1		30
Vinyl chloride	109		104		67-130	5		30
Chloroethane	105		102		50-151	3		30
1,1-Dichloroethene	116		110		65-135	5		30
trans-1,2-Dichloroethene	115		110		70-130	4		30
Trichloroethene	115		112		70-130	3		30
1,2-Dichlorobenzene	98		97		70-130	1		30
1,3-Dichlorobenzene	98		97		70-130	1		30
1,4-Dichlorobenzene	99		97		70-130	2		30
Methyl tert butyl ether	105		107		66-130	2		30
p/m-Xylene	101		100		70-130	1		30
o-Xylene	102		101		70-130	1		30
cis-1,2-Dichloroethene	116		114		70-130	2		30
Dibromomethane	115		117		70-130	2		30
Styrene	103		103		70-130	0		30
Dichlorodifluoromethane	118		110		30-146	7		30
Acetone	138		134		54-140	3		30
Carbon disulfide	106		101		59-130	5		30
2-Butanone	103		116		70-130	12		30
Vinyl acetate	102		103		70-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02 Batch: WG685808-1 WG685808-2								
4-Methyl-2-pentanone	113		116		70-130	3		30
1,2,3-Trichloropropane	91		92		68-130	1		30
2-Hexanone	91		95		70-130	4		30
Bromochloromethane	122		122		70-130	0		30
2,2-Dichloropropane	114		108		70-130	5		30
1,2-Dibromoethane	100		102		70-130	2		30
1,3-Dichloropropane	98		100		69-130	2		30
1,1,1,2-Tetrachloroethane	101		101		70-130	0		30
Bromobenzene	96		95		70-130	1		30
n-Butylbenzene	98		94		70-130	4		30
sec-Butylbenzene	98		95		70-130	3		30
tert-Butylbenzene	96		93		70-130	3		30
o-Chlorotoluene	93		91		70-130	2		30
p-Chlorotoluene	94		92		70-130	2		30
1,2-Dibromo-3-chloropropane	94		96		68-130	2		30
Hexachlorobutadiene	102		97		67-130	5		30
Isopropylbenzene	101		99		70-130	2		30
p-Isopropyltoluene	98		95		70-130	3		30
Naphthalene	97		97		70-130	0		30
Acrylonitrile	107		112		70-130	5		30
Isopropyl Ether	110		111		66-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02 Batch: WG685808-1 WG685808-2								
tert-Butyl Alcohol	109		116		70-130	6		30
n-Propylbenzene	95		92		70-130	3		30
1,2,3-Trichlorobenzene	100		98		70-130	2		30
1,2,4-Trichlorobenzene	102		100		70-130	2		30
1,3,5-Trimethylbenzene	95		93		70-130	2		30
1,2,4-Trimethylbenzene	95		94		70-130	1		30
Methyl Acetate	106		110		51-146	4		30
Ethyl Acetate	109		112		70-130	3		30
Acrolein	110		109		70-130	1		30
Cyclohexane	127		121		59-142	5		30
1,4-Dioxane	121		127		65-136	5		30
1,1,2-Trichloro-1,2,2-Trifluoroethane	127		118		50-139	7		30
1,4-Diethylbenzene	123		119		70-130	3		30
4-Ethyltoluene	119		117		70-130	2		30
1,2,4,5-Tetramethylbenzene	123		121		70-130	2		30
Tetrahydrofuran	106		110		66-130	4		30
Ethyl ether	98		97		67-130	1		30
trans-1,4-Dichloro-2-butene	84		86		70-130	2		30
Methyl cyclohexane	126		119		70-130	6		30
Ethyl-Tert-Butyl-Ether	113		114		70-130	1		30
Tertiary-Amyl Methyl Ether	114		115		70-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-02 Batch: WG685808-1 WG685808-2								

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria
1,2-Dichloroethane-d4	91		92		70-130
Toluene-d8	91		91		70-130
4-Bromofluorobenzene	95		96		70-130
Dibromofluoromethane	101		101		70-130

SEMIVOLATILES

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01
 Client ID: SP-1 (2'-4')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 04/29/14 21:16
 Analyst: JB
 Percent Solids: 88%

Date Collected: 04/25/14 13:40
 Date Received: 04/25/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/29/14 01:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	660		ug/kg	150	39.	1
1,2,4-Trichlorobenzene	ND		ug/kg	190	62.	1
Hexachlorobenzene	ND		ug/kg	110	35.	1
Bis(2-chloroethyl)ether	ND		ug/kg	170	53.	1
2-Chloronaphthalene	ND		ug/kg	190	62.	1
1,2-Dichlorobenzene	ND		ug/kg	190	62.	1
1,3-Dichlorobenzene	ND		ug/kg	190	60.	1
1,4-Dichlorobenzene	ND		ug/kg	190	57.	1
3,3'-Dichlorobenzidine	ND		ug/kg	190	50.	1
2,4-Dinitrotoluene	ND		ug/kg	190	41.	1
2,6-Dinitrotoluene	ND		ug/kg	190	48.	1
Fluoranthene	130		ug/kg	110	35.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	190	58.	1
4-Bromophenyl phenyl ether	ND		ug/kg	190	44.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	230	66.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	200	57.	1
Hexachlorobutadiene	ND		ug/kg	190	53.	1
Hexachlorocyclopentadiene	ND		ug/kg	540	120	1
Hexachloroethane	ND		ug/kg	150	34.	1
Isophorone	ND		ug/kg	170	50.	1
Naphthalene	ND		ug/kg	190	63.	1
Nitrobenzene	ND		ug/kg	170	45.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	150	40.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	190	56.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	190	50.	1
Butyl benzyl phthalate	ND		ug/kg	190	37.	1
Di-n-butylphthalate	ND		ug/kg	190	36.	1
Di-n-octylphthalate	ND		ug/kg	190	46.	1
Diethyl phthalate	ND		ug/kg	190	40.	1
Dimethyl phthalate	ND		ug/kg	190	48.	1
Benzo(a)anthracene	94	J	ug/kg	110	37.	1

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01
 Client ID: SP-1 (2'-4')
 Sample Location: 11 HUBERT ST. NYC

Date Collected: 04/25/14 13:40
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	390		ug/kg	150	46.	1
Benzo(b)fluoranthene	390		ug/kg	110	38.	1
Benzo(k)fluoranthene	110		ug/kg	110	36.	1
Chrysene	260		ug/kg	110	37.	1
Acenaphthylene	ND		ug/kg	150	35.	1
Anthracene	280		ug/kg	110	31.	1
Benzo(ghi)perylene	380		ug/kg	150	39.	1
Fluorene	ND		ug/kg	190	54.	1
Phenanthrene	2000		ug/kg	110	37.	1
Dibenzo(a,h)anthracene	74	J	ug/kg	110	37.	1
Indeno(1,2,3-cd)Pyrene	390		ug/kg	150	42.	1
Pyrene	280		ug/kg	110	37.	1
Biphenyl	ND		ug/kg	430	62.	1
4-Chloroaniline	ND		ug/kg	190	50.	1
2-Nitroaniline	ND		ug/kg	190	53.	1
3-Nitroaniline	ND		ug/kg	190	52.	1
4-Nitroaniline	ND		ug/kg	190	51.	1
Dibenzofuran	ND		ug/kg	190	63.	1
2-Methylnaphthalene	ND		ug/kg	230	60.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	190	58.	1
Acetophenone	ND		ug/kg	190	59.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	36.	1
P-Chloro-M-Cresol	ND		ug/kg	190	55.	1
2-Chlorophenol	ND		ug/kg	190	57.	1
2,4-Dichlorophenol	ND		ug/kg	170	61.	1
2,4-Dimethylphenol	ND		ug/kg	190	56.	1
2-Nitrophenol	ND		ug/kg	410	59.	1
4-Nitrophenol	ND		ug/kg	260	61.	1
2,4-Dinitrophenol	ND		ug/kg	910	260	1
4,6-Dinitro-o-cresol	ND		ug/kg	490	69.	1
Pentachlorophenol	ND		ug/kg	150	40.	1
Phenol	ND		ug/kg	190	56.	1
2-Methylphenol	ND		ug/kg	190	61.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	270	62.	1
2,4,5-Trichlorophenol	ND		ug/kg	190	61.	1
Benzoic Acid	ND		ug/kg	610	190	1
Benzyl Alcohol	ND		ug/kg	190	58.	1
Carbazole	ND		ug/kg	190	41.	1

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-01

Date Collected: 04/25/14 13:40

Client ID: SP-1 (2'-4')

Date Received: 04/25/14

Sample Location: 11 HUBERT ST. NYC

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	64		25-120
Phenol-d6	70		10-120
Nitrobenzene-d5	71		23-120
2-Fluorobiphenyl	77		30-120
2,4,6-Tribromophenol	86		0-136
4-Terphenyl-d14	63		18-120

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-02
Client ID: SP-1 (6'-8')
Sample Location: 11 HUBERT ST. NYC
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 04/29/14 21:43
Analyst: JB
Percent Solids: 85%

Date Collected: 04/25/14 13:45
Date Received: 04/25/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/29/14 01:07

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	500		ug/kg	150	39.	1
1,2,4-Trichlorobenzene	ND		ug/kg	190	62.	1
Hexachlorobenzene	ND		ug/kg	110	35.	1
Bis(2-chloroethyl)ether	ND		ug/kg	170	53.	1
2-Chloronaphthalene	ND		ug/kg	190	62.	1
1,2-Dichlorobenzene	ND		ug/kg	190	62.	1
1,3-Dichlorobenzene	ND		ug/kg	190	60.	1
1,4-Dichlorobenzene	ND		ug/kg	190	57.	1
3,3'-Dichlorobenzidine	ND		ug/kg	190	50.	1
2,4-Dinitrotoluene	ND		ug/kg	190	41.	1
2,6-Dinitrotoluene	ND		ug/kg	190	48.	1
Fluoranthene	84	J	ug/kg	110	35.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	190	57.	1
4-Bromophenyl phenyl ether	ND		ug/kg	190	43.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	230	66.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	200	57.	1
Hexachlorobutadiene	ND		ug/kg	190	53.	1
Hexachlorocyclopentadiene	ND		ug/kg	540	120	1
Hexachloroethane	ND		ug/kg	150	34.	1
Isophorone	ND		ug/kg	170	50.	1
Naphthalene	ND		ug/kg	190	63.	1
Nitrobenzene	ND		ug/kg	170	45.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	150	40.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	190	56.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	190	49.	1
Butyl benzyl phthalate	ND		ug/kg	190	37.	1
Di-n-butylphthalate	ND		ug/kg	190	36.	1
Di-n-octylphthalate	ND		ug/kg	190	46.	1
Diethyl phthalate	ND		ug/kg	190	40.	1
Dimethyl phthalate	ND		ug/kg	190	48.	1
Benzo(a)anthracene	ND		ug/kg	110	37.	1

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02
 Client ID: SP-1 (6'-8')
 Sample Location: 11 HUBERT ST. NYC

Date Collected: 04/25/14 13:45
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	150	46.	1
Benzo(b)fluoranthene	40	J	ug/kg	110	38.	1
Benzo(k)fluoranthene	ND		ug/kg	110	36.	1
Chrysene	42	J	ug/kg	110	37.	1
Acenaphthylene	ND		ug/kg	150	35.	1
Anthracene	160		ug/kg	110	31.	1
Benzo(ghi)perylene	ND		ug/kg	150	39.	1
Fluorene	ND		ug/kg	190	54.	1
Phenanthrene	1600		ug/kg	110	37.	1
Dibenzo(a,h)anthracene	ND		ug/kg	110	36.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	150	42.	1
Pyrene	160		ug/kg	110	37.	1
Biphenyl	ND		ug/kg	430	62.	1
4-Chloroaniline	ND		ug/kg	190	50.	1
2-Nitroaniline	ND		ug/kg	190	53.	1
3-Nitroaniline	ND		ug/kg	190	52.	1
4-Nitroaniline	ND		ug/kg	190	51.	1
Dibenzofuran	ND		ug/kg	190	63.	1
2-Methylnaphthalene	4000		ug/kg	230	60.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	190	58.	1
Acetophenone	ND		ug/kg	190	58.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	36.	1
P-Chloro-M-Cresol	ND		ug/kg	190	55.	1
2-Chlorophenol	ND		ug/kg	190	57.	1
2,4-Dichlorophenol	ND		ug/kg	170	61.	1
2,4-Dimethylphenol	ND		ug/kg	190	56.	1
2-Nitrophenol	ND		ug/kg	410	59.	1
4-Nitrophenol	ND		ug/kg	260	61.	1
2,4-Dinitrophenol	ND		ug/kg	910	260	1
4,6-Dinitro-o-cresol	ND		ug/kg	490	69.	1
Pentachlorophenol	ND		ug/kg	150	40.	1
Phenol	ND		ug/kg	190	56.	1
2-Methylphenol	ND		ug/kg	190	61.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	270	62.	1
2,4,5-Trichlorophenol	ND		ug/kg	190	61.	1
Benzoic Acid	ND		ug/kg	610	190	1
Benzyl Alcohol	ND		ug/kg	190	58.	1
Carbazole	ND		ug/kg	190	41.	1

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-02
 Client ID: SP-1 (6'-8')
 Sample Location: 11 HUBERT ST. NYC

Date Collected: 04/25/14 13:45
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	64		25-120
Phenol-d6	64		10-120
Nitrobenzene-d5	66		23-120
2-Fluorobiphenyl	71		30-120
2,4,6-Tribromophenol	78		0-136
4-Terphenyl-d14	55		18-120

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/29/14 18:34
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 04/29/14 01:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG685687-1					
Acenaphthene	ND		ug/kg	130	34.
Benzidine	ND		ug/kg	540	130
n-Nitrosodimethylamine	ND		ug/kg	330	53.
1,2,4-Trichlorobenzene	ND		ug/kg	160	54.
Hexachlorobenzene	ND		ug/kg	99	31.
Bis(2-chloroethyl)ether	ND		ug/kg	150	46.
2-Chloronaphthalene	ND		ug/kg	160	54.
1,2-Dichlorobenzene	ND		ug/kg	160	54.
1,3-Dichlorobenzene	ND		ug/kg	160	52.
1,4-Dichlorobenzene	ND		ug/kg	160	50.
3,3'-Dichlorobenzidine	ND		ug/kg	160	44.
2,4-Dinitrotoluene	ND		ug/kg	160	36.
2,6-Dinitrotoluene	ND		ug/kg	160	42.
Fluoranthene	ND		ug/kg	99	30.
4-Chlorophenyl phenyl ether	ND		ug/kg	160	50.
4-Bromophenyl phenyl ether	ND		ug/kg	160	38.
Azobenzene	ND		ug/kg	160	44.
Bis(2-chloroisopropyl)ether	ND		ug/kg	200	58.
Bis(2-chloroethoxy)methane	ND		ug/kg	180	50.
Hexachlorobutadiene	ND		ug/kg	160	46.
Hexachlorocyclopentadiene	ND		ug/kg	470	100
Hexachloroethane	ND		ug/kg	130	30.
Isophorone	ND		ug/kg	150	44.
Naphthalene	ND		ug/kg	160	55.
Nitrobenzene	ND		ug/kg	150	39.
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	130	34.
n-Nitrosodi-n-propylamine	ND		ug/kg	160	49.
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	160	43.
Butyl benzyl phthalate	ND		ug/kg	160	32.
Di-n-butylphthalate	ND		ug/kg	160	32.
Di-n-octylphthalate	ND		ug/kg	160	40.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/29/14 18:34
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 04/29/14 01:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG685687-1					
Diethyl phthalate	ND		ug/kg	160	35.
Dimethyl phthalate	ND		ug/kg	160	42.
Benzo(a)anthracene	ND		ug/kg	99	32.
Benzo(a)pyrene	ND		ug/kg	130	40.
Benzo(b)fluoranthene	ND		ug/kg	99	33.
Benzo(k)fluoranthene	ND		ug/kg	99	31.
Chrysene	ND		ug/kg	99	32.
Acenaphthylene	ND		ug/kg	130	31.
Anthracene	ND		ug/kg	99	27.
Benzo(ghi)perylene	ND		ug/kg	130	34.
Fluorene	ND		ug/kg	160	47.
Phenanthrene	ND		ug/kg	99	32.
Dibenzo(a,h)anthracene	ND		ug/kg	99	32.
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	130	36.
Pyrene	ND		ug/kg	99	32.
Biphenyl	ND		ug/kg	380	54.
Aniline	ND		ug/kg	200	34.
4-Chloroaniline	ND		ug/kg	160	43.
2-Nitroaniline	ND		ug/kg	160	46.
3-Nitroaniline	ND		ug/kg	160	45.
4-Nitroaniline	ND		ug/kg	160	44.
Dibenzofuran	ND		ug/kg	160	55.
2-Methylnaphthalene	ND		ug/kg	200	53.
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	160	51.
Acetophenone	ND		ug/kg	160	51.
2,4,6-Trichlorophenol	ND		ug/kg	99	31.
P-Chloro-M-Cresol	ND		ug/kg	160	48.
2-Chlorophenol	ND		ug/kg	160	50.
2,4-Dichlorophenol	ND		ug/kg	150	53.
2,4-Dimethylphenol	ND		ug/kg	160	49.
2-Nitrophenol	ND		ug/kg	360	51.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/29/14 18:34
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 04/29/14 01:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG685687-1					
4-Nitrophenol	ND		ug/kg	230	53.
2,4-Dinitrophenol	ND		ug/kg	790	220
4,6-Dinitro-o-cresol	ND		ug/kg	430	60.
Pentachlorophenol	ND		ug/kg	130	35.
Phenol	ND		ug/kg	160	49.
2-Methylphenol	ND		ug/kg	160	53.
3-Methylphenol/4-Methylphenol	ND		ug/kg	240	54.
2,4,5-Trichlorophenol	ND		ug/kg	160	53.
Benzoic Acid	ND		ug/kg	530	170
Benzyl Alcohol	ND		ug/kg	160	51.
Carbazole	ND		ug/kg	160	35.
Benzaldehyde	ND		ug/kg	220	66.
Caprolactam	ND		ug/kg	160	45.
Atrazine	ND		ug/kg	130	37.
2,3,4,6-Tetrachlorophenol	ND		ug/kg	160	28.
Pyridine	ND		ug/kg	660	59.
Parathion, ethyl	ND		ug/kg	160	65.
1-Methylnaphthalene	ND		ug/kg	160	49.

Tentatively Identified Compounds

No Tentatively Identified Compounds ND ug/kg

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 04/29/14 18:34
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 04/29/14 01:07

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-02 Batch: WG685687-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	58		25-120
Phenol-d6	56		10-120
Nitrobenzene-d5	49		23-120
2-Fluorobiphenyl	60		30-120
2,4,6-Tribromophenol	70		0-136
4-Terphenyl-d14	82		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG685687-2 WG685687-3								
Acenaphthene	70		66		31-137	6		50
Benzidine	34		33			3		50
n-Nitrosodimethylamine	49		51			4		50
1,2,4-Trichlorobenzene	56		54		38-107	4		50
Hexachlorobenzene	81		82		40-140	1		50
Bis(2-chloroethyl)ether	53		52		40-140	2		50
2-Chloronaphthalene	70		63		40-140	11		50
1,2-Dichlorobenzene	52		52		40-140	0		50
1,3-Dichlorobenzene	54		52		40-140	4		50
1,4-Dichlorobenzene	52		52		28-104	0		50
3,3'-Dichlorobenzidine	48		44		40-140	9		50
2,4-Dinitrotoluene	77		77		28-89	0		50
2,6-Dinitrotoluene	75		72		40-140	4		50
Fluoranthene	79		77		40-140	3		50
4-Chlorophenyl phenyl ether	71		75		40-140	5		50
4-Bromophenyl phenyl ether	77		77		40-140	0		50
Azobenzene	78		76		40-140	3		50
Bis(2-chloroisopropyl)ether	56		54		40-140	4		50
Bis(2-chloroethoxy)methane	56		53		40-117	6		50
Hexachlorobutadiene	56		57		40-140	2		50
Hexachlorocyclopentadiene	69		69		40-140	0		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG685687-2 WG685687-3								
Hexachloroethane	52		55		40-140	6		50
Isophorone	63		59		40-140	7		50
Naphthalene	58		57		40-140	2		50
Nitrobenzene	58		58		40-140	0		50
NitrosoDiPhenylAmine(NDPA)/DPA	79		78			1		50
n-Nitrosodi-n-propylamine	58		56		32-121	4		50
Bis(2-Ethylhexyl)phthalate	74		76		40-140	3		50
Butyl benzyl phthalate	76		77		40-140	1		50
Di-n-butylphthalate	79		80		40-140	1		50
Di-n-octylphthalate	78		77		40-140	1		50
Diethyl phthalate	77		77		40-140	0		50
Dimethyl phthalate	74		73		40-140	1		50
Benzo(a)anthracene	76		75		40-140	1		50
Benzo(a)pyrene	75		76		40-140	1		50
Benzo(b)fluoranthene	73		78		40-140	7		50
Benzo(k)fluoranthene	78		75		40-140	4		50
Chrysene	74		78		40-140	5		50
Acenaphthylene	74		70		40-140	6		50
Anthracene	79		78		40-140	1		50
Benzo(ghi)perylene	73		74		40-140	1		50
Fluorene	75		75		40-140	0		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG685687-2 WG685687-3								
Phenanthrene	78		78		40-140	0		50
Dibenzo(a,h)anthracene	72		74		40-140	3		50
Indeno(1,2,3-cd)Pyrene	74		74		40-140	0		50
Pyrene	78		79		35-142	1		50
Biphenyl	66		63			5		50
Aniline	31	Q	30	Q	40-140	3		50
4-Chloroaniline	54		53		40-140	2		50
2-Nitroaniline	76		75		47-134	1		50
3-Nitroaniline	53		50		26-129	6		50
4-Nitroaniline	72		77		41-125	7		50
Dibenzofuran	74		72		40-140	3		50
2-Methylnaphthalene	64		60		40-140	6		50
1,2,4,5-Tetrachlorobenzene	61		62		40-117	2		50
Acetophenone	59		55		14-144	7		50
2,4,6-Trichlorophenol	72		71		30-130	1		50
P-Chloro-M-Cresol	75		73		26-103	3		50
2-Chlorophenol	60		59		25-102	2		50
2,4-Dichlorophenol	70		68		30-130	3		50
2,4-Dimethylphenol	72		68		30-130	6		50
2-Nitrophenol	57		55		30-130	4		50
4-Nitrophenol	96		97		11-114	1		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG685687-2 WG685687-3								
2,4-Dinitrophenol	47		51		4-130	8		50
4,6-Dinitro-o-cresol	72		71		10-130	1		50
Pentachlorophenol	76		78		17-109	3		50
Phenol	58		56		26-90	4		50
2-Methylphenol	63		60		30-130.	5		50
3-Methylphenol/4-Methylphenol	65		60		30-130	8		50
2,4,5-Trichlorophenol	79		78		30-130	1		50
Benzoic Acid	29		35			19		50
Benzyl Alcohol	58		57		40-140	2		50
Carbazole	78		80		54-128	3		50
Benzaldehyde	62		60			3		50
Caprolactam	84		82			2		50
Atrazine	82		83			1		50
2,3,4,6-Tetrachlorophenol	76		75			1		50
Pyridine	44		43		10-93	2		50
Parathion, ethyl	86		82		40-140	5		50
1-Methylnaphthalene	65		63		26-130	3		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
-----------	-------------------------	-------------	--------------------------	-------------	----------------------------	------------	-------------	----------------------

Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-02 Batch: WG685687-2 WG685687-3

<i>Surrogate</i>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria
2-Fluorophenol	57		58		25-120
Phenol-d6	61		60		10-120
Nitrobenzene-d5	58		56		23-120
2-Fluorobiphenyl	67		62		30-120
2,4,6-Tribromophenol	82		81		0-136
4-Terphenyl-d14	77		78		18-120

PCBS

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-01
Client ID: SP-1 (2'-4')
Sample Location: 11 HUBERT ST. NYC
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 04/29/14 13:37
Analyst: SS
Percent Solids: 88%

Date Collected: 04/25/14 13:40
Date Received: 04/25/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/28/14 15:52
Cleanup Method1: EPA 3665A
Cleanup Date1: 04/29/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 04/29/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	35.9	2.83	1	A
Aroclor 1221	ND		ug/kg	35.9	3.31	1	A
Aroclor 1232	ND		ug/kg	35.9	4.20	1	A
Aroclor 1242	ND		ug/kg	35.9	4.39	1	A
Aroclor 1248	ND		ug/kg	35.9	3.03	1	A
Aroclor 1254	ND		ug/kg	35.9	2.95	1	A
Aroclor 1260	ND		ug/kg	35.9	2.73	1	A
Aroclor 1262	ND		ug/kg	35.9	1.78	1	A
Aroclor 1268	ND		ug/kg	35.9	5.20	1	A
PCBs, Total	ND		ug/kg	35.9	1.78	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	86		30-150	A
Decachlorobiphenyl	101		30-150	A
2,4,5,6-Tetrachloro-m-xylene	87		30-150	B
Decachlorobiphenyl	118		30-150	B

Project Name: 11 HUBERT ST**Lab Number:** L1408774**Project Number:** 140099**Report Date:** 05/02/14**SAMPLE RESULTS**

Lab ID: L1408774-02
Client ID: SP-1 (6'-8')
Sample Location: 11 HUBERT ST. NYC
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 04/29/14 13:49
Analyst: SS
Percent Solids: 85%

Date Collected: 04/25/14 13:45
Date Received: 04/25/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/28/14 15:52
Cleanup Method1: EPA 3665A
Cleanup Date1: 04/29/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 04/29/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	36.9	2.92	1	A
Aroclor 1221	ND		ug/kg	36.9	3.40	1	A
Aroclor 1232	ND		ug/kg	36.9	4.33	1	A
Aroclor 1242	ND		ug/kg	36.9	4.52	1	A
Aroclor 1248	ND		ug/kg	36.9	3.12	1	A
Aroclor 1254	ND		ug/kg	36.9	3.03	1	A
Aroclor 1260	ND		ug/kg	36.9	2.81	1	A
Aroclor 1262	ND		ug/kg	36.9	1.83	1	A
Aroclor 1268	ND		ug/kg	36.9	5.35	1	A
PCBs, Total	ND		ug/kg	36.9	1.83	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	88		30-150	A
Decachlorobiphenyl	106		30-150	A
2,4,5,6-Tetrachloro-m-xylene	93		30-150	B
Decachlorobiphenyl	124		30-150	B

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8082A
Analytical Date: 04/29/14 16:29
Analyst: SS

Extraction Method: EPA 3546
Extraction Date: 04/28/14 15:52
Cleanup Method1: EPA 3665A
Cleanup Date1: 04/29/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 04/29/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-02 Batch: WG685625-1						
Aroclor 1016	ND		ug/kg	32.2	2.54	A
Aroclor 1221	ND		ug/kg	32.2	2.97	A
Aroclor 1232	ND		ug/kg	32.2	3.77	A
Aroclor 1242	ND		ug/kg	32.2	3.94	A
Aroclor 1248	ND		ug/kg	32.2	2.72	A
Aroclor 1254	ND		ug/kg	32.2	2.64	A
Aroclor 1260	ND		ug/kg	32.2	2.45	A
Aroclor 1262	ND		ug/kg	32.2	1.60	A
Aroclor 1268	ND		ug/kg	32.2	4.66	A
PCBs, Total	ND		ug/kg	32.2	1.60	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		30-150	B
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	77		30-150	B
Decachlorobiphenyl	67		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-02 Batch: WG685625-2 WG685625-3									
Aroclor 1016	78		83		40-140	6		50	A
Aroclor 1260	70		72		40-140	3		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	77		78		30-150	A
Decachlorobiphenyl	71		70		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		85		30-150	B
Decachlorobiphenyl	78		74		30-150	B

PESTICIDES

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01 D
 Client ID: SP-1 (2'-4')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 05/01/14 21:58
 Analyst: GP
 Percent Solids: 88%

Date Collected: 04/25/14 13:40
 Date Received: 04/25/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/26/14 10:33
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 04/29/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	8.90	1.74	5	A
Lindane	ND		ug/kg	3.71	1.66	5	A
Alpha-BHC	ND		ug/kg	3.71	1.05	5	A
Beta-BHC	ND		ug/kg	8.90	3.37	5	A
Heptachlor	ND		ug/kg	4.45	1.99	5	A
Aldrin	ND		ug/kg	8.90	3.13	5	A
Heptachlor epoxide	ND		ug/kg	16.7	5.00	5	A
Endrin	ND		ug/kg	3.71	1.52	5	A
Endrin ketone	ND		ug/kg	8.90	2.29	5	A
Dieldrin	ND		ug/kg	5.56	2.78	5	A
4,4'-DDE	ND		ug/kg	8.90	2.06	5	A
4,4'-DDD	ND		ug/kg	8.90	3.17	5	A
4,4'-DDT	ND		ug/kg	16.7	7.16	5	A
Endosulfan I	ND		ug/kg	8.90	2.10	5	A
Endosulfan II	ND		ug/kg	8.90	2.97	5	A
Endosulfan sulfate	ND		ug/kg	3.71	1.76	5	A
Methoxychlor	ND		ug/kg	16.7	5.19	5	A
Toxaphene	ND		ug/kg	167	46.7	5	A
cis-Chlordane	ND		ug/kg	11.1	3.10	5	A
trans-Chlordane	ND		ug/kg	11.1	2.94	5	A
Chlordane	ND		ug/kg	72.3	29.5	5	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	54		30-150	A
Decachlorobiphenyl	152	Q	30-150	A
2,4,5,6-Tetrachloro-m-xylene	40		30-150	B
Decachlorobiphenyl	88		30-150	B

Project Name: 11 HUBERT ST

Lab Number: L1408774

Project Number: 140099

Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02 D
 Client ID: SP-1 (6'-8')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 05/01/14 22:11
 Analyst: GP
 Percent Solids: 85%

Date Collected: 04/25/14 13:45
 Date Received: 04/25/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/26/14 10:33
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 04/29/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	9.36	1.83	5	A
Lindane	ND		ug/kg	3.90	1.74	5	A
Alpha-BHC	ND		ug/kg	3.90	1.11	5	A
Beta-BHC	ND		ug/kg	9.36	3.55	5	A
Heptachlor	ND		ug/kg	4.68	2.10	5	A
Aldrin	ND		ug/kg	9.36	3.29	5	A
Heptachlor epoxide	ND		ug/kg	17.5	5.26	5	A
Endrin	ND		ug/kg	3.90	1.60	5	A
Endrin ketone	ND		ug/kg	9.36	2.41	5	A
Dieldrin	ND		ug/kg	5.85	2.92	5	A
4,4'-DDE	ND		ug/kg	9.36	2.16	5	A
4,4'-DDD	ND		ug/kg	9.36	3.34	5	A
4,4'-DDT	ND		ug/kg	17.5	7.52	5	A
Endosulfan I	ND		ug/kg	9.36	2.21	5	A
Endosulfan II	ND		ug/kg	9.36	3.13	5	A
Endosulfan sulfate	ND		ug/kg	3.90	1.86	5	A
Methoxychlor	ND		ug/kg	17.5	5.46	5	A
Toxaphene	ND		ug/kg	175	49.1	5	A
cis-Chlordane	ND		ug/kg	11.7	3.26	5	A
trans-Chlordane	ND		ug/kg	11.7	3.09	5	A
Chlordane	ND		ug/kg	76.0	31.0	5	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	63		30-150	A
Decachlorobiphenyl	160	Q	30-150	A
2,4,5,6-Tetrachloro-m-xylene	48		30-150	B
Decachlorobiphenyl	113		30-150	B

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 04/30/14 07:07
Analyst: GP

Extraction Method: EPA 3546
Extraction Date: 04/26/14 10:33
Cleanup Method1: EPA 3620B
Cleanup Date1: 04/29/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-02 Batch: WG685310-1						
Delta-BHC	ND		ug/kg	1.51	0.295	A
Lindane	ND		ug/kg	0.628	0.281	A
Alpha-BHC	ND		ug/kg	0.628	0.178	A
Beta-BHC	ND		ug/kg	1.51	0.572	A
Heptachlor	ND		ug/kg	0.754	0.338	A
Aldrin	ND		ug/kg	1.51	0.531	A
Heptachlor epoxide	ND		ug/kg	2.83	0.848	A
Endrin	ND		ug/kg	0.628	0.258	A
Endrin ketone	ND		ug/kg	1.51	0.388	A
Dieldrin	ND		ug/kg	0.943	0.471	A
4,4'-DDE	ND		ug/kg	1.51	0.349	A
4,4'-DDD	ND		ug/kg	1.51	0.538	A
4,4'-DDT	ND		ug/kg	2.83	1.21	A
Endosulfan I	ND		ug/kg	1.51	0.356	A
Endosulfan II	ND		ug/kg	1.51	0.504	A
Endosulfan sulfate	ND		ug/kg	0.628	0.299	A
Methoxychlor	ND		ug/kg	2.83	0.880	A
Toxaphene	ND		ug/kg	28.3	7.92	A
cis-Chlordane	ND		ug/kg	1.88	0.525	A
trans-Chlordane	ND		ug/kg	1.88	0.498	A
Chlordane	ND		ug/kg	12.2	5.00	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	55		30-150	B
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
Decachlorobiphenyl	81		30-150	B
Decachlorobiphenyl	116		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-02 Batch: WG685310-2 WG685310-3									
Delta-BHC	74		72		30-150	3		30	A
Lindane	82		81		30-150	1		30	A
Alpha-BHC	80		78		30-150	3		30	A
Beta-BHC	72		71		30-150	1		30	A
Heptachlor	81		79		30-150	3		30	A
Aldrin	90		89		30-150	1		30	A
Heptachlor epoxide	88		86		30-150	2		30	A
Endrin	93		93		30-150	0		30	A
Endrin ketone	90		86		30-150	5		30	A
Dieldrin	93		92		30-150	1		30	A
4,4'-DDE	94		93		30-150	1		30	A
4,4'-DDD	93		91		30-150	2		30	A
4,4'-DDT	97		94		30-150	3		30	A
Endosulfan I	98		97		30-150	1		30	A
Endosulfan II	93		90		30-150	3		30	A
Endosulfan sulfate	88		85		30-150	3		30	A
Methoxychlor	89		86		30-150	3		30	A
cis-Chlordane	92		91		30-150	1		30	A
trans-Chlordane	87		85		30-150	2		30	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-02 Batch: WG685310-2 WG685310-3								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	82		83		30-150	A
Decachlorobiphenyl	103		108		30-150	A
2,4,5,6-Tetrachloro-m-xylene	64		64		30-150	B
Decachlorobiphenyl	86		83		30-150	B

METALS

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01
 Client ID: SP-1 (2'-4')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 04/25/14 13:40
 Date Received: 04/25/14
 Field Prep: Not Specified
 TCLP/SPLP Ext. Date: 04/27/14 16:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	0.09	J	mg/l	0.50	0.02	1	04/29/14 07:20	04/29/14 12:50	EPA 3015	1,6010C	TT
------------	------	---	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01
 Client ID: SP-1 (2'-4')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 04/25/14 13:40
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6800		mg/kg	8.7	1.7	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Antimony, Total	ND		mg/kg	4.3	0.69	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Arsenic, Total	3.0		mg/kg	0.87	0.17	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Barium, Total	46		mg/kg	0.87	0.26	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Beryllium, Total	0.34	J	mg/kg	0.43	0.09	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Cadmium, Total	ND		mg/kg	0.87	0.06	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Calcium, Total	9800		mg/kg	8.7	2.6	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Chromium, Total	13		mg/kg	0.87	0.17	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Cobalt, Total	4.8		mg/kg	1.7	0.43	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Copper, Total	9.5		mg/kg	0.87	0.17	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Iron, Total	11000		mg/kg	4.3	1.7	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Lead, Total	13		mg/kg	4.3	0.17	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Magnesium, Total	3300		mg/kg	8.7	0.87	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Manganese, Total	360		mg/kg	0.87	0.17	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Mercury, Total	ND		mg/kg	0.08	0.02	1	04/30/14 09:29	04/30/14 12:42	EPA 7471B	1,7471B	MC
Nickel, Total	18		mg/kg	2.2	0.35	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Potassium, Total	980		mg/kg	220	35.	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Selenium, Total	0.36	J	mg/kg	1.7	0.26	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Silver, Total	ND		mg/kg	0.87	0.17	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Sodium, Total	200		mg/kg	170	26.	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Thallium, Total	ND		mg/kg	1.7	0.35	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Vanadium, Total	14		mg/kg	0.87	0.09	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH
Zinc, Total	20		mg/kg	4.3	0.61	2	04/29/14 16:03	05/01/14 10:15	EPA 3050B	1,6010C	JH



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02
 Client ID: SP-1 (6'-8')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Percent Solids: 85%

Date Collected: 04/25/14 13:45
 Date Received: 04/25/14
 Field Prep: Not Specified
 TCLP/SPLP Ext. Date: 04/27/14 16:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	0.11	J	mg/l	0.50	0.02	1	04/29/14 07:20	04/29/14 12:46	EPA 3015	1,6010C	TT
------------	------	---	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02
 Client ID: SP-1 (6'-8')
 Sample Location: 11 HUBERT ST. NYC
 Matrix: Soil
 Percent Solids: 85%

Date Collected: 04/25/14 13:45
 Date Received: 04/25/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	4200		mg/kg	8.9	1.8	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Antimony, Total	ND		mg/kg	4.4	0.71	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Arsenic, Total	1.7		mg/kg	0.89	0.18	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Barium, Total	41		mg/kg	0.89	0.27	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Beryllium, Total	0.25	J	mg/kg	0.44	0.09	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Cadmium, Total	ND		mg/kg	0.89	0.06	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Calcium, Total	1100		mg/kg	8.9	2.7	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Chromium, Total	12		mg/kg	0.89	0.18	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Cobalt, Total	3.6		mg/kg	1.8	0.44	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Copper, Total	9.3		mg/kg	0.89	0.18	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Iron, Total	8000		mg/kg	4.4	1.8	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Lead, Total	5.3		mg/kg	4.4	0.18	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Magnesium, Total	1500		mg/kg	8.9	0.89	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Manganese, Total	110		mg/kg	0.89	0.18	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Mercury, Total	ND		mg/kg	0.08	0.02	1	04/30/14 09:29	04/30/14 12:44	EPA 7471B	1,7471B	MC
Nickel, Total	18		mg/kg	2.2	0.35	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Potassium, Total	660		mg/kg	220	35.	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Selenium, Total	0.43	J	mg/kg	1.8	0.27	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Silver, Total	ND		mg/kg	0.89	0.18	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Sodium, Total	120	J	mg/kg	180	27.	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Thallium, Total	ND		mg/kg	1.8	0.35	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Vanadium, Total	12		mg/kg	0.89	0.09	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH
Zinc, Total	12		mg/kg	4.4	0.62	2	04/29/14 16:03	05/01/14 10:34	EPA 3050B	1,6010C	JH



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab for sample(s): 01-02 Batch: WG685722-1										
Lead, TCLP	0.06	J	mg/l	0.50	0.02	1	04/29/14 07:20	04/29/14 12:54	1,6010C	TT

Prep Information

Digestion Method: EPA 3015
TCLP/SPLP Extraction Date: 04/27/14 16:01

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-02 Batch: WG685757-1										
Mercury, Total	ND		mg/kg	0.08	0.02	1	04/30/14 09:29	04/30/14 12:23	1,7471B	MC

Prep Information

Digestion Method: EPA 7471B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-02 Batch: WG685948-1										
Aluminum, Total	ND		mg/kg	4.0	0.80	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Antimony, Total	ND		mg/kg	2.0	0.32	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Arsenic, Total	ND		mg/kg	0.40	0.08	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Barium, Total	ND		mg/kg	0.40	0.12	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Beryllium, Total	ND		mg/kg	0.20	0.04	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Cadmium, Total	ND		mg/kg	0.40	0.03	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Calcium, Total	ND		mg/kg	4.0	1.2	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Chromium, Total	ND		mg/kg	0.40	0.08	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Cobalt, Total	ND		mg/kg	0.80	0.20	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Copper, Total	ND		mg/kg	0.40	0.08	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Iron, Total	0.98	J	mg/kg	2.0	0.80	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Lead, Total	ND		mg/kg	2.0	0.08	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Magnesium, Total	ND		mg/kg	4.0	0.40	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Manganese, Total	ND		mg/kg	0.40	0.08	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Nickel, Total	ND		mg/kg	1.0	0.16	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Potassium, Total	ND		mg/kg	100	16.	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Method Blank Analysis Batch Quality Control

Selenium, Total	ND	mg/kg	0.80	0.12	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Silver, Total	ND	mg/kg	0.40	0.08	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Sodium, Total	ND	mg/kg	80	12.	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Thallium, Total	ND	mg/kg	0.80	0.16	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Vanadium, Total	ND	mg/kg	0.40	0.04	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH
Zinc, Total	ND	mg/kg	2.0	0.28	1	04/29/14 16:03	05/01/14 08:51	1,6010C	JH

Prep Information

Digestion Method: EPA 3050B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-02 Batch: WG685722-2								
Lead, TCLP	96		-		75-125	-		20
Total Metals - Westborough Lab Associated sample(s): 01-02 Batch: WG685757-2 SRM Lot Number: 0518-10-02								
Mercury, Total	105		-		67-133	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-02 Batch: WG685948-2 SRM Lot Number: 0518-10-02					
Aluminum, Total	75	-	29-171	-	
Antimony, Total	106	-	4-196	-	
Arsenic, Total	100	-	81-119	-	
Barium, Total	88	-	83-118	-	
Beryllium, Total	98	-	83-117	-	
Cadmium, Total	94	-	82-117	-	
Calcium, Total	89	-	83-117	-	
Chromium, Total	92	-	80-119	-	
Cobalt, Total	95	-	83-117	-	
Copper, Total	92	-	83-117	-	
Iron, Total	79	-	51-150	-	
Lead, Total	93	-	80-120	-	
Magnesium, Total	78	-	74-126	-	
Manganese, Total	90	-	83-117	-	
Nickel, Total	94	-	82-117	-	
Potassium, Total	91	-	74-126	-	
Selenium, Total	95	-	80-120	-	
Silver, Total	97	-	66-134	-	
Sodium, Total	95	-	74-127	-	
Thallium, Total	91	-	79-120	-	
Vanadium, Total	89	-	79-121	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-02 Batch: WG685948-2 SRM Lot Number: 0518-10-02					
Zinc, Total	88	-	82-119	-	

Matrix Spike Analysis
Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685722-4 QC Sample: L1408774-01 Client ID: SP-1 (2'-4')												
Lead, TCLP	0.09J	5.1	4.8	94	-	-	-	-	75-125	-	-	20
Total Metals - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685757-4 QC Sample: L1408768-10 Client ID: MS Sample												
Mercury, Total	ND	0.18	0.20	111	-	-	-	-	80-120	-	-	35

Matrix Spike Analysis Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits		
Total Metals - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685948-3 WG685948-4 QC Sample: L1408768-07 Client ID: MS Sample											
Aluminum, Total	8100	187	9800	909	Q	9200	608	Q	75-125	6	20
Antimony, Total	ND	46.8	37	79		35	77		75-125	6	20
Arsenic, Total	3.3	11.2	14	95		13	89		75-125	7	20
Barium, Total	40.	187	210	91		200	88		75-125	5	20
Beryllium, Total	0.36J	4.68	4.8	103		4.6	102		75-125	4	20
Cadmium, Total	ND	4.77	4.2	88		4.0	87		75-125	5	20
Calcium, Total	1200	935	2300	118		2200	111		75-125	4	20
Chromium, Total	16.	18.7	34	96		35	105		75-125	3	20
Cobalt, Total	6.9	46.8	51	94		48	91		75-125	6	20
Copper, Total	16.	23.4	41	107		38	97		75-125	8	20
Iron, Total	17000	93.5	18000	1070	Q	17000	0	Q	75-125	6	20
Lead, Total	8.2	47.7	60	109		53	97		75-125	12	20
Magnesium, Total	2000	935	2900	96		2700	77		75-125	7	20
Manganese, Total	940	46.8	430	0	Q	670	0	Q	75-125	44	Q
Nickel, Total	11.	46.8	53	90		50	86		75-125	6	20
Potassium, Total	960	935	1900	100		1900	104		75-125	0	20
Selenium, Total	0.40J	11.2	11	98		9.9	91		75-125	11	20
Silver, Total	ND	28	26	93		25	92		75-125	4	20
Sodium, Total	51.J	935	980	105		930	103		75-125	5	20
Thallium, Total	ND	11.2	8.4	75		7.6	70	Q	75-125	10	20
Vanadium, Total	33.	46.8	74	88		69	80		75-125	7	20

Matrix Spike Analysis
Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685948-3 WG685948-4 QC Sample: L1408768-07 Client ID: MS Sample									
Zinc, Total	29.	46.8	72	92	68	86	75-125	6	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685722-3 QC Sample: L1408774-01 Client ID: SP-1 (2'-4')						
Lead, TCLP	0.09J	ND	mg/l	NC		20
Total Metals - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685757-3 QC Sample: L1408768-10 Client ID: DUP Sample						
Mercury, Total	ND	ND	mg/kg	NC		35

INORGANICS & MISCELLANEOUS

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-01
Client ID: SP-1 (2'-4')
Sample Location: 11 HUBERT ST. NYC
Matrix: Soil

Date Collected: 04/25/14 13:40
Date Received: 04/25/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	87.8		%	0.100	NA	1	-	04/27/14 20:47	30,2540G	TA



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

SAMPLE RESULTS

Lab ID: L1408774-02
Client ID: SP-1 (6'-8')
Sample Location: 11 HUBERT ST. NYC
Matrix: Soil

Date Collected: 04/25/14 13:45
Date Received: 04/25/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Solids, Total	85.4		%	0.100	NA	1	-	04/27/14 20:47	30,2540G	TA



Lab Duplicate Analysis
Batch Quality Control

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-02 QC Batch ID: WG685413-1 QC Sample: L1408774-01 Client ID: SP-1 (2'-4')						
Solids, Total	87.8	89.0	%	1		20

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: 04/26/2014 02:04

Cooler Information Custody Seal

Cooler

A Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1408774-01A	Vial MeOH preserved	A	N/A	2.0	Y	Absent	NYTCL-8260HLW(14)
L1408774-01B	Vial water preserved	A	N/A	2.0	Y	Absent	NYTCL-8260HLW(14)
L1408774-01C	Vial water preserved	A	N/A	2.0	Y	Absent	NYTCL-8260HLW(14)
L1408774-01D	Plastic 2oz unpreserved for TS	A	N/A	2.0	Y	Absent	TS(7)
L1408774-01E	Amber 250ml unpreserved	A	N/A	2.0	Y	Absent	BE-TI(180),NYTCL-8270(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1408774-01F	Amber 500ml unpreserved	A	N/A	2.0	Y	Absent	BE-TI(180),NYTCL-8270(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1408774-01X	Plastic 250ml HNO3 preserved spl	A	<2	2.0	Y	Absent	PB-CI(180)
L1408774-01X9	Tumble Vessel	A	N/A	2.0	Y	Absent	-
L1408774-02A	Vial MeOH preserved	A	N/A	2.0	Y	Absent	NYTCL-8260HLW(14)
L1408774-02B	Vial water preserved	A	N/A	2.0	Y	Absent	NYTCL-8260HLW(14)
L1408774-02C	Vial water preserved	A	N/A	2.0	Y	Absent	NYTCL-8260HLW(14)
L1408774-02D	Plastic 2oz unpreserved for TS	A	N/A	2.0	Y	Absent	TS(7)

*Values in parentheses indicate holding time in days

Project Name: 11 HUBERT ST

Project Number: 140099

Lab Number: L1408774

Report Date: 05/02/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1408774-02E	Amber 250ml unpreserved	A	N/A	2.0	Y	Absent	BE-TI(180),NYTCL-8270(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1408774-02F	Amber 500ml unpreserved	A	N/A	2.0	Y	Absent	BE-TI(180),NYTCL-8270(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),K-TI(180),NA-TI(180)
L1408774-02X	Plastic 250ml HNO3 preserved spl	A	<2	2.0	Y	Absent	PB-CI(180)
L1408774-02X9	Tumble Vessel	A	N/A	2.0	Y	Absent	-

*Values in parentheses indicate holding time in days

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCS D	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit.
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.

Report Format: DU Report with 'J' Qualifiers



Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

Data Qualifiers

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Project Name: 11 HUBERT ST
Project Number: 140099

Lab Number: L1408774
Report Date: 05/02/14

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

Last revised April 15, 2014

The following analytes are not included in our NELAP Scope of Accreditation:

Westborough Facility

EPA 524.2: Acetone, 2-Butanone (Methyl ethyl ketone (MEK)), Tert-butyl alcohol, 2-Hexanone, Tetrahydrofuran, 1,3,5-Trichlorobenzene, 4-Methyl-2-pentanone (MIBK), Carbon disulfide, Diethyl ether.

EPA 8260C: 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene, Iodomethane (methyl iodide), Methyl methacrylate, Azobenzene.

EPA 8330A/B: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT.

EPA 8270D: 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 625: 4-Chloroaniline, 4-Methylphenol.

SM4500: Soil: Total Phosphorus, TKN, NO₂, NO₃.

EPA 9071: Total Petroleum Hydrocarbons, Oil & Grease.

Mansfield Facility

EPA 8270D: Biphenyl.

EPA 2540D: TSS

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water

EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7:** Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water

EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;

EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;

EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F,**

EPA 353.2: Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4,**

SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

CHAIN OF CUSTODY

PAGE 1 OF 1

ALPHA Job #: **1408774**

Date Rec'd in Lab: **4/25/14**

Project Information
Project Name: **11 Hubert St**

Project Location: **11 Hubert Street, NYC**

Billing Information
 Same as Client info PO #:

Report Information - Data Deliverables
 EMAIL
 Add'l Deliverables

Project Manager: **Eric Johnson**

Client: **Hydro Tech Environmental**

Regulatory Requirements/Report Limits
State/Fed Program Criteria

Project #: **140099**

ALPHA Quote #: **PR, 5/2**

Address: **77 Arkay Drive, Suite G
Hempstead, NY 11788**

Turn-Around Time

Date Due: **5/2/14** Time:

Standard Standard RUSH (only confirmed if pre-approved)

Phone: **631-462-5866**

Other Project Specific Requirements/Comments/Detection Limits:

These samples have been previously analyzed by Alpha

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

Sample Matrix

Sampler's Initials

Sample ID

Collection Date Time

TOTAL # BOTTLES

SAMPLE HANDLING
Filtration _____
 Done
 Not needed
 Lab to do
Preservation
 Lab to do
(Please specify below)

Sample Specific Comments

ANALYSIS
8260
8270
TAL metals
TCLP lead
PCBs/KEY

X X X X X
X X X X X

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. All samples submitted are subject to Alpha's Terms and Conditions. See reverse side.

Container Type	PC 402 8 oz	462
Preservative		
Date/Time	4/25/14 2:50	4/25/14 1450
Relinquished By:	<i>[Signature]</i>	Received By: <i>[Signature]</i> AAL
Date/Time	4/25/14 1840	4/25/14 1840
Relinquished By:	<i>[Signature]</i>	Received By: <i>[Signature]</i> Mella
Date/Time	4/25/14 2045	4/25/14 2045



ANALYTICAL REPORT

Lab Number:	L1409027
Client:	Hydro Tech Environmental, Corp. 77 Arkay Drive Suite G Hauppauge, NY 11788
ATTN:	Erica Johnston
Phone:	(631) 462-5866
Project Name:	11 HUBERT STREET
Project Number:	140099
Report Date:	05/07/14

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), USDA (Permit #P-330-11-00240), NC (666), TX (T104704476), DOD (L2217), US Army Corps of Engineers.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1409027-01	SP-2 (0'-2')	MANHATTAN, NY	04/29/14 00:00
L1409027-02	SP-2 (6'-8')	MANHATTAN, NY	04/29/14 00:00
L1409027-03	SP-3 (2'-4')	MANHATTAN, NY	04/29/14 00:00
L1409027-04	SP-3 (6'-8')	MANHATTAN, NY	04/29/14 00:00
L1409027-05	SP-4 (0'-2')	MANHATTAN, NY	04/29/14 00:00
L1409027-06	SP-4 (6'-8')	MANHATTAN, NY	04/29/14 00:00
L1409027-09	SP-5 (5'-7')	MANHATTAN, NY	04/28/14 10:05
L1409027-10	SP-5 (9'-11')	MANHATTAN, NY	04/28/14 10:45

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Performance criteria for CAM and RCP methods allow for some LCS compound failures to occur and still be within method compliance. In these instances, the specific failures are not narrated but are noted in the associated QC table. This information is also incorporated in the Data Usability format for our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Pesticides

L1409027-04 has elevated detection limits due to the dilution required by the sample matrix.

Total Metals

L1409027-01 through -06, -09 and -10 have elevated detection limits for all elements, with the exception of mercury, due to the dilutions required by matrix interferences encountered during analysis.

The WG687241-4 MS recovery, performed on L1409027-01, is outside the acceptance criteria for mercury (136%). A post digestion spike was performed and was within acceptance criteria.


The WG687256-4 MS recoveries for aluminum, iron and manganese (all 0%) performed on L1409027-01, do not apply because the sample concentrations are greater than four times the spike amounts added.

The WG687256-4 MS recoveries, performed on L1409027-01, are outside the acceptance criteria for calcium (194%) and magnesium (48%). A post digestion spike was performed and was within acceptance criteria.

The WG687256-3 Laboratory Duplicate RPDs, performed on L1409027-01, are outside the acceptance criteria for arsenic (21%), calcium (22%), cobalt (27%), copper (23%), magnesium (29%) and nickel (29%). The elevated RPDs have been attributed to the non-homogeneous nature of the sample utilized for the laboratory duplicate.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Lisa Westerlind

Title: Technical Director/Representative

Date: 05/07/14

ORGANICS

VOLATILES

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01
Client ID: SP-2 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 11:33
Analyst: MV
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	3.2	J	ug/kg	7.4	1.5	1
1,1-Dichloroethane	ND		ug/kg	1.1	0.13	1
Chloroform	ND		ug/kg	1.1	0.28	1
Carbon tetrachloride	ND		ug/kg	0.74	0.16	1
1,2-Dichloropropane	ND		ug/kg	2.6	0.17	1
Dibromochloromethane	ND		ug/kg	0.74	0.23	1
1,1,2-Trichloroethane	ND		ug/kg	1.1	0.23	1
Tetrachloroethene	0.77		ug/kg	0.74	0.10	1
Chlorobenzene	ND		ug/kg	0.74	0.26	1
Trichlorofluoromethane	ND		ug/kg	3.7	0.09	1
1,2-Dichloroethane	ND		ug/kg	0.74	0.11	1
1,1,1-Trichloroethane	ND		ug/kg	0.74	0.08	1
Bromodichloromethane	ND		ug/kg	0.74	0.17	1
trans-1,3-Dichloropropene	ND		ug/kg	0.74	0.09	1
cis-1,3-Dichloropropene	ND		ug/kg	0.74	0.10	1
1,1-Dichloropropene	ND		ug/kg	3.7	0.34	1
Bromoform	ND		ug/kg	3.0	0.31	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.74	0.13	1
Benzene	ND		ug/kg	0.74	0.09	1
Toluene	ND		ug/kg	1.1	0.08	1
Ethylbenzene	ND		ug/kg	0.74	0.11	1
Chloromethane	ND		ug/kg	3.7	0.58	1
Bromomethane	ND		ug/kg	1.5	0.25	1
Vinyl chloride	ND		ug/kg	1.5	0.10	1
Chloroethane	ND		ug/kg	1.5	0.24	1
1,1-Dichloroethene	ND		ug/kg	0.74	0.15	1
trans-1,2-Dichloroethene	ND		ug/kg	1.1	0.16	1
Trichloroethene	ND		ug/kg	0.74	0.11	1
1,2-Dichlorobenzene	ND		ug/kg	3.7	0.14	1
1,3-Dichlorobenzene	ND		ug/kg	3.7	0.14	1
1,4-Dichlorobenzene	ND		ug/kg	3.7	0.18	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-01
 Client ID: SP-2 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	1.5	0.08	1
p/m-Xylene	ND		ug/kg	1.5	0.24	1
o-Xylene	ND		ug/kg	1.5	0.20	1
Xylene (Total)	ND		ug/kg	1.5	0.20	1
cis-1,2-Dichloroethene	ND		ug/kg	0.74	0.11	1
Dibromomethane	ND		ug/kg	7.4	0.12	1
Styrene	ND		ug/kg	1.5	0.23	1
Dichlorodifluoromethane	ND		ug/kg	7.4	0.16	1
Acetone	7.8		ug/kg	7.4	2.3	1
Carbon disulfide	ND		ug/kg	7.4	1.5	1
2-Butanone	ND		ug/kg	7.4	0.26	1
Vinyl acetate	ND		ug/kg	7.4	0.36	1
4-Methyl-2-pentanone	ND		ug/kg	7.4	0.18	1
1,2,3-Trichloropropane	ND		ug/kg	7.4	0.17	1
2-Hexanone	ND		ug/kg	7.4	0.14	1
Bromochloromethane	ND		ug/kg	3.7	0.15	1
2,2-Dichloropropane	ND		ug/kg	3.7	0.17	1
1,2-Dibromoethane	ND		ug/kg	3.0	0.13	1
1,3-Dichloropropane	ND		ug/kg	3.7	0.13	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.74	0.24	1
Bromobenzene	ND		ug/kg	3.7	0.16	1
n-Butylbenzene	ND		ug/kg	0.74	0.15	1
sec-Butylbenzene	ND		ug/kg	0.74	0.15	1
tert-Butylbenzene	ND		ug/kg	3.7	0.42	1
o-Chlorotoluene	ND		ug/kg	3.7	0.12	1
p-Chlorotoluene	ND		ug/kg	3.7	0.11	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.7	0.59	1
Hexachlorobutadiene	ND		ug/kg	3.7	0.32	1
Isopropylbenzene	ND		ug/kg	0.74	0.12	1
p-Isopropyltoluene	ND		ug/kg	0.74	0.14	1
Naphthalene	ND		ug/kg	3.7	0.57	1
Acrylonitrile	ND		ug/kg	7.4	0.18	1
n-Propylbenzene	ND		ug/kg	0.74	0.09	1
1,2,3-Trichlorobenzene	ND		ug/kg	3.7	0.12	1
1,2,4-Trichlorobenzene	ND		ug/kg	3.7	0.59	1
1,3,5-Trimethylbenzene	ND		ug/kg	3.7	0.11	1
1,2,4-Trimethylbenzene	ND		ug/kg	3.7	0.43	1
1,4-Dioxane	ND		ug/kg	74	13.	1
1,4-Diethylbenzene	ND		ug/kg	3.0	0.12	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01
 Client ID: SP-2 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	ND		ug/kg	3.0	0.09	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	3.0	0.10	1
Ethyl ether	ND		ug/kg	3.7	0.20	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	3.7	0.33	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	101		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-02
Client ID: SP-2 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 12:05
Analyst: MV
Percent Solids: 88%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	2.1	J	ug/kg	6.9	1.4	1
1,1-Dichloroethane	ND		ug/kg	1.0	0.12	1
Chloroform	ND		ug/kg	1.0	0.25	1
Carbon tetrachloride	ND		ug/kg	0.69	0.14	1
1,2-Dichloropropane	ND		ug/kg	2.4	0.16	1
Dibromochloromethane	ND		ug/kg	0.69	0.21	1
1,1,2-Trichloroethane	ND		ug/kg	1.0	0.21	1
Tetrachloroethene	1.5		ug/kg	0.69	0.10	1
Chlorobenzene	ND		ug/kg	0.69	0.24	1
Trichlorofluoromethane	ND		ug/kg	3.4	0.08	1
1,2-Dichloroethane	ND		ug/kg	0.69	0.10	1
1,1,1-Trichloroethane	ND		ug/kg	0.69	0.08	1
Bromodichloromethane	ND		ug/kg	0.69	0.16	1
trans-1,3-Dichloropropene	ND		ug/kg	0.69	0.08	1
cis-1,3-Dichloropropene	ND		ug/kg	0.69	0.09	1
1,1-Dichloropropene	ND		ug/kg	3.4	0.31	1
Bromoform	ND		ug/kg	2.7	0.28	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.69	0.12	1
Benzene	ND		ug/kg	0.69	0.08	1
Toluene	ND		ug/kg	1.0	0.08	1
Ethylbenzene	ND		ug/kg	0.69	0.10	1
Chloromethane	ND		ug/kg	3.4	0.54	1
Bromomethane	ND		ug/kg	1.4	0.23	1
Vinyl chloride	ND		ug/kg	1.4	0.10	1
Chloroethane	ND		ug/kg	1.4	0.22	1
1,1-Dichloroethene	ND		ug/kg	0.69	0.14	1
trans-1,2-Dichloroethene	ND		ug/kg	1.0	0.14	1
Trichloroethene	ND		ug/kg	0.69	0.10	1
1,2-Dichlorobenzene	ND		ug/kg	3.4	0.12	1
1,3-Dichlorobenzene	ND		ug/kg	3.4	0.12	1
1,4-Dichlorobenzene	ND		ug/kg	3.4	0.17	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	1.4	0.07	1
p/m-Xylene	ND		ug/kg	1.4	0.22	1
o-Xylene	ND		ug/kg	1.4	0.19	1
Xylene (Total)	ND		ug/kg	1.4	0.19	1
cis-1,2-Dichloroethene	ND		ug/kg	0.69	0.10	1
Dibromomethane	ND		ug/kg	6.9	0.11	1
Styrene	ND		ug/kg	1.4	0.21	1
Dichlorodifluoromethane	ND		ug/kg	6.9	0.15	1
Acetone	7.1		ug/kg	6.9	2.1	1
Carbon disulfide	ND		ug/kg	6.9	1.4	1
2-Butanone	ND		ug/kg	6.9	0.24	1
Vinyl acetate	ND		ug/kg	6.9	0.33	1
4-Methyl-2-pentanone	ND		ug/kg	6.9	0.17	1
1,2,3-Trichloropropane	ND		ug/kg	6.9	0.15	1
2-Hexanone	ND		ug/kg	6.9	0.13	1
Bromochloromethane	ND		ug/kg	3.4	0.14	1
2,2-Dichloropropane	ND		ug/kg	3.4	0.15	1
1,2-Dibromoethane	ND		ug/kg	2.7	0.12	1
1,3-Dichloropropane	ND		ug/kg	3.4	0.12	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.69	0.22	1
Bromobenzene	ND		ug/kg	3.4	0.14	1
n-Butylbenzene	ND		ug/kg	0.69	0.14	1
sec-Butylbenzene	ND		ug/kg	0.69	0.14	1
tert-Butylbenzene	ND		ug/kg	3.4	0.38	1
o-Chlorotoluene	ND		ug/kg	3.4	0.11	1
p-Chlorotoluene	ND		ug/kg	3.4	0.10	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.4	0.54	1
Hexachlorobutadiene	ND		ug/kg	3.4	0.29	1
Isopropylbenzene	ND		ug/kg	0.69	0.12	1
p-Isopropyltoluene	ND		ug/kg	0.69	0.13	1
Naphthalene	ND		ug/kg	3.4	0.53	1
Acrylonitrile	ND		ug/kg	6.9	0.16	1
n-Propylbenzene	ND		ug/kg	0.69	0.09	1
1,2,3-Trichlorobenzene	ND		ug/kg	3.4	0.12	1
1,2,4-Trichlorobenzene	ND		ug/kg	3.4	0.54	1
1,3,5-Trimethylbenzene	ND		ug/kg	3.4	0.10	1
1,2,4-Trimethylbenzene	ND		ug/kg	3.4	0.39	1
1,4-Dioxane	ND		ug/kg	69	12.	1
1,4-Diethylbenzene	ND		ug/kg	2.7	0.11	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	ND		ug/kg	2.7	0.08	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	2.7	0.09	1
Ethyl ether	ND		ug/kg	3.4	0.18	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	3.4	0.31	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	102		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-03
Client ID: SP-3 (2'-4')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 12:36
Analyst: MV
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	2.7	J	ug/kg	7.9	1.6	1
1,1-Dichloroethane	ND		ug/kg	1.2	0.14	1
Chloroform	ND		ug/kg	1.2	0.29	1
Carbon tetrachloride	ND		ug/kg	0.79	0.16	1
1,2-Dichloropropane	ND		ug/kg	2.8	0.18	1
Dibromochloromethane	ND		ug/kg	0.79	0.24	1
1,1,2-Trichloroethane	ND		ug/kg	1.2	0.24	1
Tetrachloroethene	ND		ug/kg	0.79	0.11	1
Chlorobenzene	ND		ug/kg	0.79	0.27	1
Trichlorofluoromethane	ND		ug/kg	3.9	0.10	1
1,2-Dichloroethane	ND		ug/kg	0.79	0.12	1
1,1,1-Trichloroethane	ND		ug/kg	0.79	0.09	1
Bromodichloromethane	ND		ug/kg	0.79	0.18	1
trans-1,3-Dichloropropene	ND		ug/kg	0.79	0.10	1
cis-1,3-Dichloropropene	ND		ug/kg	0.79	0.10	1
1,1-Dichloropropene	ND		ug/kg	3.9	0.36	1
Bromoform	ND		ug/kg	3.2	0.33	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.79	0.13	1
Benzene	ND		ug/kg	0.79	0.09	1
Toluene	ND		ug/kg	1.2	0.09	1
Ethylbenzene	ND		ug/kg	0.79	0.12	1
Chloromethane	ND		ug/kg	3.9	0.62	1
Bromomethane	ND		ug/kg	1.6	0.27	1
Vinyl chloride	ND		ug/kg	1.6	0.11	1
Chloroethane	ND		ug/kg	1.6	0.25	1
1,1-Dichloroethene	ND		ug/kg	0.79	0.16	1
trans-1,2-Dichloroethene	ND		ug/kg	1.2	0.17	1
Trichloroethene	ND		ug/kg	0.79	0.12	1
1,2-Dichlorobenzene	ND		ug/kg	3.9	0.14	1
1,3-Dichlorobenzene	ND		ug/kg	3.9	0.14	1
1,4-Dichlorobenzene	ND		ug/kg	3.9	0.19	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-03
 Client ID: SP-3 (2'-4')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	1.6	0.08	1
p/m-Xylene	ND		ug/kg	1.6	0.25	1
o-Xylene	ND		ug/kg	1.6	0.21	1
Xylene (Total)	ND		ug/kg	1.6	0.21	1
cis-1,2-Dichloroethene	ND		ug/kg	0.79	0.12	1
Dibromomethane	ND		ug/kg	7.9	0.13	1
Styrene	ND		ug/kg	1.6	0.24	1
Dichlorodifluoromethane	ND		ug/kg	7.9	0.17	1
Acetone	6.5	J	ug/kg	7.9	2.4	1
Carbon disulfide	ND		ug/kg	7.9	1.6	1
2-Butanone	ND		ug/kg	7.9	0.28	1
Vinyl acetate	ND		ug/kg	7.9	0.38	1
4-Methyl-2-pentanone	ND		ug/kg	7.9	0.19	1
1,2,3-Trichloropropane	ND		ug/kg	7.9	0.18	1
2-Hexanone	ND		ug/kg	7.9	0.15	1
Bromochloromethane	ND		ug/kg	3.9	0.16	1
2,2-Dichloropropane	ND		ug/kg	3.9	0.18	1
1,2-Dibromoethane	ND		ug/kg	3.2	0.14	1
1,3-Dichloropropane	ND		ug/kg	3.9	0.14	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.79	0.25	1
Bromobenzene	ND		ug/kg	3.9	0.16	1
n-Butylbenzene	ND		ug/kg	0.79	0.16	1
sec-Butylbenzene	ND		ug/kg	0.79	0.16	1
tert-Butylbenzene	ND		ug/kg	3.9	0.44	1
o-Chlorotoluene	ND		ug/kg	3.9	0.12	1
p-Chlorotoluene	ND		ug/kg	3.9	0.12	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	3.9	0.62	1
Hexachlorobutadiene	ND		ug/kg	3.9	0.33	1
Isopropylbenzene	ND		ug/kg	0.79	0.13	1
p-Isopropyltoluene	ND		ug/kg	0.79	0.15	1
Naphthalene	ND		ug/kg	3.9	0.61	1
Acrylonitrile	ND		ug/kg	7.9	0.19	1
n-Propylbenzene	ND		ug/kg	0.79	0.10	1
1,2,3-Trichlorobenzene	ND		ug/kg	3.9	0.13	1
1,2,4-Trichlorobenzene	ND		ug/kg	3.9	0.62	1
1,3,5-Trimethylbenzene	ND		ug/kg	3.9	0.11	1
1,2,4-Trimethylbenzene	ND		ug/kg	3.9	0.45	1
1,4-Dioxane	ND		ug/kg	79	14.	1
1,4-Diethylbenzene	ND		ug/kg	3.2	0.12	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-03
 Client ID: SP-3 (2'-4')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	ND		ug/kg	3.2	0.09	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	3.2	0.10	1
Ethyl ether	ND		ug/kg	3.9	0.21	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	3.9	0.35	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	103		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04
Client ID: SP-3 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/04/14 12:52
Analyst: BN
Percent Solids: 75%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	8.6	1.7	1
1,1-Dichloroethane	2.6		ug/kg	1.3	0.15	1
Chloroform	ND		ug/kg	1.3	0.32	1
Carbon tetrachloride	ND		ug/kg	0.86	0.18	1
1,2-Dichloropropane	ND		ug/kg	3.0	0.20	1
Dibromochloromethane	ND		ug/kg	0.86	0.26	1
1,1,2-Trichloroethane	ND		ug/kg	1.3	0.26	1
Tetrachloroethene	ND		ug/kg	0.86	0.12	1
Chlorobenzene	ND		ug/kg	0.86	0.30	1
Trichlorofluoromethane	ND		ug/kg	4.3	0.10	1
1,2-Dichloroethane	ND		ug/kg	0.86	0.12	1
1,1,1-Trichloroethane	ND		ug/kg	0.86	0.10	1
Bromodichloromethane	ND		ug/kg	0.86	0.20	1
trans-1,3-Dichloropropene	ND		ug/kg	0.86	0.10	1
cis-1,3-Dichloropropene	ND		ug/kg	0.86	0.11	1
1,1-Dichloropropene	ND		ug/kg	4.3	0.39	1
Bromoform	ND		ug/kg	3.4	0.36	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.86	0.15	1
Benzene	1.7		ug/kg	0.86	0.10	1
Toluene	1.4		ug/kg	1.3	0.10	1
Ethylbenzene	2.2		ug/kg	0.86	0.13	1
Chloromethane	ND		ug/kg	4.3	0.67	1
Bromomethane	ND		ug/kg	1.7	0.29	1
Vinyl chloride	0.72	J	ug/kg	1.7	0.12	1
Chloroethane	ND		ug/kg	1.7	0.27	1
1,1-Dichloroethene	ND		ug/kg	0.86	0.18	1
trans-1,2-Dichloroethene	ND		ug/kg	1.3	0.18	1
Trichloroethene	ND		ug/kg	0.86	0.13	1
1,2-Dichlorobenzene	ND		ug/kg	4.3	0.16	1
1,3-Dichlorobenzene	ND		ug/kg	4.3	0.16	1
1,4-Dichlorobenzene	ND		ug/kg	4.3	0.21	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-04
 Client ID: SP-3 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	1.7	0.09	1
p/m-Xylene	5.4		ug/kg	1.7	0.28	1
o-Xylene	1.3	J	ug/kg	1.7	0.23	1
Xylene (Total)	6.7	J	ug/kg	1.7	0.23	1
cis-1,2-Dichloroethene	3.8		ug/kg	0.86	0.13	1
Dibromomethane	ND		ug/kg	8.6	0.14	1
Styrene	ND		ug/kg	1.7	0.27	1
Dichlorodifluoromethane	ND		ug/kg	8.6	0.19	1
Acetone	60		ug/kg	8.6	2.7	1
Carbon disulfide	4.8	J	ug/kg	8.6	1.7	1
2-Butanone	ND		ug/kg	8.6	0.30	1
Vinyl acetate	ND		ug/kg	8.6	0.41	1
4-Methyl-2-pentanone	ND		ug/kg	8.6	0.21	1
1,2,3-Trichloropropane	ND		ug/kg	8.6	0.19	1
2-Hexanone	ND		ug/kg	8.6	0.16	1
Bromochloromethane	ND		ug/kg	4.3	0.17	1
2,2-Dichloropropane	ND		ug/kg	4.3	0.19	1
1,2-Dibromoethane	ND		ug/kg	3.4	0.15	1
1,3-Dichloropropane	ND		ug/kg	4.3	0.15	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.86	0.27	1
Bromobenzene	ND		ug/kg	4.3	0.18	1
n-Butylbenzene	ND		ug/kg	0.86	0.17	1
sec-Butylbenzene	ND		ug/kg	0.86	0.18	1
tert-Butylbenzene	ND		ug/kg	4.3	0.48	1
o-Chlorotoluene	ND		ug/kg	4.3	0.14	1
p-Chlorotoluene	ND		ug/kg	4.3	0.13	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	4.3	0.68	1
Hexachlorobutadiene	ND		ug/kg	4.3	0.36	1
Isopropylbenzene	0.32	J	ug/kg	0.86	0.14	1
p-Isopropyltoluene	ND		ug/kg	0.86	0.16	1
Naphthalene	ND		ug/kg	4.3	0.66	1
Acrylonitrile	ND		ug/kg	8.6	0.20	1
n-Propylbenzene	0.53	J	ug/kg	0.86	0.11	1
1,2,3-Trichlorobenzene	ND		ug/kg	4.3	0.14	1
1,2,4-Trichlorobenzene	ND		ug/kg	4.3	0.68	1
1,3,5-Trimethylbenzene	1.4	J	ug/kg	4.3	0.12	1
1,2,4-Trimethylbenzene	0.72	J	ug/kg	4.3	0.49	1
1,4-Dioxane	ND		ug/kg	86	15.	1
1,4-Diethylbenzene	ND		ug/kg	3.4	0.14	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04
 Client ID: SP-3 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	1.0	J	ug/kg	3.4	0.10	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	3.4	0.11	1
Ethyl ether	ND		ug/kg	4.3	0.23	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	4.3	0.38	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	125		70-130
Dibromofluoromethane	98		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-05
Client ID: SP-4 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 13:38
Analyst: MV
Percent Solids: 91%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	3.3	J	ug/kg	9.0	1.8	1
1,1-Dichloroethane	ND		ug/kg	1.4	0.16	1
Chloroform	ND		ug/kg	1.4	0.33	1
Carbon tetrachloride	ND		ug/kg	0.90	0.19	1
1,2-Dichloropropane	ND		ug/kg	3.2	0.21	1
Dibromochloromethane	ND		ug/kg	0.90	0.28	1
1,1,2-Trichloroethane	ND		ug/kg	1.4	0.27	1
Tetrachloroethene	ND		ug/kg	0.90	0.13	1
Chlorobenzene	ND		ug/kg	0.90	0.31	1
Trichlorofluoromethane	ND		ug/kg	4.5	0.11	1
1,2-Dichloroethane	ND		ug/kg	0.90	0.13	1
1,1,1-Trichloroethane	ND		ug/kg	0.90	0.10	1
Bromodichloromethane	ND		ug/kg	0.90	0.21	1
trans-1,3-Dichloropropene	ND		ug/kg	0.90	0.11	1
cis-1,3-Dichloropropene	ND		ug/kg	0.90	0.11	1
1,1-Dichloropropene	ND		ug/kg	4.5	0.41	1
Bromoform	ND		ug/kg	3.6	0.37	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.90	0.15	1
Benzene	ND		ug/kg	0.90	0.11	1
Toluene	ND		ug/kg	1.4	0.10	1
Ethylbenzene	ND		ug/kg	0.90	0.13	1
Chloromethane	ND		ug/kg	4.5	0.71	1
Bromomethane	ND		ug/kg	1.8	0.30	1
Vinyl chloride	ND		ug/kg	1.8	0.13	1
Chloroethane	ND		ug/kg	1.8	0.28	1
1,1-Dichloroethene	ND		ug/kg	0.90	0.18	1
trans-1,2-Dichloroethene	ND		ug/kg	1.4	0.19	1
Trichloroethene	ND		ug/kg	0.90	0.14	1
1,2-Dichlorobenzene	ND		ug/kg	4.5	0.16	1
1,3-Dichlorobenzene	ND		ug/kg	4.5	0.16	1
1,4-Dichlorobenzene	ND		ug/kg	4.5	0.22	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-05
 Client ID: SP-4 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	1.8	0.09	1
p/m-Xylene	ND		ug/kg	1.8	0.29	1
o-Xylene	ND		ug/kg	1.8	0.24	1
Xylene (Total)	ND		ug/kg	1.8	0.24	1
cis-1,2-Dichloroethene	ND		ug/kg	0.90	0.13	1
Dibromomethane	ND		ug/kg	9.0	0.15	1
Styrene	ND		ug/kg	1.8	0.28	1
Dichlorodifluoromethane	ND		ug/kg	9.0	0.20	1
Acetone	18		ug/kg	9.0	2.8	1
Carbon disulfide	ND		ug/kg	9.0	1.8	1
2-Butanone	ND		ug/kg	9.0	0.32	1
Vinyl acetate	ND		ug/kg	9.0	0.43	1
4-Methyl-2-pentanone	ND		ug/kg	9.0	0.22	1
1,2,3-Trichloropropane	ND		ug/kg	9.0	0.20	1
2-Hexanone	ND		ug/kg	9.0	0.17	1
Bromochloromethane	ND		ug/kg	4.5	0.18	1
2,2-Dichloropropane	ND		ug/kg	4.5	0.20	1
1,2-Dibromoethane	ND		ug/kg	3.6	0.16	1
1,3-Dichloropropane	ND		ug/kg	4.5	0.16	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.90	0.29	1
Bromobenzene	ND		ug/kg	4.5	0.19	1
n-Butylbenzene	ND		ug/kg	0.90	0.18	1
sec-Butylbenzene	ND		ug/kg	0.90	0.18	1
tert-Butylbenzene	ND		ug/kg	4.5	0.51	1
o-Chlorotoluene	ND		ug/kg	4.5	0.14	1
p-Chlorotoluene	ND		ug/kg	4.5	0.14	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	4.5	0.71	1
Hexachlorobutadiene	ND		ug/kg	4.5	0.38	1
Isopropylbenzene	ND		ug/kg	0.90	0.15	1
p-Isopropyltoluene	ND		ug/kg	0.90	0.17	1
Naphthalene	ND		ug/kg	4.5	0.69	1
Acrylonitrile	ND		ug/kg	9.0	0.21	1
n-Propylbenzene	ND		ug/kg	0.90	0.11	1
1,2,3-Trichlorobenzene	ND		ug/kg	4.5	0.15	1
1,2,4-Trichlorobenzene	ND		ug/kg	4.5	0.71	1
1,3,5-Trimethylbenzene	ND		ug/kg	4.5	0.13	1
1,2,4-Trimethylbenzene	ND		ug/kg	4.5	0.52	1
1,4-Dioxane	ND		ug/kg	90	16.	1
1,4-Diethylbenzene	ND		ug/kg	3.6	0.14	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-05
 Client ID: SP-4 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	ND		ug/kg	3.6	0.10	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	3.6	0.12	1
Ethyl ether	ND		ug/kg	4.5	0.24	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	4.5	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	87		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-06
Client ID: SP-4 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 14:09
Analyst: MV
Percent Solids: 85%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	1.9	J	ug/kg	9.1	1.8	1
1,1-Dichloroethane	ND		ug/kg	1.4	0.16	1
Chloroform	ND		ug/kg	1.4	0.34	1
Carbon tetrachloride	ND		ug/kg	0.91	0.19	1
1,2-Dichloropropane	ND		ug/kg	3.2	0.21	1
Dibromochloromethane	ND		ug/kg	0.91	0.28	1
1,1,2-Trichloroethane	ND		ug/kg	1.4	0.28	1
Tetrachloroethene	ND		ug/kg	0.91	0.13	1
Chlorobenzene	ND		ug/kg	0.91	0.31	1
Trichlorofluoromethane	ND		ug/kg	4.5	0.11	1
1,2-Dichloroethane	ND		ug/kg	0.91	0.13	1
1,1,1-Trichloroethane	ND		ug/kg	0.91	0.10	1
Bromodichloromethane	ND		ug/kg	0.91	0.21	1
trans-1,3-Dichloropropene	ND		ug/kg	0.91	0.11	1
cis-1,3-Dichloropropene	ND		ug/kg	0.91	0.12	1
1,1-Dichloropropene	ND		ug/kg	4.5	0.41	1
Bromoform	ND		ug/kg	3.6	0.38	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	0.91	0.15	1
Benzene	ND		ug/kg	0.91	0.11	1
Toluene	ND		ug/kg	1.4	0.10	1
Ethylbenzene	ND		ug/kg	0.91	0.13	1
Chloromethane	ND		ug/kg	4.5	0.71	1
Bromomethane	ND		ug/kg	1.8	0.31	1
Vinyl chloride	ND		ug/kg	1.8	0.13	1
Chloroethane	ND		ug/kg	1.8	0.29	1
1,1-Dichloroethene	ND		ug/kg	0.91	0.19	1
trans-1,2-Dichloroethene	ND		ug/kg	1.4	0.19	1
Trichloroethene	ND		ug/kg	0.91	0.14	1
1,2-Dichlorobenzene	ND		ug/kg	4.5	0.16	1
1,3-Dichlorobenzene	ND		ug/kg	4.5	0.16	1
1,4-Dichlorobenzene	ND		ug/kg	4.5	0.22	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	1.8	0.09	1
p/m-Xylene	ND		ug/kg	1.8	0.29	1
o-Xylene	ND		ug/kg	1.8	0.24	1
Xylene (Total)	ND		ug/kg	1.8	0.24	1
cis-1,2-Dichloroethene	ND		ug/kg	0.91	0.14	1
Dibromomethane	ND		ug/kg	9.1	0.15	1
Styrene	ND		ug/kg	1.8	0.28	1
Dichlorodifluoromethane	ND		ug/kg	9.1	0.20	1
Acetone	15		ug/kg	9.1	2.8	1
Carbon disulfide	ND		ug/kg	9.1	1.8	1
2-Butanone	ND		ug/kg	9.1	0.32	1
Vinyl acetate	ND		ug/kg	9.1	0.43	1
4-Methyl-2-pentanone	ND		ug/kg	9.1	0.22	1
1,2,3-Trichloropropane	ND		ug/kg	9.1	0.20	1
2-Hexanone	ND		ug/kg	9.1	0.17	1
Bromochloromethane	ND		ug/kg	4.5	0.18	1
2,2-Dichloropropane	ND		ug/kg	4.5	0.20	1
1,2-Dibromoethane	ND		ug/kg	3.6	0.16	1
1,3-Dichloropropane	ND		ug/kg	4.5	0.16	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	0.91	0.29	1
Bromobenzene	ND		ug/kg	4.5	0.19	1
n-Butylbenzene	ND		ug/kg	0.91	0.18	1
sec-Butylbenzene	ND		ug/kg	0.91	0.19	1
tert-Butylbenzene	ND		ug/kg	4.5	0.51	1
o-Chlorotoluene	ND		ug/kg	4.5	0.14	1
p-Chlorotoluene	ND		ug/kg	4.5	0.14	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	4.5	0.72	1
Hexachlorobutadiene	ND		ug/kg	4.5	0.38	1
Isopropylbenzene	ND		ug/kg	0.91	0.15	1
p-Isopropyltoluene	ND		ug/kg	0.91	0.17	1
Naphthalene	ND		ug/kg	4.5	0.70	1
Acrylonitrile	ND		ug/kg	9.1	0.22	1
n-Propylbenzene	ND		ug/kg	0.91	0.11	1
1,2,3-Trichlorobenzene	ND		ug/kg	4.5	0.15	1
1,2,4-Trichlorobenzene	ND		ug/kg	4.5	0.72	1
1,3,5-Trimethylbenzene	ND		ug/kg	4.5	0.13	1
1,2,4-Trimethylbenzene	ND		ug/kg	4.5	0.52	1
1,4-Dioxane	ND		ug/kg	91	16.	1
1,4-Diethylbenzene	ND		ug/kg	3.6	0.14	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	ND		ug/kg	3.6	0.11	1
1,2,4,5-Tetramethylbenzene	ND		ug/kg	3.6	0.12	1
Ethyl ether	ND		ug/kg	4.5	0.24	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	4.5	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	103		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-09
Client ID: SP-5 (5'-7')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 15:11
Analyst: MV
Percent Solids: 78%

Date Collected: 04/28/14 10:05
Date Received: 04/30/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	980	200	1
1,1-Dichloroethane	ND		ug/kg	150	17.	1
Chloroform	ND		ug/kg	150	36.	1
Carbon tetrachloride	ND		ug/kg	98	20.	1
1,2-Dichloropropane	ND		ug/kg	340	22.	1
Dibromochloromethane	ND		ug/kg	98	30.	1
1,1,2-Trichloroethane	ND		ug/kg	150	30.	1
Tetrachloroethene	960		ug/kg	98	14.	1
Chlorobenzene	ND		ug/kg	98	34.	1
Trichlorofluoromethane	ND		ug/kg	490	12.	1
1,2-Dichloroethane	ND		ug/kg	98	14.	1
1,1,1-Trichloroethane	ND		ug/kg	98	11.	1
Bromodichloromethane	ND		ug/kg	98	22.	1
trans-1,3-Dichloropropene	ND		ug/kg	98	12.	1
cis-1,3-Dichloropropene	ND		ug/kg	98	12.	1
1,1-Dichloropropene	ND		ug/kg	490	44.	1
Bromoform	ND		ug/kg	390	40.	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	98	17.	1
Benzene	ND		ug/kg	98	12.	1
Toluene	130	J	ug/kg	150	11.	1
Ethylbenzene	ND		ug/kg	98	14.	1
Chloromethane	ND		ug/kg	490	76.	1
Bromomethane	ND		ug/kg	200	33.	1
Vinyl chloride	ND		ug/kg	200	14.	1
Chloroethane	ND		ug/kg	200	31.	1
1,1-Dichloroethene	ND		ug/kg	98	20.	1
trans-1,2-Dichloroethene	ND		ug/kg	150	21.	1
Trichloroethene	ND		ug/kg	98	15.	1
1,2-Dichlorobenzene	ND		ug/kg	490	18.	1
1,3-Dichlorobenzene	ND		ug/kg	490	18.	1
1,4-Dichlorobenzene	ND		ug/kg	490	24.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	200	10.	1
p/m-Xylene	480		ug/kg	200	32.	1
o-Xylene	360		ug/kg	200	26.	1
Xylene (Total)	840		ug/kg	200	26.	1
cis-1,2-Dichloroethene	ND		ug/kg	98	14.	1
Dibromomethane	ND		ug/kg	980	16.	1
Styrene	ND		ug/kg	200	30.	1
Dichlorodifluoromethane	ND		ug/kg	980	21.	1
Acetone	ND		ug/kg	980	300	1
Carbon disulfide	ND		ug/kg	980	200	1
2-Butanone	ND		ug/kg	980	35.	1
Vinyl acetate	ND		ug/kg	980	47.	1
4-Methyl-2-pentanone	ND		ug/kg	980	24.	1
1,2,3-Trichloropropane	ND		ug/kg	980	22.	1
2-Hexanone	ND		ug/kg	980	18.	1
Bromochloromethane	ND		ug/kg	490	19.	1
2,2-Dichloropropane	ND		ug/kg	490	22.	1
1,2-Dibromoethane	ND		ug/kg	390	17.	1
1,3-Dichloropropane	ND		ug/kg	490	17.	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	98	31.	1
Bromobenzene	ND		ug/kg	490	20.	1
n-Butylbenzene	ND		ug/kg	98	19.	1
sec-Butylbenzene	ND		ug/kg	98	20.	1
tert-Butylbenzene	ND		ug/kg	490	55.	1
o-Chlorotoluene	ND		ug/kg	490	16.	1
p-Chlorotoluene	ND		ug/kg	490	15.	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	490	77.	1
Hexachlorobutadiene	ND		ug/kg	490	41.	1
Isopropylbenzene	ND		ug/kg	98	16.	1
p-Isopropyltoluene	100		ug/kg	98	19.	1
Naphthalene	2400		ug/kg	490	75.	1
Acrylonitrile	ND		ug/kg	980	23.	1
n-Propylbenzene	ND		ug/kg	98	12.	1
1,2,3-Trichlorobenzene	ND		ug/kg	490	16.	1
1,2,4-Trichlorobenzene	ND		ug/kg	490	77.	1
1,3,5-Trimethylbenzene	350	J	ug/kg	490	14.	1
1,2,4-Trimethylbenzene	580		ug/kg	490	56.	1
1,4-Dioxane	ND		ug/kg	9800	1700	1
1,4-Diethylbenzene	2300		ug/kg	390	16.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	430		ug/kg	390	11.	1
1,2,4,5-Tetramethylbenzene	1300		ug/kg	390	13.	1
Ethyl ether	ND		ug/kg	490	26.	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	490	44.	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	100		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
Client ID: SP-5 (9'-11')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8260C
Analytical Date: 05/02/14 14:40
Analyst: MV
Percent Solids: 84%

Date Collected: 04/28/14 10:45
Date Received: 04/30/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methylene chloride	ND		ug/kg	12	2.5	1
1,1-Dichloroethane	ND		ug/kg	1.8	0.22	1
Chloroform	2.0		ug/kg	1.8	0.46	1
Carbon tetrachloride	ND		ug/kg	1.2	0.26	1
1,2-Dichloropropane	ND		ug/kg	4.3	0.28	1
Dibromochloromethane	ND		ug/kg	1.2	0.38	1
1,1,2-Trichloroethane	ND		ug/kg	1.8	0.38	1
Tetrachloroethene	37		ug/kg	1.2	0.17	1
Chlorobenzene	ND		ug/kg	1.2	0.43	1
Trichlorofluoromethane	ND		ug/kg	6.2	0.15	1
1,2-Dichloroethane	ND		ug/kg	1.2	0.18	1
1,1,1-Trichloroethane	ND		ug/kg	1.2	0.14	1
Bromodichloromethane	ND		ug/kg	1.2	0.28	1
trans-1,3-Dichloropropene	ND		ug/kg	1.2	0.15	1
cis-1,3-Dichloropropene	ND		ug/kg	1.2	0.16	1
1,1-Dichloropropene	ND		ug/kg	6.2	0.56	1
Bromoform	ND		ug/kg	5.0	0.51	1
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.2	0.21	1
Benzene	1.7		ug/kg	1.2	0.15	1
Toluene	3.1		ug/kg	1.8	0.14	1
Ethylbenzene	ND		ug/kg	1.2	0.18	1
Chloromethane	ND		ug/kg	6.2	0.97	1
Bromomethane	ND		ug/kg	2.5	0.42	1
Vinyl chloride	ND		ug/kg	2.5	0.17	1
Chloroethane	ND		ug/kg	2.5	0.39	1
1,1-Dichloroethene	ND		ug/kg	1.2	0.25	1
trans-1,2-Dichloroethene	ND		ug/kg	1.8	0.26	1
Trichloroethene	ND		ug/kg	1.2	0.19	1
1,2-Dichlorobenzene	ND		ug/kg	6.2	0.23	1
1,3-Dichlorobenzene	ND		ug/kg	6.2	0.23	1
1,4-Dichlorobenzene	ND		ug/kg	6.2	0.30	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
 Client ID: SP-5 (9'-11')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:45
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
Methyl tert butyl ether	ND		ug/kg	2.5	0.13	1
p/m-Xylene	4.5		ug/kg	2.5	0.40	1
o-Xylene	7.5		ug/kg	2.5	0.34	1
Xylene (Total)	12		ug/kg	2.5	0.34	1
cis-1,2-Dichloroethene	ND		ug/kg	1.2	0.18	1
Dibromomethane	ND		ug/kg	12	0.20	1
Styrene	ND		ug/kg	2.5	0.38	1
Dichlorodifluoromethane	ND		ug/kg	12	0.27	1
Acetone	19		ug/kg	12	3.8	1
Carbon disulfide	ND		ug/kg	12	2.5	1
2-Butanone	ND		ug/kg	12	0.44	1
Vinyl acetate	ND		ug/kg	12	0.59	1
4-Methyl-2-pentanone	ND		ug/kg	12	0.30	1
1,2,3-Trichloropropane	ND		ug/kg	12	0.28	1
2-Hexanone	ND		ug/kg	12	0.23	1
Bromochloromethane	ND		ug/kg	6.2	0.24	1
2,2-Dichloropropane	ND		ug/kg	6.2	0.28	1
1,2-Dibromoethane	ND		ug/kg	5.0	0.22	1
1,3-Dichloropropane	ND		ug/kg	6.2	0.21	1
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.2	0.39	1
Bromobenzene	ND		ug/kg	6.2	0.26	1
n-Butylbenzene	ND		ug/kg	1.2	0.24	1
sec-Butylbenzene	ND		ug/kg	1.2	0.25	1
tert-Butylbenzene	ND		ug/kg	6.2	0.69	1
o-Chlorotoluene	ND		ug/kg	6.2	0.20	1
p-Chlorotoluene	ND		ug/kg	6.2	0.19	1
1,2-Dibromo-3-chloropropane	ND		ug/kg	6.2	0.98	1
Hexachlorobutadiene	ND		ug/kg	6.2	0.52	1
Isopropylbenzene	ND		ug/kg	1.2	0.21	1
p-Isopropyltoluene	3.4		ug/kg	1.2	0.24	1
Naphthalene	45		ug/kg	6.2	0.95	1
Acrylonitrile	ND		ug/kg	12	0.29	1
n-Propylbenzene	ND		ug/kg	1.2	0.16	1
1,2,3-Trichlorobenzene	ND		ug/kg	6.2	0.21	1
1,2,4-Trichlorobenzene	ND		ug/kg	6.2	0.98	1
1,3,5-Trimethylbenzene	17		ug/kg	6.2	0.18	1
1,2,4-Trimethylbenzene	21		ug/kg	6.2	0.71	1
1,4-Dioxane	ND		ug/kg	120	22.	1
1,4-Diethylbenzene	63		ug/kg	5.0	0.20	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
 Client ID: SP-5 (9'-11')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:45
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by 8260/5035 - Westborough Lab						
4-Ethyltoluene	9.1		ug/kg	5.0	0.14	1
1,2,4,5-Tetramethylbenzene	30		ug/kg	5.0	0.16	1
Ethyl ether	ND		ug/kg	6.2	0.33	1
trans-1,4-Dichloro-2-butene	ND		ug/kg	6.2	0.55	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	112		70-130
Dibromofluoromethane	102		70-130

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/04/14 11:09
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG687174-3					
Methylene chloride	ND		ug/kg	10	2.0
1,1-Dichloroethane	ND		ug/kg	1.5	0.18
Chloroform	ND		ug/kg	1.5	0.37
Carbon tetrachloride	ND		ug/kg	1.0	0.21
1,2-Dichloropropane	ND		ug/kg	3.5	0.23
Dibromochloromethane	ND		ug/kg	1.0	0.31
2-Chloroethylvinyl ether	ND		ug/kg	20	0.62
1,1,2-Trichloroethane	ND		ug/kg	1.5	0.30
Tetrachloroethene	ND		ug/kg	1.0	0.14
Chlorobenzene	ND		ug/kg	1.0	0.35
Trichlorofluoromethane	ND		ug/kg	5.0	0.12
1,2-Dichloroethane	ND		ug/kg	1.0	0.15
1,1,1-Trichloroethane	ND		ug/kg	1.0	0.11
Bromodichloromethane	ND		ug/kg	1.0	0.23
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.12
cis-1,3-Dichloropropene	ND		ug/kg	1.0	0.13
1,1-Dichloropropene	ND		ug/kg	5.0	0.46
Bromoform	ND		ug/kg	4.0	0.41
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.0	0.17
Benzene	ND		ug/kg	1.0	0.12
Toluene	ND		ug/kg	1.5	0.11
Ethylbenzene	ND		ug/kg	1.0	0.15
Chloromethane	ND		ug/kg	5.0	0.78
Bromomethane	ND		ug/kg	2.0	0.34
Vinyl chloride	ND		ug/kg	2.0	0.14
Chloroethane	ND		ug/kg	2.0	0.32
1,1-Dichloroethene	ND		ug/kg	1.0	0.20
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.21
Trichloroethene	ND		ug/kg	1.0	0.15
1,2-Dichlorobenzene	ND		ug/kg	5.0	0.18
1,3-Dichlorobenzene	ND		ug/kg	5.0	0.18

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/04/14 11:09
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG687174-3					
1,4-Dichlorobenzene	ND		ug/kg	5.0	0.24
Methyl tert butyl ether	ND		ug/kg	2.0	0.10
p/m-Xylene	ND		ug/kg	2.0	0.32
o-Xylene	ND		ug/kg	2.0	0.27
Xylene (Total)	ND		ug/kg	2.0	0.27
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.15
Dibromomethane	ND		ug/kg	10	0.16
Styrene	ND		ug/kg	2.0	0.31
Dichlorodifluoromethane	ND		ug/kg	10	0.22
Acetone	ND		ug/kg	10	3.1
Carbon disulfide	ND		ug/kg	10	2.0
2-Butanone	ND		ug/kg	10	0.36
Vinyl acetate	ND		ug/kg	10	0.48
4-Methyl-2-pentanone	ND		ug/kg	10	0.24
1,2,3-Trichloropropane	ND		ug/kg	10	0.22
2-Hexanone	ND		ug/kg	10	0.19
Bromochloromethane	ND		ug/kg	5.0	0.20
2,2-Dichloropropane	ND		ug/kg	5.0	0.22
1,2-Dibromoethane	ND		ug/kg	4.0	0.18
1,3-Dichloropropane	ND		ug/kg	5.0	0.17
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.0	0.32
Bromobenzene	ND		ug/kg	5.0	0.21
n-Butylbenzene	ND		ug/kg	1.0	0.20
sec-Butylbenzene	ND		ug/kg	1.0	0.20
tert-Butylbenzene	ND		ug/kg	5.0	0.56
o-Chlorotoluene	ND		ug/kg	5.0	0.16
p-Chlorotoluene	ND		ug/kg	5.0	0.15
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.0	0.79
Hexachlorobutadiene	ND		ug/kg	5.0	0.42
Isopropylbenzene	ND		ug/kg	1.0	0.17
p-Isopropyltoluene	ND		ug/kg	1.0	0.19

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/04/14 11:09
Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG687174-3					
Naphthalene	ND		ug/kg	5.0	0.77
Acrylonitrile	ND		ug/kg	10	0.24
Isopropyl Ether	ND		ug/kg	4.0	0.14
tert-Butyl Alcohol	ND		ug/kg	60	0.91
n-Propylbenzene	ND		ug/kg	1.0	0.12
1,2,3-Trichlorobenzene	ND		ug/kg	5.0	0.17
1,2,4-Trichlorobenzene	ND		ug/kg	5.0	0.79
1,3,5-Trimethylbenzene	ND		ug/kg	5.0	0.14
1,2,4-Trimethylbenzene	ND		ug/kg	5.0	0.57
Methyl Acetate	ND		ug/kg	20	0.76
Ethyl Acetate	ND		ug/kg	20	0.82
Acrolein	ND		ug/kg	25	9.2
Cyclohexane	ND		ug/kg	20	1.1
1,4-Dioxane	ND		ug/kg	100	17.
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/kg	20	0.27
1,4-Diethylbenzene	ND		ug/kg	4.0	0.16
4-Ethyltoluene	ND		ug/kg	4.0	0.12
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.0	0.13
Tetrahydrofuran	ND		ug/kg	20	0.38
Ethyl ether	ND		ug/kg	5.0	0.26
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	0.45
Methyl cyclohexane	ND		ug/kg	4.0	1.3
Ethyl-Tert-Butyl-Ether	ND		ug/kg	4.0	0.42
Tertiary-Amyl Methyl Ether	ND		ug/kg	4.0	0.58

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 05/04/14 11:09
 Analyst: BN

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 04 Batch: WG687174-3					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	90		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	93		70-130

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/02/14 09:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-06,10 Batch: WG687199-3					
Methylene chloride	ND		ug/kg	10	2.0
1,1-Dichloroethane	ND		ug/kg	1.5	0.18
Chloroform	ND		ug/kg	1.5	0.37
Carbon tetrachloride	ND		ug/kg	1.0	0.21
1,2-Dichloropropane	ND		ug/kg	3.5	0.23
Dibromochloromethane	ND		ug/kg	1.0	0.31
1,1,2-Trichloroethane	ND		ug/kg	1.5	0.30
Tetrachloroethene	ND		ug/kg	1.0	0.14
Chlorobenzene	ND		ug/kg	1.0	0.35
Trichlorofluoromethane	ND		ug/kg	5.0	0.12
1,2-Dichloroethane	ND		ug/kg	1.0	0.15
1,1,1-Trichloroethane	ND		ug/kg	1.0	0.11
Bromodichloromethane	ND		ug/kg	1.0	0.23
trans-1,3-Dichloropropene	ND		ug/kg	1.0	0.12
cis-1,3-Dichloropropene	ND		ug/kg	1.0	0.13
1,1-Dichloropropene	ND		ug/kg	5.0	0.46
Bromoform	ND		ug/kg	4.0	0.41
1,1,2,2-Tetrachloroethane	ND		ug/kg	1.0	0.17
Benzene	ND		ug/kg	1.0	0.12
Toluene	ND		ug/kg	1.5	0.11
Ethylbenzene	ND		ug/kg	1.0	0.15
Chloromethane	ND		ug/kg	5.0	0.78
Bromomethane	ND		ug/kg	2.0	0.34
Vinyl chloride	ND		ug/kg	2.0	0.14
Chloroethane	ND		ug/kg	2.0	0.32
1,1-Dichloroethene	ND		ug/kg	1.0	0.20
trans-1,2-Dichloroethene	ND		ug/kg	1.5	0.21
Trichloroethene	ND		ug/kg	1.0	0.15
1,2-Dichlorobenzene	ND		ug/kg	5.0	0.18
1,3-Dichlorobenzene	ND		ug/kg	5.0	0.18

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/02/14 09:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-06,10 Batch: WG687199-3					
1,4-Dichlorobenzene	ND		ug/kg	5.0	0.24
Methyl tert butyl ether	ND		ug/kg	2.0	0.10
p/m-Xylene	ND		ug/kg	2.0	0.32
o-Xylene	ND		ug/kg	2.0	0.27
Xylene (Total)	ND		ug/kg	2.0	0.27
cis-1,2-Dichloroethene	ND		ug/kg	1.0	0.15
Dibromomethane	ND		ug/kg	10	0.16
Styrene	ND		ug/kg	2.0	0.31
Dichlorodifluoromethane	ND		ug/kg	10	0.22
Acetone	ND		ug/kg	10	3.1
Carbon disulfide	ND		ug/kg	10	2.0
2-Butanone	ND		ug/kg	10	0.36
Vinyl acetate	ND		ug/kg	10	0.48
4-Methyl-2-pentanone	ND		ug/kg	10	0.24
1,2,3-Trichloropropane	ND		ug/kg	10	0.22
2-Hexanone	ND		ug/kg	10	0.19
Bromochloromethane	ND		ug/kg	5.0	0.20
2,2-Dichloropropane	ND		ug/kg	5.0	0.22
1,2-Dibromoethane	ND		ug/kg	4.0	0.18
1,3-Dichloropropane	ND		ug/kg	5.0	0.17
1,1,1,2-Tetrachloroethane	ND		ug/kg	1.0	0.32
Bromobenzene	ND		ug/kg	5.0	0.21
n-Butylbenzene	ND		ug/kg	1.0	0.20
sec-Butylbenzene	ND		ug/kg	1.0	0.20
tert-Butylbenzene	ND		ug/kg	5.0	0.56
o-Chlorotoluene	ND		ug/kg	5.0	0.16
p-Chlorotoluene	ND		ug/kg	5.0	0.15
1,2-Dibromo-3-chloropropane	ND		ug/kg	5.0	0.79
Hexachlorobutadiene	ND		ug/kg	5.0	0.42
Isopropylbenzene	ND		ug/kg	1.0	0.17

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/02/14 09:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-06,10 Batch: WG687199-3					
p-Isopropyltoluene	ND		ug/kg	1.0	0.19
Naphthalene	ND		ug/kg	5.0	0.77
Acrylonitrile	ND		ug/kg	10	0.24
Isopropyl Ether	ND		ug/kg	4.0	0.14
tert-Butyl Alcohol	ND		ug/kg	60	0.91
n-Propylbenzene	ND		ug/kg	1.0	0.12
1,2,3-Trichlorobenzene	ND		ug/kg	5.0	0.17
1,2,4-Trichlorobenzene	ND		ug/kg	5.0	0.79
1,3,5-Trimethylbenzene	ND		ug/kg	5.0	0.14
1,2,4-Trimethylbenzene	ND		ug/kg	5.0	0.57
Methyl Acetate	ND		ug/kg	20	0.76
Ethyl Acetate	ND		ug/kg	20	0.82
Acrolein	ND		ug/kg	25	9.2
Cyclohexane	ND		ug/kg	20	1.1
1,4-Dioxane	ND		ug/kg	100	17.
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/kg	20	0.27
1,4-Diethylbenzene	ND		ug/kg	4.0	0.16
4-Ethyltoluene	ND		ug/kg	4.0	0.12
1,2,4,5-Tetramethylbenzene	ND		ug/kg	4.0	0.13
Tetrahydrofuran	ND		ug/kg	20	0.38
Ethyl ether	ND		ug/kg	5.0	0.26
trans-1,4-Dichloro-2-butene	ND		ug/kg	5.0	0.45
Methyl cyclohexane	ND		ug/kg	4.0	1.3
Ethyl-Tert-Butyl-Ether	ND		ug/kg	4.0	0.42
Tertiary-Amyl Methyl Ether	ND		ug/kg	4.0	0.58

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 05/02/14 09:31
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 01-03,05-06,10 Batch: WG687199-3					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	98		70-130

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/02/14 09:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09 Batch: WG687200-3					
Methylene chloride	ND		ug/kg	500	100
1,1-Dichloroethane	ND		ug/kg	75	8.9
Chloroform	ND		ug/kg	75	18.
Carbon tetrachloride	ND		ug/kg	50	10.
1,2-Dichloropropane	ND		ug/kg	180	11.
Dibromochloromethane	ND		ug/kg	50	15.
1,1,2-Trichloroethane	ND		ug/kg	75	15.
Tetrachloroethene	ND		ug/kg	50	7.0
Chlorobenzene	ND		ug/kg	50	17.
Trichlorofluoromethane	ND		ug/kg	250	6.1
1,2-Dichloroethane	ND		ug/kg	50	7.3
1,1,1-Trichloroethane	ND		ug/kg	50	5.5
Bromodichloromethane	ND		ug/kg	50	11.
trans-1,3-Dichloropropene	ND		ug/kg	50	6.0
cis-1,3-Dichloropropene	ND		ug/kg	50	6.4
1,1-Dichloropropene	ND		ug/kg	250	23.
Bromoform	ND		ug/kg	200	21.
1,1,2,2-Tetrachloroethane	ND		ug/kg	50	8.5
Benzene	ND		ug/kg	50	5.9
Toluene	ND		ug/kg	75	5.6
Ethylbenzene	ND		ug/kg	50	7.4
Chloromethane	ND		ug/kg	250	39.
Bromomethane	ND		ug/kg	100	17.
Vinyl chloride	ND		ug/kg	100	7.1
Chloroethane	ND		ug/kg	100	16.
1,1-Dichloroethene	ND		ug/kg	50	10.
trans-1,2-Dichloroethene	ND		ug/kg	75	10.
Trichloroethene	ND		ug/kg	50	7.6
1,2-Dichlorobenzene	ND		ug/kg	250	9.2
1,3-Dichlorobenzene	ND		ug/kg	250	9.2
1,4-Dichlorobenzene	ND		ug/kg	250	12.

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/02/14 09:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09 Batch: WG687200-3					
Methyl tert butyl ether	ND		ug/kg	100	5.2
p/m-Xylene	ND		ug/kg	100	16.
o-Xylene	ND		ug/kg	100	14.
Xylene (Total)	ND		ug/kg	100	14.
cis-1,2-Dichloroethene	ND		ug/kg	50	7.5
Dibromomethane	ND		ug/kg	500	8.2
Styrene	ND		ug/kg	100	15.
Dichlorodifluoromethane	ND		ug/kg	500	11.
Acetone	ND		ug/kg	500	160
Carbon disulfide	ND		ug/kg	500	100
2-Butanone	ND		ug/kg	500	18.
Vinyl acetate	ND		ug/kg	500	24.
4-Methyl-2-pentanone	ND		ug/kg	500	12.
1,2,3-Trichloropropane	ND		ug/kg	500	11.
2-Hexanone	ND		ug/kg	500	9.4
Bromochloromethane	ND		ug/kg	250	9.8
2,2-Dichloropropane	ND		ug/kg	250	11.
1,2-Dibromoethane	ND		ug/kg	200	8.9
1,3-Dichloropropane	ND		ug/kg	250	8.6
1,1,1,2-Tetrachloroethane	ND		ug/kg	50	16.
Bromobenzene	ND		ug/kg	250	10.
n-Butylbenzene	ND		ug/kg	50	9.9
sec-Butylbenzene	ND		ug/kg	50	10.
tert-Butylbenzene	ND		ug/kg	250	28.
o-Chlorotoluene	ND		ug/kg	250	8.0
p-Chlorotoluene	ND		ug/kg	250	7.7
1,2-Dibromo-3-chloropropane	ND		ug/kg	250	39.
Hexachlorobutadiene	ND		ug/kg	250	21.
Isopropylbenzene	ND		ug/kg	50	8.4
p-Isopropyltoluene	ND		ug/kg	50	9.6
Naphthalene	ND		ug/kg	250	38.

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/02/14 09:31
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09 Batch: WG687200-3					
Acrylonitrile	ND		ug/kg	500	12.
Isopropyl Ether	ND		ug/kg	200	7.0
tert-Butyl Alcohol	ND		ug/kg	3000	45.
n-Propylbenzene	ND		ug/kg	50	6.3
1,2,3-Trichlorobenzene	ND		ug/kg	250	8.4
1,2,4-Trichlorobenzene	ND		ug/kg	250	39.
1,3,5-Trimethylbenzene	ND		ug/kg	250	7.2
1,2,4-Trimethylbenzene	ND		ug/kg	250	29.
Methyl Acetate	ND		ug/kg	1000	38.
Ethyl Acetate	ND		ug/kg	1000	41.
Acrolein	ND		ug/kg	1200	460
Cyclohexane	ND		ug/kg	1000	54.
1,4-Dioxane	ND		ug/kg	5000	870
1,1,2-Trichloro-1,2,2-Trifluoroethane	ND		ug/kg	1000	14.
1,4-Diethylbenzene	ND		ug/kg	200	8.0
4-Ethyltoluene	ND		ug/kg	200	5.8
1,2,4,5-Tetramethylbenzene	ND		ug/kg	200	6.5
Tetrahydrofuran	ND		ug/kg	1000	19.
Ethyl ether	ND		ug/kg	250	13.
trans-1,4-Dichloro-2-butene	ND		ug/kg	250	22.
Methyl cyclohexane	ND		ug/kg	200	63.
Ethyl-Tert-Butyl-Ether	ND		ug/kg	200	21.
Tertiary-Amyl Methyl Ether	ND		ug/kg	200	29.

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
 Analytical Date: 05/02/14 09:31
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by 8260/5035 - Westborough Lab for sample(s): 09 Batch: WG687200-3					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	108		70-130
Dibromofluoromethane	98		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG687174-1 WG687174-2								
Methylene chloride	114		110		70-130	4		30
1,1-Dichloroethane	110		105		70-130	5		30
Chloroform	110		105		70-130	5		30
Carbon tetrachloride	109		99		70-130	10		30
1,2-Dichloropropane	115		110		70-130	4		30
Dibromochloromethane	89		87		70-130	2		30
2-Chloroethylvinyl ether	96		94		70-130	2		30
1,1,2-Trichloroethane	97		94		70-130	3		30
Tetrachloroethene	90		83		70-130	8		30
Chlorobenzene	93		89		70-130	4		30
Trichlorofluoromethane	110		99		70-139	11		30
1,2-Dichloroethane	104		101		70-130	3		30
1,1,1-Trichloroethane	108		100		70-130	8		30
Bromodichloromethane	107		103		70-130	4		30
trans-1,3-Dichloropropene	92		91		70-130	1		30
cis-1,3-Dichloropropene	112		109		70-130	3		30
1,1-Dichloropropene	114		104		70-130	9		30
Bromoform	83		79		70-130	5		30
1,1,2,2-Tetrachloroethane	92		88		70-130	4		30
Benzene	114		108		70-130	5		30
Toluene	90		85		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG687174-1 WG687174-2								
Ethylbenzene	94		89		70-130	5		30
Chloromethane	97		91		52-130	6		30
Bromomethane	98		99		57-147	1		30
Vinyl chloride	89		83		67-130	7		30
Chloroethane	100		92		50-151	8		30
1,1-Dichloroethene	111		100		65-135	10		30
trans-1,2-Dichloroethene	109		102		70-130	7		30
Trichloroethene	111		104		70-130	7		30
1,2-Dichlorobenzene	88		83		70-130	6		30
1,3-Dichlorobenzene	89		84		70-130	6		30
1,4-Dichlorobenzene	88		84		70-130	5		30
Methyl tert butyl ether	100		97		66-130	3		30
p/m-Xylene	95		91		70-130	4		30
o-Xylene	95		91		70-130	4		30
cis-1,2-Dichloroethene	111		106		70-130	5		30
Dibromomethane	108		105		70-130	3		30
Styrene	98		95		70-130	3		30
Dichlorodifluoromethane	90		82		30-146	9		30
Acetone	108		102		54-140	6		30
Carbon disulfide	106		97		59-130	9		30
2-Butanone	102		96		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG687174-1 WG687174-2								
Vinyl acetate	103		100		70-130	3		30
4-Methyl-2-pentanone	105		102		70-130	3		30
1,2,3-Trichloropropane	90		88		68-130	2		30
2-Hexanone	81		80		70-130	1		30
Bromochloromethane	113		110		70-130	3		30
2,2-Dichloropropane	106		97		70-130	9		30
1,2-Dibromoethane	92		90		70-130	2		30
1,3-Dichloropropane	94		92		69-130	2		30
1,1,1,2-Tetrachloroethane	92		90		70-130	2		30
Bromobenzene	86		82		70-130	5		30
n-Butylbenzene	94		87		70-130	8		30
sec-Butylbenzene	93		85		70-130	9		30
tert-Butylbenzene	89		82		70-130	8		30
o-Chlorotoluene	91		85		70-130	7		30
p-Chlorotoluene	90		85		70-130	6		30
1,2-Dibromo-3-chloropropane	75		70		68-130	7		30
Hexachlorobutadiene	83		75		67-130	10		30
Isopropylbenzene	94		88		70-130	7		30
p-Isopropyltoluene	91		84		70-130	8		30
Naphthalene	85		81		70-130	5		30
Acrylonitrile	105		104		70-130	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG687174-1 WG687174-2								
Isopropyl Ether	112		108		66-130	4		30
tert-Butyl Alcohol	95		92		70-130	3		30
n-Propylbenzene	92		85		70-130	8		30
1,2,3-Trichlorobenzene	85		81		70-130	5		30
1,2,4-Trichlorobenzene	85		81		70-130	5		30
1,3,5-Trimethylbenzene	90		85		70-130	6		30
1,2,4-Trimethylbenzene	90		85		70-130	6		30
Methyl Acetate	107		103		51-146	4		30
Ethyl Acetate	101		101		70-130	0		30
Acrolein	128		122		70-130	5		30
Cyclohexane	129		116		59-142	11		30
1,4-Dioxane	108		105		65-136	3		30
1,1,2-Trichloro-1,2,2-Trifluoroethane	120		107		50-139	11		30
1,4-Diethylbenzene	111		105		70-130	6		30
4-Ethyltoluene	113		108		70-130	5		30
1,2,4,5-Tetramethylbenzene	108		104		70-130	4		30
Tetrahydrofuran	101		100		66-130	1		30
Ethyl ether	98		96		67-130	2		30
trans-1,4-Dichloro-2-butene	84		81		70-130	4		30
Methyl cyclohexane	125		113		70-130	10		30
Ethyl-Tert-Butyl-Ether	110		107		70-130	3		30

Lab Control Sample Analysis Batch Quality Control

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 04 Batch: WG687174-1 WG687174-2								
Tertiary-Amyl Methyl Ether	107		105		70-130	2		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	94		92		70-130
Toluene-d8	90		91		70-130
4-Bromofluorobenzene	101		98		70-130
Dibromofluoromethane	102		102		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-06,10 Batch: WG687199-1 WG687199-2								
Methylene chloride	112		106		70-130	6		30
1,1-Dichloroethane	115		108		70-130	6		30
Chloroform	108		100		70-130	8		30
Carbon tetrachloride	106		99		70-130	7		30
1,2-Dichloropropane	110		103		70-130	7		30
Dibromochloromethane	95		90		70-130	5		30
1,1,2-Trichloroethane	100		94		70-130	6		30
Tetrachloroethene	98		89		70-130	10		30
Chlorobenzene	98		92		70-130	6		30
Trichlorofluoromethane	100		93		70-139	7		30
1,2-Dichloroethane	108		101		70-130	7		30
1,1,1-Trichloroethane	109		102		70-130	7		30
Bromodichloromethane	106		99		70-130	7		30
trans-1,3-Dichloropropene	104		96		70-130	8		30
cis-1,3-Dichloropropene	108		99		70-130	9		30
1,1-Dichloropropene	112		104		70-130	7		30
Bromoform	90		85		70-130	6		30
1,1,2,2-Tetrachloroethane	95		89		70-130	7		30
Benzene	107		100		70-130	7		30
Toluene	98		90		70-130	9		30
Ethylbenzene	98		92		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-06,10 Batch: WG687199-1 WG687199-2								
Chloromethane	125		117		52-130	7		30
Bromomethane	108		100		57-147	8		30
Vinyl chloride	115		106		67-130	8		30
Chloroethane	104		96		50-151	8		30
1,1-Dichloroethene	111		105		65-135	6		30
trans-1,2-Dichloroethene	111		103		70-130	7		30
Trichloroethene	106		99		70-130	7		30
1,2-Dichlorobenzene	94		88		70-130	7		30
1,3-Dichlorobenzene	96		88		70-130	9		30
1,4-Dichlorobenzene	95		88		70-130	8		30
Methyl tert butyl ether	101		96		66-130	5		30
p/m-Xylene	98		91		70-130	7		30
o-Xylene	96		89		70-130	8		30
cis-1,2-Dichloroethene	108		99		70-130	9		30
Dibromomethane	105		98		70-130	7		30
Styrene	93		87		70-130	7		30
Dichlorodifluoromethane	112		104		30-146	7		30
Acetone	116		109		54-140	6		30
Carbon disulfide	114		106		59-130	7		30
2-Butanone	103		98		70-130	5		30
Vinyl acetate	107		101		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-06,10 Batch: WG687199-1 WG687199-2								
4-Methyl-2-pentanone	96		94		70-130	2		30
1,2,3-Trichloropropane	96		91		68-130	5		30
2-Hexanone	90		88		70-130	2		30
Bromochloromethane	106		98		70-130	8		30
2,2-Dichloropropane	118		106		70-130	11		30
1,2-Dibromoethane	96		92		70-130	4		30
1,3-Dichloropropane	100		94		69-130	6		30
1,1,1,2-Tetrachloroethane	96		90		70-130	6		30
Bromobenzene	94		87		70-130	8		30
n-Butylbenzene	101		93		70-130	8		30
sec-Butylbenzene	99		91		70-130	8		30
tert-Butylbenzene	98		90		70-130	9		30
o-Chlorotoluene	104		95		70-130	9		30
p-Chlorotoluene	100		92		70-130	8		30
1,2-Dibromo-3-chloropropane	88		85		68-130	3		30
Hexachlorobutadiene	96		89		67-130	8		30
Isopropylbenzene	96		88		70-130	9		30
p-Isopropyltoluene	98		90		70-130	9		30
Naphthalene	92		90		70-130	2		30
Acrylonitrile	106		103		70-130	3		30
Isopropyl Ether	116		109		66-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-06,10 Batch: WG687199-1 WG687199-2								
tert-Butyl Alcohol	107		102		70-130	5		30
n-Propylbenzene	98		90		70-130	9		30
1,2,3-Trichlorobenzene	93		89		70-130	4		30
1,2,4-Trichlorobenzene	96		90		70-130	6		30
1,3,5-Trimethylbenzene	100		91		70-130	9		30
1,2,4-Trimethylbenzene	99		90		70-130	10		30
Methyl Acetate	114		111		51-146	3		30
Ethyl Acetate	107		104		70-130	3		30
Acrolein	108		104		70-130	4		30
Cyclohexane	121		111		59-142	9		30
1,4-Dioxane	100		98		65-136	2		30
1,1,2-Trichloro-1,2,2-Trifluoroethane	118		110		50-139	7		30
1,4-Diethylbenzene	98		90		70-130	9		30
4-Ethyltoluene	98		90		70-130	9		30
1,2,4,5-Tetramethylbenzene	96		89		70-130	8		30
Tetrahydrofuran	102		98		66-130	4		30
Ethyl ether	83		80		67-130	4		30
trans-1,4-Dichloro-2-butene	98		94		70-130	4		30
Methyl cyclohexane	113		105		70-130	7		30
Ethyl-Tert-Butyl-Ether	112		106		70-130	6		30
Tertiary-Amyl Methyl Ether	108		102		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 01-03,05-06,10 Batch: WG687199-1 WG687199-2								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	100		101		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	105		104		70-130
Dibromofluoromethane	102		101		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09 Batch: WG687200-1 WG687200-2								
Methylene chloride	112		106		70-130	6		30
1,1-Dichloroethane	115		108		70-130	6		30
Chloroform	108		100		70-130	8		30
Carbon tetrachloride	106		99		70-130	7		30
1,2-Dichloropropane	110		103		70-130	7		30
Dibromochloromethane	95		90		70-130	5		30
1,1,2-Trichloroethane	100		94		70-130	6		30
Tetrachloroethene	98		89		70-130	10		30
Chlorobenzene	98		92		70-130	6		30
Trichlorofluoromethane	100		93		70-139	7		30
1,2-Dichloroethane	108		101		70-130	7		30
1,1,1-Trichloroethane	109		102		70-130	7		30
Bromodichloromethane	106		99		70-130	7		30
trans-1,3-Dichloropropene	104		96		70-130	8		30
cis-1,3-Dichloropropene	108		99		70-130	9		30
1,1-Dichloropropene	112		104		70-130	7		30
Bromoform	90		85		70-130	6		30
1,1,2,2-Tetrachloroethane	95		89		70-130	7		30
Benzene	107		100		70-130	7		30
Toluene	98		90		70-130	9		30
Ethylbenzene	98		92		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09 Batch: WG687200-1 WG687200-2								
Chloromethane	125		117		52-130	7		30
Bromomethane	108		100		57-147	8		30
Vinyl chloride	115		106		67-130	8		30
Chloroethane	104		96		50-151	8		30
1,1-Dichloroethene	111		105		65-135	6		30
trans-1,2-Dichloroethene	111		103		70-130	7		30
Trichloroethene	106		99		70-130	7		30
1,2-Dichlorobenzene	94		88		70-130	7		30
1,3-Dichlorobenzene	96		88		70-130	9		30
1,4-Dichlorobenzene	95		88		70-130	8		30
Methyl tert butyl ether	101		96		66-130	5		30
p/m-Xylene	98		91		70-130	7		30
o-Xylene	96		89		70-130	8		30
cis-1,2-Dichloroethene	108		99		70-130	9		30
Dibromomethane	105		98		70-130	7		30
Styrene	93		87		70-130	7		30
Dichlorodifluoromethane	112		104		30-146	7		30
Acetone	116		109		54-140	6		30
Carbon disulfide	114		106		59-130	7		30
2-Butanone	103		98		70-130	5		30
Vinyl acetate	107		101		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09 Batch: WG687200-1 WG687200-2								
4-Methyl-2-pentanone	96		94		70-130	2		30
1,2,3-Trichloropropane	96		91		68-130	5		30
2-Hexanone	90		88		70-130	2		30
Bromochloromethane	106		98		70-130	8		30
2,2-Dichloropropane	118		106		70-130	11		30
1,2-Dibromoethane	96		92		70-130	4		30
1,3-Dichloropropane	100		94		69-130	6		30
1,1,1,2-Tetrachloroethane	96		90		70-130	6		30
Bromobenzene	94		87		70-130	8		30
n-Butylbenzene	101		93		70-130	8		30
sec-Butylbenzene	99		91		70-130	8		30
tert-Butylbenzene	98		90		70-130	9		30
o-Chlorotoluene	104		95		70-130	9		30
p-Chlorotoluene	100		92		70-130	8		30
1,2-Dibromo-3-chloropropane	88		85		68-130	3		30
Hexachlorobutadiene	96		89		67-130	8		30
Isopropylbenzene	96		88		70-130	9		30
p-Isopropyltoluene	98		90		70-130	9		30
Naphthalene	92		90		70-130	2		30
Acrylonitrile	106		103		70-130	3		30
Isopropyl Ether	116		109		66-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09 Batch: WG687200-1 WG687200-2								
tert-Butyl Alcohol	107		102		70-130	5		30
n-Propylbenzene	98		90		70-130	9		30
1,2,3-Trichlorobenzene	93		89		70-130	4		30
1,2,4-Trichlorobenzene	96		90		70-130	6		30
1,3,5-Trimethylbenzene	100		91		70-130	9		30
1,2,4-Trimethylbenzene	99		90		70-130	10		30
Methyl Acetate	114		111		51-146	3		30
Ethyl Acetate	107		104		70-130	3		30
Acrolein	108		104		70-130	4		30
Cyclohexane	121		111		59-142	9		30
1,4-Dioxane	100		98		65-136	2		30
1,1,2-Trichloro-1,2,2-Trifluoroethane	118		110		50-139	7		30
1,4-Diethylbenzene	98		90		70-130	9		30
4-Ethyltoluene	98		90		70-130	9		30
1,2,4,5-Tetramethylbenzene	96		89		70-130	8		30
Tetrahydrofuran	102		98		66-130	4		30
Ethyl ether	83		80		67-130	4		30
trans-1,4-Dichloro-2-butene	98		94		70-130	4		30
Methyl cyclohexane	113		105		70-130	7		30
Ethyl-Tert-Butyl-Ether	112		106		70-130	6		30
Tertiary-Amyl Methyl Ether	108		102		70-130	6		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by 8260/5035 - Westborough Lab Associated sample(s): 09 Batch: WG687200-1 WG687200-2								

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	100		101		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	105		104		70-130
Dibromofluoromethane	102		101		70-130

SEMIVOLATILES

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01
Client ID: SP-2 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 10:33
Analyst: JB
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	36.	1
1,2,4-Trichlorobenzene	ND		ug/kg	180	58.	1
Hexachlorobenzene	ND		ug/kg	100	33.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	49.	1
2-Chloronaphthalene	ND		ug/kg	180	57.	1
1,2-Dichlorobenzene	ND		ug/kg	180	58.	1
1,3-Dichlorobenzene	ND		ug/kg	180	56.	1
1,4-Dichlorobenzene	ND		ug/kg	180	54.	1
3,3'-Dichlorobenzidine	ND		ug/kg	180	47.	1
2,4-Dinitrotoluene	ND		ug/kg	180	38.	1
2,6-Dinitrotoluene	ND		ug/kg	180	45.	1
Fluoranthene	ND		ug/kg	100	32.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	180	54.	1
4-Bromophenyl phenyl ether	ND		ug/kg	180	40.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	210	62.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	190	53.	1
Hexachlorobutadiene	ND		ug/kg	180	50.	1
Hexachlorocyclopentadiene	ND		ug/kg	500	110	1
Hexachloroethane	ND		ug/kg	140	32.	1
Isophorone	ND		ug/kg	160	47.	1
Naphthalene	ND		ug/kg	180	58.	1
Nitrobenzene	ND		ug/kg	160	42.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	140	37.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	180	52.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	180	46.	1
Butyl benzyl phthalate	ND		ug/kg	180	34.	1
Di-n-butylphthalate	ND		ug/kg	180	34.	1
Di-n-octylphthalate	ND		ug/kg	180	43.	1
Diethyl phthalate	ND		ug/kg	180	37.	1
Dimethyl phthalate	ND		ug/kg	180	45.	1
Benzo(a)anthracene	ND		ug/kg	100	34.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-01
 Client ID: SP-2 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	140	43.	1
Benzo(b)fluoranthene	ND		ug/kg	100	36.	1
Benzo(k)fluoranthene	ND		ug/kg	100	34.	1
Chrysene	ND		ug/kg	100	34.	1
Acenaphthylene	ND		ug/kg	140	33.	1
Anthracene	ND		ug/kg	100	29.	1
Benzo(ghi)perylene	ND		ug/kg	140	37.	1
Fluorene	ND		ug/kg	180	50.	1
Phenanthrene	ND		ug/kg	100	34.	1
Dibenzo(a,h)anthracene	ND		ug/kg	100	34.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	140	39.	1
Pyrene	ND		ug/kg	100	34.	1
Biphenyl	ND		ug/kg	400	58.	1
4-Chloroaniline	ND		ug/kg	180	46.	1
2-Nitroaniline	ND		ug/kg	180	50.	1
3-Nitroaniline	ND		ug/kg	180	49.	1
4-Nitroaniline	ND		ug/kg	180	48.	1
Dibenzofuran	ND		ug/kg	180	59.	1
2-Methylnaphthalene	ND		ug/kg	210	56.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	180	54.	1
Acetophenone	ND		ug/kg	180	55.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	33.	1
P-Chloro-M-Cresol	ND		ug/kg	180	51.	1
2-Chlorophenol	ND		ug/kg	180	53.	1
2,4-Dichlorophenol	ND		ug/kg	160	57.	1
2,4-Dimethylphenol	ND		ug/kg	180	52.	1
2-Nitrophenol	ND		ug/kg	380	55.	1
4-Nitrophenol	ND		ug/kg	250	57.	1
2,4-Dinitrophenol	ND		ug/kg	840	240	1
4,6-Dinitro-o-cresol	ND		ug/kg	460	64.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	180	52.	1
2-Methylphenol	ND		ug/kg	180	57.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	250	58.	1
2,4,5-Trichlorophenol	ND		ug/kg	180	57.	1
Benzoic Acid	ND		ug/kg	570	180	1
Benzyl Alcohol	ND		ug/kg	180	54.	1
Carbazole	ND		ug/kg	180	38.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01

Date Collected: 04/29/14 00:00

Client ID: SP-2 (0'-2')

Date Received: 04/29/14

Sample Location: MANHATTAN, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	74		25-120
Phenol-d6	91		10-120
Nitrobenzene-d5	85		23-120
2-Fluorobiphenyl	81		30-120
2,4,6-Tribromophenol	60		0-136
4-Terphenyl-d14	68		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-02
Client ID: SP-2 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 10:59
Analyst: JB
Percent Solids: 88%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	150	38.	1
1,2,4-Trichlorobenzene	ND		ug/kg	180	60.	1
Hexachlorobenzene	ND		ug/kg	110	34.	1
Bis(2-chloroethyl)ether	ND		ug/kg	170	52.	1
2-Chloronaphthalene	ND		ug/kg	180	60.	1
1,2-Dichlorobenzene	ND		ug/kg	180	61.	1
1,3-Dichlorobenzene	ND		ug/kg	180	58.	1
1,4-Dichlorobenzene	ND		ug/kg	180	56.	1
3,3'-Dichlorobenzidine	ND		ug/kg	180	49.	1
2,4-Dinitrotoluene	ND		ug/kg	180	40.	1
2,6-Dinitrotoluene	ND		ug/kg	180	47.	1
Fluoranthene	ND		ug/kg	110	34.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	180	56.	1
4-Bromophenyl phenyl ether	ND		ug/kg	180	42.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	220	65.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	200	56.	1
Hexachlorobutadiene	ND		ug/kg	180	52.	1
Hexachlorocyclopentadiene	ND		ug/kg	530	120	1
Hexachloroethane	ND		ug/kg	150	34.	1
Isophorone	ND		ug/kg	170	49.	1
Naphthalene	ND		ug/kg	180	61.	1
Nitrobenzene	ND		ug/kg	170	44.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	150	39.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	180	55.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	180	48.	1
Butyl benzyl phthalate	ND		ug/kg	180	36.	1
Di-n-butylphthalate	ND		ug/kg	180	36.	1
Di-n-octylphthalate	ND		ug/kg	180	45.	1
Diethyl phthalate	ND		ug/kg	180	39.	1
Dimethyl phthalate	ND		ug/kg	180	47.	1
Benzo(a)anthracene	ND		ug/kg	110	36.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	150	45.	1
Benzo(b)fluoranthene	ND		ug/kg	110	37.	1
Benzo(k)fluoranthene	ND		ug/kg	110	35.	1
Chrysene	ND		ug/kg	110	36.	1
Acenaphthylene	ND		ug/kg	150	34.	1
Anthracene	ND		ug/kg	110	31.	1
Benzo(ghi)perylene	ND		ug/kg	150	38.	1
Fluorene	ND		ug/kg	180	53.	1
Phenanthrene	ND		ug/kg	110	36.	1
Dibenzo(a,h)anthracene	ND		ug/kg	110	36.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	150	41.	1
Pyrene	ND		ug/kg	110	36.	1
Biphenyl	ND		ug/kg	420	61.	1
4-Chloroaniline	ND		ug/kg	180	49.	1
2-Nitroaniline	ND		ug/kg	180	52.	1
3-Nitroaniline	ND		ug/kg	180	51.	1
4-Nitroaniline	ND		ug/kg	180	50.	1
Dibenzofuran	ND		ug/kg	180	62.	1
2-Methylnaphthalene	ND		ug/kg	220	59.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	180	57.	1
Acetophenone	ND		ug/kg	180	57.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	35.	1
P-Chloro-M-Cresol	ND		ug/kg	180	54.	1
2-Chlorophenol	ND		ug/kg	180	56.	1
2,4-Dichlorophenol	ND		ug/kg	170	60.	1
2,4-Dimethylphenol	ND		ug/kg	180	55.	1
2-Nitrophenol	ND		ug/kg	400	58.	1
4-Nitrophenol	ND		ug/kg	260	60.	1
2,4-Dinitrophenol	ND		ug/kg	890	250	1
4,6-Dinitro-o-cresol	ND		ug/kg	480	68.	1
Pentachlorophenol	ND		ug/kg	150	40.	1
Phenol	ND		ug/kg	180	55.	1
2-Methylphenol	ND		ug/kg	180	60.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	270	61.	1
2,4,5-Trichlorophenol	ND		ug/kg	180	60.	1
Benzoic Acid	ND		ug/kg	600	190	1
Benzyl Alcohol	ND		ug/kg	180	57.	1
Carbazole	ND		ug/kg	180	40.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	83		25-120
Phenol-d6	85		10-120
Nitrobenzene-d5	81		23-120
2-Fluorobiphenyl	89		30-120
2,4,6-Tribromophenol	75		0-136
4-Terphenyl-d14	78		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-03
Client ID: SP-3 (2'-4')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 11:50
Analyst: JB
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	36.	1
1,2,4-Trichlorobenzene	ND		ug/kg	180	58.	1
Hexachlorobenzene	ND		ug/kg	100	33.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	49.	1
2-Chloronaphthalene	ND		ug/kg	180	57.	1
1,2-Dichlorobenzene	ND		ug/kg	180	58.	1
1,3-Dichlorobenzene	ND		ug/kg	180	55.	1
1,4-Dichlorobenzene	ND		ug/kg	180	53.	1
3,3'-Dichlorobenzidine	ND		ug/kg	180	47.	1
2,4-Dinitrotoluene	ND		ug/kg	180	38.	1
2,6-Dinitrotoluene	ND		ug/kg	180	45.	1
Fluoranthene	ND		ug/kg	100	32.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	180	54.	1
4-Bromophenyl phenyl ether	ND		ug/kg	180	40.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	210	62.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	190	53.	1
Hexachlorobutadiene	ND		ug/kg	180	50.	1
Hexachlorocyclopentadiene	ND		ug/kg	500	110	1
Hexachloroethane	ND		ug/kg	140	32.	1
Isophorone	ND		ug/kg	160	47.	1
Naphthalene	ND		ug/kg	180	58.	1
Nitrobenzene	ND		ug/kg	160	42.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	140	37.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	180	52.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	180	46.	1
Butyl benzyl phthalate	ND		ug/kg	180	34.	1
Di-n-butylphthalate	ND		ug/kg	180	34.	1
Di-n-octylphthalate	ND		ug/kg	180	43.	1
Diethyl phthalate	ND		ug/kg	180	37.	1
Dimethyl phthalate	ND		ug/kg	180	45.	1
Benzo(a)anthracene	ND		ug/kg	100	34.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-03
 Client ID: SP-3 (2'-4')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	140	43.	1
Benzo(b)fluoranthene	ND		ug/kg	100	36.	1
Benzo(k)fluoranthene	ND		ug/kg	100	34.	1
Chrysene	ND		ug/kg	100	34.	1
Acenaphthylene	ND		ug/kg	140	33.	1
Anthracene	ND		ug/kg	100	29.	1
Benzo(ghi)perylene	ND		ug/kg	140	36.	1
Fluorene	ND		ug/kg	180	50.	1
Phenanthrene	ND		ug/kg	100	34.	1
Dibenzo(a,h)anthracene	ND		ug/kg	100	34.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	140	39.	1
Pyrene	ND		ug/kg	100	34.	1
Biphenyl	ND		ug/kg	400	58.	1
4-Chloroaniline	ND		ug/kg	180	46.	1
2-Nitroaniline	ND		ug/kg	180	50.	1
3-Nitroaniline	ND		ug/kg	180	48.	1
4-Nitroaniline	ND		ug/kg	180	48.	1
Dibenzofuran	ND		ug/kg	180	59.	1
2-Methylnaphthalene	ND		ug/kg	210	56.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	180	54.	1
Acetophenone	ND		ug/kg	180	54.	1
2,4,6-Trichlorophenol	ND		ug/kg	100	33.	1
P-Chloro-M-Cresol	ND		ug/kg	180	51.	1
2-Chlorophenol	ND		ug/kg	180	53.	1
2,4-Dichlorophenol	ND		ug/kg	160	57.	1
2,4-Dimethylphenol	ND		ug/kg	180	52.	1
2-Nitrophenol	ND		ug/kg	380	55.	1
4-Nitrophenol	ND		ug/kg	250	57.	1
2,4-Dinitrophenol	ND		ug/kg	840	240	1
4,6-Dinitro-o-cresol	ND		ug/kg	460	64.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	180	52.	1
2-Methylphenol	ND		ug/kg	180	57.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	250	58.	1
2,4,5-Trichlorophenol	ND		ug/kg	180	57.	1
Benzoic Acid	ND		ug/kg	570	180	1
Benzyl Alcohol	ND		ug/kg	180	54.	1
Carbazole	ND		ug/kg	180	38.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-03
 Client ID: SP-3 (2'-4')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	73		25-120
Phenol-d6	84		10-120
Nitrobenzene-d5	84		23-120
2-Fluorobiphenyl	75		30-120
2,4,6-Tribromophenol	62		0-136
4-Terphenyl-d14	64		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04
Client ID: SP-3 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 12:42
Analyst: JB
Percent Solids: 75%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	180	46.	1
1,2,4-Trichlorobenzene	ND		ug/kg	220	73.	1
Hexachlorobenzene	ND		ug/kg	130	41.	1
Bis(2-chloroethyl)ether	ND		ug/kg	200	62.	1
2-Chloronaphthalene	ND		ug/kg	220	72.	1
1,2-Dichlorobenzene	ND		ug/kg	220	73.	1
1,3-Dichlorobenzene	ND		ug/kg	220	70.	1
1,4-Dichlorobenzene	ND		ug/kg	220	68.	1
3,3'-Dichlorobenzidine	ND		ug/kg	220	59.	1
2,4-Dinitrotoluene	ND		ug/kg	220	48.	1
2,6-Dinitrotoluene	ND		ug/kg	220	57.	1
Fluoranthene	ND		ug/kg	130	41.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	220	68.	1
4-Bromophenyl phenyl ether	ND		ug/kg	220	51.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	270	78.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	240	67.	1
Hexachlorobutadiene	ND		ug/kg	220	63.	1
Hexachlorocyclopentadiene	ND		ug/kg	640	140	1
Hexachloroethane	ND		ug/kg	180	40.	1
Isophorone	ND		ug/kg	200	59.	1
Naphthalene	ND		ug/kg	220	74.	1
Nitrobenzene	ND		ug/kg	200	53.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	180	47.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	220	66.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	220	58.	1
Butyl benzyl phthalate	ND		ug/kg	220	43.	1
Di-n-butylphthalate	ND		ug/kg	220	43.	1
Di-n-octylphthalate	ND		ug/kg	220	55.	1
Diethyl phthalate	ND		ug/kg	220	47.	1
Dimethyl phthalate	ND		ug/kg	220	56.	1
Benzo(a)anthracene	ND		ug/kg	130	44.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-04
 Client ID: SP-3 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	180	54.	1
Benzo(b)fluoranthene	ND		ug/kg	130	45.	1
Benzo(k)fluoranthene	ND		ug/kg	130	42.	1
Chrysene	ND		ug/kg	130	44.	1
Acenaphthylene	ND		ug/kg	180	42.	1
Anthracene	ND		ug/kg	130	37.	1
Benzo(ghi)perylene	ND		ug/kg	180	46.	1
Fluorene	ND		ug/kg	220	64.	1
Phenanthrene	ND		ug/kg	130	43.	1
Dibenzo(a,h)anthracene	ND		ug/kg	130	43.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	180	49.	1
Pyrene	ND		ug/kg	130	43.	1
Biphenyl	ND		ug/kg	510	73.	1
4-Chloroaniline	ND		ug/kg	220	59.	1
2-Nitroaniline	ND		ug/kg	220	63.	1
3-Nitroaniline	ND		ug/kg	220	61.	1
4-Nitroaniline	ND		ug/kg	220	60.	1
Dibenzofuran	ND		ug/kg	220	74.	1
2-Methylnaphthalene	ND		ug/kg	270	71.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	220	69.	1
Acetophenone	ND		ug/kg	220	69.	1
2,4,6-Trichlorophenol	ND		ug/kg	130	42.	1
P-Chloro-M-Cresol	ND		ug/kg	220	64.	1
2-Chlorophenol	ND		ug/kg	220	67.	1
2,4-Dichlorophenol	ND		ug/kg	200	72.	1
2,4-Dimethylphenol	ND		ug/kg	220	66.	1
2-Nitrophenol	ND		ug/kg	480	69.	1
4-Nitrophenol	ND		ug/kg	310	72.	1
2,4-Dinitrophenol	ND		ug/kg	1100	300	1
4,6-Dinitro-o-cresol	ND		ug/kg	580	81.	1
Pentachlorophenol	ND		ug/kg	180	48.	1
Phenol	ND		ug/kg	220	66.	1
2-Methylphenol	ND		ug/kg	220	72.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	320	73.	1
2,4,5-Trichlorophenol	ND		ug/kg	220	72.	1
Benzoic Acid	ND		ug/kg	720	220	1
Benzyl Alcohol	ND		ug/kg	220	68.	1
Carbazole	ND		ug/kg	220	48.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04

Date Collected: 04/29/14 00:00

Client ID: SP-3 (6'-8')

Date Received: 04/29/14

Sample Location: MANHATTAN, NY

Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	87		25-120
Phenol-d6	92		10-120
Nitrobenzene-d5	85		23-120
2-Fluorobiphenyl	82		30-120
2,4,6-Tribromophenol	78		0-136
4-Terphenyl-d14	62		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-05
Client ID: SP-4 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 13:07
Analyst: JB
Percent Solids: 91%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	140	37.	1
1,2,4-Trichlorobenzene	ND		ug/kg	180	59.	1
Hexachlorobenzene	ND		ug/kg	110	33.	1
Bis(2-chloroethyl)ether	ND		ug/kg	160	50.	1
2-Chloronaphthalene	ND		ug/kg	180	58.	1
1,2-Dichlorobenzene	ND		ug/kg	180	59.	1
1,3-Dichlorobenzene	ND		ug/kg	180	56.	1
1,4-Dichlorobenzene	ND		ug/kg	180	54.	1
3,3'-Dichlorobenzidine	ND		ug/kg	180	48.	1
2,4-Dinitrotoluene	ND		ug/kg	180	39.	1
2,6-Dinitrotoluene	ND		ug/kg	180	46.	1
Fluoranthene	ND		ug/kg	110	33.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	180	54.	1
4-Bromophenyl phenyl ether	ND		ug/kg	180	41.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	220	63.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	190	54.	1
Hexachlorobutadiene	ND		ug/kg	180	50.	1
Hexachlorocyclopentadiene	ND		ug/kg	510	120	1
Hexachloroethane	ND		ug/kg	140	33.	1
Isophorone	ND		ug/kg	160	48.	1
Naphthalene	ND		ug/kg	180	60.	1
Nitrobenzene	ND		ug/kg	160	43.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	140	38.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	180	53.	1
Bis(2-Ethylhexyl)phthalate	150	J	ug/kg	180	47.	1
Butyl benzyl phthalate	ND		ug/kg	180	35.	1
Di-n-butylphthalate	130	J	ug/kg	180	35.	1
Di-n-octylphthalate	ND		ug/kg	180	44.	1
Diethyl phthalate	ND		ug/kg	180	38.	1
Dimethyl phthalate	ND		ug/kg	180	46.	1
Benzo(a)anthracene	ND		ug/kg	110	35.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-05
 Client ID: SP-4 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	140	44.	1
Benzo(b)fluoranthene	ND		ug/kg	110	36.	1
Benzo(k)fluoranthene	ND		ug/kg	110	34.	1
Chrysene	ND		ug/kg	110	35.	1
Acenaphthylene	ND		ug/kg	140	34.	1
Anthracene	ND		ug/kg	110	30.	1
Benzo(ghi)perylene	ND		ug/kg	140	37.	1
Fluorene	ND		ug/kg	180	51.	1
Phenanthrene	ND		ug/kg	110	35.	1
Dibenzo(a,h)anthracene	ND		ug/kg	110	35.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	140	40.	1
Pyrene	ND		ug/kg	110	35.	1
Biphenyl	ND		ug/kg	410	59.	1
4-Chloroaniline	ND		ug/kg	180	47.	1
2-Nitroaniline	ND		ug/kg	180	50.	1
3-Nitroaniline	ND		ug/kg	180	50.	1
4-Nitroaniline	ND		ug/kg	180	48.	1
Dibenzofuran	ND		ug/kg	180	60.	1
2-Methylnaphthalene	ND		ug/kg	220	57.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	180	56.	1
Acetophenone	ND		ug/kg	180	56.	1
2,4,6-Trichlorophenol	ND		ug/kg	110	34.	1
P-Chloro-M-Cresol	ND		ug/kg	180	52.	1
2-Chlorophenol	ND		ug/kg	180	54.	1
2,4-Dichlorophenol	ND		ug/kg	160	58.	1
2,4-Dimethylphenol	ND		ug/kg	180	53.	1
2-Nitrophenol	ND		ug/kg	390	56.	1
4-Nitrophenol	ND		ug/kg	250	58.	1
2,4-Dinitrophenol	ND		ug/kg	860	240	1
4,6-Dinitro-o-cresol	ND		ug/kg	470	66.	1
Pentachlorophenol	ND		ug/kg	140	38.	1
Phenol	ND		ug/kg	180	53.	1
2-Methylphenol	ND		ug/kg	180	58.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	260	59.	1
2,4,5-Trichlorophenol	ND		ug/kg	180	58.	1
Benzoic Acid	ND		ug/kg	580	180	1
Benzyl Alcohol	ND		ug/kg	180	55.	1
Carbazole	ND		ug/kg	180	38.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-05
 Client ID: SP-4 (0'-2')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab						
--	--	--	--	--	--	--

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	32		25-120
Phenol-d6	76		10-120
Nitrobenzene-d5	89		23-120
2-Fluorobiphenyl	81		30-120
2,4,6-Tribromophenol	15		0-136
4-Terphenyl-d14	74		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-06
Client ID: SP-4 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 13:32
Analyst: JB
Percent Solids: 85%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	160	40.	1
1,2,4-Trichlorobenzene	ND		ug/kg	190	64.	1
Hexachlorobenzene	ND		ug/kg	120	36.	1
Bis(2-chloroethyl)ether	ND		ug/kg	170	54.	1
2-Chloronaphthalene	ND		ug/kg	190	63.	1
1,2-Dichlorobenzene	ND		ug/kg	190	64.	1
1,3-Dichlorobenzene	ND		ug/kg	190	61.	1
1,4-Dichlorobenzene	ND		ug/kg	190	59.	1
3,3'-Dichlorobenzidine	ND		ug/kg	190	52.	1
2,4-Dinitrotoluene	ND		ug/kg	190	42.	1
2,6-Dinitrotoluene	ND		ug/kg	190	50.	1
Fluoranthene	ND		ug/kg	120	36.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	190	59.	1
4-Bromophenyl phenyl ether	ND		ug/kg	190	45.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	230	68.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	210	59.	1
Hexachlorobutadiene	ND		ug/kg	190	55.	1
Hexachlorocyclopentadiene	ND		ug/kg	560	120	1
Hexachloroethane	ND		ug/kg	160	35.	1
Isophorone	ND		ug/kg	170	52.	1
Naphthalene	ND		ug/kg	190	64.	1
Nitrobenzene	ND		ug/kg	170	46.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	160	41.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	190	58.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	190	51.	1
Butyl benzyl phthalate	ND		ug/kg	190	38.	1
Di-n-butylphthalate	ND		ug/kg	190	37.	1
Di-n-octylphthalate	ND		ug/kg	190	48.	1
Diethyl phthalate	ND		ug/kg	190	41.	1
Dimethyl phthalate	ND		ug/kg	190	49.	1
Benzo(a)anthracene	ND		ug/kg	120	38.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	ND		ug/kg	160	48.	1
Benzo(b)fluoranthene	ND		ug/kg	120	39.	1
Benzo(k)fluoranthene	ND		ug/kg	120	37.	1
Chrysene	ND		ug/kg	120	38.	1
Acenaphthylene	ND		ug/kg	160	36.	1
Anthracene	ND		ug/kg	120	32.	1
Benzo(ghi)perylene	ND		ug/kg	160	40.	1
Fluorene	ND		ug/kg	190	56.	1
Phenanthrene	ND		ug/kg	120	38.	1
Dibenzo(a,h)anthracene	ND		ug/kg	120	38.	1
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	160	43.	1
Pyrene	ND		ug/kg	120	38.	1
Biphenyl	ND		ug/kg	440	64.	1
4-Chloroaniline	ND		ug/kg	190	51.	1
2-Nitroaniline	ND		ug/kg	190	55.	1
3-Nitroaniline	ND		ug/kg	190	54.	1
4-Nitroaniline	ND		ug/kg	190	52.	1
Dibenzofuran	ND		ug/kg	190	65.	1
2-Methylnaphthalene	ND		ug/kg	230	62.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	190	60.	1
Acetophenone	ND		ug/kg	190	60.	1
2,4,6-Trichlorophenol	ND		ug/kg	120	37.	1
P-Chloro-M-Cresol	ND		ug/kg	190	56.	1
2-Chlorophenol	ND		ug/kg	190	59.	1
2,4-Dichlorophenol	ND		ug/kg	170	63.	1
2,4-Dimethylphenol	ND		ug/kg	190	58.	1
2-Nitrophenol	ND		ug/kg	420	61.	1
4-Nitrophenol	ND		ug/kg	270	63.	1
2,4-Dinitrophenol	ND		ug/kg	930	260	1
4,6-Dinitro-o-cresol	ND		ug/kg	500	71.	1
Pentachlorophenol	ND		ug/kg	160	42.	1
Phenol	ND		ug/kg	190	57.	1
2-Methylphenol	ND		ug/kg	190	62.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	280	64.	1
2,4,5-Trichlorophenol	ND		ug/kg	190	63.	1
Benzoic Acid	ND		ug/kg	630	200	1
Benzyl Alcohol	ND		ug/kg	190	60.	1
Carbazole	ND		ug/kg	190	42.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	95		25-120
Phenol-d6	92		10-120
Nitrobenzene-d5	87		23-120
2-Fluorobiphenyl	80		30-120
2,4,6-Tribromophenol	91		0-136
4-Terphenyl-d14	58		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8270D
 Analytical Date: 05/06/14 13:58
 Analyst: JB
 Percent Solids: 78%

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	360		ug/kg	170	44.	1
1,2,4-Trichlorobenzene	ND		ug/kg	210	69.	1
Hexachlorobenzene	ND		ug/kg	130	39.	1
Bis(2-chloroethyl)ether	ND		ug/kg	190	59.	1
2-Chloronaphthalene	ND		ug/kg	210	69.	1
1,2-Dichlorobenzene	ND		ug/kg	210	70.	1
1,3-Dichlorobenzene	ND		ug/kg	210	67.	1
1,4-Dichlorobenzene	ND		ug/kg	210	64.	1
3,3'-Dichlorobenzidine	ND		ug/kg	210	56.	1
2,4-Dinitrotoluene	ND		ug/kg	210	46.	1
2,6-Dinitrotoluene	ND		ug/kg	210	54.	1
Fluoranthene	7900		ug/kg	130	39.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	210	64.	1
4-Bromophenyl phenyl ether	ND		ug/kg	210	49.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	250	74.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	230	64.	1
Hexachlorobutadiene	ND		ug/kg	210	60.	1
Hexachlorocyclopentadiene	ND		ug/kg	610	140	1
Hexachloroethane	ND		ug/kg	170	38.	1
Isophorone	ND		ug/kg	190	56.	1
Naphthalene	320		ug/kg	210	70.	1
Nitrobenzene	ND		ug/kg	190	50.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	170	44.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	210	63.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	210	55.	1
Butyl benzyl phthalate	ND		ug/kg	210	41.	1
Di-n-butylphthalate	ND		ug/kg	210	41.	1
Di-n-octylphthalate	ND		ug/kg	210	52.	1
Diethyl phthalate	ND		ug/kg	210	45.	1
Dimethyl phthalate	ND		ug/kg	210	54.	1
Benzo(a)anthracene	3800		ug/kg	130	41.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	3800		ug/kg	170	52.	1
Benzo(b)fluoranthene	5000		ug/kg	130	43.	1
Benzo(k)fluoranthene	2000		ug/kg	130	40.	1
Chrysene	4000		ug/kg	130	42.	1
Acenaphthylene	420		ug/kg	170	40.	1
Anthracene	1100		ug/kg	130	35.	1
Benzo(ghi)perylene	2600		ug/kg	170	44.	1
Fluorene	450		ug/kg	210	61.	1
Phenanthrene	5700		ug/kg	130	41.	1
Dibenzo(a,h)anthracene	660		ug/kg	130	41.	1
Indeno(1,2,3-cd)Pyrene	3100		ug/kg	170	47.	1
Pyrene	6500		ug/kg	130	41.	1
Biphenyl	ND		ug/kg	480	70.	1
4-Chloroaniline	ND		ug/kg	210	56.	1
2-Nitroaniline	ND		ug/kg	210	60.	1
3-Nitroaniline	ND		ug/kg	210	58.	1
4-Nitroaniline	ND		ug/kg	210	57.	1
Dibenzofuran	290		ug/kg	210	71.	1
2-Methylnaphthalene	250		ug/kg	250	68.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	210	66.	1
Acetophenone	ND		ug/kg	210	66.	1
2,4,6-Trichlorophenol	ND		ug/kg	130	40.	1
P-Chloro-M-Cresol	ND		ug/kg	210	61.	1
2-Chlorophenol	ND		ug/kg	210	64.	1
2,4-Dichlorophenol	ND		ug/kg	190	69.	1
2,4-Dimethylphenol	ND		ug/kg	210	63.	1
2-Nitrophenol	ND		ug/kg	460	66.	1
4-Nitrophenol	ND		ug/kg	300	69.	1
2,4-Dinitrophenol	ND		ug/kg	1000	290	1
4,6-Dinitro-o-cresol	ND		ug/kg	550	78.	1
Pentachlorophenol	ND		ug/kg	170	45.	1
Phenol	ND		ug/kg	210	63.	1
2-Methylphenol	ND		ug/kg	210	68.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	300	69.	1
2,4,5-Trichlorophenol	ND		ug/kg	210	69.	1
Benzoic Acid	ND		ug/kg	690	210	1
Benzyl Alcohol	ND		ug/kg	210	65.	1
Carbazole	560		ug/kg	210	46.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	85		25-120
Phenol-d6	89		10-120
Nitrobenzene-d5	83		23-120
2-Fluorobiphenyl	65		30-120
2,4,6-Tribromophenol	82		0-136
4-Terphenyl-d14	56		18-120

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
Client ID: SP-5 (9'-11')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8270D
Analytical Date: 05/06/14 14:24
Analyst: JB
Percent Solids: 84%

Date Collected: 04/28/14 10:45
Date Received: 04/30/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Acenaphthene	ND		ug/kg	160	40.	1
1,2,4-Trichlorobenzene	ND		ug/kg	200	64.	1
Hexachlorobenzene	ND		ug/kg	120	37.	1
Bis(2-chloroethyl)ether	ND		ug/kg	180	55.	1
2-Chloronaphthalene	ND		ug/kg	200	64.	1
1,2-Dichlorobenzene	ND		ug/kg	200	65.	1
1,3-Dichlorobenzene	ND		ug/kg	200	62.	1
1,4-Dichlorobenzene	ND		ug/kg	200	60.	1
3,3'-Dichlorobenzidine	ND		ug/kg	200	52.	1
2,4-Dinitrotoluene	ND		ug/kg	200	42.	1
2,6-Dinitrotoluene	ND		ug/kg	200	50.	1
Fluoranthene	180		ug/kg	120	36.	1
4-Chlorophenyl phenyl ether	ND		ug/kg	200	60.	1
4-Bromophenyl phenyl ether	ND		ug/kg	200	45.	1
Bis(2-chloroisopropyl)ether	ND		ug/kg	240	69.	1
Bis(2-chloroethoxy)methane	ND		ug/kg	210	60.	1
Hexachlorobutadiene	ND		ug/kg	200	56.	1
Hexachlorocyclopentadiene	ND		ug/kg	560	130	1
Hexachloroethane	ND		ug/kg	160	36.	1
Isophorone	ND		ug/kg	180	52.	1
Naphthalene	ND		ug/kg	200	65.	1
Nitrobenzene	ND		ug/kg	180	47.	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	160	41.	1
n-Nitrosodi-n-propylamine	ND		ug/kg	200	59.	1
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	200	52.	1
Butyl benzyl phthalate	ND		ug/kg	200	38.	1
Di-n-butylphthalate	ND		ug/kg	200	38.	1
Di-n-octylphthalate	ND		ug/kg	200	48.	1
Diethyl phthalate	ND		ug/kg	200	42.	1
Dimethyl phthalate	ND		ug/kg	200	50.	1
Benzo(a)anthracene	82	J	ug/kg	120	38.	1

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-10
 Client ID: SP-5 (9'-11')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:45
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
Benzo(a)pyrene	77	J	ug/kg	160	48.	1
Benzo(b)fluoranthene	100	J	ug/kg	120	40.	1
Benzo(k)fluoranthene	38	J	ug/kg	120	38.	1
Chrysene	83	J	ug/kg	120	39.	1
Acenaphthylene	ND		ug/kg	160	37.	1
Anthracene	ND		ug/kg	120	33.	1
Benzo(ghi)perylene	56	J	ug/kg	160	41.	1
Fluorene	ND		ug/kg	200	56.	1
Phenanthrene	140		ug/kg	120	38.	1
Dibenzo(a,h)anthracene	ND		ug/kg	120	38.	1
Indeno(1,2,3-cd)Pyrene	62	J	ug/kg	160	44.	1
Pyrene	160		ug/kg	120	38.	1
Biphenyl	ND		ug/kg	450	65.	1
4-Chloroaniline	ND		ug/kg	200	52.	1
2-Nitroaniline	ND		ug/kg	200	56.	1
3-Nitroaniline	ND		ug/kg	200	54.	1
4-Nitroaniline	ND		ug/kg	200	53.	1
Dibenzofuran	ND		ug/kg	200	66.	1
2-Methylnaphthalene	ND		ug/kg	240	63.	1
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	200	61.	1
Acetophenone	ND		ug/kg	200	61.	1
2,4,6-Trichlorophenol	ND		ug/kg	120	37.	1
P-Chloro-M-Cresol	ND		ug/kg	200	57.	1
2-Chlorophenol	ND		ug/kg	200	59.	1
2,4-Dichlorophenol	ND		ug/kg	180	64.	1
2,4-Dimethylphenol	ND		ug/kg	200	59.	1
2-Nitrophenol	ND		ug/kg	420	61.	1
4-Nitrophenol	ND		ug/kg	280	64.	1
2,4-Dinitrophenol	ND		ug/kg	940	270	1
4,6-Dinitro-o-cresol	ND		ug/kg	510	72.	1
Pentachlorophenol	ND		ug/kg	160	42.	1
Phenol	ND		ug/kg	200	58.	1
2-Methylphenol	ND		ug/kg	200	63.	1
3-Methylphenol/4-Methylphenol	ND		ug/kg	280	64.	1
2,4,5-Trichlorophenol	ND		ug/kg	200	64.	1
Benzoic Acid	ND		ug/kg	640	200	1
Benzyl Alcohol	ND		ug/kg	200	61.	1
Carbazole	ND		ug/kg	200	42.	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
 Client ID: SP-5 (9'-11')
 Sample Location: MANHATTAN, NY

Date Collected: 04/28/14 10:45
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

Semivolatile Organics by GC/MS - Westborough Lab

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	65		25-120
Phenol-d6	76		10-120
Nitrobenzene-d5	80		23-120
2-Fluorobiphenyl	82		30-120
2,4,6-Tribromophenol	53		0-136
4-Terphenyl-d14	68		18-120

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/02/14 21:29
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-06,09-10 Batch: WG686451-1					
Acenaphthene	ND		ug/kg	130	34.
1,2,4-Trichlorobenzene	ND		ug/kg	160	53.
Hexachlorobenzene	ND		ug/kg	98	30.
Bis(2-chloroethyl)ether	ND		ug/kg	150	46.
2-Chloronaphthalene	ND		ug/kg	160	53.
1,2-Dichlorobenzene	ND		ug/kg	160	54.
1,3-Dichlorobenzene	ND		ug/kg	160	51.
1,4-Dichlorobenzene	ND		ug/kg	160	50.
3,3'-Dichlorobenzidine	ND		ug/kg	160	43.
2,4-Dinitrotoluene	ND		ug/kg	160	35.
2,6-Dinitrotoluene	ND		ug/kg	160	42.
Fluoranthene	ND		ug/kg	98	30.
4-Chlorophenyl phenyl ether	ND		ug/kg	160	50.
4-Bromophenyl phenyl ether	ND		ug/kg	160	38.
Bis(2-chloroisopropyl)ether	ND		ug/kg	200	57.
Bis(2-chloroethoxy)methane	ND		ug/kg	180	49.
Hexachlorobutadiene	ND		ug/kg	160	46.
Hexachlorocyclopentadiene	ND		ug/kg	470	100
Hexachloroethane	ND		ug/kg	130	30.
Isophorone	ND		ug/kg	150	43.
Naphthalene	ND		ug/kg	160	54.
Nitrobenzene	ND		ug/kg	150	39.
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/kg	130	34.
n-Nitrosodi-n-propylamine	ND		ug/kg	160	49.
Bis(2-Ethylhexyl)phthalate	ND		ug/kg	160	43.
Butyl benzyl phthalate	ND		ug/kg	160	32.
Di-n-butylphthalate	ND		ug/kg	160	31.
Di-n-octylphthalate	ND		ug/kg	160	40.
Diethyl phthalate	ND		ug/kg	160	34.
Dimethyl phthalate	ND		ug/kg	160	41.

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/02/14 21:29
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-06,09-10 Batch: WG686451-1					
Benzo(a)anthracene	ND		ug/kg	98	32.
Benzo(a)pyrene	ND		ug/kg	130	40.
Benzo(b)fluoranthene	ND		ug/kg	98	33.
Benzo(k)fluoranthene	ND		ug/kg	98	31.
Chrysene	ND		ug/kg	98	32.
Acenaphthylene	ND		ug/kg	130	30.
Anthracene	ND		ug/kg	98	27.
Benzo(ghi)perylene	ND		ug/kg	130	34.
Fluorene	ND		ug/kg	160	47.
Phenanthrene	ND		ug/kg	98	32.
Dibenzo(a,h)anthracene	ND		ug/kg	98	32.
Indeno(1,2,3-cd)Pyrene	ND		ug/kg	130	36.
Pyrene	ND		ug/kg	98	32.
Biphenyl	ND		ug/kg	370	54.
4-Chloroaniline	ND		ug/kg	160	43.
2-Nitroaniline	ND		ug/kg	160	46.
3-Nitroaniline	ND		ug/kg	160	45.
4-Nitroaniline	ND		ug/kg	160	44.
Dibenzofuran	ND		ug/kg	160	54.
2-Methylnaphthalene	ND		ug/kg	200	52.
1,2,4,5-Tetrachlorobenzene	ND		ug/kg	160	50.
Acetophenone	ND		ug/kg	160	50.
2,4,6-Trichlorophenol	ND		ug/kg	98	31.
P-Chloro-M-Cresol	ND		ug/kg	160	47.
2-Chlorophenol	ND		ug/kg	160	49.
2,4-Dichlorophenol	ND		ug/kg	150	53.
2,4-Dimethylphenol	ND		ug/kg	160	49.
2-Nitrophenol	ND		ug/kg	350	51.
4-Nitrophenol	ND		ug/kg	230	53.
2,4-Dinitrophenol	ND		ug/kg	780	220

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/02/14 21:29
Analyst: JB

Extraction Method: EPA 3546
Extraction Date: 05/01/14 08:24

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-06,09-10 Batch: WG686451-1					
4,6-Dinitro-o-cresol	ND		ug/kg	420	60.
Pentachlorophenol	ND		ug/kg	130	35.
Phenol	ND		ug/kg	160	48.
2-Methylphenol	ND		ug/kg	160	52.
3-Methylphenol/4-Methylphenol	ND		ug/kg	230	54.
2,4,5-Trichlorophenol	ND		ug/kg	160	53.
Benzoic Acid	ND		ug/kg	530	160
Benzyl Alcohol	ND		ug/kg	160	50.
Carbazole	ND		ug/kg	160	35.

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	85		25-120
Phenol-d6	74		10-120
Nitrobenzene-d5	79		23-120
2-Fluorobiphenyl	84		30-120
2,4,6-Tribromophenol	85		0-136
4-Terphenyl-d14	83		18-120

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG686451-2 WG686451-3								
Acenaphthene	92		91		31-137	1		50
1,2,4-Trichlorobenzene	84		84		38-107	0		50
Hexachlorobenzene	89		89		40-140	0		50
Bis(2-chloroethyl)ether	83		83		40-140	0		50
2-Chloronaphthalene	90		87		40-140	3		50
1,2-Dichlorobenzene	82		84		40-140	2		50
1,3-Dichlorobenzene	81		82		40-140	1		50
1,4-Dichlorobenzene	82		82		28-104	0		50
3,3'-Dichlorobenzidine	63		71		40-140	12		50
2,4-Dinitrotoluene	94	Q	96	Q	28-89	2		50
2,6-Dinitrotoluene	91		89		40-140	2		50
Fluoranthene	90		90		40-140	0		50
4-Chlorophenyl phenyl ether	90		91		40-140	1		50
4-Bromophenyl phenyl ether	90		90		40-140	0		50
Bis(2-chloroisopropyl)ether	85		87		40-140	2		50
Bis(2-chloroethoxy)methane	85		86		40-117	1		50
Hexachlorobutadiene	91		88		40-140	3		50
Hexachlorocyclopentadiene	75		76		40-140	1		50
Hexachloroethane	86		87		40-140	1		50
Isophorone	86		88		40-140	2		50
Naphthalene	88		87		40-140	1		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG686451-2 WG686451-3								
Nitrobenzene	94		91		40-140	3		50
NitrosoDiPhenylAmine(NDPA)/DPA	94		93			1		50
n-Nitrosodi-n-propylamine	85		86		32-121	1		50
Bis(2-Ethylhexyl)phthalate	114		115		40-140	1		50
Butyl benzyl phthalate	99		100		40-140	1		50
Di-n-butylphthalate	101		100		40-140	1		50
Di-n-octylphthalate	115		117		40-140	2		50
Diethyl phthalate	99		98		40-140	1		50
Dimethyl phthalate	95		96		40-140	1		50
Benzo(a)anthracene	95		96		40-140	1		50
Benzo(a)pyrene	93		97		40-140	4		50
Benzo(b)fluoranthene	99		86		40-140	14		50
Benzo(k)fluoranthene	87		89		40-140	2		50
Chrysene	91		93		40-140	2		50
Acenaphthylene	91		90		40-140	1		50
Anthracene	93		94		40-140	1		50
Benzo(ghi)perylene	86		91		40-140	6		50
Fluorene	93		92		40-140	1		50
Phenanthrene	94		95		40-140	1		50
Dibenzo(a,h)anthracene	88		92		40-140	4		50
Indeno(1,2,3-cd)Pyrene	90		96		40-140	6		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG686451-2 WG686451-3								
Pyrene	88		90		35-142	2		50
Biphenyl	93		92			1		50
4-Chloroaniline	79		79		40-140	0		50
2-Nitroaniline	92		91		47-134	1		50
3-Nitroaniline	46		55		26-129	18		50
4-Nitroaniline	75		73		41-125	3		50
Dibenzofuran	90		92		40-140	2		50
2-Methylnaphthalene	124		124		40-140	0		50
1,2,4,5-Tetrachlorobenzene	87		87		40-117	0		50
Acetophenone	89		89		14-144	0		50
2,4,6-Trichlorophenol	91		89		30-130	2		50
P-Chloro-M-Cresol	97		96		26-103	1		50
2-Chlorophenol	86		88		25-102	2		50
2,4-Dichlorophenol	91		91		30-130	0		50
2,4-Dimethylphenol	85		83		30-130	2		50
2-Nitrophenol	86		86		30-130	0		50
4-Nitrophenol	94		91		11-114	3		50
2,4-Dinitrophenol	79		66		4-130	18		50
4,6-Dinitro-o-cresol	89		95		10-130	7		50
Pentachlorophenol	82		86		17-109	5		50
Phenol	86		87		26-90	1		50

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG686451-2 WG686451-3								
2-Methylphenol	86		87		30-130.	1		50
3-Methylphenol/4-Methylphenol	88		91		30-130	3		50
2,4,5-Trichlorophenol	92		92		30-130	0		50
Benzoic Acid	25		17			38		50
Benzyl Alcohol	88		89		40-140	1		50
Carbazole	93		93		54-128	0		50

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	86		88		25-120
Phenol-d6	85		86		10-120
Nitrobenzene-d5	88		89		23-120
2-Fluorobiphenyl	87		86		30-120
2,4,6-Tribromophenol	93		92		0-136
4-Terphenyl-d14	83		84		18-120

PCBS

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01
 Client ID: SP-2 (0'-2')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 05/01/14 13:49
 Analyst: JW
 Percent Solids: 93%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/30/14 19:04
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/01/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	32.4	2.56	1	A
Aroclor 1221	ND		ug/kg	32.4	2.98	1	A
Aroclor 1232	ND		ug/kg	32.4	3.79	1	A
Aroclor 1242	ND		ug/kg	32.4	3.96	1	A
Aroclor 1248	ND		ug/kg	32.4	2.73	1	A
Aroclor 1254	ND		ug/kg	32.4	2.66	1	A
Aroclor 1260	ND		ug/kg	32.4	2.46	1	A
Aroclor 1262	ND		ug/kg	32.4	1.60	1	A
Aroclor 1268	ND		ug/kg	32.4	4.69	1	A
PCBs, Total	ND		ug/kg	32.4	1.60	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
Decachlorobiphenyl	90		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	101		30-150	B

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 05/01/14 14:04
 Analyst: JW
 Percent Solids: 88%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/30/14 19:04
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/01/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	37.4	2.95	1	A
Aroclor 1221	ND		ug/kg	37.4	3.45	1	A
Aroclor 1232	ND		ug/kg	37.4	4.38	1	A
Aroclor 1242	ND		ug/kg	37.4	4.58	1	A
Aroclor 1248	ND		ug/kg	37.4	3.16	1	A
Aroclor 1254	ND		ug/kg	37.4	3.07	1	A
Aroclor 1260	ND		ug/kg	37.4	2.85	1	A
Aroclor 1262	ND		ug/kg	37.4	1.85	1	A
Aroclor 1268	ND		ug/kg	37.4	5.42	1	A
PCBs, Total	ND		ug/kg	37.4	1.85	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	80		30-150	A
Decachlorobiphenyl	86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	79		30-150	B
Decachlorobiphenyl	99		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-03
Client ID: SP-3 (2'-4')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 05/01/14 14:19
Analyst: JW
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/30/14 19:04
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/01/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	34.7	2.74	1	A
Aroclor 1221	ND		ug/kg	34.7	3.20	1	A
Aroclor 1232	ND		ug/kg	34.7	4.07	1	A
Aroclor 1242	ND		ug/kg	34.7	4.25	1	A
Aroclor 1248	ND		ug/kg	34.7	2.93	1	A
Aroclor 1254	ND		ug/kg	34.7	2.85	1	A
Aroclor 1260	ND		ug/kg	34.7	2.65	1	A
Aroclor 1262	ND		ug/kg	34.7	1.72	1	A
Aroclor 1268	ND		ug/kg	34.7	5.04	1	A
PCBs, Total	ND		ug/kg	34.7	1.72	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	79		30-150	A
Decachlorobiphenyl	92		30-150	A
2,4,5,6-Tetrachloro-m-xylene	77		30-150	B
Decachlorobiphenyl	106		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04
Client ID: SP-3 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8082A
Analytical Date: 05/01/14 14:35
Analyst: JW
Percent Solids: 75%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/30/14 19:04
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/01/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	43.8	3.46	1	A
Aroclor 1221	ND		ug/kg	43.8	4.04	1	A
Aroclor 1232	ND		ug/kg	43.8	5.13	1	A
Aroclor 1242	ND		ug/kg	43.8	5.36	1	A
Aroclor 1248	ND		ug/kg	43.8	3.70	1	A
Aroclor 1254	ND		ug/kg	43.8	3.60	1	A
Aroclor 1260	ND		ug/kg	43.8	3.34	1	A
Aroclor 1262	ND		ug/kg	43.8	2.17	1	A
Aroclor 1268	ND		ug/kg	43.8	6.35	1	A
PCBs, Total	ND		ug/kg	43.8	2.17	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	88		30-150	A
Decachlorobiphenyl	94		30-150	A
2,4,5,6-Tetrachloro-m-xylene	83		30-150	B
Decachlorobiphenyl	100		30-150	B

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-05
 Client ID: SP-4 (0'-2')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 05/01/14 14:50
 Analyst: JW
 Percent Solids: 91%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/30/14 19:04
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/01/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	35.3	2.79	1	A
Aroclor 1221	ND		ug/kg	35.3	3.26	1	A
Aroclor 1232	ND		ug/kg	35.3	4.14	1	A
Aroclor 1242	ND		ug/kg	35.3	4.33	1	A
Aroclor 1248	ND		ug/kg	35.3	2.98	1	A
Aroclor 1254	ND		ug/kg	35.3	2.90	1	A
Aroclor 1260	ND		ug/kg	35.3	2.69	1	A
Aroclor 1262	ND		ug/kg	35.3	1.75	1	A
Aroclor 1268	ND		ug/kg	35.3	5.12	1	A
PCBs, Total	ND		ug/kg	35.3	1.75	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	88		30-150	A
Decachlorobiphenyl	83		30-150	A
2,4,5,6-Tetrachloro-m-xylene	87		30-150	B
Decachlorobiphenyl	104		30-150	B

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 05/02/14 13:05
 Analyst: JW
 Percent Solids: 85%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 05/01/14 00:51
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/01/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	37.7	2.98	1	A
Aroclor 1221	ND		ug/kg	37.7	3.47	1	A
Aroclor 1232	ND		ug/kg	37.7	4.42	1	A
Aroclor 1242	ND		ug/kg	37.7	4.61	1	A
Aroclor 1248	ND		ug/kg	37.7	3.18	1	A
Aroclor 1254	ND		ug/kg	37.7	3.10	1	A
Aroclor 1260	ND		ug/kg	37.7	2.87	1	A
Aroclor 1262	ND		ug/kg	37.7	1.87	1	A
Aroclor 1268	ND		ug/kg	37.7	5.46	1	A
PCBs, Total	ND		ug/kg	37.7	1.87	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	81		30-150	A
Decachlorobiphenyl	86		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		30-150	B
Decachlorobiphenyl	78		30-150	B

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 05/02/14 18:01
 Analyst: JW
 Percent Solids: 78%

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 05/01/14 10:15
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/02/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/02/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	39.9	3.15	1	A
Aroclor 1221	ND		ug/kg	39.9	3.68	1	A
Aroclor 1232	ND		ug/kg	39.9	4.68	1	A
Aroclor 1242	ND		ug/kg	39.9	4.88	1	A
Aroclor 1248	ND		ug/kg	39.9	3.37	1	A
Aroclor 1254	25.6	J	ug/kg	39.9	3.28	1	B
Aroclor 1260	ND		ug/kg	39.9	3.04	1	A
Aroclor 1262	ND		ug/kg	39.9	1.98	1	A
Aroclor 1268	ND		ug/kg	39.9	5.79	1	A
PCBs, Total	25.6	J	ug/kg	39.9	1.98	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	69		30-150	A
Decachlorobiphenyl	76		30-150	A
2,4,5,6-Tetrachloro-m-xylene	73		30-150	B
Decachlorobiphenyl	73		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
 Client ID: SP-5 (9'-11')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8082A
 Analytical Date: 05/02/14 18:14
 Analyst: JW
 Percent Solids: 84%

Date Collected: 04/28/14 10:45
 Date Received: 04/30/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 05/01/14 10:15
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/02/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/02/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/kg	37.3	2.95	1	A
Aroclor 1221	ND		ug/kg	37.3	3.44	1	A
Aroclor 1232	ND		ug/kg	37.3	4.38	1	A
Aroclor 1242	ND		ug/kg	37.3	4.57	1	A
Aroclor 1248	ND		ug/kg	37.3	3.15	1	A
Aroclor 1254	ND		ug/kg	37.3	3.07	1	A
Aroclor 1260	ND		ug/kg	37.3	2.84	1	A
Aroclor 1262	ND		ug/kg	37.3	1.85	1	A
Aroclor 1268	ND		ug/kg	37.3	5.42	1	A
PCBs, Total	ND		ug/kg	37.3	1.85	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	70		30-150	A
Decachlorobiphenyl	74		30-150	A
2,4,5,6-Tetrachloro-m-xylene	72		30-150	B
Decachlorobiphenyl	74		30-150	B

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
Analytical Date: 05/01/14 15:05
Analyst: JW

Extraction Method: EPA 3546
Extraction Date: 04/30/14 19:04
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/01/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-05 Batch: WG686327-1						
Aroclor 1016	ND		ug/kg	32.3	2.55	A
Aroclor 1221	ND		ug/kg	32.3	2.98	A
Aroclor 1232	ND		ug/kg	32.3	3.78	A
Aroclor 1242	ND		ug/kg	32.3	3.95	A
Aroclor 1248	ND		ug/kg	32.3	2.72	A
Aroclor 1254	ND		ug/kg	32.3	2.65	A
Aroclor 1260	ND		ug/kg	32.3	2.46	A
Aroclor 1262	ND		ug/kg	32.3	1.60	A
Aroclor 1268	ND		ug/kg	32.3	4.68	A
PCBs, Total	ND		ug/kg	32.3	1.60	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	97		30-150	A
2,4,5,6-Tetrachloro-m-xylene	91		30-150	B
Decachlorobiphenyl	114		30-150	B
Decachlorobiphenyl	109		30-150	A

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
 Analytical Date: 05/01/14 20:45
 Analyst: JW

Extraction Method: EPA 3546
 Extraction Date: 05/01/14 00:51
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/01/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 06 Batch: WG686384-1						
Aroclor 1016	ND		ug/kg	31.7	2.51	A
Aroclor 1221	ND		ug/kg	31.7	2.92	A
Aroclor 1232	ND		ug/kg	31.7	3.72	A
Aroclor 1242	ND		ug/kg	31.7	3.88	A
Aroclor 1248	ND		ug/kg	31.7	2.68	A
Aroclor 1254	ND		ug/kg	31.7	2.61	A
Aroclor 1260	ND		ug/kg	31.7	2.42	A
Aroclor 1262	ND		ug/kg	31.7	1.57	A
Aroclor 1268	ND		ug/kg	31.7	4.60	A
PCBs, Total	ND		ug/kg	31.7	1.57	A

Surrogate	%Recovery	Qualifier	Acceptance	
			Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	74		30-150	B
2,4,5,6-Tetrachloro-m-xylene	67		30-150	A
Decachlorobiphenyl	66		30-150	B
Decachlorobiphenyl	50		30-150	A

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
Analytical Date: 05/02/14 19:15
Analyst: JW

Extraction Method: EPA 3546
Extraction Date: 05/01/14 10:15
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/02/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/02/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 09-10 Batch: WG686444-1						
Aroclor 1016	ND		ug/kg	31.8	2.51	A
Aroclor 1221	ND		ug/kg	31.8	2.93	A
Aroclor 1232	ND		ug/kg	31.8	3.73	A
Aroclor 1242	ND		ug/kg	31.8	3.90	A
Aroclor 1248	ND		ug/kg	31.8	2.69	A
Aroclor 1254	ND		ug/kg	31.8	2.62	A
Aroclor 1260	ND		ug/kg	31.8	2.42	A
Aroclor 1262	ND		ug/kg	31.8	1.58	A
Aroclor 1268	ND		ug/kg	31.8	4.61	A
PCBs, Total	ND		ug/kg	31.8	1.58	A

Surrogate	%Recovery	Qualifier	Acceptance	
			Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		30-150	A
2,4,5,6-Tetrachloro-m-xylene	87		30-150	B
Decachlorobiphenyl	83		30-150	B
Decachlorobiphenyl	85		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-05 Batch: WG686327-2 WG686327-3									
Aroclor 1016	107		89		40-140	18		50	A
Aroclor 1260	123		99		40-140	22		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	99		96		30-150	A
Decachlorobiphenyl	123		114		30-150	A
2,4,5,6-Tetrachloro-m-xylene	93		90		30-150	B
Decachlorobiphenyl	124		114		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 06 Batch: WG686384-2 WG686384-3									
Aroclor 1016	58		63		40-140	8		50	A
Aroclor 1260	40		41		40-140	2		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	73		75		30-150	A
Decachlorobiphenyl	57		56		30-150	A
2,4,5,6-Tetrachloro-m-xylene	82		86		30-150	B
Decachlorobiphenyl	83		71		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 09-10 Batch: WG686444-2 WG686444-3									
Aroclor 1016	92		88		40-140	4		50	A
Aroclor 1260	80		78		40-140	3		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	89		84		30-150	A
Decachlorobiphenyl	90		88		30-150	A
2,4,5,6-Tetrachloro-m-xylene	92		89		30-150	B
Decachlorobiphenyl	88		89		30-150	B

PESTICIDES

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01
Client ID: SP-2 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/02/14 16:51
Analyst: SH
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/30/14 16:51
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.61	0.315	1	A
Lindane	ND		ug/kg	0.670	0.300	1	A
Alpha-BHC	ND		ug/kg	0.670	0.190	1	A
Beta-BHC	ND		ug/kg	1.61	0.610	1	A
Heptachlor	ND		ug/kg	0.804	0.361	1	A
Aldrin	ND		ug/kg	1.61	0.566	1	A
Heptachlor epoxide	ND		ug/kg	3.02	0.905	1	A
Endrin	ND		ug/kg	0.670	0.275	1	A
Endrin ketone	ND		ug/kg	1.61	0.414	1	A
Dieldrin	ND		ug/kg	1.00	0.503	1	A
4,4'-DDE	ND		ug/kg	1.61	0.372	1	A
4,4'-DDD	ND		ug/kg	1.61	0.574	1	A
4,4'-DDT	ND		ug/kg	3.02	1.29	1	A
Endosulfan I	ND		ug/kg	1.61	0.380	1	A
Endosulfan II	ND		ug/kg	1.61	0.538	1	A
Endosulfan sulfate	ND		ug/kg	0.670	0.319	1	A
Methoxychlor	ND		ug/kg	3.02	0.939	1	A
Toxaphene	ND		ug/kg	30.2	8.45	1	A
cis-Chlordane	ND		ug/kg	2.01	0.560	1	A
trans-Chlordane	ND		ug/kg	2.01	0.531	1	A
Chlordane	ND		ug/kg	13.1	5.33	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	85		30-150	A
Decachlorobiphenyl	120		30-150	A
2,4,5,6-Tetrachloro-m-xylene	70		30-150	B
Decachlorobiphenyl	70		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-02
Client ID: SP-2 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/02/14 17:04
Analyst: SH
Percent Solids: 88%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/30/14 16:51
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.78	0.348	1	A
Lindane	ND		ug/kg	0.740	0.331	1	A
Alpha-BHC	ND		ug/kg	0.740	0.210	1	A
Beta-BHC	ND		ug/kg	1.78	0.674	1	A
Heptachlor	ND		ug/kg	0.888	0.398	1	A
Aldrin	ND		ug/kg	1.78	0.626	1	A
Heptachlor epoxide	ND		ug/kg	3.33	1.00	1	A
Endrin	ND		ug/kg	0.740	0.304	1	A
Endrin ketone	ND		ug/kg	1.78	0.458	1	A
Dieldrin	ND		ug/kg	1.11	0.555	1	A
4,4'-DDE	ND		ug/kg	1.78	0.411	1	A
4,4'-DDD	ND		ug/kg	1.78	0.634	1	A
4,4'-DDT	ND		ug/kg	3.33	1.43	1	A
Endosulfan I	ND		ug/kg	1.78	0.420	1	A
Endosulfan II	ND		ug/kg	1.78	0.594	1	A
Endosulfan sulfate	ND		ug/kg	0.740	0.352	1	A
Methoxychlor	ND		ug/kg	3.33	1.04	1	A
Toxaphene	ND		ug/kg	33.3	9.33	1	A
cis-Chlordane	ND		ug/kg	2.22	0.619	1	A
trans-Chlordane	ND		ug/kg	2.22	0.586	1	A
Chlordane	ND		ug/kg	14.4	5.89	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		30-150	A
Decachlorobiphenyl	121		30-150	A
2,4,5,6-Tetrachloro-m-xylene	71		30-150	B
Decachlorobiphenyl	84		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-03
Client ID: SP-3 (2'-4')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/03/14 00:24
Analyst: SH
Percent Solids: 93%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/30/14 16:51
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.61	0.315	1	A
Lindane	ND		ug/kg	0.670	0.299	1	A
Alpha-BHC	ND		ug/kg	0.670	0.190	1	A
Beta-BHC	ND		ug/kg	1.61	0.610	1	A
Heptachlor	ND		ug/kg	0.804	0.360	1	A
Aldrin	ND		ug/kg	1.61	0.566	1	A
Heptachlor epoxide	ND		ug/kg	3.01	0.904	1	A
Endrin	ND		ug/kg	0.670	0.275	1	A
Endrin ketone	ND		ug/kg	1.61	0.414	1	A
Dieldrin	ND		ug/kg	1.00	0.502	1	A
4,4'-DDE	ND		ug/kg	1.61	0.372	1	A
4,4'-DDD	ND		ug/kg	1.61	0.573	1	A
4,4'-DDT	ND		ug/kg	3.01	1.29	1	A
Endosulfan I	ND		ug/kg	1.61	0.380	1	A
Endosulfan II	ND		ug/kg	1.61	0.537	1	A
Endosulfan sulfate	ND		ug/kg	0.670	0.319	1	A
Methoxychlor	ND		ug/kg	3.01	0.938	1	A
Toxaphene	ND		ug/kg	30.1	8.44	1	A
cis-Chlordane	ND		ug/kg	2.01	0.560	1	A
trans-Chlordane	ND		ug/kg	2.01	0.530	1	A
Chlordane	ND		ug/kg	13.1	5.32	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	76		30-150	A
Decachlorobiphenyl	87		30-150	A
2,4,5,6-Tetrachloro-m-xylene	66		30-150	B
Decachlorobiphenyl	64		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04 D
 Client ID: SP-3 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Analytical Method: 1,8081B
 Analytical Date: 05/03/14 00:37
 Analyst: SH
 Percent Solids: 75%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 Extraction Method: EPA 3546
 Extraction Date: 04/30/14 16:51
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	21.0	4.12	10	A
Lindane	ND		ug/kg	8.77	3.92	10	A
Alpha-BHC	ND		ug/kg	8.77	2.49	10	A
Beta-BHC	ND		ug/kg	21.0	7.98	10	A
Heptachlor	ND		ug/kg	10.5	4.72	10	A
Aldrin	ND		ug/kg	21.0	7.41	10	A
Heptachlor epoxide	ND		ug/kg	39.5	11.8	10	A
Endrin	ND		ug/kg	8.77	3.60	10	A
Endrin ketone	ND		ug/kg	21.0	5.42	10	A
Dieldrin	ND		ug/kg	13.2	6.58	10	A
4,4'-DDE	ND		ug/kg	21.0	4.87	10	A
4,4'-DDD	ND		ug/kg	21.0	7.51	10	A
4,4'-DDT	ND		ug/kg	39.5	16.9	10	A
Endosulfan I	ND		ug/kg	21.0	4.97	10	A
Endosulfan II	ND		ug/kg	21.0	7.04	10	A
Endosulfan sulfate	ND		ug/kg	8.77	4.18	10	A
Methoxychlor	ND		ug/kg	39.5	12.3	10	A
Toxaphene	ND		ug/kg	395	110.	10	A
cis-Chlordane	ND		ug/kg	26.3	7.33	10	A
trans-Chlordane	ND		ug/kg	26.3	6.95	10	A
Chlordane	ND		ug/kg	171	69.7	10	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	430	Q	30-150	A
Decachlorobiphenyl	130		30-150	A
2,4,5,6-Tetrachloro-m-xylene	88		30-150	B
Decachlorobiphenyl	70		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-05
Client ID: SP-4 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/03/14 00:50
Analyst: SH
Percent Solids: 91%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 04/30/14 16:51
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.65	0.324	1	A
Lindane	ND		ug/kg	0.689	0.308	1	A
Alpha-BHC	ND		ug/kg	0.689	0.196	1	A
Beta-BHC	ND		ug/kg	1.65	0.627	1	A
Heptachlor	ND		ug/kg	0.827	0.371	1	A
Aldrin	ND		ug/kg	1.65	0.582	1	A
Heptachlor epoxide	ND		ug/kg	3.10	0.930	1	A
Endrin	ND		ug/kg	0.689	0.282	1	A
Endrin ketone	ND		ug/kg	1.65	0.426	1	A
Dieldrin	ND		ug/kg	1.03	0.517	1	A
4,4'-DDE	ND		ug/kg	1.65	0.382	1	A
4,4'-DDD	ND		ug/kg	1.65	0.590	1	A
4,4'-DDT	ND		ug/kg	3.10	1.33	1	A
Endosulfan I	ND		ug/kg	1.65	0.391	1	A
Endosulfan II	ND		ug/kg	1.65	0.553	1	A
Endosulfan sulfate	ND		ug/kg	0.689	0.328	1	A
Methoxychlor	ND		ug/kg	3.10	0.965	1	A
Toxaphene	ND		ug/kg	31.0	8.68	1	A
cis-Chlordane	ND		ug/kg	2.07	0.576	1	A
trans-Chlordane	ND		ug/kg	2.07	0.546	1	A
Chlordane	ND		ug/kg	13.4	5.48	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	82		30-150	A
Decachlorobiphenyl	91		30-150	A
2,4,5,6-Tetrachloro-m-xylene	67		30-150	B
Decachlorobiphenyl	57		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-06
Client ID: SP-4 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/02/14 05:20
Analyst: SS
Percent Solids: 85%

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 02:14
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.84	0.360	1	A
Lindane	ND		ug/kg	0.767	0.343	1	A
Alpha-BHC	ND		ug/kg	0.767	0.218	1	A
Beta-BHC	ND		ug/kg	1.84	0.698	1	A
Heptachlor	ND		ug/kg	0.920	0.412	1	A
Aldrin	ND		ug/kg	1.84	0.648	1	A
Heptachlor epoxide	ND		ug/kg	3.45	1.04	1	A
Endrin	ND		ug/kg	0.767	0.314	1	A
Endrin ketone	ND		ug/kg	1.84	0.474	1	A
Dieldrin	ND		ug/kg	1.15	0.575	1	A
4,4'-DDE	ND		ug/kg	1.84	0.426	1	A
4,4'-DDD	ND		ug/kg	1.84	0.656	1	A
4,4'-DDT	ND		ug/kg	3.45	1.48	1	A
Endosulfan I	ND		ug/kg	1.84	0.435	1	A
Endosulfan II	ND		ug/kg	1.84	0.615	1	A
Endosulfan sulfate	ND		ug/kg	0.767	0.365	1	A
Methoxychlor	ND		ug/kg	3.45	1.07	1	A
Toxaphene	ND		ug/kg	34.5	9.66	1	A
cis-Chlordane	ND		ug/kg	2.30	0.641	1	A
trans-Chlordane	ND		ug/kg	2.30	0.607	1	A
Chlordane	ND		ug/kg	15.0	6.10	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	307	Q	30-150	A
Decachlorobiphenyl	122		30-150	A
2,4,5,6-Tetrachloro-m-xylene	65		30-150	B
Decachlorobiphenyl	79		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-09
Client ID: SP-5 (5'-7')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/05/14 13:17
Analyst: SH
Percent Solids: 78%

Date Collected: 04/28/14 10:05
Date Received: 04/30/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 10:43
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	2.00	0.392	1	A
Lindane	ND		ug/kg	0.835	0.373	1	A
Alpha-BHC	ND		ug/kg	0.835	0.237	1	A
Beta-BHC	ND		ug/kg	2.00	0.760	1	A
Heptachlor	ND		ug/kg	1.00	0.449	1	A
Aldrin	ND		ug/kg	2.00	0.705	1	A
Heptachlor epoxide	ND		ug/kg	3.76	1.13	1	A
Endrin	ND		ug/kg	0.835	0.342	1	A
Endrin ketone	ND		ug/kg	2.00	0.516	1	A
Dieldrin	ND		ug/kg	1.25	0.626	1	A
4,4'-DDE	ND		ug/kg	2.00	0.463	1	A
4,4'-DDD	ND		ug/kg	2.00	0.714	1	A
4,4'-DDT	ND		ug/kg	3.76	1.61	1	A
Endosulfan I	ND		ug/kg	2.00	0.473	1	A
Endosulfan II	ND		ug/kg	2.00	0.669	1	A
Endosulfan sulfate	ND		ug/kg	0.835	0.397	1	A
Methoxychlor	ND		ug/kg	3.76	1.17	1	A
Toxaphene	ND		ug/kg	37.6	10.5	1	A
cis-Chlordane	ND		ug/kg	2.50	0.698	1	A
trans-Chlordane	ND		ug/kg	2.50	0.661	1	A
Chlordane	ND		ug/kg	16.3	6.64	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	58		30-150	A
Decachlorobiphenyl	93		30-150	A
2,4,5,6-Tetrachloro-m-xylene	46		30-150	B
Decachlorobiphenyl	180	Q	30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10
Client ID: SP-5 (9'-11')
Sample Location: MANHATTAN, NY
Matrix: Soil
Analytical Method: 1,8081B
Analytical Date: 05/05/14 13:30
Analyst: SH
Percent Solids: 84%

Date Collected: 04/28/14 10:45
Date Received: 04/30/14
Field Prep: Not Specified
Extraction Method: EPA 3546
Extraction Date: 05/01/14 10:43
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/kg	1.82	0.356	1	A
Lindane	ND		ug/kg	0.758	0.339	1	A
Alpha-BHC	ND		ug/kg	0.758	0.215	1	A
Beta-BHC	ND		ug/kg	1.82	0.690	1	A
Heptachlor	ND		ug/kg	0.909	0.408	1	A
Aldrin	ND		ug/kg	1.82	0.640	1	A
Heptachlor epoxide	ND		ug/kg	3.41	1.02	1	A
Endrin	ND		ug/kg	0.758	0.311	1	A
Endrin ketone	ND		ug/kg	1.82	0.468	1	A
Dieldrin	ND		ug/kg	1.14	0.568	1	A
4,4'-DDE	ND		ug/kg	1.82	0.421	1	A
4,4'-DDD	ND		ug/kg	1.82	0.649	1	A
4,4'-DDT	ND		ug/kg	3.41	1.46	1	A
Endosulfan I	ND		ug/kg	1.82	0.430	1	A
Endosulfan II	ND		ug/kg	1.82	0.608	1	A
Endosulfan sulfate	ND		ug/kg	0.758	0.361	1	A
Methoxychlor	ND		ug/kg	3.41	1.06	1	A
Toxaphene	ND		ug/kg	34.1	9.55	1	A
cis-Chlordane	ND		ug/kg	2.27	0.634	1	A
trans-Chlordane	ND		ug/kg	2.27	0.600	1	A
Chlordane	ND		ug/kg	14.8	6.02	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	70		30-150	A
Decachlorobiphenyl	75		30-150	A
2,4,5,6-Tetrachloro-m-xylene	61		30-150	B
Decachlorobiphenyl	59		30-150	B

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 05/02/14 02:43
Analyst: SH

Extraction Method: EPA 3546
Extraction Date: 04/30/14 16:51
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-05 Batch: WG686299-1						
Delta-BHC	ND		ug/kg	1.52	0.297	A
Lindane	ND		ug/kg	0.632	0.283	A
Alpha-BHC	ND		ug/kg	0.632	0.180	A
Beta-BHC	ND		ug/kg	1.52	0.576	A
Heptachlor	ND		ug/kg	0.759	0.340	A
Aldrin	ND		ug/kg	1.52	0.534	A
Heptachlor epoxide	ND		ug/kg	2.85	0.854	A
Endrin	ND		ug/kg	0.632	0.259	A
Endrin ketone	ND		ug/kg	1.52	0.391	A
Dieldrin	ND		ug/kg	0.949	0.474	A
4,4'-DDE	ND		ug/kg	1.52	0.351	A
4,4'-DDD	ND		ug/kg	1.52	0.541	A
4,4'-DDT	ND		ug/kg	2.85	1.22	A
Endosulfan I	ND		ug/kg	1.52	0.359	A
Endosulfan II	ND		ug/kg	1.52	0.507	A
Endosulfan sulfate	ND		ug/kg	0.632	0.301	A
Methoxychlor	ND		ug/kg	2.85	0.886	A
Toxaphene	ND		ug/kg	28.5	7.97	A
cis-Chlordane	ND		ug/kg	1.90	0.529	A
trans-Chlordane	ND		ug/kg	1.90	0.501	A
Chlordane	ND		ug/kg	12.3	5.03	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	80		30-150	A
2,4,5,6-Tetrachloro-m-xylene	67		30-150	B
Decachlorobiphenyl	93		30-150	B
Decachlorobiphenyl	114		30-150	A

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 05/02/14 03:22
Analyst: SS

Extraction Method: EPA 3546
Extraction Date: 05/01/14 02:14
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/01/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 06 Batch: WG686397-1						
Delta-BHC	ND		ug/kg	1.56	0.306	A
Lindane	ND		ug/kg	0.651	0.291	A
Alpha-BHC	ND		ug/kg	0.651	0.185	A
Beta-BHC	ND		ug/kg	1.56	0.592	A
Heptachlor	ND		ug/kg	0.781	0.350	A
Aldrin	ND		ug/kg	1.56	0.550	A
Heptachlor epoxide	ND		ug/kg	2.93	0.879	A
Endrin	ND		ug/kg	0.651	0.267	A
Endrin ketone	ND		ug/kg	1.56	0.402	A
Dieldrin	ND		ug/kg	0.976	0.488	A
4,4'-DDE	ND		ug/kg	1.56	0.361	A
4,4'-DDD	ND		ug/kg	1.56	0.557	A
4,4'-DDT	ND		ug/kg	2.93	1.26	A
Endosulfan I	ND		ug/kg	1.56	0.369	A
Endosulfan II	ND		ug/kg	1.56	0.522	A
Endosulfan sulfate	ND		ug/kg	0.651	0.310	A
Methoxychlor	ND		ug/kg	2.93	0.911	A
Toxaphene	ND		ug/kg	29.3	8.20	A
cis-Chlordane	ND		ug/kg	1.95	0.544	A
trans-Chlordane	ND		ug/kg	1.95	0.516	A
Chlordane	ND		ug/kg	12.7	5.18	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	119		30-150	A
2,4,5,6-Tetrachloro-m-xylene	94		30-150	B
Decachlorobiphenyl	136		30-150	B
Decachlorobiphenyl	147		30-150	A

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 05/05/14 12:24
Analyst: SH

Extraction Method: EPA 3546
Extraction Date: 05/01/14 10:43
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 09-10 Batch: WG686445-1						
Delta-BHC	ND		ug/kg	1.56	0.305	A
Lindane	ND		ug/kg	0.650	0.290	A
Alpha-BHC	ND		ug/kg	0.650	0.184	A
Beta-BHC	ND		ug/kg	1.56	0.591	A
Heptachlor	ND		ug/kg	0.780	0.350	A
Aldrin	ND		ug/kg	1.56	0.549	A
Heptachlor epoxide	ND		ug/kg	2.92	0.877	A
Endrin	ND		ug/kg	0.650	0.266	A
Endrin ketone	ND		ug/kg	1.56	0.402	A
Dieldrin	ND		ug/kg	0.975	0.487	A
4,4'-DDE	ND		ug/kg	1.56	0.361	A
4,4'-DDD	ND		ug/kg	1.56	0.556	A
4,4'-DDT	ND		ug/kg	2.92	1.25	A
Endosulfan I	ND		ug/kg	1.56	0.368	A
Endosulfan II	ND		ug/kg	1.56	0.521	A
Endosulfan sulfate	ND		ug/kg	0.650	0.309	A
Methoxychlor	ND		ug/kg	2.92	0.910	A
Toxaphene	ND		ug/kg	29.2	8.19	A
cis-Chlordane	ND		ug/kg	1.95	0.543	A
trans-Chlordane	ND		ug/kg	1.95	0.515	A
Chlordane	ND		ug/kg	12.7	5.16	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	65		30-150	B
2,4,5,6-Tetrachloro-m-xylene	75		30-150	A
Decachlorobiphenyl	69		30-150	B
Decachlorobiphenyl	85		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-05 Batch: WG686299-2 WG686299-3									
Delta-BHC	71		77		30-150	8		30	A
Lindane	81		88		30-150	8		30	A
Alpha-BHC	76		81		30-150	6		30	A
Beta-BHC	71		79		30-150	11		30	A
Heptachlor	77		84		30-150	9		30	A
Aldrin	85		94		30-150	10		30	A
Heptachlor epoxide	81		88		30-150	8		30	A
Endrin	92		99		30-150	7		30	A
Endrin ketone	86		94		30-150	9		30	A
Dieldrin	89		96		30-150	8		30	A
4,4'-DDE	87		95		30-150	9		30	A
4,4'-DDD	83		92		30-150	10		30	A
4,4'-DDT	90		97		30-150	7		30	A
Endosulfan I	93		101		30-150	8		30	A
Endosulfan II	86		95		30-150	10		30	A
Endosulfan sulfate	89		96		30-150	8		30	A
Methoxychlor	83		90		30-150	8		30	A
cis-Chlordane	87		94		30-150	8		30	A
trans-Chlordane	80		88		30-150	10		30	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
-----------	-------------------------	-------------	--------------------------	-------------	----------------------------	------------	-------------	----------------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-05 Batch: WG686299-2 WG686299-3

<u>Surrogate</u>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria	<i>Column</i>
2,4,5,6-Tetrachloro-m-xylene	75		79		30-150	A
Decachlorobiphenyl	111		123		30-150	A
2,4,5,6-Tetrachloro-m-xylene	63		64		30-150	B
Decachlorobiphenyl	89		90		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 06 Batch: WG686397-2 WG686397-3									
Delta-BHC	99		104		30-150	5		30	A
Lindane	107		113		30-150	5		30	A
Alpha-BHC	99		104		30-150	5		30	A
Beta-BHC	95		106		30-150	11		30	A
Heptachlor	104		108		30-150	4		30	A
Aldrin	117		120		30-150	3		30	A
Heptachlor epoxide	115		118		30-150	3		30	A
Endrin	128		131		30-150	2		30	A
Endrin ketone	121		127		30-150	5		30	A
Dieldrin	124		123		30-150	1		30	A
4,4'-DDE	126		128		30-150	2		30	A
4,4'-DDD	124		126		30-150	2		30	A
4,4'-DDT	131		133		30-150	2		30	A
Endosulfan I	130		133		30-150	2		30	A
Endosulfan II	122		126		30-150	3		30	A
Endosulfan sulfate	123		128		30-150	4		30	A
Methoxychlor	120		122		30-150	2		30	A
cis-Chlordane	122		119		30-150	2		30	A
trans-Chlordane	113		116		30-150	3		30	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Parameter	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>%Recovery</i> Limits	<i>RPD</i>	<i>Qual</i>	<i>RPD</i> Limits
-----------	-------------------------	-------------	--------------------------	-------------	----------------------------	------------	-------------	----------------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 06 Batch: WG686397-2 WG686397-3

<u>Surrogate</u>	<i>LCS</i> %Recovery	<i>Qual</i>	<i>LCSD</i> %Recovery	<i>Qual</i>	<i>Acceptance</i> Criteria	<i>Column</i>
2,4,5,6-Tetrachloro-m-xylene	109		114		30-150	A
Decachlorobiphenyl	186	Q	173	Q	30-150	A
2,4,5,6-Tetrachloro-m-xylene	81		88		30-150	B
Decachlorobiphenyl	123		134		30-150	B

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 09-10 Batch: WG686445-2 WG686445-3									
Delta-BHC	68		67		30-150	1		30	A
Lindane	78		77		30-150	1		30	A
Alpha-BHC	76		73		30-150	4		30	A
Beta-BHC	68		66		30-150	3		30	A
Heptachlor	77		75		30-150	3		30	A
Aldrin	82		81		30-150	1		30	A
Heptachlor epoxide	77		76		30-150	1		30	A
Endrin	88		90		30-150	2		30	A
Endrin ketone	80		81		30-150	1		30	A
Dieldrin	82		82		30-150	0		30	A
4,4'-DDE	83		84		30-150	1		30	A
4,4'-DDD	81		81		30-150	0		30	A
4,4'-DDT	87		85		30-150	2		30	A
Endosulfan I	87		87		30-150	0		30	A
Endosulfan II	81		83		30-150	2		30	A
Endosulfan sulfate	81		79		30-150	3		30	A
Methoxychlor	73		75		30-150	3		30	A
cis-Chlordane	83		83		30-150	0		30	A
trans-Chlordane	77		77		30-150	0		30	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	---------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 09-10 Batch: WG686445-2 WG686445-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	74		75		30-150	A
Decachlorobiphenyl	79		73		30-150	A
2,4,5,6-Tetrachloro-m-xylene	63		62		30-150	B
Decachlorobiphenyl	65		65		30-150	B

METALS

Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-01

Date Collected: 04/29/14 00:00

Client ID: SP-2 (0'-2')

Date Received: 04/29/14

Sample Location: MANHATTAN, NY

Field Prep: Not Specified

Matrix: Soil

TCLP/SPLP Ext. Date: 04/30/14 14:18

Percent Solids: 93%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	ND		mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 20:30	EPA 3015	1,6010C	TT
------------	----	--	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-01
 Client ID: SP-2 (0'-2')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 93%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	5400		mg/kg	8.3	1.7	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	4.2	0.67	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Arsenic, Total	2.6		mg/kg	0.83	0.17	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Barium, Total	47		mg/kg	0.83	0.25	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Beryllium, Total	0.32	J	mg/kg	0.42	0.08	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.83	0.06	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Calcium, Total	2400		mg/kg	8.3	2.5	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Chromium, Total	14		mg/kg	0.83	0.17	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Cobalt, Total	5.0		mg/kg	1.7	0.42	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Copper, Total	9.6		mg/kg	0.83	0.17	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Iron, Total	11000		mg/kg	4.2	1.7	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Lead, Total	4.0	J	mg/kg	4.2	0.17	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Magnesium, Total	2400		mg/kg	8.3	0.83	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Manganese, Total	300		mg/kg	0.83	0.17	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Mercury, Total	ND		mg/kg	0.08	0.02	1	05/05/14 15:26	05/06/14 09:54	EPA 7471B	1,7471B	MC
Nickel, Total	20		mg/kg	2.1	0.33	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Potassium, Total	1300		mg/kg	210	33.	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	1.7	0.25	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Silver, Total	0.27	J	mg/kg	0.83	0.17	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Sodium, Total	160	J	mg/kg	170	25.	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	1.7	0.33	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Vanadium, Total	14		mg/kg	0.83	0.08	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG
Zinc, Total	16		mg/kg	4.2	0.58	2	05/05/14 12:38	05/06/14 09:43	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 TCLP/SPLP Ext. Date: 04/30/14 14:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 21:12	EPA 3015	1,6010C	TT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-02
 Client ID: SP-2 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 88%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	3800		mg/kg	8.8	1.8	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Antimony, Total	1.1	J	mg/kg	4.4	0.70	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Arsenic, Total	1.4		mg/kg	0.88	0.18	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Barium, Total	35		mg/kg	0.88	0.26	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Beryllium, Total	0.24	J	mg/kg	0.44	0.09	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.88	0.06	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Calcium, Total	840		mg/kg	8.8	2.6	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Chromium, Total	10		mg/kg	0.88	0.18	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Cobalt, Total	3.4		mg/kg	1.8	0.44	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Copper, Total	8.1		mg/kg	0.88	0.18	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Iron, Total	7800		mg/kg	4.4	1.8	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Lead, Total	3.1	J	mg/kg	4.4	0.18	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Magnesium, Total	1600		mg/kg	8.8	0.88	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Manganese, Total	120		mg/kg	0.88	0.18	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Mercury, Total	ND		mg/kg	0.08	0.02	1	05/05/14 15:26	05/06/14 10:02	EPA 7471B	1,7471B	MC
Nickel, Total	17		mg/kg	2.2	0.35	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Potassium, Total	700		mg/kg	220	35.	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	1.8	0.26	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Silver, Total	ND		mg/kg	0.88	0.18	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Sodium, Total	98	J	mg/kg	180	26.	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	1.8	0.35	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Vanadium, Total	10		mg/kg	0.88	0.09	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG
Zinc, Total	12		mg/kg	4.4	0.61	2	05/05/14 12:38	05/06/14 09:58	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-03
 Client ID: SP-3 (2'-4')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 93%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 TCLP/SPLP Ext. Date: 04/30/14 14:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 21:16	EPA 3015	1,6010C	TT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-03
 Client ID: SP-3 (2'-4')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 93%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	4900		mg/kg	8.2	1.6	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	4.1	0.66	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Arsenic, Total	2.7		mg/kg	0.82	0.16	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Barium, Total	44		mg/kg	0.82	0.25	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Beryllium, Total	0.30	J	mg/kg	0.41	0.08	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.82	0.06	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Calcium, Total	2100		mg/kg	8.2	2.5	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Chromium, Total	14		mg/kg	0.82	0.16	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Cobalt, Total	4.4		mg/kg	1.6	0.41	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Copper, Total	11		mg/kg	0.82	0.16	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Iron, Total	8300		mg/kg	4.1	1.6	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Lead, Total	12		mg/kg	4.1	0.16	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Magnesium, Total	2000		mg/kg	8.2	0.82	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Manganese, Total	160		mg/kg	0.82	0.16	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Mercury, Total	ND		mg/kg	0.09	0.02	1	05/05/14 15:26	05/06/14 10:03	EPA 7471B	1,7471B	MC
Nickel, Total	20		mg/kg	2.1	0.33	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Potassium, Total	980		mg/kg	210	33.	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	1.6	0.25	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Silver, Total	0.30	J	mg/kg	0.82	0.16	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Sodium, Total	670		mg/kg	160	25.	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	1.6	0.33	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Vanadium, Total	13		mg/kg	0.82	0.08	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG
Zinc, Total	32		mg/kg	4.1	0.58	2	05/05/14 12:38	05/06/14 10:21	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-04

Date Collected: 04/29/14 00:00

Client ID: SP-3 (6'-8')

Date Received: 04/29/14

Sample Location: MANHATTAN, NY

Field Prep: Not Specified

Matrix: Soil

TCLP/SPLP Ext. Date: 04/30/14 14:18

Percent Solids: 75%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	ND		mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 21:58	EPA 3015	1,6010C	TT
------------	----	--	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-04
 Client ID: SP-3 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 75%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	9800		mg/kg	10	2.1	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	5.2	0.83	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Arsenic, Total	4.4		mg/kg	1.0	0.21	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Barium, Total	27		mg/kg	1.0	0.31	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Beryllium, Total	0.48	J	mg/kg	0.52	0.10	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	1.0	0.07	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Calcium, Total	1600		mg/kg	10	3.1	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Chromium, Total	15		mg/kg	1.0	0.21	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Cobalt, Total	4.3		mg/kg	2.1	0.52	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Copper, Total	11		mg/kg	1.0	0.21	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Iron, Total	16000		mg/kg	5.2	2.1	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Lead, Total	18		mg/kg	5.2	0.21	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Magnesium, Total	2700		mg/kg	10	1.0	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Manganese, Total	170		mg/kg	1.0	0.21	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Mercury, Total	0.03	J	mg/kg	0.10	0.02	1	05/05/14 15:26	05/06/14 10:05	EPA 7471B	1,7471B	MC
Nickel, Total	13		mg/kg	2.6	0.41	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Potassium, Total	910		mg/kg	260	41.	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	2.1	0.31	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Silver, Total	0.24	J	mg/kg	1.0	0.21	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Sodium, Total	130	J	mg/kg	210	31.	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	2.1	0.41	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Vanadium, Total	15		mg/kg	1.0	0.10	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG
Zinc, Total	34		mg/kg	5.2	0.72	2	05/05/14 12:38	05/06/14 10:25	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-05

Date Collected: 04/29/14 00:00

Client ID: SP-4 (0'-2')

Date Received: 04/29/14

Sample Location: MANHATTAN, NY

Field Prep: Not Specified

Matrix: Soil

TCLP/SPLP Ext. Date: 04/30/14 14:18

Percent Solids: 91%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	ND		mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 22:02	EPA 3015	1,6010C	TT
------------	----	--	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-05
 Client ID: SP-4 (0'-2')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 91%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6700		mg/kg	8.4	1.7	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	4.2	0.68	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Arsenic, Total	2.9		mg/kg	0.84	0.17	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Barium, Total	51		mg/kg	0.84	0.25	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Beryllium, Total	0.32	J	mg/kg	0.42	0.08	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.84	0.06	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Calcium, Total	19000		mg/kg	8.4	2.5	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Chromium, Total	15		mg/kg	0.84	0.17	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Cobalt, Total	4.6		mg/kg	1.7	0.42	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Copper, Total	11		mg/kg	0.84	0.17	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Iron, Total	11000		mg/kg	4.2	1.7	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Lead, Total	24		mg/kg	4.2	0.17	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Magnesium, Total	4200		mg/kg	8.4	0.84	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Manganese, Total	360		mg/kg	0.84	0.17	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Mercury, Total	ND		mg/kg	0.08	0.02	1	05/05/14 15:26	05/06/14 10:07	EPA 7471B	1,7471B	MC
Nickel, Total	19		mg/kg	2.1	0.34	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Potassium, Total	1300		mg/kg	210	34.	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	1.7	0.25	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Silver, Total	0.23	J	mg/kg	0.84	0.17	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Sodium, Total	330		mg/kg	170	25.	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	1.7	0.34	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Vanadium, Total	14		mg/kg	0.84	0.08	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG
Zinc, Total	24		mg/kg	4.2	0.59	2	05/05/14 12:38	05/06/14 10:28	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 85%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified
 TCLP/SPLP Ext. Date: 04/30/14 14:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 22:25	EPA 3015	1,6010C	TT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-06
 Client ID: SP-4 (6'-8')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 85%

Date Collected: 04/29/14 00:00
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	9000		mg/kg	9.0	1.8	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	4.5	0.72	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Arsenic, Total	4.0		mg/kg	0.90	0.18	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Barium, Total	68		mg/kg	0.90	0.27	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Beryllium, Total	0.55		mg/kg	0.45	0.09	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.90	0.06	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Calcium, Total	1600		mg/kg	9.0	2.7	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Chromium, Total	15		mg/kg	0.90	0.18	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Cobalt, Total	5.0		mg/kg	1.8	0.45	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Copper, Total	13		mg/kg	0.90	0.18	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Iron, Total	14000		mg/kg	4.5	1.8	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Lead, Total	28		mg/kg	4.5	0.18	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Magnesium, Total	2700		mg/kg	9.0	0.90	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Manganese, Total	260		mg/kg	0.90	0.18	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Mercury, Total	ND		mg/kg	0.09	0.02	1	05/05/14 15:26	05/06/14 10:12	EPA 7471B	1,7471B	MC
Nickel, Total	18		mg/kg	2.2	0.36	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Potassium, Total	1100		mg/kg	220	36.	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	1.8	0.27	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Silver, Total	0.30	J	mg/kg	0.90	0.18	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Sodium, Total	400		mg/kg	180	27.	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	1.8	0.36	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Vanadium, Total	18		mg/kg	0.90	0.09	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG
Zinc, Total	28		mg/kg	4.5	0.63	2	05/05/14 12:38	05/06/14 10:32	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 78%

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified
 TCLP/SPLP Ext. Date: 05/01/14 12:56

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	0.31	J	mg/l	0.50	0.02	1	05/05/14 12:09	05/05/14 19:01	EPA 3015	1,6010C	MG
------------	------	---	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-09
 Client ID: SP-5 (5'-7')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 78%

Date Collected: 04/28/14 10:05
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	6200		mg/kg	9.8	2.0	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	4.9	0.79	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Arsenic, Total	9.2		mg/kg	0.98	0.20	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Barium, Total	87		mg/kg	0.98	0.30	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Beryllium, Total	0.34	J	mg/kg	0.49	0.10	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.98	0.07	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Calcium, Total	42000		mg/kg	9.8	3.0	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Chromium, Total	12		mg/kg	0.98	0.20	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Cobalt, Total	3.8		mg/kg	2.0	0.49	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Copper, Total	45		mg/kg	0.98	0.20	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Iron, Total	20000		mg/kg	4.9	2.0	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Lead, Total	290		mg/kg	4.9	0.20	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Magnesium, Total	15000		mg/kg	9.8	0.98	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Manganese, Total	220		mg/kg	0.98	0.20	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Mercury, Total	4.0		mg/kg	0.10	0.02	1	05/05/14 15:26	05/06/14 10:14	EPA 7471B	1,7471B	MC
Nickel, Total	10		mg/kg	2.5	0.39	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Potassium, Total	730		mg/kg	250	39.	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Selenium, Total	0.30	J	mg/kg	2.0	0.30	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Silver, Total	0.30	J	mg/kg	0.98	0.20	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Sodium, Total	860		mg/kg	200	30.	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	2.0	0.39	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Vanadium, Total	14		mg/kg	0.98	0.10	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG
Zinc, Total	180		mg/kg	4.9	0.69	2	05/05/14 12:38	05/06/14 10:36	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET**Lab Number:** L1409027**Project Number:** 140099**Report Date:** 05/07/14**SAMPLE RESULTS**

Lab ID: L1409027-10

Date Collected: 04/28/14 10:45

Client ID: SP-5 (9'-11')

Date Received: 04/30/14

Sample Location: MANHATTAN, NY

Field Prep: Not Specified

Matrix: Soil

TCLP/SPLP Ext. Date: 05/01/14 12:56

Percent Solids: 84%

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
-----------	--------	-----------	-------	----	-----	-----------------	---------------	---------------	-------------	-------------------	---------

TCLP Metals by EPA 1311 - Westborough Lab

Lead, TCLP	0.04	J	mg/l	0.50	0.02	1	05/05/14 12:09	05/05/14 19:05	EPA 3015	1,6010C	MG
------------	------	---	------	------	------	---	----------------	----------------	----------	---------	----



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-10
 Client ID: SP-5 (9'-11')
 Sample Location: MANHATTAN, NY
 Matrix: Soil
 Percent Solids: 84%

Date Collected: 04/28/14 10:45
 Date Received: 04/30/14
 Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	4600		mg/kg	9.1	1.8	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Antimony, Total	ND		mg/kg	4.6	0.73	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Arsenic, Total	2.8		mg/kg	0.91	0.18	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Barium, Total	43		mg/kg	0.91	0.27	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Beryllium, Total	0.29	J	mg/kg	0.46	0.09	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Cadmium, Total	ND		mg/kg	0.91	0.06	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Calcium, Total	17000		mg/kg	9.1	2.7	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Chromium, Total	14		mg/kg	0.91	0.18	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Cobalt, Total	4.2		mg/kg	1.8	0.46	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Copper, Total	13		mg/kg	0.91	0.18	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Iron, Total	9600		mg/kg	4.6	1.8	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Lead, Total	21		mg/kg	4.6	0.18	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Magnesium, Total	10000		mg/kg	9.1	0.91	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Manganese, Total	320		mg/kg	0.91	0.18	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Mercury, Total	0.08	J	mg/kg	0.09	0.02	1	05/05/14 15:26	05/06/14 10:16	EPA 7471B	1,7471B	MC
Nickel, Total	23		mg/kg	2.3	0.36	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Potassium, Total	880		mg/kg	230	36.	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Selenium, Total	ND		mg/kg	1.8	0.27	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Silver, Total	0.31	J	mg/kg	0.91	0.18	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Sodium, Total	220		mg/kg	180	27.	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Thallium, Total	ND		mg/kg	1.8	0.36	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Vanadium, Total	13		mg/kg	0.91	0.09	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG
Zinc, Total	26		mg/kg	4.6	0.64	2	05/05/14 12:38	05/06/14 10:40	EPA 3050B	1,6010C	MG



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab for sample(s): 01-06 Batch: WG686540-1									
Lead, TCLP	ND	mg/l	0.50	0.02	1	05/01/14 14:00	05/01/14 15:31	1,6010C	TT

Prep Information

Digestion Method: EPA 3015
TCLP/SPLP Extraction Date: 04/30/14 14:18

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-06,09-10 Batch: WG687241-1									
Mercury, Total	ND	mg/kg	0.08	0.02	1	05/05/14 15:26	05/06/14 09:50	1,7471B	MC

Prep Information

Digestion Method: EPA 7471B

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-06,09-10 Batch: WG687256-1									
Aluminum, Total	ND	mg/kg	4.0	0.80	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Antimony, Total	ND	mg/kg	2.0	0.32	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Arsenic, Total	ND	mg/kg	0.40	0.08	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Barium, Total	ND	mg/kg	0.40	0.12	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Beryllium, Total	ND	mg/kg	0.20	0.04	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Cadmium, Total	ND	mg/kg	0.40	0.03	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Calcium, Total	ND	mg/kg	4.0	1.2	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Chromium, Total	ND	mg/kg	0.40	0.08	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Cobalt, Total	ND	mg/kg	0.80	0.20	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Copper, Total	ND	mg/kg	0.40	0.08	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Iron, Total	ND	mg/kg	2.0	0.80	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Lead, Total	ND	mg/kg	2.0	0.08	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Magnesium, Total	ND	mg/kg	4.0	0.40	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Manganese, Total	ND	mg/kg	0.40	0.08	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Nickel, Total	ND	mg/kg	1.0	0.16	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Potassium, Total	ND	mg/kg	100	16.	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Method Blank Analysis Batch Quality Control

Selenium, Total	ND		mg/kg	0.80	0.12	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Silver, Total	0.16	J	mg/kg	0.40	0.08	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Sodium, Total	ND		mg/kg	80	12.	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Thallium, Total	ND		mg/kg	0.80	0.16	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Vanadium, Total	ND		mg/kg	0.40	0.04	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG
Zinc, Total	ND		mg/kg	2.0	0.28	1	05/05/14 12:38	05/06/14 09:35	1,6010C	MG

Prep Information

Digestion Method: EPA 3050B

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab for sample(s): 09-10 Batch: WG687263-1										
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/05/14 12:09	05/05/14 18:07	1,6010C	MG

Prep Information

Digestion Method: EPA 3015

TCLP/SPLP Extraction Date: 05/01/14 12:56

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-06 Batch: WG686540-2								
Lead, TCLP	98		-		75-125	-		20
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG687241-2 SRM Lot Number: 0518-10-02								
Mercury, Total	111		-		67-133	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG687256-2 SRM Lot Number: 0518-10-02					
Aluminum, Total	85	-	29-171	-	
Antimony, Total	112	-	4-196	-	
Arsenic, Total	100	-	81-119	-	
Barium, Total	96	-	83-118	-	
Beryllium, Total	98	-	83-117	-	
Cadmium, Total	94	-	82-117	-	
Calcium, Total	99	-	83-117	-	
Chromium, Total	97	-	80-119	-	
Cobalt, Total	96	-	83-117	-	
Copper, Total	92	-	83-117	-	
Iron, Total	94	-	51-150	-	
Lead, Total	91	-	80-120	-	
Magnesium, Total	88	-	74-126	-	
Manganese, Total	95	-	83-117	-	
Nickel, Total	94	-	82-117	-	
Potassium, Total	99	-	74-126	-	
Selenium, Total	102	-	80-120	-	
Silver, Total	100	-	66-134	-	
Sodium, Total	100	-	74-127	-	
Thallium, Total	96	-	79-120	-	
Vanadium, Total	98	-	79-121	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 Batch: WG687256-2 SRM Lot Number: 0518-10-02					
Zinc, Total	100	-	82-119	-	
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 09-10 Batch: WG687263-2					
Lead, TCLP	98	-	75-125	-	20

Matrix Spike Analysis Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG686540-4 QC Sample: L1409065-01 Client ID: MS Sample												
Lead, TCLP	0.20J	5.1	4.9	96		-	-		75-125	-		20
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 QC Batch ID: WG687241-4 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')												
Mercury, Total	ND	0.154	0.21	136	Q	-	-		80-120	-		35

Matrix Spike Analysis Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 QC Batch ID: WG687256-4 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')									
Aluminum, Total	5400	165	5400	0	Q	-	75-125	-	20
Antimony, Total	ND	41.2	34	83		-	75-125	-	20
Arsenic, Total	2.6	9.88	11	85		-	75-125	-	20
Barium, Total	47.	165	210	99		-	75-125	-	20
Beryllium, Total	0.32J	4.12	4.4	107		-	75-125	-	20
Cadmium, Total	ND	4.2	4.0	95		-	75-125	-	20
Calcium, Total	2400	823	4000	194	Q	-	75-125	-	20
Chromium, Total	14.	16.5	29	91		-	75-125	-	20
Cobalt, Total	5.0	41.2	42	90		-	75-125	-	20
Copper, Total	9.6	20.6	28	89		-	75-125	-	20
Iron, Total	11000	82.3	9200	0	Q	-	75-125	-	20
Lead, Total	4.0J	42	44	105		-	75-125	-	20
Magnesium, Total	2400	823	2800	48	Q	-	75-125	-	20
Manganese, Total	300	41.2	300	0	Q	-	75-125	-	20
Nickel, Total	20.	41.2	52	78		-	75-125	-	20
Potassium, Total	1300	823	2000	85		-	75-125	-	20
Selenium, Total	ND	9.88	8.9	90		-	75-125	-	20
Silver, Total	0.27J	24.7	24	97		-	75-125	-	20
Sodium, Total	160J	823	1000	121		-	75-125	-	20
Thallium, Total	ND	9.88	8.4	85		-	75-125	-	20
Vanadium, Total	14.	41.2	54	97		-	75-125	-	20

Matrix Spike Analysis
Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 QC Batch ID: WG687256-4 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')									
Zinc, Total	16.	41.2	55	95	-	-	75-125	-	20
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 09-10 QC Batch ID: WG687263-4 QC Sample: L1408947-01 Client ID: MS Sample									
Lead, TCLP	8.5	5.1	13	88	-	-	75-125	-	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG686540-3 QC Sample: L1409065-01 Client ID: DUP Sample						
Lead, TCLP	0.20J	0.19J	mg/l	NC		20
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 QC Batch ID: WG687241-3 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')						
Mercury, Total	ND	ND	mg/kg	NC		35

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 QC Batch ID: WG687256-3 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')					
Aluminum, Total	5400	4400	mg/kg	20	20
Antimony, Total	ND	ND	mg/kg	NC	20
Arsenic, Total	2.6	2.1	mg/kg	21	Q 20
Barium, Total	47.	48	mg/kg	2	20
Beryllium, Total	0.32J	0.29J	mg/kg	NC	20
Cadmium, Total	ND	ND	mg/kg	NC	20
Calcium, Total	2400	3000	mg/kg	22	Q 20
Chromium, Total	14.	12	mg/kg	15	20
Cobalt, Total	5.0	3.8	mg/kg	27	Q 20
Copper, Total	9.6	7.6	mg/kg	23	Q 20
Iron, Total	11000	9200	mg/kg	18	20
Lead, Total	4.0J	4.1	mg/kg	NC	20
Magnesium, Total	2400	1800	mg/kg	29	Q 20
Manganese, Total	300	270	mg/kg	11	20
Nickel, Total	20.	15	mg/kg	29	Q 20
Potassium, Total	1300	1100	mg/kg	17	20
Selenium, Total	ND	ND	mg/kg	NC	20
Silver, Total	0.27J	ND	mg/kg	NC	20
Sodium, Total	160J	140J	mg/kg	NC	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-06,09-10 QC Batch ID: WG687256-3 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')					
Thallium, Total	ND	ND	mg/kg	NC	20
Vanadium, Total	14.	12	mg/kg	15	20
Zinc, Total	16.	14	mg/kg	13	20
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 09-10 QC Batch ID: WG687263-3 QC Sample: L1408947-01 Client ID: DUP Sample					
Lead, TCLP	8.5	8.5	mg/l	0	20

INORGANICS & MISCELLANEOUS

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-01
Client ID: SP-2 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	14		mg/kg	0.86	0.86	1	-	05/07/14 10:50	107,-	JO
Solids, Total	93.1		%	0.100	NA	1	-	04/30/14 20:19	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.1	0.25	1	05/01/14 23:00	05/02/14 15:36	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	0.86	0.17	1	04/30/14 17:00	05/01/14 21:10	1,7196A	JT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-02
Client ID: SP-2 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	10		mg/kg	0.91	0.91	1	-	05/07/14 10:50	107,-	JO
Solids, Total	87.7		%	0.100	NA	1	-	04/30/14 20:19	30,2540G	RT
Cyanide, Total	0.33	J	mg/kg	1.1	0.25	1	05/01/14 16:45	05/02/14 15:18	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	0.91	0.18	1	04/30/14 17:00	05/01/14 21:11	1,7196A	JT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-03
Client ID: SP-3 (2'-4')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	14		mg/kg	0.86	0.86	1	-	05/07/14 10:50	107,-	JO
Solids, Total	93.3		%	0.100	NA	1	-	04/30/14 20:19	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.1	0.25	1	05/01/14 16:45	05/02/14 15:19	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	0.86	0.17	1	04/30/14 17:00	05/01/14 21:12	1,7196A	JT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-04
Client ID: SP-3 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	15		mg/kg	1.1	1.1	1	-	05/07/14 10:50	107,-	JO
Solids, Total	74.5		%	0.100	NA	1	-	04/30/14 20:19	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.3	0.31	1	05/01/14 16:45	05/02/14 15:20	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	1.1	0.21	1	04/30/14 17:00	05/01/14 21:12	1,7196A	JT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-05
Client ID: SP-4 (0'-2')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	15		mg/kg	0.88	0.88	1	-	05/07/14 10:50	107,-	JO
Solids, Total	90.8		%	0.100	NA	1	-	04/30/14 20:19	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.1	0.25	1	05/01/14 16:45	05/02/14 15:20	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	0.88	0.18	1	04/30/14 17:00	05/01/14 21:13	1,7196A	JT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-06
Client ID: SP-4 (6'-8')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/29/14 00:00
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	15		mg/kg	0.94	0.94	1	-	05/07/14 10:50	107,-	JO
Solids, Total	84.9		%	0.100	NA	1	-	04/30/14 20:19	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.1	0.26	1	05/02/14 18:00	05/05/14 15:58	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	0.94	0.19	1	04/30/14 17:00	05/01/14 21:14	1,7196A	JT



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-09
Client ID: SP-5 (5'-7')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/28/14 10:05
Date Received: 04/30/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	12		mg/kg	1.0	1.0	1	-	05/07/14 10:50	107,-	JO
Solids, Total	78.4		%	0.100	NA	1	-	05/01/14 20:41	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.2	0.27	1	05/02/14 18:00	05/05/14 15:59	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	1.0	0.20	1	05/03/14 14:20	05/04/14 17:00	1,7196A	TA



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

SAMPLE RESULTS

Lab ID: L1409027-10
Client ID: SP-5 (9'-11')
Sample Location: MANHATTAN, NY
Matrix: Soil

Date Collected: 04/28/14 10:45
Date Received: 04/30/14
Field Prep: Not Specified

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	14		mg/kg	0.95	0.95	1	-	05/07/14 10:50	107,-	JO
Solids, Total	84.1		%	0.100	NA	1	-	05/01/14 20:41	30,2540G	RT
Cyanide, Total	ND		mg/kg	1.2	0.28	1	05/02/14 18:00	05/05/14 16:01	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/kg	0.95	0.19	1	05/03/14 14:20	05/04/14 17:01	1,7196A	TA



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Method Blank Analysis
Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-06 Batch: WG686350-1										
Chromium, Hexavalent	ND		mg/kg	0.80	0.16	1	04/30/14 17:00	05/01/14 20:57	1,7196A	JT
General Chemistry - Westborough Lab for sample(s): 02-05 Batch: WG686628-1										
Cyanide, Total	ND		mg/kg	0.90	0.21	1	05/01/14 16:45	05/02/14 14:56	1,9010C/9012B	JO
General Chemistry - Westborough Lab for sample(s): 01 Batch: WG686722-1										
Cyanide, Total	ND		mg/kg	1.0	0.23	1	05/01/14 23:00	05/02/14 15:26	1,9010C/9012B	JO
General Chemistry - Westborough Lab for sample(s): 06,09-10 Batch: WG686825-1										
Cyanide, Total	ND		mg/kg	0.99	0.23	1	05/02/14 18:00	05/05/14 15:43	1,9010C/9012B	JO
General Chemistry - Westborough Lab for sample(s): 09-10 Batch: WG687103-1										
Chromium, Hexavalent	ND		mg/kg	0.80	0.16	1	05/03/14 14:20	05/04/14 16:49	1,7196A	TA

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-06 Batch: WG686350-2								
Chromium, Hexavalent	104		-		80-120	-		20
General Chemistry - Westborough Lab Associated sample(s): 02-05 Batch: WG686628-2 WG686628-3								
Cyanide, Total	99		102		80-120	3		35
General Chemistry - Westborough Lab Associated sample(s): 01 Batch: WG686722-2 WG686722-3								
Cyanide, Total	100		108		80-120	8		35
General Chemistry - Westborough Lab Associated sample(s): 06,09-10 Batch: WG686825-2 WG686825-3								
Cyanide, Total	100		83		80-120	20		35
General Chemistry - Westborough Lab Associated sample(s): 09-10 Batch: WG687103-2								
Chromium, Hexavalent	93		-		80-120	-		20

Matrix Spike Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG686350-5 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')												
Chromium, Hexavalent	ND	1410	1300	92	-	-	-	-	75-125	-	-	20
General Chemistry - Westborough Lab Associated sample(s): 02-05 QC Batch ID: WG686628-4 WG686628-5 QC Sample: L1408895-07 Client ID: MS Sample												
Cyanide, Total	0.42J	12	13	110	13	110	110	110	65-135	0	-	35
General Chemistry - Westborough Lab Associated sample(s): 01 QC Batch ID: WG686722-4 WG686722-5 QC Sample: L1408962-01 Client ID: MS Sample												
Cyanide, Total	ND	12	12	100	12	100	100	100	65-135	0	-	35
General Chemistry - Westborough Lab Associated sample(s): 06,09-10 QC Batch ID: WG686825-4 WG686825-5 QC Sample: L1409090-01 Client ID: MS Sample												
Cyanide, Total	ND	12	12	99	11	96	96	96	65-135	9	-	35
General Chemistry - Westborough Lab Associated sample(s): 09-10 QC Batch ID: WG687103-5 QC Sample: L1409027-10 Client ID: SP-5 (9'-11')												
Chromium, Hexavalent	ND	1560	1500	94	-	-	-	-	75-125	-	-	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409027

Report Date: 05/07/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG686347-1 QC Sample: L1408954-02 Client ID: DUP Sample						
Solids, Total	72.4	73.0	%	1		20
General Chemistry - Westborough Lab Associated sample(s): 01-06 QC Batch ID: WG686350-4 QC Sample: L1409027-01 Client ID: SP-2 (0'-2')						
Chromium, Hexavalent	ND	ND	mg/kg	NC		20
General Chemistry - Westborough Lab Associated sample(s): 09-10 QC Batch ID: WG686699-1 QC Sample: L1409027-09 Client ID: SP-5 (5'-7')						
Solids, Total	78.4	90.8	%	15		20
General Chemistry - Westborough Lab Associated sample(s): 09-10 QC Batch ID: WG687103-4 QC Sample: L1409027-10 Client ID: SP-5 (9'-11')						
Chromium, Hexavalent	ND	ND	mg/kg	NC		20

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: 04/30/2014 04:12

Cooler Information Custody Seal

Cooler

A Absent
 B Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409027-01A	Vial MeOH preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-01B	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-01C	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-01D	Plastic 2oz unpreserved for TS	A	N/A	3.8	Y	Absent	TS(7)
L1409027-01E	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-01F	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-01X	Plastic 250ml HNO3 preserved spl	A	<2	3.8	Y	Absent	PB-CI(180)
L1409027-01X9	Tumble Vessel	A	N/A	3.8	Y	Absent	-
L1409027-02A	Vial MeOH preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-02B	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409027-02C	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-02D	Plastic 2oz unpreserved for TS	A	N/A	3.8	Y	Absent	TS(7)
L1409027-02E	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-02F	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-02X	Plastic 250ml HNO3 preserved spl	A	<2	3.8	Y	Absent	PB-CI(180)
L1409027-02X9	Tumble Vessel	A	N/A	3.8	Y	Absent	-
L1409027-03A	Vial MeOH preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-03B	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-03C	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-03D	Plastic 2oz unpreserved for TS	A	N/A	3.8	Y	Absent	TS(7)
L1409027-03E	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409027-03F	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-03X	Plastic 250ml HNO3 preserved spl	A	<2	3.8	Y	Absent	PB-CI(180)
L1409027-03X9	Tumble Vessel	A	N/A	3.8	Y	Absent	-
L1409027-04A	Vial MeOH preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-04B	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-04C	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-04D	Plastic 2oz unpreserved for TS	A	N/A	3.8	Y	Absent	TS(7)
L1409027-04E	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-04F	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-04X	Plastic 250ml HNO3 preserved spl	A	<2	3.8	Y	Absent	PB-CI(180)
L1409027-04X9	Tumble Vessel	A	N/A	3.8	Y	Absent	-
L1409027-05A	Vial MeOH preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409027-05B	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-05C	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-05D	Plastic 2oz unpreserved for TS	A	N/A	3.8	Y	Absent	TS(7)
L1409027-05E	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-05F	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-05X	Plastic 250ml HNO3 preserved spl	A	<2	3.8	Y	Absent	PB-CI(180)
L1409027-05X9	Tumble Vessel	A	N/A	3.8	Y	Absent	-
L1409027-06A	Vial MeOH preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-06B	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-06C	Vial water preserved	A	N/A	3.8	Y	Absent	NYTCL-8260HLW(14)
L1409027-06D	Plastic 2oz unpreserved for TS	A	N/A	3.8	Y	Absent	TS(7)
L1409027-06E	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409027-06F	Amber 250ml unpreserved	A	N/A	3.8	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-06X	Plastic 250ml HNO3 preserved spl	A	<2	3.8	Y	Absent	PB-CI(180)
L1409027-06X9	Tumble Vessel	A	N/A	3.8	Y	Absent	-
L1409027-09A	Vial MeOH preserved	B	N/A	4.2	Y	Absent	NYTCL-8260HLW(14)
L1409027-09B	Vial water preserved	B	N/A	4.2	Y	Absent	NYTCL-8260HLW(14)
L1409027-09C	Vial water preserved	B	N/A	4.2	Y	Absent	NYTCL-8260HLW(14)
L1409027-09D	Plastic 2oz unpreserved for TS	B	N/A	4.2	Y	Absent	TS(7)
L1409027-09E	Amber 250ml unpreserved	B	N/A	4.2	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-09F	Amber 250ml unpreserved	B	N/A	4.2	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-09X	Plastic 250ml HNO3 preserved spl	B	<2	4.2	Y	Absent	PB-CI(180)
L1409027-09X9	Tumble Vessel	B	N/A	4.2	Y	Absent	-
L1409027-10A	Vial MeOH preserved	B	N/A	4.2	Y	Absent	NYTCL-8260HLW(14)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409027-10B	Vial water preserved	B	N/A	4.2	Y	Absent	NYTCL-8260HLW(14)
L1409027-10C	Vial water preserved	B	N/A	4.2	Y	Absent	NYTCL-8260HLW(14)
L1409027-10D	Plastic 2oz unpreserved for TS	B	N/A	4.2	Y	Absent	TS(7)
L1409027-10E	Amber 250ml unpreserved	B	N/A	4.2	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-10F	Amber 250ml unpreserved	B	N/A	4.2	Y	Absent	BE-TI(180),NYTCL-8270(14),TCN-9010(14),AS-TI(180),BA-TI(180),AG-TI(180),AL-TI(180),CR-TI(180),NI-TI(180),TL-TI(180),TRICR-CALC(30),CU-TI(180),PB-TI(180),SB-TI(180),SE-TI(180),ZN-TI(180),CO-TI(180),NYTCL-8081(14),V-TI(180),FE-TI(180),HG-T(28),MG-TI(180),MN-TI(180),NYTCL-8082(14),CA-TI(180),CD-TI(180),HEXCR-7196(30),K-TI(180),NA-TI(180)
L1409027-10X	Plastic 250ml HNO3 preserved spl	B	<2	4.2	Y	Absent	PB-CI(180)
L1409027-10X9	Tumble Vessel	B	N/A	4.2	Y	Absent	-

Container Comments

L1409027-01E
L1409027-01F
L1409027-02E
L1409027-02F
L1409027-03E
L1409027-04E
L1409027-05E
L1409027-06F
L1409027-09X

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET

Lab Number: L1409027

Project Number: 140099

Report Date: 05/07/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
--------------	----------------	--------	----	---------------	------	------	-------------

Container Comments

L1409027-10X

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCS D	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit.
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.

Report Format: DU Report with 'J' Qualifiers



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

Data Qualifiers

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409027
Report Date: 05/07/14

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 30 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WPCF. 18th Edition. 1992.
- 107 Alpha Analytical - In-house calculation method.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

Last revised April 15, 2014

The following analytes are not included in our NELAP Scope of Accreditation:

Westborough Facility

EPA 524.2: Acetone, 2-Butanone (Methyl ethyl ketone (MEK)), Tert-butyl alcohol, 2-Hexanone, Tetrahydrofuran, 1,3,5-Trichlorobenzene, 4-Methyl-2-pentanone (MIBK), Carbon disulfide, Diethyl ether.

EPA 8260C: 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene, Iodomethane (methyl iodide), Methyl methacrylate, Azobenzene.

EPA 8330A/B: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT.

EPA 8270D: 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 625: 4-Chloroaniline, 4-Methylphenol.

SM4500: Soil: Total Phosphorus, TKN, NO₂, NO₃.

EPA 9071: Total Petroleum Hydrocarbons, Oil & Grease.

Mansfield Facility

EPA 8270D: Biphenyl.

EPA 2540D: TSS

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water

EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7:** Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water

EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;

EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;

EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F,**

EPA 353.2: Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4,**

SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.



NEW YORK CHAIN OF CUSTODY

Westborough, MA 01581
8 Walkup Dr.
TEL: 508-898-9220
FAX: 508-898-9193

Service Centers
Mahwah, NJ 07430: 36 Whitney Rd, Suite 5
Albany, NY 12205: 14 Walker Way
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of

Date Rec'd in Lab: 4/29/14
ALPHA Job #: 14091027

Project Information
Project Name: 11 Hubert Street
Project Location: Manhattan, NY
Project #: 140099

Client Information
Client: Hydro Tech Environmental
Address: 77 Arkay Drive, Suite G
Hauppauge, NY
Phone: 631-462-5866
Fax: 631-462-5877
Email: ejohnston@htecorp.info

Deliverables
 ASP-A
 EQUIS (1 File)
 Other

Billing Information
 Same as Client Info
PO #

Regulatory Requirement
 NY TOGS
 NY Part 375
 AWQ Standards
 NY CP-51
 NY Restricted Use
 NY Unrestricted Use
 NYC Sewer Discharge

Disposal Site Information
Please identify below location of applicable disposal facilities.
Disposal Facility:
 NJ
 NY
 Other

ANALYSIS
8260
8270
Pest/PCBs
TCLP Lead
TAL Metals
Chromium Hexavalent/Trivalent


Sample Filtration
 Done
 Lab to do Preservation
 Lab to do
(Please Specify below)
Sample Specific Comments

These samples have been previously analyzed by Alpha **Standard** **Due Date:** 5/6/14
Rush (only if pre approved) # of Days:

Analyze all samples for TCN BV 5/7/14
Please specify Metals or TAL.

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Container Type	Westboro: Certification No: MA935 Mansfield: Certification No: MA015	Relinquished By:	Date/Time	Received By:	Date/Time
		Date	Time								
09227-01	SP-2 (0-2)	4/29/2014		S	EJ	V		SA	4-29-14 1545	AAH	4-29-14 1545
07	SP-2 (6-8)	4/29/2014		S	EJ	G		Tom John	4-29-14 1914	Tom John	4-29-14 1914
03	SP-3 (2-4)	4/29/2014		S	EJ	A		Tom John	4-29-14 2330	Tom John	4-29-14 2330
04	SP-3 (6-8)	4/29/2014		S	EJ	A					
05	SP-4 (0-2)	4/29/2014		S	EJ	A					
06	SP-4 (6-8)	4/28/2014		S	EJ	A					
07	SP-5 (4-6)	4/28/2014		S	EJ	A					
06	SP-5 (0-2)	4/28/2014		S	EJ	A					

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.



NEW YORK CHAIN OF CUSTODY
 Westborough, MA 01581
 8 Walkup Dr.
 TEL: 508-898-9220
 FAX: 508-898-9193

Service Centers
 Methuen, NJ 07430: 35 Whitney Rd, Suite 5
 Albany, NY 12206: 14 Walker Way
 Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Project Information
 Project Name: 11 Hubert Street
 Project Location: Manhattan, NY
 Project #: 140099

Deliverables
 ASP-A
 EQUIS (1 File)
 Other
 ASP-B
 EQUIS (4 File)
 Other

Billing Information
 ALPHA Job # 1409027
 PO #

Client Information
 Client: Hydro Tech Environmental
 Address: 77 Arkay Drive, Suite G
 Hauppauge, NY
 Phone: 631-462-5866
 Fax: 631-462-5877
 Email: ejohnston@htecorp.info

Regulatory Requirement
 NY TOGS
 AWQ Standards
 NY Restricted Use
 NY Unrestricted Use
 NYC Sewer Discharge
 NY Part 375
 NY CP-51
 Other

Disposal Site Information
 Please identify below location of applicable disposal facilities.
 Disposal Facility:
 NJ
 NY
 Other

These samples have been previously analyzed by Alpha
 Other project specific requirements/comments:

Turn-Around Time
 Standard
 Rush (only if pre approved)
 Due Date: 5/6/14
 # of Days:

Sample Filtration
 Done
 Lab to do Preservation
 Lab to do
 (Please Specify below)
 Sample Specific Comments

Sample ID	Collection		Sampler's Initials	Sample Matrix	ANALYSIS	Chromium Hexavalent/Tri	TAL Metals	TCLP Lead	Pest/PCBS	8270	8260	Sample Specific Comments
	Date	Time										
09027-01	4/29/2014		EJ	S	X	X	X	X	X	X		
02	4/29/2014		EJ	S	X	X	X	X	X	X		
03	4/29/2014		EJ	S	X	X	X	X	X	X		
04	4/29/2014		EJ	S	X	X	X	X	X	X		
05	4/29/2014		EJ	S	X	X	X	X	X	X		
06	4/29/2014		EJ	S	X	X	X	X	X	X		
07	4/28/2014		EJ	S	X	X	X	X	X	X		
08	4/28/2014		EJ	S	X	X	X	X	X	X		

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Code:
 P = Plastic
 A = Amber Glass
 V = Vial
 G = Glass
 B = Bacteria Cup
 C = Cube
 O = Other
 E = Encore
 D = BOD Bottle

Container Type: V
 Preservative: A

Relinquished By: [Signature]
 Date/Time: 4-29-14 1545
 Received By: [Signature]
 Date/Time: 4-29-14 1545

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.

Appendix-H: Laboratory
Deliverables for Groundwater
Analytical Data



ANALYTICAL REPORT

Lab Number:	L1409224
Client:	Hydro Tech Environmental, Corp. 77 Arkay Drive Suite G Hauppauge, NY 11788
ATTN:	Erica Johnston
Phone:	(631) 462-5866
Project Name:	11 HUBERT STREET
Project Number:	140099
Report Date:	05/13/14

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), USDA (Permit #P-330-11-00240), NC (666), TX (T104704476), DOD (L2217), US Army Corps of Engineers.

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1409224-01	MW-1	MANHATTAN, NY	04/30/14 00:00
L1409224-02	MW-2	MANHATTAN, NY	04/30/14 00:00
L1409224-03	MW-3	MANHATTAN, NY	04/30/14 00:00
L1409224-04	TRIP BLANK (4)	MANHATTAN, NY	04/30/14 00:00
L1409224-05	FIELD BLANK (2)	MANHATTAN, NY	04/30/14 00:00

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Performance criteria for CAM and RCP methods allow for some LCS compound failures to occur and still be within method compliance. In these instances, the specific failures are not narrated but are noted in the associated QC table. This information is also incorporated in the Data Usability format for our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

L1409224-01, -02, -03, and -05 were field filtered for Dissolved Metals.

L1409224-01, -02, -03, and -05 were received without the containers for the Total Cyanide analysis. Aliquots were taken from unpreserved containers and preserved appropriately.

Metals

L1409224-01, -02, and -03: The following dissolved results are greater than the total results. The sample containers were verified as being labeled correctly by the laboratory, and there is visible sediment on the bottom of the field-filtered dissolved metals containers:

-01: aluminum, barium, calcium, lead, magnesium, manganese, and sodium

-02: barium, calcium, manganese, potassium, and sodium

-03: aluminum, arsenic, barium, beryllium, calcium, chromium, cobalt, copper, iron, lead, magnesium, manganese, nickel, potassium, sodium, vanadium, and zinc

The WG686775-4 MS recoveries for total calcium (20%), iron (60%), manganese (68%), and sodium (0%), performed on L1409224-01, do not apply because the sample concentrations are greater than four times the spike amounts added.

The WG686775-4 MS recoveries, performed on L1409224-01, are outside the acceptance criteria for total magnesium (145%) and potassium (0%). A post digestion spike was performed and was within acceptance criteria.

The WG686775-3 Laboratory Duplicate RPD, performed on L1409224-01, is outside the acceptance criteria for total aluminum (25%). The elevated RPD has been attributed to the non-homogeneous nature of the sample utilized for the laboratory duplicate.

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Case Narrative (continued)

Cyanide, Total

An MS/MSD could not be performed due to insufficient sample volume available for analysis.

Chromium, Hexavalent

L1409224-01, -02, -03, and -05 were analyzed with the method required holding time exceeded.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

 Kelly Stenstrom

Title: Technical Director/Representative

Date: 05/13/14

ORGANICS

VOLATILES

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 05/08/14 13:10
Analyst: PD

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-01
 Client ID: MW-1
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	2.9	J	ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	41.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-01
 Client ID: MW-1
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,4,5-Tetramethylbenzene	3.3		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	111		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	87		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-02
Client ID: MW-2
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 05/08/14 13:45
Analyst: PD

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	41.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	113		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	89		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-03
Client ID: MW-3
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 05/08/14 14:20
Analyst: PD

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	1.8		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	41.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	113		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	86		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-04
Client ID: TRIP BLANK (4)
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 05/08/14 11:59
Analyst: PD

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: None

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-04
 Client ID: TRIP BLANK (4)
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: None

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	41.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-04
 Client ID: TRIP BLANK (4)
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: None

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	113		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	87		70-130

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
Client ID: FIELD BLANK (2)
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 05/08/14 12:34
Analyst: PD

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.13	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
1,1-Dichloropropene	ND		ug/l	2.5	0.70	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.14	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.33	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.14	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.17	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Dibromomethane	ND		ug/l	5.0	1.0	1
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70	1
Acrylonitrile	ND		ug/l	5.0	1.5	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.0	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.0	1
Vinyl acetate	ND		ug/l	5.0	1.0	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
Bromochloromethane	ND		ug/l	2.5	0.70	1
2,2-Dichloropropane	ND		ug/l	2.5	0.70	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
1,3-Dichloropropane	ND		ug/l	2.5	0.70	1
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70	1
Bromobenzene	ND		ug/l	2.5	0.70	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
o-Chlorotoluene	ND		ug/l	2.5	0.70	1
p-Chlorotoluene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Hexachlorobutadiene	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,4-Dioxane	ND		ug/l	250	41.	1
p-Diethylbenzene	ND		ug/l	2.0	0.70	1
p-Ethyltoluene	ND		ug/l	2.0	0.70	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65	1
Ethyl ether	ND		ug/l	2.5	0.70	1
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	112		70-130
4-Bromofluorobenzene	107		70-130
Dibromofluoromethane	90		70-130

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/08/14 11:22
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG688280-3					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.13
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
1,1-Dichloropropene	ND		ug/l	2.5	0.70
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.14
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.33
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.14
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.17
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8260C
Analytical Date: 05/08/14 11:22
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG688280-3					
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Dibromomethane	ND		ug/l	5.0	1.0
1,2,3-Trichloropropane	ND		ug/l	2.5	0.70
Acrylonitrile	ND		ug/l	5.0	1.5
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.0
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.0
Vinyl acetate	ND		ug/l	5.0	1.0
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
Bromochloromethane	ND		ug/l	2.5	0.70
2,2-Dichloropropane	ND		ug/l	2.5	0.70
1,2-Dibromoethane	ND		ug/l	2.0	0.65
1,3-Dichloropropane	ND		ug/l	2.5	0.70
1,1,1,2-Tetrachloroethane	ND		ug/l	2.5	0.70
Bromobenzene	ND		ug/l	2.5	0.70
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70
o-Chlorotoluene	ND		ug/l	2.5	0.70
p-Chlorotoluene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Hexachlorobutadiene	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8260C
Analytical Date: 05/08/14 11:22
Analyst: PD

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-05 Batch: WG688280-3					
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,3-Trichlorobenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
1,4-Dioxane	ND		ug/l	250	41.
p-Diethylbenzene	ND		ug/l	2.0	0.70
p-Ethyltoluene	ND		ug/l	2.0	0.70
1,2,4,5-Tetramethylbenzene	ND		ug/l	2.0	0.65
Ethyl ether	ND		ug/l	2.5	0.70
trans-1,4-Dichloro-2-butene	ND		ug/l	2.5	0.70

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	111		70-130
4-Bromofluorobenzene	106		70-130
Dibromofluoromethane	87		70-130

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG688280-1 WG688280-2								
Methylene chloride	94		92		70-130	2		20
1,1-Dichloroethane	94		89		70-130	5		20
Chloroform	93		90		70-130	3		20
Carbon tetrachloride	85		79		63-132	7		20
1,2-Dichloropropane	94		88		70-130	7		20
Dibromochloromethane	95		92		63-130	3		20
1,1,2-Trichloroethane	110		106		70-130	4		20
Tetrachloroethene	97		94		70-130	3		20
Chlorobenzene	104		101		75-130	3		20
Trichlorofluoromethane	79		73		62-150	8		20
1,2-Dichloroethane	93		87		70-130	7		20
1,1,1-Trichloroethane	87		82		67-130	6		20
Bromodichloromethane	89		84		67-130	6		20
trans-1,3-Dichloropropene	92		91		70-130	1		20
cis-1,3-Dichloropropene	82		79		70-130	4		20
1,1-Dichloropropene	92		86		70-130	7		20
Bromoform	89		88		54-136	1		20
1,1,2,2-Tetrachloroethane	120		117		67-130	3		20
Benzene	96		89		70-130	8		20
Toluene	103		101		70-130	2		20
Ethylbenzene	105		103		70-130	2		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG688280-1 WG688280-2								
Chloromethane	86		82		64-130	5		20
Bromomethane	58		61		39-139	5		20
Vinyl chloride	71		70		55-140	1		20
Chloroethane	97		95		55-138	2		20
1,1-Dichloroethene	82		77		61-145	6		20
trans-1,2-Dichloroethene	90		85		70-130	6		20
Trichloroethene	89		85		70-130	5		20
1,2-Dichlorobenzene	104		103		70-130	1		20
1,3-Dichlorobenzene	104		103		70-130	1		20
1,4-Dichlorobenzene	104		104		70-130	0		20
Methyl tert butyl ether	83		80		63-130	4		20
p/m-Xylene	104		102		70-130	2		20
o-Xylene	103		102		70-130	1		20
cis-1,2-Dichloroethene	90		88		70-130	2		20
Dibromomethane	93		91		70-130	2		20
1,2,3-Trichloropropane	116		116		64-130	0		20
Acrylonitrile	91		88		70-130	3		20
Styrene	108		105		70-130	3		20
Dichlorodifluoromethane	82		79		36-147	4		20
Acetone	96		92		58-148	4		20
Carbon disulfide	87		86		51-130	1		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG688280-1 WG688280-2								
2-Butanone	137		140	Q	63-138	2		20
Vinyl acetate	94		91		70-130	3		20
4-Methyl-2-pentanone	79		80		59-130	1		20
2-Hexanone	98		96		57-130	2		20
Bromochloromethane	85		77		70-130	10		20
2,2-Dichloropropane	90		86		63-133	5		20
1,2-Dibromoethane	98		98		70-130	0		20
1,3-Dichloropropane	106		104		70-130	2		20
1,1,1,2-Tetrachloroethane	92		90		64-130	2		20
Bromobenzene	104		101		70-130	3		20
n-Butylbenzene	110		108		53-136	2		20
sec-Butylbenzene	113		111		70-130	2		20
tert-Butylbenzene	109		105		70-130	4		20
o-Chlorotoluene	112		110		70-130	2		20
p-Chlorotoluene	111		110		70-130	1		20
1,2-Dibromo-3-chloropropane	84		88		41-144	5		20
Hexachlorobutadiene	88		90		63-130	2		20
Isopropylbenzene	110		107		70-130	3		20
p-Isopropyltoluene	108		108		70-130	0		20
Naphthalene	88		96		70-130	9		20
n-Propylbenzene	115		112		69-130	3		20

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-05 Batch: WG688280-1 WG688280-2								
1,2,3-Trichlorobenzene	81		84		70-130	4		20
1,2,4-Trichlorobenzene	85		88		70-130	3		20
1,3,5-Trimethylbenzene	112		109		64-130	3		20
1,2,4-Trimethylbenzene	110		108		70-130	2		20
1,4-Dioxane	87		90		56-162	3		20
p-Diethylbenzene	107		105		70-130	2		20
p-Ethyltoluene	110		109		70-130	1		20
1,2,4,5-Tetramethylbenzene	98		99		70-130	1		20
Ethyl ether	79		74		59-134	7		20
trans-1,4-Dichloro-2-butene	85		82		70-130	4		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	103		99		70-130
Toluene-d8	111		111		70-130
4-Bromofluorobenzene	101		101		70-130
Dibromofluoromethane	91		90		70-130

SEMIVOLATILES

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-01
 Client ID: MW-1
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D
 Analytical Date: 05/07/14 19:46
 Analyst: JB

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.21	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.41	1
1,2-Dichlorobenzene	ND		ug/l	2.0	0.30	1
1,3-Dichlorobenzene	ND		ug/l	2.0	0.35	1
1,4-Dichlorobenzene	ND		ug/l	2.0	0.32	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	0.48	1
2,4-Dinitrotoluene	ND		ug/l	5.0	1.0	1
2,6-Dinitrotoluene	ND		ug/l	5.0	0.89	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.36	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.43	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.60	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.60	1
Hexachlorocyclopentadiene	ND		ug/l	20	0.58	1
Isophorone	ND		ug/l	5.0	0.79	1
Nitrobenzene	ND		ug/l	2.0	0.40	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	2.0	0.34	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.64	1
Bis(2-Ethylhexyl)phthalate	1.3	J	ug/l	3.0	0.93	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.1	1
Di-n-butylphthalate	ND		ug/l	5.0	0.77	1
Di-n-octylphthalate	ND		ug/l	5.0	1.2	1
Diethyl phthalate	ND		ug/l	5.0	0.39	1
Dimethyl phthalate	ND		ug/l	5.0	0.33	1
Biphenyl	ND		ug/l	2.0	0.24	1
4-Chloroaniline	ND		ug/l	5.0	0.84	1
2-Nitroaniline	ND		ug/l	5.0	0.96	1
3-Nitroaniline	ND		ug/l	5.0	0.67	1
4-Nitroaniline	ND		ug/l	5.0	0.83	1
Dibenzofuran	ND		ug/l	2.0	0.22	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.36	1
Acetophenone	ND		ug/l	5.0	0.43	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-01
 Client ID: MW-1
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.78	1
P-Chloro-M-Cresol	ND		ug/l	2.0	0.54	1
2-Chlorophenol	ND		ug/l	2.0	0.58	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.56	1
2,4-Dimethylphenol	ND		ug/l	5.0	0.58	1
2-Nitrophenol	ND		ug/l	10	1.0	1
4-Nitrophenol	ND		ug/l	10	1.1	1
2,4-Dinitrophenol	ND		ug/l	20	1.4	1
4,6-Dinitro-o-cresol	ND		ug/l	10	1.4	1
Phenol	23		ug/l	5.0	0.27	1
2-Methylphenol	ND		ug/l	5.0	0.70	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	0.72	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.75	1
Benzoic Acid	17	J	ug/l	50	1.0	1
Benzyl Alcohol	ND		ug/l	2.0	0.68	1
Carbazole	ND		ug/l	2.0	0.37	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	36		21-120
Phenol-d6	25		10-120
Nitrobenzene-d5	55		23-120
2-Fluorobiphenyl	63		15-120
2,4,6-Tribromophenol	74		10-120
4-Terphenyl-d14	81		41-149

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8270D-SIM
Analytical Date: 05/05/14 12:32
Analyst: MW

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative
Extraction Method: EPA 3510C
Extraction Date: 05/02/14 16:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	0.69		ug/l	0.20	0.06	1
2-Chloronaphthalene	ND		ug/l	0.20	0.07	1
Fluoranthene	ND		ug/l	0.20	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.07	1
Naphthalene	ND		ug/l	0.20	0.06	1
Benzo(a)anthracene	ND		ug/l	0.20	0.06	1
Benzo(a)pyrene	ND		ug/l	0.20	0.07	1
Benzo(b)fluoranthene	ND		ug/l	0.20	0.07	1
Benzo(k)fluoranthene	ND		ug/l	0.20	0.07	1
Chrysene	ND		ug/l	0.20	0.05	1
Acenaphthylene	ND		ug/l	0.20	0.05	1
Anthracene	0.10	J	ug/l	0.20	0.06	1
Benzo(ghi)perylene	ND		ug/l	0.20	0.07	1
Fluorene	0.66		ug/l	0.20	0.06	1
Phenanthrene	0.64		ug/l	0.20	0.06	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.07	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	0.08	1
Pyrene	ND		ug/l	0.20	0.06	1
2-Methylnaphthalene	2.9		ug/l	0.20	0.06	1
Pentachlorophenol	ND		ug/l	0.80	0.19	1
Hexachlorobenzene	ND		ug/l	0.80	0.01	1
Hexachloroethane	ND		ug/l	0.80	0.07	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	36		21-120
Phenol-d6	27		10-120
Nitrobenzene-d5	87		23-120
2-Fluorobiphenyl	54		15-120
2,4,6-Tribromophenol	74		10-120
4-Terphenyl-d14	55		41-149

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D
 Analytical Date: 05/07/14 20:09
 Analyst: JB

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.21	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.41	1
1,2-Dichlorobenzene	ND		ug/l	2.0	0.30	1
1,3-Dichlorobenzene	ND		ug/l	2.0	0.35	1
1,4-Dichlorobenzene	ND		ug/l	2.0	0.32	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	0.48	1
2,4-Dinitrotoluene	ND		ug/l	5.0	1.0	1
2,6-Dinitrotoluene	ND		ug/l	5.0	0.89	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.36	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.43	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.60	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.60	1
Hexachlorocyclopentadiene	ND		ug/l	20	0.58	1
Isophorone	ND		ug/l	5.0	0.79	1
Nitrobenzene	ND		ug/l	2.0	0.40	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	2.0	0.34	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.64	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	3.0	0.93	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.1	1
Di-n-butylphthalate	ND		ug/l	5.0	0.77	1
Di-n-octylphthalate	ND		ug/l	5.0	1.2	1
Diethyl phthalate	ND		ug/l	5.0	0.39	1
Dimethyl phthalate	ND		ug/l	5.0	0.33	1
Biphenyl	ND		ug/l	2.0	0.24	1
4-Chloroaniline	ND		ug/l	5.0	0.84	1
2-Nitroaniline	ND		ug/l	5.0	0.96	1
3-Nitroaniline	ND		ug/l	5.0	0.67	1
4-Nitroaniline	ND		ug/l	5.0	0.83	1
Dibenzofuran	ND		ug/l	2.0	0.22	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.36	1
Acetophenone	ND		ug/l	5.0	0.43	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.78	1
P-Chloro-M-Cresol	ND		ug/l	2.0	0.54	1
2-Chlorophenol	ND		ug/l	2.0	0.58	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.56	1
2,4-Dimethylphenol	ND		ug/l	5.0	0.58	1
2-Nitrophenol	ND		ug/l	10	1.0	1
4-Nitrophenol	ND		ug/l	10	1.1	1
2,4-Dinitrophenol	ND		ug/l	20	1.4	1
4,6-Dinitro-o-cresol	ND		ug/l	10	1.4	1
Phenol	17		ug/l	5.0	0.27	1
2-Methylphenol	ND		ug/l	5.0	0.70	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	0.72	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.75	1
Benzoic Acid	14	J	ug/l	50	1.0	1
Benzyl Alcohol	ND		ug/l	2.0	0.68	1
Carbazole	ND		ug/l	2.0	0.37	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	37		21-120
Phenol-d6	27		10-120
Nitrobenzene-d5	58		23-120
2-Fluorobiphenyl	66		15-120
2,4,6-Tribromophenol	76		10-120
4-Terphenyl-d14	81		41-149

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D-SIM
 Analytical Date: 05/05/14 13:02
 Analyst: MW

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	0.41		ug/l	0.20	0.06	1
2-Chloronaphthalene	ND		ug/l	0.20	0.07	1
Fluoranthene	ND		ug/l	0.20	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.07	1
Naphthalene	0.12	J	ug/l	0.20	0.06	1
Benzo(a)anthracene	ND		ug/l	0.20	0.06	1
Benzo(a)pyrene	ND		ug/l	0.20	0.07	1
Benzo(b)fluoranthene	ND		ug/l	0.20	0.07	1
Benzo(k)fluoranthene	ND		ug/l	0.20	0.07	1
Chrysene	ND		ug/l	0.20	0.05	1
Acenaphthylene	ND		ug/l	0.20	0.05	1
Anthracene	0.06	J	ug/l	0.20	0.06	1
Benzo(ghi)perylene	ND		ug/l	0.20	0.07	1
Fluorene	0.41		ug/l	0.20	0.06	1
Phenanthrene	0.37		ug/l	0.20	0.06	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.07	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	0.08	1
Pyrene	ND		ug/l	0.20	0.06	1
2-Methylnaphthalene	1.9		ug/l	0.20	0.06	1
Pentachlorophenol	ND		ug/l	0.80	0.19	1
Hexachlorobenzene	ND		ug/l	0.80	0.01	1
Hexachloroethane	ND		ug/l	0.80	0.07	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	36		21-120
Phenol-d6	26		10-120
Nitrobenzene-d5	87		23-120
2-Fluorobiphenyl	53		15-120
2,4,6-Tribromophenol	73		10-120
4-Terphenyl-d14	54		41-149

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D
 Analytical Date: 05/07/14 20:33
 Analyst: JB

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.21	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.41	1
1,2-Dichlorobenzene	ND		ug/l	2.0	0.30	1
1,3-Dichlorobenzene	ND		ug/l	2.0	0.35	1
1,4-Dichlorobenzene	ND		ug/l	2.0	0.32	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	0.48	1
2,4-Dinitrotoluene	ND		ug/l	5.0	1.0	1
2,6-Dinitrotoluene	ND		ug/l	5.0	0.89	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.36	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.43	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.60	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.60	1
Hexachlorocyclopentadiene	ND		ug/l	20	0.58	1
Isophorone	ND		ug/l	5.0	0.79	1
Nitrobenzene	ND		ug/l	2.0	0.40	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	2.0	0.34	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.64	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	3.0	0.93	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.1	1
Di-n-butylphthalate	1.1	J	ug/l	5.0	0.77	1
Di-n-octylphthalate	ND		ug/l	5.0	1.2	1
Diethyl phthalate	ND		ug/l	5.0	0.39	1
Dimethyl phthalate	ND		ug/l	5.0	0.33	1
Biphenyl	ND		ug/l	2.0	0.24	1
4-Chloroaniline	ND		ug/l	5.0	0.84	1
2-Nitroaniline	ND		ug/l	5.0	0.96	1
3-Nitroaniline	ND		ug/l	5.0	0.67	1
4-Nitroaniline	ND		ug/l	5.0	0.83	1
Dibenzofuran	ND		ug/l	2.0	0.22	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.36	1
Acetophenone	ND		ug/l	5.0	0.43	1

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.78	1
P-Chloro-M-Cresol	ND		ug/l	2.0	0.54	1
2-Chlorophenol	ND		ug/l	2.0	0.58	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.56	1
2,4-Dimethylphenol	ND		ug/l	5.0	0.58	1
2-Nitrophenol	ND		ug/l	10	1.0	1
4-Nitrophenol	ND		ug/l	10	1.1	1
2,4-Dinitrophenol	ND		ug/l	20	1.4	1
4,6-Dinitro-o-cresol	ND		ug/l	10	1.4	1
Phenol	ND		ug/l	5.0	0.27	1
2-Methylphenol	ND		ug/l	5.0	0.70	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	0.72	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.75	1
Benzoic Acid	5.0	J	ug/l	50	1.0	1
Benzyl Alcohol	ND		ug/l	2.0	0.68	1
Carbazole	ND		ug/l	2.0	0.37	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	33		21-120
Phenol-d6	24		10-120
Nitrobenzene-d5	54		23-120
2-Fluorobiphenyl	59		15-120
2,4,6-Tribromophenol	59		10-120
4-Terphenyl-d14	76		41-149

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D-SIM
 Analytical Date: 05/05/14 13:33
 Analyst: MW

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	0.06	1
2-Chloronaphthalene	ND		ug/l	0.20	0.07	1
Fluoranthene	ND		ug/l	0.20	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.07	1
Naphthalene	ND		ug/l	0.20	0.06	1
Benzo(a)anthracene	ND		ug/l	0.20	0.06	1
Benzo(a)pyrene	ND		ug/l	0.20	0.07	1
Benzo(b)fluoranthene	ND		ug/l	0.20	0.07	1
Benzo(k)fluoranthene	ND		ug/l	0.20	0.07	1
Chrysene	ND		ug/l	0.20	0.05	1
Acenaphthylene	ND		ug/l	0.20	0.05	1
Anthracene	ND		ug/l	0.20	0.06	1
Benzo(ghi)perylene	ND		ug/l	0.20	0.07	1
Fluorene	ND		ug/l	0.20	0.06	1
Phenanthrene	ND		ug/l	0.20	0.06	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.07	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	0.08	1
Pyrene	ND		ug/l	0.20	0.06	1
2-Methylnaphthalene	ND		ug/l	0.20	0.06	1
Pentachlorophenol	ND		ug/l	0.80	0.19	1
Hexachlorobenzene	ND		ug/l	0.80	0.01	1
Hexachloroethane	ND		ug/l	0.80	0.07	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	38		21-120
Phenol-d6	28		10-120
Nitrobenzene-d5	90		23-120
2-Fluorobiphenyl	54		15-120
2,4,6-Tribromophenol	68		10-120
4-Terphenyl-d14	56		41-149

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D
 Analytical Date: 05/07/14 20:56
 Analyst: JB

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:18

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.21	1
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.41	1
1,2-Dichlorobenzene	ND		ug/l	2.0	0.30	1
1,3-Dichlorobenzene	ND		ug/l	2.0	0.35	1
1,4-Dichlorobenzene	ND		ug/l	2.0	0.32	1
3,3'-Dichlorobenzidine	ND		ug/l	5.0	0.48	1
2,4-Dinitrotoluene	ND		ug/l	5.0	1.0	1
2,6-Dinitrotoluene	ND		ug/l	5.0	0.89	1
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.36	1
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.43	1
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.60	1
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.60	1
Hexachlorocyclopentadiene	ND		ug/l	20	0.58	1
Isophorone	ND		ug/l	5.0	0.79	1
Nitrobenzene	ND		ug/l	2.0	0.40	1
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	2.0	0.34	1
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.64	1
Bis(2-Ethylhexyl)phthalate	ND		ug/l	3.0	0.93	1
Butyl benzyl phthalate	ND		ug/l	5.0	1.1	1
Di-n-butylphthalate	ND		ug/l	5.0	0.77	1
Di-n-octylphthalate	ND		ug/l	5.0	1.2	1
Diethyl phthalate	ND		ug/l	5.0	0.39	1
Dimethyl phthalate	ND		ug/l	5.0	0.33	1
Biphenyl	ND		ug/l	2.0	0.24	1
4-Chloroaniline	ND		ug/l	5.0	0.84	1
2-Nitroaniline	ND		ug/l	5.0	0.96	1
3-Nitroaniline	ND		ug/l	5.0	0.67	1
4-Nitroaniline	ND		ug/l	5.0	0.83	1
Dibenzofuran	ND		ug/l	2.0	0.22	1
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.36	1
Acetophenone	ND		ug/l	5.0	0.43	1

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS - Westborough Lab						
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.78	1
P-Chloro-M-Cresol	ND		ug/l	2.0	0.54	1
2-Chlorophenol	ND		ug/l	2.0	0.58	1
2,4-Dichlorophenol	ND		ug/l	5.0	0.56	1
2,4-Dimethylphenol	ND		ug/l	5.0	0.58	1
2-Nitrophenol	ND		ug/l	10	1.0	1
4-Nitrophenol	ND		ug/l	10	1.1	1
2,4-Dinitrophenol	ND		ug/l	20	1.4	1
4,6-Dinitro-o-cresol	ND		ug/l	10	1.4	1
Phenol	ND		ug/l	5.0	0.27	1
2-Methylphenol	ND		ug/l	5.0	0.70	1
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	0.72	1
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.75	1
Benzoic Acid	ND		ug/l	50	1.0	1
Benzyl Alcohol	ND		ug/l	2.0	0.68	1
Carbazole	ND		ug/l	2.0	0.37	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	37		21-120
Phenol-d6	24		10-120
Nitrobenzene-d5	55		23-120
2-Fluorobiphenyl	59		15-120
2,4,6-Tribromophenol	65		10-120
4-Terphenyl-d14	77		41-149

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8270D-SIM
 Analytical Date: 05/05/14 14:03
 Analyst: MW

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 16:12

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Semivolatile Organics by GC/MS-SIM - Westborough Lab						
Acenaphthene	ND		ug/l	0.20	0.06	1
2-Chloronaphthalene	ND		ug/l	0.20	0.07	1
Fluoranthene	ND		ug/l	0.20	0.04	1
Hexachlorobutadiene	ND		ug/l	0.50	0.07	1
Naphthalene	ND		ug/l	0.20	0.06	1
Benzo(a)anthracene	ND		ug/l	0.20	0.06	1
Benzo(a)pyrene	ND		ug/l	0.20	0.07	1
Benzo(b)fluoranthene	ND		ug/l	0.20	0.07	1
Benzo(k)fluoranthene	ND		ug/l	0.20	0.07	1
Chrysene	ND		ug/l	0.20	0.05	1
Acenaphthylene	ND		ug/l	0.20	0.05	1
Anthracene	ND		ug/l	0.20	0.06	1
Benzo(ghi)perylene	ND		ug/l	0.20	0.07	1
Fluorene	ND		ug/l	0.20	0.06	1
Phenanthrene	ND		ug/l	0.20	0.06	1
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.07	1
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	0.08	1
Pyrene	ND		ug/l	0.20	0.06	1
2-Methylnaphthalene	ND		ug/l	0.20	0.06	1
Pentachlorophenol	ND		ug/l	0.80	0.19	1
Hexachlorobenzene	ND		ug/l	0.80	0.01	1
Hexachloroethane	ND		ug/l	0.80	0.07	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	34		21-120
Phenol-d6	25		10-120
Nitrobenzene-d5	80		23-120
2-Fluorobiphenyl	47		15-120
2,4,6-Tribromophenol	60		10-120
4-Terphenyl-d14	47		41-149

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D-SIM
Analytical Date: 05/05/14 10:30
Analyst: MW

Extraction Method: EPA 3510C
Extraction Date: 05/02/14 16:12

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01-03,05 Batch: WG686943-1					
Acenaphthene	ND		ug/l	0.20	0.06
2-Chloronaphthalene	ND		ug/l	0.20	0.07
Fluoranthene	ND		ug/l	0.20	0.04
Hexachlorobutadiene	ND		ug/l	0.50	0.07
Naphthalene	ND		ug/l	0.20	0.06
Benzo(a)anthracene	ND		ug/l	0.20	0.06
Benzo(a)pyrene	ND		ug/l	0.20	0.07
Benzo(b)fluoranthene	ND		ug/l	0.20	0.07
Benzo(k)fluoranthene	ND		ug/l	0.20	0.07
Chrysene	ND		ug/l	0.20	0.05
Acenaphthylene	ND		ug/l	0.20	0.05
Anthracene	ND		ug/l	0.20	0.06
Benzo(ghi)perylene	ND		ug/l	0.20	0.07
Fluorene	ND		ug/l	0.20	0.06
Phenanthrene	ND		ug/l	0.20	0.06
Dibenzo(a,h)anthracene	ND		ug/l	0.20	0.07
Indeno(1,2,3-cd)Pyrene	ND		ug/l	0.20	0.08
Pyrene	ND		ug/l	0.20	0.06
2-Methylnaphthalene	ND		ug/l	0.20	0.06
Pentachlorophenol	ND		ug/l	0.80	0.19
Hexachlorobenzene	ND		ug/l	0.80	0.01
Hexachloroethane	ND		ug/l	0.80	0.07

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D-SIM
Analytical Date: 05/05/14 10:30
Analyst: MW

Extraction Method: EPA 3510C
Extraction Date: 05/02/14 16:12

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS-SIM - Westborough Lab for sample(s): 01-03,05 Batch: WG686943-1					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	34		21-120
Phenol-d6	23		10-120
Nitrobenzene-d5	69		23-120
2-Fluorobiphenyl	46		15-120
2,4,6-Tribromophenol	59		10-120
4-Terphenyl-d14	62		41-149

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8270D
Analytical Date: 05/05/14 19:59
Analyst: JB

Extraction Method: EPA 3510C
Extraction Date: 05/02/14 16:18

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05 Batch: WG686945-1					
1,2,4-Trichlorobenzene	ND		ug/l	5.0	0.21
Bis(2-chloroethyl)ether	ND		ug/l	2.0	0.41
1,2-Dichlorobenzene	ND		ug/l	2.0	0.30
1,3-Dichlorobenzene	ND		ug/l	2.0	0.35
1,4-Dichlorobenzene	ND		ug/l	2.0	0.32
3,3'-Dichlorobenzidine	ND		ug/l	5.0	0.48
2,4-Dinitrotoluene	ND		ug/l	5.0	1.0
2,6-Dinitrotoluene	ND		ug/l	5.0	0.89
4-Chlorophenyl phenyl ether	ND		ug/l	2.0	0.36
4-Bromophenyl phenyl ether	ND		ug/l	2.0	0.43
Bis(2-chloroisopropyl)ether	ND		ug/l	2.0	0.60
Bis(2-chloroethoxy)methane	ND		ug/l	5.0	0.60
Hexachlorocyclopentadiene	ND		ug/l	20	0.58
Isophorone	ND		ug/l	5.0	0.79
Nitrobenzene	ND		ug/l	2.0	0.40
NitrosoDiPhenylAmine(NDPA)/DPA	ND		ug/l	2.0	0.34
n-Nitrosodi-n-propylamine	ND		ug/l	5.0	0.64
Bis(2-Ethylhexyl)phthalate	ND		ug/l	3.0	0.93
Butyl benzyl phthalate	ND		ug/l	5.0	1.1
Di-n-butylphthalate	ND		ug/l	5.0	0.77
Di-n-octylphthalate	ND		ug/l	5.0	1.2
Diethyl phthalate	ND		ug/l	5.0	0.39
Dimethyl phthalate	ND		ug/l	5.0	0.33
Biphenyl	ND		ug/l	2.0	0.24
4-Chloroaniline	ND		ug/l	5.0	0.84
2-Nitroaniline	ND		ug/l	5.0	0.96
3-Nitroaniline	ND		ug/l	5.0	0.67
4-Nitroaniline	ND		ug/l	5.0	0.83
Dibenzofuran	ND		ug/l	2.0	0.22
1,2,4,5-Tetrachlorobenzene	ND		ug/l	10	0.36
Acetophenone	ND		ug/l	5.0	0.43

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8270D
Analytical Date: 05/05/14 19:59
Analyst: JB

Extraction Method: EPA 3510C
Extraction Date: 05/02/14 16:18

Parameter	Result	Qualifier	Units	RL	MDL
Semivolatile Organics by GC/MS - Westborough Lab for sample(s): 01-03,05 Batch: WG686945-1					
2,4,6-Trichlorophenol	ND		ug/l	5.0	0.78
P-Chloro-M-Cresol	ND		ug/l	2.0	0.54
2-Chlorophenol	ND		ug/l	2.0	0.58
2,4-Dichlorophenol	ND		ug/l	5.0	0.56
2,4-Dimethylphenol	ND		ug/l	5.0	0.58
2-Nitrophenol	ND		ug/l	10	1.0
4-Nitrophenol	ND		ug/l	10	1.1
2,4-Dinitrophenol	ND		ug/l	20	1.4
4,6-Dinitro-o-cresol	ND		ug/l	10	1.4
Phenol	ND		ug/l	5.0	0.27
2-Methylphenol	ND		ug/l	5.0	0.70
3-Methylphenol/4-Methylphenol	ND		ug/l	5.0	0.72
2,4,5-Trichlorophenol	ND		ug/l	5.0	0.75
Benzoic Acid	ND		ug/l	50	1.0
Benzyl Alcohol	ND		ug/l	2.0	0.68
Carbazole	ND		ug/l	2.0	0.37

Surrogate	%Recovery	Qualifier	Acceptance Criteria
2-Fluorophenol	29		21-120
Phenol-d6	18		10-120
Nitrobenzene-d5	46		23-120
2-Fluorobiphenyl	49		15-120
2,4,6-Tribromophenol	57		10-120
4-Terphenyl-d14	75		41-149

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686943-2 WG686943-3								
Acenaphthene	60		55		37-111	9		40
2-Chloronaphthalene	62		57		40-140	8		40
Fluoranthene	78		71		40-140	9		40
Hexachlorobutadiene	52		47		40-140	10		40
Naphthalene	59		54		40-140	9		40
Benzo(a)anthracene	83		77		40-140	8		40
Benzo(a)pyrene	72		66		40-140	9		40
Benzo(b)fluoranthene	74		68		40-140	8		40
Benzo(k)fluoranthene	71		63		40-140	12		40
Chrysene	74		69		40-140	7		40
Acenaphthylene	70		64		40-140	9		40
Anthracene	68		63		40-140	8		40
Benzo(ghi)perylene	69		62		40-140	11		40
Fluorene	65		60		40-140	8		40
Phenanthrene	65		60		40-140	8		40
Dibenzo(a,h)anthracene	76		70		40-140	8		40
Indeno(1,2,3-cd)Pyrene	68		62		40-140	9		40
Pyrene	78		71		26-127	9		40
2-Methylnaphthalene	63		59		40-140	7		40
Pentachlorophenol	90		80		9-103	12		40
Hexachlorobenzene	73		67		40-140	9		40

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS-SIM - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686943-2 WG686943-3								
Hexachloroethane	58		54		40-140	7		40

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	41		36		21-120
Phenol-d6	29		27		10-120
Nitrobenzene-d5	82		75		23-120
2-Fluorobiphenyl	56		49		15-120
2,4,6-Tribromophenol	82		72		10-120
4-Terphenyl-d14	73		66		41-149

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686945-2 WG686945-3								
1,2,4-Trichlorobenzene	43		49		39-98	13		30
Bis(2-chloroethyl)ether	43		44		40-140	2		30
1,2-Dichlorobenzene	42		45		40-140	7		30
1,3-Dichlorobenzene	40		43		40-140	7		30
1,4-Dichlorobenzene	39		44		36-97	12		30
3,3'-Dichlorobenzidine	56		54		40-140	4		30
2,4-Dinitrotoluene	70		69		24-96	1		30
2,6-Dinitrotoluene	71		70		40-140	1		30
4-Chlorophenyl phenyl ether	67		66		40-140	2		30
4-Bromophenyl phenyl ether	72		74		40-140	3		30
Bis(2-chloroisopropyl)ether	43		47		40-140	9		30
Bis(2-chloroethoxy)methane	50		48		40-140	4		30
Hexachlorocyclopentadiene	42		46		40-140	9		30
Isophorone	55		54		40-140	2		30
Nitrobenzene	51		52		40-140	2		30
NitrosoDiPhenylAmine(NDPA)/DPA	71		66		40-140	7		30
n-Nitrosodi-n-propylamine	50		52		29-132	4		30
Bis(2-Ethylhexyl)phthalate	65		68		40-140	5		30
Butyl benzyl phthalate	68		68		40-140	0		30
Di-n-butylphthalate	69		72		40-140	4		30
Di-n-octylphthalate	67		68		40-140	1		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686945-2 WG686945-3								
Diethyl phthalate	69		67		40-140	3		30
Dimethyl phthalate	64		67		40-140	5		30
Biphenyl	57		58			2		30
4-Chloroaniline	39	Q	38	Q	40-140	3		30
2-Nitroaniline	66		67		52-143	2		30
3-Nitroaniline	51		52		25-145	2		30
4-Nitroaniline	67		64		51-143	5		30
Dibenzofuran	65		65		40-140	0		30
1,2,4,5-Tetrachlorobenzene	52		54		2-134	4		30
Acetophenone	54		55		39-129	2		30
2,4,6-Trichlorophenol	70		63		30-130	11		30
P-Chloro-M-Cresol	60		58		23-97	3		30
2-Chlorophenol	50		51		27-123	2		30
2,4-Dichlorophenol	61		63		30-130	3		30
2,4-Dimethylphenol	53		45		30-130	16		30
2-Nitrophenol	53		56		30-130	6		30
4-Nitrophenol	40		39		10-80	3		30
2,4-Dinitrophenol	49		51		20-130	4		30
4,6-Dinitro-o-cresol	70		65		20-164	7		30
Phenol	21		22		12-110	5		30
2-Methylphenol	48		48		30-130	0		30

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Semivolatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686945-2 WG686945-3								
3-Methylphenol/4-Methylphenol	48		45		30-130	6		30
2,4,5-Trichlorophenol	72		68		30-130	6		30
Benzoic Acid	23		18			24		30
Benzyl Alcohol	44		42			5		30
Carbazole	70		73		55-144	4		30

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
2-Fluorophenol	33		34		21-120
Phenol-d6	22		23		10-120
Nitrobenzene-d5	51		52		23-120
2-Fluorobiphenyl	62		60		15-120
2,4,6-Tribromophenol	78		78		10-120
4-Terphenyl-d14	70		73		41-149

PCBS

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8082A
Analytical Date: 05/03/14 17:50
Analyst: TQ

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative
Extraction Method: EPA 3510C
Extraction Date: 05/02/14 19:07
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/03/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/03/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.083	0.055	1	A
Aroclor 1221	ND		ug/l	0.083	0.053	1	A
Aroclor 1232	ND		ug/l	0.083	0.031	1	A
Aroclor 1242	ND		ug/l	0.083	0.060	1	A
Aroclor 1248	ND		ug/l	0.083	0.051	1	A
Aroclor 1254	ND		ug/l	0.083	0.034	1	A
Aroclor 1260	ND		ug/l	0.083	0.032	1	A
Aroclor 1262	ND		ug/l	0.083	0.029	1	A
Aroclor 1268	ND		ug/l	0.083	0.038	1	A
PCBs, Total	ND		ug/l	0.083	0.029	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	95		30-150	B
Decachlorobiphenyl	90		30-150	B
2,4,5,6-Tetrachloro-m-xylene	79		30-150	A
Decachlorobiphenyl	78		30-150	A

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8082A
 Analytical Date: 05/03/14 18:02
 Analyst: TQ

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 19:07
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/03/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/03/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.083	0.055	1	A
Aroclor 1221	ND		ug/l	0.083	0.053	1	A
Aroclor 1232	ND		ug/l	0.083	0.031	1	A
Aroclor 1242	ND		ug/l	0.083	0.060	1	A
Aroclor 1248	ND		ug/l	0.083	0.051	1	A
Aroclor 1254	ND		ug/l	0.083	0.034	1	A
Aroclor 1260	ND		ug/l	0.083	0.032	1	A
Aroclor 1262	ND		ug/l	0.083	0.029	1	A
Aroclor 1268	ND		ug/l	0.083	0.038	1	A
PCBs, Total	ND		ug/l	0.083	0.029	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	90		30-150	B
Decachlorobiphenyl	76		30-150	B
2,4,5,6-Tetrachloro-m-xylene	76		30-150	A
Decachlorobiphenyl	70		30-150	A

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-03
Client ID: MW-3
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8082A
Analytical Date: 05/03/14 18:15
Analyst: TQ

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative
Extraction Method: EPA 3510C
Extraction Date: 05/02/14 19:07
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/03/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/03/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.083	0.055	1	A
Aroclor 1221	ND		ug/l	0.083	0.053	1	A
Aroclor 1232	ND		ug/l	0.083	0.031	1	A
Aroclor 1242	ND		ug/l	0.083	0.060	1	A
Aroclor 1248	ND		ug/l	0.083	0.051	1	A
Aroclor 1254	ND		ug/l	0.083	0.034	1	A
Aroclor 1260	ND		ug/l	0.083	0.032	1	A
Aroclor 1262	ND		ug/l	0.083	0.029	1	A
Aroclor 1268	ND		ug/l	0.083	0.038	1	A
PCBs, Total	ND		ug/l	0.083	0.029	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	78		30-150	B
Decachlorobiphenyl	50		30-150	B
2,4,5,6-Tetrachloro-m-xylene	73		30-150	A
Decachlorobiphenyl	47		30-150	A

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8082A
 Analytical Date: 05/03/14 18:27
 Analyst: TQ

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/02/14 19:07
 Cleanup Method1: EPA 3665A
 Cleanup Date1: 05/03/14
 Cleanup Method2: EPA 3660B
 Cleanup Date2: 05/03/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Polychlorinated Biphenyls by GC - Westborough Lab							
Aroclor 1016	ND		ug/l	0.083	0.055	1	A
Aroclor 1221	ND		ug/l	0.083	0.053	1	A
Aroclor 1232	ND		ug/l	0.083	0.031	1	A
Aroclor 1242	ND		ug/l	0.083	0.060	1	A
Aroclor 1248	ND		ug/l	0.083	0.051	1	A
Aroclor 1254	ND		ug/l	0.083	0.034	1	A
Aroclor 1260	ND		ug/l	0.083	0.032	1	A
Aroclor 1262	ND		ug/l	0.083	0.029	1	A
Aroclor 1268	ND		ug/l	0.083	0.038	1	A
PCBs, Total	ND		ug/l	0.083	0.029	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	91		30-150	B
Decachlorobiphenyl	78		30-150	B
2,4,5,6-Tetrachloro-m-xylene	86		30-150	A
Decachlorobiphenyl	70		30-150	A

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

**Method Blank Analysis
Batch Quality Control**

Analytical Method: 1,8082A
Analytical Date: 05/03/14 18:39
Analyst: TQ

Extraction Method: EPA 3510C
Extraction Date: 05/02/14 19:07
Cleanup Method1: EPA 3665A
Cleanup Date1: 05/03/14
Cleanup Method2: EPA 3660B
Cleanup Date2: 05/03/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Polychlorinated Biphenyls by GC - Westborough Lab for sample(s): 01-03,05 Batch: WG686977-1						
Aroclor 1016	ND		ug/l	0.083	0.055	A
Aroclor 1221	ND		ug/l	0.083	0.053	A
Aroclor 1232	ND		ug/l	0.083	0.031	A
Aroclor 1242	ND		ug/l	0.083	0.060	A
Aroclor 1248	ND		ug/l	0.083	0.051	A
Aroclor 1254	ND		ug/l	0.083	0.034	A
Aroclor 1260	ND		ug/l	0.083	0.032	A
Aroclor 1262	ND		ug/l	0.083	0.029	A
Aroclor 1268	ND		ug/l	0.083	0.038	A
PCBs, Total	ND		ug/l	0.083	0.029	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	81		30-150	A
2,4,5,6-Tetrachloro-m-xylene	86		30-150	B
Decachlorobiphenyl	86		30-150	B
Decachlorobiphenyl	80		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Polychlorinated Biphenyls by GC - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686977-2 WG686977-3									
Aroclor 1016	88		94		40-140	7		50	A
Aroclor 1260	65		71		40-140	8		50	A

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	84		91		30-150	B
Decachlorobiphenyl	86		93		30-150	B
2,4,5,6-Tetrachloro-m-xylene	78		82		30-150	A
Decachlorobiphenyl	79		83		30-150	A

PESTICIDES

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8081B
Analytical Date: 05/05/14 16:49
Analyst: GP

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative
Extraction Method: EPA 3510C
Extraction Date: 05/03/14 03:08
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/l	0.020	0.005	1	A
Lindane	ND		ug/l	0.020	0.004	1	A
Alpha-BHC	ND		ug/l	0.020	0.004	1	A
Beta-BHC	ND		ug/l	0.020	0.006	1	A
Heptachlor	ND		ug/l	0.020	0.003	1	A
Aldrin	ND		ug/l	0.020	0.002	1	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	1	A
Endrin	ND		ug/l	0.040	0.004	1	A
Endrin ketone	ND		ug/l	0.040	0.005	1	A
Dieldrin	ND		ug/l	0.040	0.004	1	A
4,4'-DDE	ND		ug/l	0.040	0.004	1	A
4,4'-DDD	ND		ug/l	0.040	0.005	1	A
4,4'-DDT	ND		ug/l	0.040	0.004	1	A
Endosulfan I	ND		ug/l	0.020	0.003	1	A
Endosulfan II	ND		ug/l	0.040	0.005	1	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	1	A
Methoxychlor	ND		ug/l	0.200	0.007	1	A
Toxaphene	ND		ug/l	0.200	0.063	1	A
cis-Chlordane	ND		ug/l	0.020	0.007	1	A
trans-Chlordane	ND		ug/l	0.020	0.006	1	A
Chlordane	ND		ug/l	0.200	0.046	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	83		30-150	A
Decachlorobiphenyl	39		30-150	A
2,4,5,6-Tetrachloro-m-xylene	76		30-150	B
Decachlorobiphenyl	41		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-02
Client ID: MW-2
Sample Location: MANHATTAN, NY
Matrix: Water
Analytical Method: 1,8081B
Analytical Date: 05/05/14 17:03
Analyst: GP

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative
Extraction Method: EPA 3510C
Extraction Date: 05/03/14 03:08
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/l	0.020	0.005	1	A
Lindane	ND		ug/l	0.020	0.004	1	A
Alpha-BHC	ND		ug/l	0.020	0.004	1	A
Beta-BHC	ND		ug/l	0.020	0.006	1	A
Heptachlor	ND		ug/l	0.020	0.003	1	A
Aldrin	ND		ug/l	0.020	0.002	1	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	1	A
Endrin	ND		ug/l	0.040	0.004	1	A
Endrin ketone	ND		ug/l	0.040	0.005	1	A
Dieldrin	ND		ug/l	0.040	0.004	1	A
4,4'-DDE	ND		ug/l	0.040	0.004	1	A
4,4'-DDD	ND		ug/l	0.040	0.005	1	A
4,4'-DDT	ND		ug/l	0.040	0.004	1	A
Endosulfan I	ND		ug/l	0.020	0.003	1	A
Endosulfan II	ND		ug/l	0.040	0.005	1	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	1	A
Methoxychlor	ND		ug/l	0.200	0.007	1	A
Toxaphene	ND		ug/l	0.200	0.063	1	A
cis-Chlordane	ND		ug/l	0.020	0.007	1	A
trans-Chlordane	ND		ug/l	0.020	0.006	1	A
Chlordane	ND		ug/l	0.200	0.046	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	86		30-150	A
Decachlorobiphenyl	32		30-150	A
2,4,5,6-Tetrachloro-m-xylene	77		30-150	B
Decachlorobiphenyl	30		30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8081B
 Analytical Date: 05/06/14 14:15
 Analyst: GP

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/03/14 03:08
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/l	0.020	0.005	1	A
Lindane	ND		ug/l	0.020	0.004	1	A
Alpha-BHC	ND		ug/l	0.020	0.004	1	A
Beta-BHC	ND		ug/l	0.020	0.006	1	A
Heptachlor	ND		ug/l	0.020	0.003	1	A
Aldrin	ND		ug/l	0.020	0.002	1	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	1	A
Endrin	ND		ug/l	0.040	0.004	1	A
Endrin ketone	ND		ug/l	0.040	0.005	1	A
Dieldrin	ND		ug/l	0.040	0.004	1	A
4,4'-DDE	ND		ug/l	0.040	0.004	1	A
4,4'-DDD	ND		ug/l	0.040	0.005	1	A
4,4'-DDT	ND		ug/l	0.040	0.004	1	A
Endosulfan I	ND		ug/l	0.020	0.003	1	A
Endosulfan II	ND		ug/l	0.040	0.005	1	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	1	A
Methoxychlor	ND		ug/l	0.200	0.007	1	A
Toxaphene	ND		ug/l	0.200	0.063	1	A
cis-Chlordane	ND		ug/l	0.020	0.007	1	A
trans-Chlordane	ND		ug/l	0.020	0.006	1	A
Chlordane	ND		ug/l	0.200	0.046	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	53		30-150	A
Decachlorobiphenyl	33		30-150	A
2,4,5,6-Tetrachloro-m-xylene	46		30-150	B
Decachlorobiphenyl	22	Q	30-150	B

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water
 Analytical Method: 1,8081B
 Analytical Date: 05/05/14 17:30
 Analyst: GP

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 Extraction Method: EPA 3510C
 Extraction Date: 05/03/14 03:08
 Cleanup Method1: EPA 3620B
 Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Column
Organochlorine Pesticides by GC - Westborough Lab							
Delta-BHC	ND		ug/l	0.020	0.005	1	A
Lindane	ND		ug/l	0.020	0.004	1	A
Alpha-BHC	ND		ug/l	0.020	0.004	1	A
Beta-BHC	ND		ug/l	0.020	0.006	1	A
Heptachlor	ND		ug/l	0.020	0.003	1	A
Aldrin	ND		ug/l	0.020	0.002	1	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	1	A
Endrin	ND		ug/l	0.040	0.004	1	A
Endrin ketone	ND		ug/l	0.040	0.005	1	A
Dieldrin	ND		ug/l	0.040	0.004	1	A
4,4'-DDE	ND		ug/l	0.040	0.004	1	A
4,4'-DDD	ND		ug/l	0.040	0.005	1	A
4,4'-DDT	ND		ug/l	0.040	0.004	1	A
Endosulfan I	ND		ug/l	0.020	0.003	1	A
Endosulfan II	ND		ug/l	0.040	0.005	1	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	1	A
Methoxychlor	ND		ug/l	0.200	0.007	1	A
Toxaphene	ND		ug/l	0.200	0.063	1	A
cis-Chlordane	ND		ug/l	0.020	0.007	1	A
trans-Chlordane	ND		ug/l	0.020	0.006	1	A
Chlordane	ND		ug/l	0.200	0.046	1	A

Surrogate	% Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	64		30-150	A
Decachlorobiphenyl	44		30-150	A
2,4,5,6-Tetrachloro-m-xylene	63		30-150	B
Decachlorobiphenyl	47		30-150	B

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Analytical Method: 1,8081B
Analytical Date: 05/05/14 16:09
Analyst: GP

Extraction Method: EPA 3510C
Extraction Date: 05/03/14 03:08
Cleanup Method1: EPA 3620B
Cleanup Date1: 05/05/14

Parameter	Result	Qualifier	Units	RL	MDL	Column
Organochlorine Pesticides by GC - Westborough Lab for sample(s): 01-03,05 Batch: WG687038-1						
Delta-BHC	ND		ug/l	0.020	0.005	A
Lindane	ND		ug/l	0.020	0.004	A
Alpha-BHC	ND		ug/l	0.020	0.004	A
Beta-BHC	ND		ug/l	0.020	0.006	A
Heptachlor	ND		ug/l	0.020	0.003	A
Aldrin	ND		ug/l	0.020	0.002	A
Heptachlor epoxide	ND		ug/l	0.020	0.004	A
Endrin	ND		ug/l	0.040	0.004	A
Endrin ketone	ND		ug/l	0.040	0.005	A
Dieldrin	ND		ug/l	0.040	0.004	A
4,4'-DDE	ND		ug/l	0.040	0.004	A
4,4'-DDD	ND		ug/l	0.040	0.005	A
4,4'-DDT	ND		ug/l	0.040	0.004	A
Endosulfan I	ND		ug/l	0.020	0.003	A
Endosulfan II	ND		ug/l	0.040	0.005	A
Endosulfan sulfate	ND		ug/l	0.040	0.005	A
Methoxychlor	ND		ug/l	0.200	0.007	A
Toxaphene	ND		ug/l	0.200	0.063	A
cis-Chlordane	ND		ug/l	0.020	0.007	A
trans-Chlordane	ND		ug/l	0.020	0.006	A
Chlordane	ND		ug/l	0.200	0.046	A

Surrogate	%Recovery	Qualifier	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	72		30-150	A
2,4,5,6-Tetrachloro-m-xylene	68		30-150	B
Decachlorobiphenyl	75		30-150	B
Decachlorobiphenyl	71		30-150	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits	Column
Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-03,05 Batch: WG687038-2 WG687038-3									
Delta-BHC	83		82		30-150	1		20	A
Lindane	85		84		30-150	1		20	A
Alpha-BHC	93		92		30-150	1		20	A
Beta-BHC	76		74		30-150	2		20	A
Heptachlor	68		66		30-150	3		20	A
Aldrin	76		69		30-150	10		20	A
Heptachlor epoxide	87		86		30-150	1		20	A
Endrin	92		87		30-150	6		20	A
Endrin ketone	70		74		30-150	6		20	A
Dieldrin	91		90		30-150	1		20	A
4,4'-DDE	90		88		30-150	2		20	A
4,4'-DDD	86		88		30-150	2		20	A
4,4'-DDT	78		80		30-150	2		20	A
Endosulfan I	91		90		30-150	1		20	A
Endosulfan II	89		90		30-150	1		20	A
Endosulfan sulfate	79		79		30-150	1		20	A
Methoxychlor	65		66		30-150	2		20	A
cis-Chlordane	86		84		30-150	2		20	A
trans-Chlordane	82		80		30-150	2		20	A

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
-----------	------------------	------	-------------------	------	---------------------	-----	------	---------------

Organochlorine Pesticides by GC - Westborough Lab Associated sample(s): 01-03,05 Batch: WG687038-2 WG687038-3

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria	Column
2,4,5,6-Tetrachloro-m-xylene	68		65		30-150	A
Decachlorobiphenyl	79		81		30-150	A
2,4,5,6-Tetrachloro-m-xylene	69		66		30-150	B
Decachlorobiphenyl	86		91		30-150	B

METALS

Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-01

Date Collected: 04/30/14 00:00

Client ID: MW-1

Date Received: 05/01/14

Sample Location: MANHATTAN, NY

Field Prep: See Narrative

Matrix: Water

TCLP/SPLP Ext. Date: 05/02/14 08:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/06/14 09:09	05/06/14 15:41	EPA 3015	1,6010C	JH



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	1.30		mg/l	0.200	0.0400	20	05/02/14 08:38	05/02/14 12:30	EPA 3005A	1,6020A	KL
Antimony, Total	0.00114	J	mg/l	0.00200	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Arsenic, Total	0.00264		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Barium, Total	0.7466		mg/l	0.01000	0.00200	20	05/02/14 08:38	05/02/14 12:30	EPA 3005A	1,6020A	KL
Beryllium, Total	0.00011	J	mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Calcium, Total	196.		mg/l	2.00	0.640	20	05/02/14 08:38	05/02/14 12:30	EPA 3005A	1,6020A	KL
Chromium, Total	0.00476		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Cobalt, Total	0.00106		mg/l	0.00020	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Copper, Total	0.00235		mg/l	0.00100	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Iron, Total	11.6		mg/l	0.0500	0.0130	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Lead, Total	0.00270		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Magnesium, Total	24.5		mg/l	1.40	0.0486	20	05/02/14 08:38	05/02/14 12:30	EPA 3005A	1,6020A	KL
Manganese, Total	7.122		mg/l	0.05000	0.01000	100	05/02/14 08:38	05/02/14 13:24	EPA 3005A	1,6020A	KL
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/03/14 08:45	05/03/14 12:39	EPA 7470A	1,7470A	AK
Nickel, Total	0.01076		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Potassium, Total	33.3		mg/l	0.100	0.0270	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Selenium, Total	ND		mg/l	0.00500	0.00030	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Silver, Total	ND		mg/l	0.00040	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Sodium, Total	387.		mg/l	2.00	0.300	20	05/02/14 08:38	05/02/14 12:30	EPA 3005A	1,6020A	KL
Thallium, Total	ND		mg/l	0.00050	0.00003	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Vanadium, Total	0.00453	J	mg/l	0.00500	0.00010	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Zinc, Total	0.00787	J	mg/l	0.01000	0.00120	1	05/02/14 08:38	05/02/14 12:34	EPA 3005A	1,6020A	KL
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	1.55		mg/l	0.200	0.0400	20	05/02/14 10:31	05/02/14 14:49	EPA 3005A	1,6020A	KL
Antimony, Dissolved	0.00092	J	mg/l	0.00200	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Arsenic, Dissolved	0.00250		mg/l	0.00050	0.00020	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Barium, Dissolved	1.357		mg/l	0.01000	0.00200	20	05/02/14 10:31	05/02/14 14:49	EPA 3005A	1,6020A	KL
Beryllium, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Cadmium, Dissolved	ND		mg/l	0.00020	0.00005	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	356.		mg/l	10.0	3.20	100	05/02/14 10:31	05/02/14 15:57	EPA 3005A	1,6020A	KL
Chromium, Dissolved	0.00370		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Cobalt, Dissolved	0.00075		mg/l	0.00020	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Copper, Dissolved	0.00171		mg/l	0.00100	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Iron, Dissolved	11.4		mg/l	0.0500	0.0130	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Lead, Dissolved	0.00258		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Magnesium, Dissolved	104.		mg/l	1.40	0.460	20	05/02/14 10:31	05/02/14 14:49	EPA 3005A	1,6020A	KL
Manganese, Dissolved	13.03		mg/l	0.05000	0.01000	100	05/02/14 10:31	05/02/14 15:57	EPA 3005A	1,6020A	KL
Mercury, Dissolved	ND		mg/l	0.00020	0.00006	1	05/03/14 09:46	05/03/14 14:01	EPA 7470A	1,7470A	AK
Nickel, Dissolved	0.00864		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Potassium, Dissolved	33.3		mg/l	0.100	0.0270	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Selenium, Dissolved	ND		mg/l	0.00500	0.00030	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Silver, Dissolved	ND		mg/l	0.00040	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Sodium, Dissolved	717.		mg/l	2.00	0.300	20	05/02/14 10:31	05/02/14 14:49	EPA 3005A	1,6020A	KL
Thallium, Dissolved	ND		mg/l	0.00050	0.00003	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Vanadium, Dissolved	0.00362	J	mg/l	0.00500	0.00010	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL
Zinc, Dissolved	0.00642	J	mg/l	0.01000	0.00120	1	05/02/14 10:31	05/02/14 14:52	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-02

Date Collected: 04/30/14 00:00

Client ID: MW-2

Date Received: 05/01/14

Sample Location: MANHATTAN, NY

Field Prep: See Narrative

Matrix: Water

TCLP/SPLP Ext. Date: 05/02/14 08:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/06/14 09:09	05/06/14 17:15	EPA 3015	1,6010C	JH



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-02
 Client ID: MW-2
 Sample Location: MANHATTAN, NY
 Matrix: Water

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	34.4		mg/l	1.00	0.200	100	05/02/14 08:38	05/02/14 14:09	EPA 3005A	1,6020A	KL
Antimony, Total	0.00056	J	mg/l	0.00200	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Arsenic, Total	0.01626		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Barium, Total	0.8658		mg/l	0.01000	0.00200	20	05/02/14 08:38	05/02/14 12:59	EPA 3005A	1,6020A	KL
Beryllium, Total	0.00245		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Cadmium, Total	0.00009	J	mg/l	0.00020	0.00005	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Calcium, Total	164.		mg/l	2.00	0.640	20	05/02/14 08:38	05/02/14 12:59	EPA 3005A	1,6020A	KL
Chromium, Total	0.07219		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Cobalt, Total	0.02881		mg/l	0.00020	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Copper, Total	0.05501		mg/l	0.00100	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Iron, Total	81.4		mg/l	1.00	0.260	20	05/02/14 08:38	05/02/14 12:59	EPA 3005A	1,6020A	KL
Lead, Total	0.05307		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Magnesium, Total	48.0		mg/l	0.0700	0.00243	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Manganese, Total	6.315		mg/l	0.05000	0.01000	100	05/02/14 08:38	05/02/14 14:09	EPA 3005A	1,6020A	KL
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/03/14 08:45	05/03/14 12:41	EPA 7470A	1,7470A	AK
Nickel, Total	0.04331		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Potassium, Total	25.3		mg/l	0.100	0.0270	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Selenium, Total	0.00441	J	mg/l	0.00500	0.00030	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Silver, Total	ND		mg/l	0.00040	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Sodium, Total	297.		mg/l	2.00	0.300	20	05/02/14 08:38	05/02/14 12:59	EPA 3005A	1,6020A	KL
Thallium, Total	0.00017	J	mg/l	0.00050	0.00003	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Vanadium, Total	0.09905		mg/l	0.00500	0.00010	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL
Zinc, Total	0.1227		mg/l	0.01000	0.00120	1	05/02/14 08:38	05/02/14 13:03	EPA 3005A	1,6020A	KL

Dissolved Metals - Westborough Lab

Aluminum, Dissolved	28.8		mg/l	1.00	0.200	100	05/02/14 10:31	05/02/14 16:01	EPA 3005A	1,6020A	KL
Antimony, Dissolved	0.00050	J	mg/l	0.00200	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Arsenic, Dissolved	0.00976		mg/l	0.00050	0.00020	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Barium, Dissolved	1.381		mg/l	0.01000	0.00200	20	05/02/14 10:31	05/02/14 14:56	EPA 3005A	1,6020A	KL
Beryllium, Dissolved	0.00118		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Cadmium, Dissolved	0.00005	J	mg/l	0.00020	0.00005	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-02
Client ID: MW-2
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	299.		mg/l	10.0	3.20	100	05/02/14 10:31	05/02/14 16:01	EPA 3005A	1,6020A	KL
Chromium, Dissolved	0.03529		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Cobalt, Dissolved	0.01293		mg/l	0.00020	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Copper, Dissolved	0.03402		mg/l	0.00100	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Iron, Dissolved	33.0		mg/l	0.0500	0.0130	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Lead, Dissolved	0.02658		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Magnesium, Dissolved	47.9		mg/l	0.0700	0.0230	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Manganese, Dissolved	11.86		mg/l	0.05000	0.01000	100	05/02/14 10:31	05/02/14 16:01	EPA 3005A	1,6020A	KL
Mercury, Dissolved	ND		mg/l	0.00020	0.00006	1	05/03/14 09:46	05/03/14 14:06	EPA 7470A	1,7470A	AK
Nickel, Dissolved	0.02152		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Potassium, Dissolved	27.0		mg/l	0.100	0.0270	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Selenium, Dissolved	0.00200	J	mg/l	0.00500	0.00030	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Silver, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Sodium, Dissolved	606.		mg/l	2.00	0.300	20	05/02/14 10:31	05/02/14 14:56	EPA 3005A	1,6020A	KL
Thallium, Dissolved	0.00009	J	mg/l	0.00040	0.00003	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Vanadium, Dissolved	0.04644		mg/l	0.00500	0.00010	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL
Zinc, Dissolved	0.05905		mg/l	0.01000	0.00120	1	05/02/14 10:31	05/02/14 15:07	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET**Lab Number:** L1409224**Project Number:** 140099**Report Date:** 05/13/14**SAMPLE RESULTS**

Lab ID: L1409224-03

Date Collected: 04/30/14 00:00

Client ID: MW-3

Date Received: 05/01/14

Sample Location: MANHATTAN, NY

Field Prep: See Narrative

Matrix: Water

TCLP/SPLP Ext. Date: 05/02/14 08:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/06/14 09:09	05/06/14 17:54	EPA 3015	1,6010C	JH



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-03
Client ID: MW-3
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	1.44		mg/l	0.200	0.0400	20	05/02/14 08:38	05/02/14 13:07	EPA 3005A	1,6020A	KL
Antimony, Total	0.00060	J	mg/l	0.00200	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Arsenic, Total	0.00103		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Barium, Total	0.2582		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Beryllium, Total	0.00016	J	mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Calcium, Total	205.		mg/l	2.00	0.640	20	05/02/14 08:38	05/02/14 13:07	EPA 3005A	1,6020A	KL
Chromium, Total	0.00580		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Cobalt, Total	0.00184		mg/l	0.00020	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Copper, Total	0.00335		mg/l	0.00100	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Iron, Total	13.8		mg/l	0.0500	0.0130	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Lead, Total	0.00676		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Magnesium, Total	106.		mg/l	1.40	0.0486	20	05/02/14 08:38	05/02/14 13:07	EPA 3005A	1,6020A	KL
Manganese, Total	6.182		mg/l	0.05000	0.01000	100	05/02/14 08:38	05/02/14 14:13	EPA 3005A	1,6020A	KL
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/03/14 08:45	05/03/14 12:43	EPA 7470A	1,7470A	AK
Nickel, Total	0.01084		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Potassium, Total	41.1		mg/l	2.00	0.540	20	05/02/14 08:38	05/02/14 13:07	EPA 3005A	1,6020A	KL
Selenium, Total	0.00048	J	mg/l	0.00500	0.00030	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Silver, Total	ND		mg/l	0.00040	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Sodium, Total	513.		mg/l	2.00	0.300	20	05/02/14 08:38	05/02/14 13:07	EPA 3005A	1,6020A	KL
Thallium, Total	ND		mg/l	0.00050	0.00003	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Vanadium, Total	0.00573		mg/l	0.00500	0.00010	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Zinc, Total	0.01364		mg/l	0.01000	0.00120	1	05/02/14 08:38	05/02/14 13:10	EPA 3005A	1,6020A	KL
Dissolved Metals - Westborough Lab											
Aluminum, Dissolved	6.73		mg/l	0.200	0.0400	20	05/02/14 10:31	05/02/14 15:18	EPA 3005A	1,6020A	KL
Antimony, Dissolved	0.00138	J	mg/l	0.00200	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Arsenic, Dissolved	0.00194		mg/l	0.00050	0.00020	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Barium, Dissolved	0.3162		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Beryllium, Dissolved	0.00058		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Cadmium, Dissolved	ND		mg/l	0.00020	0.00005	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-03
Client ID: MW-3
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	489.		mg/l	10.0	3.20	100	05/02/14 10:31	05/02/14 16:05	EPA 3005A	1,6020A	KL
Chromium, Dissolved	0.01539		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Cobalt, Dissolved	0.00397		mg/l	0.00020	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Copper, Dissolved	0.00960		mg/l	0.00100	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Iron, Dissolved	19.7		mg/l	0.0500	0.0130	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Lead, Dissolved	0.01484		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Magnesium, Dissolved	204.		mg/l	1.40	0.460	20	05/02/14 10:31	05/02/14 15:18	EPA 3005A	1,6020A	KL
Manganese, Dissolved	13.64		mg/l	0.05000	0.01000	100	05/02/14 10:31	05/02/14 16:05	EPA 3005A	1,6020A	KL
Mercury, Dissolved	ND		mg/l	0.00020	0.00006	1	05/03/14 09:46	05/03/14 14:08	EPA 7470A	1,7470A	AK
Nickel, Dissolved	0.02228		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Potassium, Dissolved	127.		mg/l	2.00	0.540	20	05/02/14 10:31	05/02/14 15:18	EPA 3005A	1,6020A	KL
Selenium, Dissolved	0.00098	J	mg/l	0.00500	0.00030	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Silver, Dissolved	ND		mg/l	0.00040	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Sodium, Dissolved	1120		mg/l	10.0	1.50	100	05/02/14 10:31	05/02/14 16:05	EPA 3005A	1,6020A	KL
Thallium, Dissolved	0.00003	J	mg/l	0.00050	0.00003	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Vanadium, Dissolved	0.01951		mg/l	0.00500	0.00010	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL
Zinc, Dissolved	0.02238		mg/l	0.01000	0.00120	1	05/02/14 10:31	05/02/14 15:21	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative
 TCLP/SPLP Ext. Date: 05/02/14 08:51

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab											
Lead, TCLP	ND		mg/l	0.50	0.02	1	05/06/14 09:09	05/06/14 17:26	EPA 3015	1,6010C	JH



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Westborough Lab											
Aluminum, Total	ND		mg/l	0.0100	0.00200	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Antimony, Total	0.00047	J	mg/l	0.00200	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Arsenic, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Barium, Total	0.00011	J	mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Beryllium, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Calcium, Total	ND		mg/l	0.100	0.0320	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Chromium, Total	ND		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Cobalt, Total	ND		mg/l	0.00020	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Copper, Total	0.00073	J	mg/l	0.00100	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Iron, Total	ND		mg/l	0.0500	0.0130	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Lead, Total	ND		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Magnesium, Total	ND		mg/l	0.0700	0.00243	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Manganese, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/03/14 08:45	05/03/14 12:45	EPA 7470A	1,7470A	AK
Nickel, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Potassium, Total	ND		mg/l	0.100	0.0270	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Selenium, Total	ND		mg/l	0.00500	0.00030	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Silver, Total	ND		mg/l	0.00040	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Sodium, Total	0.0173	J	mg/l	0.100	0.0150	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Thallium, Total	ND		mg/l	0.00050	0.00003	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Vanadium, Total	ND		mg/l	0.00500	0.00010	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL
Zinc, Total	0.00308	J	mg/l	0.01000	0.00120	1	05/02/14 08:38	05/02/14 12:20	EPA 3005A	1,6020A	KL

Dissolved Metals - Westborough Lab

Aluminum, Dissolved	ND		mg/l	0.0100	0.00200	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Antimony, Dissolved	0.00051	J	mg/l	0.00200	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Arsenic, Dissolved	ND		mg/l	0.00050	0.00020	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Barium, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Beryllium, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Cadmium, Dissolved	ND		mg/l	0.00020	0.00005	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-05
Client ID: FIELD BLANK (2)
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Calcium, Dissolved	ND		mg/l	0.100	0.0320	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Chromium, Dissolved	0.00022	J	mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Cobalt, Dissolved	ND		mg/l	0.00020	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Copper, Dissolved	0.00043	J	mg/l	0.00100	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Iron, Dissolved	ND		mg/l	0.0500	0.0130	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Lead, Dissolved	ND		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Magnesium, Dissolved	ND		mg/l	0.0700	0.0230	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Manganese, Dissolved	0.00010	J	mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Mercury, Dissolved	ND		mg/l	0.00020	0.00006	1	05/03/14 09:46	05/03/14 14:10	EPA 7470A	1,7470A	AK
Nickel, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Potassium, Dissolved	ND		mg/l	0.100	0.0270	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Selenium, Dissolved	ND		mg/l	0.00500	0.00030	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Silver, Dissolved	ND		mg/l	0.00040	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Sodium, Dissolved	0.0329	J	mg/l	0.100	0.0150	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Thallium, Dissolved	ND		mg/l	0.00050	0.00003	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Vanadium, Dissolved	ND		mg/l	0.00500	0.00010	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL
Zinc, Dissolved	0.00253	J	mg/l	0.01000	0.00120	1	05/02/14 10:31	05/02/14 14:31	EPA 3005A	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-03,05 Batch: WG686775-1										
Aluminum, Total	ND		mg/l	0.0100	0.00200	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Antimony, Total	0.00046	J	mg/l	0.00200	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Arsenic, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Barium, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Beryllium, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Calcium, Total	ND		mg/l	0.100	0.0320	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Chromium, Total	ND		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Cobalt, Total	ND		mg/l	0.00020	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Copper, Total	0.00084	J	mg/l	0.00100	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Iron, Total	ND		mg/l	0.0500	0.0130	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Lead, Total	ND		mg/l	0.00100	0.00020	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Magnesium, Total	ND		mg/l	0.0700	0.00243	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Manganese, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Nickel, Total	ND		mg/l	0.00050	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Potassium, Total	ND		mg/l	0.100	0.0270	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Selenium, Total	ND		mg/l	0.00500	0.00030	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Silver, Total	ND		mg/l	0.00040	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Sodium, Total	0.0151	J	mg/l	0.100	0.0150	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Thallium, Total	ND		mg/l	0.00050	0.00003	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Vanadium, Total	ND		mg/l	0.00500	0.00010	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL
Zinc, Total	0.00288	J	mg/l	0.01000	0.00120	1	05/02/14 08:38	05/02/14 12:16	1,6020A	KL

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-03,05 Batch: WG686826-1										
Aluminum, Dissolved	ND		mg/l	0.0100	0.00200	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Antimony, Dissolved	0.00038	J	mg/l	0.00200	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Arsenic, Dissolved	ND		mg/l	0.00050	0.00020	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Barium, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis Batch Quality Control

Beryllium, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Cadmium, Dissolved	ND		mg/l	0.00020	0.00005	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Calcium, Dissolved	ND		mg/l	0.100	0.0320	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Chromium, Dissolved	ND		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Cobalt, Dissolved	ND		mg/l	0.00020	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Copper, Dissolved	0.00027	J	mg/l	0.00100	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Iron, Dissolved	ND		mg/l	0.0500	0.0130	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Lead, Dissolved	ND		mg/l	0.00100	0.00020	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Magnesium, Dissolved	ND		mg/l	0.0700	0.0230	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Manganese, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Nickel, Dissolved	ND		mg/l	0.00050	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Potassium, Dissolved	ND		mg/l	0.100	0.0270	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Selenium, Dissolved	ND		mg/l	0.00500	0.00030	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Silver, Dissolved	ND		mg/l	0.00040	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Sodium, Dissolved	0.0317	J	mg/l	0.100	0.0150	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Thallium, Dissolved	ND		mg/l	0.00050	0.00003	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Vanadium, Dissolved	ND		mg/l	0.00500	0.00010	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL
Zinc, Dissolved	0.00284	J	mg/l	0.01000	0.00120	1	05/02/14 10:31	05/02/14 14:27	1,6020A	KL

Prep Information

Digestion Method: EPA 3005A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Westborough Lab for sample(s): 01-03,05 Batch: WG687049-1										
Mercury, Total	ND		mg/l	0.00020	0.00006	1	05/03/14 08:45	05/03/14 12:24	1,7470A	AK

Prep Information

Digestion Method: EPA 7470A

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Dissolved Metals - Westborough Lab for sample(s): 01-03,05 Batch: WG687056-1										
Mercury, Dissolved	ND		mg/l	0.00020	0.00006	1	05/03/14 09:46	05/03/14 13:50	1,7470A	AK



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Method Blank Analysis Batch Quality Control

Prep Information

Digestion Method: EPA 7470A

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
TCLP Metals by EPA 1311 - Westborough Lab for sample(s): 01-03,05 Batch: WG687494-1									
Lead, TCLP	ND	mg/l	0.50	0.02	1	05/06/14 09:09	05/06/14 15:33	1,6010C	JH

Prep Information

Digestion Method: EPA 3015
TCLP/SPLP Extraction Date: 05/02/14 08:51

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
Total Metals - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686775-2								
Aluminum, Total	102		-		80-120	-		
Antimony, Total	82		-		80-120	-		
Arsenic, Total	103		-		80-120	-		
Barium, Total	101		-		80-120	-		
Beryllium, Total	96		-		80-120	-		
Cadmium, Total	109		-		80-120	-		
Calcium, Total	106		-		80-120	-		
Chromium, Total	101		-		80-120	-		
Cobalt, Total	103		-		80-120	-		
Copper, Total	102		-		80-120	-		
Iron, Total	102		-		80-120	-		
Lead, Total	106		-		80-120	-		
Magnesium, Total	118		-		80-120	-		
Manganese, Total	102		-		80-120	-		
Nickel, Total	102		-		80-120	-		
Potassium, Total	116		-		80-120	-		
Selenium, Total	115		-		80-120	-		
Silver, Total	98		-		80-120	-		
Sodium, Total	110		-		80-120	-		
Thallium, Total	98		-		80-120	-		
Vanadium, Total	103		-		80-120	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686775-2					
Zinc, Total	114	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686826-2					
Aluminum, Dissolved	102	-	80-120	-	
Antimony, Dissolved	82	-	80-120	-	
Arsenic, Dissolved	103	-	80-120	-	
Barium, Dissolved	101	-	80-120	-	
Beryllium, Dissolved	96	-	80-120	-	
Cadmium, Dissolved	109	-	80-120	-	
Calcium, Dissolved	106	-	80-120	-	
Chromium, Dissolved	101	-	80-120	-	
Cobalt, Dissolved	103	-	80-120	-	
Copper, Dissolved	102	-	80-120	-	
Iron, Dissolved	102	-	80-120	-	
Lead, Dissolved	106	-	80-120	-	
Magnesium, Dissolved	118	-	80-120	-	
Manganese, Dissolved	102	-	80-120	-	
Nickel, Dissolved	102	-	80-120	-	
Potassium, Dissolved	116	-	80-120	-	
Selenium, Dissolved	115	-	80-120	-	
Silver, Dissolved	98	-	80-120	-	
Sodium, Dissolved	110	-	80-120	-	
Thallium, Dissolved	98	-	80-120	-	
Vanadium, Dissolved	103	-	80-120	-	

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	LCS %Recovery	LCSD %Recovery	%Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686826-2					
Zinc, Dissolved	114	-	80-120	-	
Total Metals - Westborough Lab Associated sample(s): 01-03,05 Batch: WG687049-2					
Mercury, Total	91	-	80-120	-	
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 Batch: WG687056-2					
Mercury, Dissolved	89	-	70-130	-	
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-03,05 Batch: WG687494-2					
Lead, TCLP	104	-	75-125	-	20

Matrix Spike Analysis Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686775-4 QC Sample: L1409224-01 Client ID: MW-1												
Aluminum, Total	1.30	2	3.59	114		-	-		75-125	-		20
Antimony, Total	0.00114J	0.5	0.5030	101		-	-		75-125	-		20
Arsenic, Total	0.00264	0.12	0.1326	110		-	-		75-125	-		20
Barium, Total	0.7466	2	2.790	102		-	-		75-125	-		20
Beryllium, Total	0.00011J	0.05	0.04876	98		-	-		75-125	-		20
Cadmium, Total	ND	0.051	0.05424	106		-	-		75-125	-		20
Calcium, Total	196.	10	198	20	Q	-	-		75-125	-		20
Chromium, Total	0.00476	0.2	0.2060	103		-	-		75-125	-		20
Cobalt, Total	0.00106	0.5	0.5106	102		-	-		75-125	-		20
Copper, Total	0.00235	0.25	0.2522	101		-	-		75-125	-		20
Iron, Total	11.6	1	13.0	60	Q	-	-		75-125	-		20
Lead, Total	0.00270	0.51	0.5436	106		-	-		75-125	-		20
Magnesium, Total	24.5	10	39.0	145	Q	-	-		75-125	-		20
Manganese, Total	7.122	0.5	7.463	68	Q	-	-		75-125	-		20
Nickel, Total	0.01076	0.5	0.5150	101		-	-		75-125	-		20
Potassium, Total	33.3	10	15.9	0	Q	-	-		75-125	-		20
Selenium, Total	ND	0.12	0.129	108		-	-		75-125	-		20
Silver, Total	ND	0.05	0.04938	99		-	-		75-125	-		20
Sodium, Total	387.	10	383	0	Q	-	-		75-125	-		20
Thallium, Total	ND	0.12	0.1183	98		-	-		75-125	-		20
Vanadium, Total	0.00453J	0.5	0.5274	105		-	-		75-125	-		20

Matrix Spike Analysis
Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686775-4 QC Sample: L1409224-01 Client ID: MW-1									
Zinc, Total	0.00787J	0.5	0.5568	111	-	-	75-125	-	20

Matrix Spike Analysis Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686826-4 QC Sample: L1409077-02 Client ID: MS Sample									
Aluminum, Dissolved	0.539	2	2.61	104	-	-	75-125	-	20
Antimony, Dissolved	0.00126J	0.5	0.4256	85	-	-	75-125	-	20
Arsenic, Dissolved	0.00031J	0.12	0.1257	105	-	-	75-125	-	20
Barium, Dissolved	0.0754	2	2.085	100	-	-	75-125	-	20
Beryllium, Dissolved	ND	0.05	0.04854	97	-	-	75-125	-	20
Cadmium, Dissolved	0.00020	0.051	0.05524	108	-	-	75-125	-	20
Calcium, Dissolved	41.9	10	51.3	94	-	-	75-125	-	20
Chromium, Dissolved	0.00180	0.2	0.1954	97	-	-	75-125	-	20
Cobalt, Dissolved	0.0640	0.5	0.5620	100	-	-	75-125	-	20
Copper, Dissolved	0.00267	0.25	0.2450	97	-	-	75-125	-	20
Iron, Dissolved	1.64	1	2.74	110	-	-	75-125	-	20
Lead, Dissolved	0.00081J	0.51	0.5280	104	-	-	75-125	-	20
Magnesium, Dissolved	13.0	10	11.9	0	Q	-	75-125	-	20
Manganese, Dissolved	1.134	0.5	1.610	95	-	-	75-125	-	20
Nickel, Dissolved	0.04102	0.5	0.5368	99	-	-	75-125	-	20
Potassium, Dissolved	12.8	10	8.93	0	Q	-	75-125	-	20
Selenium, Dissolved	0.00135J	0.12	0.133	111	-	-	75-125	-	20
Silver, Dissolved	ND	0.05	0.04811	96	-	-	75-125	-	20
Sodium, Dissolved	93.6	10	101	74	Q	-	75-125	-	20
Thallium, Dissolved	0.00005J	0.12	0.1136	95	-	-	75-125	-	20
Vanadium, Dissolved	0.0018J	0.5	0.5176	104	-	-	75-125	-	20

Matrix Spike Analysis Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Found	MSD %Recovery	Recovery Limits	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686826-4 QC Sample: L1409077-02 Client ID: MS Sample									
Zinc, Dissolved	0.02336	0.5	0.5626	108	-	-	75-125	-	20
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG687049-4 QC Sample: L1409195-01 Client ID: MS Sample									
Mercury, Total	ND	0.005	0.00555	111	-	-	75-125	-	20
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG687056-4 QC Sample: L1409077-01 Client ID: MS Sample									
Mercury, Dissolved	ND	0.005	0.00525	105	-	-	75-125	-	20
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG687494-4 QC Sample: L1409224-01 Client ID: MW-1									
Lead, TCLP	ND	5.1	5.2	102	-	-	75-125	-	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686775-3 QC Sample: L1409224-01 Client ID: MW-1						
Aluminum, Total	1.30	1.67	mg/l	25	Q	20
Barium, Total	0.7466	0.7962	mg/l	6		20
Calcium, Total	196.	206	mg/l	5		20
Magnesium, Total	24.5	27.0	mg/l	10		20
Sodium, Total	387.	411	mg/l	6		20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686775-3 QC Sample: L1409224-01 Client ID: MW-1					
Antimony, Total	0.00114J	0.00070J	mg/l	NC	20
Arsenic, Total	0.00264	0.00276	mg/l	4	20
Beryllium, Total	0.00011J	ND	mg/l	NC	20
Cadmium, Total	ND	ND	mg/l	NC	20
Chromium, Total	0.00476	0.00491	mg/l	3	20
Cobalt, Total	0.00106	0.00119	mg/l	11	20
Copper, Total	0.00235	0.00253	mg/l	7	20
Iron, Total	11.6	11.7	mg/l	1	20
Lead, Total	0.00270	0.00270	mg/l	0	20
Nickel, Total	0.01076	0.01169	mg/l	8	20
Potassium, Total	33.3	33.0	mg/l	1	20
Selenium, Total	ND	ND	mg/l	NC	20
Silver, Total	ND	ND	mg/l	NC	20
Thallium, Total	ND	ND	mg/l	NC	20
Vanadium, Total	0.00453J	0.00486J	mg/l	NC	20
Zinc, Total	0.00787J	0.00819J	mg/l	NC	20
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686775-3 QC Sample: L1409224-01 Client ID: MW-1					
Manganese, Total	7.122	7.362	mg/l	3	20

Lab Duplicate Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	RPD Limits
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686826-3 QC Sample: L1409077-02 Client ID: DUP Sample					
Antimony, Dissolved	0.00126J	0.00090J	mg/l	NC	20
Arsenic, Dissolved	0.00031J	0.00037J	mg/l	NC	20
Beryllium, Dissolved	ND	ND	mg/l	NC	20
Cadmium, Dissolved	0.00020	0.00023	mg/l	12	20
Chromium, Dissolved	0.00180	0.00200	mg/l	10	20
Copper, Dissolved	0.00267	0.00287	mg/l	7	20
Lead, Dissolved	0.00081J	0.00086J	mg/l	NC	20
Nickel, Dissolved	0.04102	0.04408	mg/l	7	20
Selenium, Dissolved	0.00135J	0.00163J	mg/l	NC	20
Silver, Dissolved	ND	ND	mg/l	NC	20
Thallium, Dissolved	0.00005J	0.00005J	mg/l	NC	20
Zinc, Dissolved	0.02336	0.02347	mg/l	0	20
Total Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG687049-3 QC Sample: L1409195-01 Client ID: DUP Sample					
Mercury, Total	ND	ND	mg/l	NC	20
Dissolved Metals - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG687056-3 QC Sample: L1409077-01 Client ID: DUP Sample					
Mercury, Dissolved	ND	ND	mg/l	NC	20
TCLP Metals by EPA 1311 - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG687494-3 QC Sample: L1409224-01 Client ID: MW-1					
Lead, TCLP	ND	0.02J	mg/l	NC	20

INORGANICS & MISCELLANEOUS

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-01
Client ID: MW-1
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	ND		mg/l	0.010	0.010	1	-	05/07/14 07:58	107,-	JO
Cyanide, Total	1.58	J	ug/l	5.00	1.28	1	05/06/14 09:00	05/07/14 15:47	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/02/14 01:00	05/02/14 01:14	1,7196A	EL



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-02
Client ID: MW-2
Sample Location: MANHATTAN, NY
Matrix: Water

Date Collected: 04/30/14 00:00
Date Received: 05/01/14
Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	0.072		mg/l	0.010	0.010	1	-	05/07/14 07:58	107,-	JO
Cyanide, Total	5.92		ug/l	5.00	1.28	1	05/06/14 09:00	05/07/14 15:49	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/02/14 01:00	05/02/14 01:14	1,7196A	EL



Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-03
 Client ID: MW-3
 Sample Location: MANHATTAN, NY
 Matrix: Water

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	ND		mg/l	0.010	0.010	1	-	05/07/14 07:58	107,-	JO
Cyanide, Total	ND		ug/l	5.00	1.28	1	05/06/14 09:00	05/07/14 15:50	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/02/14 01:00	05/02/14 01:14	1,7196A	EL



Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

SAMPLE RESULTS

Lab ID: L1409224-05
 Client ID: FIELD BLANK (2)
 Sample Location: MANHATTAN, NY
 Matrix: Water

Date Collected: 04/30/14 00:00
 Date Received: 05/01/14
 Field Prep: See Narrative

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chromium, Trivalent	ND		mg/l	0.010	0.010	1	-	05/07/14 07:58	107,-	JO
Cyanide, Total	ND		ug/l	5.00	1.28	1	05/06/14 09:00	05/07/14 15:51	1,9010C/9012B	JO
Chromium, Hexavalent	ND		mg/l	0.010	0.003	1	05/02/14 01:00	05/02/14 01:15	1,7196A	EL



Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Method Blank Analysis
Batch Quality Control

Parameter	Result Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-03,05 Batch: WG686746-1									
Chromium, Hexavalent	ND	mg/l	0.010	0.003	1	05/02/14 01:00	05/02/14 01:13	1,7196A	EL
General Chemistry - Westborough Lab for sample(s): 01-03,05 Batch: WG687490-1									
Cyanide, Total	ND	ug/l	5.00	1.28	1	05/06/14 09:00	05/07/14 15:42	1,9010C/9012B	JO

Lab Control Sample Analysis

Batch Quality Control

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Parameter	LCS		LCSD		%Recovery Limits	RPD	Qual	RPD Limits
	%Recovery	Qual	%Recovery	Qual				
General Chemistry - Westborough Lab Associated sample(s): 01-03,05 Batch: WG686746-2								
Chromium, Hexavalent	104		-		85-115	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-03,05 Batch: WG687490-2 WG687490-3								
Cyanide, Total	97		99		80-120	2		20

Matrix Spike Analysis
Batch Quality Control

Project Name: 11 HUBERT STREET

Lab Number: L1409224

Project Number: 140099

Report Date: 05/13/14

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	MSD Qual	MSD Found	MSD %Recovery	MSD Qual	Recovery Limits	RPD	RPD Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686746-4 QC Sample: L1409224-03 Client ID: MW-3												
Chromium, Hexavalent	ND	0.1	0.101	101	-	-	-	-	85-115	-	-	20

Lab Duplicate Analysis
Batch Quality Control

Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03,05 QC Batch ID: WG686746-3 QC Sample: L1409224-03 Client ID: MW-3						
Chromium, Hexavalent	ND	ND	mg/l	NC		20

Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal

Cooler

A Absent
 B Absent
 C Absent

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409224-01A	Vial HCl preserved	C	N/A	3.2	Y	Absent	NYTCL-8260(14)
L1409224-01B	Vial HCl preserved	C	N/A	3.2	Y	Absent	NYTCL-8260(14)
L1409224-01C	Vial HCl preserved	C	N/A	3.2	Y	Absent	NYTCL-8260(14)
L1409224-01D	Plastic 500ml HNO3 preserved	C	<2	3.2	Y	Absent	CU-6020S(180),K-6020S(180),SE-6020S(180),V-6020S(180),MN-6020S(180),BE-6020S(180),CO-6020S(180),MG-6020S(180),ZN-6020S(180),CA-6020S(180),CR-6020S(180),FE-6020S(180),BA-6020S(180),NA-6020S(180),NI-6020S(180),PB-6020S(180),TL-6020S(180),AG-6020S(180),AS-6020S(180),SB-6020S(180),AL-6020S(180),CD-6020S(180),HG-S(28)
L1409224-01E	Plastic 500ml HNO3 preserved	C	<2	3.2	Y	Absent	BA-6020T(180),FE-6020T(180),SE-6020T(180),TL-6020T(180),CA-6020T(180),CR-6020T(180),K-6020T(180),NI-6020T(180),CU-6020T(180),NA-6020T(180),ZN-6020T(180),PB-6020T(180),BE-6020T(180),MN-6020T(180),AS-6020T(180),SB-6020T(180),V-6020T(180),AG-6020T(180),AL-6020T(180),CD-6020T(180),HG-T(28),MG-6020T(180),CO-6020T(180)
L1409224-01E8	Plastic 500ml HNO3 preserved	C	<2	3.2	N	Absent	AG-6020T(180)
L1409224-01F	Plastic 500ml unpreserved	C	7	3.2	Y	Absent	HEXCR-7196(1)
L1409224-01G	Plastic 1000ml unpreserved	C	7	3.2	Y	Absent	-
L1409224-01H	Amber 500ml unpreserved	C	7	3.2	Y	Absent	NYTCL-8081(7)
L1409224-01I	Amber 500ml unpreserved	C	7	3.2	Y	Absent	NYTCL-8081(7)
L1409224-01J	Amber 1000ml unpreserved	C	7	3.2	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-01K	Amber 1000ml unpreserved	C	7	3.2	Y	Absent	NYTCL-8082-1200ML(7)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409224-01L	Amber 1000ml unpreserved	C	7	3.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-01M	Amber 1000ml unpreserved	C	7	3.2	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-01N	Plastic 250ml NaOH preserved spl	C	>12	3.2	Y	Absent	TCN-9010-PPB(14)
L1409224-01X	Plastic 250ml HNO3 preserved spl	C	<2	3.2	Y	Absent	PB-CI(180)
L1409224-01X9	Tumble Vessel	C	N/A	3.2	Y	Absent	-
L1409224-02A	Vial HCl preserved	A	N/A	2.3	Y	Absent	NYTCL-8260(14)
L1409224-02B	Vial HCl preserved	A	N/A	2.3	Y	Absent	NYTCL-8260(14)
L1409224-02C	Vial HCl preserved	A	N/A	2.3	Y	Absent	NYTCL-8260(14)
L1409224-02D	Plastic 500ml HNO3 preserved	A	<2	2.3	Y	Absent	CU-6020S(180),K-6020S(180),SE-6020S(180),V-6020S(180),MN-6020S(180),BE-6020S(180),CO-6020S(180),MG-6020S(180),ZN-6020S(180),CA-6020S(180),CR-6020S(180),FE-6020S(180),BA-6020S(180),NA-6020S(180),NI-6020S(180),PB-6020S(180),TL-6020S(180),AG-6020S(180),AS-6020S(180),SB-6020S(180),AL-6020S(180),CD-6020S(180),HG-S(28)
L1409224-02E	Plastic 500ml HNO3 preserved	A	<2	2.3	Y	Absent	BA-6020T(180),FE-6020T(180),SE-6020T(180),TL-6020T(180),CA-6020T(180),CR-6020T(180),K-6020T(180),NI-6020T(180),CU-6020T(180),NA-6020T(180),ZN-6020T(180),PB-6020T(180),BE-6020T(180),MN-6020T(180),AS-6020T(180),SB-6020T(180),V-6020T(180),AG-6020T(180),AL-6020T(180),CD-6020T(180),HG-T(28),MG-6020T(180),CO-6020T(180)
L1409224-02E8	Plastic 500ml HNO3 preserved	A	<2	2.3	N	Absent	AG-6020T(180)
L1409224-02F	Plastic 500ml unpreserved	A	7	2.3	Y	Absent	HEXCR-7196(1)
L1409224-02G	Plastic 1000ml unpreserved	A	7	2.3	Y	Absent	-
L1409224-02H	Amber 500ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8081(7)
L1409224-02I	Amber 500ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8081(7)
L1409224-02J	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-02K	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-02L	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-02M	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-02N	Plastic 250ml NaOH preserved spl	A	>12	2.3	Y	Absent	TCN-9010-PPB(14)
L1409224-02X	Plastic 250ml HNO3 preserved spl	A	<2	2.3	Y	Absent	PB-CI(180)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409224-02X9	Tumble Vessel	A	N/A	2.3	Y	Absent	-
L1409224-03A	Vial HCl preserved	A	N/A	2.3	Y	Absent	NYTCL-8260(14)
L1409224-03B	Vial HCl preserved	A	N/A	2.3	Y	Absent	NYTCL-8260(14)
L1409224-03C	Vial HCl preserved	A	N/A	2.3	Y	Absent	NYTCL-8260(14)
L1409224-03D	Plastic 500ml HNO3 preserved	A	<2	2.3	Y	Absent	CU-6020S(180),K-6020S(180),SE-6020S(180),V-6020S(180),MN-6020S(180),BE-6020S(180),CO-6020S(180),MG-6020S(180),ZN-6020S(180),CA-6020S(180),CR-6020S(180),FE-6020S(180),BA-6020S(180),NA-6020S(180),NI-6020S(180),PB-6020S(180),TL-6020S(180),AG-6020S(180),AS-6020S(180),SB-6020S(180),AL-6020S(180),CD-6020S(180),HG-S(28)
L1409224-03E	Plastic 500ml HNO3 preserved	A	<2	2.3	Y	Absent	BA-6020T(180),FE-6020T(180),SE-6020T(180),TL-6020T(180),CA-6020T(180),CR-6020T(180),K-6020T(180),NI-6020T(180),CU-6020T(180),NA-6020T(180),ZN-6020T(180),PB-6020T(180),BE-6020T(180),MN-6020T(180),AS-6020T(180),SB-6020T(180),V-6020T(180),AG-6020T(180),AL-6020T(180),CD-6020T(180),HG-T(28),MG-6020T(180),CO-6020T(180)
L1409224-03E8	Plastic 500ml HNO3 preserved	A	<2	2.3	N	Absent	AG-6020T(180)
L1409224-03F	Plastic 500ml unpreserved	A	7	2.3	Y	Absent	HEXCR-7196(1)
L1409224-03G	Plastic 1000ml unpreserved	A	7	2.3	Y	Absent	-
L1409224-03H	Amber 500ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8081(7)
L1409224-03I	Amber 500ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8081(7)
L1409224-03J	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-03K	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-03L	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-03M	Amber 1000ml unpreserved	A	7	2.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-03N	Plastic 250ml NaOH preserved spl	A	>12	2.3	Y	Absent	TCN-9010-PPB(14)
L1409224-03X	Plastic 250ml HNO3 preserved spl	A	<2	2.3	Y	Absent	PB-CI(180)
L1409224-03X9	Tumble Vessel	A	N/A	2.3	Y	Absent	-
L1409224-04A	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-04B	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-05A	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-05A1	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409224-05B	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-05B1	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-05C	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-05C1	Vial HCl preserved	B	N/A	3.3	Y	Absent	NYTCL-8260(14)
L1409224-05D	Plastic 500ml HNO3 preserved	B	<2	3.3	Y	Absent	CU-6020S(180),K-6020S(180),SE-6020S(180),V-6020S(180),MN-6020S(180),BE-6020S(180),CO-6020S(180),MG-6020S(180),ZN-6020S(180),CA-6020S(180),CR-6020S(180),FE-6020S(180),BA-6020S(180),NA-6020S(180),NI-6020S(180),PB-6020S(180),TL-6020S(180),AG-6020S(180),AS-6020S(180),SB-6020S(180),AL-6020S(180),CD-6020S(180),HG-S(28)
L1409224-05D1	Plastic 500ml HNO3 preserved	B	<2	3.3	Y	Absent	CU-6020S(180),K-6020S(180),SE-6020S(180),V-6020S(180),MN-6020S(180),BE-6020S(180),CO-6020S(180),MG-6020S(180),ZN-6020S(180),CA-6020S(180),CR-6020S(180),FE-6020S(180),BA-6020S(180),NA-6020S(180),NI-6020S(180),PB-6020S(180),TL-6020S(180),AG-6020S(180),AS-6020S(180),SB-6020S(180),AL-6020S(180),CD-6020S(180),HG-S(28)
L1409224-05E	Plastic 500ml HNO3 preserved	B	<2	3.3	Y	Absent	BA-6020T(180),FE-6020T(180),SE-6020T(180),TL-6020T(180),CA-6020T(180),CR-6020T(180),K-6020T(180),NI-6020T(180),CU-6020T(180),NA-6020T(180),ZN-6020T(180),PB-6020T(180),BE-6020T(180),MN-6020T(180),AS-6020T(180),SB-6020T(180),V-6020T(180),AG-6020T(180),AL-6020T(180),CD-6020T(180),HG-T(28),MG-6020T(180),CO-6020T(180)
L1409224-05E1	Plastic 500ml HNO3 preserved	B	<2	3.3	Y	Absent	BA-6020T(180),FE-6020T(180),SE-6020T(180),TL-6020T(180),CA-6020T(180),CR-6020T(180),K-6020T(180),NI-6020T(180),CU-6020T(180),NA-6020T(180),ZN-6020T(180),PB-6020T(180),BE-6020T(180),MN-6020T(180),AS-6020T(180),SB-6020T(180),V-6020T(180),AG-6020T(180),AL-6020T(180),CD-6020T(180),HG-T(28),MG-6020T(180),CO-6020T(180)
L1409224-05E8	Plastic 500ml HNO3 preserved	B	<2	3.3	N	Absent	AG-6020T(180)
L1409224-05F	Plastic 500ml unpreserved	B	7	3.3	Y	Absent	HEXCR-7196(1)

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET

Project Number: 140099

Lab Number: L1409224

Report Date: 05/13/14

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409224-05F1	Plastic 500ml unpreserved	B	7	3.3	Y	Absent	HEXCR-7196(1)
L1409224-05G	Plastic 1000ml unpreserved	B	7	3.3	Y	Absent	-
L1409224-05G1	Plastic 1000ml unpreserved	B	7	3.3	Y	Absent	-
L1409224-05H	Amber 500ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8081(7)
L1409224-05H1	Amber 500ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8081(7)
L1409224-05I	Amber 500ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8081(7)
L1409224-05I1	Amber 500ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8081(7)
L1409224-05J	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-05J1	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-05K	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-05K1	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8082-1200ML(7)
L1409224-05L	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-05L1	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-05M	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-05M1	Amber 1000ml unpreserved	B	7	3.3	Y	Absent	NYTCL-8270(7),NYTCL-8270-SIM(7)
L1409224-05N	Plastic 250ml NaOH preserved spl	B	>12	3.3	Y	Absent	TCN-9010-PPB(14)
L1409224-05X	Plastic 250ml HNO3 preserved spl	B	<2	3.3	Y	Absent	PB-CI(180)
L1409224-05X9	Tumble Vessel	B	N/A	3.3	Y	Absent	-

Container Comments

L1409224-01X

L1409224-02X

L1409224-03X

L1409224-05X

*Values in parentheses indicate holding time in days



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit.
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.

Report Format: DU Report with 'J' Qualifiers



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

Data Qualifiers

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.

Report Format: DU Report with 'J' Qualifiers



Project Name: 11 HUBERT STREET
Project Number: 140099

Lab Number: L1409224
Report Date: 05/13/14

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - IV, 2007.
- 107 Alpha Analytical - In-house calculation method.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

Last revised April 15, 2014

The following analytes are not included in our NELAP Scope of Accreditation:

Westborough Facility

EPA 524.2: Acetone, 2-Butanone (Methyl ethyl ketone (MEK)), Tert-butyl alcohol, 2-Hexanone, Tetrahydrofuran, 1,3,5-Trichlorobenzene, 4-Methyl-2-pentanone (MIBK), Carbon disulfide, Diethyl ether.

EPA 8260C: 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene, Iodomethane (methyl iodide), Methyl methacrylate, Azobenzene.

EPA 8330A/B: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT.

EPA 8270D: 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 625: 4-Chloroaniline, 4-Methylphenol.

SM4500: Soil: Total Phosphorus, TKN, NO₂, NO₃.

EPA 9071: Total Petroleum Hydrocarbons, Oil & Grease.

Mansfield Facility

EPA 8270D: Biphenyl.

EPA 2540D: TSS

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water

EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7:** Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water

EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;

EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;

EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F,**

EPA 353.2: Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.**

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

NEW YORK CHAIN OF CUSTODY
 Mansfield, MA 02048
 8 Walkup Dr.
 TEL: 508-898-9220
 FAX: 508-898-9193

Service Centers
 Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
 Albany, NY 12205: 14 Walker Way
 Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1 of 1

Date Rec'd Initials 5/11/14
 ALPHA Job # 17409229

Billing Information
 Same as Client Info
 PO #

Client Information
 Client: HTE
 Address: 77 Arkey Lane
Suite C4
 Phone: 631-462-5866
 Fax: 631-462-5877
 Email: erichostan@htrcorp.com

Project Information
 Project Name: 11 Hugburt Street
 Project Location: Mahwah, NJ
 Project # 140099
 (Use Project name as Project #)
 Project Manager: Erica Johnston
 ALPHAQuote #:
 Turn-Around Time
 Standard Rush (only if pre approved)
 Due Date: 5/8/14
 # of Days:

Deliverables
 ASP-A
 ASP-B
 EQUIS (1 File)
 EQUIS (4 File)
 Other

Regulatory Requirement
 NY TOGS
 AWQ Standards
 NY CP-51
 NY Restricted Use
 NY Unrestricted Use
 NYC Sewer Discharge

Disposal Site Information
 Please identify below location of applicable disposal facilities.
 Disposal Facility: NY NJ Other:

These samples have been previously analyzed by Alpha
 Other project specific requirements/comments:
 Please specify Metals or TAL.

Sample ID	Collection		Sample Matrix	Sampler's Initials
	Date	Time		
MW-1	4/30/14	AM	GW	SC
MW-2				
MW-3				
TOP Blank (1)				SC
FIELD Blank (2)				SC

ANALYSIS

Sample Filtration	Sample Specific Comments
<input checked="" type="checkbox"/> Done <input type="checkbox"/> Lab to do Preservation <input type="checkbox"/> Lab to do	analyze TCN
(Please Specify below)	analyze TCN
	analyze TCN
	analyze TCN

Container Code:
 A = None
 B = HCl
 C = HNO₃
 D = H₂SO₄
 E = NaOH
 F = MeOH
 G = NaHSO₄
 H = Na₂S₂O₃
 K/E = Zn Ac/NaOH
 O = Other

Westboro: Certification No: MA935
Mansfield: Certification No: MA015

Container Type	Preservative	Date/Time	Received By:
V	P	5-1-14 12:50	Erica Johnston
P	A	5-1-14 18:33	Tom Taken
A	A	5-1-14 23:40	John
P	A	5-1-14 12:50	Erica Johnston
A	A	5-1-14 18:33	Tom Taken
A	A	5-1-14 23:40	John

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHAS TERMS & CONDITIONS. (See reverse side.)

NEW YORK CHAIN OF CUSTODY
 Mansfield, MA 02048
 8 Walkup Dr.
 TEL: 508-898-9220
 FAX: 508-898-9193

Service Centers
 Mahwah, NJ 07430: 35 Whitney Rd, Suite 5
 Albany, NY 12205: 14 Walker Way
 Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Date Recd: 5/11/14
 ALPHA Job #: 17409229

Page 1 of 1

Project Information
 Project Name: 11 Hukert Street
 Project Location: Mahwah, NJ
 Project # 140099
 (Use Project name as Project #)

Deliverables
 ASP-A
 ASP-B
 EQUIS (1 File)
 EQUIS (4 File)
 Other

Billing Information
 Same as Client Info
 PO #

Client Information
 Client: HTE
 Address: 77 Arkey Lane
 Suite C
 Phone: 631-462-5866
 Fax: 631-462-5877
 Email: e.sohnstern@htrcorp.com

Regulatory Requirement
 NY TOGS
 NY Part 375
 AWQ Standards
 NY CP-51
 NY Restricted Use
 Other
 NY Unrestricted Use
 NYC Sewer Discharge

Disposal Site Information
 Please identify below location of applicable disposal facilities.
 Disposal Facility: NY Other: NY

Turn-Around Time
 Standard Rush (only if pre approved)
 Due Date: 5/18/14
 # of Days:

Other project specific requirements/comments:

Please specify Metals or TAL.

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	Sample Specific Comments
		Date	Time			
09209-01	MW-1	4/30/14	AM	GW	SC	VOC CR+6 Total THMs Product THMs
-02	MW-2					
-03	MW-3					
-04	TOP Blank (1)				SC	
-05	Field Blank (2)				SC	

Container Code
 P = Plastic
 A = Amber Glass
 V = Vial
 G = Glass
 B = Bacteria Cup
 C = Cube
 O = Other
 E = Encore
 D = BOD Bottle
 K/E = Zn Ac/NaOH
 O = Other

Westboro: Certification No: MA935
 Mansfield: Certification No: MA015

Relinquished By:
 Erica Sohnstern
 Date/Time: 5/1/14 12:50

Received By:
 Tom Toren
 Date/Time: 5/1/14 23:40

Container Type
 V P P P A A P
Preservative
 B A C C A A A

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHAS TERMS & CONDITIONS. (See reverse side.)

Appendix-I: Laboratory
Deliverables for Soil Vapor and
Air Analytical Data



ANALYTICAL REPORT

Lab Number:	L1409052
Client:	Hydro Tech Environmental, Corp. 77 Arkay Drive Suite G Hauppauge, NY 11788
ATTN:	Erica Johnston
Phone:	(631) 462-5866
Project Name:	Not Specified
Project Number:	140099
Report Date:	05/06/14

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: NY (11627), CT (PH-0141), NH (2206), NJ NELAP (MA015), RI (LAO00299), PA (68-02089), LA NELAP (03090), FL (E87814), TX (T104704419), WA (C954), DOD (L2217.01), USDA (Permit #P330-11-00109), US Army Corps of Engineers.

320 Forbes Boulevard, Mansfield, MA 02048-1806
508-822-9300 (Fax) 508-822-3288 800-624-9220 - www.alphalab.com



Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Alpha Sample ID	Client ID	Sample Location	Collection Date/Time
L1409052-01	SV-1	11 HUBERT STREET, MANHATTAN	04/29/14 13:18
L1409052-02	SV-2	11 HUBERT STREET, MANHATTAN	04/29/14 13:15
L1409052-03	SV-3	11 HUBERT STREET, MANHATTAN	04/29/14 13:20

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet all of the requirements of NELAC, for all NELAC accredited parameters. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. Performance criteria for CAM and RCP methods allow for some LCS compound failures to occur and still be within method compliance. In these instances, the specific failures are not narrated but are noted in the associated QC table. This information is also incorporated in the Data Usability format for our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Case Narrative (continued)

Volatile Organics in Air

Canisters were released from the laboratory on April 25, 2014. The canister certification results are provided as an addendum.

The flow controller ID numbers were not listed on the chain of custody form. The client was contacted and provided which flow controller was used for each sample.

Sample L1409052-01 The presence of Tetrahydrofuran could not be determined in this sample due to a non-target compound interfering with the identification and quantification of this compound.

Samples L1409052-02 and -03 have elevated detection limits due to the dilution required by the elevated concentrations of non-target compounds in the samples.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:  Christopher J. Anderson

Title: Technical Director/Representative

Date: 05/06/14

AIR

Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-01
Client ID: SV-1
Sample Location: 11 HUBERT STREET, MANHATTAN
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 05/02/14 23:07
Analyst: RY

Date Collected: 04/29/14 13:18
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	0.369	0.200	--	1.82	0.989	--		1
Chloromethane	0.269	0.200	--	0.555	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	58.8	2.50	--	111	4.71	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	130	1.00	--	309	2.38	--		1
Trichlorofluoromethane	0.361	0.200	--	2.03	1.12	--		1
Isopropanol	23.2	0.500	--	57.0	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	1.20	0.500	--	3.64	1.52	--		1
Methylene chloride	ND	1.00	--	ND	3.47	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	2.34	0.200	--	7.29	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	1.55	0.200	--	6.27	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
2-Butanone	12.8	0.200	--	37.8	0.590	--		1
cis-1,2-Dichloroethene	5.45	0.200	--	21.6	0.793	--		1
Ethyl Acetate	0.684	0.500	--	2.46	1.80	--		1



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-01
 Client ID: SV-1
 Sample Location: 11 HUBERT STREET, MANHATTAN

Date Collected: 04/29/14 13:18
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chloroform	0.778	0.200	--	3.80	0.977	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.590	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	0.818	0.200	--	2.88	0.705	--		1
1,1,1-Trichloroethane	0.503	0.200	--	2.74	1.09	--		1
Benzene	1.46	0.200	--	4.66	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	0.294	0.200	--	1.01	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	4.29	0.200	--	23.1	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	0.533	0.200	--	2.18	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	0.858	0.200	--	3.52	0.820	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	3.54	0.200	--	13.3	0.754	--		1
2-Hexanone	1.93	0.200	--	7.91	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	45.6	0.200	--	309	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	1.38	0.200	--	5.99	0.869	--		1
p/m-Xylene	6.60	0.400	--	28.7	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	0.295	0.200	--	1.26	0.852	--		1



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-01
 Client ID: SV-1
 Sample Location: 11 HUBERT STREET, MANHATTAN

Date Collected: 04/29/14 13:18
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	3.04	0.200	--	13.2	0.869	--		1
4-Ethyltoluene	1.59	0.200	--	7.82	0.983	--		1
1,3,5-Trimethylbenzene	1.76	0.200	--	8.65	0.983	--		1
1,2,4-Trimethylbenzene	7.66	0.200	--	37.7	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	98		60-140
Bromochloromethane	87		60-140
chlorobenzene-d5	105		60-140

Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-02 D
Client ID: SV-2
Sample Location: 11 HUBERT STREET, MANHATTAN
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 05/02/14 23:39
Analyst: RY

Date Collected: 04/29/14 13:15
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	ND	1.00	--	ND	4.94	--		5
Chloromethane	ND	1.00	--	ND	2.07	--		5
Freon-114	ND	1.00	--	ND	6.99	--		5
Vinyl chloride	ND	1.00	--	ND	2.56	--		5
1,3-Butadiene	ND	1.00	--	ND	2.21	--		5
Bromomethane	ND	1.00	--	ND	3.88	--		5
Chloroethane	ND	1.00	--	ND	2.64	--		5
Ethanol	ND	12.5	--	ND	23.6	--		5
Vinyl bromide	ND	1.00	--	ND	4.37	--		5
Acetone	608	5.00	--	1440	11.9	--		5
Trichlorofluoromethane	ND	1.00	--	ND	5.62	--		5
Isopropanol	ND	2.50	--	ND	6.15	--		5
1,1-Dichloroethene	ND	1.00	--	ND	3.96	--		5
Tertiary butyl Alcohol	7.20	2.50	--	21.8	7.58	--		5
Methylene chloride	ND	5.00	--	ND	17.4	--		5
3-Chloropropene	ND	1.00	--	ND	3.13	--		5
Carbon disulfide	ND	1.00	--	ND	3.11	--		5
Freon-113	ND	1.00	--	ND	7.66	--		5
trans-1,2-Dichloroethene	ND	1.00	--	ND	3.96	--		5
1,1-Dichloroethane	ND	1.00	--	ND	4.05	--		5
Methyl tert butyl ether	ND	1.00	--	ND	3.61	--		5
2-Butanone	1.94	1.00	--	5.72	2.95	--		5
cis-1,2-Dichloroethene	ND	1.00	--	ND	3.96	--		5
Ethyl Acetate	22.3	2.50	--	80.4	9.01	--		5



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-02 D
 Client ID: SV-2
 Sample Location: 11 HUBERT STREET, MANHATTAN

Date Collected: 04/29/14 13:15
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chloroform	ND	1.00	--	ND	4.88	--		5
Tetrahydrofuran	ND	1.00	--	ND	2.95	--		5
1,2-Dichloroethane	ND	1.00	--	ND	4.05	--		5
n-Hexane	2.70	1.00	--	9.52	3.52	--		5
1,1,1-Trichloroethane	ND	1.00	--	ND	5.46	--		5
Benzene	3.72	1.00	--	11.9	3.19	--		5
Carbon tetrachloride	ND	1.00	--	ND	6.29	--		5
Cyclohexane	ND	1.00	--	ND	3.44	--		5
1,2-Dichloropropane	ND	1.00	--	ND	4.62	--		5
Bromodichloromethane	ND	1.00	--	ND	6.70	--		5
1,4-Dioxane	ND	1.00	--	ND	3.60	--		5
Trichloroethene	ND	1.00	--	ND	5.37	--		5
2,2,4-Trimethylpentane	ND	1.00	--	ND	4.67	--		5
Heptane	3.04	1.00	--	12.5	4.10	--		5
cis-1,3-Dichloropropene	ND	1.00	--	ND	4.54	--		5
4-Methyl-2-pentanone	1.04	1.00	--	4.26	4.10	--		5
trans-1,3-Dichloropropene	ND	1.00	--	ND	4.54	--		5
1,1,2-Trichloroethane	ND	1.00	--	ND	5.46	--		5
Toluene	16.1	1.00	--	60.7	3.77	--		5
2-Hexanone	ND	1.00	--	ND	4.10	--		5
Dibromochloromethane	ND	1.00	--	ND	8.52	--		5
1,2-Dibromoethane	ND	1.00	--	ND	7.69	--		5
Tetrachloroethene	1.76	1.00	--	11.9	6.78	--		5
Chlorobenzene	ND	1.00	--	ND	4.61	--		5
Ethylbenzene	6.78	1.00	--	29.4	4.34	--		5
p/m-Xylene	35.4	2.00	--	154	8.69	--		5
Bromoform	ND	1.00	--	ND	10.3	--		5
Styrene	ND	1.00	--	ND	4.26	--		5



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-02 D
 Client ID: SV-2
 Sample Location: 11 HUBERT STREET, MANHATTAN

Date Collected: 04/29/14 13:15
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	1.00	--	ND	6.87	--		5
o-Xylene	14.5	1.00	--	63.0	4.34	--		5
4-Ethyltoluene	8.17	1.00	--	40.2	4.92	--		5
1,3,5-Trimethylbenzene	6.82	1.00	--	33.5	4.92	--		5
1,2,4-Trimethylbenzene	29.3	1.00	--	144	4.92	--		5
Benzyl chloride	ND	1.00	--	ND	5.18	--		5
1,3-Dichlorobenzene	ND	1.00	--	ND	6.01	--		5
1,4-Dichlorobenzene	ND	1.00	--	ND	6.01	--		5
1,2-Dichlorobenzene	ND	1.00	--	ND	6.01	--		5
1,2,4-Trichlorobenzene	ND	1.00	--	ND	7.42	--		5
Hexachlorobutadiene	ND	1.00	--	ND	10.7	--		5

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	83		60-140
Bromochloromethane	92		60-140
chlorobenzene-d5	103		60-140



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-03 D
Client ID: SV-3
Sample Location: 11 HUBERT STREET, MANHATTAN
Matrix: Soil_Vapor
Analytical Method: 48,TO-15
Analytical Date: 05/03/14 00:11
Analyst: RY

Date Collected: 04/29/14 13:20
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Dichlorodifluoromethane	ND	1.00	--	ND	4.94	--		5
Chloromethane	ND	1.00	--	ND	2.07	--		5
Freon-114	ND	1.00	--	ND	6.99	--		5
Vinyl chloride	ND	1.00	--	ND	2.56	--		5
1,3-Butadiene	ND	1.00	--	ND	2.21	--		5
Bromomethane	ND	1.00	--	ND	3.88	--		5
Chloroethane	ND	1.00	--	ND	2.64	--		5
Ethanol	ND	12.5	--	ND	23.6	--		5
Vinyl bromide	ND	1.00	--	ND	4.37	--		5
Acetone	131	5.00	--	311	11.9	--		5
Trichlorofluoromethane	ND	1.00	--	ND	5.62	--		5
Isopropanol	23.2	2.50	--	57.0	6.15	--		5
1,1-Dichloroethene	ND	1.00	--	ND	3.96	--		5
Tertiary butyl Alcohol	ND	2.50	--	ND	7.58	--		5
Methylene chloride	ND	5.00	--	ND	17.4	--		5
3-Chloropropene	ND	1.00	--	ND	3.13	--		5
Carbon disulfide	2.34	1.00	--	7.29	3.11	--		5
Freon-113	ND	1.00	--	ND	7.66	--		5
trans-1,2-Dichloroethene	ND	1.00	--	ND	3.96	--		5
1,1-Dichloroethane	1.18	1.00	--	4.78	4.05	--		5
Methyl tert butyl ether	ND	1.00	--	ND	3.61	--		5
2-Butanone	4.25	1.00	--	12.5	2.95	--		5
cis-1,2-Dichloroethene	ND	1.00	--	ND	3.96	--		5
Ethyl Acetate	ND	2.50	--	ND	9.01	--		5



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-03 D
Client ID: SV-3
Sample Location: 11 HUBERT STREET, MANHATTAN

Date Collected: 04/29/14 13:20
Date Received: 04/29/14
Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chloroform	ND	1.00	--	ND	4.88	--		5
Tetrahydrofuran	ND	1.00	--	ND	2.95	--		5
1,2-Dichloroethane	ND	1.00	--	ND	4.05	--		5
n-Hexane	3.02	1.00	--	10.6	3.52	--		5
1,1,1-Trichloroethane	2.25	1.00	--	12.3	5.46	--		5
Benzene	2.98	1.00	--	9.52	3.19	--		5
Carbon tetrachloride	ND	1.00	--	ND	6.29	--		5
Cyclohexane	ND	1.00	--	ND	3.44	--		5
1,2-Dichloropropane	ND	1.00	--	ND	4.62	--		5
Bromodichloromethane	ND	1.00	--	ND	6.70	--		5
1,4-Dioxane	ND	1.00	--	ND	3.60	--		5
Trichloroethene	13.6	1.00	--	73.1	5.37	--		5
2,2,4-Trimethylpentane	ND	1.00	--	ND	4.67	--		5
Heptane	2.76	1.00	--	11.3	4.10	--		5
cis-1,3-Dichloropropene	ND	1.00	--	ND	4.54	--		5
4-Methyl-2-pentanone	ND	1.00	--	ND	4.10	--		5
trans-1,3-Dichloropropene	ND	1.00	--	ND	4.54	--		5
1,1,2-Trichloroethane	ND	1.00	--	ND	5.46	--		5
Toluene	22.2	1.00	--	83.7	3.77	--		5
2-Hexanone	ND	1.00	--	ND	4.10	--		5
Dibromochloromethane	ND	1.00	--	ND	8.52	--		5
1,2-Dibromoethane	ND	1.00	--	ND	7.69	--		5
Tetrachloroethene	130	1.00	--	882	6.78	--		5
Chlorobenzene	ND	1.00	--	ND	4.61	--		5
Ethylbenzene	8.54	1.00	--	37.1	4.34	--		5
p/m-Xylene	42.7	2.00	--	185	8.69	--		5
Bromoform	ND	1.00	--	ND	10.3	--		5
Styrene	ND	1.00	--	ND	4.26	--		5



Project Name:
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

SAMPLE RESULTS

Lab ID: L1409052-03 D
 Client ID: SV-3
 Sample Location: 11 HUBERT STREET, MANHATTAN

Date Collected: 04/29/14 13:20
 Date Received: 04/29/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
1,1,2,2-Tetrachloroethane	ND	1.00	--	ND	6.87	--		5
o-Xylene	16.8	1.00	--	73.0	4.34	--		5
4-Ethyltoluene	7.86	1.00	--	38.6	4.92	--		5
1,3,5-Trimethylbenzene	6.29	1.00	--	30.9	4.92	--		5
1,2,4-Trimethylbenzene	22.2	1.00	--	109	4.92	--		5
Benzyl chloride	ND	1.00	--	ND	5.18	--		5
1,3-Dichlorobenzene	ND	1.00	--	ND	6.01	--		5
1,4-Dichlorobenzene	ND	1.00	--	ND	6.01	--		5
1,2-Dichlorobenzene	ND	1.00	--	ND	6.01	--		5
1,2,4-Trichlorobenzene	ND	1.00	--	ND	7.42	--		5
Hexachlorobutadiene	ND	1.00	--	ND	10.7	--		5

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	90		60-140
Bromochloromethane	94		60-140
chlorobenzene-d5	100		60-140



Project Name: Not Specified

Lab Number: L1409052

Project Number: 140099

Report Date: 05/06/14

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 05/02/14 15:01

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-03 Batch: WG686934-4								
Propylene	ND	0.500	--	ND	0.861	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	2.50	--	ND	4.71	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1
Methylene chloride	ND	1.00	--	ND	3.47	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	0.200	--	ND	0.704	--		1
2-Butanone	ND	0.200	--	ND	0.590	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1

Project Name: Not Specified

Lab Number: L1409052

Project Number: 140099

Report Date: 05/06/14

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 05/02/14 15:01

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-03 Batch: WG686934-4								
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.590	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.200	--	ND	0.820	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1



Project Name: Not Specified

Lab Number: L1409052

Project Number: 140099

Report Date: 05/06/14

Method Blank Analysis Batch Quality Control

Analytical Method: 48,TO-15

Analytical Date: 05/02/14 15:01

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab for sample(s): 01-03 Batch: WG686934-4								
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds



Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG686934-3								
Chlorodifluoromethane	94		-		70-130	-		
Propylene	100		-		70-130	-		
Propane	75		-		70-130	-		
Dichlorodifluoromethane	93		-		70-130	-		
Chloromethane	107		-		70-130	-		
1,2-Dichloro-1,1,2,2-tetrafluoroethane	109		-		70-130	-		
Methanol	86		-		70-130	-		
Vinyl chloride	114		-		70-130	-		
1,3-Butadiene	109		-		70-130	-		
Butane	99		-		70-130	-		
Bromomethane	108		-		70-130	-		
Chloroethane	107		-		70-130	-		
Ethyl Alcohol	88		-		70-130	-		
Dichlorofluoromethane	104		-		70-130	-		
Vinyl bromide	103		-		70-130	-		
Acrolein	96		-		70-130	-		
Acetone	110		-		70-130	-		
Acetonitrile	100		-		70-130	-		
Trichlorofluoromethane	114		-		70-130	-		
iso-Propyl Alcohol	101		-		70-130	-		
Acrylonitrile	94		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG686934-3								
Pentane	91		-		70-130	-		
Ethyl ether	82		-		70-130	-		
1,1-Dichloroethene	104		-		70-130	-		
tert-Butyl Alcohol	95		-		70-130	-		
Methylene chloride	99		-		70-130	-		
3-Chloropropene	98		-		70-130	-		
Carbon disulfide	91		-		70-130	-		
1,1,2-Trichloro-1,2,2-Trifluoroethane	104		-		70-130	-		
trans-1,2-Dichloroethene	91		-		70-130	-		
1,1-Dichloroethane	104		-		70-130	-		
Methyl tert butyl ether	91		-		70-130	-		
Vinyl acetate	124		-		70-130	-		
2-Butanone	93		-		70-130	-		
cis-1,2-Dichloroethene	113		-		70-130	-		
Ethyl Acetate	104		-		70-130	-		
Chloroform	107		-		70-130	-		
Tetrahydrofuran	87		-		70-130	-		
2,2-Dichloropropane	89		-		70-130	-		
1,2-Dichloroethane	108		-		70-130	-		
n-Hexane	101		-		70-130	-		
Isopropyl Ether	94		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG686934-3								
Ethyl-Tert-Butyl-Ether	92		-		70-130	-		
1,1,1-Trichloroethane	107		-		70-130	-		
1,1-Dichloropropene	96		-		70-130	-		
Benzene	100		-		70-130	-		
Carbon tetrachloride	109		-		70-130	-		
Cyclohexane	97		-		70-130	-		
Tertiary-Amyl Methyl Ether	88		-		70-130	-		
Dibromomethane	102		-		70-130	-		
1,2-Dichloropropane	106		-		70-130	-		
Bromodichloromethane	100		-		70-130	-		
1,4-Dioxane	92		-		70-130	-		
Trichloroethene	109		-		70-130	-		
2,2,4-Trimethylpentane	102		-		70-130	-		
Methyl methacrylate	99		-		70-130	-		
Heptane	92		-		70-130	-		
cis-1,3-Dichloropropene	107		-		70-130	-		
4-Methyl-2-pentanone	97		-		70-130	-		
trans-1,3-Dichloropropene	90		-		70-130	-		
1,1,2-Trichloroethane	110		-		70-130	-		
Toluene	105		-		70-130	-		
1,3-Dichloropropane	100		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG686934-3								
2-Hexanone	103		-		70-130	-		
Dibromochloromethane	100		-		70-130	-		
1,2-Dibromoethane	106		-		70-130	-		
Butyl Acetate	96		-		70-130	-		
Octane	97		-		70-130	-		
Tetrachloroethene	112		-		70-130	-		
1,1,1,2-Tetrachloroethane	104		-		70-130	-		
Chlorobenzene	112		-		70-130	-		
Ethylbenzene	106		-		70-130	-		
p/m-Xylene	108		-		70-130	-		
Bromoform	95		-		70-130	-		
Styrene	107		-		70-130	-		
1,1,1,2-Tetrachloroethane	117		-		70-130	-		
o-Xylene	111		-		70-130	-		
1,2,3-Trichloropropane	101		-		70-130	-		
Nonane (C9)	97		-		70-130	-		
Isopropylbenzene	104		-		70-130	-		
Bromobenzene	99		-		70-130	-		
o-Chlorotoluene	103		-		70-130	-		
n-Propylbenzene	104		-		70-130	-		
p-Chlorotoluene	101		-		70-130	-		

Lab Control Sample Analysis

Batch Quality Control

Project Name: Not Specified

Lab Number: L1409052

Project Number: 140099

Report Date: 05/06/14

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 Batch: WG686934-3								
4-Ethyltoluene	97		-		70-130	-		
1,3,5-Trimethylbenzene	109		-		70-130	-		
tert-Butylbenzene	104		-		70-130	-		
1,2,4-Trimethylbenzene	113		-		70-130	-		
Decane (C10)	106		-		70-130	-		
Benzyl chloride	80		-		70-130	-		
1,3-Dichlorobenzene	116		-		70-130	-		
1,4-Dichlorobenzene	116		-		70-130	-		
sec-Butylbenzene	105		-		70-130	-		
p-Isopropyltoluene	96		-		70-130	-		
1,2-Dichlorobenzene	116		-		70-130	-		
n-Butylbenzene	109		-		70-130	-		
1,2-Dibromo-3-chloropropane	102		-		70-130	-		
Undecane	112		-		70-130	-		
Dodecane (C12)	123		-		70-130	-		
1,2,4-Trichlorobenzene	122		-		70-130	-		
Naphthalene	108		-		70-130	-		
1,2,3-Trichlorobenzene	111		-		70-130	-		
Hexachlorobutadiene	128		-		70-130	-		

Lab Duplicate Analysis

Batch Quality Control

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
Volatile Organics in Air - Mansfield Lab Associated sample(s): 01-03 QC Batch ID: WG686934-5 QC Sample: L1408934-01 Client ID: DUP Sample						
1,3-Butadiene	1.21	1.21	ppbV	0		25
Benzene	0.375	0.388	ppbV	3		25
Toluene	0.456	0.500	ppbV	9		25
p/m-Xylene	ND	0.406	ppbV	NC		25
o-Xylene	ND	ND	ppbV	NC		25
Naphthalene	ND	ND	ppbV	NC		25

Project Name:

Project Number: 140099

Serial_No:05061416:11
Lab Number: L1409052

Report Date: 05/06/14

Canister and Flow Controller Information

Samplenum	Client ID	Media ID	Media Type	Date Prepared	Bottle Order	Cleaning Batch ID	Can Leak Check	Initial Pressure (in. Hg)	Pressure on Receipt (in. Hg)	Flow Controller Leak Chk	Flow Out mL/min	Flow In mL/min	% RPD
L1409052-01	SV-1	0116	#16 AMB	04/25/14	101774		-	-	-	Pass	9.0	10.6	16
L1409052-01	SV-1	333	2.7L Can	04/25/14	101774	L1408451-01	Pass	-29.0	-0.1	-	-	-	-
L1409052-02	SV-2	0237	#16 SV	04/25/14	101774		-	-	-	Pass	9.0	9.4	4
L1409052-02	SV-2	355	2.7L Can	04/25/14	101774	L1408451-01	Pass	-29.4	-3.8	-	-	-	-
L1409052-03	SV-3	0374	#90 AMB	04/25/14	101774		-	-	-	Pass	8.8	9.2	4
L1409052-03	SV-3	374	2.7L Can	04/25/14	101774	L1408451-01	Pass	-29.4	-5.8	-	-	-	-

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15
 Analytical Date: 04/23/14 18:31
 Analyst: RY

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Chlorodifluoromethane	ND	0.200	--	ND	0.707	--		1
Propylene	ND	0.500	--	ND	0.861	--		1
Propane	ND	0.500	--	ND	0.902	--		1
Dichlorodifluoromethane	ND	0.200	--	ND	0.989	--		1
Chloromethane	ND	0.200	--	ND	0.413	--		1
Freon-114	ND	0.200	--	ND	1.40	--		1
Methanol	ND	5.00	--	ND	6.55	--		1
Vinyl chloride	ND	0.200	--	ND	0.511	--		1
1,3-Butadiene	ND	0.200	--	ND	0.442	--		1
Butane	ND	0.200	--	ND	0.475	--		1
Bromomethane	ND	0.200	--	ND	0.777	--		1
Chloroethane	ND	0.200	--	ND	0.528	--		1
Ethanol	ND	2.50	--	ND	4.71	--		1
Dichlorofluoromethane	ND	0.200	--	ND	0.842	--		1
Vinyl bromide	ND	0.200	--	ND	0.874	--		1
Acrolein	ND	0.500	--	ND	1.15	--		1
Acetone	ND	1.00	--	ND	2.38	--		1
Acetonitrile	ND	0.200	--	ND	0.336	--		1
Trichlorofluoromethane	ND	0.200	--	ND	1.12	--		1
Isopropanol	ND	0.500	--	ND	1.23	--		1
Acrylonitrile	ND	0.200	--	ND	0.434	--		1
Pentane	ND	0.200	--	ND	0.590	--		1
Ethyl ether	ND	0.200	--	ND	0.606	--		1
1,1-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Tertiary butyl Alcohol	ND	0.500	--	ND	1.52	--		1

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Methylene chloride	ND	1.00	--	ND	3.47	--		1
3-Chloropropene	ND	0.200	--	ND	0.626	--		1
Carbon disulfide	ND	0.200	--	ND	0.623	--		1
Freon-113	ND	0.200	--	ND	1.53	--		1
trans-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
1,1-Dichloroethane	ND	0.200	--	ND	0.809	--		1
Methyl tert butyl ether	ND	0.200	--	ND	0.721	--		1
Vinyl acetate	ND	0.200	--	ND	0.704	--		1
2-Butanone	ND	0.200	--	ND	0.590	--		1
cis-1,2-Dichloroethene	ND	0.200	--	ND	0.793	--		1
Ethyl Acetate	ND	0.500	--	ND	1.80	--		1
Chloroform	ND	0.200	--	ND	0.977	--		1
Tetrahydrofuran	ND	0.200	--	ND	0.590	--		1
2,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
1,2-Dichloroethane	ND	0.200	--	ND	0.809	--		1
n-Hexane	ND	0.200	--	ND	0.705	--		1
Diisopropyl ether	ND	0.200	--	ND	0.836	--		1
tert-Butyl Ethyl Ether	ND	0.200	--	ND	0.836	--		1
1,1,1-Trichloroethane	ND	0.200	--	ND	1.09	--		1
1,1-Dichloropropene	ND	0.200	--	ND	0.908	--		1
Benzene	ND	0.200	--	ND	0.639	--		1
Carbon tetrachloride	ND	0.200	--	ND	1.26	--		1
Cyclohexane	ND	0.200	--	ND	0.688	--		1
tert-Amyl Methyl Ether	ND	0.200	--	ND	0.836	--		1
Dibromomethane	ND	0.200	--	ND	1.42	--		1
1,2-Dichloropropane	ND	0.200	--	ND	0.924	--		1
Bromodichloromethane	ND	0.200	--	ND	1.34	--		1
1,4-Dioxane	ND	0.200	--	ND	0.721	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
Trichloroethene	ND	0.200	--	ND	1.07	--		1
2,2,4-Trimethylpentane	ND	0.200	--	ND	0.934	--		1
Methyl Methacrylate	ND	0.500	--	ND	2.05	--		1
Heptane	ND	0.200	--	ND	0.820	--		1
cis-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
4-Methyl-2-pentanone	ND	0.200	--	ND	0.820	--		1
trans-1,3-Dichloropropene	ND	0.200	--	ND	0.908	--		1
1,1,2-Trichloroethane	ND	0.200	--	ND	1.09	--		1
Toluene	ND	0.200	--	ND	0.754	--		1
1,3-Dichloropropane	ND	0.200	--	ND	0.924	--		1
2-Hexanone	ND	0.200	--	ND	0.820	--		1
Dibromochloromethane	ND	0.200	--	ND	1.70	--		1
1,2-Dibromoethane	ND	0.200	--	ND	1.54	--		1
Butyl acetate	ND	0.500	--	ND	2.38	--		1
Octane	ND	0.200	--	ND	0.934	--		1
Tetrachloroethene	ND	0.200	--	ND	1.36	--		1
1,1,1,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
Chlorobenzene	ND	0.200	--	ND	0.921	--		1
Ethylbenzene	ND	0.200	--	ND	0.869	--		1
p/m-Xylene	ND	0.400	--	ND	1.74	--		1
Bromoform	ND	0.200	--	ND	2.07	--		1
Styrene	ND	0.200	--	ND	0.852	--		1
1,1,2,2-Tetrachloroethane	ND	0.200	--	ND	1.37	--		1
o-Xylene	ND	0.200	--	ND	0.869	--		1
1,2,3-Trichloropropane	ND	0.200	--	ND	1.21	--		1
Nonane	ND	0.200	--	ND	1.05	--		1
Isopropylbenzene	ND	0.200	--	ND	0.983	--		1
Bromobenzene	ND	0.200	--	ND	0.793	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								
2-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
n-Propylbenzene	ND	0.200	--	ND	0.983	--		1
4-Chlorotoluene	ND	0.200	--	ND	1.04	--		1
4-Ethyltoluene	ND	0.200	--	ND	0.983	--		1
1,3,5-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
tert-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2,4-Trimethylbenzene	ND	0.200	--	ND	0.983	--		1
Decane	ND	0.200	--	ND	1.16	--		1
Benzyl chloride	ND	0.200	--	ND	1.04	--		1
1,3-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
1,4-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
sec-Butylbenzene	ND	0.200	--	ND	1.10	--		1
p-Isopropyltoluene	ND	0.200	--	ND	1.10	--		1
1,2-Dichlorobenzene	ND	0.200	--	ND	1.20	--		1
n-Butylbenzene	ND	0.200	--	ND	1.10	--		1
1,2-Dibromo-3-chloropropane	ND	0.200	--	ND	1.93	--		1
Undecane	ND	0.200	--	ND	1.28	--		1
Dodecane	ND	0.200	--	ND	1.39	--		1
1,2,4-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Naphthalene	ND	0.200	--	ND	1.05	--		1
1,2,3-Trichlorobenzene	ND	0.200	--	ND	1.48	--		1
Hexachlorobutadiene	ND	0.200	--	ND	2.13	--		1

Results	Qualifier	Units	RDL	Dilution Factor
Tentatively Identified Compounds				

No Tentatively Identified Compounds



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air - Mansfield Lab								

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-Difluorobenzene	106		60-140
Bromochloromethane	93		60-140
chlorobenzene-d5	99		60-140

Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:
 Matrix: Air
 Analytical Method: 48,TO-15-SIM
 Analytical Date: 04/23/14 18:31
 Analyst: RY

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Dichlorodifluoromethane	ND	0.050	--	ND	0.247	--		1
Chloromethane	ND	0.500	--	ND	1.03	--		1
Freon-114	ND	0.050	--	ND	0.349	--		1
Vinyl chloride	ND	0.020	--	ND	0.051	--		1
1,3-Butadiene	ND	0.020	--	ND	0.044	--		1
Bromomethane	ND	0.020	--	ND	0.078	--		1
Chloroethane	ND	0.020	--	ND	0.053	--		1
Acetone	ND	2.00	--	ND	4.75	--		1
Trichlorofluoromethane	ND	0.050	--	ND	0.281	--		1
Acrylonitrile	ND	0.500	--	ND	1.09	--		1
1,1-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Methylene chloride	ND	1.00	--	ND	3.47	--		1
Freon-113	ND	0.050	--	ND	0.383	--		1
Halothane	ND	0.050	--	ND	0.404	--		1
trans-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
1,1-Dichloroethane	ND	0.020	--	ND	0.081	--		1
Methyl tert butyl ether	ND	0.020	--	ND	0.072	--		1
2-Butanone	ND	0.500	--	ND	1.47	--		1
cis-1,2-Dichloroethene	ND	0.020	--	ND	0.079	--		1
Chloroform	ND	0.020	--	ND	0.098	--		1
1,2-Dichloroethane	ND	0.020	--	ND	0.081	--		1
1,1,1-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Benzene	ND	0.100	--	ND	0.319	--		1
Carbon tetrachloride	ND	0.020	--	ND	0.126	--		1
1,2-Dichloropropane	ND	0.020	--	ND	0.092	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
Bromodichloromethane	ND	0.020	--	ND	0.134	--		1
1,4-Dioxane	ND	0.100	--	ND	0.360	--		1
Trichloroethene	ND	0.020	--	ND	0.107	--		1
cis-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
4-Methyl-2-pentanone	ND	0.500	--	ND	2.05	--		1
trans-1,3-Dichloropropene	ND	0.020	--	ND	0.091	--		1
1,1,2-Trichloroethane	ND	0.020	--	ND	0.109	--		1
Toluene	ND	0.050	--	ND	0.188	--		1
Dibromochloromethane	ND	0.020	--	ND	0.170	--		1
1,2-Dibromoethane	ND	0.020	--	ND	0.154	--		1
Tetrachloroethene	ND	0.020	--	ND	0.136	--		1
1,1,1,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
Chlorobenzene	ND	0.020	--	ND	0.092	--		1
Ethylbenzene	ND	0.020	--	ND	0.087	--		1
p/m-Xylene	ND	0.040	--	ND	0.174	--		1
Bromoform	ND	0.020	--	ND	0.207	--		1
Styrene	ND	0.020	--	ND	0.085	--		1
1,1,2,2-Tetrachloroethane	ND	0.020	--	ND	0.137	--		1
o-Xylene	ND	0.020	--	ND	0.087	--		1
Isopropylbenzene	ND	0.500	--	ND	2.46	--		1
4-Ethyltoluene	ND	0.020	--	ND	0.098	--		1
1,3,5-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,2,4-Trimethylbenzene	ND	0.020	--	ND	0.098	--		1
1,3-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
1,4-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1
sec-Butylbenzene	ND	0.500	--	ND	2.74	--		1
p-Isopropyltoluene	ND	0.500	--	ND	2.74	--		1
1,2-Dichlorobenzene	ND	0.020	--	ND	0.120	--		1



Project Name: BATCH CANISTER CERTIFICATION
Project Number: CANISTER QC BAT

Lab Number: L1408451
Report Date: 05/06/14

Air Canister Certification Results

Lab ID: L1408451-01
 Client ID: CAN 534 SHELF 3
 Sample Location:

Date Collected: 04/21/14 15:16
 Date Received: 04/22/14
 Field Prep: Not Specified

Parameter	ppbV			ug/m3			Qualifier	Dilution Factor
	Results	RL	MDL	Results	RL	MDL		
Volatile Organics in Air by SIM - Mansfield Lab								
n-Butylbenzene	ND	0.500	--	ND	2.74	--		1
1,2,4-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Naphthalene	ND	0.050	--	ND	0.262	--		1
1,2,3-Trichlorobenzene	ND	0.050	--	ND	0.371	--		1
Hexachlorobutadiene	ND	0.050	--	ND	0.533	--		1

Internal Standard	% Recovery	Qualifier	Acceptance Criteria
1,4-difluorobenzene	106		60-140
bromochloromethane	95		60-140
chlorobenzene-d5	101		60-140

Project Name: Not Specified

Lab Number: L1409052

Project Number: 140099

Report Date: 05/06/14

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Reagent H2O Preserved Vials Frozen on: NA

Cooler Information Custody Seal**Cooler**

N/A Present/Intact

Container Information

Container ID	Container Type	Cooler	pH	Temp deg C	Pres	Seal	Analysis(*)
L1409052-01A	Canister - 2.7 Liter	N/A	N/A		Y	Present/Intact	TO15-LL(30)
L1409052-02A	Canister - 2.7 Liter	N/A	N/A		Y	Present/Intact	TO15-LL(30)
L1409052-03A	Canister - 2.7 Liter	N/A	N/A		Y	Present/Intact	TO15-LL(30)

*Values in parentheses indicate holding time in days

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

GLOSSARY

Acronyms

EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NI	- Not Ignitable.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensation Product".
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit.
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.

Report Format: Data Usability Report



Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

Data Qualifiers

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- J** - Estimated value. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND** - Not detected at the reporting limit (RL) for the sample.

Project Name: Not Specified
Project Number: 140099

Lab Number: L1409052
Report Date: 05/06/14

REFERENCES

- 48 Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air. Second Edition. EPA/625/R-96/010b, January 1999.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

Last revised April 15, 2014

The following analytes are not included in our NELAP Scope of Accreditation:

Westborough Facility

EPA 524.2: Acetone, 2-Butanone (Methyl ethyl ketone (MEK)), Tert-butyl alcohol, 2-Hexanone, Tetrahydrofuran, 1,3,5-Trichlorobenzene, 4-Methyl-2-pentanone (MIBK), Carbon disulfide, Diethyl ether.

EPA 8260C: 1,2,4,5-Tetramethylbenzene, 4-Ethyltoluene, Iodomethane (methyl iodide), Methyl methacrylate, Azobenzene.

EPA 8330A/B: PETN, Picric Acid, Nitroglycerine, 2,6-DANT, 2,4-DANT.

EPA 8270D: 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine.

EPA 625: 4-Chloroaniline, 4-Methylphenol.

SM4500: Soil: Total Phosphorus, TKN, NO₂, NO₃.

EPA 9071: Total Petroleum Hydrocarbons, Oil & Grease.

Mansfield Facility

EPA 8270D: Biphenyl.

EPA 2540D: TSS

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility:

Drinking Water

EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; **EPA 200.7:** Ba,Be,Ca,Cd,Cr,Cu,Na; **EPA 245.1:** Mercury;

EPA 300.0: Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B**

EPA 332: Perchlorate.

Microbiology: **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT.**

Non-Potable Water

EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn;

EPA 200.7: Al,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,Tl,V,Zn;

EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **SM4500NO3-F,**

EPA 353.2: Nitrate-N, **SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4,**

SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D.

EPA 624: Volatile Halocarbons & Aromatics,

EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.

Microbiology: **SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

